


1982 Census of Transportation

TC82-T-51

TRUCK INVENTORY AND USE SURVEY

Wyoming



The publications
from the 1982 Economic and
Agriculture Censuses are dedicated
to the memory of Shirley Kallek,
Associate Director for Economic Fields.
During her career at the Bureau of the
Census (1955 to 1983), she continually
directed efforts to improve
the timeliness and accuracy of
economic statistics.

1982 Census of Transportation

TC82-T-51
TRUCK INVENTORY AND USE SURVEY

Wyoming

Issued May 1985



U.S. Department of Commerce
Malcolm Baldrige, Secretary
Clarence J. Brown, Deputy Secretary
Sidney Jones, Under Secretary for
Economic Affairs

BUREAU OF THE CENSUS
John G. Keane,
Director



BUREAU OF THE CENSUS

John G. Keane, Director

C. L. Kincannon, Deputy Director

Charles A. Waite, Associate Director for
Economic Fields

John H. Berry, Assistant Director for
Economic and Agriculture Censuses

ECONOMIC SURVEYS DIVISION

W. Joel Richardson, Chief

ACKNOWLEDGMENTS—Many persons participated in the various activities of the 1982 Census of Transportation. Primary direction of the program was performed by **Shirley Kallek**, Associate Director for Economic Fields (until May 1983), **Charles A. Waite**, her successor, and **Michael G. Farrell**, Assistant Director for Economic and Agriculture Censuses (until August 1984), and **John H. Berry**, his successor.

This report was prepared in the Economic Surveys Division under the general direction of **W. Joel Richardson**, Chief. **Robert E. Crowther**, Assistant Chief for Census Programs, was responsible for the overall management of the census of transportation. He guided the planning and implementation of the project and coordinated activities with other divisions.

Carmen Campbell, Transportation Branch, assisted by **Troy King**, **Geroid L. Morning**, **Joseph K. Tintera**, **Tempie Whittington**, and **Georgeann H. Wright**, was directly responsible for the planning, development of specifications and procedures, analysis of data, and preparation of this report.

The computer processing systems were developed and coordinated under the direction of **Andrew L. Grieco**, Assistant Chief for Methods and Systems. **Charles A. Venters**, Chief, Economic Programming Branch, and **Paul E. Poissant**, Chief, Directory and Census Programming Branch, were responsible for implementation of the computer systems, and the computer programs were prepared under the supervision of **Arnold L. Braddock** and **Chuck Fee Lee**, assisted by **Ernestine Kornegay**, **Avis W. Buchanan**, and **Carrie Lee Johnson**.

The mathematical techniques and quality control requirements were developed by **Mitchell L. Trager**, Assistant Chief for Research and Methodology, assisted by **Kenneth R. Sausman**, **Thomas O. Cevis**, **Nancy H. Dunn**, **Robert A. Peregoy**, and **Edwin L. Robison**.

Other persons made important contributions in such areas as developing specifications, procedures, and resolving problems. They include **Alfred R. Brand**, **Helen L. Barton**, **Ellen Kummer**, **Leonard Tauber**, and **Mark Grice**.

Planning, design, review, and composition of report forms were performed in the Administrative Services Division, **Robert L. Kirkland**, Chief.

Publication planning, design, editorial review, composition, and printing procurement were performed in the Publications Services Division, **Raymond J. Koski**, Chief.

Mailout preparation and receipt operations, clerical and analytical review activities, data keying, and geocoding review were performed in the Data Preparation Division, **Don L. Adams**, Chief.

Computer processing was performed in the Computer Services Division, **C. Thomas DiNenna**, Chief (until February 1984), and **John E. Halterman**, his successor.

Photocomposition programs for the statistical tables were developed in the Systems Support Division, **Larry J. Patin**, Chief (until October 1983), and **Arnold E. Levin**, his successor.

The overall planning and review of the census operations were performed by the staff of the office of the Assistant Director for Economic and Agriculture Censuses.

Special acknowledgment is also due the many businesses whose cooperation has contributed to the publication of these data.

Library of Congress Cataloging in Publication Data

Census of transportation (1982)
1982 census of transportation.

"Issued May 1985"

"TC82-ST" (v. 1)

"TC82-CS" (v. 2)

"TC82-T-1-51;TC82-T-52" (v. 3)

Contents: (1) Selected statistics for transportation industries—(2) Commodity transportation survey summary—(3) Truck inventory and use survey (v.). U.S. summary.

Supt. of Docs. no.: C 3.223/5: TC82.ST

1. Transportation—United States—Statistics.

I. United States. Bureau of the Census. II. Title.

HE203.C44 1982

380.5'0973

83-600222

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

INTRODUCTION

	(Page)
Economic Censuses Over Time	III
Uses of the Economic Censuses	III
Authority and Scope of the Economic Censuses	IV
Census of Transportation	IV
Truck Inventory and Use Survey	IV
Total Truck Inventory	IV
Comparability with Previous Surveys	IV
Explanation of Terms	V
Sample Design	VI
Survey Method	VI
Reliability of Estimates	VI
Abbreviations and Symbols	VII

ECONOMIC CENSUSES OVER TIME

The early beginnings of America's industrial output were first measured in the United States in the 1810 Decennial Census and again in 1820, when questions on manufacturing were included with those for population. Beginning with the 1840 Decennial Census, there were enumerations of manufactures and mineral industries at 10-year intervals up to and including the year 1900 for manufactures and 1940 for mineral industries. The latter census was taken again for 1954, 1958, 1963, and 1967.

Because of the increasing dominance of manufacturing in the early 20th century, Congress directed that quinquennial censuses of manufactures be taken beginning in 1905. However, from 1919 through 1939, these censuses were conducted every 2 years. The need for war-related current surveys in the early 1940's postponed the next census of manufactures until 1948 (for 1947). That census was again taken for 1954, 1958, 1963, and 1967.

Retail and wholesale trade data were first collected in 1930, and in 1933 information on selected service industries was added to the data-collection operation. These business censuses, as they were called, were again taken for 1935, 1939 (as part of the 1940 decennial program), 1948, 1954, 1958, 1963, and 1967.

Information on construction industries was first obtained in 1930 and again for 1935 and 1939. Data for the full spectrum of construction industries were not gathered again until 1968 (for 1967).

The need for transportation data to supplement information available from existing governmental or private sources was recognized by Congress in the late 1950's and early 1960's. The census of transportation (consisting of several surveys) was first taken for 1963 and again for 1967.

Since 1967, all of the above censuses have been taken quinquennially as part of the Census Bureau's economic census program. (For the 1977 censuses, the coverage of the service industries was broadened from "selected services" to all services, except religious organizations and private households. A total of 41 additional four-digit standard industrial classifications¹ (SIC's) in 7 SIC major groups was added to the scope of the

census. While most of the industries included for the first time for 1977 were covered again for 1982, some were not, i.e., hospitals; elementary and secondary schools; colleges, universities, and professional schools; junior colleges and technical institutes; labor unions and similar labor organizations; and political organizations.)

The first manufacturing census for an outlying area was conducted in Puerto Rico for the year 1909. Thereafter, with the exception of 1929, a census was taken at 10-year intervals through 1949. The first censuses of retail trade, wholesale trade, and selected service industries in Puerto Rico were conducted for 1939. These censuses also were taken for the years 1949, 1954, 1958, 1963, and 1967. A census of construction industries was first introduced in Puerto Rico for 1967. These censuses of Puerto Rico have been taken since then for the years 1972, 1977, and 1982.

Censuses of manufactures, retail trade, wholesale trade, and selected service industries were conducted in Guam and the Virgin Islands of the United States for 1958, 1963, 1967, 1972, 1977, and 1982. Censuses of mineral industries were taken in the Virgin Islands of the United States for the years 1958, 1963, and 1967 but not since that time. A census of construction industries was also undertaken in these areas for 1972, 1977, and 1982.

Retail trade, wholesale trade, selected service industries, manufacturing, and construction industries were canvassed for the first time in the Northern Mariana Islands in 1983 (for 1982).

For 1982, the economic censuses and agriculture censuses were conducted concurrently.

USES OF THE ECONOMIC CENSUSES

The economic censuses are the major source for facts about the structure and functioning of the Nation's economy and provide essential information for government, business, industry, and the general public. They provide an important part of the framework for such composite measures as the gross national product, input-output measures, indexes of industrial production, and indexes measuring productivity and price levels. Information from the censuses is used to establish sampling frames and as benchmarks for current surveys of business activity, which are essential for measuring short-term economic conditions.

State and local governments use census data to assess business activities within their jurisdictions. The private sector uses the data to forecast general economic conditions; analyze sales performance; lay out sales territories; allocate funds for advertising; decide on locations for new plants, warehouses, or stores; and measure potential markets in terms of size, geographic areas, kinds of business, and kinds of products made or sold.

Following every census, thousands of businesses and other users purchase reports. Likewise, census facts are widely disseminated by trade associations, business journals, and newspapers. Volumes containing census statistics are available in most major public and college libraries. All 1982 data are

¹Standard Industrial Classification Manual: 1972. For sale by Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Stock No. 041-001-00066-6. 1977 Supplement. Stock No. 003-005-00176-0.

available on microfiche from the U.S. Government Printing Office and most data on computer tape from the Census Bureau. Finally, the more than 50 State Data Centers also are suppliers of economic census statistics.

AUTHORITY AND SCOPE OF THE ECONOMIC CENSUSES

The economic censuses are required by law under title 13 of the United States Code, sections 131, 191, and 224, which directs that they be taken at 5-year intervals for the years ending in 2 and 7. The 1982 Economic Censuses covered manufacturing, mining, construction industries, retail trade, wholesale trade, service industries, and selected transportation activities. Special programs also cover minority-owned and women-owned businesses. The next economic censuses are scheduled to be taken in 1988 for the year 1987.

CENSUS OF TRANSPORTATION

The 1982 Census of Transportation consists of three surveys:

1. Truck Inventory and Use (TIUS)
2. Selected Statistics for Transportation Industries²
3. Commodity Transportation³

These surveys were previously taken in 1967, 1972, and 1977.

TRUCK INVENTORY AND USE SURVEY

The Truck Inventory and Use Survey provides data on the physical and operational characteristics of the Nation's truck population. It is based on a probability sample of private and commercial trucks registered (or licensed) in the State during 1982.

Vehicles owned by Federal, State, and local governments, as well as ambulances, buses, and motor homes, were eliminated from the sample before questionnaires were mailed. Various other vehicles which were actually surveyed were subsequently classified as "out-of-scope": Trucks sold prior to 1982, farm tractors, unpowered trailer units, trucks reported to have been junked or wrecked prior to the registration year, etc.

Many States allow pickups and small vans and utility-type vehicles to be registered as cars or trucks; therefore, the passenger car files were searched and any such trucks were included in the sample universe. Some privately or commercially owned vehicles do not have to be licensed, such as "off-highway" trucks used exclusively on private property, and since they had no chance of being drawn in the sample, they are not covered in the survey.

TOTAL TRUCK INVENTORY

The estimated number of trucks that were within the scope of the TIUS and registered in the State as of July 1, 1982, was 203.6 thousand.

²The Selected Statistics for Transportation Industries Program will include some data formerly shown in the Nonregulated Motor Carriers and Public Warehousing Report.

³The Commodity Transportation Survey will cover the data year 1983.

This estimate serves as the benchmark to which the survey results were adjusted to produce the more detailed estimates contained in this report. It was developed through a review of the characteristics of each vehicle registered in the State.

Prior to 1977, Truck Inventory and Use Surveys were benchmarked to Federal Highway Administration (FHWA) totals of private and commercial truck registrations as reported in Highway Statistics, table MV-1. These FHWA estimates are based on calendar year summary reports from the individual States that reflect differences in truck definitions used by the States for vehicle registration.

The FHWA estimate of the number of private and commercial trucks registered in the State as of December 31, 1982, was 199.4 thousand.

COMPARABILITY WITH PREVIOUS SURVEYS

Although the basic purpose and scope of the previous Truck Inventory and Use Surveys were essentially identical to this one, some changes were introduced in 1982 that may affect all the data in this report or just specific items.

1982 changes affecting all the data⁴:

1. Stratification was based on body type rather than "small" vs. "large" trucks as in 1977. There were five strata: pickups; vans, panels and utilities; other single-unit trucks weighing less than 26,001 pounds; all other single-unit trucks; and truck tractors. See the section on sample design for an in-depth explanation of the stratification plan.
2. Two report forms were used: Form TC-9501 for pickups, panels, vans, and utility type vehicles if we could identify them specifically at the time of sampling. All other sampled vehicles received Form TC-9502. See appendix A for copies of the questionnaires. The difference in the two forms was that those questions which only pertained to heavy trucks were omitted from Form TC-9501.
3. Calculation of the standard errors was changed to display relative standard errors in percent rather than the standard error in actual numbers.

1982 changes affecting specific items:

1. **Length of load space or capacity**—Respondents were asked to report overall length of the vehicle instead of checking a box for load space or capacity.
2. **Axle arrangement of trailers**—The pictures of trailer configurations were eliminated to remove any bias which they may have caused in 1977. For 1982, only descriptions of common number of axles for each trailer type were used.
3. **What is the average weight of this vehicle as most often operated?**—Respondents were asked to report average weight rather than maximum gross vehicle weight. Large trucks also were asked to report empty weight and maximum weight at which the vehicle operated.

⁴See report forms TC-9501 and TC-9502 reproduced in appendix A for specific information requested for each truck in sample.

4. **Classification of operator**—Because of the Motor Carrier Act of 1980, several changes were made to this item to allow for new types of for-hire operations. We added a category of "mixed" to both the not-for-hire and for-hire operations. In addition, respondents were asked to give the percent (%) of mileage when their operations were mixed or more than one type. The final operator classification was determined in the computer edit using the value corresponding to the highest mileage.

5. **Products carried**—Instead of asking the respondents to select one specific type of product carried most of the time, we requested the percent of mileage for each product carried.

EXPLANATION OF TERMS

Vehicle size—This size classification is based on the gross vehicle weight (empty weight of the vehicle plus the average load carried) at which the vehicle operated during the past 12 months. The four size classes are:

1. **Light**—Gross vehicle weight of 10,000 pounds or less.
2. **Medium**—Gross vehicle weight of 10,001 to 19,500 pounds.
3. **Light-heavy**—Gross vehicle weight of 19,501 to 26,000 pounds.
4. **Heavy-heavy**—Gross vehicle weight of 26,001 pounds or more.

Operator classification—This item consists of two major sections, never for hire and always for hire:

1. **Never for hire**—Includes a private owner or a company which transports its own materials or merchandise, or uses the vehicle for personal transportation.

2. **Always for hire**—Includes the following:

a. **Interstate, exempt carrier**—Includes those operators who are not required to have an I.C.C. certificate because they transport only exempt commodities or operate in an exempt zone.

b. **Interstate, I.C.C. certified contract carrier**—Includes those operators who carry the goods of someone other than the vehicle owner by individual contract or agreement.

c. **Interstate, I.C.C. certified common carrier**—Includes those operators who offer service to the general public, usually operating a regularly scheduled service between established terminals over a more or less regular route.

d. **Intrastate, local cartage**—Includes those operators who travel only within the state of registration or are engaged in local cartage.

e. **Daily rental**—Includes those operators who offer short-term truck rental or leasing without a driver.

Major use—This item is based on the answer to the question: How was the vehicle mostly used during the past 12 months? Each of the 12 specific major use categories conforms to the generally accepted meaning of the terms. Responses to the "Other" category were recoded to one of the specific categories

if possible. The following are frequent "Other" responses which were recoded:

1. House moving was recoded to "For-hire transportation."
2. Trucks used in conjunction with railroads were recoded to "For-hire transportation."
3. Armored car services were recoded to "Services."
4. Commercial fishing was recoded to "Agriculture."
5. Oilfield services were recoded to "Mining and quarrying."
6. Certain specialized activities commonly thought of as services, such as plumbing, painting, plastering, carpentry, and electrical work, were recoded to "Construction."

U.S. mail service when done on a contract basis, antique trucks, and yard tractors were left in "Other."

The category "Not in Use" in the tables includes vehicles which, though licensed, were not used during the survey year, and those vehicles which were wrecked during the entire year.

Products carried—This item includes broad classifications of agricultural, manufacturing, and mineral products, as well as special categories of materials carried by trucks. Responses to the "Other" category were recoded to one of the 26 specific categories if possible. The following are frequent "Other" responses which were recoded:

1. Crews of workers and their tools were recoded to "Craftsman's vehicle."
2. Flowers, trees, shrubs, etc., were recoded to "Fresh farm products."
3. Animal by-products and sewage were recoded to "Scrap, refuse, or garbage."
4. Clay was recoded to "Mining products."
5. Auto parts (including tires) were recoded to "Transportation equipment and parts."

Rental equipment, water, and personnel were among the major categories left in "Other."

Hazardous materials—This category was designed to identify those trucks which regularly transport hazardous materials in quantities large enough to require a placard under the Code of Federal Regulations, Title 49, Transportation.

Truck fleet size—The size of the truck fleet is based on the number of trucks operated by a truck owner from a single "base of operation." The fleet located at the "base of operation" usually is smaller than the total fleet that an owner has if he operates from more than one base. The data shown in the "Truck Fleet Size" section of the tables are based on the number of trucks found in fleets of specified size and not the number of fleets. (If the item of the survey form was unanswered, the vehicle was assumed to be in a fleet of one, classified in accordance with the reported vehicle type.)

Range of Operation—The area in which the vehicle usually operates is classified as one of the following:

1. **Local**—Mostly in the local area, i.e., in or around the city and suburbs, or usually within a 50-mile radius of the

farm, factory, mine, or other place where the vehicle is stationed.

2. **Short range**—Mostly over-the-road (beyond the local area), usually within a 50- to 200-mile radius from the place where the vehicle is stationed.
3. **Long range**—Mostly over-the-road, usually more than 200 miles one way to the most distant stop from the place where the vehicle is stationed.
4. **Off-the-road**—Mostly off-the-road operation (usually associated with construction and farming).

Body type—This category includes the type of body that is either permanently attached to the power unit (i.e., straight truck) or most frequently used with a truck tractor as a tractor-trailer combination. Entries in the "Other" category were recoded if possible to a specific category. Those vehicles remaining in the "Other" category included truck tractors used in house moving, mobile home pulling, and boat transport.

Annual miles—Respondents were asked to report the total number of miles the truck was driven during the past 12 months. If the vehicle had less than 1 year's use, the respondent was asked to estimate the probable miles for a full year. If there was no response to the item, the annual miles were estimated (based on lifetime miles, length of time the vehicle was owned, body type, area of operation, vehicle type, and fuel type).

SAMPLE DESIGN

The Truck Inventory and Use Survey (at the national level) was based on a stratified probability sample of about 120,000 trucks drawn from an estimated universe of approximately 35 million current registrations on file with the motor vehicle departments in the 50 States and the District of Columbia.

A stratified random sample based on body type was selected in each State. Each State was divided into five strata: "pickup," "van," "single-unit light," "single-unit heavy" and "truck tractor." The "pickup" truck stratum consisted of only pickup trucks. The "van" truck stratum consisted of panel trucks, vans, utilities, jeeps, and station wagons on truck chassis. The "single-unit light" truck stratum consisted of all other single-unit trucks with a gross vehicle weight (GVW) of 26,000 pounds or less. The "single-unit heavy" truck stratum consisted of the remaining single-unit trucks. The "truck tractor" stratum consisted of only truck tractors.

Part of the sample (two-thirds) was allocated to meet "minimum" standards of reliability for each stratum in each State. For the "pickup" stratum, a minimum sample size was determined for each State based on the percentage of pickups in that State (the pickup strata usually contains 40 to 75 percent of the trucks in a State). Larger minimum sample sizes were specified for States with a larger percentage of trucks in the "pickup" stratum to decrease the domination of the variances by the "pickup" stratum in these States. For the remaining strata, a constant minimum sample size in each State was set as follows: 60 trucks for the "van" stratum, 700 (except 400 in the District of Columbia) trucks for the "single-unit light" stratum, 250 (except 100 in District of Columbia) trucks for the "single-unit heavy" stratum, and 400 (except 250 in Alabama, Hawaii, Idaho, Maine, Montana, Nevada, New Hampshire, Minnesota, North Dakota, New York, Rhode Island, Vermont,

and 25 in the District of Columbia) trucks for the "truck tractor" stratum.

The rest of the sample was allocated to the strata proportionately to the number of trucks in the State to improve the U.S. estimates. The number of total trucks sampled in each State ranged from 1,462 for Rhode Island to 5,016 for California (except 658 for District of Columbia), the mean being 2,352 trucks per State.

SURVEY METHOD

Report form TC-9501 was mailed to owners of trucks in the pickups and vans strata while report form TC-9502 was mailed to owners of all other trucks selected for the 1982 TIUS sample. The owner was asked to respond only for the vehicle identified by license number in the Registration Information Section of the report form, whether or not he or she was still the owner. These data (make, model year, license number, vehicle identification number) were imprinted on the form using information from the State registration records. The information received on the returned questionnaires was data keyed and processed through an extensive computer edit. Reports which contained questionable responses were referred and corrected if necessary. Estimates of the number of trucks with each characteristic were obtained by expanding the sampled units to the State truck population level.

RELIABILITY OF ESTIMATES

There are two reasons why the estimates based on data from a sample will vary from the unknown population value: Sampling variability and nonsampling error. The accuracy of a survey result depends not only on the sampling variability and nonsampling errors measured, but also on the nonsampling errors not explicitly measured. The following is a description of the sampling variability and nonsampling errors associated with the estimates made from the sample selected for the 1982 TIUS.

Sampling variability—The particular sample selected in this survey is only one of a large number of similar samples of the same size which could have been selected using the same sample design. If all possible samples had been surveyed, under essentially the same conditions, an estimate of an unknown population characteristic or value could have been obtained from each. The different samples give rise to a whole range of estimates for the unknown population value. A statistical measure of the variability among these estimates is the standard deviation, which can be approximated from any one sample.

Sampling variability in these tables is given as the percent relative standard error of estimate (RSE). The RSE is the standard deviation divided by the estimate, and this is converted to percent RSE by multiplying by 100. Except for table 2, the RSE's (in percent) are given only for the top row of estimates and the left column of estimates. The procedure for approximating the RSE's (in percent) for the other estimates is covered in appendix B.

The estimate from a particular sample and the approximation of the standard deviation associated with the estimate can be used to construct interval estimates called confidence intervals. A confidence interval is an expression of how well an estimate from a particular sample represents an unknown population value. Associated with each interval is a percentage of confidence (most commonly 68, 90, or 95 percent), which is interpreted as follows. If, for each possible sample, an estimate of

an unknown population value and the approximate standard deviation were obtained, then:

1. For approximately 68 percent of the possible samples, the interval from one standard deviation below to one standard deviation above the estimate would include the unknown population value. We call this a 68-percent confidence interval.
2. For approximately 90 percent of the possible samples, the interval from 1.6 standard deviations below to 1.6 standard deviations above the estimate would include the unknown population value. We call this a 90-percent confidence interval.
3. For approximately 95 percent of the possible samples, the interval from two standard deviations below to two standard deviations above the estimate would include the unknown population value. We call this a 95-percent confidence interval.

Example of a confidence interval calculation:

Assume the number of furniture vans in table 2 is given as 117.4 thousand trucks with a relative standard error of 6.1 percent. Then the standard deviation is:

$$117.4 \times .061 = 7.16 \text{ thousand trucks}$$

Now, an approximate 90 percent confidence interval (the estimate, plus or minus 1.6 standard deviations) is 117.4 plus or minus 11.5, or 105.9 to 128.9 thousand trucks.

Nonsampling errors—All surveys and censuses are subject to nonsampling errors. Nonsampling errors can be attributed to many sources—The inability to obtain responses from all cases in the sample, the inability or unwillingness on the part of respondents to provide correct information, imputation for item nonresponse, response errors and bias, misinterpretation of questions, mistakes in recording or keying data, errors of collection or processing, and coverage problems because of differing registration practices and implementation in some of the States.

Explicit measures of the effects of these nonsampling errors are not available. However, most of the important operational and response errors were detected and corrected through an automated data edit designed to review the data for reasonableness and consistency and an intensive telephone followup. Quality control techniques were used to verify that operating procedures were carried out as specified.

Nearly all types of nonsampling errors that affect this survey would also occur in a complete census. Since surveys are conducted on a smaller scale than censuses, nonsampling errors can be controlled more tightly. Relatively more funds and effort can be expended toward eliciting responses, detecting and correcting response errors, and reducing processing errors. As a result, survey results can often be more accurate than census results.

Ninety percent of the questionnaires were returned, with an item nonresponse rate of not more than one percent for most of the major questions. For most estimates in these tables, total nonresponse is handled by allocating the unreturned questionnaires in proportion to the responses. For most categories in the tables, the item nonresponse (respondents not answering the item on the questionnaires) is shown on a separate line. For example, respondents who did not indicate the major use of their truck(s) are included in the "not reported" category. The number given represents the number of trucks not allocated to a particular major use. Users should exercise caution in allocating these trucks to the major uses, since the characteristics of item nonrespondents may differ significantly from those of the respondents.

For some questions, a response was generated to complete a blank on the questionnaire. Engine characteristics and body characteristics were frequently determined through analysis of the vehicle identification number (VIN) and charts based on manufacturer's specifications. All missing annual miles data were imputed based on information available about the truck's lifetime miles, its age, its vehicle type, its number of axles, its engine type, its area of operation, and its major use. Any biases introduced by the imputation and correction procedures are thought to be small.

ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in this publication:

- Represents zero.
- (NA) Not available.
- (S) Withheld because estimate did not meet publication standards on the basis of either the response rate, associated standard error, or a consistency review.
- (Z) Represents less than 50 trucks, or 500,000 miles, or .05 percent, as appropriate for the data column.
- RSE Relative standard error.

Wyoming

CONTENTS

[Page numbers listed here omit the prefix that appears as part of the number of each page]

	Page
Introduction	III

TABLES

1. Trucks—Comparative Summary: 1982 and Earlier Years	2
2. Trucks, Truck Miles, and Average Annual Miles: 1982	3
3. Trucks by Major Use: 1982	8
4. Trucks by Vehicle Size: 1982	18
5. Trucks by Annual Mileage Class: 1982	23
6. Trucks by Range of Operation: 1982	28
7. Trucks by Truck Type and Axle Arrangement: 1982	34
8. Trucks by Body Type: 1982	*

APPENDIXES

A. Survey Forms	A-1
B. Approximating Unpublished Relative Standard Errors	B-1

Publication Program Inside back cover

* Available upon request from Economic Surveys Division, Transportation Branch, Bureau of the Census, Washington, D.C. 20233.

Table 1. Trucks—Comparative Summary: 1982 and Earlier Years

[Percent. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	1982	1977	1972	1967	Vehicular and operational characteristics	1982	1977	1972	1967
Total	100.0	100.0	100.0	100.0	YEAR MODEL				
MAJOR USE					1 to 2 years old	14.4	19.2	14.8	13.4
Agriculture	14.7	16.6	24.5	28.6	3 to 4 years old	18.7	18.6	18.4	17.3
Forestry and lumbering	1.2	.8	.3	3.1	Over 4 years old	66.9	62.3	66.7	69.3
Mining and quarrying	4.1	4.9	(Z)	(Z)	VEHICLE ACQUISITION				
Construction	13.8	6.3	7.0	6.3	Purchased new	51.4	47.7	44.8	43.4
Manufacturing	1.5	1.1	.7	(Z)	Purchased used	45.4	48.7	52.7	54.8
Wholesale and retail trade	4.8	4.9	6.3	4.9	Leased from someone and not reported	3.2	3.6	2.4	1.8
For-hire transportation	1.9	2.3	2.4	2.6	TRUCK FLEET SIZE				
Utilities and service	4.0	5.6	7.7	3.9	1	70.6	62.3	60.8	57.6
Personal transportation	53.3	55.9	46.5	46.0	2 to 5	14.9	23.3	25.3	24.1
Other8	1.7	4.5	4.6	6 to 19	8.0	9.4	10.5	7.8
BODY TYPE					20 or more	6.5	5.1	3.4	2.4
Pickup, panel, multistop, or walk-in ¹	86.9	83.3	75.0	72.5	Not reported	(Z)	(Z)	(Z)	8.1
Platform and catterack	5.6	9.8	14.9	16.4	TRUCK TYPE⁴				
Van	1.5	1.8	1.8	1.2	Single-unit trucks	94.2	97.4	96.4	88.0
Utility2	.8	2.5	1.5	2 axes	92.4	95.3	93.4	78.8
Pole or logging1	(Z)	(Z)	(Z)	3 or more axes	1.8	2.1	3.0	11.2
Dump	1.0	1.1	1.5	1.7	Combination	5.8	2.7	3.6	12.0
Tank for liquids or dry bulk	1.6	1.5	2.0	1.9	3 axes2	(Z)	.5	1.7
Other	3.1	1.5	2.4	4.8	4 axes	3.2	.6	.4	1.9
VEHICLE SIZE					5 or more axes	2.3	1.9	2.8	8.4
Light	88.6	86.9	76.6	75.5	RANGE OF OPERATION⁴				
Medium	4.4	6.6	15.5	14.8	Local	63.8	74.6	71.2	76.1
Light-heavy	1.8	2.2	2.8	3.6	Short-range (Less than 201 miles)	16.9	11.3	16.7	16.4
Heavy-heavy	5.3	4.2	5.1	6.1	Long-range (201 miles or more)	5.0	2.7	2.9	3.8
ANNUAL MILES²					Off-the-road and not reported	14.4	11.5	9.1	3.7
Less than 5,000	30.2	28.4	32.6	³ (NA)	FUEL TYPE⁴				
5,000 to 9,999	21.0	25.1	27.8	³ (NA)	Gasoline	93.7	96.2	89.2	87.5
10,000 to 19,999	35.9	31.0	27.1	22.2	Diesel and LPG	6.3	3.8	4.6	10.2
20,000 to 29,999	7.9	11.0	6.1	5.3	Not reported	(Z)	(Z)	6.3	2.3
30,000 miles or more	5.1	4.4	6.3	4.1					

¹Vans similar to panel trucks are included in pickup, panel, multistop, or walk-in.

²Annual miles were imputed if not reported.

³For 1967 survey, data were presented for 'Less than 6,000 miles' (48.6 percent) and '6,000 to 9,999 miles' (19.8 percent).

⁴For 1967, data do not include panels and pickups.

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Trucks and truck miles ¹			Trucks and truck miles, excluding pickups, panels, utilities, and station wagons ¹			Relative standard error of estimate (percent) for column—					
	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	A	B	C	D	E	F
	A	B	C	D	E	F						
Total trucks -----	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
MAJOR USE												
Agriculture -----	29.9	233.4	7.8	6.1	28.4	4.7	16	24	16	6	12	10
Forestry and lumbering -----	2.4	19.5	8.1	.3	5.6	17.4	61	63	38	33	61	49
Mining and quarrying -----	8.3	147.7	17.9	4.1	64.6	15.9	25	33	18	8	14	12
Construction -----	28.0	388.2	13.9	6.6	84.9	12.9	16	20	12	6	12	10
Manufacturing -----	3.1	81.2	26.3	1.1	37.5	35.7	46	41	19	18	26	17
Wholesale trade -----	3.4	70.9	20.8	1.4	29.2	20.7	42	58	38	15	24	18
Retail trade -----	6.3	89.6	14.1	1.3	17.2	13.5	35	37	9	15	23	18
For-hire transportation -----	2.8	116.7	41.7	2.8	115.7	42.0	10	15	10	10	15	10
Utilities -----	.9	10.8	11.8	.8	9.7	11.7	18	23	14	18	24	16
Services -----	7.3	75.6	10.4	1.1	14.1	12.2	34	37	17	16	25	18
Daily rental -----	1.0	11.9	11.7	1.0	11.9	11.7	16	20	13	16	20	13
Personal transportation -----	108.6	898.6	8.3	.1	1.0	6.6	6	9	7	44	59	39
Other -----	(Z)	.1	6.0	(Z)	.1	6.0	98	98	(Z)	98	98	(Z)
Not in use -----	1.6	.1	.1	.6	(Z)	(Z)	65	99	35	23	62	60
Not reported -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
BODY TYPE												
Pickup -----	132.2	1,318.3	10.0	(Z)	(Z)	(Z)	2	7	7	(Z)	(Z)	(Z)
Panel or van -----	10.6	96.5	9.1	(Z)	(Z)	(Z)	27	32	16	(Z)	(Z)	(Z)
Utility -----	25.0	244.8	9.8	(Z)	(Z)	(Z)	14	19	13	(Z)	(Z)	(Z)
Station wagon -----	8.6	64.9	7.6	(Z)	(Z)	(Z)	30	48	38	(Z)	(Z)	(Z)
Multistop or walk-in -----	.5	7.0	13.3	.5	7.0	13.3	23	27	15	23	27	15
Platform with added devices -----	2.7	17.6	6.5	2.7	17.6	6.5	10	16	12	10	16	12
Low boy or depressed center -----	.7	17.3	26.6	.7	17.3	26.6	24	38	29	24	38	29
Basic platform -----	6.5	93.4	14.5	6.5	93.4	14.5	6	14	11	6	14	11
Livestock truck -----	1.6	15.4	9.7	1.6	15.4	9.7	14	32	28	14	32	28
Insulated nonrefrigerated van -----	.1	.8	7.2	.1	.8	7.2	59	63	20	59	63	20
Insulated refrigerated van -----	.2	7.2	37.0	.2	7.2	37.0	41	64	52	41	64	52
Drop-frame van -----	.1	4.0	40.0	.1	4.0	40.0	58	89	58	58	89	58
Open-top van -----	.1	1.8	19.6	.1	1.8	19.6	59	57	14	59	57	14
Basic enclosed van -----	2.5	46.2	18.6	2.5	46.2	18.6	11	21	17	11	21	17
Beverage -----	.3	3.5	10.8	.3	3.5	10.8	31	41	24	31	41	24
Public utility -----	.5	4.0	8.9	.5	4.0	8.9	24	35	25	24	35	25
Winch or crane -----	.9	10.5	11.2	.9	10.5	11.2	18	28	20	18	28	20
Wrecker -----	.2	2.4	10.7	.2	2.4	10.7	35	43	25	35	43	25
Pole or logging -----	.2	4.7	21.9	.2	4.7	21.9	42	52	31	42	52	31
Auto transport -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Service truck -----	1.2	22.7	19.6	1.2	22.7	19.6	16	21	13	16	21	13
Yard tractor -----	.1	(Z)	.4	.1	(Z)	.4	59	96	71	59	96	71
Oilfield truck -----	2.2	37.2	17.3	2.2	37.2	17.3	11	21	17	11	21	17
Cargo container chassis -----	.1	1.4	27.2	.1	1.4	27.2	70	69	6	70	69	6
Grain body -----	.8	3.3	4.2	.8	3.3	4.2	19	29	22	19	29	22
Garbage hauler -----	.1	.5	3.6	.1	.5	3.6	50	66	50	50	66	50
Dump truck -----	2.1	31.5	15.1	2.1	31.5	15.1	12	21	17	12	21	17
Tank truck (liquids or gases) -----	2.9	74.3	25.4	2.9	74.3	25.4	10	18	14	10	18	14
Tank truck (dry bulk) -----	.4	9.0	24.1	.4	9.0	24.1	32	49	35	32	49	35
Concrete mixer -----	.4	3.7	9.7	.4	3.7	9.7	26	31	17	26	31	17
Other -----	.1	.5	5.5	.1	.5	5.5	59	63	25	59	63	25
Not reported -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
ANNUAL MILES¹												
Less than 5,000 -----	61.5	123.7	2.0	10.3	17.1	1.7	10	13	7	4	6	4
5,000 to 9,999 -----	42.8	237.3	6.7	5.1	35.4	7.0	13	13	3	7	7	2
10,000 to 19,999 -----	73.0	919.6	12.6	5.2	67.0	12.8	9	9	2	7	7	2
20,000 to 29,999 -----	16.0	360.8	22.6	2.5	56.2	22.8	23	23	3	11	11	1
30,000 to 49,999 -----	8.2	281.5	34.5	2.1	72.7	35.4	30	30	4	12	12	2
50,000 to 74,999 -----	1.1	66.0	60.4	1.1	66.0	60.4	18	18	3	18	18	3
75,000 or more -----	1.1	105.4	97.2	1.1	105.4	97.2	18	19	5	18	19	5
RANGE OF OPERATION												
Local -----	129.8	1,230.7	9.5	11.3	103.8	9.2	5	8	6	4	8	7
Short-range (Less than 201 miles) -----	34.4	428.5	12.4	6.6	172.2	25.9	14	15	11	6	10	8
Long-range (201 miles or more) -----	10.1	222.2	22.1	1.6	77.7	47.9	29	25	12	14	20	12
Off-the-road -----	27.8	251.4	9.0	6.3	54.5	8.7	16	26	20	6	11	9
Not reported -----	1.5	11.6	7.9	1.5	11.6	7.9	14	20	16	14	20	16
BASE OF OPERATION												
Percentage of miles traveled outside base-of-operation State:												
Less than 25 percent -----	148.5	1,471.0	9.9	19.7	237.1	12.0	4	8	6	2	6	6
25 to 49 percent -----	9.5	164.8	17.4	1.2	50.4	40.5	30	28	15	16	23	15
50 to 74 percent -----	10.5	154.7	14.8	1.1	42.2	37.2	29	29	17	17	25	17
75 to 100 percent -----	8.7	153.2	17.6	1.4	48.5	34.4	31	29	14	15	26	20
Not reported -----	26.4	200.7	7.6	3.8	40.8	10.8	17	20	11	8	13	10
VEHICLE SIZE												
Light -----	180.3	1,732.2	9.6	6.1	54.7	9.0	1	6	6	6	12	10
Medium -----	9.0	108.8	12.1	6.9	61.8	9.0	17	33	18	5	9	7
Light-heavy -----	3.6	38.4	10.6	3.6	38.4	10.6	8	18	15	8	18	15
Heavy-heavy -----	10.7	265.1	24.9	10.7	265.1	24.9	3	7	7	3	7	7

See footnotes at end of table.

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Trucks and truck miles ¹			Trucks and truck miles, excluding pickups, panels, utilities, and station wagons ¹			Relative standard error of estimate (percent) for column—					
	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	A	B	C	D	E	F
	A	B	C	D	E	F	A	B	C	D	E	F
AVERAGE WEIGHT (POUNDS)												
Less than 6,001	155.6	1,519.7	9.8	1.2	8.2	7.1	3	7	6	15	27	22
6,001 to 10,000	24.8	212.4	8.6	4.9	46.5	9.4	17	22	14	7	13	11
10,001 to 14,000	3.3	33.5	10.3	3.3	33.5	10.3	9	14	11	9	14	11
14,001 to 16,000	4.0	62.4	15.6	1.9	15.3	8.0	37	56	25	12	16	12
16,001 to 19,500	1.7	13.0	7.5	1.7	13.0	7.5	12	21	17	12	21	17
19,501 to 26,000	3.6	38.4	10.6	3.6	38.4	10.6	8	18	15	8	18	15
26,001 to 33,000	2.0	27.6	13.6	2.0	27.6	13.6	12	22	19	12	22	19
33,001 to 40,000	1.5	23.2	15.9	1.5	23.2	15.9	14	24	18	14	24	18
40,001 to 50,000	2.3	27.4	12.1	2.3	27.4	12.1	11	17	13	11	17	13
50,001 to 60,000	1.1	24.2	22.5	1.1	24.2	22.5	17	28	21	17	28	21
60,001 to 80,000	3.4	154.7	45.8	3.4	154.7	45.8	9	12	9	9	12	9
80,001 to 100,000	.3	6.7	19.5	.3	6.7	19.5	33	44	29	33	44	29
100,001 to 130,000	.1	1.2	11.5	.1	1.2	11.5	59	73	46	59	73	46
130,001 or more	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
TOTAL LENGTH (FEET)												
Less than 7.0	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7.0 to 9.9	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
10.0 to 12.9	16.9	195.0	11.5	(Z)	(Z)	(Z)	23	29	17	(Z)	(Z)	(Z)
13.0 to 15.9	39.3	355.3	9.1	.2	4.6	26.5	14	17	11	40	41	8
16.0 to 19.9	116.6	1,127.6	9.7	4.5	47.8	10.6	5	9	8	7	13	11
20.0 to 27.9	15.1	110.8	7.3	12.1	98.9	8.2	12	9	8	3	8	7
28.0 to 35.9	9.7	149.7	15.4	4.4	62.6	14.1	24	31	16	7	13	10
36.0 to 40.9	.4	6.9	15.6	.4	6.9	15.6	25	34	24	25	34	24
41.0 to 44.9	.4	4.0	11.2	.4	4.0	11.2	31	37	21	31	37	21
45.0 or more	5.2	195.1	37.4	5.2	195.1	37.4	6	10	8	6	10	8
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
YEAR MODEL												
1983	1.0	10.5	10.0	(Z)	(Z)	(Z)	100	100	(Z)	(Z)	(Z)	(Z)
1982	13.1	235.9	18.0	.6	17.4	27.2	26	27	8	21	27	15
1981	15.3	241.7	15.8	2.1	63.1	29.8	23	25	15	12	20	15
1980	15.1	201.0	13.3	1.6	37.8	23.2	24	25	12	13	19	13
1979	22.9	350.2	15.3	2.4	44.4	18.8	19	23	13	11	19	14
1978	18.9	169.6	9.0	1.7	42.0	25.3	21	23	15	13	22	16
1977	18.9	174.2	9.2	1.6	39.0	24.4	21	24	16	14	24	19
1976	21.7	191.3	8.8	1.1	25.3	22.6	20	22	13	17	30	23
1975	9.0	116.2	12.9	2.0	27.0	13.4	29	34	19	12	20	16
1974	13.6	89.2	6.5	1.6	25.0	15.4	25	25	15	14	26	21
1973	9.0	90.1	10.0	1.6	30.5	18.9	30	33	22	14	24	18
Pre-1973	45.1	274.6	6.1	10.9	68.5	6.3	12	18	13	4	12	11
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
VEHICLE ACQUISITION												
Purchased new	104.6	1,268.0	12.1	12.9	241.3	18.6	6	9	6	4	8	7
Purchased used	92.5	749.1	8.1	12.9	132.2	10.2	7	10	8	4	10	9
Leased from someone else	4.4	111.4	25.3	1.3	44.6	35.4	41	39	18	16	22	14
Not reported	2.1	16.0	7.5	.1	1.9	14.1	66	76	46	44	68	55
LEASE CHARACTERISTICS²												
Leased without driver	4.1	90.4	22.2	.9	23.6	25.5	44	47	20	18	27	17
Leased with driver	.1	2.7	41.4	.1	2.7	41.4	73	95	41	73	95	41
Leased with owner-operator	.3	18.8	54.9	.3	18.8	54.9	34	40	21	34	40	21
Provisions of lease	4.3	105.8	24.5	1.2	39.0	33.1	42	41	18	17	22	13
Financing (no maintenance)	2.7	66.7	24.7	.6	15.5	25.6	55	59	24	23	32	20
Financing (full maintenance)	1.2	25.3	20.8	.2	9.6	56.0	86	65	28	46	53	19
Other	.4	13.9	34.6	.4	13.9	34.6	31	37	19	31	37	19
OPERATOR CLASSIFICATION												
Not for hire:												
Private owner or individual	199.8	2,015.9	10.1	23.5	292.4	12.4	(Z)	5	5	2	6	5
For hire:												
Motor carrier	2.1	88.2	42.0	2.1	87.2	42.4	12	17	12	13	18	12
Owner-operator	.7	28.5	40.7	.7	28.5	40.7	23	31	20	23	31	20
Daily rental	1.0	11.9	11.7	1.0	11.9	11.7	16	20	13	16	20	13
Mixed—for hire/not for hire	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
For-hire interstate:												
Exempt carrier	.8	3.5	6.1	.6	3.5	6.1	23	32	22	23	32	22
Contract carrier	.4	17.2	40.7	.4	16.2	42.6	30	38	24	31	40	25
Common carrier	1.1	29.3	25.8	1.1	29.3	25.8	17	27	19	17	27	19
For-hire intrastate	.9	36.3	42.2	.9	36.3	42.2	20	29	20	20	29	20
For-hire local	.7	9.9	13.4	.7	9.9	13.4	21	36	30	21	36	30

See footnotes at end of table.

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Trucks and truck miles ¹			Trucks and truck miles, excluding pickups, panels, utilities, and station wagons ¹			Relative standard error of estimate (percent) for column—					
	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)						
	A	B	C	D	E	F	A	B	C	D	E	F
PRODUCTS CARRIED												
Farm products.....	7.1	39.1	5.5	3.1	14.3	4.6	28	41	26	9	15	12
Live animals.....	9.7	94.2	9.8	2.3	18.1	7.8	28	43	30	11	27	24
Mining products.....	.3	3.8	11.0	.3	3.8	11.0	27	40	32	27	40	32
Logs and other forest products.....	.5	5.5	11.1	.5	5.5	11.1	26	45	35	26	45	35
Lumber and fabricated wood products.....	3.9	45.4	11.7	.7	23.9	32.8	47	35	28	21	35	25
Processed foods.....	1.0	20.1	20.2	1.0	20.1	20.2	18	32	26	18	32	26
Textile mill products.....	1.1	12.8	11.2	.2	3.3	17.3	84	77	18	41	73	55
Building materials.....	7.6	100.1	13.2	3.4	54.2	15.9	28	25	10	9	15	12
Household goods.....	1.0	10.8	10.9	1.0	10.8	10.9	17	35	29	17	35	29
Furniture or hardware.....	.2	1.3	8.3	.2	1.3	8.3	45	46	17	45	46	17
Paper products.....	(Z)	.9	30.1	(Z)	.9	30.1	99	98	(Z)	99	98	(Z)
Chemicals.....	.7	20.4	30.2	.7	20.4	30.2	22	32	21	22	32	21
Petroleum.....	3.1	69.3	22.0	2.1	67.8	32.3	34	20	35	12	20	14
Plastics and/or rubber.....	.1	1.3	12.8	.1	1.3	12.8	50	65	42	50	65	42
Primary metal products.....	.3	4.6	13.1	.3	4.6	13.1	29	33	18	29	33	18
Fabricated metal products.....	.4	10.7	27.4	.4	10.3	28.6	29	45	33	30	46	34
Machinery.....	1.3	38.3	28.9	1.3	38.3	28.9	16	27	20	16	27	20
Transportation equipment.....	2.7	58.3	21.5	.6	17.3	28.2	55	71	50	23	36	24
Scrap, refuse, or garbage.....	.7	2.8	3.7	.7	2.8	3.7	20	29	22	20	29	22
Mixed cargoes.....	4.3	60.2	14.0	1.2	20.5	17.6	42	42	17	16	27	21
Craftsman's equipment.....	18.1	270.2	14.9	3.7	48.3	13.1	21	26	14	8	12	9
Personal transportation.....	108.6	899.0	8.3	.2	1.3	5.9	6	9	7	38	49	31
No load carried.....	26.9	322.2	12.0	1.4	12.5	9.0	18	23	15	14	19	13
Not in use.....	.6	(Z)	(Z)	.6	(Z)	(Z)	24	79	76	24	79	76
Other.....	3.3	53.4	16.3	1.3	18.5	14.8	44	56	33	15	29	24
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
HAZARDOUS MATERIALS CARRIED												
Hazardous materials carried.....	3.9	110.9	28.1	2.9	98.3	33.9	28	18	18	10	16	12
Less than 25 percent of time.....	1.0	35.8	36.2	1.0	35.8	36.2	19	27	18	19	27	18
25 to 49 percent of time.....	2.3	53.4	22.8	1.3	40.8	31.5	46	29	25	16	23	16
50 to 74 percent of time.....	.1	8.9	64.5	.1	8.9	64.5	46	81	55	46	81	55
75 to 100 percent of time.....	.5	12.8	26.8	.5	12.8	26.8	24	42	30	24	42	30
No percent reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Types of hazardous materials ²	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Flammables or combustibles.....	2.3	86.5	38.4	2.3	86.5	38.4	12	18	13	12	18	13
Acids, poisons, caustics, etc.....	1.0	36.9	35.3	1.0	36.9	35.3	18	27	19	18	27	19
Explosives.....	.3	4.2	12.2	.3	4.2	12.2	29	33	17	29	33	17
Radioactive materials.....	1.3	19.5	15.4	.2	6.9	32.0	83	68	26	38	63	47
Hazardous waste.....	(Z)	.3	15.1	(Z)	.3	15.1	98	98	(Z)	98	98	(Z)
Hazardous materials not listed above.....	.1	5.7	41.5	.1	5.7	41.5	46	75	49	46	75	49
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
No hazardous materials carried.....	123.5	1,389.8	11.3	23.6	312.4	13.3	5	8	7	1	6	5
Not reported.....	76.2	643.8	8.4	.8	9.2	11.2	9	12	8	18	34	28
TRUCK FLEET SIZE³												
1.....	143.8	1,281.5	8.9	6.4	81.5	12.7	4	7	6	6	14	12
2 to 5.....	30.3	387.9	12.8	6.8	66.5	9.8	15	21	14	6	13	11
6 to 19.....	16.3	180.2	11.0	7.1	104.8	14.7	18	19	13	6	12	10
20 or more.....	13.2	294.8	22.4	6.9	167.1	24.1	19	21	11	6	10	8
MILES PER GALLON												
Less than 5.....	4.6	132.8	29.1	4.6	132.8	29.1	7	12	9	7	12	9
5 to 6.9.....	10.4	160.1	15.3	8.5	140.7	16.7	14	13	10	5	11	10
7 to 8.9.....	12.5	130.7	10.5	5.2	59.9	11.6	22	24	14	7	13	11
9 to 11.9.....	57.9	579.5	10.0	4.8	46.0	9.6	11	16	11	7	13	11
12 to 14.9.....	39.6	354.9	9.0	.8	7.3	8.8	14	18	12	18	27	20
15 to 19.9.....	44.4	491.5	11.1	.3	1.1	3.6	13	18	12	33	67	55
20 or more.....	16.5	132.9	8.0	(Z)	.1	2.7	24	31	19	99	98	(Z)
Not reported.....	17.8	162.0	9.1	3.1	32.0	10.2	21	24	13	9	15	12
EQUIPMENT TYPE												
Transmission.....	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
Manual.....	134.6	1,463.7	10.9	24.4	380.2	15.6	5	7	6	1	5	5
Automatic.....	65.6	648.4	9.9	1.6	21.8	13.6	10	14	10	14	26	22
Not reported.....	3.4	32.4	9.5	1.2	17.9	14.4	43	33	18	16	27	21
Braking system.....	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
Hydraulic.....	8.3	71.9	8.7	7.9	67.0	8.5	5	10	9	5	11	9
Hydraulic (power).....	184.6	1,809.6	9.8	8.7	90.9	10.4	(Z)	6	6	4	9	7
Air.....	9.1	245.9	26.9	9.1	245.9	26.9	3	8	7	3	8	7
Not reported.....	1.6	17.1	10.8	1.5	16.2	10.9	14	21	16	14	22	16
Power steering ²	136.1	1,545.2	11.4	13.6	218.2	16.1	5	8	6	3	7	6
Air conditioning ²	46.7	621.2	13.3	3.1	125.0	40.9	12	14	10	10	13	9
Engine retarder ²	3.0	118.6	39.7	3.0	118.6	39.7	10	14	10	10	14	10
Reflective materials ²	3.4	53.7	15.9	3.4	53.5	16.0	9	15	11	9	15	11
FUEL CONSERVATION EQUIPMENT²												
Aerodynamic features.....	1.6	25.8	16.6	1.6	25.8	16.6	13	20	14	13	20	14
Axle or drive ratio.....	5.1	97.0	19.2	5.1	97.0	19.2	7	15	12	7	15	12
Fuel economy engine.....	4.2	119.7	28.3	4.2	119.7	28.3	8	14	11	8	14	11
Radial tires.....	100.5	1,263.4	12.6	8.6	240.3	27.9	7	9	7	5	8	7
Road speed governor.....	6.6	128.0	19.4	6.6	127.7	19.5	6	12	10	6	12	10
Variable fan drives.....	4.2	128.1	30.7	4.2	128.1	30.7	8	13	10	8	13	10
Other fuel conservation devices.....	.6	13.2	23.1	.5	12.8	23.7	24	31	17	24	32	18
Not reported.....	96.6	809.8	8.4	12.2	108.7	8.9	7	10	8	4	10	9

See footnotes at end of table.

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Trucks and truck miles ¹			Trucks and truck miles, excluding pickups, panels, utilities, and station wagons ¹			Relative standard error of estimate (percent) for column—					
	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	A	B	C	D	E	F
	A	B	C	D	E	F						
MAINTENANCE												
General maintenance:												
Owner	140.6	1,299.1	9.2	10.9	96.6	8.9	4	7	6	4	10	8
Company's maintenance facilities	25.8	435.9	16.9	11.2	219.5	19.6	15	16	10	4	8	7
Dealership's service department	21.8	307.7	14.1	2.2	39.3	17.7	20	25	16	11	19	13
Leasing company	.2	6.7	36.1	.2	6.1	39.0	45	58	33	50	63	35
Independent garage	36.2	389.8	10.8	3.6	57.1	15.9	14	19	13	9	15	12
Component distributorship	.1	1.6	18.9	.1	1.6	18.9	60	79	36	60	79	36
Other	3.4	47.2	14.1	.2	18.5	86.8	54	40	26	44	50	23
Not reported	5.7	50.8	8.8	1.4	18.5	12.8	36	34	17	14	23	17
Major overhauls:												
Owner	46.9	465.7	9.9	3.6	35.2	9.8	12	15	9	9	18	15
Company's maintenance facilities	12.4	238.2	19.2	7.2	159.5	22.2	19	21	15	6	11	9
Dealership's service department	26.0	307.7	11.8	3.4	72.3	21.5	17	21	14	9	15	11
Leasing company	.2	6.3	39.9	.2	6.3	39.9	50	62	33	50	62	33
Independent garage	30.2	324.4	10.7	4.9	76.4	15.5	15	18	11	7	13	10
Component distributorship	1.4	29.5	20.3	.4	11.2	27.7	73	64	14	29	40	23
Other	3.3	45.2	13.5	.2	11.2	55.8	54	46	18	44	65	46
Not reported	87.7	789.6	9.0	9.0	82.0	9.1	6	12	9	5	12	11
ENGINE TYPE AND SIZE												
Engine	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
Gasoline	190.7	1,806.2	9.5	17.5	147.6	8.4	1	6	6	2	6	6
Diesel	10.1	271.8	26.9	9.1	257.1	28.3	11	9	8	3	8	7
LPG or other	2.8	66.5	23.6	.7	15.2	20.9	52	64	33	19	33	24
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Cylinders	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
4	16.8	177.1	10.5	.2	8.2	40.4	23	27	14	41	64	42
6	37.6	484.5	12.9	8.9	196.1	22.0	13	15	11	5	9	8
8	145.7	1,465.6	10.1	17.8	209.1	11.8	4	7	6	2	7	7
Other	1.1	2.7	2.5	(Z)	.6	20.1	97	81	27	99	98	(Z)
Not reported	2.4	14.6	6.0	.3	5.9	17.1	61	55	39	32	58	46
Cubic inch displacement	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
Gasoline engines	190.7	1,806.2	9.5	17.5	147.6	8.4	1	6	6	2	6	6
Less than 200	14.6	152.1	10.4	.1	2.4	25	29	14	4	57	84	63
200 to 299	10.3	111.7	10.9	2.1	10.2	4.8	27	34	14	11	26	23
300 to 349	37.6	398.7	10.6	3.1	17.0	5.5	14	19	11	9	13	10
350 to 399	75.6	737.7	9.8	6.9	71.9	10.4	9	13	10	5	10	9
400 or more	25.7	263.4	10.3	3.1	38.1	12.2	18	22	13	9	13	9
Not reported	26.9	142.6	5.3	2.2	10.1	4.7	17	23	14	11	20	16
Diesel engines	10.1	271.8	26.9	9.1	257.1	28.3	11	9	8	3	8	7
Less than 400	1.7	25.2	14.4	.7	10.6	15.1	61	61	14	21	41	34
400 to 599	2.0	37.2	18.4	2.0	37.2	18.4	12	20	15	12	20	15
600 to 799	1.3	32.5	24.6	1.3	32.5	24.6	15	28	22	15	28	22
800 or more	4.1	156.7	38.4	4.1	156.7	38.4	8	11	9	8	11	9
Not reported	.9	20.1	21.2	.9	20.1	21.2	19	32	26	19	32	26
Other engines	2.8	66.5	23.6	.7	15.2	20.9	52	64	33	19	33	24
Less than 400	2.6	63.1	24.4	.5	11.9	24.0	57	67	35	24	40	30
400 or more	.2	2.6	14.1	.2	2.6	14.1	37	48	28	37	48	28
Not reported	.1	.8	15.0	.1	.8	15.0	70	90	48	70	90	48
Horsepower	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
Gasoline engines	190.7	1,806.2	9.5	17.5	147.6	8.4	1	6	6	2	6	6
Less than 100	8.3	54.3	6.6	(Z)	(Z)	(Z)	35	40	20	(Z)	(Z)	(Z)
100 to 199	118.6	1,232.0	10.4	10.4	84.9	8.2	6	9	7	4	9	8
200 to 249	29.7	298.0	10.0	4.0	39.1	9.8	16	21	13	8	12	10
250 or more	5.9	19.3	3.3	.7	8.5	12.0	39	30	22	20	26	17
Not reported	28.2	202.6	7.2	2.4	15.1	6.3	17	22	14	10	19	16
Diesel engines	10.1	271.8	26.9	9.1	257.1	28.3	11	9	8	3	8	7
Less than 250	3.2	44.0	13.5	2.2	29.4	13.3	33	36	10	11	19	15
250 to 349	3.2	84.8	26.3	3.2	84.8	26.3	9	16	13	9	16	13
350 to 449	2.8	121.9	43.0	2.8	121.9	43.0	10	14	9	10	14	9
450 or more	.1	3.6	42.0	.1	3.6	42.0	70	94	63	70	94	63
Not reported	.7	17.5	24.1	.7	17.5	24.1	21	36	28	21	36	28
Other engines	2.8	66.5	23.6	.7	15.2	20.9	52	64	33	19	33	24
Less than 250	1.6	22.9	14.2	.6	12.5	21.9	65	50	25	22	38	29
250 or more	.1	2.1	19.2	.1	2.1	19.2	49	56	24	49	56	24
Not reported	1.1	41.5	37.8	.1	.6	12.7	95	98	4	70	89	45
TRUCK TYPE AND AXLE ARRANGEMENT												
Single-unit trucks	191.8	1,840.6	9.6	20.7	203.2	9.8	1	6	5	2	5	5
2 axes	188.2	1,790.4	9.5	17.1	153.0	9.0	1	6	6	2	6	6
3 axes	3.6	47.9	13.4	3.6	47.9	13.4	7	14	11	7	14	11
4 axes or more	.1	2.3	23.7	.1	2.3	23.7	49	57	31	49	57	31
Combinations	11.8	303.9	25.8	6.5	216.8	33.1	20	16	12	5	9	8
Single-unit truck with trailer	6.5	125.6	19.3	1.3	38.5	30.4	36	37	20	16	26	20
3 axes	.1	1.8	16.0	.1	1.8	16.0	51	73	41	51	73	41
4 axes	5.8	95.0	16.5	.5	7.9	14.8	40	47	25	23	28	17
5 axes or more	.6	28.7	46.5	.6	28.7	46.5	24	34	23	24	34	23
Truck-tractor with single trailer	5.2	174.1	33.5	5.2	174.1	33.5	6	10	9	6	10	9
3 axes	.4	7.3	16.8	.4	7.3	16.8	30	54	44	30	54	44
4 axes	.7	10.5	15.1	.7	10.5	15.1	23	46	39	23	46	39
5 axes or more	4.1	156.3	38.4	4.1	156.3	38.4	7	11	9	7	11	9
Truck-tractor with double trailers	.1	4.2	49.7	.1	4.2	49.7	70	75	28	70	75	28
5 axes	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
6 axes	(Z)	3.0	69.4	(Z)	3.0	69.4	99	99	99	99	99	99
7 axes or more	(Z)	1.3	30.0	(Z)	1.3	30.0	99	99	(Z)	99	99	(Z)

See footnotes at end of table.

Table 2. Trucks, Truck Miles, and Average Annual Miles: 1982—Con.

[Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Trucks and truck miles ¹			Trucks and truck miles, excluding pickups, panels, utilities, and station wagons ¹			Relative standard error of estimate (percent) for column—					
	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)	Trucks (thousands)	Truck miles (millions)	Average miles per truck (thousands)						
	A	B	C	D	E	F	A	B	C	D	E	F
TRUCK TYPE AND AXLE ARRANGEMENT—												
Con.												
Truck-tractor with triple trailers.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
8 axles or more.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Trailer not specified.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Powered axles.....	203.6	2,144.5	10.5	27.3	419.9	15.4	(Z)	5	5	1	5	5
1.....	98.6	894.4	9.1	16.8	165.5	9.9	7	10	8	2	7	6
2.....	103.3	1,234.0	11.9	8.9	238.3	26.8	6	9	7	4	8	7
3 or more.....	.1	.4	6.0	.1	.4	6.0	57	70	32	57	70	32
Not reported.....	1.5	15.7	10.2	1.5	15.7	10.2	13	29	24	13	29	24
CAB TYPE⁴												
Cab forward of engine.....	.6	3.2	5.6	.6	3.2	5.6	23	32	23	23	32	23
Cab over engine.....	3.3	82.4	24.9	3.3	82.4	24.9	9	16	13	9	16	13
Short-hood conventional.....	6.7	60.3	9.0	5.6	51.7	9.2	17	17	7	6	11	8
Medium-hood conventional.....	11.7	168.9	14.4	11.7	168.3	14.4	4	9	8	4	10	8
Long-hood conventional.....	4.3	96.9	22.3	4.3	96.5	22.4	8	14	11	8	14	11
Cab beside engine.....	(Z)	(Z)	.8	(Z)	(Z)	.8	98	98	(Z)	98	98	(Z)
Other.....	10.6	104.4	9.8	.9	13.8	14.7	29	32	17	17	35	29
Not reported.....	166.2	1,628.2	9.8	.8	3.9	4.8	2	7	6	18	24	16
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS												
Total.....	176.3	1,724.5	9.8	(Z)	(Z)	(Z)	(Z)	6	6	(Z)	(Z)	(Z)
Pickups.....	132.2	1,318.3	10.0	(Z)	(Z)	(Z)	2	7	7	(Z)	(Z)	(Z)
Panels or vans.....	10.6	96.5	9.1	(Z)	(Z)	(Z)	27	32	16	(Z)	(Z)	(Z)
Utilities.....	25.0	244.8	9.8	(Z)	(Z)	(Z)	14	19	13	(Z)	(Z)	(Z)
Station wagons.....	8.6	64.9	7.6	(Z)	(Z)	(Z)	30	48	38	(Z)	(Z)	(Z)
Driving wheels.....	175.2	1,713.3	9.8	(Z)	(Z)	(Z)	1	6	6	(Z)	(Z)	(Z)
4-wheel drive.....	93.4	984.4	10.5	(Z)	(Z)	(Z)	7	11	8	(Z)	(Z)	(Z)
2-wheel drive.....	79.8	709.5	8.9	(Z)	(Z)	(Z)	8	13	9	(Z)	(Z)	(Z)
Front-wheel drive.....	2.1	19.4	9.3	(Z)	(Z)	(Z)	70	71	10	(Z)	(Z)	(Z)

¹When no response was obtained for annual miles, data were imputed.
²Detail does not add to totals because items were not applicable or multiple responses were possible.
³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
⁴Pickups, panels, and vans are not included.

Table 3. Trucks by Major Use: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational characteristics	Total	Major use						
			Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
1	Total	203.6	29.9	(S)	8.3	28.0	3.1	3.4	6.3
2	Relative standard error (percent) ..	(Z)	15.5	61.1	25.3	15.8	46.1	41.9	35.3
BODY TYPE									
3	Pickup	132.2	19.8	(S)	4.2	15.7	(S)	(S)	(S)
4	Panel or van	10.6	(S)	(S)	(S)	(S)	(S)	(S)	(S)
5	Utility	25.0	4.0	(S)	(S)	3.8	(S)	(S)	(S)
6	Station wagon	8.6	(S)	(S)	(S)	(S)	(S)	(S)	(S)
7	Multistop or walk-in5	(S)	(S)	(S)	(S)	(S)	(S)	.1
8	Platform with added devices	2.7	1.2	(S)	.5	.5	(S)	(S)	(S)
9	Low boy or depressed center7	(S)	(S)	(S)	.5	(S)	(S)	(S)
10	Basic platform	6.5	2.1	(S)	(S)	1.7	(S)	(S)	(S)
11	Livestock truck	1.6	1.4	(S)	(S)	(S)	(S)	(S)	(S)
12	Insulated nonrefrigerated van	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
13	Insulated refrigerated van2	(S)	(S)	(S)	(S)	(S)	(S)	(S)
14	Drop-frame van	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
15	Open-top van	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
16	Basic enclosed van	2.5	(S)	(S)	(S)	(S)	(S)	(S)	(S)
17	Beverage3	(S)	(S)	(S)	(S)	(S)	(S)	(S)
18	Public utility5	(S)	(S)	(S)	.1	(S)	(S)	(S)
19	Winch or crane9	(S)	(S)	(S)	.4	(S)	(S)	(S)
20	Wrecker2	(S)	(S)	(S)	(S)	(S)	(S)	(S)
21	Pole or logging2	(S)	(S)	(S)	(S)	(S)	(S)	(S)
22	Auto transport	(Z)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
23	Service truck	1.2	(S)	(S)	(S)	.7	(S)	(S)	(S)
24	Yard tractor	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
25	Oilfield truck	2.2	(S)	(S)	(S)	.3	(S)	(S)	(S)
26	Cargo container chassis	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
27	Grain body8	(S)	(S)	(S)	(S)	(S)	(S)	(S)
28	Garbage hauler	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
29	Dump truck	2.1	.3	(S)	(S)	1.4	(S)	(S)	(S)
30	Tank truck (liquids or gases)	2.9	(S)	(S)	(S)	.4	(S)	(S)	(S)
31	Tank truck (dry bulk)4	(S)	(S)	(S)	(S)	(S)	(S)	(S)
32	Concrete mixer4	(S)	(S)	(S)	.3	(S)	(S)	(S)
33	Other	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
34	Not reported	(Z)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
ANNUAL MILES¹									
35	Less than 5,000	61.5	14.4	(S)	2.1	4.7	(S)	(S)	.3
36	5,000 to 9,999	42.8	4.1	(S)	.7	6.1	(S)	(S)	.4
37	10,000 to 19,999	73.0	10.1	(S)	(S)	9.6	(S)	(S)	4.4
38	20,000 to 29,999	16.0	.2	(S)	(S)	4.5	(S)	(S)	(S)
39	30,000 to 49,999	8.2	(S)	(S)	(S)	(S)	(S)	(S)	(S)
40	50,000 to 74,999	1.1	(S)	(S)	(S)	(S)	(S)	(S)	(S)
41	75,000 or more	1.1	(S)	(S)	(S)	.2	(S)	(S)	(S)
RANGE OF OPERATION									
42	Local	129.8	16.9	(S)	(S)	17.4	(S)	(S)	4.8
43	Short-range (Less than 201 miles)	34.4	(S)	(S)	(S)	4.4	(S)	(S)	(S)
44	Long-range (201 miles or more)	10.1	(S)	(S)	(S)	(S)	(S)	(S)	(S)
45	Off-the-road	27.8	7.8	(S)	(S)	3.8	(S)	(S)	(S)
46	Not reported	1.5	(Z)	(S)	(S)	(Z)	(S)	(S)	(S)
BASE OF OPERATION									
Percentage of miles traveled outside base-of-operation State:									
47	Less than 25 percent	148.5	22.5	(S)	6.9	16.4	(S)	(S)	5.1
48	25 to 49 percent	9.5	(S)	(S)	.2	(S)	(S)	(S)	(S)
49	50 to 74 percent	10.5	(S)	(S)	.2	(S)	(S)	(S)	(S)
50	75 to 100 percent	8.7	(S)	(S)	.3	4.5	(S)	(S)	(S)
51	Not reported	26.4	(S)	(S)	.7	(S)	(S)	(S)	(S)
VEHICLE SIZE									
52	Light	180.3	22.8	(S)	4.8	23.1	(S)	(S)	5.3
53	Medium	9.0	4.1	(S)	.6	1.5	(S)	(S)	.5
54	Light-heavy	3.6	1.6	(S)	.5	.6	(S)	(S)	.2
55	Heavy-heavy	10.7	1.4	(S)	2.4	2.8	.7	.6	.4
AVERAGE WEIGHT (POUNDS)									
56	Less than 6,001	155.6	15.6	(S)	4.2	16.7	(S)	(S)	5.0
57	6,001 to 10,000	24.8	7.2	(S)	.6	6.4	(S)	(S)	.3
58	10,001 to 14,000	3.3	1.0	(S)	.4	.8	(S)	(S)	.3
59	14,001 to 16,000	4.0	(S)	(S)	.2	.5	(S)	(S)	.1
60	16,001 to 19,500	1.7	.7	(S)	(S)	3.3	(S)	(S)	(S)
61	19,501 to 26,000	3.6	1.6	(S)	.5	.6	(S)	(S)	.2
62	26,001 to 33,000	2.0	.5	(S)	.5	.2	(S)	(S)	.1
63	33,001 to 40,000	1.5	.2	(S)	.4	.3	(S)	(S)	(S)
64	40,001 to 50,000	2.3	.4	(S)	.5	.9	(S)	(S)	(S)
65	50,001 to 60,000	1.1	(S)	(S)	.4	.2	(S)	(S)	(S)
66	60,001 to 80,000	3.4	.2	(S)	.5	.9	(S)	(S)	(S)
67	80,001 to 100,0003	(S)	(S)	(S)	(S)	(S)	(S)	(S)
68	100,001 to 130,000	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
69	130,001 or more	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
70	Not reported	(Z)	(S)	(S)	(S)	(S)	(S)	(S)	(S)

See footnotes at end of table.

Major use—Con.								Relative standard error of estimate (percent) for total	
For-hire transportation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported		
2.8	17.6	7.3	1.0	108.6	97.7	64.8	22	(Z)	1
10.2		33.8	16.0	6.0				(Z)	2
				79.7				1.5	3
				15.6				27.1	4
				6.4				14.0	5
								30.0	6
								22.8	7
								9.8	8
								23.7	9
								6.0	10
								13.7	11
								58.9	12
								41.2	13
								57.9	14
								59.0	15
								10.8	16
								30.4	17
								24.4	18
								17.9	19
								34.7	20
								41.4	21
								(Z)	22
								15.5	23
								58.9	24
								11.1	25
								70.0	26
								18.9	27
								50.0	28
								11.7	29
								9.6	30
								31.6	31
								25.8	32
								(Z)	33
								59.0	34
				32.9				10.0	35
				25.4				12.9	36
				7.1				9.0	37
				2.1				22.5	38
				3.2				30.2	39
				17.9				17.9	40
				18.1				18.1	41
				74.5				4.9	42
				19.6				14.3	43
				11.3				28.7	44
				1.3				15.9	45
				13.5				13.5	46
				79.6				4.0	47
				5.1				30.1	48
				5.3				28.9	49
				17.5				31.0	50
				17.1				17.1	51
				108.6				.8	52
				2.4				16.9	53
				6.6				8.2	54
				2.8				2.8	55
				103.2				2.8	56
				5.3				17.2	57
				1.3				8.5	58
				3.3				37.1	59
				12.3				12.3	60
				8.2				8.2	61
				11.8				11.8	62
				14.1				14.1	63
				10.6				10.6	64
				17.2				17.2	65
				8.6				8.6	66
				33.2				33.2	67
				58.9				58.9	68
				(Z)				(Z)	69
				(Z)				(Z)	70

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational characteristics	Total	Major use					
			Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade
TOTAL LENGTH (FEET)								
1	Less than 7.0	(Z)	(Z)					
2	7.0 to 8.9	(Z)	(Z)					
3	10.0 to 12.9	16.9	4.1					
4	13.0 to 15.9	39.3	(S)					
5	16.0 to 19.9	116.6	13.5					
6	20.0 to 27.9	15.1	4.9		1.7			
7	28.0 to 35.9	9.7	4.0		1.2			
8	36.0 to 40.9	.4						
9	41.0 to 44.9	.4						
10	45.0 or more	5.2						
11	Not reported	(Z)						
YEAR MODEL								
12	1983	(S)	(Z)					
13	1982	13.1	(Z)					
14	1981	15.3	(S)					
15	1980	15.1	(S)					
16	1979	22.9	5.4					
17	1978	18.9	(S)					
18	1977	18.9	(S)					
19	1976	21.7	(S)					
20	1975	9.0	(S)					
21	1974	13.6	(S)					
22	1973	9.0	(S)					
23	Pre-1973	45.1	(S)					
24	Not reported	(Z)						
VEHICLE ACQUISITION								
25	Purchased new	104.6	17.6		4.6		17.2	
26	Purchased used	92.5	11.2		2.1		9.4	
27	Leased from someone else	4.4	(S)				(S)	
28	Not reported	(S)						
LEASE CHARACTERISTICS²								
29	Leased without driver	4.1						
30	Leased with driver	(S)						
31	Leased with owner-operator	.3						
32	Provisions of lease	4.3						
33	Financing (no maintenance)	(S)						
34	Financing (full maintenance)	(S)						
35	Other	.4						
OPERATOR CLASSIFICATION								
36	Not for hire:							
	Private owner or individual	199.8	29.9		8.3		28.0	
37	For hire	3.8						
38	Motor carrier	2.1						
39	Owner-operator	.7						
40	Daily rental	1.0						
41	Mixed—for hire/not for hire	(Z)						
42	For-hire interstate	1.5						
43	Exempt carrier	.6						
44	Contract carrier	.4						
45	Common carrier	1.1						
46	For-hire intrastate	.9						
47	For-hire local	.7						
PRODUCTS CARRIED								
48	Farm products	7.1	7.0					
49	Live animals	9.7	(S)					
50	Mining products	.3						
51	Logs and other forest products	.5						
52	Lumber and fabricated wood products	3.9						
53	Processed foods	1.0						
54	Textile mill products	(S)						
55	Building materials	7.6						
56	Household goods	1.0						
57	Furniture or hardware	.2						
58	Paper products	(S)						
59	Chemicals	.7						
60	Petroleum	3.1						
61	Plastics and/or rubber	.1						
62	Primary metal products	.3						
63	Fabricated metal products	.4						
64	Machinery, elect or nonelect	1.3						
65	Transportation equipment	(S)						
66	Scrap, refuse, or garbage	.7						
67	Mixed cargoes	4.3						
68	Craftsman's equipment	18.1	5.3		3.3		8.4	
69	Personal transportation	108.6						
70	No load carried	26.9						
71	Not in use	.6						
72	Other	3.3						
73	Not reported	(Z)						

See footnotes at end of table.

Major use—Con.

For-hire transportation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total	
									1
									2
									3
									4
									5
									6
									7
									8
									9
									10
									11
									12
									13
									14
									15
									16
									17
									18
									19
									20
									21
									22
									23
									24
									25
									26
									27
									28
									29
									30
									31
									32
									33
									34
									35
									36
									37
									38
									39
									40
									41
									42
									43
									44
									45
									46
									47
									48
									49
									50
									51
									52
									53
									54
									55
									56
									57
									58
									59
									60
									61
									62
									63
									64
									65
									66
									67
									68
									69
									70
									71
									72
									73

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational characteristics	Total	Major use						
			Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
HAZARDOUS MATERIALS CARRIED									
1	Hazardous materials carried	3.9							
2	Less than 25 percent of time	1.0							
3	25 to 49 percent of time	2.3							
4	50 to 74 percent of time	.1							
5	75 to 100 percent of time	.5							
6	No percent reported	(2)							
7	Types of hazardous materials	(2)							
8	Flammables or combustibles	2.3							
9	Acids, poisons, caustics, etc.	1.0							
10	Explosives	.3							
11	Radioactive materials	(S)							
12	Hazardous waste	(S)							
13	Hazardous materials not listed above	.1							
14	Not reported	(2)							
15	No hazardous materials carried	123.5	29.6		7.5	26.7		3.0	6.0
16	Not reported	76.2	.2		.2	(S)			
TRUCK FLEET SIZE³									
17	1	143.8	13.6		.6	12.5			5.2
18	2 to 5	30.3	11.8		(S)	6.5			7.7
19	6 to 19	16.3	3.3		2.7	6.0			3.3
20	20 or more	13.2	(S)		3.5	3.0			.1
MILES PER GALLON									
21	Less than 5	4.6	.2		.8	.8			
22	5 to 6.9	10.4	1.9		1.6	3.4			
23	7 to 8.9	12.5	3.7		.7	3.1			
24	9 to 11.9	57.9	9.6		(S)	9.5			
25	12 to 14.9	39.6	4.3		(S)	(S)			
26	15 to 19.9	44.4	(S)		(S)	6.1			
27	20 or more	16.5	4.1		(S)	(S)			
28	Not reported	17.8	(S)		(S)	.6			
EQUIPMENT TYPE									
29	Transmission	203.6	29.9		8.3	28.0	3.1	3.4	6.3
30	Manual	134.6	23.1		7.5	17.1	1.0	1.4	3.3
31	Automatic	65.6	6.4		.3	9.7			
32	Not reported	3.4	.3		.4	(S)			
33	Braking system	203.6	29.9		8.3	28.0	3.1	3.4	6.3
34	Hydraulic	8.3	2.5		.6	1.8			
35	Hydraulic (power)	184.6	26.1		5.2	23.4			
36	Air	9.1	.8		2.1	2.6			
37	Not reported	1.6	.5		.4	.2			
38	Power steering ²	136.1	18.7		6.3	23.3			
39	Air conditioning ²	46.7	(S)		.7	6.6			
40	Engine retarder ²	3.0	(S)		.6	.7			
41	Reflective materials ²	3.4	.2		.6	.7			
FUEL CONSERVATION EQUIPMENT²									
42	Aerodynamic features	1.6	(S)		(S)	.1			
43	Axle or drive ratio	5.1	.9		.5	1.1			
44	Fuel economy engine	4.2	(S)		.6	1.0			
45	Radial tires	100.5	13.1		3.8	17.5			
46	Road speed governor	6.6	.6		1.1	1.6			
47	Variable fan drives	4.2	(S)		.8	.5			
48	Other fuel conservation devices	.6			(S)	.2			
49	Not reported	96.6	15.4		3.5	8.9			
MAINTENANCE									
General maintenance:									
50	Owner	140.6	23.0		(S)	15.7			5.5
51	Company's maintenance facilities	25.8	(S)		5.5	7.4			
52	Dealership's service department	21.8	.4		.6	4.4			
53	Leasing company	.2	(S)		(2)	(S)			
54	Independent garage	36.2	3.9		.4	4.8			
55	Component distributorship	(S)	(S)		(2)	(S)			
56	Other	(S)	(S)		(S)	(S)			
57	Not reported	5.7	.4		.4	.2			
Major overhauls:									
58	Owner	46.9	9.6		.3	5.3			
59	Company's maintenance facilities	12.4	(S)		3.4	3.2			
60	Dealership's service department	26.0	(S)		(S)	5.8			
61	Leasing company	.2	(S)		(S)	(S)			
62	Independent garage	30.2	5.1		(S)	2.9			
63	Component distributorship	(S)	(S)		(S)	(S)			
64	Other	(S)	(S)		(S)	(S)			
65	Not reported	87.7	11.5		1.1	10.8			

See footnotes at end of table.

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Major use						
		Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
ENGINE TYPE AND SIZE								
1 Engine	203.6	29.9		8.3	28.0	3.1	3.4	6.3
2 Gasoline	190.7	28.0		6.1	24.3			5.9
3 Diesel	10.1	(S)		2.0	2.6			
4 LP gas or other	(S)	(Z)		(S)	(Z)			
5 Not reported	(Z)	(Z)		(Z)	(Z)			
6 Cylinders	203.6	29.9		8.3	28.0	3.1	3.4	6.3
7 4	16.8	(S)		(S)	(S)			
8 6	37.6	4.5		2.4	5.2			
9 8	145.7	22.0		4.8	19.6			
10 Other	(S)	(S)		(S)	(Z)			
11 Not reported	(S)	(S)		(S)	(S)			
12 Cubic inch displacement	203.6	29.9		8.3	28.0	3.1	3.4	6.3
13 Gasoline engines	190.7	28.0		6.1	24.3			5.9
14 Less than 200	14.6	(S)		(S)	(S)			
15 200 to 299	10.3	2.0		0.4	0.4			
16 300 to 349	37.6	4.1		4.6	4.4			
17 350 to 399	75.6	12.0		11.0	11.0			
18 400 or more	25.7	4.7		0.9	0.9			
19 Not reported	26.9	3.0		2.0	4.4			
20 Diesel engines	10.1	(S)		2.0	2.6			
21 Less than 400	(S)	(S)		.1	.2			
22 400 to 599	2.0	(S)		.5	.8			
23 600 to 799	1.3	(S)		.4	.4			
24 800 or more	4.1	(S)		.8	1.0			
25 Not reported9	(S)		.2	.2			
26 Other engines	(S)	(S)						
27 Less than 400	(S)	(Z)						
28 400 or more2	(S)						
29 Not reported	(S)	(Z)						
30 Horsepower	203.6	29.9		8.3	28.0	3.1	3.4	6.3
31 Gasoline engines	190.7	28.0		6.1	24.3			5.9
32 Less than 100	8.3	(Z)		4.0	15.4			4.4
33 100 to 199	118.6	16.5		1.6	3.2			1.1
34 200 to 249	29.7	6.2		1.2	1.1			.2
35 250 or more	5.9	(S)		.2	.4			
36 Not reported	28.2	(Z)						
37 Diesel engines	10.1	(S)		2.0	2.6			
38 Less than 250	3.2	(S)		.5	.8			
39 250 to 349	3.2	(S)		.6	1.0			
40 350 to 449	2.8	(S)		.7	.7			
41 450 or more	(S)	(S)		.1	.1			
42 Not reported7	(S)						
43 Other engines	(S)	(S)						
44 Less than 250	(S)	(S)						
45 250 or more1	(S)						
46 Not reported	(S)	(Z)						
TRUCK TYPE AND AXLE ARRANGEMENT								
47 Single-unit trucks	191.8	26.3		7.3	25.4		3.0	6.1
48 2 axles	188.2	25.8		5.9	24.1			6.1
49 3 axles	3.6	(S)		1.4	1.3			
50 4 axles or more1	(Z)		(S)	(S)			
51 Combinations	11.8	(S)		.9	2.6			
52 Single-unit truck with trailer	6.5	(S)		.4	(S)			
53 3 axles	(S)	(S)		(S)	(S)			
54 4 axles	5.8	(S)		(S)	(S)			
55 5 axles or more6	(S)		(S)	(S)			
56 Truck-tractor with single trailer	5.2	(S)		.5	1.3			
57 3 axles4	(S)		.2	.2			
58 4 axles7	(S)		.5	.5			
59 5 axles or more	4.1	(S)		.8	1.1			
60 Truck-tractor with double trailers	(S)	(S)		(S)	(S)			
61 5 axles	(Z)	(S)		(S)	(S)			
62 6 axles	(S)	(S)		(S)	(S)			
63 7 axles or more	(S)	(S)		(S)	(S)			
64 Truck-tractor with triple trailers	(Z)	(S)		(S)	(S)			
65 7 axles	(Z)	(S)		(S)	(S)			
66 8 axles or more	(Z)	(S)		(S)	(S)			
67 Trailer not specified	(Z)	(Z)		(S)	(S)			
68 Powered axles	203.6	29.9		8.3	28.0	3.1	3.4	6.3
69 1	86.6	11.2		2.9	13.9			4.1
70 2	103.4	19.4		5.3	13.9			1.1
71 3 or more	(S)	(S)		(S)	(S)			
72 Not reported	1.5	(Z)		(S)	(S)			
CAB TYPE*								
73 Cab forward of engine6	.2		(S)	.2			
74 Cab over engine	3.3	.6		.5	.4			
75 Short-hood conventional	6.7	1.0		.7	2.4			
76 Medium-hood conventional	11.7	3.1		1.8	2.9			
77 Long-hood conventional	4.3	.7		.8	1.3			
78 Cab beside engine	(S)	(Z)		(Z)	(Z)			
79 Other	10.6	(S)		.1	(S)			
80 Not reported	166.2	21.1		4.3	19.4			5.1

See footnotes at end of table.

Major use—Con.

For-hire transportation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported	Relative standard error of estimate (percent) for total	
2.8		7.3	1.0	108.6				(Z)	1
2.0		7.0		108.6				1.0	2
2.0		7.1						10.7	3
2.0		7.3						52.4	4
2.0		7.3						(Z)	5
2.0		7.3		108.6				(Z)	6
1.7		7.3		11.3				23.4	7
1.7		7.3		17.5				13.3	8
1.7		7.3		78.7				4.1	9
1.7		7.3		7.9				97.3	10
2.8		7.3		108.6				60.6	11
2.8		7.3		108.6				(Z)	12
2.8		7.3		108.6				1.0	13
2.8		7.3		10.3				25.4	14
2.8		7.3		5.1				27.4	15
2.8		7.3		22.3				14.1	16
2.8		7.3		15.0				8.7	17
2.8		7.3		16.6				17.5	18
2.8		7.3		6.6				17.4	19
2.8		7.3						10.7	20
2.8		7.3						60.5	21
2.8		7.3						11.9	22
2.8		7.3						15.1	23
2.8		7.3						7.5	24
2.8		7.3						18.5	25
2.8		7.3						52.4	26
2.8		7.3						57.1	27
2.8		7.3						37.3	28
2.8		7.3						70.0	29
2.8		7.3		108.6				(Z)	30
2.8		7.3		108.6				1.0	31
2.8		7.3		6.6				34.6	32
2.8		7.3		16.4				5.5	33
2.8		7.3		6.6				16.1	34
2.8		7.3		6.6				38.8	35
2.8		7.3		6.6				16.9	36
2.8		7.3						10.7	37
2.8		7.3						33.0	38
2.8		7.3						9.1	39
2.8		7.3						9.8	40
2.8		7.3						69.7	41
2.8		7.3						21.4	42
2.8		7.3						52.4	43
2.8		7.3						65.2	44
2.8		7.3						49.3	45
2.8		7.3						95.3	46
2.8		7.3		107.5				1.2	47
2.8		7.3		107.5				1.2	48
2.8		7.3		7.4				7.4	49
2.8		7.3		49.2				49.2	50
2.8		7.3						19.7	51
2.8		7.3						35.6	52
2.8		7.3						51.2	53
2.8		7.3						40.0	54
2.8		7.3						23.6	55
2.8		7.3						5.6	56
2.8		7.3						29.6	57
2.8		7.3						23.3	58
2.8		7.3						7.3	59
2.8		7.3						69.7	60
2.8		7.3						(Z)	61
2.8		7.3						98.8	62
2.8		7.3						98.8	63
2.8		7.3						(Z)	64
2.8		7.3						(Z)	65
2.8		7.3						(Z)	66
2.8		7.3		108.6				(Z)	67
2.8		7.3		56.0				6.7	68
2.8		7.3		6.4				6.4	69
2.8		7.3		57.0				57.0	70
2.8		7.3		13.1				13.1	71
2.8		7.3							72
2.8		7.3						23.0	73
2.8		7.3						9.2	74
2.8		7.3						16.5	75
2.8		7.3						3.8	76
2.8		7.3						7.9	77
2.8		7.3							78
2.8		7.3						97.7	79
2.8		7.3						28.6	80
2.8		7.3						1.9	80

Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational characteristics	Total	Major use						
			Agriculture	Forestry and lumbering	Mining and quarrying	Construction	Manufacturing	Wholesale trade	Retail trade
	PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS								
1	Total	176.3	23.8	(S)	4.2	21.4	(S)	(S)	5.1
2	Pickups	132.2	19.8	(S)	4.2	15.7	(S)	(S)	(S)
3	Panels or vans	10.6	(Z)	(Z)	(Z)	(S)	(Z)	(Z)	(S)
4	Utilities	25.0	4.0	(Z)	(Z)	3.8	(Z)	(Z)	(Z)
5	Station wagons	8.6	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(Z)
6	Driving wheels	175.2	23.8	(S)	4.2	21.4	(S)	(S)	5.1
7	4-wheel drive	93.4	17.6	(S)	(S)	11.2	(Z)	(S)	(S)
8	2-wheel drive	79.8	6.2	(Z)	(S)	10.2	(S)	(S)	(S)
9	Front-wheel drive	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Wyoming, 51.4 of the cells have RSEs greater than 10 percent, and 41.5 of the cells have RSEs greater than 25 percent.

- ¹When no response was obtained for annual miles data were imputed.
- ²Detail does not add to totals because items were not applicable or multiple responses were possible.
- ³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
- ⁴Pickups, panels, and vans are not included.

Major use—Con.								Relative standard error of estimate (percent) for total	
For-hire transportation	Utilities	Services	Daily rental	Personal transportation	Other	Not in use	Not reported		
		6.1		108.4				.1	1
		4.2		79.7				1.5	2
				6.8				27.1	3
				15.2				14.0	4
				6.7				30.0	5
		6.1		107.4				.8	6
		5.0		51.3				7.1	7
				54.0				8.3	8
				(5)				70.4	9

Table 4. Trucks by Vehicle Size: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Vehicle size					Relative standard error of estimate (percent) for total
	Total	Light	Medium	Light-heavy	Heavy-heavy	
Total	203.6	180.3	9.0	3.6	10.7	(Z)
Relative standard error (percent)	(Z)	.8	16.9	8.2	2.8	(Z)
MAJOR USE						
Agriculture	29.9	22.8	4.1	1.6	1.4	15.5
Forestry and lumbering	(S)	(S)	(S)	(S)	.2	61.1
Mining and quarrying	8.3	4.8	.6	5.5	2.4	25.3
Construction	28.0	23.1	1.5	6.6	2.8	15.8
Manufacturing	3.1	(S)	.2	(S)	.7	46.1
Wholesale trade	3.4	(S)	.3	.2	.6	41.9
Retail trade	6.3	5.3	5.5	2.2	4.4	35.3
For-hire transportation	2.8	2.2	4.4	2.2	2.0	10.2
Utilities	.9	2.5	2.2	(S)	.1	17.6
Services	7.3	6.6	.4	(S)	.2	33.8
Daily rental	1.0	.3	.7	(S)	(S)	16.0
Personal transportation	108.6	108.6	(Z)	(S)	(S)	6.0
Other	(S)	(Z)	(Z)	(S)	(S)	97.7
Not in use	(S)	(S)	.1	(S)	(S)	64.8
Not reported	(Z)	(Z)	(Z)	(S)	(Z)	(Z)
BODY TYPE						
Pickup	132.2	130.1	(S)	(S)	(S)	1.5
Panel or van	10.6	10.6	(S)	(S)	(S)	27.1
Utility	25.0	25.0	(Z)	(S)	(S)	14.0
Station wagon	8.6	8.6	(Z)	(S)	(S)	30.0
Multistop or walk-in	.5	.4	.2	(S)	(S)	22.8
Platform with added devices	2.7	.6	.8	.7	.6	9.8
Low boy or depressed center	.7	(S)	(S)	(S)	.6	23.7
Basic platform	6.5	2.1	2.0	6.6	1.5	6.0
Livestock truck	1.6	.3	5.5	4.4	3.3	13.7
Insulated nonrefrigerated van	(S)	(Z)	(S)	(S)	(S)	58.9
Insulated refrigerated van	.2	(S)	(S)	(S)	(S)	41.2
Drop-frame van	(S)	(S)	(S)	(S)	(S)	57.9
Open-top van	(S)	(Z)	(S)	(S)	(S)	59.0
Basic enclosed van	2.5	6.6	1.1	6.6	.6	10.8
Beverage	.3	(Z)	(S)	(S)	.2	30.4
Public utility	.5	.2	.2	(S)	.1	24.4
Winch or crane	.9	.2	.2	(S)	.5	17.9
Wrecker	.2	.1	(S)	(S)	(S)	34.7
Pole or logging	(Z)	(Z)	(S)	(S)	(S)	41.4
Auto transport	2	(Z)	(Z)	(S)	(S)	(Z)
Service truck	1.2	.6	.4	(S)	(S)	15.5
Yard tractor	(S)	(S)	(Z)	(S)	(S)	58.9
Oilfield truck	2.2	5.5	4.4	2.2	1.0	11.1
Cargo container chassis	(S)	(Z)	(S)	(S)	(S)	70.0
Grain body	.8	(S)	.3	2.2	.2	18.9
Garbage hauler	(S)	(S)	(S)	(S)	(S)	50.0
Dump truck	2.1	(S)	2.2	3.3	1.5	11.7
Tank truck (liquids or gases)	2.9	(S)	(S)	(S)	2.2	9.6
Tank truck (dry bulk)	.4	(S)	(S)	(S)	.3	31.6
Concrete mixer	.4	(S)	(S)	(S)	.4	25.8
Other	(S)	(S)	(S)	(S)	(S)	59.0
Not reported	(Z)	(Z)	(Z)	(S)	(Z)	(Z)
ANNUAL MILES¹						
Less than 5,000	61.5	54.1	3.0	1.9	2.6	10.0
5,000 to 9,999	42.8	38.8	1.8	.5	1.7	12.9
10,000 to 19,999	73.0	68.0	2.3	.7	2.0	9.0
20,000 to 29,999	16.0	14.0	.5	.3	1.1	22.5
30,000 to 49,999	8.2	5.4	(S)	(S)	1.3	30.2
50,000 to 74,999	1.1	(Z)	.1	(S)	.9	17.9
75,000 or more	1.1	(S)	(Z)	(S)	.9	18.1
RANGE OF OPERATION						
Local	129.8	120.4	4.2	1.8	3.4	4.9
Short-range (Less than 201 miles)	34.4	28.8	1.3	.9	3.4	14.3
Long-range (201 miles or more)	10.1	7.6	(S)	(S)	1.2	28.7
Off-the-road	27.8	22.9	1.4	.6	2.7	15.9
Not reported	1.5	.7	.7	(Z)	(S)	13.5
BASE OF OPERATION						
Percentage of miles traveled outside base-of-operation State:						
Less than 25 percent	148.5	131.1	6.9	2.8	7.7	4.0
25 to 49 percent	9.5	8.4	.1	(S)	.8	30.1
50 to 74 percent	10.5	9.5	.2	(S)	.7	28.9
75 to 100 percent	8.7	7.5	.3	.1	.8	31.0
Not reported	26.4	23.9	1.5	.4	.7	17.1
AVERAGE WEIGHT (POUNDS)						
Less than 6,001	155.6	155.6	(S)	(S)	(S)	2.8
6,001 to 10,000	24.8	24.8	(S)	(S)	(S)	17.2
10,001 to 14,000	3.3	(S)	3.3	(S)	(S)	8.5
14,001 to 16,000	4.0	(S)	4.0	(S)	(S)	37.1
16,001 to 19,500	1.7	(S)	1.7	(S)	(S)	12.3
19,501 to 26,000	3.6	(S)	(S)	3.6	(Z)	8.2
26,001 to 33,000	2.0	(S)	(S)	(S)	2.0	11.8
33,001 to 40,000	1.5	(S)	(S)	(S)	1.5	14.1
40,001 to 50,000	2.3	(S)	(S)	(S)	2.3	10.6
50,001 to 60,000	1.1	(S)	(S)	(S)	1.1	17.2
60,001 to 80,000	3.4	(S)	(S)	(S)	3.4	8.6
80,001 to 100,000	.3	(S)	(S)	(S)	.3	33.2
100,001 to 130,000	(S)	(S)	(S)	(S)	(S)	58.9
130,001 or more	(Z)	(S)	(S)	(S)	(S)	(Z)
Not reported	(Z)	(Z)	(Z)	(S)	(Z)	(Z)

See footnotes at end of table.

Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Vehicle size				Relative standard error of estimate (percent) for total
		Light	Medium	Light-heavy	Heavy-heavy	
TOTAL LENGTH (FEET)						
Less than 7.0 -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7.0 to 9.9 -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
10.0 to 12.9 -----	16.9	16.9	(Z)	(Z)	(Z)	22.8
13.0 to 15.9 -----	39.3	39.3	(Z)	(Z)	(Z)	13.6
16.0 to 19.9 -----	116.6	115.3	1.3	(S)	(S)	5.2
20.0 to 27.9 -----	15.1	5.6	4.4	2.7	2.4	11.5
28.0 to 35.9 -----	9.7	(S)	3.2	(S)	2.7	23.9
36.0 to 40.9 -----	.4	(S)	(S)	(S)	.3	25.3
41.0 to 44.9 -----	.4	(S)	(S)	(S)	(S)	30.5
45.0 or more -----	5.2	(S)	(S)	(S)	5.0	5.7
Not reported -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
YEAR MODEL						
1983 -----	(S)	(S)	(Z)	(Z)	(Z)	100.0
1982 -----	13.1	12.7	.2	(S)	.2	28.4
1981 -----	15.3	13.6	.4	(S)	1.2	23.0
1980 -----	15.1	13.9	.4	.3	.8	23.8
1979 -----	22.9	20.2	(S)	.3	.9	18.9
1978 -----	18.9	17.7	.4	.1	.7	21.1
1977 -----	18.9	17.8	.3	.1	.7	21.2
1976 -----	21.7	19.7	(S)	.1	.6	20.0
1975 -----	9.0	7.3	.3	.4	1.0	28.7
1974 -----	13.6	12.4	.4	.3	.6	24.5
1973 -----	9.0	7.4	.4	.2	.9	30.2
Pre-1973 -----	45.1	36.6	3.4	1.8	3.3	11.8
Not reported -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
VEHICLE ACQUISITION						
Purchased new -----	104.6	92.5	5.6	1.8	4.6	6.4
Purchased used -----	92.5	82.5	3.2	1.8	5.0	7.2
Leased from someone else -----	4.4	(S)	.1	(S)	1.0	41.1
Not reported -----	(S)	(S)	(S)	(S)	(S)	66.4
LEASE CHARACTERISTICS²						
Leased without driver -----	4.1	(S)	.1	(Z)	.7	44.4
Leased with driver -----	(S)	(Z)	(Z)	(Z)	(S)	73.2
Leased with owner-operator -----	.3	(Z)	(Z)	(Z)	.3	34.3
Provisions of lease -----	4.3	(S)	.1	(S)	.9	41.9
Financing (no maintenance) -----	(S)	(S)	.1	(S)	.4	54.8
Financing (full maintenance) -----	(S)	(S)	(Z)	(Z)	.2	86.1
Other -----	.4	(S)	(Z)	(Z)	.3	31.0
OPERATOR CLASSIFICATION						
Not for hire: -----						
Private owner or individual -----	199.8	179.8	7.9	3.4	8.6	.2
For hire -----	3.8	.5	1.0	.2	2.0	8.6
Motor carrier -----	2.1	.2	.4	(S)	1.4	12.3
Owner-operator -----	.7	(Z)	(Z)	(S)	.6	22.9
Daily rental -----	1.0	.3	.7	(S)	(S)	16.0
Mixed—for hire/not for hire -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
For-hire interstate -----	1.5	(S)	.2	(S)	1.2	15.2
Exempt carrier -----	.6	.1	(S)	(S)	.3	23.1
Contract carrier -----	.4	(S)	(S)	(S)	.3	29.8
Common carrier -----	1.1	(S)	.3	.1	.6	16.9
For-hire intrastate -----	.9	(S)	.2	(S)	.6	20.3
For-hire local -----	.7	.1	.2	.4	.3	20.8
PRODUCTS CARRIED						
Farm products -----	7.1	4.3	.8	1.0	1.1	28.2
Live animals -----	9.7	5.7	3.1	.5	.4	28.1
Mining products -----	.3	.1	(S)	(S)	.1	27.2
Logs and other forest products -----	.5	.1	(S)	(S)	.1	25.9
Lumber and fabricated wood products -----	3.9	(S)	.2	(S)	.3	46.6
Processed foods -----	1.0	(S)	.2	(S)	.5	17.5
Textile mill products -----	(S)	(Z)	(Z)	(S)	(Z)	83.7
Building materials -----	7.6	4.5	.6	.4	2.1	27.5
Household goods -----	1.0	.6	.6	(S)	(S)	16.8
Furniture or hardware -----	.2	(S)	(S)	(Z)	(S)	44.6
Paper products -----	(S)	(S)	(Z)	(Z)	(Z)	98.3
Chemicals -----	.7	(S)	.1	(S)	.5	22.3
Petroleum -----	3.1	(S)	.2	.5	1.2	34.2
Plastics and/or rubber -----	.1	(S)	(S)	(S)	(Z)	49.4
Primary metal products -----	.3	.2	(Z)	(Z)	(S)	28.6
Fabricated metal products -----	.4	.1	(S)	(S)	(S)	29.0
Machinery -----	1.3	.1	.3	(S)	.9	15.9
Transportation equipment -----	(S)	(S)	(S)	(S)	.4	54.7
Scrap, refuse, or garbage -----	.7	.3	.3	(S)	(S)	19.6
Mixed cargoes -----	4.3	(S)	.5	(S)	.4	42.0
Craftsman's equipment -----	18.1	15.9	1.2	.4	.6	20.5
Personal transportation -----	108.6	108.6	(Z)	(Z)	(S)	6.0
No load carried -----	26.9	26.0	.4	(S)	.5	17.6
Not in use -----	.6	.5	(S)	(S)	(S)	23.6
Other -----	3.3	(S)	(S)	.1	1.0	43.5
Not reported -----	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

See footnotes at end of table.

Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Vehicle size				Relative standard error of estimate (percent) for total
		Light	Medium	Light-heavy	Heavy-heavy	
HAZARDOUS MATERIALS CARRIED						
Hazardous materials carried.....	3.9	(S)	.4	.4	2.0	27.5
Less than 25 percent of time.....	1.0	(S)	.2	(S)	.7	18.9
25 to 49 percent of time.....	2.3	(S)	.2	(S)	1.0	45.5
50 to 74 percent of time.....	.1	(S)	(Z)	(S)	(S)	45.7
75 to 100 percent of time.....	.5	(S)	(Z)	(Z)	(Z)	24.2
No percent reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Types of hazardous materials ²	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Flammables or combustibles.....	2.3	.1	.3	.3	1.5	11.6
Acids, poisons, caustics, etc.....	1.0	(Z)	.1	(S)	.9	18.4
Explosives.....	.3	(S)	(S)	(S)	.2	29.1
Radioactive materials.....	(S)	(S)	(S)	(S)	(S)	83.0
Hazardous waste.....	(S)	(Z)	(Z)	(Z)	(S)	97.7
Hazardous materials not listed above.....	.1	(Z)	(Z)	(Z)	(Z)	45.7
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
No hazardous materials carried.....	123.5	103.4	8.5	3.1	8.6	5.4
Not reported.....	76.2	75.8	.1	.2	(S)	8.7
TRUCK FLEET SIZE³						
1.....	143.8	138.5	2.8	1.1	1.4	3.9
2 to 5.....	30.3	24.0	3.0	1.0	2.3	15.2
6 to 19.....	16.3	10.3	1.5	.9	3.6	18.4
20 or more.....	13.2	7.6	1.7	.6	3.3	19.1
MILES PER GALLON						
Less than 5.....	4.6	.1	.3	.4	3.8	7.4
5 to 6.9.....	10.4	3.1	1.6	1.3	4.5	14.1
7 to 8.9.....	12.5	7.7	2.6	1.0	1.1	21.7
9 to 11.9.....	57.9	53.9	3.1	.6	.4	10.7
12 to 14.9.....	39.6	39.2	.3	(S)	(S)	14.1
15 to 19.9.....	44.4	44.3	(S)	(S)	(Z)	13.2
20 or more.....	16.5	16.5	(Z)	(Z)	(Z)	23.8
Not reported.....	17.8	15.6	1.0	.3	.8	21.0
EQUIPMENT TYPE						
Transmission.....	203.6	180.3	9.0	3.6	10.7	(Z)
Manual.....	134.6	114.2	7.5	3.2	9.7	4.8
Automatic.....	65.6	63.6	(S)	.2	.6	9.8
Not reported.....	3.4	(S)	.2	.2	.4	43.4
Braking system.....	203.6	180.3	9.0	3.6	10.7	(Z)
Hydraulic.....	8.3	3.7	2.8	.9	.9	4.6
Hydraulic (power).....	184.6	175.9	5.7	1.9	1.1	.2
Air.....	9.1	(S)	.3	.5	8.3	3.3
Not reported.....	1.6	.6	.3	.3	.4	13.6
Power steering ²	136.1	124.0	3.9	1.8	6.4	4.6
Air conditioning ²	46.7	42.9	(S)	(S)	2.4	12.3
Engine retarder ²	3.0	(Z)	(S)	(S)	2.9	9.5
Reflective materials ²	3.4	.9	1.2	.2	1.1	8.8
FUEL CONSERVATION EQUIPMENT²						
Aerodynamic features.....	1.6	.4	.8	(S)	.3	13.2
Axle or drive ratio.....	5.1	.9	1.5	.8	1.9	7.1
Fuel economy engine.....	4.2	.4	.7	(S)	3.1	7.9
Radial tires.....	100.5	92.2	(S)	.5	5.8	6.7
Road speed governor.....	6.6	.6	1.7	1.0	3.3	6.0
Variable fan drives.....	4.2	.5	.9	(S)	2.7	8.1
Other fuel conservation devices.....	.6	(S)	.2	(S)	.3	23.6
Not reported.....	96.6	87.1	4.7	1.9	2.9	7.0
MAINTENANCE						
General maintenance:						
Owner.....	140.6	131.2	3.8	1.8	3.8	4.2
Company's maintenance facilities.....	25.8	16.5	2.9	1.2	5.2	14.5
Dealership's service department.....	21.8	20.1	.7	.3	.8	19.5
Leasing company.....	.2	(S)	(Z)	(Z)	(S)	44.6
Independent garage.....	36.2	32.7	(S)	.5	1.2	14.4
Component distributorship.....	(S)	(Z)	(Z)	(Z)	(S)	59.9
Other.....	(S)	(S)	(Z)	(S)	.2	53.7
Not reported.....	5.7	4.9	.3	.2	.4	36.2
Major overhauls:						
Owner.....	46.9	43.1	(S)	.3	1.6	12.4
Company's maintenance facilities.....	12.4	6.5	1.7	.6	3.6	18.8
Dealership's service department.....	26.0	23.2	1.0	.4	1.4	17.4
Leasing company.....	.2	(Z)	(Z)	(S)	(S)	49.7
Independent garage.....	30.2	25.3	2.2	.8	2.0	15.3
Component distributorship.....	(S)	(S)	(S)	(Z)	.3	72.6
Other.....	(S)	(S)	(Z)	(S)	(S)	53.9
Not reported.....	87.7	81.3	2.5	1.6	2.4	7.7

See footnotes at end of table.

Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Vehicle size				Relative standard error of estimate (percent) for total
		Light	Medium	Light-heavy	Heavy-heavy	
ENGINE TYPE AND SIZE						
Engine.....	203.6	180.3	9.0	3.6	10.7	(Z)
Gasoline.....	190.7	176.8	8.4	3.1	2.3	1.0
Diesel.....	10.1	(S)	.4	.4	8.3	10.7
LP gas or other.....	(S)	(S)	.2	.2	(S)	52.4
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Cylinders.....	203.6	180.3	9.0	3.6	10.7	(Z)
4.....	16.8	16.7	(S)	(Z)	(S)	23.4
6.....	37.6	29.9	1.0	.5	6.2	13.3
8.....	145.7	130.5	7.9	3.0	4.2	4.1
Other.....	(S)	(S)	(Z)	(Z)	(S)	97.3
Not reported.....	(S)	(S)	(Z)	(S)	(S)	60.6
Cubic inch displacement.....	203.6	180.3	9.0	3.6	10.7	(Z)
Gasoline engines.....	190.7	176.8	8.4	3.1	2.3	1.0
Less than 200.....	14.6	14.6	(S)	(Z)	(Z)	25.4
200 to 299.....	10.3	9.0	.7	.5	(S)	27.4
300 to 349.....	37.6	35.5	1.3	.6	.2	14.1
350 to 399.....	75.6	69.7	3.9	1.2	.8	8.7
400 or more.....	25.7	22.4	(S)	.5	1.0	17.5
Not reported.....	26.9	25.7	.7	.4	.2	17.4
Diesel engines.....	10.1	(S)	.4	.4	8.3	10.7
Less than 400.....	(S)	(S)	.1	(S)	.5	60.5
400 to 599.....	2.0	(S)	(S)	.1	1.8	11.9
600 to 799.....	1.3	(Z)	(S)	(S)	1.1	15.1
800 or more.....	4.1	(Z)	(Z)	(S)	4.0	7.5
Not reported.....	.9	(S)	(S)	(Z)	.9	18.5
Other engines.....	(S)	(S)	.2	.2	(S)	52.4
Less than 400.....	(S)	(S)	(S)	.1	(S)	57.1
400 or more.....	.2	(S)	(S)	(S)	(S)	37.3
Not reported.....	(S)	(Z)	(S)	(Z)	(S)	70.0
Horsepower.....	203.6	180.3	9.0	3.6	10.7	(Z)
Gasoline engines.....	190.7	176.8	8.4	3.1	2.3	1.0
Less than 100.....	8.3	8.3	(Z)	(Z)	(Z)	34.6
100 to 199.....	118.6	111.9	4.2	1.7	.8	5.5
200 to 249.....	29.7	25.5	2.2	.8	1.1	16.1
250 or more.....	5.9	5.5	.2	.1	(S)	38.8
Not reported.....	28.2	25.7	(S)	.4	.3	16.9
Diesel engines.....	10.1	(S)	.4	.4	8.3	10.7
Less than 250.....	3.2	(S)	.3	.2	1.6	33.0
250 to 349.....	3.2	(S)	(S)	(S)	3.1	9.1
350 to 449.....	2.8	(Z)	(S)	(Z)	2.8	9.8
450 or more.....	(S)	(Z)	(Z)	(Z)	(S)	69.7
Not reported.....	.7	(S)	(Z)	(Z)	.7	21.4
Other engines.....	(S)	(S)	.2	.2	(S)	52.4
Less than 250.....	(S)	(S)	.1	.1	(S)	65.2
250 or more.....	.1	(Z)	(S)	(Z)	(Z)	49.3
Not reported.....	(S)	(S)	(Z)	(S)	(S)	95.3
TRUCK TYPE AND AXLE ARRANGEMENT						
Single-unit trucks.....	191.8	177.1	6.6	3.2	4.9	1.2
2 axles.....	188.2	177.0	6.4	3.0	1.7	1.2
3 axles.....	3.6	(S)	.2	.2	3.2	7.4
4 axles or more.....	.1	(S)	(Z)	(Z)	(S)	49.2
Combinations.....	11.8	(S)	(S)	.4	5.7	19.7
Single-unit truck with trailer.....	6.5	(S)	(S)	.2	.7	35.6
3 axles.....	(S)	(S)	(S)	(Z)	(S)	51.2
4 axles.....	5.8	(S)	(Z)	(Z)	.1	40.0
5 axles or more.....	.6	(S)	(Z)	(S)	.5	23.6
Truck-tractor with single trailer.....	5.2	(Z)	(S)	.2	5.0	5.6
3 axles.....	.4	(Z)	(S)	(S)	.3	29.6
4 axles.....	.7	(Z)	(Z)	(S)	.8	23.3
5 axles or more.....	4.1	(Z)	(Z)	(S)	4.0	7.3
Truck-tractor with double trailers.....	(S)	(Z)	(Z)	(Z)	(S)	69.7
5 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
6 axles.....	(S)	(Z)	(Z)	(Z)	(S)	98.8
7 axles or more.....	(S)	(Z)	(Z)	(Z)	(S)	98.8
Truck-tractor with triple trailers.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
8 axles or more.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Trailer not specified.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Powered axles.....	203.6	180.3	9.0	3.6	10.7	(Z)
1.....	98.6	86.1	6.8	3.2	2.6	6.7
2.....	103.4	93.7	(S)	.3	7.9	6.4
3 or more.....	(S)	(Z)	(Z)	(Z)	(S)	57.0
Not reported.....	1.5	.5	.8	.2	(S)	13.1
CAB TYPE⁴						
Cab forward of engine.....	.6	.1	.1	.1	.2	23.0
Cab over engine.....	3.3	.2	.3	.2	2.6	9.2
Short-hood conventional.....	6.7	2.8	1.9	.7	1.3	16.5
Medium-hood conventional.....	11.7	2.5	3.3	2.0	4.0	3.8
Long-hood conventional.....	4.3	.8	.7	.5	2.4	7.9
Cab beside engine.....	(S)	(Z)	(Z)	(Z)	(S)	97.7
Other.....	10.6	10.2	.3	(S)	(S)	28.6
Not reported.....	166.2	163.6	(S)	.1	(S)	1.9

See footnotes at end of table.

Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Vehicle size				Relative standard error of estimate (percent) for total
		Light	Medium	Light-heavy	Heavy-heavy	
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS						
Total	176.3	174.2	(S)	(Z)	(Z)	.1
Pickups	132.2	130.1	(S)	(Z)	(Z)	1.5
Panels or vans	10.6	10.6	(Z)	(Z)	(Z)	27.1
Utilities	25.0	25.0	(Z)	(Z)	(Z)	14.0
Station wagons	8.6	8.6	(Z)	(Z)	(Z)	30.0
Driving wheels	175.2	173.2	(S)	(Z)	(Z)	.6
4-wheel drive	93.4	92.3	(S)	(Z)	(Z)	7.1
2-wheel drive	79.8	78.7	(Z)	(Z)	(Z)	8.3
Front-wheel drive	(S)	(S)	(Z)	(Z)	(Z)	70.4

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Wyoming, 65.9 of the cells have RSEs greater than 10 percent, and 42.2 of the cells have RSEs greater than 25 percent.

- ¹When no response was obtained for annual miles, data were imputed.
- ²Detail does not add to totals because items were not applicable or multiple responses were possible.
- ³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
- ⁴Pickups, panels, and vans are not included.

Table 5. Trucks by Annual Mileage Class: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Annual miles ¹						Relative standard error of estimate (percent) for total	
		Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999		75,000 or more
Total	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
Relative standard error (percent)	(Z)	10.0	12.9	9.0	22.5	30.2	17.9	18.1	(Z)
MAJOR USE									
Agriculture	29.9	14.4	4.1	10.1	.2				15.5
Forestry and lumbering	(S)	(S)	(Z)	(S)					61.1
Mining and quarrying	8.3	2.1	7	(S)					25.3
Construction	28.0	4.7	6.1	9.6	4.5				15.8
Manufacturing	3.1	.1	(S)	(S)	.2				46.1
Wholesale trade	3.4	(S)	.2	.3					41.9
Retail trade	6.3	.3	4	4.4					35.3
For-hire transportation	2.8	.2	4	4					10.2
Utilities	.9	.2	.2	.3					17.6
Services	7.3	(S)	(S)	(S)	.2				33.8
Daily rental	1.0	(Z)	.9	(S)					16.0
Personal transportation	108.6	32.9	28.4	40.1	7.2				6.0
Other	(S)	(S)	(S)	(S)					97.7
Not in use	(S)	(S)	(S)	(S)					64.8
Not reported	(Z)	(Z)	(Z)	(Z)					(Z)
BODY TYPE									
Pickup	132.2	38.8	27.2	50.4	11.6	4.2			1.5
Panel or van	10.6	(S)		4.8					27.1
Utility	25.0	5.8	5.7	11.5					14.0
Station wagon	8.6	3.8		(S)					30.0
Multistop or walk-in	.5	.1	(S)	.3					22.8
Platform with added devices	2.7	1.6	.4	.5					9.8
Low boy or depressed center	.7	(S)	.2	(S)					23.7
Basic platform	6.5	2.9	1.0	1.3					6.0
Livestock truck	1.6	1.0	.3	.1					13.7
Insulated nonrefrigerated van	(S)	(Z)	(S)	(S)					58.9
Insulated refrigerated van	.2	(S)	(S)	(S)					41.2
Drop-frame van	(S)	(S)	(S)	(S)					57.9
Open-top van	(S)	(Z)	(S)	(S)					59.0
Basic enclosed van	2.5	.4	1.3	.2					10.8
Beverage	.3	(S)	(S)	(S)					30.4
Public utility	.5	.2	(S)	.1					24.4
Winch or crane	.9	.4	(S)	.3					17.9
Wrecker	.2	.2	(S)	(S)					34.7
Pole or logging	.2	(S)	(S)	(S)					41.4
Auto transport	(Z)	(Z)	(Z)	(Z)					(Z)
Service truck	1.2	.2	(S)	.3					15.5
Yard tractor	(S)	(S)	(S)	(S)					58.9
Oilfield truck	2.2	.5	.4	.5					11.1
Cargo container chassis	(S)	(Z)	(Z)	(S)					70.0
Grain body	.8	.6	.1	(S)					18.9
Garbage hauler	(S)	(S)	(S)	(Z)					50.0
Dump truck	2.1	1.0	.3	.2					11.7
Tank truck (liquids or gases)	2.9	.8	.3	.6					9.6
Tank truck (dry bulk)	.4	(S)	(S)	(S)					31.6
Concrete mixer	.4	(S)	(S)	.1					25.8
Other	(S)	(S)	(S)	(S)					59.0
Not reported	(Z)	(Z)	(Z)	(Z)					(Z)
RANGE OF OPERATION									
Local	129.8	34.0	33.6	51.5	7.1				4.9
Short-range (Less than 201 miles)	34.4	11.3	6.0	10.9	3.2				14.3
Long-range (201 miles or more)	10.1	.2	(S)	4.4					28.7
Off-the-road	27.8	15.5	1.1	6.1					15.9
Not reported	1.5	.5	.9	(Z)					13.5
BASE OF OPERATION									
Percentage of miles traveled outside base-of-operation State:									
Less than 25 percent	148.5	46.4	32.9	51.9	9.0	7.4	.7		4.0
25 to 49 percent	9.5	(S)	(S)	4.4					30.1
50 to 74 percent	10.5	(S)	.1	5.4					29.8
75 to 100 percent	8.7	.3	(S)	(S)					31.0
Not reported	26.4	11.4	6.5	7.9	.4				17.1
VEHICLE SIZE									
Light	180.3	54.1	38.8	68.0	14.0	5.4			.8
Medium	9.0	3.0	1.8	2.3	.5	(S)			16.9
Light-heavy	3.6	1.9	.5	.7	.3	(S)			8.2
Heavy-heavy	10.7	2.6	1.7	2.0	1.1	1.3			2.8
AVERAGE WEIGHT (POUNDS)									
Less than 6,001	155.6	43.6	34.8	59.6	12.4	5.2			2.8
6,001 to 10,000	24.8	10.5	4.0	8.4	(S)	.2			17.2
10,001 to 14,000	3.3	1.3	.7	.7	.3	.2			8.5
14,001 to 16,000	4.0	.6	.8	(S)					37.1
16,001 to 19,500	1.7	1.0	.3	.2	(S)				12.3
19,501 to 26,000	3.6	1.9	.5	.7	.3	(S)			8.2
26,001 to 33,000	2.0	.8	.4	.4	.2	.2			11.8
33,001 to 40,000	1.5	.4	.3	.3	.1	.2			14.1
40,001 to 50,000	2.3	.8	.5	.5	.3	.3			10.6
50,001 to 60,000	1.1	.2	.2	.3	.2	.2			17.2
60,001 to 80,000	3.4	.3	(S)	.5	.2	.5			8.6
80,001 to 100,000	.3	(S)	(S)	(S)	(S)	(S)			33.2
100,001 to 130,000	(S)	(S)	(S)	(S)	(S)	(S)			58.9
130,001 or more	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)			(Z)
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)			(Z)

See footnotes at end of table.

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Annual miles ¹						Relative standard error of estimate (percent) for total	
		Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999		75,000 or more
TOTAL LENGTH (FEET)									
Less than 7.0	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7.0 to 9.9	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
10.0 to 12.9	16.9	4.9	(S)	7.0	(S)	(S)	(S)	(S)	22.6
13.0 to 15.9	39.3	10.9	7.0	19.1	(S)	(S)	(S)	(S)	13.6
16.0 to 19.9	116.6	34.3	28.3	40.8	8.6	4.4	(S)	(S)	5.2
20.0 to 27.9	15.1	7.9	3.7	1.9	(S)	(S)	(S)	(S)	11.5
28.0 to 35.9	9.7	2.4	1.2	(S)	(S)	(S)	(S)	(S)	23.9
36.0 to 40.9	.4	.2	(S)	(S)	(S)	(S)	(S)	(S)	25.3
41.0 to 44.9	.4	(S)	(S)	(S)	(S)	(S)	(S)	(S)	30.5
45.0 or more	5.2	.8	.5	.9	.5	.7	.6	.6	5.7
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
YEAR MODEL									
1983	(S)	(Z)	(Z)	(S)	(Z)	(Z)	(Z)	(Z)	100.0
1982	13.1	(Z)	(S)	7.4	4.3	(Z)	(Z)	(Z)	26.4
1981	15.3	(S)	4.3	5.7	(S)	(S)	(S)	(S)	23.0
1980	15.1	(S)	4.4	6.6	(S)	(S)	(S)	(S)	23.8
1979	22.9	(S)	3.5	14.3	.3	(S)	(S)	(S)	18.9
1978	18.9	7.3	5.2	4.6	(S)	(S)	(S)	(S)	21.1
1977	18.9	6.6	(S)	8.2	(S)	(S)	(S)	(S)	21.2
1976	21.7	5.5	6.6	8.2	(S)	(S)	(S)	(S)	20.0
1975	9.0	(S)	(S)	(S)	(S)	(S)	(S)	(S)	28.7
1974	13.6	6.4	5.4	(S)	(S)	(S)	(S)	(S)	24.5
1973	9.0	(S)	(S)	(S)	(S)	(S)	(S)	(S)	30.2
Pre-1973	45.1	25.6	7.1	9.4	(Z)	(Z)	(Z)	(Z)	11.8
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
VEHICLE ACQUISITION									
Purchased new	104.6	21.5	24.3	41.4	10.8	5.5	.4	.7	6.4
Purchased used	92.5	38.9	18.3	28.3	4.9	(S)	.5	.2	7.2
Leased from someone else	4.4	(S)	.1	(S)	.3	(S)	(S)	(S)	41.1
Not reported	(S)	(S)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	66.4
LEASE CHARACTERISTICS²									
Leased without driver	4.1	(S)	.1	(S)	(S)	(S)	(S)	(S)	44.4
Leased with driver	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	73.2
Leased with owner-operator	.3	(S)	(S)	(S)	(S)	(S)	(S)	(S)	34.3
Provisions of lease	4.3	(S)	.1	(S)	(S)	(S)	(S)	(S)	41.9
Financing (no maintenance)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	54.8
Financing (full maintenance)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	86.1
Other	.4	(S)	(S)	(S)	(S)	(S)	(S)	(S)	31.0
OPERATOR CLASSIFICATION									
Not for hire:									
Private owner or individual	199.8	61.3	41.5	72.5	15.6	7.8	.5	.6	.2
For hire:									
Motor carrier	3.8	.2	1.3	.5	.4	.4	.6	.5	8.6
Owner-operator	2.1	.2	.3	.4	.3	.4	.4	.4	12.3
Daily rental	.7	(S)	(S)	(S)	(S)	(S)	(S)	(S)	22.9
Mixed—for hire/not for hire	1.0	(S)	(S)	(S)	(S)	(S)	(S)	(S)	16.0
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
For-hire interstate:									
Exempt carrier	1.5	(Z)	.3	(S)	(S)	(S)	(S)	(S)	15.2
Contract carrier	.6	.2	.2	(S)	(S)	(S)	(S)	(S)	23.1
Common carrier	.4	(S)	.2	(S)	(S)	(S)	(S)	(S)	29.8
For-hire intrastate	1.1	(S)	.4	.3	(S)	(S)	(S)	(S)	16.9
For-hire local	.9	(S)	.2	(S)	(S)	(S)	(S)	(S)	20.3
Not reported	.7	.3	(S)	(S)	(S)	(S)	(S)	(S)	20.8
PRODUCTS CARRIED									
Farm products	7.1	4.2	(S)	(S)	(S)	(S)	(S)	(S)	28.2
Live animals	9.7	5.6	(S)	(S)	(S)	(S)	(S)	(S)	28.1
Mining products	.3	.2	(S)	(S)	(S)	(S)	(S)	(S)	27.2
Logs and other forest products	.5	.3	(S)	(S)	(S)	(S)	(S)	(S)	25.9
Lumber and fabricated wood products	3.9	(S)	(S)	(S)	(S)	(S)	(S)	(S)	46.6
Processed foods	1.0	.2	.2	.3	(S)	(S)	(S)	(S)	17.5
Textile mill products	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	83.7
Building materials	7.6	1.1	(S)	3.8	.4	.3	.3	.3	27.5
Household goods	1.0	(S)	(S)	(S)	(S)	(S)	(S)	(S)	16.8
Furniture or hardware	.2	(Z)	(S)	(S)	(S)	(S)	(S)	(S)	44.6
Paper products	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	98.3
Chemicals	.7	(S)	(S)	(S)	(S)	(S)	(S)	(S)	22.3
Petroleum	3.1	(S)	(S)	(S)	(S)	(S)	(S)	(S)	34.2
Plastics and/or rubber	.1	(S)	(S)	(S)	(S)	(S)	(S)	(S)	49.4
Primary metal products	.3	(S)	(S)	(S)	(S)	(S)	(S)	(S)	28.6
Fabricated metal products	.4	(S)	(S)	(S)	(S)	(S)	(S)	(S)	29.0
Machinery, elect or nonelect	1.3	(S)	(S)	.3	(S)	(S)	(S)	(S)	15.9
Transportation equipment	(S)	(S)	.1	.1	(S)	(S)	(S)	(S)	54.7
Scrap, refuse, or garbage	.7	.5	(S)	(S)	(S)	(S)	(S)	(S)	19.6
Mixed cargoes	4.3	.3	(S)	(S)	(S)	(S)	(S)	(S)	42.0
Craftsman's equipment	18.1	4.2	(S)	.2	4.6	(S)	(S)	(S)	20.5
Personal transportation	108.6	32.9	28.4	40.1	7.2	(S)	(S)	(S)	6.0
No load carried	26.9	6.7	(S)	12.5	(S)	(S)	(S)	(S)	17.6
Not in use	.6	.6	(S)	(S)	(S)	(S)	(S)	(S)	23.6
Other	3.3	.6	(S)	(S)	(S)	(S)	(S)	(S)	43.5
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

See footnotes at end of table.

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Annual miles ¹							Relative standard error of estimate (percent) for total
		Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	
HAZARDOUS MATERIALS CARRIED									
Hazardous materials carried.....	3.9	.3	.4	(S)	.4	.5	.3	.4	27.5
Less than 25 percent of time.....	1.0	(S)	.2	.2	(S)	(S)	(S)	.2	18.9
25 to 49 percent of time.....	2.3	(S)	.2	(S)	(S)	.3	(S)	(S)	45.5
50 to 74 percent of time.....	.1	(S)	(Z)	(Z)	(S)	(S)	(Z)	(S)	45.7
75 to 100 percent of time.....	.5	(S)	(S)	(S)	.1	(S)	(S)	(S)	24.2
No percent reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Types of hazardous materials.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Flammables or combustibles.....	2.3	.2	.3	.4	.3	.3	.3	.4	11.6
Acids, poisons, caustics, etc.....	1.0	(S)	.2	.2	(S)	.2	(S)	.2	18.4
Explosives.....	.3	(S)	(S)	.2	(S)	(S)	(S)	(Z)	29.1
Radioactive materials.....	(S)	(S)	(S)	(S)	(Z)	(S)	(Z)	(S)	83.0
Hazardous waste.....	(S)	(Z)	(Z)	(S)	(Z)	(Z)	(Z)	(Z)	97.7
Hazardous materials not listed above.....	.1	(S)	(Z)	(S)	(Z)	(Z)	(Z)	(S)	45.7
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
No hazardous materials carried.....	123.5	38.5	23.1	43.5	9.2	7.7	.8	.7	5.4
Not reported.....	76.2	22.8	19.2	27.7	6.4	(S)	(S)	(Z)	8.7
TRUCK FLEET SIZE³									
1.....	143.8	43.1	34.6	54.3	10.0	(S)	.3	(S)	3.9
2 to 5.....	30.3	9.3	4.4	9.6	3.6	(S)	(S)	(S)	15.2
6 to 19.....	16.3	6.7	2.4	5.5	.7	.6	.3	.2	18.4
20 or more.....	13.2	2.4	1.4	3.6	(S)	3.0	.4	.6	19.1
MILES PER GALLON									
Less than 5.....	4.6	1.0	.6	.7	.5	.7	.6	.5	7.4
5 to 6.9.....	10.4	2.9	2.8	2.7	.8	.4	.4	.5	14.1
7 to 8.9.....	12.5	4.4	(S)	4.1	(S)	.4	(S)	(S)	21.7
9 to 11.9.....	57.9	18.3	13.4	19.5	(S)	4.4	(Z)	(S)	10.7
12 to 14.9.....	39.6	11.5	11.4	12.3	4.3	(S)	(Z)	(Z)	14.1
15 to 19.9.....	44.4	11.5	8.1	17.6	5.1	(S)	(Z)	(Z)	13.2
20 or more.....	16.5	5.2	(S)	7.2	(S)	(Z)	(Z)	(Z)	23.8
Not reported.....	17.8	6.7	(S)	8.9	.4	.2	(S)	(Z)	21.0
EQUIPMENT TYPE									
Transmission.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
Manual.....	134.6	40.2	27.3	47.6	13.5	4.0	1.0	1.0	4.8
Automatic.....	65.6	20.9	13.2	25.1	(S)	4.1	(S)	(S)	9.8
Not reported.....	3.4	.5	(S)	.3	.3	(S)	(S)	(S)	43.4
Braking system.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
Hydraulic.....	8.3	3.9	1.9	1.4	.5	.5	(Z)	(S)	4.6
Hydraulic (power).....	184.6	54.7	39.3	69.6	14.2	6.6	.1	(S)	.2
Air.....	9.1	2.2	1.3	1.6	1.0	1.1	.9	1.0	3.3
Not reported.....	1.6	.7	.2	.3	.3	(S)	(S)	(Z)	13.6
Power steering ²	136.1	33.3	30.8	49.6	14.0	7.5	.5	.4	4.6
Air conditioning ²	46.7	11.4	9.1	17.8	(S)	3.7	.4	.6	12.3
Engine retarder ²	3.0	.2	.3	.5	.4	.6	.4	.5	9.5
Reflective materials ²	3.4	.5	1.3	.7	.2	.5	(S)	(S)	8.8
FUEL CONSERVATION EQUIPMENT²									
Aerodynamic features.....	1.6	(S)	1.0	.2	(S)	.3	(S)	(Z)	13.2
Axe or drive ratio.....	5.1	1.5	1.7	.6	.2	.4	.3	.3	7.1
Fuel economy engine.....	4.2	.4	1.3	.7	.4	.6	.3	.4	7.9
Radial tires.....	100.5	18.6	25.3	39.9	8.6	6.6	.7	.8	6.7
Road speed governor.....	6.6	1.4	2.0	1.5	.4	.5	.4	.4	6.0
Variable fan drives.....	4.2	.3	1.5	.7	.2	.7	.3	.6	8.1
Other fuel conservation devices.....	.6	(S)	(S)	.1	(S)	.2	(S)	(Z)	23.6
Not reported.....	96.6	40.7	15.2	31.9	7.2	(S)	.2	.2	7.0
MAINTENANCE									
General maintenance:									
Owner.....	140.6	42.5	31.3	52.9	12.3	(S)	.2	(S)	4.2
Company's maintenance facilities.....	25.8	6.1	2.6	10.8	(S)	3.2	.5	.6	14.5
Dealership's service department.....	21.8	3.6	5.5	6.9	(S)	(S)	(Z)	(S)	19.5
Leasing company.....	.2	(S)	(Z)	(Z)	(S)	(S)	(Z)	(S)	44.6
Independent garage.....	36.2	12.3	6.8	11.8	(S)	(S)	.2	(S)	14.4
Component distributorship.....	(S)	(S)	(Z)	(S)	(Z)	(S)	(Z)	(Z)	59.9
Other.....	(S)	(Z)	(S)	(S)	(S)	(Z)	(S)	(S)	53.7
Not reported.....	5.7	(S)	(S)	(S)	.3	(S)	(S)	(Z)	36.2
Major overhauls:									
Owner.....	46.9	11.0	10.9	19.1	5.5	.3	(Z)	(S)	12.4
Company's maintenance facilities.....	12.4	3.5	2.0	2.5	(S)	(S)	.4	.6	18.8
Dealership's service department.....	26.0	6.6	6.8	7.1	3.7	(S)	(S)	.2	17.4
Leasing company.....	.2	(Z)	(S)	(Z)	(S)	(S)	(Z)	(S)	49.7
Independent garage.....	30.2	9.8	(S)	16.4	.5	(S)	.4	(S)	15.3
Component distributorship.....	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(Z)	72.6
Other.....	(S)	(S)	(S)	(S)	(S)	(Z)	(Z)	(S)	53.9
Not reported.....	87.7	31.6	21.6	26.0	4.8	(S)	.2	(S)	7.7

See footnotes at end of table.

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Annual miles ¹							Relative standard error of estimate (percent) for total
		Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	
ENGINE TYPE AND SIZE									
Engine.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
Gasoline.....	190.7	59.7	41.4	68.8	14.7	5.9	1.1	(S)	1.0
Diesel.....	10.1	1.7	1.3	2.9	1.1	1.2	1.0	1.0	10.7
LP gas or other.....	(S)	.1	(S)	(S)	.2	(S)	(S)	(S)	52.4
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Cylinders.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
4.....	16.8	(S)	(S)	10.4	(S)	(Z)	(S)	(S)	23.4
6.....	37.6	12.3	6.3	11.6	3.9	(Z)	.7	.8	13.3
8.....	145.7	43.8	33.3	50.9	11.0	6.2	3.3	3.3	4.1
Other.....	(S)	(S)	(Z)	(Z)	(S)	(Z)	(S)	(Z)	97.3
Not reported.....	(S)	(S)	(S)	(S)	(S)	(Z)	(S)	(S)	60.6
Cubic inch displacement.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
Gasoline engines.....	190.7	59.7	41.4	68.8	14.7	5.9	1.1	1.1	1.0
Less than 200.....	14.6	(S)	(S)	8.4	(S)	(S)	(S)	(S)	25.4
200 to 299.....	10.3	2.6	(S)	4.2	(S)	(S)	(S)	(S)	27.4
300 to 349.....	37.6	10.7	6.1	15.7	4.1	(S)	(S)	(S)	14.1
350 to 399.....	75.6	22.0	21.1	23.2	5.7	(S)	(S)	(S)	8.7
400 or more.....	25.7	7.2	5.5	10.0	(S)	(S)	(S)	(S)	17.5
Not reported.....	26.9	13.9	5.5	7.4	(S)	(S)	(S)	(S)	17.4
Diesel engines.....	10.1	1.7	1.3	2.9	1.1	1.2	1.0	1.0	10.7
Less than 400.....	(S)	.3	.1	(S)	(S)	(S)	(S)	(S)	60.5
400 to 599.....	2.0	.4	.5	.5	.3	(S)	(S)	(S)	11.9
600 to 799.....	1.3	.2	.2	.3	.2	(S)	(S)	(S)	15.1
800 or more.....	4.1	.5	.2	.7	.5	(S)	.6	.7	7.5
Not reported.....	.9	.3	.2	(S)	(S)	(S)	(S)	(S)	18.5
Other engines.....	(S)	.1	(S)	(S)	.2	(S)	(S)	(S)	52.4
Less than 400.....	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	57.1
400 or more.....	.2	(S)	(S)	(S)	(S)	(S)	(S)	(S)	37.3
Not reported.....	(S)	(S)	(Z)	(Z)	(S)	(Z)	(Z)	(Z)	70.0
Horsepower.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
Gasoline engines.....	190.7	59.7	41.4	68.8	14.7	5.9	1.1	1.1	1.0
Less than 100.....	8.3	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	34.6
100 to 199.....	118.6	31.5	26.0	44.4	13.1	5.5	2.5	2.5	5.5
200 to 249.....	29.7	7.7	7.8	11.6	3.3	(S)	(S)	(S)	16.1
250 or more.....	5.9	5.4	.1	.1	.2	(S)	(S)	(S)	38.8
Not reported.....	28.2	11.9	5.5	9.6	(S)	(S)	(S)	(S)	16.9
Diesel engines.....	10.1	1.7	1.3	2.9	1.1	1.2	1.0	1.0	10.7
Less than 250.....	3.2	.8	.3	(S)	.3	.2	(S)	(S)	33.0
250 to 349.....	3.2	.5	.7	.8	.3	.4	(S)	(S)	9.1
350 to 449.....	2.8	.2	(S)	.4	.5	.6	.4	.4	9.8
450 or more.....	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	69.7
Not reported.....	.7	.2	(S)	(S)	(S)	(S)	(S)	(S)	21.4
Other engines.....	(S)	.1	(S)	(S)	.2	(S)	(S)	(S)	52.4
Less than 250.....	(S)	.1	(S)	(S)	.1	(S)	(S)	(S)	65.2
250 or more.....	.1	(Z)	(S)	(S)	(S)	(S)	(S)	(S)	49.3
Not reported.....	(S)	(S)	(Z)	(Z)	(S)	(S)	(S)	(S)	95.3
TRUCK TYPE AND AXLE ARRANGEMENT									
Single-unit trucks.....	191.8	59.4	41.9	69.6	14.3	6.2	(S)	(S)	1.2
2 axles.....	188.2	58.1	41.1	69.0	13.8	5.9	(S)	(S)	1.2
3 axles.....	3.6	1.3	.8	.6	.4	(S)	(S)	(S)	7.4
4 axles or more.....	.1	(Z)	(S)	(Z)	(S)	(Z)	(S)	(S)	49.2
Combinations.....	11.8	2.2	.8	3.3	(S)	(S)	(S)	1.0	19.7
Single-unit truck with trailer.....	6.5	(S)	(S)	(S)	(S)	(S)	(S)	(S)	35.6
3 axles.....	(S)	(Z)	(S)	(S)	(S)	(S)	(S)	(S)	51.2
4 axles.....	5.8	(S)	(S)	(S)	(S)	(S)	(S)	(S)	40.0
5 axles or more.....	.6	(S)	(Z)	.1	(S)	(S)	(S)	(S)	23.6
Truck-tractor with single trailer.....	5.2	1.0	.6	.9	.4	.7	.8	.8	5.6
3 axles.....	.4	.2	(S)	(Z)	(S)	(S)	(S)	(S)	29.6
4 axles.....	.7	.3	(S)	.2	(S)	(S)	(S)	(S)	23.3
5 axles or more.....	4.1	.5	.4	.7	.3	.7	.7	.7	7.3
Truck-tractor with double trailers.....	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	69.7
5 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
6 axles.....	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	98.8
7 axles or more.....	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	98.8
Truck-tractor with triple trailers.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
8 axles or more.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Trailer not specified.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Powered axles.....	203.6	61.5	42.8	73.0	16.0	8.2	1.1	1.1	(Z)
1.....	98.6	35.7	18.4	35.6	4.7	3.9	1.2	(S)	6.7
2.....	103.4	25.4	23.4	37.3	11.3	4.2	1.9	(S)	6.4
3 or more.....	(S)	(S)	(Z)	(S)	(Z)	(Z)	(S)	(S)	57.0
Not reported.....	1.5	.4	.9	(S)	(S)	(Z)	(S)	(S)	13.1
CAB TYPE⁴									
Cab forward of engine.....	.6	.3	(S)	(S)	(S)	(Z)	(Z)	(Z)	23.0
Cab over engine.....	3.3	1.0	.5	.5	.2	(S)	(S)	(S)	9.2
Short-hood conventional.....	6.7	2.2	2.7	.9	.7	(S)	(S)	(Z)	16.5
Medium-hood conventional.....	11.7	4.6	2.2	2.3	1.0	1.0	3.3	4.4	3.8
Long-hood conventional.....	4.3	1.3	.4	1.1	.4	.5	.3	.3	7.9
Cab beside engine.....	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	97.7
Other.....	10.6	(S)	(S)	4.5	.2	(S)	(Z)	(Z)	28.6
Not reported.....	166.2	49.5	33.6	63.6	13.4	6.1	(Z)	(Z)	1.9

See footnotes at end of table.

Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Annual miles ¹							Relative standard error of estimate (percent) for total
		Less than 5,000	5,000 to 9,999	10,000 to 19,999	20,000 to 29,999	30,000 to 49,999	50,000 to 74,999	75,000 or more	
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS									
Total	176.3	51.3	37.7	67.7	13.5	6.1	(Z)	(Z)	.1
Pickups	132.2	38.8	27.2	50.4	11.6	4.2	(Z)	(Z)	1.5
Panels or vans	10.6	(S)	(S)	4.8	(S)	(Z)	(Z)	(Z)	27.1
Utilities	25.0	5.8	5.7	11.5	(S)	(S)	(Z)	(Z)	14.0
Station wagons	8.6	3.8	(S)	(S)	(Z)	(S)	(Z)	(Z)	30.0
Driving wheels	175.2	51.3	37.7	66.7	13.5	6.1	(Z)	(Z)	.6
4-wheel drive	93.4	23.3	22.2	34.5	10.4	(S)	(Z)	(Z)	7.1
2-wheel drive	79.8	28.0	14.5	31.1	(S)	(S)	(Z)	(Z)	8.3
Front-wheel drive	(S)	(Z)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	70.4

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Wyoming, 73.6 of the cells have RSEs greater than 10 percent, and 55.8 of the cells have RSEs greater than 25 percent.

- ¹When no response was obtained for annual miles, data were imputed.
- ²Detail does not add to totals because items were not applicable or multiple responses were possible.
- ³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
- ⁴Pickups, panels, and vans are not included.

Table 6. Trucks by Range of Operation: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Range of operation					Relative standard error of estimate (percent) for total
		Local	Short-range	Long-range	Off-the-road	Not reported	
Total	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
Relative standard error (percent)	(Z)	4.9	14.3	28.7	15.9	13.5	(Z)
MAJOR USE							
Agriculture	29.9	16.9	(S)	(S)	7.8	(Z)	15.5
Forestry and lumbering	(S)	(S)	(S)	(S)	(S)	(Z)	61.1
Mining and quarrying	8.3	(S)	2.2	3.3	3.8	(Z)	25.3
Construction	28.0	17.4	4.4	(S)	3.8	(Z)	15.8
Manufacturing	3.1	(S)	.4	(S)	.3	(Z)	46.1
Wholesale trade	3.4	(S)	(S)	(S)	(S)	(Z)	41.9
Retail trade	6.3	4.8	(S)	(S)	(S)	(Z)	35.3
For-hire transportation	2.8	.9	1.1	8.6	2.2	(Z)	10.2
Utilities	.9	.6	.2	(Z)	2.2	(Z)	17.6
Services	7.3	6.6	.4	2.2	.1	(Z)	33.8
Daily rental	1.0	(Z)	(Z)	(Z)	(S)	(Z)	16.0
Personal transportation	108.6	74.5	19.6	(Z)	11.3	1.6	6.0
Other	(S)	(Z)	(S)	(Z)	(Z)	(Z)	97.7
Not in use	(S)	(S)	(Z)	(Z)	(Z)	(Z)	64.8
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
BODY TYPE							
Pickup	132.2	88.1	22.0	7.4	14.7	(Z)	1.5
Panel or van	10.6	7.6	(S)	(S)	(Z)	(Z)	27.1
Utility	25.0	16.2	(S)	(Z)	6.6	(Z)	14.0
Station wagon	8.6	6.7	(S)	(Z)	(S)	(Z)	30.0
Multistop or walk-in	.5	.4	(S)	(Z)	(S)	(Z)	22.8
Platform with added devices	2.7	1.2	.5	(S)	.9	(Z)	9.8
Low boy or depressed center	.7	.2	1.5	(S)	(S)	(Z)	23.7
Basic platform	6.5	2.7	1.6	8.6	1.4	(Z)	6.0
Livestock truck	1.6	.6	(S)	(S)	4.4	(Z)	13.7
Insulated nonrefrigerated van	(S)	(Z)	(S)	(S)	(Z)	(Z)	58.9
Insulated refrigerated van	.2	(S)	(S)	(S)	(Z)	(Z)	41.2
Drop-frame van	(S)	(S)	(Z)	(Z)	(Z)	(Z)	57.9
Open-top van	(S)	(S)	(Z)	(Z)	(Z)	(Z)	59.0
Basic enclosed van	2.5	.7	.4	3.3	(Z)	(Z)	10.8
Beverage	.3	.2	(S)	(Z)	(Z)	(Z)	30.4
Public utility	.5	.3	(S)	(S)	(S)	(Z)	24.4
Winch or crane	.9	.4	.2	(S)	2.2	(Z)	17.9
Wrecker	.2	.1	(S)	(S)	(Z)	(Z)	34.7
Pole or logging	.2	(S)	(Z)	(Z)	(Z)	(Z)	41.4
Auto transport	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Service truck	1.2	.3	(S)	(S)	(S)	(Z)	15.5
Yard tractor	(S)	(S)	(Z)	(S)	(S)	(Z)	58.9
Oilfield truck	2.2	1.5	8.6	(S)	7.4	(Z)	11.1
Cargo container chassis	(S)	(S)	(S)	(S)	(Z)	(Z)	70.0
Grain body	.8	.6	(S)	(S)	1.1	(Z)	18.9
Garbage hauler	(S)	(S)	(Z)	(Z)	(S)	(Z)	50.0
Dump truck	2.1	1.2	.3	(S)	5.5	(Z)	11.7
Tank truck (liquids or gases)	2.9	1.1	.8	(S)	9.9	(Z)	9.6
Tank truck (dry bulk)	.4	(S)	.2	(S)	(S)	(Z)	31.6
Concrete mixer	.4	.3	(Z)	(Z)	(S)	(Z)	25.8
Other	(S)	(S)	(S)	(Z)	(S)	(Z)	59.0
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
ANNUAL MILES¹							
Less than 5,000	61.5	34.0	11.3	(S)	15.5	.5	10.0
5,000 to 9,999	42.8	33.6	6.0	(S)	1.1	(Z)	12.9
10,000 to 19,999	73.0	51.5	10.9	4.4	6.1	(Z)	9.0
20,000 to 29,999	16.0	7.1	3.2	(S)	(S)	(Z)	22.5
30,000 to 49,999	8.2	(S)	(S)	(S)	(S)	(Z)	30.2
50,000 to 74,999	1.1	.2	.6	3.3	(Z)	(Z)	17.9
75,000 or more	1.1	(S)	.6	.5	(Z)	(Z)	18.1
BASE OF OPERATION							
Percentage of miles traveled outside base-of-operation State:							
Less than 25 percent	148.5	94.1	28.4	(S)	22.3	(Z)	4.0
25 to 49 percent	9.5	8.5	.5	.3	.2	(Z)	30.1
50 to 74 percent	10.5	4.3	(S)	.4	(S)	(Z)	28.9
75 to 100 percent	8.7	(S)	.4	5.9	.3	(Z)	31.0
Not reported	26.4	20.8	(S)	(S)	(S)	1.2	17.1
VEHICLE SIZE							
Light	180.3	120.4	28.8	7.6	22.9	.7	.8
Medium	9.0	4.2	1.3	(S)	1.4	.7	16.9
Light-heavy	3.6	1.8	.9	(S)	.9	(Z)	8.2
Heavy-heavy	10.7	3.4	3.4	1.2	2.7	(Z)	2.8
AVERAGE WEIGHT (POUNDS)							
Less than 6,001	155.6	105.8	24.6	5.3	19.7	.2	2.8
6,001 to 10,000	24.8	14.7	4.1	(S)	3.1	5.5	17.2
10,001 to 14,000	3.3	1.7	.6	(S)	.7	(Z)	8.5
14,001 to 16,000	4.0	(S)	.2	(S)	.4	.6	37.1
16,001 to 19,500	1.7	.7	.4	(S)	.3	.1	12.3
19,501 to 26,000	3.6	1.8	.9	(S)	.9	(Z)	8.2
26,001 to 33,000	2.0	.8	.5	2.2	.6	(Z)	11.8
33,001 to 40,000	1.5	.5	.3	(S)	.5	(Z)	14.1
40,001 to 50,000	2.3	.9	.5	(S)	.8	(Z)	10.6
50,001 to 60,000	1.1	.3	.4	(S)	.2	(Z)	17.2
60,001 to 80,000	3.4	.6	1.6	(S)	.4	(Z)	8.6
80,001 to 100,000	(S)	(S)	(S)	(S)	(S)	(Z)	33.2
100,001 to 130,000	(S)	(Z)	(S)	(Z)	(S)	(Z)	58.9
130,001 or more	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

See footnotes at end of table.

Table 6. Trucks by Range of Operation: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Range of operation					Relative standard error of estimate (percent) for total
		Local	Short-range	Long-range	Off-the-road	Not reported	
TOTAL LENGTH (FEET)							
Less than 7.0	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7.0 to 9.9	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
10.0 to 12.9	16.9	8.8	(S)	(S)	4.9	(S)	22.8
13.0 to 15.9	39.3	29.1	7.1	(S)	(S)	(S)	13.6
16.0 to 19.9	116.6	79.1	19.4	(S)	15.7	(S)	5.2
20.0 to 27.9	15.1	8.7	2.1	(S)	4	.7	11.5
28.0 to 35.9	9.7	2.6	(S)	(S)	1.3	.6	23.9
36.0 to 40.9	.4	.2	(S)	(S)	.1	(S)	25.3
41.0 to 44.9	.4	.2	(S)	(S)	(S)	(S)	30.5
45.0 or more	5.2	1.0	2.6	(S)	.6	(S)	5.7
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
YEAR MODEL							
1983	(S)	(S)	(Z)	(Z)	(Z)	(Z)	100.0
1982	13.1	8.4	(S)	(S)	(S)	(S)	26.4
1981	15.3	9.6	(S)	(S)	(S)	(S)	23.0
1980	15.1	9.9	(S)	(S)	(S)	(S)	23.8
1979	22.9	15.1	(S)	(S)	(S)	(S)	18.9
1978	18.9	10.9	5.4	(S)	(S)	(S)	21.1
1977	18.9	14.7	(S)	(S)	(S)	(S)	21.2
1976	21.7	14.7	5.7	(S)	(S)	(S)	20.0
1975	9.0	2.8	4.5	(S)	(S)	(S)	28.7
1974	13.6	9.7	(S)	(S)	(S)	(S)	24.5
1973	9.0	5.7	(S)	(S)	(S)	(S)	30.2
Pre-1973	45.1	27.3	6.2	(S)	10.8	(S)	11.8
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
VEHICLE ACQUISITION							
Purchased new	104.6	65.1	16.9	7.3	14.2	1.0	6.4
Purchased used	92.5	60.0	16.2	(S)	13.3	(S)	7.2
Leased from someone else	4.4	(S)	(S)	(S)	.3	(S)	41.1
Not reported	(S)	(S)	(Z)	(Z)	(S)	(S)	66.4
LEASE CHARACTERISTICS²							
Leased without driver	4.1	(S)	(S)	(S)	.3	(S)	44.4
Leased with driver	(S)	(Z)	(Z)	(Z)	(S)	(S)	73.2
Leased with owner-operator	.3	(S)	(S)	(S)	(S)	(S)	34.3
Provisions of lease	4.3	(S)	(S)	(S)	.3	(S)	41.9
Financing (no maintenance)	(S)	(S)	(S)	(S)	(S)	(S)	54.8
Financing (full maintenance)	(S)	(S)	(S)	(S)	(S)	(S)	86.1
Other	.4	.2	(S)	(S)	(S)	(S)	31.0
OPERATOR CLASSIFICATION							
Not for hire:							
Private owner or individual	199.8	128.9	33.3	9.5	27.6	1.5	.2
For hire:							
Motor carrier	3.8	.9	1.1	.6	(S)	(S)	8.6
Owner-operator	2.1	.8	.7	.4	(S)	(S)	12.3
Daily rental	.7	(S)	.4	(S)	(S)	(S)	22.9
Mixed—for hire/not for hire	1.0	(Z)	(Z)	(Z)	(S)	(S)	16.0
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
For-hire interstate	1.5	.4	.6	.5	(S)	(S)	15.2
Exempt carrier	.6	(S)	.2	(S)	(S)	(S)	23.1
Contract carrier	.4	(S)	.3	(S)	(S)	(S)	29.8
Common carrier	1.1	.5	.3	(S)	(S)	(S)	16.9
For-hire intrastate	.9	.2	.4	(S)	(S)	(S)	20.3
For-hire local	.7	.5	.2	(S)	(S)	(S)	20.8
PRODUCTS CARRIED							
Farm products	7.1	2.8	(S)	(S)	(S)	(S)	28.2
Live animals	9.7	6.4	.7	(S)	(S)	(S)	28.1
Mining products	.3	.2	(S)	(S)	(S)	(S)	27.2
Logs and other forest products	.5	.3	(S)	(S)	(S)	(S)	25.9
Lumber and fabricated wood products	3.9	(S)	(S)	(S)	(S)	(S)	46.6
Processed foods	1.0	.5	.4	(S)	(S)	(S)	17.5
Textile mill products	(S)	(S)	(S)	(S)	(S)	(S)	83.7
Building materials	7.6	4.6	(S)	(S)	.7	(S)	27.5
Household goods	1.0	(S)	(S)	(S)	(S)	(S)	16.8
Furniture or hardware	.2	(S)	(S)	(S)	(S)	(S)	44.6
Paper products	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	98.3
Chemicals	.7	.2	.3	(S)	(S)	(S)	22.3
Petroleum	3.1	.9	.9	(S)	(S)	(S)	34.2
Plastics and/or rubber	.1	(S)	(S)	(S)	(S)	(S)	49.4
Primary metal products	.3	.1	(S)	(S)	(S)	(S)	28.6
Fabricated metal products	.4	(S)	.2	(S)	(S)	(S)	29.0
Machinery, elect or nonelect	1.3	(S)	.4	(S)	(S)	(S)	15.9
Transportation equipment	(S)	(S)	(S)	(S)	(S)	(S)	54.7
Scrap, refuse, or garbage	.7	.5	.3	(S)	(S)	(S)	19.6
Mixed cargoes	4.3	(S)	.2	(S)	.1	(S)	42.0
Craftsman's equipment	18.1	10.6	2.2	(S)	4.1	(S)	20.5
Personal transportation	108.6	74.5	19.6	(S)	11.4	(S)	6.0
No load carried	28.9	17.0	5.2	(S)	4.6	(S)	17.6
Not in use	.6	(S)	(Z)	(Z)	(S)	(S)	23.6
Other	3.3	(S)	(Z)	(Z)	(S)	(S)	49.5
Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

See footnotes at end of table.

Table 6. Trucks by Range of Operation: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Range of operation					Relative standard error of estimate (percent) for total
		Local	Short-range	Long-range	Off-the-road	Not reported	
HAZARDOUS MATERIALS CARRIED							
Hazardous materials carried.....	3.9	1.1	(S)	.3	.4	(S)	27.5
Less than 25 percent of time.....	1.0	.4	.3	.3	(S)	(S)	18.9
25 to 49 percent of time.....	2.3	.3	(S)	(S)	.2	(S)	45.5
50 to 74 percent of time.....	.1	(S)	(S)	(Z)	(Z)	(Z)	45.7
75 to 100 percent of time.....	.5	.3	(S)	(S)	.1	(Z)	24.2
No percent reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Types of hazardous materials.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Flammables or combustibles.....	2.3	.9	.8	.3	.2	(S)	11.6
Acids, poisons, caustics, etc.....	1.0	.3	.4	.2	(S)	(S)	18.4
Explosives.....	.3	(S)	.2	(S)	(S)	(S)	28.1
Radioactive materials.....	(S)	(S)	(S)	(S)	(Z)	(Z)	83.0
Hazardous waste.....	(S)	(Z)	(S)	(Z)	(Z)	(Z)	97.7
Hazardous materials not listed above.....	.1	(S)	(S)	(S)	(S)	(Z)	45.7
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
No hazardous materials carried.....	123.5	78.8	17.8	6.6	18.9	1.4	5.4
Not reported.....	76.2	50.0	14.5	(S)	8.5	(S)	8.7
TRUCK FLEET SIZE³							
1.....	143.8	99.6	25.5	5.6	12.8	.2	3.9
2 to 5.....	30.3	18.2	3.4	(S)	5.3	(S)	15.2
6 to 19.....	16.3	8.3	2.4	.4	5.1	.1	18.4
20 or more.....	13.2	3.8	3.1	.6	4.7	1.0	19.1
MILES PER GALLON							
Less than 5.....	4.6	1.6	1.4	.5	1.0	(S)	7.4
5 to 6.9.....	10.4	5.5	2.3	.6	2.0	(S)	14.1
7 to 8.9.....	12.5	8.8	2.2	.3	1.3	(S)	21.7
9 to 11.9.....	57.9	37.5	10.1	(S)	7.2	.8	10.7
12 to 14.9.....	39.6	23.7	8.4	(S)	5.4	(Z)	14.1
15 to 19.9.....	44.4	28.7	7.3	(S)	6.3	(Z)	13.2
20 or more.....	16.5	10.3	(S)	(S)	(S)	(Z)	23.8
Not reported.....	17.8	13.8	.7	(S)	(S)	.5	21.0
EQUIPMENT TYPE							
Transmission.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
Manual.....	134.6	84.8	21.5	5.7	21.2	1.3	4.8
Automatic.....	65.6	42.3	12.5	4.3	6.5	(S)	9.8
Not reported.....	3.4	(S)	.4	(Z)	(S)	(S)	43.4
Braking system.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
Hydraulic.....	8.3	8.9	1.1	.3	1.9	1.1	4.6
Hydraulic (power).....	184.6	122.4	29.7	8.7	23.5	.2	.2
Air.....	9.1	2.7	3.2	1.1	2.2	(S)	3.3
Not reported.....	1.6	.8	.4	(Z)	.2	(S)	13.6
Power steering ²	136.1	87.7	25.3	7.0	15.0	(S)	4.6
Air conditioning ²	46.7	28.9	8.3	4.9	4.6	(Z)	12.3
Engine retarder ²	3.0	.5	1.3	.5	.7	(Z)	9.5
Reflective materials ²	3.4	1.1	.6	.2	.5	1.0	8.8
FUEL CONSERVATION EQUIPMENT²							
Aerodynamic features.....	1.6	.3	(S)	(S)	.2	1.0	13.2
Axle or drive ratio.....	5.1	1.7	1.1	.3	1.1	.9	7.1
Fuel economy engine.....	4.2	1.1	1.0	.6	.7	.9	7.9
Radial tires.....	100.5	61.0	21.3	7.2	11.0	.9	6.7
Road speed governor.....	6.6	2.3	1.7	.6	1.1	.9	6.0
Variable fan drives.....	4.2	.8	1.0	.7	.8	.9	8.1
Other fuel conservation devices.....	.6	.2	(S)	(Z)	.2	(S)	23.6
Not reported.....	96.6	66.3	12.0	(S)	15.4	.4	7.0
MAINTENANCE							
General maintenance:							
Owner.....	140.6	98.1	20.8	7.7	13.9	.2	4.2
Company's maintenance facilities.....	25.8	11.1	4.9	.9	7.8	1.1	14.5
Dealership's service department.....	21.8	13.1	4.8	(S)	(S)	(S)	19.5
Leasing company.....	.2	(S)	(S)	(S)	(S)	(S)	44.8
Independent garage.....	36.2	24.1	6.0	(S)	3.8	(Z)	14.4
Component distributorship.....	(S)	(S)	(Z)	(S)	(Z)	(Z)	59.9
Other.....	(S)	(S)	(S)	(S)	(S)	(S)	53.7
Not reported.....	5.7	4.0	.5	(Z)	(S)	(S)	36.2
Major overhauls:							
Owner.....	46.9	32.4	7.2	(S)	4.0	(S)	12.4
Company's maintenance facilities.....	12.4	2.1	2.9	.6	5.8	1.0	18.8
Dealership's service department.....	26.0	16.4	6.3	(S)	(Z)	(S)	17.4
Leasing company.....	.2	(S)	(S)	(Z)	6.8	(Z)	49.7
Independent garage.....	30.2	15.9	6.2	(S)	6.8	(S)	15.3
Component distributorship.....	(S)	(S)	.2	(S)	(S)	(Z)	72.6
Other.....	(S)	(S)	(S)	(S)	(S)	(S)	53.9
Not reported.....	87.7	63.4	11.0	(S)	9.4	.3	7.7

See footnotes at end of table.

Table 6. Trucks by Range of Operation: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Range of operation					Relative standard error of estimate (percent) for total
		Local	Short-range	Long-range	Off-the-road	Not reported	
ENGINE TYPE AND SIZE							
Engine.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
Gasoline.....	190.7	124.7	30.9	7.9	25.8	1.4	1.0
Diesel.....	10.1	2.6	3.4	(S)	2.0	(S)	10.7
LPG or other.....	(S)	(S)	.2	(Z)	(S)	(S)	52.4
Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Cylinders.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
4.....	16.8	10.4	(S)	(S)	(S)	(Z)	23.4
6.....	37.6	24.8	3.6	.9	8.0	.1	13.3
8.....	145.7	93.4	27.4	7.1	16.6	1.3	4.1
Other.....	(S)	(S)	(Z)	(Z)	(S)	(Z)	97.3
Not reported.....	(S)	(S)	(S)	(Z)	(S)	(S)	60.6
Cubic inch displacement.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
Gasoline engines.....	190.7	124.7	30.9	7.9	25.8	1.4	1.0
Less than 200.....	14.6	10.4	(S)	(S)	(Z)	(Z)	25.4
200 to 299.....	10.3	8.7	.2	(S)	(S)	(S)	27.4
300 to 349.....	37.6	24.8	(S)	(S)	7.8	.4	14.1
350 to 399.....	75.7	46.8	19.0	(S)	6.8	.7	8.7
400 or more.....	25.7	17.5	(S)	(S)	3.0	(S)	17.5
Not reported.....	26.9	16.4	(S)	(S)	6.8	.1	17.4
Diesel engines.....	10.1	2.6	3.4	(S)	2.0	(S)	10.7
Less than 400.....	(S)	.3	.2	(S)	.1	(S)	60.5
400 to 599.....	2.0	.7	.7	.2	.4	(S)	11.9
600 to 799.....	1.3	.4	.4	(S)	.4	(S)	15.1
800 or more.....	4.1	.9	1.6	.7	.8	(S)	7.5
Not reported.....	.9	.3	.4	(S)	.3	(S)	18.5
Other engines.....	(S)	(S)	.2	(Z)	(S)	(S)	52.4
Less than 400.....	(S)	(S)	(S)	(Z)	(S)	(S)	57.1
400 or more.....	.2	(S)	(S)	(Z)	(S)	(S)	37.3
Not reported.....	(S)	(S)	(Z)	(Z)	(Z)	(Z)	70.0
Horsepower.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
Gasoline engines.....	190.7	124.7	30.9	7.9	25.8	1.4	1.0
Less than 100.....	8.3	5.1	(S)	(S)	(S)	(Z)	34.6
100 to 199.....	118.6	78.4	18.9	4.5	15.7	1.2	5.5
200 to 249.....	29.7	20.1	5.1	(S)	3.2	(S)	16.1
250 or more.....	5.9	4.4	(S)	(S)	.1	(S)	38.8
Not reported.....	28.2	16.7	(S)	(S)	5.7	.1	16.9
Diesel engines.....	10.1	2.6	3.4	(S)	2.0	(S)	10.7
Less than 250.....	3.2	1.0	.5	(S)	.5	(S)	33.0
250 to 349.....	3.2	.8	1.5	.2	.7	(S)	9.1
350 to 449.....	2.8	.5	.9	.8	.6	(S)	9.8
450 or more.....	(S)	(S)	(S)	(Z)	(Z)	(Z)	69.7
Not reported.....	.7	.2	.4	(Z)	(S)	(Z)	21.4
Other engines.....	(S)	(S)	.2	(Z)	(S)	(S)	52.4
Less than 250.....	(S)	(S)	.1	(Z)	(S)	(S)	65.2
250 or more.....	.1	(S)	(S)	(Z)	(S)	(Z)	49.3
Not reported.....	(S)	(S)	(Z)	(Z)	(Z)	(Z)	95.3
TRUCK TYPE AND AXLE ARRANGEMENT							
Single-unit trucks.....	191.8	127.1	30.4	5.9	26.9	1.5	1.2
2 axles.....	188.2	125.7	29.8	5.8	25.4	1.4	1.2
3 axles.....	3.6	1.4	.6	(S)	1.4	(S)	7.4
4 axles or more.....	.1	(S)	(S)	(Z)	(S)	(Z)	49.2
Combinations.....	11.8	2.7	4.0	4.1	.9	(Z)	19.7
Single-unit truck with trailer.....	6.5	(S)	(S)	(S)	.3	(Z)	35.6
3 axles.....	(S)	(S)	(S)	(Z)	(Z)	(Z)	51.2
4 axles.....	5.8	(S)	(S)	(S)	.2	(Z)	40.0
5 axles or more.....	.6	(S)	.4	(S)	(S)	(Z)	23.6
Truck-tractor with single trailer.....	5.2	1.3	2.4	.9	.6	(Z)	5.6
3 axles.....	.4	.2	.2	(Z)	(S)	(Z)	29.6
4 axles.....	.7	.2	.3	(S)	(S)	(Z)	23.3
5 axles or more.....	4.1	.9	1.9	.8	.5	(Z)	7.3
Truck-tractor with double trailers.....	(S)	(Z)	(Z)	(S)	(S)	(Z)	69.7
5 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
6 axles.....	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7 axles or more.....	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Truck-tractor with triple trailers.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
7 axles.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
8 axles or more.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Trailer not specified.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
Powered axles.....	203.6	129.8	34.4	10.1	27.8	1.5	(Z)
1.....	98.6	63.2	18.0	5.9	11.0	.5	6.7
2.....	103.4	66.3	16.3	4.1	16.6	(S)	6.4
3 or more.....	(S)	(S)	(Z)	(Z)	(S)	(Z)	57.0
Not reported.....	1.5	.3	(S)	(S)	.2	.8	13.1
CAB TYPE⁴							
Cab forward of engine.....	.6	.3	(S)	(S)	.2	(Z)	23.0
Cab over engine.....	3.3	1.1	1.1	.6	.4	(S)	9.2
Short-hood conventional.....	6.7	2.5	1.0	(S)	1.1	1.0	16.5
Medium-hood conventional.....	11.7	5.3	2.6	.6	2.9	.3	3.8
Long-hood conventional.....	4.3	1.4	1.6	(S)	1.2	(Z)	7.9
Cab beside engine.....	(S)	(Z)	(Z)	(Z)	(S)	(Z)	97.7
Other.....	10.6	6.9	(S)	(S)	(S)	(S)	28.6
Not reported.....	166.2	112.4	26.7	7.4	19.7	(S)	1.9

See footnotes at end of table.

Table 6. Trucks by Range of Operation: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Total	Range of operation					Relative standard error of estimate (percent) for total
		Local	Short-range	Long-range	Off-the-road	Not reported	
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS							
Total	176.3	118.6	27.8	8.4	21.6		.1
Pickups	132.2	88.1	22.0	7.4	14.7	(Z)	1.5
Panels or vans	10.6	7.6	(S)	(S)	(Z)	(Z)	27.1
Utilities	25.0	16.2	(S)	(Z)	6.8	(Z)	14.0
Station wagons	8.6	6.7	(S)	(Z)	(Z)	(Z)	30.0
Driving wheels	175.2	118.6	27.7	8.4	20.5	(Z)	.6
4-wheel drive	93.4	63.8	13.3	(S)	13.1	(Z)	7.1
2-wheel drive	79.8	53.7	13.4	5.3	7.4	(Z)	8.3
Front-wheel drive	(S)	(S)	(S)	(Z)	(Z)	(Z)	70.4

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Wyoming, 71.3 of the cells have RSEs greater than 10 percent, and 49.2 of the cells have RSEs greater than 25 percent.

- ¹When no response was obtained for annual miles, data were imputed.
- ²Detail does not add to totals because items were not applicable or multiple responses were possible.
- ³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
- ⁴Pickups, panels, and vans are not included.

This page is intentionally blank.

Table 7. Trucks by Truck Type and Axle Arrangement: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

	Vehicular and operational characteristics	Truck type and axle arrangement								
		Total	Single-unit trucks				Combinations			
			Total	2 axles	3 axles	4 axles or more	Total	Single-unit truck with trailer		
								3 axles	4 axles	5 axles or more
1	Total	203.6	191.8	188.2	3.6	.1	11.8	(S)	5.8	.6
2	Relative standard error (percent)	(Z)	1.2	1.2	7.4	49.2	19.7	51.2	40.0	23.6
MAJOR USE										
3	Agriculture	29.9	26.3	25.8	.5	(Z)	(S)	(S)	(S)	(Z)
4	Forestry and lumbering	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
5	Mining and quarrying	8.3	7.3	5.9	1.4	(S)	(S)	(S)	(S)	(S)
6	Construction	28.0	25.4	24.1	1.3	(S)	2.6	(S)	(S)	(S)
7	Manufacturing	3.1	(S)	(S)	(S)	(S)	.5	(S)	(S)	(S)
8	Wholesale trade	3.4	3.0	3.0	(S)	(S)	.4	(S)	(S)	(S)
9	Retail trade	6.3	6.1	6.1	(S)	(S)	1.2	(S)	(S)	(S)
10	For-hire transportation	2.8	.8	.7	(S)	(S)	2.0	(S)	(S)	(S)
11	Utilities9	.7	.7	(S)	(S)	.2	(S)	(S)	(S)
12	Services	7.3	7.2	7.2	(S)	(S)	(S)	(S)	(S)	(S)
13	Daily rental	1.0	1.0	1.0	(Z)	(Z)	(S)	(S)	(S)	(S)
14	Personal transportation	108.6	107.5	107.5	(Z)	(Z)	(S)	(S)	(S)	(S)
15	Other	(S)	(Z)	(Z)	(S)	(S)	(S)	(S)	(S)	(S)
16	Not in use	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
17	Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)	(S)
BODY TYPE										
18	Pickup	132.2	127.0	127.0	(Z)	(Z)	5.2	(S)	(S)	(S)
19	Panel or van	10.6	10.6	10.6	(Z)	(Z)	(S)	(S)	(S)	(S)
20	Utility	25.0	25.0	25.0	(Z)	(Z)	(S)	(S)	(S)	(S)
21	Station wagon	8.6	8.6	8.6	(Z)	(Z)	(S)	(S)	(S)	(S)
22	Multistop or walk-in5	.5	.5	(Z)	(Z)	(S)	(S)	(S)	(S)
23	Platform with added devices	2.7	2.5	2.2	.3	(Z)	.2	(S)	(S)	(S)
24	Low boy or depressed center7	(Z)	(Z)	(Z)	(Z)	.7	(S)	(S)	(S)
25	Basic platform	6.5	5.0	4.8	.2	(S)	1.5	(S)	(S)	(S)
26	Livestock truck	1.6	1.2	1.2	(S)	(S)	.3	(S)	(S)	(S)
27	Insulated nonrefrigerated van	(S)	(S)	(S)	(Z)	(Z)	(S)	(S)	(S)	(S)
28	Insulated refrigerated van2	.2	.2	(S)	(S)	(S)	(S)	(S)	(S)
29	Drop-frame van	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
30	Open-top van	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
31	Basic enclosed van	2.5	1.8	1.8	(S)	(S)	.4	(S)	(S)	(S)
32	Beverage3	.2	.2	(S)	(S)	(S)	(S)	(S)	(S)
33	Public utility5	.4	.4	(S)	(S)	(S)	(S)	(S)	(S)
34	Winch or crane	3.9	.6	.5	.1	(S)	.3	(S)	(S)	(S)
35	Wrecker	(Z)	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)	(S)
36	Pole or logging	(Z)	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)	(S)
37	Auto transport	(Z)	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)	(S)
38	Service truck	1.2	1.2	1.0	(S)	(S)	(S)	(S)	(S)	(S)
39	Yard tractor	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
40	Oilfield truck	2.2	1.8	1.3	.5	(S)	.4	(S)	(S)	(S)
41	Cargo container chassis	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
42	Grain body8	.8	.7	(S)	(S)	(S)	(S)	(S)	(S)
43	Garbage hauler	(S)	(S)	(S)	(Z)	(Z)	(S)	(S)	(S)	(S)
44	Dump truck	2.1	1.5	.8	(S)	(S)	.5	(S)	(S)	(S)
45	Tank truck (liquids or gases)	2.9	1.9	.9	1.0	(S)	1.0	(S)	(S)	(S)
46	Tank truck (dry bulk)4	(S)	(S)	(S)	(S)	.3	(S)	(S)	(S)
47	Concrete mixer4	.4	(Z)	(Z)	(Z)	(S)	(S)	(S)	(S)
48	Other	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
49	Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)	(S)
ANNUAL MILES¹										
50	Less than 5,000	61.5	59.4	58.1	1.3	(S)	2.2	(S)	(S)	(S)
51	5,000 to 9,999	42.8	41.9	41.1	.8	(S)	.8	(S)	(S)	(S)
52	10,000 to 19,999	73.0	69.6	69.0	.6	(S)	3.3	(S)	(S)	(S)
53	20,000 to 29,999	16.0	14.3	13.8	.4	(S)	(S)	(S)	(S)	(S)
54	30,000 to 49,999	8.2	6.2	5.9	.3	(S)	(S)	(S)	(S)	(S)
55	50,000 to 74,999	1.1	.2	(S)	(S)	(S)	(S)	(S)	(S)	(S)
56	75,000 or more	1.1	(S)	(S)	(S)	(S)	1.0	(S)	(S)	(S)
RANGE OF OPERATION										
57	Local	129.8	127.1	125.7	1.4	(S)	2.7	(S)	(S)	(S)
58	Short-range (Less than 201 miles)	34.4	30.4	29.8	.6	(S)	4.0	(S)	(S)	(S)
59	Long-range (201 miles or more)	10.1	5.9	5.8	(S)	(S)	4.1	(S)	(S)	(S)
60	Off-the-road	27.8	26.9	25.4	1.4	(S)	.9	(S)	(S)	(S)
61	Not reported	1.5	1.5	1.4	(S)	(S)	(Z)	(S)	(S)	(S)
BASE OF OPERATION										
Percentage of miles traveled outside base-of-operation State:										
62	Less than 25 percent	148.5	141.2	138.1	3.0	(S)	7.4	(S)	(S)	(S)
63	25 to 49 percent	9.5	8.7	8.6	(S)	(S)	.7	(S)	(S)	(S)
64	50 to 74 percent	10.5	10.0	9.9	.2	(S)	.5	(S)	(S)	(S)
65	75 to 100 percent	8.7	6.0	5.9	.1	(S)	(S)	(S)	(S)	(S)
66	Not reported	26.4	25.9	25.7	.2	(S)	.6	(S)	(S)	(S)
VEHICLE SIZE										
67	Light	180.3	177.1	177.0	(Z)	(S)	(S)	(S)	(S)	(S)
68	Medium	9.0	6.6	6.4	.2	(S)	(S)	(S)	(S)	(S)
69	Light-heavy	3.6	3.2	3.0	.2	(S)	.4	(S)	(S)	(S)
70	Heavy-heavy	10.7	4.9	1.7	3.2	(S)	5.7	(S)	.1	.5

See footnotes at end of table.

Truck type and axle arrangement—Con.

Combinations—Con.									Trailer not specified	Relative standard error of estimate (percent) for total	
Truck-tractor with single trailer			Truck-tractor with double trailers			Truck-tractor with triple trailers					
3 axles	4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more				
.4 29.6	.7 23.3	4.1 7.3	(Z) (Z)	(S) 98.8	(S) 98.8	(Z) (Z)	(Z) (Z)	(Z) (Z)	(Z) (Z)	15.5 61.1 25.3 15.8 46.1	3 4 5 6 7
		1.1 1.3								41.9 35.3 10.2 17.6 33.8	8 9 10 11 12
		1.5 1.2								16.0 6.0 97.7 64.8 (Z)	13 14 15 16 17
										1.5 27.1 14.0 30.0 22.8	18 19 20 21 22
		1.4 1.1								9.8 23.7 6.0 13.7 58.9	23 24 25 26 27
										41.2 57.9 59.0 10.8 30.4	28 29 30 31 32
										24.4 17.9 34.7 41.4 (Z)	33 34 35 36 37
										15.5 58.9 11.1 70.0 18.9	38 39 40 41 42
		1.4 1.5								50.0 11.7 9.6 31.6 25.8 59.0 (Z)	43 44 45 46 47 48 49
										10.0 12.9 9.0 22.5 30.2 17.9 18.1	50 51 52 53 54 55 56
		1.0								4.9 14.3 28.7 15.9 13.5	57 58 59 60 61
		2.6 4.4 5.6								4.0 30.1 28.9 31.0 17.1	62 63 64 65 66
										.8 16.9 8.2 2.8	67 68 69 70

Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Truck type and axle arrangement								
	Total	Single-unit trucks				Combinations			
		Total	2 axles	3 axles	4 axles or more	Total	3 axles	4 axles	5 axles or more
AVERAGE WEIGHT (POUNDS)									
1 Less than 6,001	155.6	155.6	155.6	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
2 6,001 to 10,000	24.8	21.5	21.5	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
3 10,001 to 14,000	3.3	3.1	3.0	(S)	(S)	(S)	(S)	(S)	(S)
4 14,001 to 16,000	4.0	1.8	1.8	(S)	(S)	(S)	(S)	(S)	(S)
5 16,001 to 19,500	1.7	1.7	1.6	(S)	(S)	(S)	(S)	(S)	(S)
6 19,501 to 26,000	3.6	3.2	3.0	(S)	(S)	(S)	(S)	(S)	(S)
7 26,001 to 33,000	2.0	1.5	1.2	(S)	(S)	(S)	(S)	(S)	(S)
8 33,001 to 40,000	1.5	.9	.3	(S)	(S)	(S)	(S)	(S)	(S)
9 40,001 to 50,000	2.3	1.8	1.1	(S)	(S)	(S)	(S)	(S)	(S)
10 50,001 to 60,000	1.1	.6	(S)	(S)	(S)	(S)	(S)	(S)	(S)
11 60,001 to 80,000	3.4	.1	(S)	(S)	(S)	(S)	(S)	(S)	(S)
12 80,001 to 100,000	.3	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
13 100,001 to 130,000	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
14 130,001 or more	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
15 Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
TOTAL LENGTH (FEET)									
16 Less than 7.0	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
17 7.0 to 9.9	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
18 10.0 to 12.9	16.9	16.9	16.9	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
19 13.0 to 15.9	39.3	39.3	39.3	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
20 16.0 to 19.9	116.6	116.6	116.6	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
21 20.0 to 27.9	15.1	15.0	13.6	1.4	(Z)	(Z)	(Z)	(Z)	(Z)
22 28.0 to 35.9	9.7	3.8	1.8	2.0	(Z)	(Z)	(Z)	(Z)	(Z)
23 36.0 to 40.9	.4	.2	(Z)	2.1	(Z)	(Z)	(Z)	(Z)	(Z)
24 41.0 to 44.9	.4	(Z)	(Z)	.1	(Z)	(Z)	(Z)	(Z)	(Z)
25 45.0 or more	5.2	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
26 Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
YEAR MODEL									
27 1983	(S)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
28 1982	13.1	10.9	10.8	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
29 1981	15.3	14.5	14.1	.4	(Z)	(Z)	(Z)	(Z)	(Z)
30 1980	15.1	14.8	14.5	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
31 1979	22.9	21.3	21.0	.3	(Z)	(Z)	(Z)	(Z)	(Z)
32 1978	18.9	17.3	17.2	.2	(Z)	(Z)	(Z)	(Z)	(Z)
33 1977	18.9	18.4	18.2	.2	(Z)	(Z)	(Z)	(Z)	(Z)
34 1976	21.7	20.4	20.2	.2	(Z)	(Z)	(Z)	(Z)	(Z)
35 1975	9.0	8.5	8.0	.5	(Z)	(Z)	(Z)	(Z)	(Z)
36 1974	13.6	13.3	13.0	.2	(Z)	(Z)	(Z)	(Z)	(Z)
37 1973	9.0	8.3	8.2	.2	(Z)	(Z)	(Z)	(Z)	(Z)
38 Pre-1973	45.1	43.0	41.9	1.1	(Z)	(Z)	(Z)	(Z)	(Z)
39 Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
VEHICLE ACQUISITION									
40 Purchased new	104.6	96.7	94.8	1.9	(Z)	(Z)	(Z)	(Z)	(Z)
41 Purchased used	92.5	89.2	87.8	1.4	(Z)	(Z)	(Z)	(Z)	(Z)
42 Leased from someone else	4.4	3.8	(S)	.2	(Z)	(Z)	(Z)	(Z)	(Z)
43 Not reported	(S)	(S)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)
LEASE CHARACTERISTICS²									
44 Leased without driver	4.1	3.8	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
45 Leased with driver	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
46 Leased with owner-operator	.3	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
47 Provisions of lease	4.3	3.7	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
48 Financing (no maintenance)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
49 Financing (full maintenance)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
50 Other	.4	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
OPERATOR CLASSIFICATION									
51 Not for hire:									
Private owner or individual	199.8	190.0	186.4	3.5	(Z)	(Z)	(Z)	(Z)	(Z)
52 For hire	3.8	1.8	1.7	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
53 Motor carrier	2.1	.7	.6	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
54 Owner-operator	.7	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
55 Daily rental	1.0	1.0	1.0	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
56 Mixed—for hire/not for hire	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
57 For-hire interstate	1.5	.2	.2	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
58 Exempt carrier	.6	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
59 Contract carrier	.4	.2	.2	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
60 Common carrier	1.1	.6	.6	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
61 For-hire intrastate	.9	.3	.3	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
62 For-hire local	.7	.5	.4	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

See footnotes at end of table.

Truck type and axle arrangement—Con.										Relative standard error of estimate (percent) for total	
Combinations—Con.											
Truck-tractor with single trailer			Truck-tractor with double trailers			Truck-tractor with triple trailers		Trailer not specified			
3 axles	4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more				
										2.8	1
										17.2	2
										8.5	3
										37.1	4
										12.3	5
										8.2	6
										11.8	7
										14.1	8
										10.6	9
										17.2	10
										8.6	11
										33.2	12
										58.9	13
										(Z)	14
										(Z)	15
										(Z)	16
										(Z)	17
										22.8	18
										13.6	19
										5.2	20
										11.5	21
										23.9	22
										25.3	23
										30.5	24
										5.7	25
										(Z)	26
										100.0	27
										26.4	28
										23.0	29
										23.8	30
										18.9	31
										21.1	32
										21.2	33
										20.0	34
										28.7	35
										24.5	36
										30.2	37
										11.8	38
										(Z)	39
										6.4	40
										7.2	41
										41.1	42
										66.4	43
										44.4	44
										73.2	45
										34.3	46
										41.9	47
										54.8	48
										86.1	49
										31.0	50
										8.2	51
										8.6	52
										12.3	53
										22.8	54
										16.0	55
										(Z)	56
										15.2	57
										23.1	58
										29.8	59
										16.9	60
										20.3	61
										20.8	62

Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Truck type and axle arrangement									
	Total	Single-unit trucks				Combinations				
		Total	2 axles	3 axles	4 axles or more	Total	Single-unit truck with trailer			
						3 axles	4 axles	5 axles or more		
PRODUCTS CARRIED										
1 Farm products.....	7.1	5.9	5.4	⑤	⑤	⑤	⑤	⑤	⑤	
2 Live animals.....	9.7	7.2	7.1	⑤	⑤	⑤	⑤	⑤	⑤	
3 Mining products.....	.3	.3	.2	⑤	⑤	⑤	⑤	⑤	⑤	
4 Logs and other forest products.....	.5	.2	.2	⑤	⑤	⑤	⑤	⑤	⑤	
5 Lumber and fabricated wood products.....	3.9	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
6 Processed foods.....	1.0	.7	.7	⑤	⑤	⑤	⑤	⑤	⑤	
7 Textile mill products.....	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
8 Building materials.....	7.6	6.6	5.5	⑤	⑤	⑤	⑤	⑤	⑤	
9 Household goods.....	1.0	.9	.9	⑤	⑤	⑤	⑤	⑤	⑤	
10 Furniture or hardware.....	.2	.1	.1	⑤	⑤	⑤	⑤	⑤	⑤	
11 Paper products.....	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
12 Chemicals.....	.7	.4	.3	⑤	⑤	⑤	⑤	⑤	⑤	
13 Petroleum.....	3.1	2.3	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
14 Plastics and/or rubber.....	.1	.1	.1	⑤	⑤	⑤	⑤	⑤	⑤	
15 Primary metal products.....	.3	.2	.2	⑤	⑤	⑤	⑤	⑤	⑤	
16 Fabricated metal products.....	.4	.2	.2	⑤	⑤	⑤	⑤	⑤	⑤	
17 Machinery.....	1.3	.5	.5	⑤	⑤	⑤	⑤	⑤	⑤	
18 Transportation equipment.....	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
19 Scrap, refuse, or garbage.....	4.7	.7	.6	⑤	⑤	⑤	⑤	⑤	⑤	
20 Mixed cargoes.....	4.3	3.8	3.8	⑤	⑤	⑤	⑤	⑤	⑤	
21 Craftsman's equipment.....	18.1	16.6	16.4	⑤	⑤	⑤	⑤	⑤	⑤	
22 Personal transportation.....	108.6	107.6	107.6	⑤	⑤	⑤	⑤	⑤	⑤	
23 No load carried.....	26.9	26.9	26.5	⑤	⑤	⑤	⑤	⑤	⑤	
24 Not in use.....	.6	.6	.5	⑤	⑤	⑤	⑤	⑤	⑤	
25 Other.....	3.3	3.0	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
26 Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
HAZARDOUS MATERIALS CARRIED										
27 Hazardous materials carried.....	3.9	2.4	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
28 Less than 25 percent of time.....	1.0	.3	.2	⑤	⑤	⑤	⑤	⑤	⑤	
29 25 to 49 percent of time.....	2.3	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
30 50 to 74 percent of time.....	.1	.1	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
31 75 to 100 percent of time.....	.5	.4	.3	⑤	⑤	⑤	⑤	⑤	⑤	
32 No percent reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
33 Types of hazardous materials ²	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
34 Flammables or combustibles.....	2.3	.9	.8	⑤	⑤	⑤	⑤	⑤	⑤	
35 Acids, poisons, caustics, etc.....	1.0	.3	.2	⑤	⑤	⑤	⑤	⑤	⑤	
36 Explosives.....	.3	.3	.2	⑤	⑤	⑤	⑤	⑤	⑤	
37 Radioactive materials.....	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
38 Hazardous waste.....	⑤	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
39 Hazardous materials not listed above.....	.1	⑤	⑤	⑤	⑤	⑤	⑤	⑤	⑤	
40 Not reported.....	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
41 No hazardous materials carried.....	123.5	113.3	110.1	3.1	⑤	⑤	⑤	⑤	⑤	
42 Not reported.....	76.2	76.1	76.0	⑤	⑤	⑤	⑤	⑤	⑤	
TRUCKS FLEET SIZE³										
43 1.....	143.8	139.2	138.9	.3	⑤	⑤	⑤	⑤	⑤	
44 2 to 5.....	30.3	27.0	26.3	.7	⑤	⑤	⑤	⑤	⑤	
45 6 to 19.....	16.3	14.5	12.9	1.5	⑤	⑤	⑤	⑤	⑤	
46 20 or more.....	13.2	11.1	10.0	1.1	⑤	⑤	⑤	⑤	⑤	
MILES PER GALLON										
47 Less than 5.....	4.6	2.0	1.0	1.0	⑤	⑤	⑤	⑤	⑤	
48 5 to 6.9.....	10.4	7.9	6.2	1.6	⑤	⑤	⑤	⑤	⑤	
49 7 to 8.9.....	12.5	11.0	10.4	.5	⑤	⑤	⑤	⑤	⑤	
50 9 to 11.9.....	57.9	56.5	56.3	.2	⑤	⑤	⑤	⑤	⑤	
51 12 to 14.9.....	39.6	38.5	38.4	⑤	⑤	⑤	⑤	⑤	⑤	
52 15 to 19.9.....	44.4	42.3	42.3	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
53 20 or more.....	16.5	16.5	16.5	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	
54 Not reported.....	17.8	17.2	17.0	.2	⑤	⑤	⑤	⑤	⑤	
EQUIPMENT TYPE										
55 Transmission.....	203.6	191.8	188.2	3.6	⑤	⑤	⑤	⑤	⑤	
56 Manual.....	134.6	125.4	122.2	3.1	⑤	⑤	⑤	⑤	⑤	
57 Automatic.....	65.6	63.4	62.9	.4	⑤	⑤	⑤	⑤	⑤	
58 Not reported.....	3.4	3.1	3.0	⑤	⑤	⑤	⑤	⑤	⑤	
59 Braking system.....	203.6	191.8	188.2	3.6	⑤	⑤	⑤	⑤	⑤	
60 Hydraulic.....	8.3	8.0	7.7	.3	⑤	⑤	⑤	⑤	⑤	
61 Hydraulic (power).....	184.6	178.8	178.4	.4	⑤	⑤	⑤	⑤	⑤	
62 Air.....	9.1	3.8	.8	2.9	⑤	⑤	⑤	⑤	⑤	
63 Not reported.....	1.6	1.3	1.2	⑤	⑤	⑤	⑤	⑤	⑤	
64 Power steering ²	136.1	128.8	125.9	2.9	⑤	⑤	⑤	⑤	⑤	
65 Air conditioning ²	46.7	41.6	41.1	.5	⑤	⑤	⑤	⑤	⑤	
66 Engine retarder ²	3.0	.8	⑤	.7	⑤	⑤	⑤	⑤	⑤	
67 Reflective materials ²	3.4	2.9	2.4	.4	⑤	⑤	⑤	⑤	⑤	
FUEL CONSERVATION EQUIPMENT²										
68 Aerodynamic features.....	1.6	1.4	1.2	.2	⑤	⑤	⑤	⑤	⑤	
69 Axle or drive ratio.....	5.1	3.7	3.1	.6	⑤	⑤	⑤	⑤	⑤	
70 Fuel economy engine.....	4.2	2.2	1.3	⑤	⑤	⑤	⑤	⑤	⑤	
71 Radial tires.....	100.5	92.2	90.7	1.5	⑤	⑤	⑤	⑤	⑤	
72 Road speed governor.....	6.6	4.8	3.6	1.2	⑤	⑤	⑤	⑤	⑤	
73 Variable fan drives.....	4.2	2.3	1.5	.8	⑤	⑤	⑤	⑤	⑤	
74 Other fuel conservation devices.....	.6	.4	.3	⑤	⑤	⑤	⑤	⑤	⑤	
75 Not reported.....	96.6	94.0	92.9	1.1	⑤	⑤	⑤	⑤	⑤	

See footnotes at end of table.

Truck type and axle arrangement—Con.

Combinations—Con.

Truck-tractor with single trailer			Truck-tractor with double trailers			Truck-tractor with triple trailers		Trailer not specified	Relative standard error of estimate (percent) for total	
3 axles	4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more			
									28.2	1
									28.1	2
									27.2	3
									25.9	4
									46.6	5
									17.5	6
									83.7	7
									27.5	8
									16.8	9
									44.6	10
									98.3	11
									22.3	12
									34.2	13
									49.4	14
									28.6	15
									29.0	16
									15.9	17
									54.7	18
									19.6	19
									42.0	20
									20.5	21
									6.0	22
									17.6	23
									23.6	24
									43.5	25
									(2)	26
									27.5	27
									18.9	28
									45.5	29
									45.7	30
									24.2	31
									(2)	32
									(2)	33
									11.6	34
									18.4	35
									29.1	36
									83.0	37
									97.7	38
									45.7	39
									(2)	40
									5.4	41
									8.7	42
									3.9	43
									15.2	44
									18.4	45
									19.1	46
									7.4	47
									14.1	48
									21.7	49
									10.7	50
									14.1	51
									13.2	52
									23.8	53
									21.0	54
									(2)	55
									4.8	56
									9.8	57
									43.4	58
									(2)	59
									4.6	60
									.2	61
									3.3	62
									13.6	63
									4.6	64
									12.3	65
									9.5	66
									8.8	67
									13.2	68
									7.1	69
									7.9	70
									6.7	71
									6.0	72
									8.1	73
									23.6	74
									7.0	75

Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics	Truck type and axle arrangement								
	Total	Single-unit trucks				Combinations			
		Total	2 axles	3 axles	4 axles or more	Total	3 axles	4 axles	5 axles or more
MAINTENANCE									
General maintenance:									
1 Owner	140.6	135.4	134.0	1.3	(Z)	5.3	(S)	(S)	(S)
2 Company's maintenance facilities	25.8	22.7	20.6	2.0	(Z)	3.1	(S)	(S)	(S)
3 Dealership's service department	21.8	19.4	19.2	.3	(Z)	(S)	(S)	(S)	
4 Leasing company2	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	
5 Independent garage	36.2	33.3	33.0	.3	(Z)	(S)	(S)	(S)	
6 Component distributorship	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	
7 Other	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	
8 Not reported	5.7	5.4	5.4	(S)	(S)	.3	(S)	(S)	
Major overhauls:									
9 Owner	46.9	44.0	43.3	.7	(Z)	(S)	(S)	(S)	
10 Company's maintenance facilities	12.4	10.3	8.9	1.4	(Z)	2.1	(S)	(S)	
11 Dealership's service department	26.0	24.0	23.6	.4	(Z)	(S)	(S)	(S)	
12 Leasing company2	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	
13 Independent garage	30.2	27.6	27.2	.6	(Z)	2.5	(S)	(S)	
14 Component distributorship	(S)	(S)	(S)	(S)	(S)	.3	(S)	(S)	
15 Other	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	
16 Not reported	67.7	65.2	64.5	.7	(Z)	2.5	(S)	(S)	
ENGINE TYPE AND SIZE									
17 Engine	203.6	191.8	188.2	3.6	(Z)	11.8	(S)	5.8	.6
18 Gasoline	190.7	185.4	184.5	.8	(Z)	5.3	(S)	4.7	.1
19 Diesel	10.1	3.7	.9	2.7	(Z)	6.4	(S)	(S)	(S)
20 LPG or other	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
21 Not reported	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)	(S)	(S)	(S)
22 Cylinders	203.6	191.8	188.2	3.6	(Z)	11.8	(S)	5.8	.6
23 4	18.8	16.8	16.7	(S)	(S)	4.2	(S)	(S)	(S)
24 6	37.6	33.3	31.4	1.9	(Z)	7.2	(S)	(S)	(S)
25 8	145.7	138.4	136.6	1.7	(Z)	5.4	(S)	(S)	(S)
26 Other	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
27 Not reported	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
28 Cubic inch displacement	203.6	191.8	188.2	3.6	(Z)	11.8	(S)	5.8	.6
29 Gasoline engines	190.7	185.4	184.5	.8	(Z)	5.3	(S)	4.7	.1
30 Less than 200	14.6	14.6	14.6	(Z)	(Z)	(S)	(S)	(S)	(S)
31 200 to 299	10.3	10.2	10.2	(Z)	(Z)	(S)	(S)	(S)	(S)
32 300 to 349	37.6	37.5	37.4	(S)	(S)	(S)	(S)	(S)	(S)
33 350 to 399	75.6	73.0	72.9	(S)	(S)	(S)	(S)	(S)	(S)
34 400 or more	25.7	23.2	22.6	.6	(Z)	(S)	(S)	(S)	(S)
35 Not reported	26.9	26.8	26.7	(S)	(S)	(S)	(S)	(S)	(S)
36 Diesel engines	10.1	3.7	.9	2.7	(Z)	6.4	(S)	(S)	(S)
37 Less than 400	(S)	.4	.3	.2	(Z)	(S)	(S)	(S)	(S)
38 400 to 599	2.0	1.2	.2	.6	(Z)	(S)	(S)	(S)	(S)
39 600 to 799	1.3	.8	.2	.6	(Z)	(S)	(S)	(S)	(S)
40 800 or more	4.1	.9	(S)	.9	(Z)	3.1	(S)	(S)	(S)
41 Not reported9	.4	.1	.2	(Z)	.6	(S)	(S)	(S)
42 Other engines	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
43 Less than 400	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
44 400 or more2	.1	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
45 Not reported	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
46 Horsepower	203.6	191.8	188.2	3.6	(Z)	11.8	(S)	5.8	.6
47 Gasoline engines	190.7	185.4	184.5	.8	(Z)	5.3	(S)	4.7	.1
48 Less than 100	8.3	8.3	8.3	(Z)	(Z)	(S)	(S)	(S)	(S)
49 100 to 199	118.6	117.0	116.7	.3	(Z)	(S)	(S)	(S)	(S)
50 200 to 249	29.7	28.2	27.8	.4	(Z)	(S)	(S)	(S)	(S)
51 250 or more	5.9	5.9	5.8	(S)	(S)	(S)	(S)	(S)	(S)
52 Not reported	5.2	26.0	25.9	.1	(Z)	(S)	(S)	(S)	(S)
53 Diesel engines	10.1	3.7	.9	2.7	(Z)	6.4	(S)	(S)	(S)
54 Less than 250	3.2	1.6	.7	1.0	(Z)	(S)	(S)	(S)	(S)
55 250 to 349	3.2	1.3	(S)	1.2	(Z)	1.9	(S)	(S)	(S)
56 350 to 449	2.8	.4	(S)	.4	(Z)	2.4	(S)	(S)	(S)
57 450 or more	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
58 Not reported7	.3	(S)	.1	(Z)	.6	(S)	(S)	(S)
59 Other engines	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
60 Less than 250	(S)	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
61 250 or more1	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)
62 Not reported	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)	(S)
POWERED AXLES									
63 Powered axles	203.6	191.8	188.2	3.6	(Z)	11.8	(S)	5.8	.6
64 1	98.6	94.8	94.6	.2	(Z)	3.9	(S)	(S)	(S)
65 2	103.4	95.5	92.2	3.3	(Z)	7.8	(S)	(S)	(S)
66 3 or more	(S)	(S)	(Z)	(S)	(S)	(S)	(S)	(S)	(S)
67 Not reported	1.5	1.5	1.4	(S)	(S)	(S)	(S)	(S)	(S)
CAB TYPE*									
68 Cab forward of engine6	.4	.4	(Z)	(S)	.2	(S)	(S)	(S)
69 Cab over engine	3.3	1.5	.9	.6	(Z)	1.9	(S)	(S)	(S)
70 Short-hood conventional	6.7	6.2	5.5	.6	(Z)	.5	(S)	(S)	(S)
71 Medium-hood conventional	11.7	9.6	8.1	1.5	(Z)	2.1	(S)	(S)	(S)
72 Long-hood conventional	4.3	2.6	1.9	.8	(Z)	1.7	(S)	(S)	(S)
73 Cab beside engine	(S)	(S)	(Z)	(S)	(S)	(Z)	(S)	(S)	(S)
74 Other	10.6	10.5	10.5	(Z)	(S)	.1	(S)	(S)	(S)
75 Not reported	166.2	161.0	160.9	(S)	(S)	5.3	(S)	(S)	(S)

See footnotes at end of table.

Truck type and axle arrangement—Con.

Combinations—Con.

Truck-tractor with single trailer			Truck-tractor with double trailers			Truck-tractor with triple trailers		Trailer not specified	Relative standard error of estimate (percent) for total	
3 axles	4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more			
									4.2	1
									14.5	2
									19.5	3
									44.6	4
									14.4	5
									59.9	6
									53.7	7
									36.2	8
									12.4	9
									18.8	10
									17.4	11
									49.7	12
									15.3	13
									72.6	14
									53.9	15
									7.7	16
									(Z)	17
									1.0	18
									10.7	19
									52.4	20
									(Z)	21
									(Z)	22
									23.4	23
									13.3	24
									4.1	25
									97.3	26
									60.6	27
									(Z)	28
									1.0	29
									25.4	30
									27.4	31
									14.1	32
									8.7	33
									17.5	34
									17.4	35
									10.7	36
									60.5	37
									11.9	38
									15.1	39
									7.5	40
									18.5	41
									52.4	42
									57.1	43
									37.3	44
									70.0	45
									(Z)	46
									1.0	47
									34.6	48
									5.5	49
									16.1	50
									38.8	51
									16.9	52
									10.7	53
									33.0	54
									9.1	55
									9.8	56
									69.7	57
									21.4	58
									52.4	59
									65.2	60
									49.3	61
									95.3	62
									(Z)	63
									6.7	64
									6.4	65
									57.0	66
									13.1	67
									23.0	68
									9.2	69
									16.5	70
									3.8	71
									7.9	72
									97.7	73
									26.6	74
									1.9	75

Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

Vehicular and operational characteristics		Truck type and axle arrangement								
		Single-unit trucks				Combinations				
		Total	2 axes	3 axes	4 axes or more	Total	Single-unit truck with trailer			
							3 axes	4 axes	5 axes or more	
PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS										
1	Total	176.3	171.1	171.1	(Z)	(Z)	5.2	(Z)	5.2	(Z)
2	Pickups	132.2	127.0	127.0	(Z)	(Z)	5.2	(Z)	5.2	(Z)
3	Panels or vans	10.6	10.6	10.6	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
4	Utilities	25.0	25.0	25.0	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
5	Station wagons	8.6	8.6	8.6	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)
6	Driving wheels	175.2	170.0	170.0	(Z)	(Z)	5.2	(Z)	5.2	(Z)
7	4-wheel drive	93.4	90.2	90.2	(S)	(S)	(S)	(S)	(S)	(S)
8	2-wheel drive	79.8	77.7	77.7	(S)	(S)	(S)	(S)	(S)	(S)
9	Front-wheel drive	(S)	(S)	(S)	(Z)	(Z)	(Z)	(Z)	(Z)	(Z)

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Wyoming, 38.7 of the cells have RSEs greater than 10 percent, and 29.7 of the cells have RSEs greater than 25 percent.

- ¹When no response was obtained for annual miles, data were imputed.
- ²Detail does not add to totals because items were not applicable or multiple responses were possible.
- ³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
- ⁴Pickups, panels, and vans are not included.

Truck type and axle arrangement—Con.									Relative standard error of estimate (percent) for total	
Combinations—Con.										
Truck-tractor with single trailer			Truck-tractor with double trailers			Truck-tractor with triple trailers		Trailer not specified		
3 axles	4 axles	5 axles or more	5 axles	6 axles	7 axles or more	7 axles	8 axles or more			
									.1	1
									1.5	2
									27.1	3
									14.0	4
									30.0	5
									.6	6
									7.1	7
									8.3	8
									70.4	9

Item 9a - Please indicate the body type which most closely resembles this vehicle or the trailer most often attached to it, if the power-unit is a truck-tractor.

313

PLATFORM TYPES

05 Low boy (gooseneck) - platform with depressed center

06 Basic platform - including flatbed, stake, etc.

04 Platform with devices permanently mounted on bed of truck - such as high lift, lift gate, hoist, etc.

VAN TYPES

12 Basic enclosed van (dry cargo)

10 Drop frame van - including furniture van, etc.

08 Insulated, non-refrigerated van

09 Insulated, refrigerated van

03 Multistop or step van

11 Open top van, including low-side grain, fruit

SPECIALIZED USE TRUCKS

18 Automobile transport

13 Beverage truck

28 Cargo container chassis

70 Concrete mixer

40 Dump truck

29 Grain bodies (hoppers)

SPECIALIZED USE TRUCKS - Con.

30 Garbage truck

07 Livestock truck, including livestock drop frame

27 Oilfield truck - service equipment permanently mounted on vehicle

17 Pole, logging, or pipe truck

22 Service truck or "craftsman's vehicle" - body equipped for mobile repair and service

60 Tank truck for dry bulk

50 Tank truck for liquids or gases

14 Utility truck - used in public utility operations (telephone line truck, etc.), body equipped for major repair (may have aerial lift, derrick, etc.)

15 Winch or crane truck - lifting equipment (including roll on, roll off) permanently mounted on vehicle

16 Wrecker - for motor vehicle towing or lifting

23 Yard tractor - cab and chassis ONLY, used to spot trailers

NOTE - If none of the above descriptions match the body type of this vehicle, or the trailer usually attached to it, mark the "Other" box below and describe.

80 Other - Specify _____

b. What is the overall length of this vehicle or combination (distance from front bumper to rear of truck or rear of the last trailer attached)?

Feet	314
------	-----

Item 10 - What is the weight of this vehicle or vehicle/trailer combination when empty?
An estimate is acceptable.

Pounds	315
--------	-----

Item 11 - What was the average weight of the vehicle or vehicle/trailer combination when carrying a typical payload during the past year?
An estimate is acceptable.

Pounds	316
--------	-----

Item 12 - What was the maximum gross weight (MGW) at which this vehicle or vehicle/trailer combination was operated?
An estimate is acceptable.

Pounds	320
--------	-----

Item 13 - What kind of fuel does this vehicle use?

321 Gasoline

Diesel

Liquefied petroleum gas (LPG)

Other - Specify fuel _____

Item 14 - How many cylinders does this vehicle have?

322 4 cylinders

6 cylinders

8 cylinders

Other - Specify unit _____

Item 15 - What is the size (displacement) of your engine? Enter cubic inches, cubic centimeters, or liters, whichever is applicable.

Cubic inches (CI)	Cubic centimeters (CC)	Liters (L)
323	324	325

OR

Item 16 - What is the horsepower rating of this vehicle's engine?

Horsepower	326
------------	-----

Item 17 - What kind of transmission does this vehicle have?

327 Manual

Automatic

Item 18 - What type of brakes does the power unit (truck or truck-tractor) have?

328 Hydraulic (standard)

Hydraulic with power assist

Air

Item 19 - Does this vehicle have any of the following equipment?
Mark (X) as many as apply.

329 Aerodynamic features

Axle or drive ratio to maximize fuel efficiency

Fuel economy engine with low RPM, high torque rise, turbo-charge, etc.

Reflective materials (in addition to those required by law)

Radial tires

Road speed governor

Variable fan drives

Other fuel conservation features

Power steering

Air conditioning in cab

Engine retarder

Item 20 - Who performed the general maintenance and major overhauls on this vehicle?
Mark (X) as many as apply.

	General maintenance	Major overhauls
Yourself	330 <input type="checkbox"/>	331 <input type="checkbox"/>
Your company's own maintenance facilities	2 <input type="checkbox"/>	2 <input type="checkbox"/>
Dealership's service department	3 <input type="checkbox"/>	3 <input type="checkbox"/>
Leasing company	4 <input type="checkbox"/>	4 <input type="checkbox"/>
Independent garage or private mechanic	5 <input type="checkbox"/>	5 <input type="checkbox"/>
Component distributorship	6 <input type="checkbox"/>	6 <input type="checkbox"/>
Other - Specify _____	7 <input type="checkbox"/>	7 <input type="checkbox"/>

Item 21 - How many miles was this vehicle driven during the past 12 months?
An estimate is acceptable.

NOTE - If driven less than 12 months, please estimate mileage for a full year.

	332
--	-----

Item 22 - How many miles has this vehicle been driven since it was new?
NOTE - If it is no longer in your possession, please estimate the total lifetime mileage at the time you last operated it. If the odometer/speedometer is broken, please give your best estimate. If the odometer has turned over (100,000 + miles), please enter the total figure.

	333
--	-----

Item 23 - How many miles-per-gallon (MPG) did this vehicle average during the last year? (Use tenths, if available.)

Miles	Tenths
10	5

Example: 10.5 MPG should be entered as

Miles	Tenths
334	

Enter miles per gallon →

Item 24 - Where was the home base of this vehicle?

350 City _____

351 County _____ 352 State _____ 353 ZIP code _____

Item 25 - What percent of annual mileage was driven OUTSIDE the home base state?
An estimate is acceptable.

Percent	354
---------	-----

Item 26 - What PERCENTAGE of this vehicle's ANNUAL MILEAGE was accounted for by the type of trips listed below? (If all trips were within one range, enter 100%. If more than one range is applicable, be sure that percentages add up to 100%.)

	Percent
Trips off-the-road, little travel on public roads	360 %
Trips within a 50 mile radius of vehicle's home base	361 %
Trips within a 50-200 mile radius of vehicle's home base	362 %
Trips beyond a 200 mile radius of vehicle's home base	363 %
TOTAL - Should equal 100%	100%

Item 27a - Which of the following best describes the primary way this vehicle was operated?

401

NEVER FOR HIRE

1 **BUSINESS USE** - Operated by and for a private business (including self-employers) or a company; used in related activities of that business (including transportation of personnel) SKIP to Item 28

2 **PERSONAL TRANSPORTATION** - Operated as a personal-use vehicle in place of an automobile for pleasure driving, travel to work, etc. (NO BUSINESS USE) SKIP to Item 30

3 **MIXED** - A mixture of both business use and personal transportation

Percent personal transportation 402 %

Percent business 403 %

SKIP to Item 28

ALWAYS FOR HIRE - ICC regulated?

411 YES

NO

4 **MOTOR CARRIER** - Operated by a company whose primary business is to provide transportation services, carrying freight belonging to others Complete Items 27b and c below.

5 **OWNER/OPERATOR** - Operated by an independent trucker who drives vehicle for himself or on lease to a company

6 **MIXED** - A mixture of private carriage and common and/or contract carriage

Percent not for hire (private) 404 %

Percent for hire 405 %

Complete Items 27b and c below

7 **DAILY RENTAL OR SHORT TERM LEASE** - Rented or leased out to various operators and for various activities, under daily or short term rental or lease agreements SKIP to Item 28

b. What was the FOR HIRE jurisdiction in which vehicle operated?

406 Interstate Local - in a single municipality, contiguous municipalities or a municipality and its suburban area; in commercial zones

Intrastate

c. In what type of carrier service was the vehicle involved?
Enter percentage of mileage.

	Percent
407 <input type="checkbox"/> Contract - offered transportation service to certain shippers under specific contracts	408 %
<input type="checkbox"/> Common - offered transportation service to the general public over regular or irregular routes	409 %
<input type="checkbox"/> Exempt - transported commodities or provided types of services that were exempt from Federal regulation; operated within exempt commercial zones	410 %

APPENDIX B.

Approximating Unpublished Relative Standard Errors

The relative standard errors (RSE's) are presented for only the row and column totals in tables 3 through 8. The relative standard errors of an individual table cell may be approximated by the following two-step procedure.

First calculate the standard deviation (SD) for the table cell:

$$SD(CLT) = \frac{RCT \times RSE(RCT)}{100} \sqrt{\frac{(CLT) (STT - CLT)}{(RCT) (STT - RCT)}}$$

where:

RCT = the number of trucks in the row (or column)

CLT = the number of trucks in the cell

STT = the number of trucks in the State

Now, the RSE in percent can be calculated as follows:

$$RSE(CLT) = \frac{100 \times SD(CLT)}{CLT}$$

Although either the row or column can be used, it is usually best to use the one with the fewest trucks.

Example—There are an estimated 5.5 thousand trucks in the cell for agricultural multistops or walk-ins, for which we want to approximate the RSE in percent. To approximate the RSE in percent for the agricultural multistop or walk-in cell, the following information must be extracted from the table: (1) 500.3 thousand trucks in the State, (2) 110.3 thousand trucks and an estimated RSE of 7.6 percent for the "Agriculture" column, and (3) 27.7 thousand trucks and an estimated RSE of 11.2 percent for the "Multistop or walk-in" row.

Since the row total of 27.7 thousand is less than the column total of 110.3 thousand, use the row figures to approximate the RSE in percent:

$$SD(5.5) = \frac{27.7 \times 11.2}{100} \sqrt{\frac{5.5(500.3 - 5.5)}{27.7 (500.3 - 27.7)}} = 1.4$$

$$RSE(5.5) = \frac{100 \times 1.4}{5.5} = 25.5 \text{ percent}$$

Some exceptions from this procedure will yield better approximations of the relative standard error in particular cells. Certain rows and columns in the tables are composed predominately of trucks, excluding pickups and vans ("large trucks"). Because of the sample design, one obtains a better approximation of the relative standard error of the estimate for a cell within a row (column) of "large trucks" by using the row (column) total even though the column (row) total might be smaller. When both totals consist of "large trucks," use the smaller of the row or column totals.

Columns of predominately "large trucks":

Table 4—Light-heavy and Heavy-heavy

Table 5—50,000 to 74,999 miles and 75,000 miles or more

Table 7—All except Single-unit 2 axle trucks

Rows of predominately "large trucks":

Body Type—All except Pickup, Panel truck or Van, and Multistop or Walk-in

Annual Miles—50,000 to 74,999 and 75,000 or more

Range of Operation—Long range (more than 200 miles)

Gross Weight—All from 19,501 pounds and over

Lease Characteristics—Leased with driver

Hazardous Materials Carried—All carrying hazardous materials

Miles per Gallon—Less than 5 and 5 to 6.9

Equipment Type, Braking System—Air

Truck Type and Axle Arrangement—All except Single-unit 2 axle trucks

Cab Type—All