TABLE 8.

DEATHS IN THE UNITED STATES, THE REGISTRATION AREA AND ITS SUBDIVISIONS, AND IN EACH STATE AND TERRITORY, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY SEX AND AGE.

NOTE.—This table is presented with full details of age for the United States and the registration summaries, states and state groups, and with a more condensed statement of age for the nonregistration states.

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,039,094	199,325	59,879	28,136	17,638	12,554	317,532	36,748	24,500	38,109	51,004	48,693
2	Males	551,611	110,673	31,599	14,658	8,942	6,340	172,212	18,660	12,196	18,329	25,252	24,173
3	Females	487,483	88,652	28,280	13,478	8,696	6,214	145,320	18,088	12,304	19,780	25,752	24,520
4	Unknown cause	40,539	18,998	2,380	1,126	633	493	23,630	1,302	820	953	1,080	952
5	Males	21,318	10,421	1,260	599	337	244	12,861	671	389	442	469	397
6	Females	19,221	8,577	1,120	527	296	249	10,769	631	431	511	611	555
7	1. General diseases. General diseases—A	209,819	55,756	25,383	11,449	7,277	5,369	105,234	15,235	7,929	9,471	9,860	7,660
8	Males	107,701	30,044	13,190	5,770	3,539	2,671	55,214	7,355	3,585	4,482	5,338	4,031
9	Females	102,115	25,712	12,193	5,679	3,738	2,698	50,020	7,880	4,344	4,989	4,522	3,629
10	Measles M	6,231	1,592	1,492	688	359	222	4,353	541	256	258	248	119
	Measles F	6,635	1,420	1,376	688	403	225	4,112	569	295	351	241	205
11	Scarlet fever M	3,135	325	447	466	458	331	2,030	782	149	58	37	22
	Scarlet fever F	3,198	246	417	455	454	374	1,946	821	197	93	43	25
12	Diphtheria M	8,070	648	1,107	1,168	1,048	872	4,843	2,210	563	189	86	35
	Diphtheria F	8,405	491	997	1,086	1,047	920	4,541	2,588	729	220	86	68
13	Whooping cough M	4,601	2,688	1,009	372	186	107	4,362	154	26	15	4	------
	Whooping cough F	5,357	2,799	1,257	558	272	149	5,035	222	41	15	3	5
14	Malarial fever M	7,497	910	620	345	238	215	2,328	710	452	558	589	426
	Malarial fever F	7,377	885	617	380	278	220	2,330	777	473	590	528	410
15	Influenza M	7,718	1,066	269	116	66	48	1,565	145	79	130	171	157
	Influenza F	8,927	815	235	126	70	54	1,300	145	114	174	180	215
16	Typhoid fever M	18,881	564	522	355	304	257	2,002	1,226	1,212	2,861	3,065	2,241
	Typhoid fever F	16,498	525	505	392	341	237	2,000	1,346	1,772	2,670	2,165	1,402
17	Cholera morbus M	3,370	993	401	238	86	55	1,773	185	126	86	85	61
	Cholera morbus F	3,039	744	345	187	85	46	1,407	157	91	91	101	101
18	Colitis M	770	323	127	42	27	8	527	13	2	4	8	13
	Colitis F	651	255	118	35	9	3	420	12	5	3	11	8
19	Diarrhea M	4,272	1,356	520	190	46	33	2,145	182	60	40	46	57
	Diarrhea F	3,438	1,119	464	156	58	20	1,817	181	59	27	36	54
20	Dysentery M	6,112	1,213	1,260	470	201	126	3,270	270	103	93	139	113
	Dysentery F	5,598	1,038	1,032	417	157	86	2,730	194	66	67	91	104
21	Enteritis M	10,258	5,979	1,565	411	149	114	8,218	223	97	90	89	100
	Enteritis F	9,399	4,829	1,396	374	165	107	6,871	234	84	90	118	147
22	Cholera infantum M	13,662	9,922	3,068	485	125	55	13,655	------	------	------	------	------
	Cholera infantum F	11,914	8,467	2,754	489	129	69	11,908	------	------	------	------	------
23	Fever M	1,392	383	215	88	50	39	775	108	47	63	79	49
	Fever F	1,425	381	182	68	53	39	723	119	66	80	77	74
24	Cerebro-spinal fever M	2,322	611	314	162	105	86	1,278	270	148	158	96	86
	Cerebro-spinal fever F	1,852	475	244	131	108	61	1,019	235	158	102	70	68
25	Smallpox M	2,116	219	60	54	25	38	396	97	72	167	281	230
	Smallpox F	1,368	180	75	36	39	28	358	105	64	117	165	116
26	Erysipelas M	1,582	422	46	20	12	6	506	24	27	35	41	58
	Erysipelas F	1,279	399	51	11	9	6	476	21	20	40	35	45
27	Septicemia M	3,033	341	64	51	29	36	521	143	128	121	174	152
	Septicemia F	3,748	288	70	52	37	32	479	104	80	212	400	509
28	Venereal diseases M	934	369	33	12	7	1	422	5	5	20	41	57
	Venereal diseases F	657	306	24	14	8	3	355	5	4	20	39	34
29	Others of this group M	1,748	120	51	37	18	19	245	67	33	36	59	55
	Others of this group F	1,355	100	34	24	16	19	193	45	26	27	43	39
30	General diseases—B	18,247	10,331	777	395	226	128	11,857	268	89	197	384	517
31	Males	11,048	5,709	418	211	121	79	6,538	130	48	87	211	317
32	Females	7,199	4,622	359	184	105	49	5,319	138	41	110	173	200
33	Alcoholism M	2,388	2	1	------	------	2	5	6	1	4	46	164
	Alcoholism F	423	------	------	1	1	1	3	------	------	3	18	52
34	Parasitic diseases M	265	29	56	53	36	31	205	41	2	2	3	1
	Parasitic diseases F	286	28	63	55	43	20	209	58	5	8	------	1
35	Lead poison M	85	2	1	1	------	1	5	------	------	3	3	6
	Lead poison F	28	7	1	1	------	1	10	1	------	------	------	1
36	Other poisons M	2,102	111	156	106	58	25	456	62	37	74	151	137
	Other poisons F	1,288	78	94	82	33	20	307	55	26	97	142	134
37	Inanition M	6,208	5,565	204	51	27	20	5,867	21	8	4	8	9
	Inanition F	5,174	4,509	201	45	28	7	4,790	24	10	7	13	12
38	General diseases—C	65,484	20,434	1,169	287	106	61	31,057	119	71	79	123	127
39	Males	33,230	16,553	568	150	64	28	17,363	56	38	46	56	47
40	Females	32,254	12,881	601	137	42	33	13,694	63	33	33	67	80
41	Old age M	13,362	------	------	------	------	------	------	------	------	------	------	------
	Old age F	15,860	------	------	------	------	------	------	------	------	------	------	------
42	Premature birth M	8,390	8,390	------	------	------	------	8,390	------	------	------	------	------
	Premature birth F	6,330	6,330	------	------	------	------	6,330	------	------	------	------	------
43	Malformation M	1,478	1,414	19	9	4	2	1,448	8	5	3	2	------
	Malformation F	1,227	1,170	25	7	6	3	1,211	5	5	1	1	1
44	Debility and atrophy M	9,097	5,850	549	141	59	26	6,625	48	33	43	54	47
	Debility and atrophy F	8,185	4,733	576	130	36	30	5,505	53	28	32	66	79
45	Others of this group M	903	899	------	------	1	------	900	------	------	------	------	------
	Others of this group F	652	648	------	------	------	------	648	------	------	------	------	------

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

UNITED STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
43,857	44,367	41,439	40,201	42,666	43,169	48,178	52,190	53,078	46,039	33,786	17,247	6,135	2,721	7,440	1
22,349	23,296	22,428	22,529	23,915	24,024	26,269	28,563	28,761	24,627	17,525	8,457	2,616	1,045	4,385	2
21,508	21,071	19,011	17,672	18,751	19,145	21,909	23,627	24,312	21,412	16,261	8,790	3,519	1,676	3,055	3
785	848	873	819	922	899	1,024	1,146	1,095	1,001	771	381	172	117	949	4
341	376	426	416	480	485	552	616	598	568	430	183	74	44	500	5
444	472	447	403	442	414	472	530	497	433	341	198	98	73	449	6
5,988	5,400	4,634	4,234	4,178	3,850	4,396	4,861	5,074	4,560	3,544	1,821	595	255	1,037	7
3,047	2,758	2,422	2,394	2,235	2,016	2,192	2,407	2,486	2,241	1,725	887	240	91	558	8
2,941	2,642	2,212	1,840	1,943	1,834	2,204	2,457	2,588	2,319	1,819	934	355	164	479	9
86	73	65	73	58	15	17	18	8	16	6	2	—	—	19	10
194	166	139	91	84	51	31	29	24	14	10	6	1	1	21	
17	8	7	1	2	4	4	2	2	—	1	1	1	—	7	11
22	21	9	1	2	2	4	2	2	—	2	1	—	—	5	
36	18	12	12	15	10	6	6	4	3	4	4	1	—	13	12
41	30	16	18	18	10	10	5	5	5	2	1	—	—	12	
2	2	5	4	—	3	2	1	3	2	8	—	1	—	12	13
7	2	4	—	1	2	—	1	2	1	3	—	1	—	12	
314	262	264	272	240	214	188	178	170	157	70	42	11	4	48	14
290	241	250	219	203	179	196	196	179	117	77	41	7	15	59	
156	183	232	250	263	319	467	627	816	797	747	399	127	42	46	15
216	217	246	240	372	417	627	769	991	1,010	881	458	203	95	57	
1,578	1,288	945	828	584	421	331	245	216	135	57	31	7	2	106	16
1,043	868	668	539	481	395	334	281	215	106	68	25	6	5	109	
51	60	66	85	105	105	114	121	121	97	61	30	11	5	19	17
94	106	87	58	81	98	95	118	113	102	76	33	13	3	14	
10	8	23	20	21	12	21	22	23	21	11	6	2	—	3	18
14	12	13	13	16	13	24	28	18	18	11	6	3	—	3	
44	55	43	75	121	172	198	252	232	217	160	79	18	11	65	19
62	50	57	55	72	86	126	141	183	154	123	81	22	12	34	
118	117	114	151	184	151	223	244	252	233	184	87	17	11	38	20
101	101	124	138	156	148	234	313	324	314	203	111	42	12	25	
80	100	108	127	118	122	146	171	150	142	94	45	7	5	26	21
122	135	124	126	126	135	181	250	229	205	120	64	11	6	21	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	
32	35	23	27	26	15	22	21	21	13	19	4	2	—	11	23
43	38	28	26	25	15	20	18	16	16	15	13	3	1	9	
49	57	45	38	24	23	17	9	8	6	4	—	1	—	5	24
42	35	31	25	17	13	10	3	8	7	3	—	1	—	5	
174	139	126	81	80	49	48	29	42	19	12	3	2	1	68	25
89	67	62	45	45	25	24	24	13	5	5	2	1	2	34	
65	61	77	75	81	106	76	106	80	75	53	23	6	1	6	26
32	61	49	48	58	63	71	65	63	56	47	17	5	1	6	
143	194	160	161	198	176	189	194	117	120	78	32	4	2	26	27
442	416	240	139	110	115	104	72	81	53	39	19	10	2	27	
51	52	57	52	45	35	34	21	9	10	1	—	—	—	17	28
48	37	31	25	16	7	10	8	5	1	3	—	—	—	9	
38	46	50	62	70	64	89	140	212	178	160	99	22	7	16	29
39	33	34	34	60	60	103	134	117	135	131	56	26	9	11	
642	759	624	608	528	429	318	295	195	187	80	54	14	11	191	30
467	594	502	488	421	334	242	213	120	122	44	30	7	4	129	31
175	165	122	120	107	95	76	82	75	65	36	24	7	7	62	32
274	403	334	301	276	202	121	114	44	39	6	4	—	—	44	33
52	71	65	48	34	21	18	12	8	6	1	2	—	—	9	
—	1	2	1	2	1	—	1	1	—	1	—	1	—	—	34
—	2	2	1	1	2	—	1	1	—	—	—	—	—	—	
11	15	7	12	9	4	3	3	2	2	—	—	—	—	—	35
4	2	—	—	2	3	1	—	2	—	—	1	—	1	—	
175	168	150	161	120	106	94	70	43	47	13	6	—	2	30	36
105	82	46	54	53	46	35	39	29	16	9	—	2	1	10	
7	7	9	13	14	21	24	25	30	34	24	20	6	2	55	37
14	8	9	17	17	23	22	30	35	43	26	21	5	5	43	
141	152	161	169	275	407	890	1,722	4,139	6,247	8,568	6,000	2,988	1,538	421	38
65	68	73	88	123	188	387	813	1,972	2,910	4,087	2,815	1,264	568	203	39
76	84	88	81	152	219	503	909	2,167	3,337	4,481	3,275	1,724	970	218	40
—	—	—	—	—	—	191	546	1,672	2,576	3,825	2,675	1,213	554	110	41
—	—	—	—	—	—	303	656	1,865	3,018	4,180	3,119	1,647	932	140	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	2	—	—	—	—	—	—	—	—	9	43
—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	
64	68	73	88	122	186	195	267	300	333	262	140	51	14	84	44
76	82	88	81	151	218	200	252	301	319	301	156	77	38	77	
—	—	—	—	1	—	1	—	—	1	—	—	—	—	—	45
—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—continued. General diseases—D	176,072	5,171	2,891	1,599	1,018	704	11,383	2,986	3,663	10,647	17,765	17,606
2	Males	83,600	2,788	1,537	858	519	371	6,073	1,438	1,384	4,016	7,629	7,904
3	Females	92,472	2,383	1,354	741	499	333	5,310	1,548	2,279	6,631	10,136	9,702
4	Anemia M	948	138	28	8	10	6	190	29	18	27	30	31
	Anemia F	1,287	121	31	14	14	8	188	25	31	76	98	90
5	Diabetes M	2,650	15	22	18	14	13	82	90	119	133	109	112
	Diabetes F	2,022	9	15	14	22	8	68	69	96	76	79	77
6	Rheumatism M	2,669	38	22	18	15	21	114	127	153	145	106	104
	Rheumatism F	2,398	37	13	18	11	18	97	111	139	124	103	84
7	Scrofula and tabes M	1,707	280	154	83	45	32	594	113	58	91	113	91
	Scrofula and tabes F	1,782	221	142	64	41	31	499	112	101	115	129	114
8	Hydrocephalus M	2,356	854	466	223	122	77	1,742	220	74	62	50	34
	Hydrocephalus F	1,946	707	376	169	128	74	1,454	186	67	71	35	36
9	Tuberculosis, general M	712	42	25	16	11	10	104	28	20	42	69	88
	Tuberculosis, general F	597	53	26	9	8	4	100	26	35	39	68	57
10	Consumption M	53,626	1,042	604	326	189	149	2,310	525	719	3,274	6,839	7,154
	Consumption F	66,124	969	564	296	186	129	2,144	762	1,591	5,830	9,192	8,657
11	Cancer M	11,436	36	12	16	10	10	84	33	35	48	82	134
	Cancer F	18,039	34	12	16	8	9	79	33	30	58	120	272
12	Tumor M	1,305	70	19	26	19	10	144	48	29	50	47	43
	Tumor F	2,122	50	19	19	18	9	115	29	31	51	77	91
13	Dropsy M	5,600	92	124	93	69	35	413	196	138	117	163	98
	Dropsy F	5,664	66	105	93	46	30	340	173	138	172	210	204
14	Others of this group M	591	181	61	31	15	8	296	29	21	27	21	15
	Others of this group F	491	116	51	29	17	13	226	22	20	19	25	20
15	2. Diseases of the nervous system	117,579	24,155	6,778	2,985	1,846	1,299	37,063	3,820	2,383	2,505	2,373	2,442
16	Males	64,189	13,883	3,612	1,583	961	667	20,706	2,074	1,269	1,327	1,254	1,287
17	Females	53,390	10,272	3,166	1,402	885	632	16,357	1,746	1,114	1,178	1,119	1,155
18	Inflammation of the brain M	3,493	1,143	500	243	127	90	2,103	277	136	135	121	69
	Inflammation of the brain F	2,748	881	416	169	112	86	1,664	216	136	123	91	78
19	Meningitis M	10,787	3,573	1,630	737	462	293	6,695	983	475	442	336	287
	Meningitis F	8,636	2,660	1,416	686	415	313	5,490	845	466	320	260	221
20	Apoplexy M	14,312	163	32	17	11	12	235	38	29	67	125	185
	Apoplexy F	12,589	131	42	20	19	6	218	35	42	74	102	147
21	Paralysis M	11,800	133	54	36	32	19	274	95	61	80	74	110
	Paralysis F	10,762	97	53	37	25	19	231	77	48	87	112	115
22	Paralysis, general (of insane) M	947							1	2	1	4	22
	Paralysis, general (of insane) F	356							1	1		3	11
23	Tetanus and trismus nascentium M	1,516	685	18	8	15	12	738	116	195	92	62	59
	Tetanus and trismus nascentium F	743	477	12	3	5	6	503	33	27	25	22	20
24	Chorea M	63	3		3	3	1	10	9	3	7	3	3
	Chorea F	116	3	1	1	2	3	10	7	33	32	7	1
25	Epilepsy M	1,915	194	31	15	16	6	262	70	106	214	180	190
	Epilepsy F	1,411	169	26	22	14	10	241	52	78	137	131	120
26	Convulsions M	8,548	6,662	857	316	145	92	8,072	148	57	21	23	25
	Convulsions F	6,957	4,896	783	285	167	85	6,216	146	42	90	86	94
27	Mental diseases M	1,910							3	6	25	72	85
	Mental diseases F	1,707							2	6	25	64	89
28	Diseases of the brain M	6,479	1,181	438	182	129	129	2,059	282	166	190	198	182
	Diseases of the brain F	4,990	844	361	160	113	89	1,567	279	193	192	157	160
29	Diseases of the spinal chord M	870	97	39	20	13	12	181	36	26	28	28	26
	Diseases of the spinal chord F	707	74	44	16	11	10	155	33	24	24	15	16
30	Locomotor ataxia M	537	1		2			3		2	2	5	9
	Locomotor ataxia F	175		1	1			2	1			4	2
31	Others of this class M	1,012	48	13	4	8	1	74	16	5	23	23	35
	Others of this class F	1,493	40	11	2	2	5	60	19	18	49	65	81
32	3. Diseases of the circulatory system	75,791	4,172	306	194	170	219	5,061	1,184	1,378	1,535	2,009	2,151
33	Males	40,804	2,404	170	105	100	120	2,899	565	579	697	830	967
34	Females	34,987	1,768	136	89	70	99	2,162	619	799	838	1,179	1,184
35	Pericarditis M	457	12	5	1	4	3	25	20	31	31	27	24
	Pericarditis F	419	11	2	2	5	10	30	27	35	32	26	16
36	Diseases of the heart M	36,500	1,689	157	100	89	111	2,146	531	580	646	772	881
	Diseases of the heart F	31,939	1,302	129	85	63	84	1,663	581	747	780	1,064	1,074
37	Angina pectoris M	1,595							4	4	13	15	30
	Angina pectoris F	1,190							5	9	14	48	44
38	Diseases of the arteries M	817	2					2	1		1		5
	Diseases of the arteries F	451	1	1				2		1		1	2
39	Aneurism M	515							2	7	3	12	23
	Aneurism F	239							3	5	5	12	20
40	Embolism M	192	18		1	1	1	21	5	5	3	4	3
	Embolism F	253	2		1		1	4	1		6	26	24
41	Others of this class M	728	683	3	3	6	5	705	2	2			1
	Others of this class F	496	452	4	1	2	4	463	2	2	1	2	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15,053	13,706	12,209	11,216	10,911	10,263	9,955	9,515	7,965	5,445	2,960	1,143	291	131	1,259	1
7,139	6,682	5,921	5,487	5,389	5,025	4,889	4,819	4,105	2,763	1,536	574	129	61	637	2
7,914	7,024	6,288	5,729	5,522	5,238	5,066	4,696	3,860	2,682	1,424	569	162	70	622	3
31	32	52	56	78	75	82	82	47	49	27	6	----	1	5	4
72	82	88	76	94	83	79	74	61	39	15	6	2	1	7	
116	115	152	150	189	188	259	285	248	177	80	23	9	2	12	5
65	84	96	111	186	246	247	209	158	90	44	12	3	1	5	
100	114	114	150	152	201	199	234	255	189	126	46	8	9	20	6
90	112	104	121	156	154	197	229	219	176	100	49	13	7	13	
75	69	55	67	62	64	74	69	47	26	17	1	2	2	17	7
112	86	72	69	80	59	58	50	47	35	20	7	1	2	14	
51	31	27	22	11	6	5	5	4	4	1	----	----	----	7	8
25	17	17	11	6	6	4	3	4	2	----	----	----	----	2	
60	63	48	50	43	37	16	23	12	7	2	----	----	----	----	9
62	40	31	37	23	19	19	15	8	8	3	3	----	----	4	
6,285	5,686	4,547	3,736	3,216	2,608	2,066	1,753	1,291	755	308	99	25	11	419	10
6,520	5,147	3,829	2,720	2,249	1,816	1,586	1,440	1,105	704	307	115	24	12	374	
229	361	615	897	1,188	1,364	1,572	1,607	1,388	955	502	203	52	18	74	11
573	1,056	1,559	2,046	2,179	2,288	2,174	1,973	1,524	1,082	580	225	67	17	104	
62	63	96	95	104	106	111	115	90	58	30	6	1	1	6	12
123	149	211	198	181	193	205	170	145	89	32	14	1	1	16	
113	131	182	244	330	356	493	630	710	588	437	188	32	21	75	13
244	237	265	320	355	357	484	514	577	454	321	137	51	29	82	
17	17	33	20	16	17	12	16	13	10	6	2	----	1	2	14
28	14	16	20	13	17	13	19	12	3	2	1	----	----	1	
2,622	3,221	3,651	4,385	5,250	5,945	7,182	8,582	9,169	8,045	5,285	2,202	590	170	682	15
1,460	1,848	2,102	2,392	2,872	3,291	3,891	4,740	4,928	4,238	2,772	1,065	245	65	423	16
1,162	1,373	1,552	1,993	2,378	2,654	3,351	3,842	4,241	3,807	2,513	1,137	351	105	259	17
70	68	64	68	65	61	46	58	58	36	24	16	2	----	16	18
54	47	50	47	44	39	33	37	27	28	17	7	4	1	5	
250	260	188	191	169	118	80	96	79	60	24	9	4	----	47	19
167	136	136	135	87	79	84	62	53	40	26	8	3	3	15	
270	398	603	785	1,108	1,390	1,692	2,003	2,022	1,665	1,092	405	89	16	95	20
198	309	470	708	1,002	1,193	1,461	1,632	1,709	1,511	973	452	142	40	51	
189	321	461	494	665	844	1,118	1,588	1,879	1,723	1,177	471	103	37	96	21
143	199	306	414	591	757	1,082	1,378	1,673	1,649	1,111	519	153	47	70	
79	113	148	146	109	85	72	55	44	23	13	11	2	----	17	22
30	24	38	24	31	26	31	38	39	31	14	6	3	----	5	
54	27	29	30	27	26	21	14	11	8	----	1	----	----	6	23
23	20	20	6	8	15	10	3	4	2	1	----	----	1	----	
3	----	3	3	6	2	2	2	2	2	1	----	1	----	1	24
----	2	----	6	2	1	4	4	1	3	2	1	----	----	----	
133	130	109	91	64	69	72	58	57	49	26	10	2	1	22	25
89	113	68	70	61	47	54	36	45	27	16	5	4	3	19	
24	24	15	21	23	11	8	8	17	5	7	1	1	1	36	26
67	51	32	17	13	9	15	16	10	9	8	1	2	----	33	
96	147	140	122	143	156	164	211	179	169	104	40	12	----	36	27
111	139	149	134	132	111	148	144	142	135	96	40	17	2	21	
223	250	263	263	302	308	332	368	380	339	228	78	20	5	43	28
160	181	161	204	220	190	232	296	275	239	170	65	20	5	24	
21	42	52	52	73	63	66	77	40	37	17	2	----	1	2	29
26	41	30	42	44	56	50	48	44	31	17	3	3	----	5	
20	34	38	70	62	72	70	71	39	24	10	1	----	----	5	30
4	14	10	15	22	29	25	15	14	8	6	2	----	1	1	
28	34	49	56	56	86	88	131	121	98	49	20	9	4	7	31
90	97	87	111	121	102	122	133	145	94	56	28	3	2	10	
2,588	3,226	3,588	3,966	5,158	5,934	7,423	8,475	8,517	6,863	4,038	1,653	412	128	504	32
1,203	1,572	1,738	2,073	2,826	3,357	4,194	4,824	4,896	3,955	2,237	855	190	50	297	33
1,385	1,654	1,850	1,893	2,332	2,577	3,229	3,651	3,621	2,908	1,801	798	222	78	207	34
20	35	27	17	39	35	24	37	25	26	7	3	2	----	2	35
28	18	29	24	16	27	25	34	18	11	15	4	2	----	2	
1,099	1,396	1,549	1,880	2,532	3,020	3,779	4,353	4,490	3,600	2,024	779	173	45	275	36
1,255	1,546	1,711	1,734	2,183	2,371	3,006	3,364	3,343	2,684	1,632	739	197	70	195	
38	65	76	84	145	162	238	248	192	159	86	25	2	----	9	37
47	52	57	93	90	112	135	161	139	94	66	15	6	----	3	
3	6	14	18	36	66	87	126	140	136	105	47	13	5	6	38
2	4	6	6	13	27	35	55	89	80	70	32	16	7	3	
34	62	63	60	56	58	50	34	25	18	3	----	----	----	5	39
23	15	25	23	15	18	15	16	14	16	7	4	1	1	1	
8	8	8	12	15	16	12	24	24	14	9	1	----	----	----	40
27	17	21	12	13	22	12	18	17	20	7	4	----	----	2	
1	----	1	2	3	----	4	2	----	2	3	----	----	----	----	41
3	2	1	1	2	----	1	3	1	3	4	----	----	----	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	154,035	34,841	14,650	7,087	4,001	2,492	63,071	5,553	2,555	4,070	5,107	4,846
2	Males	83,672	19,673	7,884	3,741	2,061	1,249	34,608	2,816	1,253	2,271	2,972	2,755
3	Females	70,363	15,168	6,766	3,346	1,940	1,243	28,463	2,737	1,302	1,799	2,135	2,091
4	Croup M	6,808	2,960	1,092	880	651	412	5,995	714	54	9	7	6
	Croup F	5,676	2,454	845	689	556	358	4,902	643	56	11	10	3
5	Pneumonia M	58,340	11,143	5,249	2,270	1,120	650	20,432	1,671	998	1,985	2,625	2,368
	Pneumonia F	47,631	8,419	4,547	2,079	1,069	660	16,774	1,651	1,044	1,489	1,701	1,709
6	Laryngitis M	467	76	58	34	44	30	242	71	16	5	6	8
	Laryngitis F	393	52	61	36	49	24	222	63	13	11	8	11
7	Bronchitis M	10,031	4,043	1,214	419	169	110	5,955	192	65	74	105	114
	Bronchitis F	10,192	3,212	1,087	430	182	134	5,045	224	81	113	140	123
8	Pleurisy M	1,579	50	50	36	26	11	173	47	41	65	76	87
	Pleurisy F	1,227	38	37	26	13	10	124	47	26	41	80	77
9	Asthma M	1,679	56	15	9	3	3	86	15	7	16	12	21
	Asthma F	1,327	38	14	6	7	3	68	13	7	9	24	30
10	Others of this class M	4,768	1,345	206	93	48	33	1,725	106	72	117	141	151
	Others of this class F	3,917	955	175	80	64	54	1,328	96	75	125	172	138
11	5. Diseases of the digestive system	60,229	10,455	3,534	1,245	733	570	16,537	2,194	1,068	2,301	2,792	2,837
12	Males	31,457	5,849	1,855	632	366	287	8,989	1,148	1,083	1,172	1,306	1,257
13	Females	28,772	4,606	1,679	613	367	283	7,548	1,046	885	1,129	1,486	1,580
14	Dentition M	1,369	615	665	68	10	3	1,367					
	Dentition F	1,274	576	599	87	9	3	1,274					
15	Angina M	703	138	78	67	55	43	381	98	33	16	26	17
	Angina F	709	102	72	60	46	51	331	143	56	28	13	20
16	Gastritis M	4,052	692	222	80	52	33	1,079	115	40	48	87	95
	Gastritis F	4,200	556	238	94	61	38	987	116	54	89	146	207
17	Diseases of the stomach M	2,699	407	149	64	40	39	699	107	65	55	66	86
	Diseases of the stomach F	2,443	343	133	66	36	37	615	107	63	80	116	121
18	Obstruction of the bowels M	1,894	340	41	40	22	17	460	90	68	94	84	96
	Obstruction of the bowels F	1,851	201	34	23	40	15	313	61	40	55	77	104
19	Appendicitis M	3,282	22	10	13	23	26	94	215	439	466	468	365
	Appendicitis F	1,829	14	13	11	10	16	64	190	280	282	204	185
20	Hernia M	1,157	132	17	4	5	2	160	11	11	30	32	30
	Hernia F	822	47	6	2	1	3	59	4	2	6	2	5
21	Other diseases of the bowels M	1,810	513	202	67	31	15	828	61	40	55	65	46
	Other diseases of the bowels F	1,402	395	158	54	33	12	652	49	42	46	42	64
22	Jaundice M	1,358	676	28	14	6	4	728	37	16	36	32	40
	Jaundice F	1,127	443	14	19	6	10	492	27	18	27	42	35
23	Inflammation and abscess of the liver. M	1,550	91	20	18	7	14	150	37	31	29	74	85
	Inflammation and abscess of the liver. F	1,363	71	27	18	14	13	143	20	25	35	66	60
24	Other diseases of the liver M	4,226	156	35	27	15	12	245	39	33	34	61	105
	Other diseases of the liver F	2,625	125	27	19	8	7	186	33	23	21	52	70
25	Peritonitis M	2,815	203	70	59	34	30	396	225	228	259	240	209
	Peritonitis F	4,656	162	63	49	39	32	345	188	222	401	537	618
26	Ascites M	628	16	15	10	6	11	58	17	27	8	21	16
	Ascites F	677	16	10	7	7	4	44	20	18	23	30	25
27	Others of this class M	3,884	1,848	303	101	54	38	2,344	96	52	42	50	67
	Others of this class F	3,614	1,555	285	104	57	42	2,043	88	42	36	59	66
28	6. Diseases of the urinary system and male organs of generation.	44,941	868	293	236	207	170	1,783	677	583	805	1,439	1,754
29	Males	27,869	518	159	117	119	95	1,008	368	273	367	645	822
30	Females	17,072	350	134	119	88	84	775	309	310	438	794	932
31	Bright's disease M	18,997							275	197	281	486	639
	Bright's disease F	13,173							244	254	327	602	678
32	Calculus, urinary M	342	12	2	2	1	1	18	9	5	4	8	8
	Calculus, urinary F	89	12		2	3		17				5	3
33	Diseases of the kidney M	2,947	345	140	109	104	83	781	42	28	39	55	56
	Diseases of the kidney F	1,607	255	117	102	78	78	630	31	23	37	57	53
34	Diseases of the bladder M	2,172	18	7		1	3	29	4	6	6	24	22
	Diseases of the bladder F	291	18		2		1	21	2		5	6	11
35	Others of this class M	3,411	143	10	6	13	8	180	38	37	37	72	97
	Others of this class F	1,912	65	17	13	7	5	107	32	33	69	124	182
36	7. Diseases of the female organs of generation.	3,253	14	2		1	2	19	2	35	174	328	410
37	Ovarian tumors	478		1				1	2	1	13	29	37
38	Ovarian diseases	145	1					1		1	5	17	24
39	Diseases of the tubes	352	1					1			21	58	84
40	Uterine tumors	657					1	1		1	4	17	33
41	Uterine diseases	406								3	30	56	66
42	Others of this class	1,215	12	1		1	1	15		29	101	151	166

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,804	5,360	5,280	5,375	5,889	6,033	6,976	7,508	7,586	6,301	4,227	1,967	566	203	758	1
2,704	3,139	3,203	3,293	3,480	3,372	3,627	3,794	3,731	3,053	1,955	896	203	80	467	2
2,100	2,221	2,077	2,082	2,409	2,661	3,349	3,714	3,855	3,248	2,272	1,071	363	123	291	3
1	3	1	----	1	----	2	1	2	----	2	1	----	1	8	4
7	5	5	4	5	4	4	4	1	1	3	----	----	----	8	
2,333	2,710	2,738	2,745	2,823	2,531	2,720	2,700	2,567	2,029	1,252	567	124	52	370	5
1,752	1,822	1,693	1,655	1,877	2,035	2,478	2,625	2,589	2,141	1,478	662	212	63	206	
15	7	17	15	13	11	12	9	4	6	6	2	----	----	2	6
14	5	5	1	3	8	5	2	8	7	3	2	----	----	2	
84	108	121	156	211	313	311	444	544	537	403	198	54	16	26	7
119	102	117	172	214	302	428	607	728	691	510	299	108	42	27	
88	93	88	86	90	96	113	116	122	103	53	25	4	2	11	8
61	70	63	67	66	57	87	85	109	77	50	20	12	2	6	
28	28	53	82	126	168	207	232	245	166	111	42	8	6	20	9
26	47	50	57	88	90	162	176	177	141	92	34	13	10	13	
155	190	185	209	216	253	262	292	247	212	128	61	18	3	30	10
141	170	144	126	156	165	185	215	243	190	141	54	18	6	29	
2,549	2,771	2,890	2,827	3,007	3,202	3,308	3,427	3,041	2,317	1,276	536	186	38	275	11
1,153	1,266	1,515	1,558	1,633	1,776	1,819	1,798	1,597	1,232	665	259	63	23	145	12
1,396	1,505	1,375	1,269	1,374	1,426	1,489	1,629	1,444	1,085	611	277	73	15	130	13
----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	14
24	10	14	11	12	6	10	13	14	8	7	----	1	1	1	15
17	8	9	15	13	16	3	11	7	6	8	3	----	----	2	
120	129	170	206	248	282	304	320	322	258	144	49	15	7	14	16
159	200	181	173	232	249	296	327	324	256	179	75	23	3	14	
71	103	134	152	159	182	185	203	170	146	70	29	2	3	12	17
93	128	91	107	121	126	147	159	163	106	54	27	9	----	10	
72	72	68	94	100	102	97	107	123	99	33	19	6	----	10	18
80	93	129	107	100	126	118	141	120	91	49	27	4	2	14	
245	217	197	151	106	86	76	56	47	30	14	2	----	----	8	19
127	112	85	76	53	48	36	35	19	17	9	----	----	1	6	
36	47	52	61	53	91	95	100	110	113	70	31	7	4	13	20
25	41	58	69	90	87	89	98	84	56	21	20	2	----	4	
49	50	48	40	61	80	64	74	87	72	51	23	8	----	8	21
58	57	41	41	38	49	48	65	65	56	33	21	6	6	13	
34	27	29	32	45	67	43	50	55	43	27	12	2	----	3	22
32	34	28	29	46	51	50	70	61	35	26	11	5	----	8	
99	96	113	122	140	113	138	104	92	66	38	8	2	2	11	23
63	82	93	103	87	102	121	127	101	74	40	15	2	----	4	
178	280	378	398	427	479	475	467	309	207	69	21	7	1	18	24
112	163	196	209	256	259	270	262	239	162	73	28	1	----	10	
164	152	173	162	105	124	113	93	84	53	30	12	3	----	20	25
535	478	327	186	147	135	117	118	87	54	17	14	5	----	25	
11	13	38	28	40	47	56	68	59	53	36	20	3	3	6	26
25	30	32	36	41	48	52	61	70	60	36	14	2	1	9	
55	70	101	101	137	117	163	143	125	84	76	33	7	2	19	27
70	79	105	118	150	130	142	155	104	112	66	22	14	2	11	
1,931	2,388	2,604	2,846	3,427	3,748	4,365	4,683	4,690	3,729	2,084	920	180	61	249	28
953	1,189	1,445	1,613	2,097	2,357	2,830	3,196	3,332	2,760	1,592	690	128	39	165	29
978	1,194	1,159	1,233	1,330	1,391	1,535	1,487	1,358	969	492	230	52	22	84	30
747	965	1,165	1,299	1,684	1,854	2,135	2,225	2,137	1,635	803	301	50	13	106	31
751	923	952	1,035	1,130	1,179	1,309	1,217	1,130	769	383	188	36	17	54	
5	8	9	11	14	23	34	58	50	34	26	11	7	2	3	32
4	3	7	6	5	3	5	8	8	7	6	1	----	1	----	
72	65	89	92	121	139	193	263	286	309	190	84	20	4	19	33
70	72	65	65	72	62	63	95	72	63	40	13	5	2	7	
18	26	34	46	75	99	188	292	436	378	281	167	22	11	13	34
6	19	7	10	8	26	31	24	37	39	18	13	7	1	----	
111	125	148	165	203	242	280	363	423	409	292	127	29	9	24	35
147	177	128	117	116	121	127	143	111	86	45	20	4	1	23	
393	406	411	355	215	132	121	99	61	45	16	6	3	2	20	36
45	47	51	61	48	33	30	34	20	14	6	1	1	1	3	37
31	23	14	10	4	7	2	4	2	----	----	----	----	----	----	38
72	61	33	14	4	1	----	1	2	----	----	----	----	----	----	39
50	85	131	101	76	46	45	29	18	12	4	1	----	----	3	40
51	59	29	22	16	10	20	11	10	9	4	----	1	----	9	41
144	131	158	147	67	35	24	20	9	10	2	4	1	1	5	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

UNITED STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	9,699								32	1,041	2,185	2,147
2	Abortion	578								1	51	113	150
3	Childbirth	4,527								22	515	924	872
4	Puerperal septicæmia	3,207								7	299	810	808
5	Extra-uterine pregnancy	188									2	27	53
6	Others of this class	1,199								2	174	311	264
7	9. Diseases of the bones and joints	3,021	623	204	121	71	75	1,094	238	201	191	155	114
8	Males	1,717	333	113	67	41	47	601	132	126	116	93	73
9	Females	1,304	290	91	54	30	28	493	106	75	75	62	41
10	Diseases of the spine M	958	282	88	61	28	29	488	80	59	51	36	29
	Diseases of the spine F	818	251	80	43	26	19	419	59	35	39	35	17
11	Abscess, lumbar and psoas M	63	2	1				3	1	3	1	12	8
	Abscess, lumbar and psoas F	35	2		1			3	4	1	1	3	2
12	Diseases of the bones M	395	36	16	4	7	13	76	22	34	35	25	22
	Diseases of the bones F	230	19	10	4	3	7	43	21	23	16	15	9
13	Diseases of the hip-joint M	149	4	1		4	3	12	21	24	20	12	12
	Diseases of the hip-joint F	82	8	1	3		1	13	15	10	13	4	7
14	Others of this class M	152	9	7	2	2	2	22	8	6	9	8	2
	Others of this class F	144	10		3	1	1	15	7	6	6	5	6
15	10. Diseases of the skin	2,158	581	118	42	26	15	782	52	45	47	64	73
16	Males	1,204	318	63	26	12	9	428	30	24	21	32	36
17	Females	954	263	55	16	14	6	354	22	21	26	32	37
18	Abscess M	582	111	28	10	6	7	162	25	19	16	23	25
	Abscess F	471	104	15	6	6	3	134	19	13	15	24	27
19	Carbuncle M	180	8	1	1			10	1	4	2	4	6
	Carbuncle F	88	4		3			7		1	1	3	5
20	Others of this class M	442	199	34	15	6	2	256	4	1	3	5	5
	Others of this class F	395	155	40	7	8	3	213	3	7	10	5	5
21	11. Diseases of the absorbent system	714	56	26	9	9	7	107	28	22	25	38	43
22	Males	385	38	15	5	9	4	71	19	14	15	16	22
23	Females	329	18	11	4		3	36	9	8	10	22	21
24	Addison's disease M	94							2	2	4	4	7
	Addison's disease F	79								1	3	6	5
25	Diseases of the spleen M	98	8	3		5	1	17	3	3	4	5	7
	Diseases of the spleen F	76	4	2	1		2	9	2	2	1	7	6
26	Others of this class M	198	30	12	5	4	3	54	14	9	7	7	8
	Others of this class F	174	14	9	3		1	27	7	5	6	9	10
27	12. Accidents and injuries	57,513	3,870	1,368	1,361	1,314	941	8,854	3,090	2,726	4,068	5,302	5,014
28	Males	43,414	2,142	755	794	693	469	4,853	1,858	2,131	3,270	4,401	4,258
29	Females	14,099	1,728	613	567	621	472	4,001	1,232	595	798	901	756
30	Burns and scalds M	2,750	186	377	481	414	191	1,649	239	74	53	87	79
	Burns and scalds F	4,022	141	312	364	435	341	1,593	729	229	197	176	147
31	Drowning M	4,723	29	111	89	60	64	353	501	620	568	518	401
	Drowning F	664	14	73	41	28	14	170	71	57	88	42	31
32	Exposure and neglect M	500	224	25	9	2	7	267	6	9	8	9	9
	Exposure and neglect F	422	239	23	13	8	7	290	8	3	15	17	9
33	Gunshot wounds M	3,571	8	10	14	15	18	65	114	301	553	596	490
	Gunshot wounds F	489	9	7	10	11	8	45	50	58	80	86	45
34	Homicide M	1,533			4	1	6	11	22	35	110	248	256
	Homicide F	296		1	7	8	3	14	15	9	32	51	43
35	Infanticide M	23	23					23					
	Infanticide F	24	24					24					
36	Injuries by machinery M	320		1		1		2	7	10	46	51	38
	Injuries by machinery F	13	1		1			2	3	1	2	1	1
37	Railroad accidents M	6,376	13	11	21	15	25	85	211	263	519	899	830
	Railroad accidents F	554	5	9	10	13	13	50	64	36	45	47	29
38	Suffocation M	1,454	847	39	22	9	10	927	19	25	34	51	41
	Suffocation F	994	690	47	18	12	13	780	26	11	16	13	18
39	Suicide by shooting M	1,190								3	23	127	124
	Suicide by shooting F	103								1	12	23	11
40	Suicide by drowning M	157									4	9	9
	Suicide by drowning F	84									6	12	11
41	Suicide by poison M	761								3	22	73	83
	Suicide by poison F	464								6	77	91	67
42	Other suicides M	2,205							1	10	58	129	165
	Other suicides F	534								5	44	67	64
43	Sunstroke M	535	48	11	4	2	4	69	14	8	15	33	33
	Sunstroke F	196	41	10	5	4	2	62	6	7	4	7	5
44	Surgical operations M	241	16	4	3		3	26	10	2	12	16	24
	Surgical operations F	463	7		2	1	1	11	5	5	13	63	63
45	Wounds M	690	5	4	4	12	4	29	25	18	65	85	83
	Wounds F	62	10	2	1	1		14	9	3	3	4	4
46	Others of this class M	16,885	743	162	143	162	137	1,347	689	745	1,180	1,470	1,593
	Others of this class F	4,715	547	129	95	105	70	946	246	164	164	201	208

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

UNITED STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,745	1,523	783	121	17	9	4	3	1	5					83	1
112	100	39	2	1	1				1					7	2
807	791	448	74	11	7	3	1	1	1					50	3
597	436	197	30	5		1	1		3					13	4
50	41	11	1		1									2	5
179	155	88	14				1							11	6
108	121	105	112	103	92	98	92	93	55	26	15	4	1	8	7
52	75	68	62	57	44	59	55	44	36	10	9	2	1	2	8
56	46	37	50	46	48	39	37	49	19	16	6	2		1	9
13	32	27	22	20	18	21	19	15	17	6	4			1	10
25	31	14	27	22	24	21	15	12	10	3	3	1		1	
8	7		3	3	2	4	2	3	2					1	11
2	1	3	3	6	3			3							
20	20	18	18	20	18	20	21	12	12	4	3				12
16	6	10	10	11	7	9	7	14	3	8	2				
8	9	11	5	5	4	2	2	1	1						13
6	5	1	2	1			1	2		2					
3	7	12	14	9	7	12	11	13	4		2	2	1		14
7	3	9	8	6	14	9	14	18	6	3	1	1			
71	94	91	39	106	108	113	121	100	83	66	27	7	4	15	15
30	51	48	53	67	68	58	76	61	52	41	15	3		10	16
41	43	43	36	39	40	55	45	39	31	25	12	4	4	5	17
22	35	32	27	42	34	24	30	25	16	16	3	2		4	18
25	30	25	20	16	22	26	28	14	13	11	4	2		3	
5	7	8	15	13	21	20	21	18	12	9	2			2	19
1	4	9	6	11	5	11	3	10	3	6			1	1	
3	9	8	11	12	13	14	25	18	24	16	10	1		4	20
15	9	9	10	12	13	18	14	15	15	8	8	2	3	1	
52	47	54	55	49	50	48	38	30	17	7				4	21
29	22	27	32	22	23	28	20	13	7	3				2	22
23	25	27	23	27	27	20	18	17	10	4				2	23
6	9	10	13	10	10	9	3	2	2					1	24
6	10	8	4	9	9	6	5	2	3	1				1	
8	7	7	8	4	3	10	6	3	2	1					25
8	8	7	2	6	6	2	4	3	2	1					
15	6	10	11	8	10	9	11	8	3	2				1	26
9	7	12	17	12	12	12	9	12	5	2				1	
4,385	4,350	3,478	3,024	2,631	2,068	1,957	1,620	1,317	1,139	838	432	168	62	990	27
3,706	3,656	2,938	2,580	2,213	1,688	1,561	1,192	878	690	428	179	68	19	847	28
679	694	540	444	418	380	396	428	439	449	410	253	100	43	143	29
85	77	71	52	47	34	39	30	28	25	31	11	3	5	31	30
142	120	81	75	65	63	80	64	72	70	55	21	12	9	22	
302	319	272	187	156	131	100	74	48	32	10	4	2	1	124	31
41	31	21	19	18	14	14	15	8	10	1				13	
16	14	13	22	15	13	22	19	10	18	10	7	3	1	9	32
6	11	5	2	3	10	3	6	5	10	7	4	3		5	
349	307	200	175	110	80	74	27	18	12	6	3	3		88	33
31	34	15	11	10	8	3	2		2	1	1			7	
201	191	119	90	81	45	42	15	18	5	4	1			39	34
29	29	21	14	8	5	1	4	2	3	3				13	
															35
40	37	26	18	20	6	6	9	1	2					1	36
1	1	1													
721	629	454	379	353	238	233	126	100	74	47	14		3	193	37
28	27	33	29	31	24	21	25	24	21	8	1	1	1	9	
45	57	46	34	21	28	30	26	12	17	4	3	1		33	38
11	12	7	8	8	10	11	8	9	9	6	1			30	
123	152	148	126	109	75	53	45	32	19	7	3			21	39
15	12	7	11	3	4		1	1	1		1				
12	13	13	11	21	14	14	11	6	14	4				2	40
8	7	5	5	9	7	6	2	4	2						
91	79	94	77	81	39	46	31	21	8	2	1			10	41
49	51	35	24	15	14	10	7	8	3	1		1		5	
203	221	242	248	217	188	164	130	92	64	28	5	3		37	42
54	59	56	40	35	30	21	26	11	6	7	4	1		4	
42	55	36	38	46	32	24	25	29	17	5	3	3	1	7	43
4	9	10	9	14	7	15	10	14	9	3				1	
12	22	17	12	12	21	16	18	8	2	5				6	44
62	68	54	34	30	21	13	9	3	3	2	1			3	
69	59	42	47	38	30	33	19	11	8	5	3	1		20	45
3	2	1	2		2	4	3	3	1	1	1	1		1	
1,395	1,424	1,145	1,064	886	714	665	587	444	373	260	121	49	8	226	46
195	221	188	161	169	161	194	246	275	299	315	218	81	33	30	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD.

CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
All causes	512,669	102,220	25,986	12,020	7,825	5,520	153,571	15,045	8,585	13,420	21,360	23,936
Males	272,819	57,251	13,768	6,275	3,972	2,762	84,028	7,707	4,339	6,658	10,831	12,418
Females	239,850	44,969	12,218	5,745	3,853	2,758	69,543	7,338	4,246	6,762	10,529	11,518
Unknown cause	4,849	1,678	166	72	56	31	2,003	103	65	96	120	161
Males	2,677	940	87	37	30	16	1,110	55	30	47	55	79
Females	2,172	738	79	35	26	15	893	48	35	49	65	82
General diseases.												
General diseases—A	88,227	29,298	9,888	4,667	3,273	2,421	49,547	6,041	2,167	2,308	3,043	2,704
Males	45,525	15,913	5,117	2,343	1,642	1,195	26,210	2,915	994	1,124	1,661	1,470
Females	42,702	13,385	4,771	2,324	1,631	1,226	23,337	3,126	1,173	1,184	1,382	1,234
Measles M	1,872	498	620	272	124	79	1,593	143	36	16	30	14
Measles F	1,929	446	612	280	130	77	1,545	177	49	35	23	25
Scarlet fever M	1,688	111	216	268	288	179	1,062	457	79	29	20	14
Scarlet fever F	1,639	73	191	258	260	219	1,001	464	79	35	20	13
Diphtheria M	5,022	344	749	796	707	594	3,190	1,357	270	71	40	23
Diphtheria F	5,179	252	703	752	705	602	3,014	1,559	334	99	54	33
Whooping cough M	1,718	1,005	400	149	72	30	1,656	36	2	3	2	----
Whooping cough F	1,951	985	470	211	112	58	1,836	77	9	4	1	2
Malarial fever M	1,303	117	58	30	36	30	271	77	40	72	117	93
Malarial fever F	1,223	99	62	57	36	24	278	93	52	79	105	72
Influenza M	2,950	256	60	22	23	13	374	43	23	39	64	67
Influenza F	3,932	218	54	38	19	21	350	41	36	51	66	93
Typhoid fever M	5,620	45	36	41	48	59	229	283	291	629	996	845
Typhoid fever F	4,129	42	47	45	62	45	241	277	378	620	643	468
Cholera morbus M	914	197	65	72	30	12	376	46	29	17	24	20
Cholera morbus F	879	166	66	64	18	9	323	30	24	28	24	23
Colitis M	483	243	56	18	16	4	337	10	2	2	4	10
Colitis F	433	189	66	17	6	2	280	7	4	3	6	7
Diarrhea M	1,965	822	170	57	12	13	1,074	61	13	15	22	17
Diarrhea F	1,712	697	142	40	12	7	898	59	23	8	14	25
Dysentery M	1,497	247	153	64	41	28	533	50	21	21	50	44
Dysentery F	1,509	213	112	47	31	13	416	23	10	10	27	27
Enteritis M	7,887	5,050	1,112	253	92	65	6,572	113	45	39	50	66
Enteritis F	7,230	4,021	1,031	236	95	64	5,447	123	44	43	72	103
Cholera infantum M	7,381	5,956	1,166	168	58	27	7,375	----	----	----	----	----
Cholera infantum F	6,377	5,102	1,033	159	50	28	6,372	----	----	----	----	----
Fever M	61	15	5	1	----	1	22	2	1	4	4	1
Fever F	52	18	3	3	2	1	27	5	2	3	3	3
Cerebro-spinal fever M	1,127	207	175	82	65	38	657	135	75	62	45	36
Cerebro-spinal fever F	912	227	112	72	58	33	502	114	81	55	27	28
Smallpox M	363	14	7	7	3	1	32	8	11	26	66	58
Smallpox F	230	14	11	6	4	2	37	12	12	19	49	32
Erysipelas M	847	217	17	3	4	3	244	5	7	17	17	35
Erysipelas F	629	206	17	6	4	2	235	3	4	10	18	24
Septicemia M	1,316	140	22	17	12	13	204	61	35	41	78	72
Septicemia F	1,551	122	19	15	17	12	185	45	22	66	200	219
Venereal diseases M	529	300	19	6	5	1	331	2	2	5	8	24
Venereal diseases F	418	264	11	8	5	2	290	1	2	9	17	16
Others of this group M	982	39	11	17	6	5	78	26	12	16	24	31
Others of this group F	788	31	9	10	5	5	60	16	8	7	13	21
General diseases—B	11,823	7,108	864	115	81	31	7,699	76	25	94	225	368
Males	7,158	3,911	204	62	38	22	4,237	38	14	33	115	229
Females	4,665	3,197	160	53	43	9	3,462	38	11	61	110	139
Alcoholism M	1,693	----	----	----	----	----	----	1	1	1	32	130
Alcoholism F	308	----	----	1	----	----	1	----	----	1	14	49
Parasitic diseases M	21	3	6	3	----	2	14	2	----	----	----	----
Parasitic diseases F	21	2	3	3	9	1	18	3	----	----	----	----
Lead poison M	46	1	----	1	----	----	2	----	----	----	2	2
Lead poison F	23	5	1	1	----	----	7	1	----	----	----	1
Other poisons M	1,138	45	57	35	20	10	167	21	8	29	78	92
Other poisons F	654	24	27	21	14	6	92	15	5	53	87	79
Inanition M	4,260	3,862	141	23	18	10	4,054	14	5	3	3	5
Inanition F	3,599	3,166	129	27	20	2	3,344	19	6	7	9	10
General diseases—C	41,145	21,441	903	205	76	47	22,672	78	38	41	68	78
Males	20,691	12,096	443	110	48	20	12,717	36	19	22	29	27
Females	20,454	9,345	460	95	28	27	9,955	42	19	19	39	51
Old age M	6,673	----	----	----	----	----	----	----	----	----	----	----
Old age F	8,885	----	----	----	----	----	----	----	----	----	----	----
Premature birth M	5,556	5,556	----	----	----	----	5,556	----	----	----	----	----
Premature birth F	4,134	4,134	----	----	----	----	4,134	----	----	----	----	----
Malformation M	946	919	7	5	1	----	932	4	2	1	----	----
Malformation F	764	742	11	2	1	1	757	2	2	----	1	----
Debility and atrophy M	6,885	4,992	436	105	46	20	5,599	32	17	21	29	27
Debility and atrophy F	6,223	4,028	449	93	27	26	4,618	40	17	19	38	51
Others of this group M	631	629	----	----	1	----	630	----	----	----	----	----
Others of this group F	448	446	----	----	----	----	446	----	----	----	----	----

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23,183	24,333	22,286	21,919	23,122	24,107	26,155	27,769	27,392	23,917	17,391	9,000	3,212	1,100	1,864	1
13,559 10,626	13,540 10,793	12,650 9,636	12,495 9,424	13,004 10,118	13,197 10,910	13,787 12,368	14,414 13,355	14,032 13,360	12,055 11,862	8,350 9,041	4,041 4,959	1,216 1,996	371 729	1,127 737	2 3
199	202	192	196	199	212	221	220	206	166	118	54	19	2	155	4
79 60	110 92	115 77	125 71	109 90	128 84	133 88	128 92	111 95	83 83	58 60	24 30	9 10	1 1	88 67	5 6
2,257	2,056	1,727	1,597	1,605	1,666	1,931	2,201	2,279	2,078	1,654	847	270	78	191	7
1,311 1,026	1,111 945	917 780	905 692	871 731	846 820	922 1,009	1,016 1,185	1,059 1,220	918 1,160	732 922	378 469	94 176	32 46	109 82	8 9
11 18	7 19	3 9	2 10	8 2	1 7	2 —	2 2	1 1	3 1	— 2	— 1	— —	— —	— 3	10
11 8	6 8	5 5	1 1	— 1	— —	1 —	— 1	1 1	— —	— 1	1 —	— —	— —	1 1	11
25 24	11 15	1 7	11 9	7 10	5 5	3 5	2 2	1 2	— 3	1 2	— —	1 —	— —	3 2	12
2 6	2 2	3 3	1 —	— 1	1 —	2 —	— 1	1 —	— —	1 1	— —	1 1	— —	5 7	13
67 72	70 50	61 42	76 48	57 39	55 49	51 54	54 57	49 53	44 30	22 29	12 13	3 1	— 2	9 5	14
90 98	89 101	127 117	118 122	119 178	145 221	226 336	264 400	334 452	315 498	300 423	152 219	42 98	11 21	8 11	15
612 345	511 281	323 223	259 142	197 127	143 108	109 92	63 74	51 61	19 21	6 12	5 4	— —	— —	19 12	16
22 31	19 40	31 26	38 19	40 35	40 32	36 43	51 44	50 51	35 41	18 36	12 17	3 8	3 2	4 2	17
6 8	6 9	15 8	10 10	10 11	8 8	8 15	12 20	14 12	15 11	7 6	4 4	2 3	— —	1 1	18
20 27	26 22	26 24	24 27	49 29	78 52	81 65	105 79	112 95	102 102	75 87	36 47	10 15	6 6	13 8	19
45 35	48 33	42 42	51 63	61 59	44 76	89 91	92 141	94 139	77 141	76 95	38 58	7 17	4 3	10 3	20
53 87	71 89	65 89	88 93	79 98	92 99	109 135	116 202	110 181	101 155	66 101	35 49	5 9	4 5	8 6	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	6 5	22
—	2	6	5	5	1	1	4	—	1	1	1	—	—	—	23
3	—	—	1	—	—	—	—	1	1	—	2	1	—	—	
18 20	24 18	18 20	19 19	10 5	9 7	6 4	5 2	4 4	2 3	1 1	—	— 1	—	1 1	24
38 18	38 13	22 13	21 6	15 7	12 7	5 2	4 3	3	3	—	—	—	—	1	25
41 12	40 41	55 22	41 19	54 30	64 35	48 44	54 32	46 35	40 31	24 21	8 8	4 3	1 1	2 1	26
80 177	92 167	89 100	80 69	93 54	88 67	72 48	93 32	49 37	45 27	31 13	9 10	— 4	—	4 9	27
20 19	24 16	23 15	19 10	21 9	17 3	13 1	4 2	3 3	4 1	1 1	—	—	—	8 3	28
20 18	25 21	29 15	41 24	46 39	43 44	60 74	91 91	136 92	112 94	102 91	65 37	16 15	3 6	6 2	29
470	576	452	409	351	285	196	188	114	111	45	27	7	6	99	30
351 119	450 126	353 99	323 86	272 79	213 72	147 49	135 53	71 43	66 45	23 22	17 10	4 3	1 5	66 33	31 32
223 44	319 66	233 60	217 43	189 32	130 21	69 15	77 8	23 5	19 4	4 1	4	—	—	21 4	33
—	—	1	1	1	1	—	1	—	—	—	—	—	—	—	34
5 4	11 2	5 —	6 —	5 1	1 3	3 1	3 —	— 2	1 —	—	—	—	1	—	35
119 64	115 53	107 33	93 31	64 36	69 31	61 17	39 26	29 11	25 10	7 9	4	—	—	11 2	36
4 7	5 5	7 6	6 12	13 10	12 17	14 16	15 19	19 25	21 31	12 12	9 10	4 3	1 4	34 27	37
84	103	94	92	150	253	534	1,061	2,288	3,372	4,507	3,256	1,604	662	110	38
38 46	48 55	40 54	46 46	65 85	107 146	224 310	478 583	1,019 1,269	1,528 1,844	2,013 2,494	1,375 1,881	596 1,008	212 450	52 58	39 40
—	—	—	—	—	—	101 190	329 417	872 1,074	1,362 1,667	1,896 2,318	1,316 1,785	573 970	207 433	17 31	41
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1	—	—	—	—	—	—	1	—	—	—	—	—	—	6 1	43
37 46	48 55	40 54	46 46	65 85	107 145	123 120	149 165	147 194	165 177	117 176	59 96	23 38	5 17	29 26	44
—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—continued.													
1	General diseases—D		86,919	2,839	1,386	712	497	324	5,758	1,237	1,345	4,315	8,035	9,087
2	Males		43,342	1,586	734	399	236	166	3,121	601	499	1,776	3,843	4,520
3	Females		43,577	1,253	652	313	261	158	2,637	636	846	2,539	4,192	4,567
4	Anemia	M	618	78	16	4	6	2	106	17	9	13	22	21
		F	890	75	23	11	11	6	126	13	16	52	63	54
5	Diabetes	M	1,404	7	5	5	2	5	24	33	57	56	50	67
		F	1,289	4	4	2	10	3	23	33	41	32	47	44
6	Rheumatism	M	966	11	6	7	6	6	36	53	42	37	35	47
		F	985	19	7	4	6	4	40	48	53	54	36	34
7	Scrofula and tabes	M	491	127	35	15	4	4	185	23	7	21	38	30
		F	549	88	31	16	7	10	152	18	20	43	40	42
8	Hydrocephalus	M	1,747	624	349	174	94	65	1,306	164	51	38	37	25
		F	1,426	505	297	128	104	61	1,095	137	39	47	22	23
9	Tuberculosis, general	M	513	40	20	15	8	9	92	25	17	24	50	66
		F	423	46	20	7	6	4	83	19	25	32	44	38
10	Consumption	M	29,192	518	256	140	89	58	1,061	216	265	1,520	3,498	4,147
		F	24,770	402	221	113	94	52	882	313	596	2,208	3,818	4,116
11	Cancer	M	6,388	8	4	3	3	4	22	10	9	16	48	67
		F	10,908	10	1	1	3	1	16	12	12	18	47	145
12	Tumor	M	694	19	5	10	10	4	48	19	11	24	29	30
		F	973	14	6	9	9	5	43	12	14	22	37	36
13	Dropsy	M	948	22	8	7	5	2	44	21	18	13	25	12
		F	1,031	11	7	4	3	3	28	17	18	20	24	19
14	Others of this group	M	381	132	30	19	9	7	197	20	13	14	11	8
		F	333	70	35	18	8	9	149	14	12	11	14	16
15	2. Diseases of the nervous system		62,563	13,112	3,341	1,452	857	590	19,352	1,514	905	891	971	1,231
16	Males		33,680	7,557	1,827	782	444	296	10,906	824	501	482	509	662
17	Females		28,883	5,555	1,514	670	413	294	8,446	690	404	409	462	572
18	Inflammation of the brain	M	617	162	74	51	15	13	315	45	15	16	20	15
		F	464	110	46	29	16	13	214	26	23	18	20	22
19	Meningitis	M	6,113	2,125	974	448	263	159	3,964	481	202	172	164	178
		F	4,832	1,604	796	384	241	176	3,201	431	209	129	128	120
20	Apoplexy	M	9,809	125	26	7	8	8	174	19	15	38	65	124
		F	9,364	95	21	11	9	4	140	17	17	33	53	98
21	Paralysis	M	4,566	53	10	11	12	5	91	28	20	24	23	48
		F	4,295	33	21	12	7	8	81	17	8	27	40	50
22	Paralysis, general (of insane)	M	413							1	2	1	1	15
		F	176										1	5
23	Tetanus and trismus nascentium	M	907	435	9	5	7	6	462	60	125	52	31	34
		F	411	292	5		2	2	301	7	12	8	9	9
24	Chorea	M	32			1	2	1	4	3	1	6	2	1
		F	54	2	1	1		2	6	3	13	15	4	
25	Epilepsy	M	680	44	10	4	3	2	63	19	30	68	45	65
		F	542	32	6	8	5	1	52	20	32	40	38	54
26	Convulsions	M	5,275	4,108	559	208	89	55	5,019	81	26	7	13	15
		F	4,247	3,030	500	175	105	58	3,868	87	16	27	38	53
27	Mental diseases	M	981							2	2	7	36	35
		F	992								3	12	26	42
28	Diseases of the brain	M	2,991	458	153	43	39	36	729	72	55	64	83	97
		F	2,366	325	106	43	24	25	523	61	60	71	71	68
29	Diseases of the spinal cord	M	504	37	11	5	5	10	68	8	5	19	12	14
		F	430	20	10	7	4	4	45	16	6	11	10	15
30	Locomotor ataxia	M	371	1		1			2		1	1	3	4
		F	122							1			2	
31	Others of this class	M	421	9	1	3	1	1	15	5	2	7	11	17
		F	588	12	2			1	15	4	5	18	22	36
32	3. Diseases of the circulatory system		48,233	2,248	121	86	91	120	2,661	702	805	832	1,061	1,248
33	Males		22,884	1,294	68	50	50	58	1,520	324	310	339	464	602
34	Females		20,349	949	53	36	41	62	1,141	378	495	443	597	646
35	Pericarditis	M	335	9	5		4	2	20	18	27	26	18	21
		F	329	10	1	2	3	9	25	20	26	24	19	11
36	Diseases of the heart	M	19,783	757	58	46	41	52	954	300	277	354	427	535
		F	18,161	599	49	32	37	49	766	351	460	405	533	569
37	Angina pectoris	M	1,055							2	1	6	8	22
		F	784							3	5	8	27	30
38	Diseases of the arteries	M	658	2					2	1		1		2
		F	400	1	1				2		1		1	2
39	Aneurism	M	369								3		8	18
		F	119							2	2	1	1	10
40	Embolism	M	144	13		1		1	15	2	1	2	3	3
		F	188	2		1		1	4	1		4	14	20
41	Others of this class	M	540	513	5	3	5	3	529	1	1			1
		F	368	337	2	1	1	3	344	1	1	1	2	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
8,327	7,738	6,591	6,042	5,708	5,406	4,962	4,577	3,449	2,403	1,186	436	104	30	213	1
4,416	4,157	3,497	3,144	2,922	2,627	2,360	2,178	1,658	1,138	538	185	47	12	103	2
3,911	3,581	3,094	2,868	2,786	2,779	2,602	2,399	1,791	1,265	648	251	57	18	110	3
20	21	41	37	57	57	54	54	29	30	19	5		1	2	4
53	62	57	54	67	69	59	59	41	26	10	4	2	1	2	
67	68	95	87	128	114	159	156	113	82	35	6	3	1	3	5
34	51	62	76	126	163	180	154	115	71	26	6	2		3	
50	47	48	61	62	90	71	84	81	61	39	12	2	1	7	6
50	44	50	54	65	63	80	94	78	66	46	20	5	2	3	
22	27	15	21	11	19	23	22	14	5	4			1	3	7
43	31	25	27	30	15	18	16	9	10	9				1	
[illegible]	22	22	16	10	5	4	1	1	2	1				4	8
15	13	12	8	4	4		2	4	2					1	
48	46	29	36	31	15	10	12	5	6	1					9
42	28	24	28	15	10	11	12	3	4	2	1			2	
3,975	3,613	2,752	2,208	1,757	1,338	1,018	779	519	309	110	31	7	2	67	10
3,219	2,578	1,741	1,189	983	829	696	613	435	296	125	57	10	4	62	
127	220	370	536	749	836	871	889	721	516	238	93	31	5	14	11
335	657	972	1,258	1,336	1,449	1,359	1,225	905	641	338	120	29	6	28	
34	49	53	69	61	65	53	63	49	28	16	2				12
58	76	92	90	87	94	91	84	64	43	19	8			3	
24	37	50	60	46	77	88	109	118	92	73	35	4		2	13
38	28	46	71	64	73	98	128	130	103	72	35	9	5	5	
11	13	22	13	10	11	9	9	8	7	2	1		1	1	14
26	13	13	13	9	10	10	12	7	3	1					
1,407	1,858	2,024	2,529	3,038	3,496	4,225	4,816	5,003	4,492	2,942	1,231	360	91	184	15
817	1,073	1,188	1,372	1,648	1,894	2,178	2,510	2,589	2,268	1,447	539	130	33	110	16
590	785	836	1,157	1,390	1,602	2,047	2,306	2,414	2,224	1,495	692	230	58	74	17
17	20	21	13	21	15	16	17	24	18	10	4				18
17	11	18	15	19	15	6	14	9	7	5	1	1		3	
148	150	112	130	102	73	53	64	45	39	13	9	2		12	19
92	80	69	86	54	46	49	50	34	22	17	5	3	1	6	
197	279	420	535	779	976	1,174	1,337	1,364	1,164	760	268	62	11	39	20
123	220	331	560	739	919	1,125	1,287	1,299	1,152	754	371	117	32	24	
107	180	208	244	307	358	436	543	671	637	415	157	34	17	18	21
64	89	113	173	217	295	437	563	661	663	479	210	74	18	16	
36	47	59	60	42	39	34	26	18	15	8	6	2		1	22
14	12	19	5	16	14	13	21	22	18	11	3	2			
33	15	18	19	17	14	7	7	6	5					2	23
14	13	12	4	2	8	9	1	1	1						
3		1	1	4		1	2	1	1			1			24
			2	2	1	3	2		2	1					
51	69	50	41	23	28	32	25	29	22	10	6	2		2	25
32	54	30	34	34	22	36	20	18	14	8	2	2			
11	13	7	14	12	3	7	7	13	4	4	1	1		17	26
38	29	19	8	7	6	12	10	5	6	2	1	2		13	
56	79	63	52	57	75	93	131	101	91	59	29	8		5	27
55	70	71	67	67	65	105	96	96	99	68	34	13	2	1	
115	145	131	142	103	174	190	203	212	196	140	52	16	3	9	28
83	123	88	121	122	108	153	189	170	166	112	53	13	4	7	
16	33	38	35	51	39	46	52	28	26	11	1		1	1	29
16	33	21	26	34	45	36	38	34	26	12	2	2		2	
13	23	26	57	44	60	47	41	25	18	4	1			1	30
2	9	6	12	17	20	16	12	10	8	5	2				
14	20	25	29	26	40	42	55	52	37	13	5	2	1	3	31
40	42	36	44	60	38	47	53	55	40	21	8	1	1	2	
1,527	1,946	2,162	2,448	3,069	3,589	4,267	4,739	4,741	3,820	2,245	942	221	57	151	32
766	1,022	1,120	1,272	1,674	1,995	2,363	2,581	2,591	2,083	1,166	460	81	19	82	33
761	924	1,042	1,176	1,395	1,594	1,904	2,158	2,150	1,737	1,079	482	140	38	69	34
16	26	22	13	29	25	17	22	15	15	4				1	35
26	15	24	19	11	21	21	26	15	10	10	3	2		1	
687	882	974	1,128	1,464	1,743	2,054	2,286	2,306	1,838	1,011	403	71	17	72	36
674	850	951	1,058	1,291	1,447	1,748	1,950	1,947	1,572	946	483	115	31	64	
29	47	55	57	98	109	174	135	127	104	57	19	1		4	37
28	37	32	65	63	79	86	108	81	61	51	13	6		1	
3	5	12	16	29	60	71	106	112	102	85	37	9	2	3	38
1	4	5	6	12	22	34	50	84	65	60	28	16	7		
24	54	52	48	38	46	33	16	15	11	1				2	39
8	8	15	16	6	9	7	11	7	9	5	1	1			
6	8	4	10	14	12	11	16	16	13	7	1				40
21	9	14	11	10	16	8	12	16	17	5	4			2	
1		1		2		3				1					41
3	1	1	1	2			1		3	2				1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	80,504	18,166	8,286	3,739	2,034	1,246	33,471	2,582	846	1,344	2,103	2,422
2	Males	42,872	10,351	4,486	1,953	1,021	607	18,418	1,301	392	733	1,210	1,410
3	Females	37,632	7,815	3,800	1,786	1,013	639	15,053	1,281	454	611	893	1,012
4	Croup M	1,527	230	314	309	227	143	1,223	277	12	3	3	3
	Croup F	1,303	172	253	218	208	137	988	278	21	3	1	
5	Pneumonia M	20,898	6,183	3,180	1,272	615	343	11,593	777	295	594	1,019	1,193
	Pneumonia F	25,398	4,689	2,697	1,192	599	369	9,546	764	346	470	677	788
6	Laryngitis M	321	49	49	24	35	20	177	53	9	1	4	3
	Laryngitis F	273	32	45	29	40	18	164	43	7	6	4	8
7	Bronchitis M	6,844	2,948	807	272	102	69	4,198	109	37	30	54	64
	Bronchitis F	7,059	2,274	680	294	115	78	3,450	114	32	62	77	77
8	Pleurisy M	793	26	38	20	18	8	110	27	15	44	49	46
	Pleurisy F	621	19	25	17	8	7	76	29	10	18	49	44
9	Asthma M	650	26	3	1	1		31	8	1	8	9	11
	Asthma F	582	19	5		1		25	7	2	1	9	12
10	Others of this class M	2,836	889	95	55	23	24	1,086	50	23	44	72	90
	Others of this class F	2,396	610	86	36	42	30	804	46	36	51	76	83
11	5. Diseases of the digestive system	28,379	3,950	857	331	215	194	5,547	835	864	1,075	1,410	1,604
12	Males	14,459	2,265	446	174	99	94	3,078	426	479	532	618	685
13	Females	13,920	1,685	411	157	116	100	2,469	409	385	543	792	919
14	Dentition M	392	225	151	12	2	2	392					
	Dentition F	363	211	137	12	1	2	363					
15	Angina M	203	20	26	16	16	8	86	31	9	4	13	7
	Angina F	184	16	17	14	7	15	69	42	19	4	6	7
16	Gastritis M	1,992	397	77	22	22	8	526	31	14	21	29	53
	Gastritis F	2,263	296	93	32	33	19	473	42	15	31	68	95
17	Diseases of the stomach M	823	64	10	3	3	6	86	8	6	10	16	33
	Diseases of the stomach F	665	44	13	3		4	64	7	5	19	39	40
18	Obstruction of the bowels M	1,130	218	20	16	7	11	272	43	31	41	46	63
	Obstruction of the bowels F	1,208	129	15	11	17	8	180	38	16	27	48	74
19	Appendicitis M	1,791	9	5	4	10	12	40	110	236	244	255	206
	Appendicitis F	1,067	7	5	5	4	8	29	104	142	158	120	120
20	Hernia M	570	69	6			1	76	3	5	15	13	16
	Hernia F	501	20	2			2	24	4		3	1	2
21	Other diseases of the bowels M	380	108	15	4	2	1	130	5	5	10	15	17
	Other diseases of the bowels F	355	81	14	2	4	3	104	6	8	14	9	26
22	Jaundice M	526	298	3	7	2	1	306	4	2	4	5	13
	Jaundice F	460	186	3	8	1	5	203	5	3	4	8	9
23	Inflammation and abscess of the liver. M	679	37	5	2	2	8	54	11	10	9	31	40
	Inflammation and abscess of the liver. F	591	26	1	2	6	4	39	7	13	9	23	28
24	Other diseases of the liver M	2,682	37	5	6	1	2	51	8	11	12	28	69
	Other diseases of the liver F	1,606	31	7	5	2	2	47	10	7	7	27	45
25	Peritonitis M	1,838	136	39	46	19	17	257	141	142	155	150	145
	Peritonitis F	3,190	95	39	30	22	19	205	122	144	256	428	426
26	Ascites M	91	2	1				3	1	5	2	2	2
	Ascites F	121	3					3			1	1	8
27	Others of this class M	1,862	650	33	36	13	17	799	25	3	5	15	21
	Others of this class F	1,346	540	65	33	19	9	666	22	13	10	14	30
28	6. Diseases of the urinary system and male organs of generation.	29,447	497	159	136	134	122	1,048	450	325	460	911	1,234
29	Males	17,159	296	82	61	75	65	579	240	151	208	390	579
30	Females	12,288	201	77	75	59	57	469	210	174	252	521	655
31	Bright's disease M	12,385							204	120	178	320	461
	Bright's disease F	9,891							186	158	208	414	487
32	Calculus, urinary M	101	2					2		3	2	5	2
	Calculus, urinary F	38	7					7				2	2
33	Diseases of the kidney M	1,075	195	74	60	67	58	454	12	4	9	16	28
	Diseases of the kidney F	773	150	68	64	58	54	389	4	3	9	21	27
34	Diseases of the bladder M	1,277	10	2			1	13	3	5	4	6	16
	Diseases of the bladder F	179	5		2			7	1		1	3	6
35	Others of this class M	2,321	89	6	1	8	6	110	21	19	15	43	72
	Others of this class F	1,407	39	9	9	6	3	66	19	13	34	81	183
36	7. Diseases of the female organs of generation	1,812	9	1		1	1	12	1	9	68	188	258
37	Ovarian tumors	284							1	1	8	16	26
38	Ovarian diseases	100									2	12	18
39	Diseases of the tubes	308									17	51	76
40	Uterine tumors	479					1	1		1	2	8	24
41	Uterine diseases	117									11	21	27
42	Others of this class	524	9	1		1		11		7	28	30	87

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,539	2,957	2,755	2,835	3,201	3,431	3,881	4,228	4,194	3,494	2,437	1,152	353	102	177	1
1,474	1,788	1,704	1,728	1,831	1,826	1,872	1,962	1,919	1,557	1,022	478	121	31	95	2
1,065	1,169	1,051	1,107	1,370	1,605	2,009	2,266	2,275	1,937	1,415	674	232	71	82	3
----	1	1	----	----	----	1	1	----	----	1	----	----	----	1	4
1	3	2	1	1	2	----	----	1	----	----	----	----	----	1	
1,242	1,510	1,413	1,426	1,460	1,332	1,372	1,353	1,283	991	617	277	67	17	67	5
853	946	881	848	1,030	1,198	1,448	1,532	1,471	1,206	855	378	125	35	51	
11	6	12	10	10	6	7	6	2	3	4	----	----	----	----	6
9	4	2	1	3	7	3	1	4	5	1	1	----	----	----	
50	71	81	95	129	219	215	289	368	352	275	140	40	11	8	7
76	63	67	116	148	220	324	458	519	495	396	282	89	31	13	
56	65	55	53	48	48	41	42	38	30	16	7	1	----	2	8
45	40	37	37	34	25	44	32	40	33	17	8	2	----	1	
13	16	25	33	53	71	88	94	79	50	37	14	3	1	5	9
11	17	24	24	46	43	74	96	73	66	36	13	3	----	----	
102	119	117	111	131	150	148	177	149	131	72	40	10	2	12	10
70	96	88	80	108	110	116	147	167	132	110	42	13	5	16	
1,501	1,645	1,713	1,631	1,664	1,747	1,732	1,785	1,506	1,146	593	262	75	13	81	11
666	749	911	911	885	963	921	872	743	567	270	113	32	6	32	12
835	896	802	720	779	784	811	863	763	579	323	149	43	7	49	13
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	14
12	2	7	5	6	2	4	2	5	3	4	----	----	1	----	15
6	1	5	5	5	4	1	4	----	4	1	1	----	----	----	
66	77	93	109	119	148	141	165	152	124	77	31	10	3	3	16
83	120	101	95	134	136	165	168	194	151	120	46	18	2	6	
35	56	57	84	73	79	74	70	56	50	14	11	----	----	5	17
46	49	24	53	53	42	55	51	55	32	15	11	3	----	2	
52	44	38	63	67	71	52	68	72	65	17	12	4	----	4	18
58	67	86	79	65	87	73	101	80	60	35	21	1	2	10	
157	128	118	86	63	50	33	25	21	10	6	1	----	----	2	19
82	75	50	47	30	26	20	25	10	9	7	----	----	1	3	
20	28	32	38	29	47	48	43	57	53	29	13	3	1	1	20
14	28	36	35	52	53	65	64	52	38	16	11	2	----	1	
16	12	19	12	18	23	18	21	26	17	11	1	3	----	1	21
21	22	17	11	9	18	11	24	21	16	4	9	1	1	3	
12	5	11	13	15	26	22	24	26	19	11	5	1	----	2	22
13	13	9	15	18	23	24	35	38	19	10	4	3	----	4	
50	53	57	59	68	45	60	48	42	25	15	1	1	----	----	23
28	34	49	40	42	56	56	58	47	36	20	8	2	----	1	
113	200	295	290	302	329	324	282	183	128	36	14	5	1	1	24
79	116	151	145	179	162	163	163	135	105	41	18	1	----	5	
114	106	129	109	65	88	70	63	43	29	14	7	3	----	8	25
379	333	228	136	111	102	96	82	68	40	12	8	5	----	9	
----	7	9	5	9	8	9	10	8	5	5	1	----	----	----	26
4	3	6	8	6	11	16	18	12	12	7	1	1	----	3	
19	31	46	38	51	47	66	51	52	39	31	16	2	----	5	27
27	35	40	51	75	64	66	70	51	57	35	11	6	1	2	
1,385	1,752	1,923	2,091	2,445	2,655	2,936	2,925	2,767	2,142	1,221	548	106	34	89	28
682	873	1,052	1,149	1,459	1,582	1,763	1,814	1,764	1,459	864	377	69	18	57	29
703	879	871	942	986	1,073	1,173	1,081	1,003	683	357	171	37	16	32	30
565	719	863	946	1,203	1,290	1,395	1,345	1,179	908	447	167	30	7	38	31
550	710	736	805	847	923	1,027	907	809	565	298	143	28	13	17	
2	5	6	4	10	10	9	11	12	11	3	2	----	1	1	32
3	1	2	2	2	----	3	4	3	3	3	1	----	----	----	
28	36	39	35	46	44	48	76	67	68	40	25	2	----	3	33
36	34	33	31	35	31	24	36	21	20	13	3	----	1	2	
9	14	22	26	50	56	113	180	236	216	181	100	18	7	2	34
4	11	4	5	4	17	23	16	24	25	11	11	5	1	----	
83	99	122	138	150	182	198	232	270	256	193	83	19	3	18	35
110	123	96	99	98	102	96	118	86	70	32	13	4	1	13	
255	289	244	183	112	65	56	47	32	23	11	2	2	1	4	36
26	23	31	37	29	20	17	21	14	7	5	----	1	1	----	37
24	18	10	6	4	1	----	3	2	----	----	----	----	----	----	38
63	53	30	13	3	----	----	1	1	----	----	----	----	----	----	39
40	64	102	77	57	30	29	15	13	11	4	----	----	----	1	40
18	12	9	6	2	2	2	3	2	2	----	----	----	----	----	41
84	69	62	44	17	12	8	4	----	3	2	2	1	----	3	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION RECORD—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		3,772								5	259	813	926
2	Abortion		258									15	48	73
3	Childbirth		996								1	49	156	210
4	Puerperal septicæmia		1,619								4	114	400	426
5	Extra-uterine pregnancy		140									2	22	36
6	Others of this class		759									79	187	181
7	9. Diseases of the bones and joints		1,050	75	28	12	26	19	160	96	82	81	76	46
8	Males		600	40	14	6	18	16	94	45	47	56	49	30
9	Females		450	35	14	6	8	3	66	51	35	25	27	16
10	Diseases of the spine	M	192	20	5	2	7	6	40	19	16	18	16	11
		F	149	16	6	3	6		31	20	12	5	11	4
11	Abscess, lumbar and psoas	M	36	1					1		2	1	8	5
		F	24	2					2	4	1		2	
12	Diseases of the bones	M	209	16	4	3	7	8	38	11	14	20	12	9
		F	146	11	8	2	1	3	25	14	13	8	10	7
13	Diseases of the hip-joint	M	90	1	1		3	1	6	12	13	15	9	5
		F	42	3		1			4	11	5	11	1	1
14	Others of this class	M	73	2	4	1	1	1	9	3	2	2	4	
		F	89	3			1		4	2	4	1	3	4
15	10. Diseases of the skin		920	261	31	16	10	4	322	22	11	9	28	26
16	Males		512	138	17	10	4	1	170	16	6	5	13	15
17	Females		408	123	14	6	6	3	152	6	5	4	15	11
18	Abscess	M	274	55	12	6	3	1	77	15	6	4	9	11
		F	204	53	6	3	3	2	67	6	3	2	9	9
19	Carbuncle	M	72	2		1			3			1	1	1
		F	35	1		1			2			1	3	1
20	Others of this class	M	166	81	5	3	1		90	1			3	3
		F	169	69	8	2	3	1	83		2	1	3	1
21	11. Diseases of the absorbent system		377	33	17	1	6	2	59	10	9	11	15	23
22	Males		193	20	10	1	6	2	39	8	4	7	8	10
23	Females		184	13	7				20	2	5	4	7	13
24	Addison's disease	M	61							1	2	2	1	3
		F	55									2	2	4
25	Diseases of the spleen	M	29	4			2		6				2	3
		F	28	2	1				3		1		2	4
26	Others of this class	M	103	16	10	1	4	2	33	7	2	5	5	4
		F	101	11	6				17	2	4	2	3	5
27	12. Accidents and injuries		27,649	1,510	438	476	468	368	3,260	1,298	1,084	1,536	2,293	2,517
28	Males		21,067	844	233	287	261	204	1,829	878	893	1,244	1,867	2,100
29	Females		6,582	666	205	189	207	164	1,431	420	191	292	426	417
30	Burns and scalds	M	1,075	48	108	164	135	68	523	82	27	19	45	47
		F	1,470	44	106	102	124	106	482	212	69	63	59	83
31	Drowning	M	2,857	16	28	23	27	34	128	309	358	277	286	244
		F	295	9	19	11	13	4	56	25	24	35	21	11
32	Exposure and neglect	M	158	44	1	1		2	48	4	2	1	5	3
		F	93	44	6	2			52		1	1	5	
33	Gunshot wounds	M	965	3	1	1	2	1	8	18	75	132	150	130
		F	138	2		4	4	3	13	9	8	11	31	13
34	Homicide	M	499			1		3	4	8	10	30	80	92
		F	134		1	2	2	2	7	9	5	7	18	23
35	Infanticide	M	12	12					12					
		F	12	12					12					
36	Injuries by machinery	M	107		1				1			12	15	16
		F	5	1					1		1		1	
37	Railroad accidents	M	3,443	6	8	10	14	21	59	140	147	228	405	429
		F	349	5	6	8	7	12	38	46	19	28	24	18
38	Suffocation	M	747	357	16	12	6	6	397	10	11	20	32	26
		F	472	289	17	8	5	8	327	17	3	11	9	12
39	Suicide by shooting	M	764									10	63	88
		F	53									5	7	6
40	Suicide by drowning	M	112									3	6	7
		F	52									2	7	6
41	Suicide by poison	M	551									13	45	62
		F	364								4	54	72	58
42	Other suicides	M	1,203								3	23	65	84
		F	301								2	16	35	31
43	Sunstroke	M	298	42	6	4		2	54	9	1	8	17	19
		F	144	35	9	4	1		49	4	1	2	4	8
44	Surgical operations	M	129	7	1	1		1	10	6		5	9	15
		F	285	3		2			5	2	3	6	38	36
45	Wounds	M	404	2	1	3	4	4	14	11	10	37	44	61
		F	34	1	1				2	6	2	3	3	3
46	Others of this class	M	7,743	307	62	67	73	62	571	281	249	426	600	777
		F	2,381	221	40	46	51	29	387	90	49	48	92	111

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
790	621	303	28	4	1	1	1		3					17	1
50	52	17			1				1					1	2
227	213	119	11	2					1					7	3
337	220	97	12	2		1			1					5	4
37	32	9	1											1	5
139	104	61	4				1							3	6
58	55	63	53	55	45	39	46	47	24	15	6	3			7
33	34	40	32	32	22	19	26	18	16	3	3	1			8
25	21	23	21	23	23	20	20	29	8	12	3	2			9
6	11	11	8	8	7	3	6	5	6	1					10
7	11	6	6	11	5	7	5	3	1	2	1	1			
5	2		2	2	2	2	1	2	1						11
2	1	2	2	3	2			3							
13	12	12	11	13	7	8	11	6	8	2	2				12
10	4	6	8	4	6	6	4	10	2	7	2				
8	4	8	1	4	3	1	1								13
2	4	1						1		1					
1	5	9	10	5	3	5	7	5	1		1	1			14
4	1	8	5	5	10	7	11	12	5	2		1			
37	48	49	43	44	54	59	53	36	41	19	12	4		3	15
16	26	28	26	28	36	29	29	19	25	15	7	1		2	16
21	22	21	17	16	18	30	24	17	16	4	5	3		1	17
11	20	18	14	16	19	15	13	9	8	7		1		1	18
14	13	12	10	7	11	11	14	5	6	2	1	2			
4	2	4	8	6	8	8	9	5	7	2	2			1	19
	1	3	2	5	2	5	2	5	2	1					
1	4	6	4	6	9	6	7	5	10	6	5				20
7	8	6	5	4	5	14	8	7	8	1	4	1		1	
28	21	32	33	22	28	28	25	17	12	2				2	21
16	11	16	16	11	12	13	10	7	3	1				1	22
12	10	16	17	11	16	15	15	10	9	1				1	23
3	7	6	8	7	7	8	3	2	1						24
4	7	6	2	4	7	6	5	2	3					1	
4	2	3	3	1		1	1	1	1	1					25
4	1	2	2	2	1	1	2	1	2						
9	2	7	5	3	5	4	6	4	1					1	26
4	2	8	13	5	8	8	8	7	4	1					
2,401	2,516	1,962	1,739	1,455	1,174	1,087	907	718	590	396	225	81	24	388	27
1,994	2,088	1,639	1,446	1,197	946	843	645	464	344	198	85	31	6	330	28
407	428	323	293	258	228	244	262	249	246	198	140	53	18	58	29
51	52	51	33	27	21	27	20	16	11	9	3			11	30
78	72	51	51	33	38	47	34	37	29	17	8	4		3	
214	240	198	141	115	92	68	48	81	21	7	3			77	31
24	21	14	12	12	8	7	9	5	2					9	
10	9	9	11	8	7	11	7	4	10	3	2		1	3	32
2	4	2	2	1	4	2		1	4	5	3	1		3	
110	91	60	48	36	30	24	11	9	6	1	1	2		23	33
17	17	7	4	3		2			2	1					
79	71	34	30	19	12	10	5	4	1	2				8	34
19	14	10	5	5	3	1	2							6	
															35
16	14	11	6	6	2	3	5								36
1		1													
377	399	274	222	192	154	130	70	57	34	19	9		1	97	37
20	17	17	20	17	17	12	15	15	16	5	1	1		3	
31	44	30	27	15	20	22	19	8	8	2	2			23	38
8	8	3	6	6	9	8	6	7	4	4	1			23	
87	96	94	90	71	51	34	38	18	12	6	2			9	39
12	7	3	5	3	2		1	1	1						
9	10	10	10	15	10	8	7	5	9	2				1	40
6	3	3	4	6	5	4	1	3	2						
65	66	65	52	59	33	31	26	17	7	1				9	41
36	46	26	20	12	10	6	5	7	3	1		1		3	
108	125	136	143	130	112	89	65	53	37	15	3	2		10	42
30	39	37	29	18	14	12	14	7	5	5	3			1	
24	39	22	23	24	17	9	6	10	10	3	1			2	43
2	7	6	6	10	7	13	8	12	7	3					
11	13	10	9	8	11	9	8	2	1	1				1	44
41	39	35	24	19	17	6	8	2	2	2					
48	40	24	32	21	17	19	9	2	2	4	1	1		7	45
1	2	1	2		2	3	1	1	1	1					
754	779	611	569	451	357	349	306	228	175	123	58	26	4	49	46
110	132	107	103	113	92	121	158	151	168	154	124	46	18	7	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	402,666	85,384	22,388	10,337	6,686	4,784	129,579	12,525	6,791	10,539	17,633	20,005
2	Males	215,115	47,769	11,847	5,398	3,410	2,372	70,796	6,431	3,427	5,218	8,976	10,519
3	Females	187,551	37,615	10,511	4,939	3,276	2,412	58,783	6,094	3,364	5,321	8,657	9,486
4	Unknown cause	3,396	1,061	126	56	42	26	1,311	80	43	64	94	132
5	Males	1,885	596	66	30	25	13	730	42	21	32	41	69
6	Females	1,511	465	60	26	17	13	581	38	22	32	53	63
	1. General diseases.												
7	General diseases—A	71,339	24,407	8,464	4,047	2,782	2,125	41,825	5,104	1,676	1,791	2,485	2,280
8	Males	36,907	13,269	4,360	2,041	1,399	1,030	22,099	2,456	771	873	1,355	1,253
9	Females	34,432	11,138	4,104	2,006	1,383	1,095	19,726	2,648	905	918	1,130	1,027
10	Measles M	1,539	407	546	245	110	65	1,373	111	18	4	16	5
	Measles F	1,552	366	532	242	115	68	1,323	138	26	18	12	11
11	Scarlet fever M	1,415	94	185	239	242	156	916	374	64	15	14	12
	Scarlet fever F	1,331	60	160	233	219	196	868	386	57	27	15	10
12	Diphtheria M	4,483	313	707	788	648	528	2,984	1,194	212	46	24	15
	Diphtheria F	4,631	230	665	688	645	558	2,786	1,375	264	73	41	27
13	Whooping cough M	1,357	760	336	181	60	27	1,314	29	1	3	1	----
	Whooping cough F	1,555	754	400	178	92	51	1,475	55	6	4	1	2
14	Malarial fever M	1,108	99	52	27	32	26	236	75	34	61	103	84
	Malarial fever F	1,081	87	59	53	34	22	255	81	43	69	89	63
15	Influenza M	1,861	185	35	16	13	10	259	25	17	28	52	54
	Influenza F	2,550	147	40	28	14	18	247	25	22	35	56	75
16	Typhoid fever M	4,604	35	33	39	41	52	200	237	232	503	821	715
	Typhoid fever F	3,821	39	38	36	50	37	200	234	301	497	533	392
17	Cholera morbus M	628	136	37	57	17	7	254	32	20	13	14	18
	Cholera morbus F	634	121	48	51	13	6	239	18	16	19	19	21
18	Colitis M	373	194	47	13	11	3	268	8	2	1	3	8
	Colitis F	339	159	54	12	5	2	232	5	4	3	4	6
19	Diarrhea M	1,483	674	145	52	7	13	891	42	6	14	16	14
	Diarrhea F	1,320	565	118	38	8	6	735	49	21	5	13	19
20	Dysentery M	1,151	188	117	51	27	15	398	41	15	18	48	39
	Dysentery F	1,065	148	70	27	15	10	270	15	8	7	25	25
21	Enteritis M	7,067	4,612	1,013	219	79	58	5,981	97	41	35	38	62
	Enteritis F	6,435	3,660	933	212	77	58	4,940	109	40	35	62	94
22	Cholera infantum M	5,787	4,708	915	106	37	19	5,785	----	----	----	----	----
	Cholera infantum F	5,039	4,044	839	111	24	19	5,037	----	----	----	----	----
23	Fever M	47	12	3	1	----	1	17	1	----	3	3	1
	Fever F	39	12	3	2	1	1	19	5	2	2	2	3
24	Cerebro-spinal fever M	833	221	120	63	49	29	482	105	55	42	36	27
	Cerebro-spinal fever F	679	178	86	56	44	24	388	85	55	34	18	20
25	Smallpox M	353	14	7	7	3	1	32	8	11	24	65	58
	Smallpox F	225	14	11	6	4	2	37	12	11	19	48	32
26	Erysipelas M	670	186	16	3	2	3	210	4	7	14	14	30
	Erysipelas F	507	180	15	4	3	1	203	3	3	9	11	20
27	Septicemia M	1,020	118	21	13	10	12	174	50	26	31	58	63
	Septicemia F	1,186	100	15	11	11	10	147	39	16	49	154	178
28	Venereal diseases M	490	287	18	6	5	1	317	2	2	5	8	21
	Venereal diseases F	388	253	9	8	4	2	276	1	2	7	16	15
29	Others of this group M	638	26	7	15	6	4	58	21	8	13	21	27
	Others of this group F	555	21	9	10	5	4	49	13	8	6	11	14
30	General diseases—B	10,258	6,240	313	90	65	25	6,742	67	17	87	202	321
31	Males	6,194	3,430	173	45	35	19	3,702	32	8	31	101	197
32	Females	4,064	2,819	140	45	30	6	3,040	35	9	56	101	124
33	Alcoholism M	1,485	----	----	----	----	----	----	----	1	1	26	119
	Alcoholism F	331	----	----	1	----	----	1	----	----	1	14	47
34	Parasitic diseases M	13	2	3	1	----	2	8	1	----	----	----	----
	Parasitic diseases F	16	2	3	2	5	1	13	3	----	----	----	----
35	Lead poison M	42	1	----	1	----	----	2	----	----	----	2	2
	Lead poison F	20	5	----	1	----	----	6	1	----	----	----	1
36	Other poisons M	943	33	45	22	17	7	124	19	5	27	70	74
	Other poisons F	545	14	20	16	7	4	61	13	4	51	79	69
37	Inanition M	3,711	3,394	125	21	18	10	3,568	12	2	3	3	2
	Inanition F	3,152	2,798	117	25	18	1	2,959	18	5	4	8	7
38	General diseases—C	31,545	17,960	823	182	69	41	19,075	66	33	37	59	67
39	Males	15,802	10,110	405	97	45	16	10,673	29	19	21	26	25
40	Females	15,743	7,850	418	85	24	25	8,402	37	14	16	33	42
41	Old age M	4,147	----	----	----	----	----	----	----	----	----	----	----
	Old age F	6,095	----	----	----	----	----	----	----	----	----	----	----
42	Premature birth M	4,569	4,569	----	----	----	----	4,569	----	----	----	----	----
	Premature birth F	3,415	3,415	----	----	----	----	3,415	----	----	----	----	----
43	Malformation M	702	686	2	4	----	----	692	1	2	1	----	----
	Malformation F	564	550	7	2	1	1	561	1	1	----	1	----
44	Debility and atrophy M	5,891	4,363	408	93	44	16	4,919	28	17	20	26	25
	Debility and atrophy F	5,818	3,530	411	83	23	24	4,071	36	13	16	32	42
45	Others of this group M	493	492	----	----	1	----	493	----	----	----	----	----
	Others of this group F	356	355	----	----	----	----	355	----	----	----	----	----

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19,688	20,551	18,538	17,983	18,742	18,760	19,710	19,788	18,460	14,664	10,053	5,014	1,686	678	1,334	1
10,881 8,752	11,627 8,924	10,743 7,795	10,442 7,541	10,751 7,991	10,372 8,388	10,388 9,322	10,188 9,600	9,185 9,275	6,994 7,670	4,515 5,538	2,074 2,940	560 1,126	225 453	803 531	2 3
115	168	151	159	157	157	156	154	139	91	61	27	8	2	127	4
64 51	93 75	91 60	106 53	86 71	96 61	91 65	88 66	78 61	41 50	32 29	13 14	2 6	1 1	68 59	5 6
1,865	1,706	1,395	1,268	1,321	1,288	1,456	1,562	1,443	1,203	925	436	127	45	138	7
1,029 836	935 771	778 617	728 540	717 604	660 628	689 767	711 851	644 799	498 705	357 538	188 248	36 91	19 26	81 57	8 9
4 7	2 7	1 3	1 2	3 —	1 1	—	—	—	—	1	—	—	—	3	10
10 5	5 6	3 4	1 —	— 1	—	1 —	— 1	—	—	— 1	—	—	—	—	11
19 20	10 12	1 6	7 6	6 7	5 3	3 4	1 —	1 2	— 2	1 1	—	1 —	—	3 2	12
1 5	1 1	1 2	— —	— 1	1 —	1 —	—	—	—	— 1	—	1 —	—	3 2	13
56 65	67 44	59 32	64 38	52 34	46 43	37 43	44 43	31 38	30 16	12 19	8 9	2 1	— 2	7 4	14
75 76	78 74	99 84	82 89	89 138	102 154	155 249	175 262	186 279	155 280	144 232	66 110	13 47	7 10	5 6	15
545 278	426 228	258 180	207 106	160 100	113 80	78 67	41 51	34 43	11 11	4 7	4 3	—	—	15 10	16
15 21	15 37	25 19	27 15	31 33	30 23	22 29	38 33	31 25	18 32	7 16	10 12	3 3	3 2	2 2	17
5 6	5 8	12 8	10 8	6 8	5 7	6 4	9 15	8 8	7 6	4 3	3 2	2 1	—	1 1	18
18 23	25 19	23 20	19 24	39 22	60 42	55 54	64 56	66 60	55 59	38 56	18 26	6 7	3 5	11 5	19
38 30	44 27	38 32	47 52	52 48	37 66	78 72	77 107	68 93	44 85	41 60	17 28	3 10	1 2	7 3	20
47 79	61 76	55 74	76 82	74 84	77 86	91 119	92 172	76 141	79 121	46 71	27 35	2 7	3 4	7 4	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2 2	22
—	2	5	5	5	1	1	3	—	—	—	—	—	—	—	23
3	—	—	1	—	—	—	—	1	—	—	1	—	—	—	
14 15	17 15	13 15	14 13	9 5	6 6	6 3	2 —	2 3	1 2	1 1	—	—	—	1 1	24
38 17	37 12	21 13	19 6	13 6	11 7	5 2	4 3	3 —	3 —	—	—	—	—	1 —	25
35 10	32 36	42 20	33 17	45 25	49 23	39 30	41 24	25 27	23 24	18 13	4 6	2 3	1 —	2 —	26
72 142	72 136	75 82	59 51	76 49	70 48	53 32	62 17	27 17	23 10	20 5	5 4	— 2	—	4 8	27
19 17	19 15	21 11	18 9	20 8	15 3	11 1	1 —	1 2	3 1	1 1	—	—	—	6 3	28
18 17	22 18	26 12	39 21	37 35	31 36	47 58	57 67	85 60	46 56	50 50	26 12	1 10	1 1	4 1	29
432	534	398	344	298	227	164	147	75	72	27	13	4	4	83	30
316 116	419 115	316 82	272 72	235 63	173 54	125 39	111 36	51 24	32 40	10 17	7 6	2 2	1 3	53 30	31 32
203 44	297 61	209 54	186 36	165 24	110 19	59 12	62 7	18 4	7 4	2 —	3 —	—	—	17 3	33
—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	34
4 4	11 2	5 —	4 —	4 1	1 3	3 1	3 —	—	1 —	—	—	—	1	—	35
106 61	106 48	96 23	75 26	55 30	54 21	51 16	34 18	18 5	15 9	4 9	—	—	—	10 2	36
3 7	5 4	5 5	6 10	10 8	7 11	12 10	12 11	15 15	9 27	4 8	4 6	2 2	1 2	26 25	37
68	83	81	78	122	209	461	865	1,782	2,346	2,828	1,904	894	406	81	38
32 36	44 39	33 48	37 41	49 73	90 119	188 273	389 476	769 1,013	1,010 1,336	1,174 1,654	731 1,173	295 599	127 279	41 40	39 40
—	—	—	—	—	—	87 172	276 348	659 865	908 1,208	1,099 1,536	702 1,106	284 572	122 268	10 20	41
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1	—	—	—	—	—	—	—	—	—	—	—	—	—	5	43
31 36	44 39	33 48	37 41	49 73	90 118	101 101	113 128	110 148	102 128	75 118	29 67	11 27	5 11	26 20	44
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		68,597	2,312	1,155	607	428	267	4,769	1,027	1,076	3,442	6,671	7,589
2	Males		35,113	1,293	614	356	209	141	2,613	505	404	1,442	3,246	3,858
3	Females		33,484	1,019	541	251	219	126	2,156	522	672	2,000	3,425	3,731
4	Anemia	M	412	53	10	2	5	2	72	12	8	10	15	17
		F	581	38	12	8	8	4	70	10	11	36	44	41
5	Diabetes	M	946	3	5	2	2	3	15	17	32	34	28	46
		F	932	2		2	5	1	10	19	21	17	30	29
6	Rheumatism	M	690	8	4	5	6	4	27	41	33	26	32	36
		F	789	17	6	3	4	4	34	35	39	49	27	30
7	Scrofula and tabes	M	370	103	27	14	4	2	150	19	6	17	30	21
		F	392	68	26	13	6	9	122	13	15	28	26	30
8	Hydrocephalus	M	1,492	505	300	160	83	59	1,107	148	44	33	32	20
		F	1,191	430	252	104	91	48	925	117	28	37	21	18
9	Tuberculosis, general	M	416	34	16	14	7	9	80	19	14	20	44	48
		F	304	38	19	5	5	4	71	14	22	18	32	26
10	Consumption	M	24,635	439	216	125	77	52	909	185	223	1,248	2,965	3,574
		F	19,741	332	188	94	79	43	736	265	494	1,765	3,146	3,379
11	Cancer	M	4,647	3	1	3	2	2	11	9	6	12	46	58
		F	7,983	8			2	1	11	11	10	12	38	121
12	Tumor	M	543	16	3	9	9	2	39	18	10	20	22	22
		F	690	10	4	7	9	3	33	12	12	14	29	29
13	Dropsy	M	652	17	5	7	5	1	35	21	16	11	22	11
		F	671	7	4	2	3	3	19	14	12	17	21	18
14	Others of this group	M	310	112	27	15	9	5	168	16	12	11	10	5
		F	260	69	30	13	7	6	125	12	8	7	11	10
15	2. Diseases of the nervous system		46,673	11,101	2,812	1,206	722	494	16,335	1,235	696	693	785	975
16	Males		25,211	6,359	1,531	647	376	239	9,152	680	387	373	422	534
17	Females		21,462	4,742	1,281	559	346	255	7,183	555	309	320	363	441
18	Inflammation of the brain	M	450	113	60	39	13	8	233	34	13	11	16	11
		F	329	83	36	22	14	10	165	17	12	12	13	15
19	Meningitis	M	5,088	1,770	824	374	233	130	3,331	395	157	136	143	153
		F	4,010	1,357	675	321	201	156	2,710	358	170	106	108	93
20	Apoplexy	M	6,907	107	21	7	6	6	147	18	13	29	50	103
		F	6,586	71	14	10	8	4	107	15	14	24	41	78
21	Paralysis	M	2,859	36	7	8	10	3	64	23	16	22	21	35
		F	2,752	28	16	9	6	6	65	14	7	24	32	40
22	Paralysis, general (of insane)	M	298							1	1			9
		F	114										1	8
23	Tetanus and trismus nascentium	M	811	409	7	5	4	5	430	53	107	45	29	31
		F	374	274	4		1	2	281	6	10	7	7	8
24	Chorea	M	21			1	2		3	3	1	4	1	
		F	31	2		1		2	5	1	9	8	3	
25	Epilepsy	M	430	22	7	2	2	1	34	14	12	44	31	40
		F	358	15	1	4	2	1	23	14	22	31	29	37
26	Convulsions	M	4,508	3,526	475	171	71	48	4,291	72	22	6	10	15
		F	3,660	2,624	444	150	91	53	3,362	70	14	21	29	42
27	Mental diseases	M	713							1	2	6	30	30
		F	727								2	11	22	31
28	Diseases of the brain	M	2,220	346	120	33	30	30	559	58	39	52	71	78
		F	1,741	269	84	37	21	19	430	47	44	55	54	55
29	Diseases of the spinal cord	M	344	22	9	4	4	7	46	4	2	14	9	13
		F	299	9	6	5	2	1	23	11	1	9	7	14
30	Locomotor ataxia	M	279	1		1			2		1		2	4
		F	94										2	
31	Others of this class	M	283	7	1	2	1	1	12	4	1	4	9	12
		F	387	10	1			1	12	2	4	12	15	25
32	3. Diseases of the circulatory system		31,538	1,666	95	67	74	111	2,013	616	689	678	893	1,088
33	Males		16,418	955	50	40	43	54	1,142	288	262	312	390	533
34	Females		15,120	711	45	27	31	57	871	328	427	366	503	550
35	Pericarditis	M	270	9	3		4	2	18	16	24	21	14	18
		F	263	9	1	2	2	9	23	17	20	22	17	10
36	Diseases of the heart	M	14,060	513	43	36	35	48	675	267	233	285	361	474
		F	13,465	419	41	23	29	45	557	305	401	334	451	488
37	Angina pectoris	M	689							1	1	3	6	18
		F	515							2	3	5	22	24
38	Diseases of the arteries	M	525	1					1	1		1		2
		F	331		1				1		1		1	1
39	Aneurism	M	329								2		6	18
		F	95							2	1		1	9
40	Embolism	M	98	9		1		1	11	2	1	2	3	2
		F	147	2		1		1	4	1		4	11	17
41	Others of this class	M	447	423	4	3	4	3	437	1	1			1
		F	304	281	2	1		2	286	1	1	1		1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7,020	6,533	5,475	4,893	4,584	4,094	3,653	3,094	2,240	1,386	616	218	42	22	153	1
3,852	3,617	2,986	2,649	2,434	2,058	1,793	1,519	1,056	633	262	82	18	9	77	2
3,168	2,916	2,489	2,244	2,150	2,036	1,860	1,575	1,184	753	354	136	24	13	76	3
17	17	32	26	36	41	36	30	17	17	5	2		1	1	4
39	40	45	33	46	46	35	35	26	13	6	2	1	1	1	
52	54	67	62	94	81	118	114	69	45	11	4	1	1	1	5
28	40	50	52	97	132	139	111	82	50	18	4	1		2	
39	41	41	54	50	64	50	55	40	30	21	5	1		4	6
41	38	35	47	54	44	60	68	55	40	28	8	3	2	2	
19	20	12	15	10	9	18	8	7	4	2			1	2	7
28	23	18	21	20	11	11	13	7	4	2					
33	16	19	14	9	5	4	1		2	1				4	8
10	10	9	6	2	3		1	3	1						
37	38	23	30	25	10	9	9	4	6						9
29	20	18	19	11	5	6	8	2	1					2	
3,479	3,172	2,397	1,906	1,500	1,063	796	568	346	167	60	19	4	2	52	10
2,622	2,118	1,423	931	772	610	502	398	261	163	70	32	5	3	46	
112	185	292	429	618	664	649	614	464	293	122	38	11	4	10	11
279	534	785	999	1,034	1,002	978	805	619	399	189	67	9	4	17	
33	31	44	56	50	55	45	42	33	14	9					12
43	59	63	68	62	68	61	52	42	23	11	6			3	
22	33	42	47	33	58	62	70	72	51	30	13	1		2	13
30	23	33	57	47	47	63	74	82	57	29	17	5	3	3	
9	10	17	10	9	8	6	8	4	4	1	1			1	14
19	11	10	11	5	8	5	10	5	2	1					
1,147	1,510	1,646	2,015	2,361	2,610	3,063	3,259	3,175	2,571	1,593	659	165	47	130	15
680	877	986	1,113	1,294	1,419	1,579	1,701	1,625	1,239	747	259	55	14	75	16
467	633	660	902	1,070	1,191	1,481	1,558	1,550	1,332	846	400	110	33	55	17
15	17	15	10	15	12	11	10	17	2	7	1				18
12	8	13	14	15	8	5	8	4	2	3				3	
131	130	101	115	82	53	46	42	27	22	10	5			9	19
71	66	50	65	45	35	38	37	20	16	10	3	3	1	5	
160	231	365	430	631	748	855	949	905	659	425	133	32	4	20	20
94	185	275	466	582	707	832	858	860	724	421	223	52	19	19	
88	133	169	190	237	251	305	335	363	332	173	66	12	9	15	21
48	70	86	124	160	213	295	361	406	367	278	107	38	8	9	
28	39	47	49	30	28	23	14	15	8	3	2			1	22
12	11	13	3	11	12	8	10	11	11	6	1	1			
30	15	15	18	12	8	4	5	4	3					2	23
12	11	10	4	2	7	7	1	1							
2		1	1	2		1		1	1						24
				1		2	1		1						
37	41	37	31	16	21	22	14	13	11	7	3	1		1	25
24	36	21	23	21	13	28	11	12	8	3	2				
9	10	7	12	10	2	7	6	9	2	4				14	26
29	21	16	6	6	6	11	4	5	5	1	1	1		10	
42	70	46	41	49	59	75	94	63	50	27	20	3		5	27
46	59	58	52	49	43	78	66	72	65	41	22	7	2	1	
103	126	113	124	123	139	139	138	137	110	74	24	6	1	6	28
71	103	67	98	94	70	111	136	100	90	66	36	6	2	6	
14	27	29	28	34	27	30	30	20	11	5	1				29
13	27	18	21	24	33	24	25	23	17	5	2	1		1	
12	21	23	41	33	45	35	20	16	10	3	1			1	30
2	7	5	10	16	17	12	8	5	5	4	1				
9	17	18	23	20	26	26	35	35	18	9	3	1		1	31
33	29	28	26	44	27	33	32	31	21	8	2	1	1	1	
1,317	1,684	1,815	2,036	2,455	2,772	3,121	3,256	3,049	2,178	1,162	489	109	34	89	32
683	897	973	1,075	1,357	1,523	1,701	1,704	1,588	1,119	554	221	33	10	53	33
634	787	842	961	1,098	1,249	1,420	1,552	1,461	1,059	608	268	76	24	36	34
16	23	20	11	24	20	13	14	7	10					1	35
20	15	20	17	11	14	18	16	11	5	4	1	2			
610	775	845	952	1,191	1,323	1,466	1,498	1,401	966	473	185	26	9	45	36
569	723	771	861	1,012	1,148	1,313	1,403	1,312	945	524	240	56	18	31	
26	37	45	43	70	80	119	78	76	52	22	10			2	37
20	30	23	50	50	50	53	68	47	34	24	6	4			
3	4	11	15	26	55	64	92	85	76	52	26	7	1	3	38
	4	4	6	10	17	27	45	74	51	50	19	14	6		
22	52	49	47	33	38	29	14	10	6	1				2	39
5	7	12	16	5	7	4	11	4	8	3					
5	6	3	7	11	7	7	8	9	9	5					40
17	7	11	10	8	13	5	8	13	13	1	2			2	
1				2		3				1					41
3	1	1	1	2			1		3	2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	66,283	15,608	7,328	3,306	1,792	1,111	29,145	2,158	674	1,052	1,766	2,105
2	Males	35,573	8,894	3,973	1,715	902	548	16,032	1,105	315	572	1,014	1,250
3	Females	30,710	6,714	3,355	1,591	890	563	13,113	1,053	359	480	752	855
4	Croup M	1,259	180	255	261	184	127	1,007	232	10	1	2	2
	Croup F	1,067	133	211	185	176	115	820	220	14	3		
5	Pneumonia M	24,902	5,365	2,861	1,134	564	315	10,239	674	295	466	853	1,051
	Pneumonia F	20,684	4,064	2,422	1,066	534	331	8,417	630	279	365	579	667
6	Laryngitis M	253	42	39	18	27	17	143	36	7	1	3	2
	Laryngitis F	214	23	37	27	33	14	134	37	5	5	3	4
7	Bronchitis M	5,702	2,553	707	235	89	62	3,646	91	31	31	47	61
	Bronchitis F	5,863	1,947	597	266	105	71	2,986	101	27	51	63	63
8	Pleurisy M	659	23	34	17	17	7	98	25	13	32	40	43
	Pleurisy F	522	18	22	17	6	7	70	23	7	15	44	40
9	Asthma M	550	17	2	1	1		21	7	1	6	8	10
	Asthma F	491	11	5				16	5		1	7	12
10	Others of this class M	2,248	714	75	49	20	20	878	40	18	35	61	81
	Others of this class F	1,869	518	61	30	36	25	670	37	27	40	56	69
11	5. Diseases of the digestive system	21,905	3,169	719	263	174	153	4,478	636	671	826	1,178	1,320
12	Males	11,177	1,829	386	138	78	75	2,506	322	367	406	512	562
13	Females	10,728	1,340	333	125	96	78	1,972	314	304	420	666	758
14	Dentition M	366	212	138	12	2	2	366					
	Dentition F	331	197	121	11		2	331					
15	Angina M	138	15	19	12	12	5	63	24	6	1	10	5
	Angina F	133	12	14	11	5	13	55	27	14	4	6	2
16	Gastritis M	1,494	331	69	19	19	7	445	24	12	15	23	35
	Gastritis F	1,706	245	77	24	29	14	389	40	13	26	59	73
17	Diseases of the stomach M	599	53	10	2	2	4	71	8	4	7	14	25
	Diseases of the stomach F	466	32	9	2		3	46	7	4	14	31	34
18	Obstruction of the bowels M	864	187	14	13	5	10	229	29	24	31	42	55
	Obstruction of the bowels F	953	97	9	9	14	6	135	29	13	23	42	64
19	Appendicitis M	1,448	6	5	2	9	8	30	90	182	194	217	167
	Appendicitis F	861	5	3	4	4	5	21	87	117	121	101	108
20	Hernia M	423	50	6			1	57	3	5	12	12	15
	Hernia F	384	14	2			2	18			2	1	2
21	Other diseases of the bowels M	267	78	11	1		1	91	4	8	8	13	16
	Other diseases of the bowels F	264	60	11	2	1	3	77	5	7	11	9	24
22	Jaundice M	396	234	3	4	2	1	244		1	4	3	10
	Jaundice F	340	153	2	6		4	165	5		2	6	6
23	Inflammation and abscess of the liver. M	559	32	4	2	1	7	46	9	6	9	27	36
	Inflammation and abscess of the liver. F	442	24		2	5	3	34	7	10	7	22	20
24	Other diseases of the liver M	2,118	26	4	3	1	2	36	7	9	9	22	56
	Other diseases of the liver F	1,232	24	6	2	2	2	36	7	4	6	25	38
25	Peritonitis M	1,427	110	33	39	15	12	209	106	107	112	114	125
	Peritonitis F	2,535	73	27	23	18	15	156	87	112	197	350	352
26	Ascites M	66	1	1				2	1	5	2	2	2
	Ascites F	90	3					3				1	3
27	Others of this class M	1,012	494	69	29	10	15	617	17	3	2	13	15
	Others of this class F	991	401	52	29	18	6	506	13	10	7	13	27
28	6. Diseases of the urinary system and male organs of generation.	23,232	407	137	112	125	96	877	376	266	366	772	1,048
29	Males	13,272	239	72	51	68	51	481	204	118	165	343	498
30	Females	9,960	168	65	61	57	45	396	172	148	201	429	550
31	Bright's disease M	9,834							171	98	143	283	399
	Bright's disease F	8,049							153	135	166	341	413
32	Calculus, urinary M	75	2					2		3	1	5	2
	Calculus, urinary F	31	7					7				1	2
33	Diseases of the kidney M	804	157	65	51	62	46	381	11	3	6	15	22
	Diseases of the kidney F	605	124	57	53	51	43	328	3	2	9	18	21
34	Diseases of the bladder M	792	6	2			1	9	3	2	3	5	14
	Diseases of the bladder F	125	4		1			5	1		1	2	4
35	Others of this class M	1,767	74	5		6	4	89	19	12	12	35	61
	Others of this class F	1,150	33	8	7	6	2	56	15	11	25	67	110
36	7. Diseases of the female organs of generation	1,507	8	1		1	1	11	1	7	58	163	227
37	Ovarian tumors	215							1	1	8	15	22
38	Ovarian diseases	89									2	10	17
39	Diseases of the tubes	292									17	48	75
40	Uterine tumors	389					1	1		1	1	5	19
41	Uterine diseases	93									6	17	22
42	Others of this class	429	8	1		1		10		5	24	68	72

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,197	2,538	2,316	2,363	2,670	2,784	3,101	3,293	3,063	2,399	1,547	703	209	72	128	1
1,302	1,543	1,460	1,472	1,561	1,492	1,496	1,506	1,363	1,036	613	283	63	21	74	2
895	995	856	891	1,109	1,292	1,605	1,787	1,700	1,363	934	420	146	51	54	3
	1	1					1			1				1	4
1	2	2	1		2			1						1	
1,096	1,302	1,205	1,220	1,241	1,077	1,096	1,010	901	631	350	158	32	12	53	5
715	806	682	680	823	953	1,147	1,179	1,078	797	582	218	81	24	32	
9	6	10	8	7	5	5	4	2	2	3					6
5	2	1	1	1	5	2	1	3	4	1					
45	62	72	79	112	187	184	285	272	255	175	84	22	6	5	7
65	59	56	101	132	189	207	385	410	382	282	157	55	23	9	
50	59	51	43	41	39	32	32	20	22	12	4	1		2	8
38	34	30	29	28	20	32	28	33	30	13	7			1	
12	15	22	30	52	67	72	80	68	39	26	7	3	1	3	9
8	16	22	20	37	38	63	86	61	56	29	11	3			
90	98	99	92	108	117	107	144	100	87	46	30	5	2	10	10
63	76	63	59	88	85	94	108	114	94	77	27	7	4	11	
1,281	1,403	1,428	1,325	1,330	1,354	1,277	1,209	975	656	317	137	37	8	59	11
570	651	778	744	731	748	672	601	479	304	129	52	15	4	24	12
711	752	650	581	599	606	605	608	496	352	188	85	22	4	35	13
															14
9	2	5	3	3	2		1	1		2			1		15
5	1	4	3	4	3		3		2						
58	63	78	83	97	116	101	111	105	71	36	14	4	2	1	16
70	99	86	75	97	101	121	125	133	90	70	26	9	1	3	
31	48	47	68	55	55	52	45	30	20	6	8			5	17
34	42	17	44	36	26	33	36	29	15	8	7	1		2	
43	40	33	53	52	54	37	54	42	29	8	4	2		3	18
52	61	70	67	52	71	55	74	50	44	26	15	1	1	8	
134	109	90	66	54	39	27	21	14	7	5	1			1	19
70	61	36	39	24	21	16	15	9	8	4			1	2	
18	26	30	31	21	34	37	30	43	29	13	5	1		1	20
13	23	32	29	47	41	53	43	33	23	9	8	2			
12	10	18	7	16	16	9	14	16	6	5		2		1	21
18	16	14	9	7	15	9	16	10	6	3	5	1		2	
9	4	11	12	13	20	15	15	16	8	8	3				22
13	12	7	12	11	15	18	24	20	12	6	3	1		2	
47	48	52	54	59	40	44	35	24	15	7		1			23
17	27	40	29	31	45	42	42	36	19	8	4	1		1	
98	183	259	245	256	262	244	201	120	79	20	7	3	1	1	24
68	103	127	121	142	131	124	111	91	59	25	9	1		4	
97	85	109	90	52	66	51	40	29	14	7	5	1		8	25
326	275	182	109	87	81	72	60	43	27	6	3	2		8	
	7	8	4	9	7	6	6	1	4						26
4	3	5	5	6	8	13	13	6	10	3				2	
14	26	38	28	44	37	49	28	38	22	12	5	1		3	27
21	29	30	39	55	48	49	46	31	37	20	5	3	1	1	
1,212	1,535	1,673	1,823	2,082	2,183	2,323	2,194	1,964	1,357	729	302	56	24	70	28
609	780	924	1,012	1,246	1,300	1,383	1,364	1,212	878	482	188	31	13	41	29
603	755	749	811	836	883	940	830	752	470	247	114	25	11	29	30
503	643	760	832	1,024	1,070	1,112	996	833	562	260	95	17	5	28	31
474	612	639	701	723	762	829	694	647	402	213	101	20	9	15	
2	4	5	3	9	8	8	9	6	3	2	1		1	1	32
3		2	2	1		3	3	2	2	2	1				
19	29	33	32	36	33	32	55	41	32	16	5			3	33
25	29	25	20	26	22	18	25	18	8	6			1	1	
9	11	19	22	42	35	79	121	144	124	91	48	7	4		34
4	9	4	4	4	11	15	15	18	16	4	5	2	1		
76	93	107	123	135	154	152	183	188	157	113	39	7	3	9	35
97	105	79	84	82	88	75	93	67	51	22	7	3		13	
233	200	217	147	84	43	36	32	18	18	8				4	36
23	16	25	29	21	13	9	16	7	5	4					37
23	17	10	3	3	1		1	2							38
59	49	30	11	2			1								39
39	50	93	69	43	19	20	9	8	9	2				1	40
15	10	8	5	2	2	2	1	1	2						41
74	58	51	30	13	8	5	4		2	2				3	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	2,917								4	193	634	725
2	Abortion	221									12	43	63
3	Childbirth	736								1	39	111	155
4	Puerperal septicemia	1,271								3	84	314	341
5	Extra-uterine pregnancy	131									1	20	35
6	Others of this class	558									57	146	131
7	9. Diseases of the bones and joints	783	53	23	9	21	16	122	79	69	61	56	35
8	Males	451	27	10	4	15	13	69	38	40	41	35	23
9	Females	332	26	13	5	6	3	53	41	29	20	21	12
10	Diseases of the spine M	132	8	3	1	5	6	23	16	12	13	9	10
	Diseases of the spine F	98	9	5	2	4		20	18	9	3	10	2
11	Abscess, lumbar and psoas M	25	1					1		2	1	5	1
	Abscess, lumbar and psoas F	15	1					1	3	1			
12	Diseases of the bones M	175	15	4	2	6	6	33	10	12	14	11	8
	Diseases of the bones F	116	10	8	2	1	3	24	9	12	7	8	6
13	Diseases of the hip-joint M	67	1			3	1	5	10	12	12	7	4
	Diseases of the hip-joint F	38	3		1			4	10	4	9	1	1
14	Others of this class M	52	2	3	1	1		7	2	2	1	3	
	Others of this class F	65	3			1		4	1	3	1	2	3
15	10. Diseases of the skin	715	223	19	14	9	3	268	19	7	7	25	19
16	Males	395	114	11	9	4	1	139	13	5	4	11	10
17	Females	320	109	8	5	5	2	129	6	2	3	14	9
18	Abscess M	218	51	10	5	3	1	70	12	5	3	7	7
	Abscess F	157	50	2	3	2	1	58	6	1	1	8	8
19	Carbuncle M	58	1		1			2			1	1	1
	Carbuncle F	32	1		1			2			1	3	1
20	Others of this class M	119	62	1	3	1		67	1			3	2
	Others of this class F	131	58	6	1	3	1	69		1	1	3	
21	11. Diseases of the absorbent system	260	28	15	1	4	1	49	6	6	9	8	22
22	Males	134	16	9	1	4	1	31	4	3	6	5	9
23	Females	126	12	6				18	2	3	3	3	13
24	Addison's disease M	44							1	1	2	1	3
	Addison's disease F	33									2	1	4
25	Diseases of the spleen M	16	4			1		5				1	3
	Diseases of the spleen F	18	2					2		1			4
26	Others of this class M	74	12	9	1	3	1	26	3	2	4	3	3
	Others of this class F	75	10	6				16	2	2	1	2	5
27	12. Accidents and injuries	21,718	1,182	358	377	378	314	2,559	1,055	857	1,175	1,842	2,057
28	Males	16,583	688	187	224	207	171	1,427	713	707	940	1,475	1,698
29	Females	5,135	494	171	153	171	143	1,132	342	150	235	367	359
30	Burns and scalds M	880	37	85	133	110	62	427	68	22	16	38	39
	Burns and scalds F	1,238	38	90	83	105	94	405	174	62	55	52	73
31	Drowning M	2,063	10	15	9	18	24	76	228	267	184	181	166
	Drowning F	191	8	11	6	8	2	35	14	12	22	14	8
32	Exposure and neglect M	101	30	1	1		1	33	3	1	1	4	2
	Exposure and neglect F	71	36	4	2			42		1	1	3	
33	Gunshot wounds M	756	2	1		1	1	5	13	57	87	124	115
	Gunshot wounds F	108	1		3	1	2	7	7	6	6	25	12
34	Homicide M	468					2	2	7	10	29	75	89
	Homicide F	122		1	2	2	1	6	8	4	6	17	21
35	Infanticide M	11	11					11					
	Infanticide F	8	8					8					
36	Injuries by machinery M	82		1				1			5	14	16
	Injuries by machinery F	4								1		1	
37	Railroad accidents M	2,680	5	8	8	11	20	52	129	126	176	314	339
	Railroad accidents F	261	2	5	7	7	11	32	41	14	19	15	12
38	Suffocation M	595	270	14	11	4	5	304	9	7	16	30	21
	Suffocation F	353	211	14	6	4	4	239	12	3	10	8	10
39	Suicide by shooting M	630									9	54	73
	Suicide by shooting F	39									2	5	5
40	Suicide by drowning M	81									2	4	5
	Suicide by drowning F	33									2	5	6
41	Suicide by poison M	486									12	38	56
	Suicide by poison F	314								3	49	68	56
42	Other suicides M	934								2	15	57	71
	Other suicides F	239									15	32	28
43	Sunstroke M	270	39	5	4		2	50	7		5	16	17
	Sunstroke F	134	31	8	4	1		44	4	1	2	4	3
44	Surgical operations M	112	7	1	1		1	10	4		2	8	12
	Surgical operations F	247	3		1			4	2	2	5	38	29
45	Wounds M	341		1	3	4	4	12	8	8	32	36	50
	Wounds F	31	1	1				2	6	2	3	3	2
46	Others of this class M	6,093	227	55	54	59	49	444	237	207	349	482	627
	Others of this class F	1,742	150	37	39	43	29	308	74	39	38	77	94

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
625	482	215	21	3	1	1			2					11	1
42	43	15			1				1					1	2
171	166	78	8	2										5	3
270	173	72	9	1		1			1					2	4
36	28	9	1											1	5
106	72	41	3											2	6
48	45	48	38	36	31	26	31	34	16	5	2	1			7
30	29	29	25	22	14	13	19	12	10	1	1				8
18	16	19	18	14	17	13	12	22	6	4	1	1			9
6	8	9	7	5	2		4	4	4						10
5	8	4	2	4	4	4	2	1		1		1			
4	2		2	1	2	1	1	1	1						11
2		2	1	2	1			2							
13	11	11	9	10	6	7	9	4	5	1	1				12
6	4	5	6	4	4	5	4	7	2	2	1				
6	3	4		1	2	1									13
2	4	1						1		1					
1	5	5	7	5	2	4	5	3							14
3		7	4	4	8	4	6	11	4						
28	36	46	32	38	43	44	37	28	18	10	8	1		1	15
13	20	28	18	25	29	22	21	14	11	8	4				16
15	16	18	14	13	14	22	16	14	7	2	4	1		1	17
9	17	18	8	15	15	10	11	4	3	4					18
8	10	10	8	5	9	8	10	3	2	1	1				
3		4	7	6	8	7	6	5	4	1	2				19
	1	3	2	5	2	3	1	5	2	1					
1	3	6	3	4	6	5	4	5	4	3	2				20
7	5	5	4	3	3	11	5	6	3		3	1		1	
21	13	20	19	18	22	22	10	9	4					2	21
12	7	8	8	8	11	11	4	6						1	22
9	6	12	11	10	11	11	6	3	4					1	23
3	5	4	4	4	6	7	2	1							24
3	4	5		4	4	3	1		1					1	
2			1	1		1	1	1							25
2		1	1	1	1	1	2		2						
7	2	4	3	3	5	3	1	4						1	26
4	2	6	10	5	6	7	3	3	1						
2,024	2,081	1,614	1,422	1,180	942	806	645	466	347	225	116	33	14	258	27
1,689	1,715	1,353	1,183	986	759	625	450	288	183	116	45	10	6	215	28
335	366	261	239	194	183	181	195	178	164	109	71	23	8	43	29
47	47	47	28	23	16	15	13	12	6	6	2			8	30
68	66	49	45	26	36	34	27	26	23	8	4	3		2	
166	188	153	119	88	74	53	34	18	12	4	1			51	31
13	16	11	9	8	7	6	6	2	1					7	
7	6	6	5	4	6	9	6	1	3	1			1	2	32
2	3	1	2		3	2			2	4	3			2	
88	76	48	44	23	24	17	7	5	5		1			17	33
14	16	6	2	2		2			2	1					
74	67	33	29	18	11	8	3	3	1	1				8	34
17	12	9	5	5	3	1	2							6	
															35
13	9	8	5	5	2	2	2								36
1		1													
313	298	219	171	154	123	95	48	40	17	12	6		1	47	37
17	14	13	13	11	13	5	11	12	12	4	1			2	
29	42	28	22	11	16	16	14	5	4	2	2			17	38
7	8	3	5	4	8	6	4	6	2	3				15	
75	81	81	76	57	40	24	24	13	9	3	2			9	39
11	5	2	3	3	1			1	1						
8	8	8	9	11	6	5	5	4	3	2				1	40
6	2	2	2	3		1	1	1	2						
65	63	58	46	54	27	27	20	10	3					7	41
32	39	19	15	10	6	4	3	4	2	1		1		2	
92	106	115	108	110	85	67	43	26	20	9	1	1		6	42
28	32	32	22	15	12	7	7	5	4	2	2			1	
22	38	20	21	23	17	8	4	9	8	2	1			2	43
2	7	4	6	10	7	13	7	11	6	3					
11	11	9	9	8	9	8	6	2	1	1				1	44
35	35	29	22	15	15	5	5	2	2	2					
45	38	20	25	20	12	16	7	2	1	2	1			6	45
1	2	1	2		2	2	1	1		1					
634	637	500	466	377	291	255	214	138	90	71	28	9	4	33	46
86	109	79	86	82	70	93	121	107	105	80	61	19	8	6	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	301,670	60,524	15,101	6,797	4,385	2,933	89,740	7,909	4,576	7,118	11,090	12,893
2	Males	157,745	33,924	8,021	3,547	2,227	1,468	49,187	4,047	2,274	3,534	5,484	6,519
3	Females	143,925	26,600	7,080	3,250	2,158	1,465	40,553	3,862	2,302	3,584	5,606	6,374
4	Unknown cause	2,326	903	70	25	25	11	1,034	44	37	44	47	60
5	Males	1,269	511	37	13	14	6	581	23	15	22	24	27
6	Females	1,057	392	33	12	11	5	453	21	22	22	23	33
7	1. General diseases. General diseases—A	51,379	18,622	5,696	2,620	1,842	1,278	30,058	3,086	1,103	1,075	1,335	1,193
8	Males	26,286	10,143	2,971	1,300	931	631	15,976	1,509	500	516	724	644
9	Females	25,093	8,479	2,725	1,320	911	642	14,077	1,577	603	559	611	549
10	Measles M	1,272	351	431	160	84	51	1,077	97	24	13	17	10
	Measles F	1,311	308	418	169	82	53	1,030	115	40	26	18	18
11	Scarlet fever M	967	68	134	156	160	97	615	250	39	21	15	10
	Scarlet fever F	899	45	110	139	150	108	552	244	42	19	15	7
12	Diphtheria M	2,748	201	425	450	378	310	1,764	701	145	53	27	17
	Diphtheria F	2,782	158	401	443	380	303	1,685	763	166	58	34	18
13	Whooping cough M	1,140	673	265	93	52	17	1,100	21	1		1	
	Whooping cough F	1,308	672	306	149	69	36	1,232	46	7	3		1
14	Malarial fever M	432	42	17	13	14	11	97	12	8	18	37	21
	Malarial fever F	464	33	13	18	15	8	87	32	16	26	34	24
15	Influenza M	2,120	162	40	16	18	6	242	28	14	23	43	42
	Influenza F	2,057	155	37	23	13	12	240	27	27	29	39	62
16	Typhoid fever M	2,547	19	11	15	20	18	83	108	135	273	438	378
	Typhoid fever F	1,884	11	21	19	22	18	91	102	176	271	271	207
17	Cholera morbus M	498	111	38	25	17	6	197	27	17	6	14	9
	Cholera morbus F	461	85	35	24	7	3	154	18	12	16	11	10
18	Colitis M	299	157	31	11	8	2	209	8		2	4	3
	Colitis F	282	125	37	12	4	1	179	4		2	5	8
19	Diarrhea M	1,262	598	102	22	7	8	737	39	10	4	9	9
	Diarrhea F	1,123	499	87	11	7	3	607	41	15	5	4	14
20	Dysentery M	782	142	80	35	28	19	304	32	16	6	12	14
	Dysentery F	919	127	70	33	22	11	263	16	8	4	15	12
21	Enteritis M	4,455	3,004	546	119	48	28	3,745	59	24	14	22	35
	Enteritis F	4,135	2,427	529	101	49	33	3,139	63	21	15	30	41
22	Cholera infantum M	4,834	3,984	676	113	38	19	4,830					
	Cholera infantum F	4,025	3,308	554	102	36	22	4,022					
23	Fever M	22	3	2	1		1	7	2	1	2	1	
	Fever F	23	8	2	2	1	1	14		1	1	2	
24	Cerebro-spinal fever M	780	225	135	58	43	26	487	85	45	42	27	22
	Cerebro-spinal fever F	611	165	75	55	36	21	352	74	58	34	17	15
25	Smallpox M	35	2	1		1		4	1		4	5	3
	Smallpox F	24	2	2				4	1	2	2	6	
26	Erysipelas M	543	151	11	2	3		167	2	2	10	6	22
	Erysipelas F	408	138	11	5	3	2	159	2	2	7	10	12
27	Septicemia M	699	75	10	4	6	9	104	22	14	17	41	33
	Septicemia F	792	65	11	8	11	4	99	23	13	34	91	89
28	Venereal diseases M	231	146	8	1	3		158			2		11
	Venereal diseases F	188	132	5	4	3	1	145			4	5	4
29	Others of this group M	620	29	8	6	3	3	49	15	5	6	5	10
	Others of this group F	497	16	1	3	1	2	23	6	2	3	4	12
30	General diseases—B	5,207	2,702	121	51	32	16	2,922	30	15	46	118	218
31	Males	3,238	1,504	76	29	14	10	1,633	17	9	14	63	142
32	Females	1,969	1,198	45	22	18	6	1,289	13	6	32	55	76
33	Alcoholism M	922							1		1	16	78
	Alcoholism F	232			1			1			1	6	30
34	Parasitic diseases M	13	2	5	2			9	1				
	Parasitic diseases F	10	1		3	6		10					
35	Lead poison M	27			1			1					1
	Lead poison F	16	1	1	1			3					1
36	Other poisons M	656	27	30	21	11	7	96	10	6	12	47	59
	Other poisons F	373	18	14	11	10	5	58	9	2	28	45	42
37	Inanition M	1,620	1,475	41	5	3	3	1,527	5	3	1		4
	Inanition F	1,338	1,178	30	6	2	1	1,217	4	4	3	4	3
38	General diseases—C	24,674	13,493	463	86	34	26	14,102	30	17	14	25	27
39	Males	12,608	7,663	224	47	23	10	7,967	17	8	9	10	10
40	Females	12,066	5,830	239	39	11	16	6,135	13	9	5	15	17
41	Old age M	4,069											
	Old age F	5,196											
42	Premature birth M	3,361	3,361					3,361					
	Premature birth F	2,468	2,468					2,468					
43	Malformation M	642	623	6	8	1		638	3		1		
	Malformation F	510	494	9			1	504	2	1		1	
44	Debility and atrophy M	4,068	3,212	218	44	22	10	3,506	14	8	8	10	10
	Debility and atrophy F	3,560	2,538	280	39	11	15	2,883	11	8	5	14	17
45	Others of this group M	468	467					467					
	Others of this group F	332	330					330					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12,630	13,142	12,142	12,112	13,262	14,531	16,033	17,385	17,803	16,467	12,305	6,566	2,407	703	856	1
6,601	7,081	6,570	6,568	7,116	7,632	8,227	8,873	8,996	8,375	5,967	3,023	947	231	493	2
6,029	6,061	5,572	5,544	6,146	6,899	7,806	8,512	8,807	8,092	6,338	3,543	1,460	472	363	3
58	86	81	73	91	97	97	105	96	95	81	33	16		51	4
33	44	45	43	48	55	64	62	47	48	38	12	8		30	5
25	42	36	30	43	42	33	43	49	47	43	21	8		21	6
1,100	973	853	828	830	960	1,173	1,402	1,579	1,547	1,255	667	235	56	76	7
555	504	440	450	435	474	527	640	730	666	545	307	85	23	36	8
545	469	413	378	395	486	646	762	849	881	710	360	150	33	40	9
10	5	3	2	5	1	2	2	1	3						10
15	15	7	10	2	7		2	1	1	2	1			1	
9	3	2						1			1			1	11
5	6	5	1				1	1						1	
15	6	1	7	5	4	1	2								12
15	10	4	6	6	5	4	2	2	1	2				1	
2	2	3	1		1	2		1		1		1		3	13
5	1	3					1			1		1		7	
21	14	19	26	11	20	25	22	30	25	13	9	2		2	14
21	18	16	21	12	19	27	27	31	23	19	8		1	2	
51	54	80	83	79	103	160	194	249	247	248	130	40	6	4	15
64	70	83	85	128	161	241	297	345	415	349	180	88	17	10	
300	236	146	133	102	70	56	37	32	12	3	3			7	16
194	134	104	76	57	55	54	36	30	14	6	3			3	
10	8	15	19	23	22	23	26	34	23	11	8	2	2	2	17
16	14	14	7	10	19	26	25	38	21	28	13	8	1		
2	2	9	5	8	4	2	6	11	12	6	3	2		1	18
6	3	5	8	8	4	13	13	8	8	6	4	3			
9	11	7	12	22	37	44	67	77	71	55	26	9	5	2	19
15	8	11	12	17	29	33	48	64	83	68	31	13	2	3	
18	16	13	19	23	17	39	48	58	50	53	31	6	4	3	20
19	19	25	25	24	39	53	82	89	100	66	44	13	3		
24	28	35	39	38	56	55	67	72	61	46	25	5	3	2	21
48	44	49	53	52	56	78	116	120	103	68	31	7	3	3	
														4	22
														3	
		2	1	2			1		1	1	1				23
1								1	1		1	1			
11	14	12	13	5	6	2	4	3	2						24
14	10	10	12	2	4	3	2	3	3	1		1		1	
3	2	1	3	5	3		1								25
4	1	1		2	1										
23	28	35	22	27	45	34	28	33	31	18	7	3			26
6	27	10	13	17	25	31	23	21	20	16	3	2	1	1	
32	55	38	41	50	40	44	59	36	30	19	6				27
91	75	48	31	32	37	31	23	20	21	12	8	2		3	
6	13	8	7	7	8	3	3	2	1					2	28
4	6	9	4	1	1		2	3							
9	7	11	17	23	28	35	73	90	88	71	57	15	3	3	29
7	8	9	14	25	24	52	62	63	67	66	33	11	5	1	
279	316	231	216	188	172	115	106	72	71	33	19	4	3	33	30
199	244	174	169	145	125	85	73	40	48	19	13	2		24	31
80	72	57	47	43	47	30	33	32	23	14	6	2	3	9	32
185	184	112	102	100	70	36	41	13	16	4	4			9	33
35	40	37	27	17	18	10	2	3	2	1				2	
				1	1		1								34
4	4	5	4	4		2	1		1						35
3	2			1	3	1		2							
58	55	55	62	36	47	41	22	21	18	6	4			1	36
39	27	17	17	22	19	8	17	10	6	7					
2	1	2	1	4	7	6	8	6	13	9	5	2		14	37
3	3	3	3	3	7	11	14	17	15	6	6	2	3	7	
26	40	29	30	60	102	211	465	1,090	1,870	2,811	2,166	1,111	393	55	38
12	14	15	15	26	37	91	196	485	860	1,306	951	429	126	24	39
14	26	14	15	34	65	120	269	605	1,010	1,505	1,215	682	267	31	40
						60	185	420	769	1,239	908	413	126	9	41
						78	194	513	914	1,404	1,162	657	257	17	
															42
														5	43
							1							1	
12	14	15	15	26	37	41	61	65	90	67	43	16		10	44
14	26	14	15	34	64	42	74	91	96	101	53	25	10	18	
									1						45
					1			1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		51,158	1,852	895	449	295	197	3,688	650	732	2,416	4,374	5,151
2	Males		24,954	1,026	485	250	136	96	1,993	311	265	1,018	2,068	2,556
3	Females		26,204	826	410	199	159	101	1,695	339	467	1,398	2,306	2,595
4	Anemia	M	403	53	12	2	4	2	73	9	4	8	15	10
		F	612	50	17	6	5	6	84	6	9	31	40	36
5	Diabetes	M	972	5	4	5	2	3	19	25	43	38	33	43
		F	879	3	4	1	7	3	18	23	32	22	27	28
6	Rheumatism	M	554	6	4	2	1	3	16	29	18	22	14	25
		F	596	15	1	2	3	2	23	29	29	26	18	17
7	Scrofula and tabes	M	260	86	16	5	2	2	111	7	3	7	17	16
		F	286	54	18	9	3	4	88	7	8	23	21	21
8	Hydrocephalus	M	1,192	442	260	123	66	45	936	101	28	21	22	13
		F	1,000	371	206	96	69	40	782	88	29	28	16	16
9	Tuberculosis, general	M	327	33	14	11	7	4	69	12	10	14	29	43
		F	289	37	11	6	5	2	61	13	16	24	31	24
10	Consumption	M	16,395	305	151	80	42	27	605	100	136	879	1,894	2,346
		F	14,282	233	127	64	56	34	514	157	312	1,203	2,097	2,329
11	Cancer	M	3,847	6	3	2	2	3	16	7	8	8	19	35
		F	6,977	6	1	1	2	1	11	3	10	11	25	90
12	Tumor	M	387	8	3	8	3	3	25	9	6	11	13	18
		F	591	10	3	5	4	4	26	3	6	15	14	20
13	Dropsy	M	417	10	6	1	1	1	19	5	3	3	6	2
		F	491	7	3	3			13	4	7	7	7	4
14	Others of this group	M	200	72	12	11	6	3	104	7	6	7	6	5
		F	198	40	19	6	5	5	75	6	9	8	10	10
15	2. Diseases of the nervous system		37,335	6,469	1,782	773	457	307	9,788	776	484	463	490	682
16	Males		19,646	3,762	967	427	222	157	5,535	405	269	263	238	353
17	Females		17,689	2,707	815	346	235	150	4,253	371	215	200	252	329
18	Inflammation of the brain	M	300	79	29	23	4	9	144	17	8	8	8	8
		F	225	43	18	11	8	3	83	16	16	8	9	10
19	Meningitis	M	3,502	1,292	561	281	137	83	2,354	256	103	93	71	96
		F	2,827	970	485	216	151	97	1,919	238	114	62	63	63
20	Apoplexy	M	6,620	81	17	3	6	6	113	10	7	25	32	72
		F	6,660	72	14	7	6	1	100	11	8	22	28	62
21	Paralysis	M	2,837	31	6	5	4	2	48	11	10	11	12	24
		F	2,697	15	9	8	3	4	39	10	6	6	22	29
22	Paralysis, general (of insane)	M	253								1	1	1	11
		F	133											5
23	Tetanus and trismus nascentium	M	314	102	5	2	3	1	113	22	65	26	13	11
		F	109	67	2		2	1	72	3	3	1	3	2
24	Chorea	M	25			1	2	1	4	2	1	4	1	1
		F	34	1	1			1	3	2	8	10	1	
25	Epilepsy	M	438	36	9	4	2	1	52	10	25	41	27	39
		F	367	26	6	8	4		44	13	17	25	28	34
26	Convulsions	M	2,384	1,859	263	84	39	25	2,270	35	12	3	6	3
		F	1,896	1,341	217	79	47	26	1,710	34	5	11	23	29
27	Mental diseases	M	573							1	1	5	21	20
		F	656								2	6	18	28
28	Diseases of the brain	M	1,633	256	70	18	22	20	386	34	30	29	32	51
		F	1,359	148	55	14	10	13	240	32	27	34	38	35
29	Diseases of the spinal cord	M	304	21	7	3	2	8	41	5	4	11	7	7
		F	298	16	6	3	4	4	33	9	5	6	6	11
30	Locomotor ataxia	M	213	1		1			2		1	1	2	1
		F	73							1			2	
31	Others of this class	M	250	4		2	1	1	8	2	1	5	5	9
		F	355	8	2				10	2	4	9	11	21
32	3. Diseases of the circulatory system		26,962	1,391	72	44	50	67	1,624	394	443	482	593	672
33	Males		14,044	777	44	21	26	32	900	179	165	213	258	318
34	Females		12,918	614	28	23	24	35	724	215	278	269	340	354
35	Pericarditis	M	177	5	4		1	1	11	8	15	14	10	10
		F	177	5	1	1	1	7	15	13	11	13	8	4
36	Diseases of the heart	M	12,319	488	39	19	24	28	598	167	146	191	234	287
		F	11,626	401	26	22	22	26	497	199	263	248	310	319
37	Angina pectoris	M	674							1		6	2	15
		F	517							2	2	5	12	15
38	Diseases of the arteries	M	337	1					1	1				1
		F	214	1					1				1	1
39	Aneurism	M	152								3		6	4
		F	61								2	1		2
40	Embolism	M	95	6				1	7	1	1	2	1	1
		F	104	1				1	2	1		2	7	10
41	Others of this class	M	290	277	1	2	1	2	283	1				
		F	219	206	1		1	1	209				2	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,780	4,324	3,678	3,387	3,330	3,243	2,994	2,958	2,300	1,721	891	347	85	14	95	1
2,504	2,293	1,897	1,694	1,627	1,471	1,370	1,363	1,069	799	413	157	39	7	40	2
2,276	2,031	1,781	1,693	1,703	1,772	1,624	1,595	1,231	922	478	190	46	7	55	3
14	13	24	23	37	36	34	39	18	22	17	5		1	1	4
37	40	38	37	45	58	43	41	32	22	7	3	2		1	
45	33	62	63	82	74	116	110	84	63	28	5	3	1	2	5
20	29	39	55	86	110	121	108	84	51	18	5	1		2	
27	27	20	27	28	53	39	54	61	46	33	9	2	1	3	6
23	26	29	28	35	45	41	61	59	54	30	18	4		1	
9	14	6	9	2	12	11	17	11	3	3			1	1	7
23	13	10	10	16	6	10	8	6	6	9				1	
24	16	13	7	4	8	2		1						1	8
9	8	8	3	4	2		2	3	1					1	
23	32	17	20	26	10	5	7	4	5	1					9
28	16	15	19	8	8	9	9	1	4	2	1				
2,270	2,017	1,490	1,190	974	754	576	464	355	207	83	26	5		24	10
1,875	1,480	986	707	587	514	442	381	309	215	95	43	8	2	26	
59	106	214	292	418	466	521	575	438	366	181	82	26	2	8	11
196	366	579	748	834	927	850	839	631	469	250	92	24	3	19	
20	19	28	38	33	31	27	40	31	25	11	2				12
35	37	52	52	55	63	53	62	39	36	16	5			2	
7	8	15	18	17	26	35	52	60	57	54	27	3			13
13	8	17	24	27	35	46	75	62	61	50	23	7	2	2	
6	8	8	7	6	6	4	5	6	5	2	1		1		14
17	8	8	10	6	4	9	9	5	3	1					
775	978	1,120	1,471	1,815	2,228	2,764	3,171	3,470	3,287	2,188	945	279	74	87	15
423	549	617	769	943	1,177	1,382	1,612	1,766	1,672	1,073	420	103	27	50	16
352	429	503	702	872	1,051	1,382	1,559	1,704	1,615	1,115	525	176	47	37	17
9	11	9	5	11	6	9	10	15	12	7	3				18
11	6	9	5	12	9	4	9	6	6	3	1	1		1	
74	70	52	75	59	46	33	39	32	24	9	7	2		7	19
54	36	43	53	28	30	33	32	21	17	8	3	3	1	3	
120	156	241	338	482	645	778	881	972	897	555	215	47	9	25	20
79	129	230	358	492	636	804	877	960	860	583	286	95	27	13	
48	107	104	133	156	207	264	333	447	445	314	119	27	13	4	21
38	37	55	95	123	175	265	341	427	460	334	159	51	14	11	
25	25	33	30	30	24	19	18	10	13	6	4	2			22
11	8	11	5	15	7	9	18	18	11	10	8	2			
14	6	7	8	8	11	3	2	2	3						23
3	5	4	1	1	4	4	1	1	1						
2		1		3		1	2	1	1			1			24
			2	1	1	1	2		2	1					
29	39	29	22	15	21	19	18	22	16	8	4	1		1	25
22	35	17	23	23	16	22	12	12	13	8	1	2			
5	5	3	5	2	2	3	4	9	4	4	1	1		7	26
22	18	9	4	4	4	4	7	3	3	1		1		4	
30	34	26	26	22	37	53	84	66	66	50	24	7			27
30	35	38	39	46	44	71	69	70	65	58	27	8	2		
50	57	64	55	89	91	113	129	127	135	102	39	14	3	3	28
46	66	47	70	64	67	99	122	111	128	79	36	12	3	3	
5	20	21	22	31	23	29	34	15	18	9			1	1	29
11	21	16	14	23	30	30	28	27	16	9	1	1		1	
3	12	15	31	21	37	31	27	16	12	1					30
1	7	4	6	7	8	10	10	8	4	4	1				
9	7	12	19	14	27	27	31	32	26	8	4	1	1	2	31
24	26	20	27	33	20	26	31	37	29	17	7			1	
822	1,029	1,157	1,301	1,755	2,210	2,690	3,086	3,201	2,775	1,701	727	176	42	82	32
404	503	528	628	941	1,208	1,465	1,686	1,739	1,539	890	360	70	14	41	33
418	526	629	673	814	1,002	1,225	1,400	1,462	1,236	811	367	106	28	41	34
6	15	8	7	10	15	8	13	10	12	4				1	35
15	7	12	8	4	12	9	14	9	8	10	3	1		1	
363	430	469	558	835	1,078	1,296	1,512	1,569	1,370	782	322	64	13	35	36
369	486	580	614	754	911	1,124	1,269	1,344	1,137	718	333	91	22	38	
20	26	24	38	58	62	108	93	75	81	46	15	1		3	37
15	23	21	39	39	50	61	74	55	47	40	12	4		1	
	1	5	4	11	27	30	50	66	59	51	22	5	1	2	38
1		3	1	7	13	21	26	42	31	36	15	9	6		
10	24	19	16	17	18	13	5	8	8	1					39
6	4	7	5	4	6	5	7	4	3	3	1	1			
5	7	2	5	9	8	7	13	11	9	5	1				40
11	6	5	6	4	10	5	10	8	10	4	3				
		1		1		3				1					41
1		1		2										1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	48,727	11,301	5,189	2,188	1,153	633	20,464	1,388	482	721	1,108	1,313
2	Males	25,311	6,390	2,794	1,148	576	296	11,204	690	212	399	632	790
3	Females	23,416	4,911	2,395	1,040	577	337	9,260	698	270	322	476	583
4	Croup M	806	124	175	171	127	68	660	135	4	2	2	1
	Croup F	691	87	147	122	117	72	545	127	11	1	1	
5	Pneumonia M	17,744	3,757	2,008	751	345	167	7,028	425	160	329	539	633
	Pneumonia F	15,972	2,907	1,717	701	338	193	5,856	444	206	248	361	473
6	Laryngitis M	206	31	34	18	22	11	111	41	6		3	1
	Laryngitis F	178	25	29	21	26	7	108	26	4	3	2	6
7	Bronchitis M	4,181	1,346	500	171	55	36	2,608	50	22	20	24	30
	Bronchitis F	4,481	1,476	433	164	67	43	2,183	57	16	30	41	38
8	Pleurisy M	464	22	22	16	12	5	77	14	8	27	26	25
	Pleurisy F	375	14	18	12	7	4	55	17	6	9	25	22
9	Asthma M	230	14	2		1		17	2		2	3	2
	Asthma F	233	15			1		16	3	2		3	1
10	Others of this class M	1,680	596	53	26	14	14	703	23	12	19	35	38
	Others of this class F	1,486	387	51	20	21	18	497	24	25	31	43	43
11	5. Diseases of the digestive system	16,215	2,297	427	185	111	122	3,142	484	449	587	715	870
12	Males	8,131	1,302	211	95	56	63	1,727	246	254	292	325	374
13	Females	8,084	995	216	90	55	59	1,415	238	195	295	390	505
14	Dentition M	173	106	62	3	1	1	173					
	Dentition F	180	110	64	4	1	1	180					
15	Angina M	112	9	15	9	7	6	46	14	5	3	5	3
	Angina F	98	9	11	8	6	8	42	21	8	2	1	5
16	Gastritis M	1,105	224	37	8	12	5	286	15	7	10	13	38
	Gastritis F	1,342	184	47	15	12	10	268	18	8	12	33	55
17	Diseases of the stomach M	479	26	2	1	1	6	36	4	3	6	9	24
	Diseases of the stomach F	418	22	5	1		1	29	3	2	12	24	27
18	Obstruction of the bowels M	661	130	11	11	5	6	163	31	18	20	18	35
	Obstruction of the bowels F	708	88	11	10	7	6	117	23	8	16	17	36
19	Appendicitis M	971	4	2	2	6	10	24	62	124	139	140	109
	Appendicitis F	599	4	4	3	1	7	19	56	71	98	64	71
20	Hernia M	354	42	2			1	45	2	1	10	6	9
	Hernia F	307	10				1	11	4		2	1	
21	Other diseases of the bowels M	209	63	7	3	2		75	3	4	5	5	6
	Other diseases of the bowels F	185	47	7		3		57	4	1	6	2	3
22	Jaundice M	290	158		6		1	165	4	1	4	3	6
	Jaundice F	251	93	1	5	1	2	102	4	3	2	2	5
23	Inflammation and abscess of the liver. M	333	17	3	1	1	3	25	5	5	6	15	17
	Inflammation and abscess of the liver. F	346	11	1	2	2	2	18	4	6	3	11	19
24	Other diseases of the liver M	1,562	24	4	4	1	1	34	6	5	6	19	42
	Other diseases of the liver F	1,000	18	3	3		1	20	4	4	3	11	31
25	Peritonitis M	1,008	83	19	28	14	12	156	36	79	78	86	73
	Peritonitis F	1,739	54	22	20	15	13	124	33	78	130	216	230
26	Ascites M	34	2					2					1
	Ascites F	56	2					2			1		3
27	Others of this class M	840	414	47	19	6	11	497	14	2	5	6	11
	Others of this class F	855	353	40	19	7	7	426	14	6	8	8	15
28	6. Diseases of the urinary system and male organs of generation.	18,287	307	88	81	81	77	634	235	191	283	557	788
29	Males	10,525	181	51	39	51	42	364	128	90	126	228	325
30	Females	7,762	126	37	42	30	35	270	107	101	157	329	418
31	Bright's disease M	7,744							108	69	110	196	278
	Bright's disease F	6,470							98	95	131	272	325
32	Calculus, urinary M	57	1					1		3	2	1	
	Calculus, urinary F	25	5					5				1	1
33	Diseases of the kidney M	683	129	46	38	47	39	299	8	3	5	6	18
	Diseases of the kidney F	450	93	31	35	28	33	220	1	1	5	9	18
34	Diseases of the bladder M	390	6				1	7	2	5	2	3	6
	Diseases of the bladder F	115	2		1			3				2	2
35	Others of this class M	1,151	45	5	1	4	2	57	10	10	7	22	28
	Others of this class F	702	26	6	6	2	2	42	8	5	21	45	67
36	7. Diseases of the female organs of generation	1,026	5	1			1	7		3	30	108	142
37	Ovarian tumors	181									1	13	15
38	Ovarian diseases	51									1	7	12
39	Diseases of the tubes	159									7	27	37
40	Uterine tumors	284					1	1			2	5	11
41	Uterine diseases	71									8	14	19
42	Others of this class	280	5	1				6		3	11	42	48

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,438	1,672	1,561	1,643	1,888	2,145	2,382	2,535	2,658	2,323	1,707	866	274	71	88	1
791 614	982< 690	923 638	951 692	1,015 873	1,071 1,074	1,105 1,277	1,176 1,359	1,191 1,467	1,024 1,299	706 1,001	352 514	96 178	19 52	39 49	2 3
	1		1	1	2	1	1	1							4
675 513	853 568	787 506	779 525	825 663	800 818	826 938	845 941	823 1,010	679 838	443 621	202 294	55 94	11 23	27 32	5
4 7	1 3	7 1	5	5 2	3 6	6 3	6 1	1 1	3 3	3 1	1				6
28 49	38 38	41 43	54 76	71 99	133 140	125 204	161 277	226 315	224 321	176 280	109 172	30 71	8 24	3 7	7
33 27	28 26	23 23	36 23	31 20	29 18	23 26	24 17	30 17	15 23	9 12	4 7	1 2		1	8
6 5	1 4	7 8	14 8	13 23	20 19	33 29	34 37	26 25	20 25	18 18	7 7	2		3	9
48 43	61 50	58 57	63 59	70 65	86 71	91 77	105 86	85 98	88 89	57 69	30 33	8 11	5	5 10	10
711	838	916	905	945	985	1,035	1,064	970	801	448	199	63	10	36	11
321 423	369 469	472 441	491 414	471 471	522 463	539 496	522 542	455 515	417 384	198 250	91 108	26 37	5 5	11 25	12 13
															14
6 1	2	4 2	3 4	4 2	2 2	4 1	1 3	5	3 2	2 1	1				15
30 36	39 65	44 59	56 51	58 84	68 79	80 106	94 101	88 122	88 102	53 89	24 32	9 15	3 1	2 3	16
17 32	27 26	32 17	42 26	45 33	52 31	42 34	47 30	37 46	39 23	10 11	7 9	8			17
29 31	20 33	17 43	32 45	41 40	40 51	36 41	37 65	44 58	50 38	14 27	10 13	4 1	2	2 3	18
73 43	67 33	69 28	51 30	35 18	24 15	15 15	16 19	14 7	6 6	2 4				1 2	19
13 7	11 11	14 22	21 24	19 27	29 37	33 40	30 43	36 31	38 26	22 13	12 6	2 1	1	1	20
6 7	6 13	8 7	7 8	7 5	10 6	10 7	12 14	15 16	15 12	11 2	1 6	2 1	1	1 2	21
4 4	2 7	4 5	6 10	5 14	10 11	13 14	14 17	19 27	15 8	8 7	4 3	1 2		2 4	22
21 14	22 22	23 29	27 20	38 22	19 25	33 35	21 35	24 31	18 25	12 19	1 7	1 1			23
65 48	106 73	164 94	164 85	165 113	189 98	192 96	171 104	108 93	87 75	25 32	10 14	3 1	1	1	24
46 188	53 169	69 116	52 75	31 67	53 62	40 58	38 53	24 40	23 24	10 9	7 7	3 5		1 5	25
		3 2	2 5	2 3	1 7	3 5	5 7	7 8	2 4	5 5	1 1	1		2	26
11 12	14 17	21 20	28 28	24 43	25 39	38 44	36 51	34 36	33 39	24 31	14 9	1 6	1	2 2	27
794	1,011	1,103	1,200	1,453	1,646	1,845	1,811	1,821	1,500	888	408	81	21	37	28
381 413	500 541	576 527	620 580	827 626	952 694	1,106 739	1,108 703	1,147 674	1,030 470	636 252	292 116	56 25	8 13	25 12	29 30
331 337	421 450	506 457	536 516	716 558	803 617	891 659	836 618	792 600	649 396	339 211	120 94	23 18	3 10	17 8	31
1 1	3 1	3 1	1 1	6 1	6	4 2	5 1	7 3	11 3	1 3	2 1				32
13 22	20 19	18 24	13 16	30 18	25 16	31 16	50 23	44 11	52 16	29 10	22 3	2	1	1	33
4 2	6 7	10 1	15 3	26 3	36 11	78 17	118 8	162 16	155 15	144 10	88 10	17 4	4 1	2	34
32 51	50 64	39 44	55 44	49 46	82 50	102 45	99 53	142 44	163 40	123 18	60 8	14 3	1 1	6 3	35
121	128	130	113	72	46	41	30	25	15	8	2	2	1	2	36
14	13	18	24	19	15	14	13	11	5	4		1	1		37
13	7	1	5	2			2	1							38
29	29	18	8	2			1	1							39
16	33	54	48	39	22	21	10	11	6	4				1	40
11	5	4	3	1	1		2	1	2						41
38	41	35	25	9	8	6	2		2		2	1		1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**	2,301								2	137	500	558
2	Abortion	118									7	18	31
3	Childbirth	590									17	95	125
4	Puerperal septicemia	1,026								2	67	259	262
5	Extra-uterine pregnancy	77									1	13	18
6	Others of this class	490									45	115	122
7	**9. Diseases of the bones and joints**	693	57	18	5	18	14	112	55	57	54	49	30
8	Males	405	33	8	4	11	12	68	27	35	37	33	18
9	Females	288	24	10	1	7	2	44	28	22	17	16	12
10	Diseases of the spine M	131	17	2	1	5	4	29	13	16	13	12	4
	Diseases of the spine F	101	11	4	1	5		21	10	8	4	5	2
11	Abscess, lumbar and psoas M	24	1					1		2		7	4
	Abscess, lumbar and psoas F	15	1					1	2			2	
12	Diseases of the bones M	149	12	3	2	5	7	29	6	8	15	7	8
	Diseases of the bones F	89	9	6		1	2	18	8	8	6	6	6
13	Diseases of the hip-joint M	52	1	1				2	7	8	8	5	2
	Diseases of the hip-joint F	21	1					1	6	3	7		
14	Others of this class M	49	2	2	1	1	1	7	1	1	1	2	
	Others of this class F	62	2			1		3	2	3		3	4
15	**10. Diseases of the skin**	529	141	21	6	4	2	174	14	4	7	16	14
16	Males	295	78	11	3	2		94	11	1	5	7	10
17	Females	234	63	10	3	2	2	80	3	3	2	9	4
18	Abscess M	159	34	6	3	2		45	11	1	4	4	7
	Abscess F	114	24	5	1	1	2	33	3	2	2	7	3
19	Carbuncle M	40	1					1			1	1	
	Carbuncle F	16	1					1				1	
20	Others of this class M	96	43	5				48				2	3
	Others of this class F	104	38	5	2	1		46		1		1	1
21	**11. Diseases of the absorbent system**	251	24	11	1	3	1	40	5	4	5	11	11
22	Males	125	13	6	1	3	1	24	4	2	3	6	6
23	Females	126	11	5				16	1	2	2	5	5
24	Addison's disease M	40								1	1	1	1
	Addison's disease F	44									1	2	1
25	Diseases of the spleen M	15	1			1		2				1	1
	Diseases of the spleen F	19	2	1				3				2	1
26	Others of this class M	70	12	6	1	2	1	22	4	1	2	4	4
	Others of this class F	63	9	4				13	1	2	1	1	3
27	**12. Accidents and injuries**	14,600	960	247	283	280	186	1,956	718	553	754	1,044	1,205
28	Males	10,908	541	136	170	162	112	1,121	480	449	617	873	1,006
29	Females	3,692	419	111	113	118	74	835	238	104	137	171	199
30	Burns and scalds M	576	27	70	94	80	33	304	38	12	9	17	22
	Burns and scalds F	780	25	60	62	69	47	263	119	35	23	18	40
31	Drowning M	1,776	13	19	17	19	24	92	200	200	157	179	160
	Drowning F	196	7	13	6	8	2	36	22	18	19	12	6
32	Exposure and neglect M	86	23	1			1	25	1	1		4	1
	Exposure and neglect F	42	18	2				20				3	
33	Gunshot wounds M	419	2	1	1	1		5	7	36	66	51	40
	Gunshot wounds F	64	2		2	3	1	8	5	6	7	10	4
34	Homicide M	128			1		1	2	2	2	8	24	19
	Homicide F	52			2	1	2	5	3	2	3	4	10
35	Infanticide M	10	10					10					
	Infanticide F	7	7					7					
36	Injuries by machinery M	40									9	5	1
	Injuries by machinery F	1	1					1					
37	Railroad accidents M	1,616	3	1	5	8	8	25	51	64	107	196	186
	Railroad accidents F	177	4	2	4	3	2	15	17	7	18	11	11
38	Suffocation M	418	233	7	10	4	4	258	5	9	9	12	12
	Suffocation F	292	190	8	5	3	6	212	12		3	2	8
39	Suicide by shooting M	375									6	25	41
	Suicide by shooting F	31									3	4	3
40	Suicide by drowning M	60									1	3	4
	Suicide by drowning F	36									1	5	2
41	Suicide by poison M	284									11	28	32
	Suicide by poison F	192								3	24	37	24
42	Other suicides M	594								3	12	25	35
	Other suicides F	156								2	4	13	17
43	Sunstroke M	132	31	2	2		1	36	5	1	6	5	11
	Sunstroke F	68	22	4	3			29	2	1	2	2	1
44	Surgical operations M	50	2					2	2		4	2	5
	Surgical operations F	118	1		1			2		2	3	10	20
45	Wounds M	177	2	1	2	1	2	8	6	5	12	19	28
	Wounds F	21		1				1	3	1	2	2	2
46	Others of this class M	4,167	195	34	38	49	38	354	163	116	200	278	409
	Others of this class F	1,459	142	21	28	31	14	236	55	27	25	38	51

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
489	388	194	17	3	1	1	1		2					8	1
26	23	11			1				1						2
131	129	81	7	1					1					3	3
222	139	63	6	2		1								3	4
18	21	5	1												5
92	76	34	3				1							2	6
35	39	39	33	37	26	23	36	30	16	14	5	3			7
18	27	25	20	22	15	11	20	12	10	3	3	1			8
17	12	14	13	15	11	12	16	18	6	11	2	2			9
1	8	5	4	6	6	3	4	2	4	1					10
5	7	4	6	9	3	4	5	3	1	2	1	1			
2	1		1	1	1	1	1	2							11
2	1	1	1	2	1			2							
9	11	8	9	9	5	4	7	5	5	2	2				12
7	1	3	4		3	3	2	5	2	6	1				
5	2	5	1	3	2	1	1								13
	2							1		1					
1	5	7	5	3	1	2	7	3	1		1	1			14
3	1	6	2	4	4	5	9	7	3	2		1			
24	24	23	28	23	27	33	37	21	32	14	9	3		2	15
11	12	12	17	14	17	16	19	12	18	11	5	1		2	16
13	12	11	11	9	10	17	18	9	14	3	4	2			17
7	8	11	9	7	10	8	7	7	6	5		1		1	18
8	7	5	4	4	5	7	10	4	6	2		2			
3	2	1	5	4	3	5	5	2	5	1				1	19
		2	2	2	1	3	1	2	1						
1	2		3	3	4	3	7	3	7	5	5				20
5	5	4	5	3	4	7	7	3	7	1	4				
16	14	26	22	13	17	19	21	13	12	2					21
9	8	13	13	7	7	7	9	3	3	1					22
7	6	13	9	6	10	12	12	10	9	1					23
1	5	5	6	5	5	4	3	1	1						24
3	5	5	2	3	6	6	5	2	3						
2	2	3	2						1	1					25
3	1	2	1	1	1	1		1	2						
6	1	5	5	2	2	3	6	2	1						26
1		6	6	2	3	5	7	7	4	1					
1,129	1,252	1,001	845	759	626	610	557	457	400	264	173	75	18	204	27
937	1,032	833	688	592	501	459	387	300	241	128	60	31	2	171	28
192	220	168	157	167	125	151	170	157	159	136	113	44	16	33	29
19	23	27	13	15	13	16	13	13	9	7	2			4	30
37	38	27	26	22	15	28	22	28	15	13	7	2		2	
131	159	133	83	72	60	34	31	25	12	4	2			42	31
13	15	9	7	10	6	4	6	4	2					7	
3	5	5	7	5	3	5	3	3	8	3	2			2	32
1	2	1	2	1	1	2		1	2	2		1		3	
48	41	28	14	23	13	15	8	6	5	1		2		10	33
6	6	4	3	3		1				1					
25	18	8	5	4	2	3	2	2	1	1					34
4	11	5	1	3	1										
															35
5	7	3	2	2		3	3								36
164	189	116	101	96	77	68	40	33	22	10	6			65	37
14	9	7	10	11	9	11	7	7	8	3		1		1	
12	18	10	11	9	11	11	10	4	4	1				12	38
5	3	1	5	4	5	5	5	3	2	1	1			15	
41	46	44	45	34	34	21	17	11	5	3	2				39
7	5	1	4	1	1		1	1							
6	6	3	3	9	5	4	6	3	7						40
2	3	2	4	4	5	4	1	2	1						
27	27	32	25	28	19	15	19	10	6	1				4	41
17	24	17	13	6	9	3	4	5	3	1				2	
49	55	67	81	53	56	47	36	37	21	9	2	2		4	42
14	15	23	17	13	7	9	12	4	1	3	2				
7	17	10	8	5	4	4	3	1	8	1					43
	4	4	1	5		5	3	6	3						
3	6	6	4	1	5	3	5	1						1	44
16	17	12	9	9	6	5	4		1	2					
22	14	11	13	8	10	8	5	1	2	2		1		2	45
1	1	1	2		2	1		1	1						
375	401	330	273	228	189	202	186	150	131	85	44	26	2	25	46
55	67	54	53	75	58	73	105	95	120	110	103	40	16	3	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		191,667	43,688	11,503	5,114	3,246	2,197	65,748	5,389	2,782	4,237	7,363	8,962
2	Males		100,041	24,442	6,100	2,670	1,665	1,078	35,955	2,771	1,362	2,094	3,629	4,620
3	Females		91,626	19,246	5,403	2,444	1,581	1,119	29,793	2,618	1,420	2,143	3,734	4,342
4	Unknown cause		873	286	30	9	11	6	342	21	15	12	21	31
5	Males		477	167	16	6	9	3	201	10	6	7	10	17
6	Females		396	119	14	3	2	3	141	11	9	5	11	14
7	1. General diseases. General diseases—A		34,491	13,731	4,272	2,000	1,351	977	22,331	2,149	612	558	777	769
8	Males		17,668	7,499	2,214	998	688	466	11,865	1,050	277	265	418	427
9	Females		16,823	6,232	2,058	1,002	663	511	10,466	1,099	335	293	359	342
10	Measles	M	939	260	357	133	70	37	857	65	6	1	3	1
		F	934	228	338	131	67	44	808	76	17	9	7	4
11	Scarlet fever	M	694	51	103	127	114	74	469	167	24	7	9	8
		F	641	32	79	114	109	85	419	166	20	11	10	4
12	Diphtheria	M	2,209	170	383	392	319	244	1,508	538	87	28	11	9
		F	2,234	136	363	379	320	259	1,457	579	96	32	21	12
13	Whooping cough	M	779	428	201	75	40	14	758	14				
		F	912	441	236	116	49	29	871	24	4	3		1
14	Malarial fever	M	237	24	11	10	10	7	62	10	2	7	23	12
		F	272	21	10	14	13	6	64	20	7	16	18	15
15	Influenza	M	1,031	91	15	10	8	3	127	10	8	12	31	29
		F	1,575	81	23	13	8	9	137	11	13	13	29	44
16	Typhoid fever	M	1,531	9	8	13	13	11	54	62	76	147	263	243
		F	1,076	8	12	10	10	10	50	59	99	148	161	131
17	Cholera morbus	M	212	50	10	10	4	1	75	13	8	2	4	7
		F	216	40	17	11	2		70	6	4	7	6	8
18	Colitis	M	189	108	22	6	3	1	140	6		1	3	1
		F	188	95	25	7	3	1	131	2		2	3	2
19	Diarrhea	M	780	450	77	17	2	8	554	20	3	3	3	6
		F	731	367	63	9	3	2	444	31	13	2	3	8
20	Dysentery	M	436	83	44	22	14	6	169	23	10	3	10	9
		F	475	62	28	13	6	8	117	8	6	1	13	10
21	Enteritis	M	3,635	2,566	447	85	35	21	3,154	43	20	10	10	31
		F	3,340	2,066	431	77	31	27	2,632	49	17	7	20	32
22	Cholera infantum	M	3,240	2,736	425	51	17	11	3,240					
		F	2,687	2,250	360	54	10	13	2,687					
23	Fever	M	8			1		1	2	1		1		
		F	10	2	2	1		1	6		1		1	
24	Cerebro-spinal fever	M	486	149	80	39	27	17	312	55	25	22	18	13
		F	378	116	49	39	22	12	238	45	27	13	8	7
25	Smallpox	M	25	2	1		1		4	1		2	4	3
		F	19	2	2				4	1	1	2	5	
26	Erysipelas	M	366	120	10	2	1		133	1	2	7	3	17
		F	286	112	9	3	2	1	127	2	1	6	3	8
27	Septicemia	M	403	53	9		4	8	74	11	5	7	21	24
		F	427	43	7	4	5	2	61	17	7	17	45	48
28	Venereal diseases	M	192	133	7	1	3		144			2		8
		F	158	121	3	4	2	1	131			2	4	3
29	Others of this group	M	276	16	4	4	3	2	29	10	1	3	2	6
		F	264	6	1	3	1	1	12	3	2	2	2	5
30	General diseases—B		3,642	1,843	70	26	16	10	1,965	21	7	39	95	171
31	Males		2,274	1,023	45	12	11	7	1,098	11	3	12	49	110
32	Females		1,368	820	25	14	5	3	867	10	4	27	46	61
33	Alcoholism	M	714									1	10	67
		F	195			1			1			1	6	28
34	Parasitic diseases	M	5	1	2				3					
		F	5	1		2	2		5					
35	Lead poison	M	23			1			1					1
		F	13	1		1			2					1
36	Other poisons	M	461	15	18	8	8	4	53	8	3	10	39	41
		F	264	8	7	6	3	3	27	7	1	26	37	32
37	Inanition	M	1,071	1,007	25	3	3	3	1,041	3		1		1
		F	891	810	18	4			832	3	3		3	
38	General diseases—C		15,074	10,012	383	63	27	20	10,505	18	12	10	16	16
39	Males		7,719	5,677	186	34	20	6	5,923	10	8	8	7	8
40	Females		7,355	4,335	197	29	7	14	4,582	8	4	2	9	8
41	Old age	M	1,543											
		F	2,406											
42	Premature birth	M	2,374	2,374					2,374					
		F	1,749	1,749					1,749					
43	Malformation	M	398	390	1	2			393			1		
		F	310	302	5			1	308	1			1	
44	Debility and atrophy	M	3,074	2,583	185	32	20	6	2,826	10	8	7	7	8
		F	2,650	2,045	192	29	7	13	2,286	7	4	2	8	8
45	Others of this group	M	330	330					330					
		F	240	239					239					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9,078	9,360	8,394	8,176	8,882	9,184	9,588	9,404	8,871	7,214	4,907	2,580	881	281	326	1
4,923 4,155	5,168 4,192	4,663 3,731	4,515 3,661	4,863 4,019	4,807 4,377	4,828 4,760	4,647 4,757	4,149 4,722	3,314 3,900	2,132 2,835	1,056 1,524	291 590	85 196	169 157	2 3
31	52	40	36	49	42	32	39	29	20	24	6	5		23	4
18 16	27 25	21 19	24 12	25 24	23 19	22 10	22 17	14 15	6 14	12 12	1 5	1 4		10 13	5 6
728	623	521	499	546	582	698	763	743	672	526	256	92	23	23	7
373 355	328 295	271 250	273 226	281 265	288 294	294 404	335 428	315 428	246 426	200 326	117 139	27 65	10 13	8 15	8 9
3 4		1 1	1 2		1 1					1				1	10
8 2	2 4	4					1								11
9 11	5 7	1 3	3 3	4 3	4 3	1 3	1	2		1				1	12
1 4	1	1 2			1	1				1		1		1 2	13
10 14	11 12	14 6	14 11	6 7	11 13	11 16	12 13	12 16	11 9	3 9	5 4	1	1	1	14
36 42	38 43	52 50	47 52	49 88	60 94	89 154	105 159	101 172	87 197	92 158	44 71	11 37	2 6	1 5	15
203 127	151 81	81 61	81 40	65 30	40 27	25 29	15 13	15 12	4 4	1 1	2 2			3 1	16
3 6	4 11	9 7	8 3	14 8	12 10	9 12	13 14	15 12	6 12	8	6 8	2 3	2 1		17
1 4	1 2	6 5	5 6	4 5	1 3	2	3 8	5 4	4 3	3 3	2 2	2 1		1	18
7 11	10 5	4 7	7 9	12 10	19 19	18 22	26 25	31 29	24 40	18 37	8 10	5 5	2 1		19
11 14	12 13	9 15	15 14	14 13	10 29	28 34	33 48	32 43	17 44	18 31	10 14	2 6	1 2		20
18 35	18 31	25 34	27 42	33 38	41 43	37 62	43 86	38 80	39 69	26 38	17 17	2 5	2 2	1 1	21
															22
															23
1								1							
7 9	7 7	7 5	8 6	4 2	3 3	2 2	1	1 2	1 2	1				1	24
3 3	1	1	1	3 1	2 1		1								25
17 4	20 22	22 8	14 11	18 12	30 13	25 17	15 15	12 13	14 13	12 8	3 1	1 2			26
24 56	35 44	24 30	20 13	33 27	31 18	25 15	28 8	14 9	17 4	8 4	2 2			2	27
5 2	8 5	6 5	6 3	6	6 1	1		2							28
7 6	4 5	8 6	15 11	14 21	16 16	22 36	39 38	39 31	22 29	19 25	18 8	6	1	1	29
241	274	177	151	135	114	83	65	33	32	15	5	1	1	17	30
164 77	213 61	137 40	118 33	108 27	85 29	63 20	49 16	20 13	14 18	6 9	3 2	1	1	11 6	31 32
115 35	162 35	88 31	71 20	76 9	50 16	26 7	26 1	8 2	4 2	2	3			5 1	33
				1	1										34
3 3	4 2	5	2	3 1	3	2 1	1		1						35
45 36	46 22	44 7	44 12	27 16	32 9	31 7	17 9	10 4	8 5	3 7					36
1 3	1 2	2	1 1	1 1	2 1	4 5	5 6	2 7	1 11	1 2	2	1	1	6 5	37
10	20	16	16	32	58	138	269	584	844	1,132	814	401	137	26	38
6 4	10 10	8 8	6 10	10 22	20 38	55 83	107 162	235 349	342 502	467 665	307 507	128 273	41 96	13 13	39 40
						36 60	82 125	207 304	315 455	442 622	294 483	124 259	41 92	2 6	41
															42
														4	43
6 4	10 10	8 8	6 10	10 22	20 37	19 28	25 37	28 45	27 47	25 43	13 24	4 14	4	7 7	44
					1										45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		32,886	1,325	664	344	226	140	2,699	440	463	1,543	3,010	3,653
2	Males		16,725	733	365	207	109	71	1,485	215	170	684	1,471	1,894
3	Females		16,111	592	299	137	117	69	1,214	225	293	859	1,539	1,759
4	Anemia	M	197	28	6		3	2	39	4	3	5	8	6
		F	303	13	6	3	2	4	28	3	4	15	21	23
5	Diabetes	M	514	1	4	2	2	1	10	9	18	16	11	22
		F	522	1		1	2	1	5	9	12	7	10	13
6	Rheumatism	M	278	3	2		1	1	7	17	9	11	11	14
		F	350	13		1	1	2	17	16	15	21	9	13
7	Scrofula and tabes	M	139	62	8	4	2		76	3	2	3	9	7
		F	129	34	13	6	2	3	58	2	3	8	7	9
8	Hydrocephalus	M	937	823	211	109	55	39	737	85	21	16	17	8
		F	765	296	161	72	56	27	612	68	18	18	15	11
9	Tuberculosis, general	M	230	27	10	10	6	4	57	6	7	10	23	25
		F	170	29	10	4	4	2	49	8	13	10	19	12
10	Consumption	M	11,838	226	111	65	30	21	453	69	94	607	1,361	1,773
		F	9,253	103	94	45	41	25	368	109	210	760	1,425	1,592
11	Cancer	M	2,106	1		2	1	1	5	6	5	4	17	26
		F	4,052	4			1	1	6	2	8	5	16	66
12	Tumor	M	236	5	1	7	2	1	16	8	5	7	6	10
		F	308	6	1	3	4	2	16	3	4	7	6	13
13	Dropsy	M	121	5	3	1	1		10	5	1	1	3	1
		F	134	3		1			4	1	1	4	4	3
14	Others of this group	M	129	52	9	7	6	1	75	3	5	4	5	2
		F	125	30	14	1	4	2	51	4	5	4	7	4
15	2. Diseases of the nervous system		21,445	4,458	1,253	527	322	211	6,771	497	275	265	304	423
16	Males		11,177	2,564	671	292	154	100	3,781	261	155	154	151	225
17	Females		10,268	1,894	582	235	168	111	2,990	236	120	111	153	198
18	Inflammation of the brain	M	133	30	15	11	2	4	62	6	6	3	4	4
		F	90	16	8	4	6		34	7	5	2	2	3
19	Meningitis	M	2,477	937	411	212	107	54	1,721	170	58	57	50	71
		F	2,005	723	364	153	111	77	1,428	165	75	39	43	36
20	Apoplexy	M	3,718	63	12	3	4	4	86	9	5	16	17	51
		F	3,882	48	7	6	5	1	67	9	5	13	16	42
21	Paralysis	M	1,130	14	3	2	2		21	6	6	9	10	11
		F	1,154	10	4	5	2	2	23	7	5	3	14	19
22	Paralysis, general (of insane)	M	138											5
		F	71											3
23	Tetanus and trismus nascentium	M	218	76	3	2			81	15	47	19	11	8
		F	72	49	1		1	1	52	2	1		1	1
24	Chorea	M	14			1	2		3	2	1	2		
		F	11	1				1	2		4	3		
25	Epilepsy	M	188	14	6	2	1		23	5	7	17	13	14
		F	183	9	1	4	1		15	7	7	16	19	17
26	Convulsions	M	1,617	1,277	179	47	21	18	1,542	26	8	2	3	3
		F	1,309	935	161	54	33	21	1,204	17	3	5	14	18
27	Mental diseases	M	305								1	4	15	15
		F	391								1	5	14	17
28	Diseases of the brain	M	862	144	37	8	13	14	216	20	14	17	20	32
		F	734	92	33	8	7	7	147	18	11	18	21	22
29	Diseases of the spinal cord	M	144	6	5	2	1	5	19	1	1	6	4	6
		F	167	5	2	1	2	1	11	4		4	3	10
30	Locomotor ataxia	M	121	1		1			2		1		1	1
		F	45										2	
31	Others of this class	M	112	2		1	1	1	5	1		2	3	4
		F	154	6	1				7		3	3	4	10
32	3. Diseases of the circulatory system		15,267	814	46	25	33	58	976	308	327	328	425	507
33	Males		7,578	438	26	11	19	28	522	143	117	136	179	249
34	Females		7,689	376	20	14	14	30	454	165	210	192	246	258
35	Pericarditis	M	112	5	2		1	1	9	6	12	9	6	7
		F	111	4	1	1		7	13	10	5	11	6	3
36	Diseases of the heart	M	6,596	244	24	9	18	24	319	134	102	122	168	226
		F	6,930	221	18	13	14	22	288	153	204	177	228	238
37	Angina pectoris	M	308									3		11
		F	248							1		2	7	9
38	Diseases of the arteries	M	204							1				1
		F	145										1	
39	Aneurism	M	112								2		4	4
		F	37								1			1
40	Embolism	M	49	2				1	3	1	1	2	1	
		F	68	1				1	2	1		2	4	7
41	Others of this class	M	197	187		2		2	191	1				
		F	155	150	1				151					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,473	3,119	2,562	2,268	2,206	1,931	1,685	1,475	1,091	704	321	129	23	6	35	1
1,940	1,753	1,386	1,199	1,139	902	803	704	467	294	137	54	10	4	14	2
1,533	1,366	1,176	1,069	1,067	1,029	882	771	624	416	184	75	13	2	21	3
11	6	15	12	16	20	16	15	6	9	3	2		1		4
23	18	26	16	24	35	19	17	17	9	3	1	1			
30	19	34	38	48	41	75	68	40	26	4	3	1	1		5
14	18	27	31	57	79	80	65	51	30	10	3			1	
16	21	13	20	16	27	18	25	20	15	15	2	1			6
14	20	14	21	24	26	21	35	36	28	12	6	2			
6	7	3	3	1	2	6	3	4	2	1			1		7
8	5	3	4	6	2	3	5	4		2					
19	10	10	5	3	3	2								1	8
6	5	5	1	2	1		1	2							
12	24	11	14	20	5	4	4	3	5						9
15	8	9	10	4	3	4	5		1						
1,774	1,576	1,135	888	717	479	354	253	182	65	33	14	2		9	10
1,278	1,020	668	449	376	295	248	166	135	82	40	18	3	1	10	
44	71	136	185	287	294	299	300	181	143	65	27	6	1	4	11
140	243	392	489	532	540	469	419	345	227	101	39	4	1	8	
19	10	19	25	22	21	19	19	15	11	4					12
20	20	23	30	30	37	23	30	17	16	8	3			2	
5	4	7	5	4	7	9	13	14	16	11	5				13
5	3	4	10	10	9	11	21	14	15	7	5	3			
4	5	3	4	5	3	1	4	2	2	1	1				14
10	6	5	8	2	2	4	7	3	2	1					
515	630	742	957	1,141	1,342	1,602	1,614	1,642	1,366	839	373	84	30	33	15
286	353	415	510	589	702	783	803	802	643	373	140	28	8	15	16
229	277	327	447	552	640	819	811	840	723	466	233	56	22	18	17
7	8	3	2	5	3	4	3	8	1	4					18
6	3	4	4	8	2	3	3	1	1	1				1	
57	50	41	60	39	26	26	17	14	7	6	3			4	19
33	22	24	32	19	19	22	19	10	11	1	1	3	1	2	
83	108	177	233	334	417	459	493	513	392	220	80	17	2	6	20
50	94	171	254	335	424	511	498	521	432	250	138	30	14	8	
29	60	65	79	86	100	133	125	139	140	72	28	5	5	1	21
22	18	28	46	66	93	123	139	172	164	133	56	15	4	4	
17	17	21	19	18	13	8	6	7	6	1					22
9	7	5	3	10	5	4	7	7	4	5	1	1			
11	6	4	7	3	5				1						23
1	3	2	1	1	3	2	1	1							
1		1		1		1		1	1						24
							1		1						
15	11	16	12	8	14	9	7	6	5	5	1				25
14	17	8	12	10	7	14	3	6	7	3	1				
3	2	3	3		1	3	3	5	2	4				4	26
13	10	6	2	3	4	3	1	3	2					1	
16	25	9	15	14	21	35	47	28	25	18	15	2			27
21	24	25	24	28	22	44	39	46	31	31	15	2	2		
38	38	46	37	49	56	62	64	52	49	36	11	4	1		28
34	46	26	47	36	29	57	69	41	52	33	19	5	1	2	
3	14	12	15	14	11	13	12	7	3	3					29
8	15	13	9	13	18	18	15	16	7	2	1				
2	10	12	15	10	22	19	15	7	4						30
1	5	3	4	6	5	6	6	3	1	3					
4	4	5	13	8	13	11	11	15	7	4	2				31
17	13	12	9	17	9	12	10	13	10	4	1				
612	767	810	889	1,141	1,393	1,514	1,603	1,509	1,133	618	274	64	19	20	32
321	378	381	431	624	736	803	809	736	575	278	121	22	5	12	33
291	389	429	458	517	657	741	794	773	558	340	153	42	14	8	34
6	12	6	5	5	10	4	5	2	7					1	35
9	7	8	6	4	5	6	4	5	3	4	1	1			
286	323	340	382	562	658	708	724	664	498	244	101	19	5	8	36
264	359	400	417	475	612	689	722	709	510	296	140	32	9	8	
17	16	14	24	30	33	53	36	24	29	11	6			1	37
7	16	12	24	26	21	28	34	21	20	13	5	2			
		4	8	8	22	23	36	39	33	18	11	3		2	38
		2	1	5	8	14	21	32	17	26	6	7	5		
8	22	16	15	12	10	9	3	3	3	1					39
3	3	4	5	3	4	2	7	1	2	1					
4	5	1	2	6	3	3	5	4	5	3					40
7	4	2	5	2	7	2	6	5	6		1				
				1		3				1					41
1		1		2											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		34,506	8,743	4,231	1,755	911	498	16,138	964	310	429	771	996
2	Males		18,012	4,933	2,281	910	457	237	8,818	494	135	238	436	570
3	Females		16,494	3,810	1,950	845	454	261	7,320	470	175	191	335	426
4	Croup	M	538	74	116	123	84	47	444	90	2		1	
		F	455	48	105	89	85	50	377	69	4	1		
5	Pneumonia	M	12,748	2,939	1,689	613	294	139	5,674	322	100	201	373	491
		F	11,258	2,282	1,442	575	273	155	4,727	310	139	143	263	352
6	Laryngitis	M	135	24	24	7	14	8	77	24	4		2	
		F	119	16	21	19	19	3	78	20	2	2	1	2
7	Bronchitis	M	3,039	1,451	400	134	42	29	2,056	32	16	12	17	27
		F	3,285	1,149	341	136	57	36	1,719	44	11	19	27	24
8	Pleurisy	M	330	19	18	13	11	4	65	12	6	15	17	22
		F	276	13	15	12	5	4	49	11	3	6	20	18
9	Asthma	M	130	5	1		1		7	1			2	1
		F	142	7					7	1			1	1
10	Others of this class	M	1,092	421	33	20	11	10	495	13	7	10	24	29
		F	959	295	26	14	15	13	363	15	16	20	23	29
11	5. Diseases of the digestive system		9,741	1,516	289	117	70	81	2,073	285	256	338	483	595
12	Males		4,849	866	151	59	35	44	1,155	142	142	166	219	251
13	Females		4,892	650	138	58	35	37	918	143	114	172	264	344
14	Dentition	M	147	98	49	3	1	1	147					
		F	148	96	48	3		1	148					
15	Angina	M	47	4	8	5	3	3	23	7	2		2	1
		F	47	5	8	5	4	6	28	6	3	2	1	
16	Gastritis	M	607	158	29	5	9	4	205	8	5	4	7	20
		F	785	133	31	7	8	5	184	16	6	7	24	33
17	Diseases of the stomach	M	255	15	2			4	21	4	1	3	7	16
		F	219	10	1				11	3	1	7	16	21
18	Obstruction of the bowels	M	395	99	5	8	3	5	120	12	11	10	14	27
		F	458	51	5	8	4	4	72	14	5	12	11	26
19	Appendicitis	M	628	1	2		5	6	14	42	70	89	102	70
		F	893	2	2	2	1	4	11	39	46	61	45	50
20	Hernia	M	207	23	2			1	26	2	1	7	5	8
		F	190	4				1	5			1	1	
21	Other diseases of the bowels	M	96	33	3				36	2	2	3	3	5
		F	91	26	4				30	3		3	2	6
22	Jaundice	M	160	99		3		1	103			4	1	3
		F	131	60		3		1	64	4				2
23	Inflammation and abscess of the liver.	M	213	12	2	1		2	17	3	1	6	11	13
		F	197	9		2	1	1	13	4	3	1	10	11
24	Other diseases of the liver	M	998	13	3	1	1	1	19	5	3	3	13	29
		F	626	6	2			1	9	1	1	2	9	24
25	Peritonitis	M	597	57	13	21	10	7	108	51	44	35	50	53
		F	1,084	32	10	13	11	9	75	48	46	71	138	156
26	Ascites	M	9	1					1					1
		F	25	2					2					3
27	Others of this class	M	490	258	33	12	3	9	315	6	2	2	4	5
		F	500	214	27	15	6	4	266	5	3	5	7	12
28	6. Diseases of the urinary system and male organs of generation.		12,072	217	66	57	72	51	463	161	132	189	418	552
29	Males		6,638	124	41	29	44	28	266	92	57	83	181	244
30	Females		5,434	93	25	28	28	23	197	69	75	106	237	308
31	Bright's disease	M	5,193							75	47	75	159	216
		F	4,628							65	72	89	199	251
32	Calculus, urinary	M	31	1					1		3	1	1	
		F	18	5					5					1
33	Diseases of the kidney	M	412	91	37	29	42	27	226	7	2	2	5	7
		F	282	67	20	24	26	22	159			5	6	12
34	Diseases of the bladder	M	405	2				1	3	2	2	1	2	4
		F	61	1					1				1	
35	Others of this class	M	597	30	4		2		36	8	3	4	14	17
		F	445	20	5	4	2	1	32	4	8	12	31	44
36	7. Diseases of the female organs of generation		721	4	1			1	6		1	20	83	111
37	Ovarian tumors		112									1	12	11
38	Ovarian diseases		40									1	5	11
39	Diseases of the tubes		143									7	24	36
40	Uterine tumors		194					1	1			1	2	6
41	Uterine diseases		47									8	10	14
42	Others of this class		185	4	1				5		1	7	30	33

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,096	1,253	1,122	1,171	1,357	1,498	1,602	1,600	1,527	1,228	817	417	130	41	39	1
622	737	679	695	745	737	729	720	635	503	297	157	38	9	18	2
474	516	443	476	612	761	873	880	892	725	520	260	92	32	21	3
							1								4
			1		2			1							
529	645	579	573	606	545	550	502	441	319	176	83	20	6	13	5
375	428	357	357	456	573	637	588	617	429	208	134	50	12	13	
2	1	5	3	2	2	4	4	1	2	2					6
3	1				4	2	1		2	1					
23	29	32	38	54	101	94	107	130	127	76	53	12	3		7
38	34	32	61	83	109	147	204	206	208	166	97	37	16	3	
27	22	19	26	24	20	14	14	12	7	5	1	1		1	8
20	20	16	15	14	13	14	13	10	20	8	6				
5		4	11	12	16	17	20	15	9	7		2		1	9
2	3	6	4	14	14	18	27	13	15	11	5				
36	40	40	44	47	53	50	72	36	39	31	20	3		3	10
36	30	32	38	45	46	55	47	45	51	36	18	5	4	5	
524	596	631	599	611	592	580	538	439	311	172	74	25	5	14	11
225	271	339	324	320	307	290	251	191	154	57	30	9	3	3	12
299	325	292	275	291	285	290	287	248	157	115	44	16	2	11	13
															14
3	2	2	1	1	2			1							15
		1	2	1	1		2								
22	25	29	30	36	36	40	40	41	35	12	7	3	2		16
23	44	44	34	47	44	62	58	61	41	39	12	6			
13	19	22	26	27	28	20	22	11	9	2	4				17
20	19	10	17	16	15	12	15	20	6	4	5	1			
20	16	12	22	26	23	21	23	14	14	5	2	2		1	18
25	27	27	33	27	35	23	38	28	22	18	7	1	1	1	
50	48	41	31	26	13	9	12	7	3	1					19
31	19	14	22	12	10	11	9	6	5	1				1	
11	9	12	14	11	16	22	17	22	14	6	4				20
6	6	18	18	22	25	28	22	17	11	6	3	1			
2	4	7	2	5	3	1	5	5	4	5		1		1	21
4	7	4	6	3	3	5	6	5	2	1	2	1		1	
1	1	4	5	3	4	6	5	9	4	5	2				22
4	6	3	7	7	3	8	6	9	1	3	2			2	
18	17	18	22	29	14	17	8	6	8	4		1			23
8	15	20	9	11	14	21	19	20	8	7	3				
50	89	128	119	119	122	112	90	45	38	9	3	1	1		24
37	60	70	61	76	67	57	52	49	29	16	5	1			
29	32	49	33	18	31	21	15	10	8	3	5	1		1	25
135	111	70	48	43	41	34	31	15	11	3	2	2		4	
		2	1	2			1		1						26
		1	2	3	4	2	2	2	2	1				1	
6	9	13	18	17	15	21	13	20	16	5	3				27
6	11	10	16	23	23	27	27	16	19	16	3	3	1	1	
621	824	853	932	1,090	1,174	1,232	1,080	1,018	715	396	162	31	11	18	28
308	407	448	483	614	670	726	628	595	449	254	103	18	3	9	29
313	417	405	449	476	504	506	452	423	266	142	59	13	8	9	30
269	345	403	422	537	583	608	487	446	303	152	48	10	1	7	31
261	352	360	412	434	456	461	405	378	233	126	52	10	6	6	
1	2	2		5	4	3	3	1	3		1				32
1		1	1			2		2	2	2	1				
9	13	12	10	20	14	15	29	18	16	5	2				33
11	14	16	5	9	7	10	12	8	4	3			1		
4	3	7	11	18	15	44	59	70	63	54	36	6	1		34
2	5	1	2	3	5	9	7	10	6	3	4	1	1		
25	44	24	40	34	54	56	50	60	64	48	16	2	1	2	35
38	46	27	29	30	36	24	28	25	21	8	2	2		3	
99	89	103	77	44	24	21	15	11	10	5				2	36
11	6	12	16	11	8	6	8	4	3	3					37
12	6	1	2	1				1							38
25	25	18	6	1			1								39
15	19	45	40	25	11	12	4	6	4	2				1	40
8	3	3	2	1	1				2						41
28	30	24	11	5	4	3	2		1					1	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CITIES IN REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		1,446								1	71	321	357
2	Abortion		81									4	13	21
3	Childbirth		330									7	50	70
4	Puerperal septicemia		678								1	37	173	177
5	Extra-uterine pregnancy		68										11	17
6	Others of this class		289									23	74	72
7	9. Diseases of the bones and joints		426	35	13	2	13	11	74	38	44	34	29	19
8	Males		256	20	4	2	8	9	43	20	28	22	19	11
9	Females		170	15	9		5	2	31	18	16	12	10	8
10	Diseases of the spine	M	71	5			3	4	12	10	12	8	5	3
		F	50	4	3		3		10	8	5	2	4	
11	Abscess, lumbar and psoas	M	13	1					1		2		4	
		F	6							1				
12	Diseases of the bones	M	115	11	3	1	4	5	21	5	6	9	6	7
		F	59	8	6		1	2	17	3	7	5	4	5
13	Diseases of the hip-joint	M	29	1					1	5	7	5	3	1
		F	17	1					1	5	2	5		
14	Others of this class	M	28	2	1	1	1		5		1		1	
		F	38	2			1		3	1	2		2	3
15	10. Diseases of the skin		324	103	9	4	3	1	120	11		5	13	7
16	Males		178	54	5	2	2		63	8		4	5	5
17	Females		146	49	4	2	1	1	57	3		1	8	2
18	Abscess	M	103	30	4	2	2		38	8		3	2	3
		F	67	21	1	1		1	24	3		1	6	2
19	Carbuncle	M	26									1	1	
		F	13	1					1				1	
20	Others of this class	M	49	24	1				25				2	2
		F	66	27	3	1	1		32				1	
21	11. Diseases of the absorbent system		134	19	9	1	1		30	1	1	3	4	10
22	Males		66	9	5	1	1		16		1	2	3	5
23	Females		68	10	4				14	1		1	1	5
24	Addison's disease	M	23									1	1	1
		F	22									1	1	1
25	Diseases of the spleen	M	2	1					1					1
		F	9	2					2					1
26	Others of this class	M	41	8	5	1	1		15		1	1	2	3
		F	37	8	4				12	1				3
27	12. Accidents and injuries		8,669	582	167	184	190	182	1,255	475	326	393	593	745
28	Males		6,424	335	90	107	108	79	719	315	263	313	481	604
29	Females		2,245	247	77	77	82	58	536	160	63	80	112	141
30	Burns and scalds	M	381	16	47	63	55	27	208	24	7	6	10	14
		F	548	14	44	43	50	35	186	81	28	15	11	30
31	Drowning	M	982	7	6	3	10	14	40	119	109	64	74	82
		F	92	6	5	1	3		15	11	6	6	5	3
32	Exposure and neglect	M	29	9	1				10				3	
		F	20	10					10				1	
33	Gunshot wounds	M	210	1	1				2	2	18	21	25	25
		F	34	1		1			2	3	4	2	4	3
34	Homicide	M	97							1	2	7	19	16
		F	40			2	1	1	4	2	1	2	3	8
35	Infanticide	M	9	9					9					
		F	3	3					3					
36	Injuries by machinery	M	15									2	4	1
		F												
37	Railroad accidents	M	853	2	1	3	5	7	18	40	43	55	105	96
		F	89	1	1	3	3	1	9	12	2	9	2	5
38	Suffocation	M	266	146	5	9	2	3	165	4	5	5	10	7
		F	173	112	5	3	2	2	124	7		2	1	6
39	Suicide by shooting	M	241									5	16	26
		F	17										2	2
40	Suicide by drowning	M	29										1	2
		F	17									1	3	2
41	Suicide by poison	M	219									10	21	26
		F	142								2	19	33	22
42	Other suicides	M	325								2	4	17	22
		F	94									3	10	11
43	Sunstroke	M	104	28	1	2		1	32	3		3	4	9
		F	58	18	3	3			24	2	1	2	2	1
44	Surgical operations	M	33	2					2			1	1	2
		F	80	1					1		1	2	10	13
45	Wounds	M	114		1	2	1	2	6	3	3	7	11	17
		F	18		1				1	3	1	2	2	1
46	Others of this class	M	2,517	115	27	25	35	25	227	119	74	123	160	259
		F	820	81	13	21	23	14	157	39	17	15	23	34

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CITIES IN REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
324	249	106	10	2	1	1			1					2	1
18	14	9			1				1						2
75	82	40	4	1										1	3
155	92	38	3	1		1									4
17	17	5	1												5
59	44	14	2											1	6
25	29	24	18	18	12	10	21	17	8	4	1	1			7
15	22	14	13	12	7	5	13	6	4	1	1				8
10	7	10	5	6	5	5	8	11	4	3		1			9
1	5	3	3	3	1		2	1	2						10
3	4	2	2	2	2	1	2	1		1		1			
1	1		1		1		1	1							11
2		1		1				1							
9	10	7	7	6	4	3	5	3	2	1	1				12
3	1	2	2		1	2	2	2	2	1					
3	1	1			1	1									13
	2							1		1					
1	5	3	2	3		1	5	1							14
2		5	1	3	2	2	4	6	2						
15	12	20	17	17	16	18	21	13	9	5	5				15
8	6	12	9	11	10	9	11	7	4	4	2				16
7	6	8	8	6	6	9	10	6	5	1	3				17
5	5	11	3	6	6	3	5	2	1	2					18
2	4	3	2	2	3	4	6	2	2	1					
2		1	4	4	3	4	2	2	2						19
		2	2	2	1	1		2	1						
1	1		2	1	1	2	4	3	1	2	2				20
5	2	3	4	2	2	4	4	2	2		3				
9	6	14	8	9	11	13	6	5	4						21
5	4	5	5	4	6	5	3	2							22
4	2	9	3	5	5	8	3	3	4						23
1	3	3	2	2	4	3	2								24
2	2	4		3	3	3	1		1						
															25
1		1			1	1			2						
4	1	2	3	2	2	2	1	2							26
1		4	3	2	1	4	2	3	1						
752	817	653	528	484	394	329	295	210	157	93	64	24	8	74	27
632	659	547	425	381	314	241	192	124	80	46	20	10	2	56	28
120	158	106	103	103	80	88	103	86	77	47	44	14	6	18	29
15	18	23	8	11	8	4	6	9	4	4	1			1	30
27	32	25	20	15	13	15	15	17	9	4	3	1		1	
83	107	88	61	45	42	19	17	12	3	1				16	31
2	10	6	4	6	5	3	3	1	1					5	
	2	2	1	1	2	3	2		1	1				1	32
1	1		2			2				1				2	
26	26	16	10	10	7	8	4	2	4					4	33
3	5	3	1	2		1				1					
20	14	7	4	3	1	1		1	1						34
2	9	4	1	3	1										
															35
2	2		1	1		2									36
100	88	61	50	58	46	33	18	16	5	3	3			15	37
11	6	3	3	5	5	4	3	4	4	2					
10	16	8	6	5	7	5	5	1		1				6	38
4	3	1	4	2	4	3	3	2						7	
29	31	31	31	20	23	11	8	6	2		2				39
6	3		2	1				1							
5	4	1	2	5	1	1	4	2	1						40
2	2	1	2	1		1	1		1						
27	24	25	19	23	13	11	13	3	2					2	41
13	17	10	8	4	5	1	2	2	2	1				1	
33	36	46	46	33	29	25	14	10	4	3		1			42
7	8	18	10	10	5	4	5	2			1				
5	16	8	6	4	4	3	1		6						43
	4	2	1	5		5	2	5	2						
3	4	5	4	1	3	2	3	1						1	44
10	13	6	7	5	4	4	1		1	2					
19	12	7	6	7	5	5	3	1	1					1	45
1	1	1	2		2			1							
255	259	219	170	154	123	108	94	60	46	33	14	9	2	9	46
31	44	26	36	44	36	45	68	51	57	36	40	13	6	2	

TABLE S.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RURAL PART OF REGISTRATION STATES.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		110,003	16,836	3,598	1,683	1,139	736	23,992	2,520	1,794	2,881	3,727	3,931
2	Males		57,704	9,482	1,921	877	562	390	13,232	1,276	912	1,440	1,855	1,899
3	Females		52,299	7,354	1,677	806	577	346	10,760	1,244	882	1,441	1,872	2,032
4	Unknown cause		1,453	617	40	16	14	5	692	23	22	32	26	29
5	Males		792	344	21	7	5	3	380	13	9	15	14	10
6	Females		661	273	19	9	9	2	312	10	13	17	12	19
7	1. General diseases. General diseases—A		16,888	4,891	1,424	620	491	296	7,722	937	491	517	558	424
8	Males		8,618	2,644	757	302	243	165	4,111	459	223	251	306	217
9	Females		8,270	2,247	667	318	248	131	3,611	478	268	266	252	207
10	Measles	M	333	91	74	27	14	14	220	32	18	12	14	9
		F	377	80	80	38	15	9	222	39	23	17	11	14
11	Scarlet fever	M	273	17	31	29	46	23	146	83	15	14	6	2
		F	258	13	31	25	41	23	133	78	22	8	5	3
12	Diphtheria	M	539	31	42	58	59	66	256	163	58	25	16	8
		F	548	22	38	64	60	44	228	184	70	26	13	6
13	Whooping cough	M	361	245	64	18	12	3	342	7	1		1	
		F	396	231	70	33	20	7	361	22	3			
14	Malarial fever	M	195	18	6	3	4	4	35	2	6	11	14	9
		F	192	12	3	4	2	2	23	12	9	10	16	9
15	Influenza	M	1,089	71	25	6	10	3	115	18	6	11	12	13
		F	1,382	71	14	10	5	3	103	16	14	16	10	18
16	Typhoid fever	M	1,016	10	3	2	7	7	29	46	59	126	175	130
		F	808	3	9	9	12	8	41	43	77	123	110	76
17	Cholera morbus	M	286	61	28	15	13	5	122	14	9	4	10	2
		F	245	45	18	13	5	5	84	12	8	9	5	2
18	Colitis	M	110	49	9	5	5	1	69	2		1	1	2
		F	94	30	12	5	1		48	2			2	1
19	Diarrhea	M	482	148	25	5	5		183	19	7	1	6	3
		F	392	132	24	2	4	1	163	10	2	3	1	6
20	Dysentery	M	346	59	36	13	14	13	135	9	6	3	2	5
		F	444	65	42	20	16	3	146	8	2	3	2	2
21	Enteritis	M	820	438	99	34	13	7	591	16	4	4	12	4
		F	795	361	98	24	18	6	507	14	4	8	10	9
22	Cholera infantum	M	1,594	1,248	251	62	21	8	1,590					
		F	1,338	1,058	194	48	26	9	1,335					
23	Fever	M	14	3	2				5	1	1	1	1	
		F	13	6		1	1		8			1	1	
24	Cerebro-spinal fever	M	294	76	55	19	16	9	175	30	20	20	9	9
		F	283	49	26	16	14	9	114	29	26	21	9	8
25	Smallpox	M	10									2	1	
		F	5								1		1	
26	Erysipelas	M	177	31	1		2		34	1		3	3	5
		F	122	26	2	2	1	1	32		1	1	7	4
27	Septicemia	M	296	22	1	4	2	1	30	11	9	10	20	9
		F	365	22	4	4	6	2	38	6	6	17	46	41
28	Venereal diseases	M	39	13	1				14					3
		F	30	11	2		1		14			2	1	1
29	Others of this group	M	344	13	4	2		1	20	5	4	3	3	4
		F	233	10				1	11	3		1	2	7
30	General diseases—B		1,565	859	51	25	16	6	957	9	8	7	23	47
31	Males		964	481	31	17	3	3	535	6	6	2	14	32
32	Females		601	378	20	8	13	3	422	3	2	5	9	15
33	Alcoholism	M	208							1			6	11
		F	37											2
34	Parasitic diseases	M	8	1	3	2			6	1				
		F	5			1	4		5					
35	Lead poison	M	4											
		F	3		1				1					
36	Other poisons	M	195	12	12	13	3	3	43	2	3	2	8	18
		F	109	10	7	5	7	2	31	2	1	2	8	10
37	Inanition	M	549	468	16	2			486	2	3			3
		F	447	368	12	2	2	1	385	1	1	3	1	3
38	General diseases—C		9,600	3,481	80	23	7	6	3,597	12	5	4	9	11
39	Males		4,889	1,986	38	13	3	4	2,044	7		1	3	2
40	Females		4,711	1,495	42	10	4	2	1,553	5	5	3	6	9
41	Old age	M	2,526											
		F	2,790											
42	Premature birth	M	987	987					987					
		F	719	719					719					
43	Malformation	M	244	233	5	1	1		240	3				
		F	200	192	4				196	1	1			
44	Debility and atrophy	M	994	629	33	12	2	4	680	4		1	3	2
		F	910	493	38	10	4	2	547	4	4	3	6	9
45	Others of this group	M	188	137					137					
		F	92	91					91					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,552	3,782	3,748	3,936	4,380	5,347	6,445	7,981	8,932	9,253	7,338	3,986	1,526	422	530	1
1,678	1,913	1,907	2,053	2,253	2,825	3,399	4,226	4,847	5,061	3,835	1,967	656	146	324	2
1,874	1,869	1,841	1,883	2,127	2,522	3,046	3,755	4,085	4,192	3,503	2,019	870	276	206	3
24	34	41	37	42	55	65	66	67	75	57	27	11		28	4
15	17	24	19	23	32	42	40	33	42	26	11	7		20	5
9	17	17	18	19	23	23	26	34	33	31	16	4		8	6
372	350	332	329	284	378	475	639	836	875	729	411	143	33	53	7
182	176	169	177	154	186	233	305	415	420	345	190	58	13	28	8
190	174	163	152	130	192	242	334	421	455	384	221	85	20	25	9
7	5	2	1	5		2	2	1	3						10
11	12	6	8	2	6		2	1	1	1	1				
1	1	2						1			1			1	11
3	2	1	1					1						1	
6	1		4	1			1								12
4	3	1	3	3	2	1	2		1	1					
1	1	2	1			1		1		1				2	13
1	1	1					1					1		5	
11	3	5	12	5	9	14	10	18	14	10	4	1		2	14
7	6	10	10	5	6	11	14	15	14	10	4			1	
15	16	28	36	30	43	71	89	148	160	156	86	29	4	3	15
22	27	33	33	40	67	87	138	173	218	191	109	51	11	5	
97	85	65	52	37	30	31	22	17	8	2	1			4	16
67	53	43	36	27	28	25	23	18	10	5	1			2	
7	4	6	11	9	10	14	13	19	17	11	2			2	17
10	3	7	4	2	9	14	11	26	9	20	5	5			
1	1	3		4	3	2	3	6	8	3	1				18
2	1		2	3	1	11	5	4	5	3	2	2			
2	1	3	5	10	18	26	41	46	47	37	18	4	3	2	19
4	3	4	3	7	10	11	23	35	43	31	21	8	1	3	
7	4	4	4	9	7	11	15	26	33	35	21	4	3	3	20
5	6	10	11	11	10	19	34	46	56	35	30	7	1		
6	10	10	12	5	15	18	24	34	22	20	8	3	1	1	21
8	13	15	11	14	13	16	30	40	34	30	14	2	1	2	
														4	22
														3	
		1					1		1	1	1				23
									1		1	1			
4	7	5	5	1	3		3	2	1						24
5	3	5	6		1	1	2	1	1			1			
	1	1	2	2	1										25
1	1			1											
6	8	13	8	9	15	9	13	21	17	6	4	2			26
2	5	2	2	5	12	14	8	8	7	8	2		1	1	
8	20	14	21	17	18	19	31	22	22	11	4				27
35	31	18	18	5	19	16	15	20	17	8	6	2		1	
1	5	2	1	1	2	2	3	2	1					2	28
2	1	4	1	1			2	1							
2	3	3	2	9	12	13	34	51	66	52	39	15	2	2	29
1	3	3	3	4	8	16	24	32	38	41	25	5	5	1	
38	42	54	65	53	58	32	41	39	39	18	14	3	2	16	30
35	31	37	51	37	40	22	24	20	34	13	10	2		13	31
3	11	17	14	16	18	10	17	19	5	5	4	1	2	3	32
20	22	24	31	24	20	10	15	5	12	2	1			4	33
	5	6	7	8	2	3	1	1		1				1	
							1								34
1			2	1											35
								2							
13	9	11	18	9	15	10	5	11	10	3	4			1	36
3	5	10	5	6	10	1	8	6	1						
1		2		3	5	2	3	4	12	8	5	2		8	37
	1	1	2	2	6	6	8	10	4	4	4	1	2	2	
16	20	13	14	28	44	73	196	506	1,026	1,679	1,352	710	256	29	38
6	4	7	9	16	17	36	89	250	518	839	644	301	85	11	39
10	16	6	5	12	27	37	107	256	508	840	708	409	171	18	40
						14	53	213	454	797	614	289	85	7	41
						18	69	209	459	782	679	398	165	11	
															42
														1	43
							1							1	
6	4	7	9	16	17	22	36	37	63	42	30	12		3	44
10	16	6	5	12	27	19	37	46	49	58	29	11	6	6	
									1						45
								1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		18,322	527	231	105	69	57	989	210	269	873	1,364	1,498
2	Males		8,229	293	120	43	27	25	508	96	95	334	597	662
3	Females		10,093	234	111	62	42	32	481	114	174	539	767	836
4	Anemia	M	206	25	6	2	1		34	5	1	3	7	4
		F	309	37	11	3	3	2	56	3	5	16	19	13
5	Diabetes	M	458	4		3		2	9	16	25	22	22	21
		F	357	2	4		5	2	13	14	20	15	17	15
6	Rheumatism	M	276	3	2	2		2	9	12	9	11	3	11
		F	246	2	1	1	2		6	13	14	5	9	4
7	Scrofula and tabes	M	121	24	8	1		2	35	4	1	4	8	9
		F	157	20	5	3	1	1	30	5	5	15	14	12
8	Hydrocephalus	M	255	119	49	14	11	6	199	16	7	5	5	5
		F	235	75	45	24	13	13	170	20	11	10	1	5
9	Tuberculosis, general	M	97	6	4	1	1		12	6	3	4	6	18
		F	119	8	1	2	1		12	5	3	14	12	12
10	Consumption	M	4,557	79	40	15	12	6	152	31	42	272	533	573
		F	5,029	70	33	19	15	9	146	48	102	443	672	737
11	Cancer	M	1,741	5	3		1	2	11	1	3	4	2	9
		F	2,925	2	1	1	1		5	1	2	6	9	24
12	Tumor	M	151	3	2	1	1	2	9	1	1	4	7	8
		F	283	4	2	2		2	10		2	8	8	7
13	Dropsy	M	296	5	3			1	9		2	2	3	1
		F	360	4	3	2			9	3	6	3	3	1
14	Others of this group	M	71	20	3	4		2	29	4	1	3	1	3
		F	73	10	5	5	1	3	24	2	4	4	3	6
15	2. Diseases of the nervous system		15,890	2,011	529	246	135	96	3,017	279	209	198	186	259
16	Males		8,469	1,198	296	135	68	57	1,754	144	114	109	87	128
17	Females		7,421	813	233	111	67	39	1,263	135	95	89	99	131
18	Inflammation of the brain	M	167	49	14	12	2	5	82	11	2	5	4	4
		F	135	27	10	7	2	3	49	9	11	6	7	7
19	Meningitis	M	1,025	355	150	69	30	29	633	86	45	36	21	25
		F	822	247	121	63	40	20	491	73	39	23	20	27
20	Apoplexy	M	2,902	18	5		2	2	27	1	2	9	15	21
		F	2,778	24	7	1	1		33	2	3	9	12	20
21	Paralysis	M	1,707	17	3	3	2	2	27	5	4	2	2	13
		F	1,543	5	5	3	1	2	16	3	1	3	8	10
22	Paralysis, general (of insane)	M	115								1	1	1	6
		F	62											2
23	Tetanus and trismus nascentium	M	96	26	2		3	1	32	7	18	7	2	3
		F	87	18	1		1		20	1	2	1	2	1
24	Chorea	M	11					1	1			2	1	1
		F	23		1				1	2	4	7	1	
25	Epilepsy	M	250	22	3	2	1	1	29	5	18	24	14	25
		F	184	17	5	4	3		29	6	10	9	9	17
26	Convulsions	M	767	582	84	37	18	7	728	9	4	1	3	
		F	587	406	56	25	14	5	506	17	2	6	9	11
27	Mental diseases	M	268							1		1	6	5
		F	205								1	1	4	11
28	Diseases of the brain	M	771	112	33	10	9	6	170	14	16	12	12	19
		F	625	56	22	6	3	6	93	14	16	16	17	13
29	Diseases of the spinal cord	M	160	15	2	1	1	3	22	4	3	5	3	1
		F	131	11	4	2	2	3	22	5	5	2	3	1
30	Locomotor ataxia	M	92									1	1	
		F	28							1				
31	Others of this class	M	138	2		1			3	1	1	3	2	5
		F	201	2	1				3	2	1	6	7	11
32	3. Diseases of the circulatory system		11,695	577	26	19	17	9	648	86	116	154	168	165
33	Males		6,466	339	18	10	7	4	378	36	48	77	74	69
34	Females		5,229	238	8	9	10	5	270	50	68	77	94	96
35	Pericarditis	M	65		2				2	2	3	5	4	3
		F	66	1			1		2	3	6	2	2	1
36	Diseases of the heart	M	5,723	244	15	10	6	4	279	33	44	69	66	61
		F	4,696	180	8	9	8	4	209	46	59	71	82	81
37	Angina pectoris	M	366							1		3	2	4
		F	269							1	2	3	5	6
38	Diseases of the arteries	M	133	1					1					
		F	69	1					1					1
39	Aneurism	M	40								1		2	
		F	24								1	1		1
40	Embolism	M	46	4					4					1
		F	41										3	3
41	Others of this class	M	93	90	1		1		92					
		F	64	56			1	1	58				2	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,307	1,205	1,116	1,119	1,124	1,312	1,309	1,483	1,209	1,017	570	218	62	8	60	1
564	540	511	495	488	569	567	659	602	505	276	103	29	3	26	2
743	665	605	624	636	743	742	824	607	512	294	115	33	5	34	3
3	7	9	11	21	16	18	24	12	13	14	3			1	4
14	22	12	21	21	23	24	24	15	13	4	2	1		1	
15	14	23	25	34	33	41	42	44	37	24	2	2		2	5
6	11	12	24	29	31	41	43	33	21	8	2	1		1	
11	6	7	7	12	26	21	29	41	31	18	7	1	1	3	6
9	6	15	7	11	19	20	26	23	26	18	12	2		1	
3	7	3	6	1	10	5	14	7	1	2				1	7
15	8	7	6	10	4	7	3	2	6	7				1	
5	6	3	2	1				1							8
3	3	3	2	2	1		1	1	1					1	
11	8	6	6	6	5	1	3	1		1					9
13	8	6	9	4	5	5	4	1	3	2	1				
496	441	355	302	257	275	222	211	173	142	50	12	3		15	10
597	460	318	258	211	219	194	215	174	133	55	25	5	1	16	
15	35	78	107	131	172	222	275	257	223	116	55	20	1	4	11
56	123	187	259	302	387	381	420	286	242	149	53	20	2	11	
1	9	9	13	11	10	8	21	16	14	7	2				12
15	17	29	22	25	26	30	32	22	20	8	2				
2	4	8	13	13	19	26	39	46	41	43	22	3			13
8	5	13	14	17	26	35	54	48	46	48	18	4	2	2	
2	3	5	3	1	3	3	1	4	3	1			1		14
7	2	3	2	4	2	5	2	2	1						
260	348	378	514	674	886	1,162	1,557	1,828	1,921	1,349	572	195	44	54	15
137	196	202	259	354	475	599	809	964	1,029	700	280	75	19	35	16
123	152	176	255	320	411	563	748	864	892	649	292	120	25	19	17
2	3	6	3	6	3	5	7	7	11	3	3				18
5	3	5	1	4	7	1	6	5	5	2	1	1			
17	20	11	15	20	20	7	22	18	17	3	4	2		3	19
21	14	19	21	9	11	11	13	14	6	7	2			1	
37	48	64	105	148	228	319	388	459	505	335	135	30	7	19	20
29	35	59	104	157	212	293	379	439	428	333	148	65	13	5	
19	47	39	54	70	107	131	208	308	305	242	91	22	8	3	21
16	19	27	49	57	82	142	202	255	296	201	103	36	10	7	
8	8	12	11	12	11	11	12	3	7	5	4	2			22
2	1	6	2	5	2	5	11	11	7	5	2	1			
3		3	1	5	6	3	2	2	2						23
2	2	2			1	2			1						
1				2			2					1			24
			2	1	1	1	1		1	1					
14	28	13	10	7	7	10	11	16	11	3	3	1		1	25
8	18	9	11	13	9	8	9	6	6	5		2			
2	3		2	2	1		1	4	2		1	1		3	26
9	8	3	2	1		1	6		1	1		1		3	
14	9	17	11	8	16	18	37	38	41	32	9	5			27
9	11	13	15	18	22	27	30	24	34	27	12	6			
12	19	18	18	40	35	51	65	75	86	66	28	10	2	3	28
12	20	21	23	28	38	42	53	70	76	46	17	7	2	1	
2	6	9	7	17	12	16	22	8	15	6			1	1	29
3	6	3	5	10	12	12	13	11	9	7		1		1	
1	2	3	16	11	15	12	12	9	8	1					30
	2	1	2	1	3	4	4	5	3	1	1				
5	3	7	6	6	14	16	20	17	19	4	2	1	1	2	31
7	13	8	18	16	11	14	21	24	19	13	6			1	
210	262	347	412	614	817	1,146	1,483	1,692	1,642	1,083	453	112	23	62	32
83	125	147	197	317	472	662	877	1,003	964	612	230	48	9	29	33
127	137	200	215	297	345	484	606	689	678	471	214	64	14	33	34
	3	2	2	5	5	4	8	8	5	4					35
6		4	2		7	3	10	4	5	6	2			1	
77	107	129	176	273	420	588	788	905	872	538	218	45	8	27	36
105	127	180	197	279	299	435	547	635	627	422	193	59	13	30	
3	10	10	14	28	29	55	57	51	52	35	9	1		2	37
8	7	9	15	13	29	33	40	34	27	27	7	2		1	
	1	1	1	3	5	7	14	27	26	33	11	2	1		38
1		1		2	5	7	5	10	14	10	9	2	1		
2	2	3	1	5	8	4	2	5	5						39
3	1	3		1	2	3		3	1	2	1	1			
1	2	1	3	3	5	4	8	7	4	2	1				40
4	2	3	1	2	3	3	4	3	4	4	2				
		1													41
														1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	14,221	2,558	958	433	242	135	4,326	424	172	292	337	317
2	Males	7,299	1,457	513	238	119	59	2,386	196	77	161	196	160
3	Females	6,922	1,101	445	195	123	76	1,940	228	95	131	141	157
4	Croup M	268	50	59	48	43	16	216	45	2	2	1	1
	Croup F	236	39	42	33	32	22	168	58	7		1	
5	Pneumonia M	4,996	818	319	138	51	28	1,354	103	60	128	166	142
	Pneumonia F	4,714	625	275	126	65	38	1,129	134	67	105	98	121
6	Laryngitis M	71	7	10	6	8	3	34	17	2		1	1
	Laryngitis F	59	9	8	2	7	4	30	6	2	1	1	4
7	Bronchitis M	1,142	395	100	37	13	7	552	18	6	8	7	3
	Bronchitis F	1,196	327	92	28	10	7	464	13	5	11	14	14
8	Pleurisy M	134	3	4	3	1	1	12	2	2	12	9	3
	Pleurisy F	99	1	3		2		6	6	3	3	5	4
9	Asthma M	100	9	1				10	1		2	1	1
	Asthma F	91	8			1		9	2	2		2	
10	Others of this class M	588	175	20	6	3	4	208	10	5	9	11	9
	Others of this class F	627	92	25	6	6	5	134	9	9	11	20	14
11	5. Diseases of the digestive system	6,474	781	138	68	41	41	1,069	199	193	249	232	284
12	Males	3,282	436	60	36	21	19	572	101	112	126	106	123
13	Females	3,192	345	78	32	20	22	497	95	81	123	126	161
14	Dentition M	26	13	13				26					
	Dentition F	32	14	16	1	1		32					
15	Angina M	65	5	7	4	4	3	28	7	3	3	3	2
	Angina F	51	4	3	3	2	2	14	15	5			5
16	Gastritis M	498	66	8	3	3	1	81	7	2	6	6	18
	Gastritis F	557	51	16	8	4	5	84	2	2	5	9	22
17	Diseases of the stomach M	224	11		1	1	2	15		2	3	2	8
	Diseases of the stomach F	199	12	4	1		1	18		1	5	8	6
18	Obstruction of the bowels M	266	31	6	3	2	1	43	19	7	10	4	8
	Obstruction of the bowels F	255	32	6	2	3	2	45	9	3	4	6	10
19	Appendicitis M	343	8		2	1	4	10	20	54	50	38	39
	Appendicitis F	206	2	2	1		3	8	17	25	37	19	21
20	Hernia M	147	19					19			3	1	1
	Hernia F	117	6					6	4		1		
21	Other diseases of the bowels M	113	30	4	3	2		39	1	2	2	2	1
	Other diseases of the bowels F	91	21	3		3		27	1	1	3		2
22	Jaundice M	130	59		3			62	4	1		2	3
	Jaundice F	120	33	1	2	1	1	38		3	2	2	3
23	Inflammation and abscess of the liver. M	120	5	1		1	1	8	2	4		4	4
	Inflammation and abscess of the liver. F	149	2	1		1	1	5		3	2	1	8
24	Other diseases of the liver M	564	11	1	3			15	1	2	3	6	13
	Other diseases of the liver F	374	7	1	3			11	3	3	1	2	7
25	Peritonitis M	411	26	6	7	4	5	48	35	35	43	36	20
	Peritonitis F	655	22	12	7	4	4	49	35	32	59	78	74
26	Ascites M	25	1					1					
	Ascites F	31									1		
27	Others of this class M	350	156	14	7	3	2	182	8		3	2	6
	Others of this class F	355	139	13	4	1	3	160	9	3	3	1	3
28	6. Diseases of the urinary system and male organs of generation.	6,215	90	22	24	9	26	171	74	59	94	139	186
29	Males	3,887	57	10	10	7	14	98	36	33	43	47	81
30	Females	2,328	33	12	14	2	12	73	38	26	51	92	105
31	Bright's disease M	2,551							33	22	35	37	62
	Bright's disease F	1,842							33	23	42	73	74
32	Calculus, urinary M	26									1		
	Calculus, urinary F	7										1	
33	Diseases of the kidney M	271	38	9	9	5	12	73	1	1	3	1	6
	Diseases of the kidney F	168	26	11	11	2	11	61	1	1		3	6
34	Diseases of the bladder M	485	4					4		3	1	1	2
	Diseases of the bladder F	54	1		1			2				1	2
35	Others of this class M	554	15	1	1	2	2	21	2	7	3	8	11
	Others of this class F	257	6	1	2		1	10	4	2	9	14	23
36	7. Diseases of the female organs of generation.	305	1					1		2	10	25	31
37	Ovarian tumors	69										1	4
38	Ovarian diseases	11										2	1
39	Diseases of the tubes	16										3	1
40	Uterine tumors	90									1	3	5
41	Uterine diseases	24									5	4	5
42	Others of this class	95	1					1		2	4	12	15

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
342	419	439	472	531	647	780	935	1,131	1,095	890	449	144	30	49	1
172	245	244	256	270	334	376	456	556	521	409	195	58	10	21	2
170	174	195	216	261	313	404	479	575	574	481	254	86	20	28	3
						1									4
	1			1											
146	208	208	206	219	255	276	343	382	360	267	119	35	5	14	5
138	140	149	168	207	245	301	353	393	409	323	160	44	11	19	
2		2	2	3	1	2	2		1	1					6
4	2	1		2	2	1		1	1		1				
5	9	9	16	17	32	31	54	96	97	100	56	18	5	3	7
11	4	11	15	16	31	57	73	109	113	114	75	34	8	4	
6	6	4	10	7	9	9	10	18	8	4	3				8
7	6	7	8	6	5	12	4	7	3	4	1	2			
1	1	3	3	1	4	16	14	11	11	11	7			2*	9
3	1	2	4	9	5	11	10	12	10	7	2				
12	21	18	19	23	33	41	33	49	44	26	10	5		2	10
7	20	25	21	20	25	22	39	53	38	33	15	6	1	5	
220	242	285	306	334	393	455	526	531	490	276	125	38	5	22	11
96	98	133	167	154	215	249	271	264	263	141	61	17	2	8	12
124	144	152	139	180	178	206	255	267	227	135	64	21	3	14	13
															14
3		2	2	3		4	1	4	3	2					15
1		1	2	1	1	1	1		2	1	1				
8	14	15	26	22	32	40	54	47	53	41	17	6	1	2	16
13	21	15	20	37	35	44	43	61	61	50	20	9	1	3	
4	8	10	16	18	24	22	25	26	30	8	3				17
12	7	7	9	17	16	22	15	26	17	7	4	2			
9	4	5	10	15	17	15	14	30	36	9	8	2		1	18
6	6	16	12	13	16	18	27	30	16	9	6		1	2	
23	19	28	20	9	11	6	4	7	3	1				1	19
12	14	14	8	6	5	4	10	1	1	3				1	
2	2	2	7	8	13	11	13	14	24	16	8	2	1		20
1	5	4	6	5	12	12	21	14	15	7	3			1	
4	2	1	5	2	7	9	7	10	11	6	1	1			21
3	6	3	2	2	3	2	8	11	10	1	4		1	1	
3	1		1	2	6	7	9	10	11	3	2	1		2	22
	1	2	3	7	8	6	11	18	7	4	1	2		2	
3	5	5	5	9	5	16	18	18	10	8	1				23
6	7	9	11	11	11	14	16	11	17	12	4	1			
15	17	36	45	46	67	80	81	63	49	16	7	2			24
11	13	24	24	37	31	39	52	44	46	16	9			1	
17	21	20	19	13	22	19	23	14	15	7	2	2			25
53	58	46	27	24	21	24	22	25	13	6	5	3		1	
		1	1		1	3	4	7	1	5	1				26
		1	3		3	3	5	6	2	4	1	1		1	
5	5	8	10	7	10	17	23	14	17	19	11	1		2	27
6	6	10	12	20	16	17	24	20	20	15	6	3		1	
173	217	250	268	363	472	613	731	803	785	492	246	50	10	19	28
73	93	128	137	213	282	380	480	552	581	382	189	38	5	16	29
100	124	122	131	150	190	233	251	251	204	110	57	12	5	3	30
62	76	103	114	179	220	283	349	346	346	187	72	13	2	10	31
76	98	97	101	124	161	198	213	222	163	85	42	8	4	2	
	1	1	1	1	2	1	2	6	8	1	1				32
	1			1			1	1	1	1					
4	7	6	3	10	11	16	21	26	36	24	20	2			33
11	5	8	11	9	9	6	11	3	12	7	3			1	
	3	3	4	8	21	34	59	92	92	90	52	11	3	2	34
	2		1		6	8	1	6	9	7	6	3			
7	6	15	15	15	28	46	49	82	99	80	44	12		4	35
13	18	17	15	16	14	21	25	19	19	10	6	1	1		
22	39	27	36	28	22	20	15	14	5	3	2	2	1		36
3	7	6	8	8	7	8	5	7	2	1		1	1		37
1	1		3	1			2								38
4	4		2	1				1							39
1	14	9	8	14	11	9	6	5	2	2					40
3	2	1	1				2	1							41
10	11	11	14	4	4	3			1		2	1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

RURAL PART OF REGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	855								1	66	179	201
2	Abortion	37									3	5	10
3	Childbirth	260									10	45	55
4	Puerperal septicæmia	348								1	30	86	85
5	Extra-uterine pregnancy	9									1	2	1
6	Others of this class	201									22	41	50
7	9. Diseases of the bones and joints	267	22	5	3	5	3	38	17	13	20	20	11
8	Males	149	13	4	2	3	3	25	7	7	15	14	7
9	Females	118	9	1	1	2		13	10	6	5	6	4
10	Diseases of the spine M	60	12	2	1	2		17	3	4	5	7	1
	Diseases of the spine F	51	7	1	1	2		11	2	3	2	1	2
11	Abscess, lumbar and psoas M	11										3	4
	Abscess, lumbar and psoas F	9	1					1	1			2	
12	Diseases of the bones M	34	1		1	1	2	5	1	2	6	1	1
	Diseases of the bones F	30	1					1	5	1	1	2	1
13	Diseases of the hip-joint M	23		1				1	2	1	3	2	1
	Diseases of the hip-joint F	4							1	1	2		
14	Others of this class M	21		1			1	2	1		1	1	
	Others of this class F	24							1	1		1	1
15	10. Diseases of the skin	205	38	12	2	1	1	54	3	4	2	3	7
16	Males	117	24	6	1			31	3	1	1	2	5
17	Females	88	14	6	1	1	1	23		3	1	1	2
18	Abscess M	56	4	2	1			7	3	1	1	2	4
	Abscess F	47	3	4		1	1	9		2	1	1	1
19	Carbuncle M	14	1					1					
	Carbuncle F	3											
20	Others of this class M	47	19	4				23					1
	Others of this class F	38	11	2	1			14		1			1
21	11. Diseases of the absorbent system	117	5	2		2	1	10	4	3	2	7	1
22	Males	59	4	1		2	1	8	4	1	1	3	1
23	Females	58	1	1				2		2	1	4	
24	Addison's disease M	17								1			
	Addison's disease F	22										1	
25	Diseases of the spleen M	13				1		1				1	
	Diseases of the spleen F	10		1				1				2	
26	Others of this class M	29	4	1		1	1	7	4		1	2	1
	Others of this class F	26	1					1		2	1	1	
27	12. Accidents and injuries	5,931	378	80	99	90	54	701	243	227	361	451	460
28	Males	4,484	206	46	63	54	33	402	165	186	304	392	402
29	Females	1,447	172	34	36	36	21	299	78	41	57	59	58
30	Burns and scalds M	195	11	23	31	25	6	96	14	5	3	7	8
	Burns and scalds F	232	11	16	19	19	12	77	38	7	8	7	10
31	Drowning M	794	6	13	14	9	10	52	81	91	93	105	78
	Drowning F	104	1	8	5	5	2	21	11	12	13	7	3
32	Exposure and neglect M	57	14				1	15	1	1		1	1
	Exposure and neglect F	22	8	2				10				2	
33	Gunshot wounds M	209	1		1	1		3	5	18	45	26	15
	Gunshot wounds F	30	1		1	3	1	6	2	2	5	6	1
34	Homicide M	31			1		1	2	1		1	5	3
	Homicide F	12					1	1	1	1	1	1	2
35	Infanticide M	1	1					1					
	Infanticide F	4	4					4					
36	Injuries by machinery M	25									7	1	
	Injuries by machinery F	1	1					1					
37	Railroad accidents M	763	1		2	3	1	7	11	21	52	91	90
	Railroad accidents F	88	3	1	1		1	6	5	5	9	9	6
38	Suffocation M	152	87	2	1	2	1	93	1	4	4	2	5
	Suffocation F	119	78	3	2	1	4	88	5		1	1	2
39	Suicide by shooting M	134									1	9	15
	Suicide by shooting F	14									3	2	1
40	Suicide by drowning M	31									1	2	2
	Suicide by drowning F	19										2	
41	Suicide by poison M	65									1	7	6
	Suicide by poison F	50								1	5	4	2
42	Other suicides M	269								1	8	8	13
	Other suicides F	62								2	1	3	6
43	Sunstroke M	28	3	1				4	2	1	3	1	2
	Sunstroke F	10	4	1				5					
44	Surgical operations M	17							2		3	1	3
	Surgical operations F	38			1			1		1	1		7
45	Wounds M	63	2					2	3	2	5	8	11
	Wounds F	3											1
46	Others of this class M	1,650	80	7	13	14	13	127	44	42	77	118	150
	Others of this class F	689	61	3	7	8		79	16	10	10	15	17

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
105	139	88	7	1			1		1					6	1
8	9	2													2
56	47	41	3						1					2	3
67	47	25	3	1										3	4
1	4														5
33	32	20	1				1							1	6
10	10	15	15	19	14	13	15	13	8	10	4	2			7
3	5	11	7	10	8	6	7	6	6	2	2	1			8
7	5	4	8	9	6	7	8	7	2	8	2	1			9
	3	2	1	3	5	3	2	1	2	1					10
2	3	2	4	7	1	3	3	2	1	1	1				
1				1		1		1							11
	1		1	1	1			1							
	1	1	2	3	1	1	2	2	3	1	1				12
4		1	2		2	1		3		5	1				
2	1	4	1	3	1		1								13
		4	3		1	1	2	2	1		1	1			14
1	1	1	1	1	2	3	5	1	1	2		1			
9	12	3	11	6	11	15	16	8	23	9	4	3		2	15
3	6		8	3	7	7	8	5	14	7	3	1		2	16
6	6	3	3	3	4	8	8	3	9	2	1	2			17
2	3		6	1	4	5	2	5	5	3		1		1	18
6	3	2	2	2	2	3	4	2	4	1		2			
1	2		1			1	3		3	1				1	19
						2	1								
	1		1	2	3	1	3		6	3	3				20
	3	1	1	1	2	3	3	1	5	1	1				
7	8	12	14	4	6	6	15	8	8	2					21
4	4	8	8	3	1	2	6	1	3	1					22
3	4	4	6	1	5	4	9	7	5	1					23
	2	2	4	3	1	1	1	1	1						24
1	3	1	2		3	3	4	2	2						
2	2	3	2						1	1					25
2	1	1	1	1				1							
2		3	2			1	5		1						26
		2	3		2	1	5	4	3	1					
377	435	348	317	275	232	281	262	247	243	171	109	51	10	130	27
305	373	286	263	211	187	218	195	176	161	82	40	21		115	28
72	62	62	54	64	45	63	67	71	82	89	69	30	10	15	29
4	5	4	5	4	5	12	7	4	5	3	1			3	30
10	6	2	6	7	2	13	7	11	6	9	4	1		1	
48	52	45	22	27	18	15	14	13	9	3	2			26	31
11	5	3	3	4	1	1	3	3	1					2	
3	3	3	6	4	1	2	1	3	7	2	2			1	32
	1	1		1	1			1	2	1		1		1	
22	15	12	4	13	6	7	4	4	1	1		2		6	33
3	1	1	2	1											
5	4	1	1	1	1	2	2	1		1					34
2	2	1													
															35
3	5	3	1	1		1	3								36
61	101	55	51	38	31	35	22	17	17	7	3			50	37
3	8	4	7	6	4	7	4	3	4	1		1		1	
2	2	2	5	4	4	6	5	3	4					6	38
1			1	2	1	2	2	1	2	1	1			8	
12	15	13	14	14	11	10	9	5	3	3					39
1	2	1	2		1		1								
1	2	2	1	4	4	3	2	1	6						40
	1	1	2	3	5	3		2							
	3	7	6	5	6	4	6	7	4	1				2	41
4	7	7	5	2	4	2	2	3	1					1	
16	19	21	35	20	27	22	22	27	17	6	2	1		4	42
7	7	5	7	3	2	5	7	2	1	3	1				
2	1	2	2	1		1	2	1	2	1					43
		2					1	1	1						
	2	1			2	1	2								44
6	4	6	2	4	2	1	3								
3	2	4	7	1	5	3	2		1	2		1		1	45
						1			1						
120	142	111	103	74	66	94	92	90	85	52	30	17		16	46
24	23	28	17	31	22	28	37	44	63	74	63	27	10	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	210,999	41,696	10,885	5,223	3,440	2,587	63,831	7,136	4,009	6,302	10,270	11,043
2	Males	115,074	23,327	5,747	2,728	1,745	1,294	34,841	3,660	2,065	3,124	5,347	5,899
3	Females	95,925	18,369	5,138	2,495	1,695	1,293	28,990	3,476	1,944	3,178	4,923	5,144
4	Unknown cause	2,523	775	96	47	31	20	969	59	28	52	73	101
5	Males	1,408	429	50	24	16	10	529	32	15	25	31	52
6	Females	1,115	346	46	23	15	10	440	27	13	27	42	49
	1. General diseases.												
7	General diseases—A	36,848	10,676	4,192	2,047	1,431	1,148	19,494	2,955	1,064	1,233	1,708	1,511
8	Males	19,239	5,770	2,146	1,043	711	564	10,234	1,406	494	608	937	826
9	Females	17,609	4,906	2,046	1,004	720	584	9,260	1,549	570	625	771	685
10	Measles M	609	147	189	112	40	28	516	46	12	3	13	4
	Measles F	618	138	194	111	48	24	515	62	9	9	5	7
11	Scarlet fever M	721	43	82	112	128	82	447	207	40	8	5	4
	Scarlet fever F	740	28	81	119	110	111	449	220	37	16	5	6
12	Diphtheria M	2,274	143	324	346	329	284	1,426	656	125	18	13	6
	Diphtheria F	2,397	94	302	309	325	299	1,329	796	168	41	20	15
13	Whooping cough M	578	332	135	56	20	13	556	15	1	3	1	----
	Whooping cough F	643	313	164	62	43	22	604	31	2	1	1	1
14	Malarial fever M	871	75	41	17	22	19	174	65	32	54	80	72
	Malarial fever F	759	66	49	39	21	16	191	61	36	53	71	48
15	Influenza M	830	94	20	6	5	7	132	15	9	16	21	25
	Influenza F	975	63	17	15	6	9	110	14	9	22	27	31
16	Typhoid fever M	3,073	26	25	26	28	41	146	175	156	356	558	472
	Typhoid fever F	2,245	31	26	26	40	27	150	175	202	349	372	261
17	Cholera morbus M	416	86	27	47	13	6	179	19	12	11	10	11
	Cholera morbus F	418	81	31	40	11	6	169	12	12	12	13	13
18	Colitis M	184	86	25	7	8	2	128	2	2	----	----	7
	Colitis F	151	64	29	5	2	1	101	3	4	1	1	4
19	Diarrhea M	703	224	68	35	5	5	337	22	3	11	13	8
	Diarrhea F	589	198	55	29	5	4	291	18	8	3	10	11
20	Dysentery M	715	105	73	29	13	9	229	18	5	15	38	30
	Dysentery F	590	86	42	14	9	2	153	7	2	6	12	15
21	Enteritis M	3,432	2,046	566	134	44	37	2,827	54	21	25	28	31
	Enteritis F	3,095	1,594	502	135	46	31	2,308	60	23	28	42	62
22	Cholera infantum M	2,547	1,972	490	55	20	8	2,545	----	----	----	----	----
	Cholera infantum F	2,352	1,794	479	57	14	6	2,350	----	----	----	----	----
23	Fever M	39	12	3	----	----	----	15	----	----	2	3	1
	Fever F	29	10	1	1	1	----	13	5	1	2	1	3
24	Cerebro-spinal fever M	347	72	40	24	22	12	170	50	30	20	18	14
	Cerebro-spinal fever F	301	62	37	17	22	12	150	40	28	21	10	13
25	Smallpox M	328	12	6	7	2	1	28	7	11	22	61	55
	Smallpox F	206	12	9	6	4	2	33	11	10	17	43	32
26	Erysipelas M	304	66	6	1	1	3	77	3	5	7	11	13
	Erysipelas F	221	68	6	1	1	----	76	1	2	3	8	12
27	Septicemia M	617	65	12	13	6	4	100	39	21	24	37	39
	Septicemia F	759	57	8	7	6	8	86	22	9	32	109	130
28	Venereal diseases M	298	154	11	5	2	1	173	2	2	3	8	13
	Venereal diseases F	230	132	6	4	2	1	145	1	2	5	12	12
29	Others of this group M	362	10	3	11	3	2	29	11	7	10	19	21
	Others of this group F	291	15	8	7	4	3	37	10	6	4	9	9
30	General diseases—B	6,616	4,406	243	64	49	15	4,777	46	10	48	107	150
31	Males	3,920	2,407	128	33	24	12	2,604	21	5	19	52	87
32	Females	2,696	1,999	115	31	25	3	2,173	25	5	29	55	63
33	Alcoholism M	771	----	----	----	----	----	----	----	1	----	16	52
	Alcoholism F	136	----	----	----	----	----	----	----	----	----	8	19
34	Parasitic diseases M	8	1	1	1	----	2	5	1	----	----	----	----
	Parasitic diseases F	11	1	3	----	3	1	8	3	----	----	----	----
35	Lead poison M	19	1	----	----	----	----	1	----	----	----	2	1
	Lead poison F	7	4	----	----	----	----	4	1	----	----	----	----
36	Other poisons M	482	18	27	14	9	3	71	11	2	17	31	33
	Other poisons F	281	6	13	10	4	1	34	6	3	25	42	37
37	Inanition M	2,640	2,387	100	18	15	7	2,527	9	2	2	3	1
	Inanition F	2,261	1,988	99	21	18	1	2,127	15	2	4	5	7
38	General diseases—C	16,471	7,948	440	119	42	21	8,570	48	21	27	43	51
39	Males	8,083	4,488	219	63	25	10	4,750	19	11	13	19	17
40	Females	8,388	3,515	221	56	17	11	3,820	29	10	14	24	34
41	Old age M	2,604	----	----	----	----	----	----	----	----	----	----	----
	Old age F	3,689	----	----	----	----	----	----	----	----	----	----	----
42	Premature birth M	2,195	2,195	----	----	----	----	2,195	----	----	----	----	----
	Premature birth F	1,666	1,666	----	----	----	----	1,666	----	----	----	----	----
43	Malformation M	304	296	1	2	----	----	299	1	2	----	----	----
	Malformation F	254	248	2	2	1	----	253	----	1	----	----	----
44	Debility and atrophy M	2,817	1,780	218	61	24	10	2,093	18	9	13	19	17
	Debility and atrophy F	2,663	1,485	219	54	16	11	1,785	29	9	14	24	34
45	Others of this group M	163	162	----	----	1	----	163	----	----	----	----	----
	Others of this group F	116	116	----	----	----	----	116	----	----	----	----	----

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10,555	11,191	10,144	9,807	9,860	9,576	10,122	10,384	9,589	7,450	5,086	2,434	805	397	1,008	1
5,958	6,459	6,080	5,927	5,888	5,565	5,560	5,541	5,036	3,680	2,383	1,018	269	140	634	2
4,597	4,732	4,064	3,880	3,972	4,011	4,562	4,848	4,553	3,770	2,703	1,416	536	257	374	3
81	116	111	123	108	115	124	115	110	71	37	21	8	2	104	4
46	66	70	82	61	73	69	66	64	35	20	12	1	1	58	5
35	50	41	41	47	42	55	49	46	36	17	9	2	1	46	6
1,137	1,083	874	769	775	706	758	799	700	531	399	180	35	22	115	7
656	607	507	455	436	372	395	376	329	252	187	71	9	9	73	8
481	476	367	314	339	334	363	423	371	279	212	109	26	13	42	9
1	2			3											10
3	4	2												2	
2	3	3	1			1									11
3	2			1						1					
10	5		4	2	1	2		1		1		1		3	12
9	5	3	3	4		1			2					1	
														2	13
1	1			1											
46	56	45	50	46	35	26	32	19	19	9	3	1		7	14
51	32	26	27	27	30	27	30	22	7	10	5	1	1	3	
39	35	47	35	40	42	66	70	85	68	52	22	2	5	4	15
34	31	34	37	50	60	95	103	107	83	74	39	10	4	1	
342	275	177	126	95	73	53	26	19	7	3	2			12	16
151	147	119	66	70	53	38	38	31	7	6	1			9	
12	11	16	19	17	18	13	25	16	12	7	4	1	1	2	17
15	26	12	12	25	13	17	19	13	20	8	4		1	2	
4	4	6	5	2	4	6	6	3	3	1	1				18
2	6	3	2	3	4	2	7	4	3					1	
11	15	19	12	27	41	37	38	35	31	20	10	1	1	11	19
12	14	13	15	12	23	32	31	31	19	19	16	2	4	5	
27	32	29	32	38	27	50	44	36	27	23	7	1		7	20
16	14	17	38	35	37	38	59	50	41	29	14	4		3	
29	43	30	49	41	36	54	49	38	40	20	10		1	6	21
44	45	40	40	46	43	57	86	61	52	33	18	2	2	3	
														2	22
														2	
	2	4	4	3	1	1	3								23
2			1								1				
7	10	6	6	5	3	4	1	1		1				1	24
6	8	10	7	3	3	1		1							
35	36	21	18	10	9	5	3	3	3					1	25
14	12	12	6	5	6	2	3								
18	12	20	19	27	19	14	26	13	9	6	1	1	1	2	26
6	14	12	6	13	10	13	9	14	11	5	5	1			
48	37	51	39	43	39	28	34	13	6	12	3			4	27
86	92	52	38	22	30	17	9	8	6	1	2	2		6	
14	11	15	12	14	9	10	1	1	3	1				6	28
15	10	6	6	8	2	1			1	1				3	
11	18	18	24	23	15	25	18	46	24	31	8	1		3	29
11	13	6	10	14	20	22	29	29	27	25	4	4	1	1	
191	260	221	193	163	113	81	82	42	40	12	8	3	3	66	30
152	206	179	154	127	88	62	62	31	18	4	4	2	1	42	31
39	51	42	39	36	25	19	20	11	22	8	4	1	2	24	32
88	135	121	115	89	60	33	36	10	3					12	33
9	26	23	16	15	3	5	6	2	2					2	
		1	1												34
1	7		2	1	1	1	2								35
1													1		
61	60	52	31	28	22	20	17	8	7	1				10	36
25	26	16	14	14	12	9	9	1	4	2				2	
2	4	5	5	9	5	8	7	13	8	3	4	2	1	20	37
4	2	3	9	7	10	5	5	8	16	6	4	1	1	20	
58	63	65	62	90	151	323	596	1,198	1,502	1,696	1,090	493	269	55	38
26	34	25	31	39	70	133	282	534	668	707	424	167	86	28	39
32	29	40	31	51	81	190	314	664	834	989	666	326	183	27	40
						51	194	452	593	657	408	160	81	8	41
						112	223	561	753	914	623	313	176	14	
															42
1														1	43
25	34	25	31	39	70	82	88	82	75	50	16	7	5	19	44
32	29	40	31	51	81	78	91	103	81	75	43	13	7	13	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		35,761	987	491	263	202	127	2,070	587	613	1,899	3,661	3,936
2	Males		18,388	560	249	149	100	70	1,128	290	234	758	1,775	1,964
3	Females		17,373	427	242	114	102	57	942	297	379	1,141	1,886	1,972
4	Anemia	M	215	25	4	2	2		33	8	5	5	7	11
		F	278	25	6	5	6		42	7	7	21	23	18
5	Diabetes	M	432	2	1			2	5	8	14	18	17	24
		F	410	1		1	3		5	10	9	10	20	16
6	Rheumatism	M	412	5	2	5	5	3	20	24	24	15	21	22
		F	389	4	6	2	3	2	17	19	24	28	18	17
7	Scrofula and tabes	M	231	41	19	10	2	2	74	16	4	14	21	14
		F	263	34	13	7	4	6	64	11	12	20	19	21
8	Hydrocephalus	M	555	182	89	51	28	20	370	63	23	17	15	12
		F	426	131	91	32	35	21	313	49	10	19	6	7
9	Tuberculosis, general	M	186	7	6	4	1	5	23	13	7	10	21	23
		F	134	9	9	1	1	2	22	6	9	8	13	14
10	Consumption	M	12,797	213	105	60	47	31	456	116	129	641	1,604	1,801
		F	10,488	169	94	49	38	18	368	156	284	1,005	1,721	1,787
11	Cancer	M	2,541	2	1	1	1	1	6	3	1	8	29	32
		F	3,931	4			1		5	9	2	7	22	55
12	Tumor	M	307	11	2	2	7	1	23	10	5	13	16	12
		F	382	4	3	4	5	1	17	9	8	7	23	16
13	Dropsy	M	531	12	2	6	4	1	25	16	15	10	19	10
		F	537	4	4	1	3	3	15	13	11	13	17	15
14	Others of this group	M	181	60	18	8	3	4	93	13	7	7	5	3
		F	135	39	16	12	3	4	74	8	3	3	4	6
15	2. Diseases of the nervous system		25,228	6,643	1,559	670	400	283	9,564	738	421	428	481	552
16	Males		14,034	3,795	860	355	222	139	5,371	419	232	219	271	309
17	Females		11,194	2,848	699	324	178	144	4,193	319	189	209	210	243
18	Inflammation of the brain	M	317	83	45	28	11	4	171	28	7	8	12	7
		F	239	67	28	18	8	10	131	10	7	10	11	12
19	Meningitis	M	2,611	838	413	162	126	76	1,610	225	99	79	93	82
		F	2,005	634	311	168	90	79	1,282	193	95	67	65	57
20	Apoplexy	M	3,189	44	9	4	2	2	61	9	8	13	33	52
		F	2,704	23	7	4	3	3	40	6	9	11	25	36
21	Paralysis	M	1,729	22	4	6	8	3	43	17	10	13	11	24
		F	1,598	18	12	4	4	4	42	7	2	21	18	21
22	Paralysis, general (of insane)	M	160							1	1			4
		F	43										1	
23	Tetanus and trismus nascentium	M	593	333	4	3	4	5	349	38	60	26	18	23
		F	302	225	3			1	229	4	9	7	6	7
24	Chorea	M	7							1		2	1	
		F	20	1		1		1	3	1	5	5	3	
25	Epilepsy	M	242	8	1		1	1	11	9	5	27	18	26
		F	175	6			1	1	8	7	15	15	10	20
26	Convulsions	M	2,891	2,249	296	124	50	30	2,749	46	14	4	7	12
		F	2,351	1,689	283	96	58	32	2,158	53	11	16	15	24
27	Mental diseases	M	408							1	1	2	15	15
		F	336								1	6	8	14
28	Diseases of the brain	M	1,358	202	83	25	17	16	343	38	25	35	51	46
		F	1,007	177	51	29	14	12	283	29	33	37	33	33
29	Diseases of the spinal cord	M	200	16	4	2	3	2	27	3	1	8	5	7
		F	132	4	4	4			12	7	1	5	4	4
30	Locomotor ataxia	M	158										1	3
		F	49											
31	Others of this class	M	171	5	1	1			7	3	1	2	6	8
		F	283	4				1	5	2	1	9	11	15
32	3. Diseases of the circulatory system		16,271	852	49	42	41	53	1,037	308	362	350	468	576
33	Males		8,840	517	24	29	24	26	620	145	145	176	211	284
34	Females		7,431	335	25	13	17	27	417	163	217	174	257	292
35	Pericarditis	M	158	4	1		3	1	9	10	12	12	8	11
		F	152	5		1	2	2	10	7	15	11	11	7
36	Diseases of the heart	M	7,464	269	19	27	17	24	356	133	131	163	193	248
		F	6,535	198	23	10	15	23	269	152	197	157	223	250
37	Angina pectoris	M	381							1	1		6	7
		F	267							1	3	3	15	15
38	Diseases of the arteries	M	321	1					1			1		1
		F	186		1				1		1			1
39	Aneurism	M	217										2	14
		F	58							2			1	8
40	Embolism	M	49	7		1			8	1			2	2
		F	84	1		1			2			2	7	10
41	Others of this class	M	250	236	4	1	4	1	246		1			1
		F	149	131	1	1		2	135	1	1	1		1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
3,547	3,414	2,913	2,625	2,378	2,163	1,968	1,619	1,149	682	295	89	19	16	118	1
1,912	1,864	1,600	1,450	1,295	1,156	990	815	589	339	125	28	8	5	63	2
1,635	1,550	1,313	1,175	1,083	1,007	978	804	560	343	170	61	11	11	55	3
6	11	17	14	20	21	20	15	11	8	2				1	4
16	22	19	17	22	11	16	18	9	4	3	1		1	1	
22	35	33	24	46	40	43	46	29	19	7	1			1	5
14	22	23	21	40	53	59	46	31	20	8	1	1		1	
23	20	28	34	34	37	32	30	20	15	6	3			4	6
27	18	21	26	30	18	39	33	19	12	16	2	1	2	2	
13	13	9	12	9	7	12	5	3	2	1				2	7
20	18	15	17	14	9	8	8	3	4						
14	6	9	9	6	2	2	1		2	1				3	8
4	5	4	5		2			1	1						
25	14	12	16	5	5	5	5	1	1						9
14	12	9	9	7	2	2	3	2						2	
1,705	1,596	1,262	1,018	783	584	442	315	164	102	27	5	2	2	43	10
1,344	1,098	755	482	396	315	254	232	126	81	30	14	2	2	36	
68	114	156	244	331	370	350	314	283	150	57	11	5	3	6	11
139	291	393	510	502	522	509	386	274	172	88	28	5	3	9	
14	21	25	31	28	34	26	23	18	3	5					12
23	39	40	38	32	31	38	22	25	7	3	3			1	
17	29	35	42	29	51	53	57	58	35	19	8	1		2	13
25	20	29	47	37	38	52	53	68	42	22	12	2	3	3	
5	5	14	6	4	5	5	4	2	2					1	14
9	5	5	3	3	6	1	3	2							
632	880	904	1,058	1,223	1,268	1,461	1,645	1,533	1,205	754	286	81	17	97	15
394	524	571	603	705	717	796	898	823	596	374	119	27	6	60	16
238	356	333	455	518	551	665	747	710	609	380	167	54	11	37	17
8	9	12	8	10	9	7	7	9	1	3	1				18
6	5	9	10	7	6	2	5	3	1	2				2	
74	80	60	55	43	27	20	25	13	15	4	2			5	19
38	44	26	33	26	16	16	18	10	5	9	2			3	
77	123	188	197	297	331	396	456	392	267	205	53	15	2	14	20
44	91	104	202	247	283	321	360	339	292	171	85	22	5	11	
59	73	104	111	151	151	172	210	224	192	101	38	7	4	11	21
26	52	58	78	94	120	172	222	234	203	145	51	23	4	5	
11	22	26	30	12	15	15	8	8	2	2	2			1	22
3	4	8		1	7	4	3	4	7	1					
19	9	11	11	9	3	4	5	4	2					2	23
11	8	8	3	1	4	5									
1			1	1											24
				1		2									
22	30	21	19	8	7	13	7	7	6	2	2	1		1	25
10	19	13	11	11	6	14	8	6	1		1				
6	8	4	9	10	1	4	3	4						10	26
16	11	10	4	3	2	8	3	2	3	1	1	1		9	
26	45	37	26	35	38	40	47	35	25	9	5	1		5	27
25	35	33	28	21	21	34	27	26	34	10	7	5		1	
65	88	67	87	74	83	77	74	85	61	38	13	2		6	28
37	57	41	51	58	41	54	67	59	38	33	17	1	1	4	
11	13	17	13	20	16	17	18	13	8	2	1				29
5	12	5	12	11	15	6	10	7	10	3	1	1		1	
10	11	11	26	23	23	16	14	9	6	3	1			1	30
1	2	2	6	10	12	6	2	2	4	1	1				
5	13	13	10	12	13	15	24	20	11	5	1	1		1	31
16	16	16	17	27	18	21	22	18	11	4	1	1	1	1	
705	917	1,005	1,147	1,314	1,379	1,577	1,653	1,540	1,045	544	215	45	15	69	32
362	519	592	644	733	787	898	895	852	544	276	100	11	5	41	33
343	398	413	503	581	592	679	758	688	501	268	115	34	10	28	34
10	11	14	6	19	10	9	9	5	3						35
11	8	12	11	7	9	12	12	6	2			1			
324	452	505	570	629	665	758	774	737	468	229	81	7	4	37	36
305	364	371	444	537	536	624	681	603	435	228	100	24	9	26	
9	21	31	19	40	47	66	42	52	23	11	4			1	37
13	14	11	26	24	29	25	34	26	14	11	1	2			
3	4	7	12	18	33	41	56	46	43	34	15	4	1	1	38
	4	2	5	5	9	13	24	42	34	24	13	7	1		
14	30	33	32	21	28	20	11	7	3					2	39
2	4	8	11	2	3	2	4	3	6	2					
1	1	2	5	5	4	4	3	5	4	2					40
10	3	9	5	6	6	3	2	8	7	1	1			2	
1				1											41
2	1		1				1		3	2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	31,777	6,865	3,097	1,551	881	613	13,007	1,194	364	623	995	1,109
2	Males	17,561	3,961	1,692	805	445	311	7,214	611	180	334	578	680
3	Females	14,216	2,904	1,405	746	436	302	5,793	583	184	289	417	429
4	Croup M	721	106	139	138	100	80	563	142	8	1	1	2
	Croup F	612	85	106	96	91	65	443	151	10	2		
5	Pneumonia M	12,154	2,426	1,172	521	270	176	4,565	352	135	265	480	560
	Pneumonia F	9,426	1,782	980	491	261	176	3,690	320	140	222	316	315
6	Laryngitis M	118	18	15	11	13	9	66	12	3	1	1	2
	Laryngitis F	95	7	16	8	14	11	56	17	3	3	2	2
7	Bronchitis M	2,663	1,102	307	101	47	33	1,590	59	15	19	30	34
	Bronchitis F	2,578	798	256	130	48	35	1,267	57	16	32	36	39
8	Pleurisy M	329	4	16	4	6	3	33	13	7	17	23	21
	Pleurisy F	246	5	7	5	1	3	21	12	4	9	24	22
9	Asthma M	420	12	1	1			14	6	1	6	6	9
	Asthma F	319	4	5				9	4		1	6	11
10	Others of this class M	1,156	293	42	29	9	10	383	27	11	25	37	52
	Others of this class F	910	223	35	16	21	12	307	22	11	20	33	40
11	5. Diseases of the digestive system	12,164	1,653	480	146	104	72	2,405	351	415	488	695	725
12	Males	6,328	963	285	79	43	31	1,351	180	225	240	293	311
13	Females	5,836	690	195	67	61	41	1,054	171	190	248	402	414
14	Dentition M	219	119	89	9	1	1	219					
	Dentition F	183	101	73	8		1	183					
15	Angina M	91	11	11	7	9	2	40	17	4	1	8	4
	Angina F	86	7	6	6	1	7	27	21	11	2	5	2
16	Gastritis M	887	173	40	14	10	3	240	16	7	11	16	15
	Gastritis F	921	112	46	17	21	9	205	24	7	19	35	40
17	Diseases of the stomach M	344	38	8	2	2		50	4	3	4	7	9
	Diseases of the stomach F	247	22	8	2		3	35	4	3	7	15	13
18	Obstruction of the bowels M	469	88	9	5	2	5	109	17	13	21	28	28
	Obstruction of the bowels F	500	46	4	1	10	2	63	15	8	11	31	38
19	Appendicitis M	820	5	3	2	4	2	16	48	112	105	115	97
	Appendicitis F	468	8	1	2	3	1	10	48	71	60	56	58
20	Hernia M	216	27	4				31	1	4	5	7	7
	Hernia F	194	10	2			1	13			1		2
21	Other diseases of the bowels M	171	45	8	1		1	55	2	1	5	10	11
	Other diseases of the bowels F	170	34	7	2	1	3	47	2	7	8	7	18
22	Jaundice M	236	135	3	1	2		141		1		2	7
	Jaundice F	209	93	2	3		3	101	1		2	6	4
23	Inflammation and abscess of the liver. M	346	20	2	1	1	5	29	6	5	3	16	23
	Inflammation and abscess of the liver. F	245	15			4	2	21	3	7	6	12	9
24	Other diseases of the liver M	1,120	13	1	2		1	17	2	6	6	9	27
	Other diseases of the liver F	606	18	4	2	2	1	27	6	3	4	16	14
25	Peritonitis M	830	53	20	18	5	5	101	55	63	77	64	72
	Peritonitis F	1,451	41	17	10	7	6	81	39	66	126	212	196
26	Ascites M	57		1				1	1	5	2	2	1
	Ascites F	65	1					1				1	5
27	Others of this class M	522	236	36	17	7	6	302	11	1		9	10
	Others of this class F	491	187	25	14	12	2	240	8	7	2	6	15
28	6. Diseases of the urinary system and male organs of generation.	11,160	190	71	55	53	45	414	215	134	177	354	496
29	Males	6,634	115	31	22	24	23	215	112	61	82	162	254
30	Females	4,526	75	40	33	29	22	199	103	73	95	192	242
31	Bright's disease M	4,641							96	51	68	124	183
	Bright's disease F	3,421							88	63	77	142	162
32	Calculus, urinary M	44	1					1				4	2
	Calculus, urinary F	18	2					2				1	1
33	Diseases of the kidney M	392	66	28	22	20	19	155	4	1	4	10	15
	Diseases of the kidney F	323	57	37	29	25	21	169	3	2	4	12	9
34	Diseases of the bladder M	387	4	2				6	1		2	3	10
	Diseases of the bladder F	64	3		1			4	1		1	1	4
35	Others of this class M	1,170	44	1		4	4	53	11	9	8	21	44
	Others of this class F	705	13	3	3	4	1	24	11	8	13	36	66
36	7. Diseases of the female organs of generation	786	4			1		5	1	6	38	80	116
37	Ovarian tumors	103							1	1	7	8	11
38	Ovarian diseases	49									1	5	6
39	Diseases of the tubes	149									10	24	39
40	Uterine tumors	195								1		3	13
41	Uterine diseases	46									3	7	8
42	Others of this class	244	4			1		5		4	17	38	39

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,101	1,285	1,194	1,192	1,313	1,286	1,499	1,693	1,536	1,171	730	286	79	31	89	1
680	806	781	777	816	755	767	786	728	533	316	126	25	12	56	2
421	479	413	415	497	531	732	907	808	638	414	160	54	19	33	3
	1	1								1				1	4
1	2	2												1	
567	657	626	647	635	532	546	508	460	312	174	75	12	6	40	5
340	378	325	323	367	380	510	591	461	368	234	84	31	12	19	
7	5	5	5	5	3	1		1		1					6
2	1	1	1	1	1			8	2						
22	33	40	41	58	86	90	128	142	128	99	31	10	3	5	7
27	25	24	40	49	80	120	181	204	174	116	60	18	7	6	
23	37	32	17	17	19	18	18	8	15	7	3			1	8
18	14	14	14	14	7	18	15	23	10	5	1			1	
7	15	18	19	40	51	55	60	53	30	19	7	1	1	2	9
6	13	16	16	23	24	45	59	48	41	18	6	3			
54	58	59	48	61	64	57	72	64	48	15	10	2	2	7	10
27	46	31	21	43	39	39	61	69	43	41	9	2		6	
757	807	797	726	719	762	697	671	536	345	145	63	12	3	45	11
345	380	439	420	411	441	382	350	288	150	72	22	6	1	21	12
412	427	358	306	308	321	315	321	248	195	73	41	6	2	24	13
															14
6		3	2	2			1			2			1		15
5	1	3	1	3	2		1		2						
36	38	49	53	61	80	61	71	64	36	24	7	1		1	16
47	55	42	41	50	57	59	67	72	49	31	14	3	1	3	
18	29	25	42	28	27	32	23	19	11	4	4			5	17
14	23	7	27	20	11	21	21	9	9	4	2			2	
23	24	21	31	26	31	16	31	28	15	8	2			2	18
27	34	43	34	25	36	32	36	22	22	8	8			7	
84	61	49	35	28	26	18	9	7	4	4	1			1	19
39	42	22	17	12	11	5	6	3	3	3			1	1	
7	17	18	17	10	18	15	13	21	15	7	1	1		1	20
7	17	14	11	25	16	25	21	21	12	3	5	1			
10	6	11	5	11	13	8	9	11	2			1			21
14	9	10	8	4	12	4	10	5	4	2	3			1	
8	8	7	7	10	16	9	10	7	4	3	1				22
9	6	4	5	4	12	10	18	11	11	3	1	1			
29	31	34	32	30	26	27	27	18	7	3					23
9	12	20	20	20	31	21	23	16	11	1	1	1		1	
48	94	131	126	137	140	132	111	75	41	11	4	2		1	24
31	43	57	60	66	64	67	59	42	30	9	4			4	
68	53	60	57	34	35	30	25	19	6	4				7	25
191	164	112	61	44	40	38	29	28	16	3	1			4	
	7	6	3	7	7	6	5	1	3						26
4	3	4	3	3	4	11	11	4	8	2				1	
8	17	25	10	27	22	28	15	18	6	7	2	1		3	27
15	18	20	23	32	25	22	19	15	18	4	2				
591	711	820	891	992	1,009	1,091	1,114	946	642	333	140	25	13	52	28
301	373	476	529	632	630	657	736	617	429	228	85	13	10	32	29
290	338	344	362	360	379	434	378	329	213	105	55	12	3	20	30
234	298	357	410	487	487	504	509	387	259	108	47	7	4	21	31
213	260	279	289	289	306	368	289	269	169	87	49	10	3	9	
1	2	3	3	4	4	5	6	5		2			1	1	32
2		1	1	1		1	3								
10	16	21	22	16	19	17	26	23	16	11	3			3	33
14	15	9	15	17	15	8	13	10	4	3				1	
5	8	12	11	24	20	35	62	74	61	37	12	1	3		34
2	4	3	2	1	6	6	8	8	10	1	1	1			
51	49	83	88	101	100	96	133	128	93	70	23	5	2	7	35
59	59	52	55	52	52	51	65	42	30	14	5	1		10	
134	111	114	70	40	19	15	17	7	8	3				2	36
12	10	13	13	10	5	3	8	3	2	1					37
11	11	9	1	2	1		1	1							38
34	24	12	5	1											39
24	31	48	29	18	8	8	5	2	5						40
7	7	5	3	1	1	2	1	1							41
46	28	27	19	8	4	2	2		1	2				2	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		1,471								3	122	313	368
2	Abortion		140									8	30	42
3	Childbirth		406								1	32	61	85
4	Puerperal septicemia		593								2	47	141	164
5	Extra-uterine pregnancy		63									1	9	18
6	Others of this class		269									34	72	59
7	9. Diseases of the bones and joints		357	18	10	7	8	5	48	41	25	27	27	16
8	Males		195	7	6	2	7	4	26	18	12	19	16	12
9	Females		162	11	4	5	1	1	22	23	13	8	11	4
10	Diseases of the spine	M	61	3	3	1	2	2	11	6		5	4	7
		F	48	5	2	2	1		10	10	4	1	6	2
11	Abscess, lumbar and psoas	M	12									1	1	1
		F	9	1					1	2	1			
12	Diseases of the bones	M	60	4	1	1	2	1	9	5	6	5	5	1
		F	57	2	2	2		1	7	6	5	2	4	1
13	Diseases of the hip-joint	M	38				3	1	4	5	5	7	4	3
		F	21	2		1			3	5	2	4	1	1
14	Others of this class	M	24		2				2	2	1	1	2	
		F	27	1					1		1	1		
15	10. Diseases of the skin		391	120	10	10	6	2	148	8	7	2	12	12
16	Males		217	60	6	7	2	1	76	5	5		6	5
17	Females		174	60	4	3	4	1	72	3	2	2	6	7
18	Abscess	M	115	21	6	3	1	1	32	4	5		5	4
		F	90	29	1	2	2		34	3	1		2	6
19	Carbuncle	M	32	1		1			2					1
		F	19			1			1			1	2	1
20	Others of this class	M	70	38		3	1		42	1			1	
		F	65	31	3		2	1	37		1	1	2	
21	11. Diseases of the absorbent system		126	9	6		3	1	19	5	5	6	4	12
22	Males		68	7	4		3	1	15	4	2	4	2	4
23	Females		58	2	2				4	1	3	2	2	8
24	Addison's disease	M	21							1	1	1		2
		F	11									1		3
25	Diseases of the spleen	M	14	3			1		4				1	2
		F	9								1			3
26	Others of this class	M	33	4	4		2	1	11	3	1	3	1	
		F	38	2	2				4	1	2	1	2	2
27	12. Accidents and injuries		13,049	550	191	193	188	182	1,304	580	531	782	1,249	1,312
28	Males		10,159	303	97	117	99	92	708	398	444	627	994	1,094
29	Females		2,890	247	94	76	89	90	596	182	87	155	255	218
30	Burns and scalds	M	499	21	38	70	55	35	219	44	15	10	28	25
		F	690	19	46	40	55	59	219	93	34	40	41	43
31	Drowning	M	1,081	3	9	6	8	10	36	109	158	120	107	84
		F	99	2	6	5	5	2	20	3	6	16	9	5
32	Exposure and neglect	M	72	21		1		1	23	3	1	1	1	2
		F	51	26	4	2			32		1	1	2	
33	Gunshot wounds	M	546	1			1	1	3	11	39	66	99	90
		F	74			2	1	2	5	4	2	4	21	9
34	Homicide	M	371					2	2	6	8	22	56	73
		F	82		1		1		2	6	3	4	14	13
35	Infanticide	M	2	2					2					
		F	5	5					5					
36	Injuries by machinery	M	67		1				1			3	10	15
		F	4								1		1	
37	Railroad accidents	M	1,827	3	7	5	6	13	34	89	83	121	209	243
		F	172	1	4	4	4	10	23	29	12	10	13	7
38	Suffocation	M	320	124	9	2	2	2	139	5	2	11	20	14
		F	180	99	9	3	2	2	115	5	3	8	7	4
39	Suicide by shooting	M	389									4	38	47
		F	22									2	3	3
40	Suicide by drowning	M	52									2	3	3
		F	16									1	2	4
41	Suicide by poison	M	267									2	17	30
		F	172								1	30	35	34
42	Other suicides	M	609									11	40	49
		F	145									12	22	17
43	Sunstroke	M	166	11	4	2		1	18	4		2	12	8
		F	76	13	5	1	1		20	2			2	2
44	Surgical operations	M	79	5	1	1		1	8	4		1	7	10
		F	167	2		1			3	2	1	3	28	16
45	Wounds	M	227			1	3	2	6	5	5	25	25	33
		F	13	1					1	3	1	1	1	1
46	Others of this class	M	3,576	112	28	29	24	24	217	118	133	226	322	368
		F	922	79	19	18	20	15	151	35	22	23	54	60

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

REGISTRATION CITIES IN NONREGISTRATION STATES—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
301	233	109	11	1					1					9	1
24	29	6												1	2
96	84	38	4	1										4	3
115	81	34	6						1					2	4
19	11	4												1	5
47	28	27	1											1	6
23	16	24	20	18	19	16	10	17	8	1	1				7
15	7	15	12	10	7	8	6	6	6						8
8	9	9	8	8	12	8	4	11	2	1	1				9
5	3	6	4	2	1		2	3	2						10
2	4	2		2	2	3									
3	1		1	1	1	1			1						11
		1	1	1	1			1							
4	1	4	2	4	2	4	4	1	3						12
3	3	3	4	4	3	3	2	5		1	1				
3	2	3		1	1										13
2	2	1													
		2	5	2	2	3		2							14
1		2	3	1	6	2	2	5	2						
13	24	26	15	21	27	26	16	15	9	5	3	1		1	15
5	14	16	9	14	19	13	10	7	7	4	2				16
8	10	10	6	7	8	13	6	8	2	1	1	1		1	17
4	12	7	5	9	9	7	6	2	2	2					18
6	6	7	6	3	6	4	4	1			1				
1		3	3	2	5	3	4	3	2	1	2				19
	1	1		3	1	2	1	3	1	1					
	2	6	1	3	5	3		2	3	1					20
2	3	2		1	1	7	1	4	1			1		1	
12	7	6	11	9	11	9	4	4						2	21
7	3	3	3	4	5	6	1	4						1	22
5	4	3	8	5	6	3	3							1	23
2	2	1	2	2	2	4		1							24
1	2	1		1	1									1	
2			1	1		1	1	1							25
1			1	1			2								
3	1	2		1	3	1		2						1	26
3	2	2	7	3	5	3	1								
1,272	1,264	961	804	696	548	477	350	256	190	132	52	9	6	184	27
1,057	1,056	806	758	605	445	384	258	164	103	70	25		4	159	28
215	208	155	136	91	103	93	92	92	87	62	27	9	2	25	29
32	29	24	20	12	8	11	7	3	2	2	1			7	30
41	34	24	25	11	23	19	12	9	14	4	1	2		1	
83	81	65	58	43	32	34	17	6	9	3	1			35	31
11	6	5	5	2	2	3	3	1						2	
7	4	4	4	3	4	6	4	1	2				1	1	32
1	2	1			3				2	3	3				
62	50	32	34	13	17	9	3	3	1		1			13	33
11	11	3	1			1			2						
54	53	26	25	15	10	7	3	2		1				8	34
15	3	5	4	2	2	1	2							6	
															35
11	7	8	4	4	2		2								36
1		1													
213	210	158	121	96	77	62	30	24	12	9	3		1	32	37
6	8	10	10	6	8	1	8	8	8	2	1			2	
19	26	20	16	6	9	11	9	4	4	1	2			11	38
3	5	2	1	2	4	3	1	4	2	3				8	
46	50	50	45	37	17	13	16	7	7	3				9	39
5	2	2	1	2	1				1						
3	4	7	7	6	5	4	1	2	2	2				1	40
4		1		2				1	1						
38	39	33	27	31	14	16	7	7	1					5	41
19	22	9	7	6	1	3	1	2				1		1	
59	70	69	62	77	56	42	29	16	16	6	1			6	42
16	24	14	12	5	7	3	2	3	4	2	1			1	
17	22	12	15	19	13	5	3	9	2	2	1			2	43
2	3	2	5	5	7	8	5	6	4	3					
8	7	4	5	7	6	6	3	1	1	1					44
25	22	23	15	10	11	1	4	2	1						
26	26	13	19	13	7	11	4	1		2	1			5	45
	1					2	1			1					
379	378	281	296	223	168	147	120	78	44	38	14		2	24	46
55	65	53	50	38	34	48	53	56	48	44	21	6	2	4	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	526,425	97,105	33,893	16,116	9,813	7,034	163,961	21,703	15,915	24,689	29,644	24,757
2	Males	278,792	53,422	17,831	8,383	4,970	3,578	88,184	10,953	7,857	11,671	14,421	11,755
3	Females	247,633	43,683	16,062	7,733	4,843	3,456	75,777	10,750	8,058	13,018	15,223	13,002
4	Unknown cause	35,690	17,320	2,214	1,054	577	462	21,627	1,199	755	857	960	791
5	Males	18,641	9,481	1,173	562	307	228	11,751	616	359	395	414	318
6	Females	17,049	7,839	1,041	492	270	234	9,876	583	396	462	546	473
7	1. General diseases. General diseases—A	121,592	26,458	15,495	6,782	4,004	2,948	55,687	9,194	5,762	7,163	6,817	4,956
8	Males	62,179	14,131	8,073	3,427	1,897	1,476	29,004	4,440	2,591	3,358	3,677	2,561
9	Females	59,413	12,327	7,422	3,355	2,107	1,472	26,683	4,754	3,171	3,805	3,140	2,395
10	Measles M	4,359	1,094	872	416	235	143	2,760	398	220	242	218	105
	Measles F	4,706	974	764	408	273	148	2,567	392	246	316	218	180
11	Scarlet fever M	1,447	214	231	198	170	155	968	325	70	29	17	8
	Scarlet fever F	1,559	173	226	197	194	155	945	357	118	58	23	12
12	Diphtheria M	3,048	304	358	372	341	278	1,653	853	293	118	46	12
	Diphtheria F	3,226	239	294	334	342	318	1,527	1,029	395	121	32	35
13	Whooping cough M	2,883	1,683	609	223	114	77	2,706	118	24	12	2	
	Whooping cough F	3,406	1,814	787	347	160	91	3,199	145	32	11	2	3
14	Malarial fever M	6,194	793	562	315	202	185	2,057	633	412	486	472	333
	Malarial fever F	6,154	736	555	323	242	196	2,052	684	421	511	423	338
15	Influenza M	4,768	810	209	94	43	35	1,191	102	56	91	107	90
	Influenza F	4,995	597	181	88	51	33	950	104	78	123	114	122
16	Typhoid fever M	13,261	519	486	314	256	198	1,773	943	921	1,732	2,069	1,396
	Typhoid fever F	12,369	483	458	347	279	192	1,759	1,069	1,394	2,050	1,522	934
17	Cholera morbus M	2,456	796	336	166	56	43	1,397	139	97	69	61	41
	Cholera morbus F	2,160	578	279	123	67	37	1,084	127	67	63	77	78
18	Colitis M	287	80	71	24	11	4	190	3		2	4	3
	Colitis F	218	66	52	18	3	1	140	5	1		5	1
19	Diarrhea M	2,307	534	350	133	34	20	1,071	121	47	25	24	40
	Diarrhea F	1,726	422	322	116	46	13	919	122	36	19	22	29
20	Dysentery M	4,615	966	1,107	406	160	98	2,737	220	82	72	89	69
	Dysentery F	4,089	825	920	370	126	73	2,314	171	56	57	64	77
21	Enteritis M	2,371	929	453	158	57	49	1,646	110	52	51	39	34
	Enteritis F	2,169	808	365	138	70	43	1,424	111	40	47	46	44
22	Cholera infantum M	6,281	3,966	1,902	317	67	28	6,280					
	Cholera infantum F	5,537	3,365	1,721	330	79	41	5,536					
23	Fever M	1,331	368	210	87	50	38	753	106	46	59	75	48
	Fever F	1,373	363	179	65	51	38	696	114	64	77	74	71
24	Cerebro-spinal fever M	1,195	314	139	80	40	48	621	135	73	96	51	50
	Cerebro-spinal fever F	940	248	132	59	50	28	517	121	77	47	43	40
25	Smallpox M	1,753	205	53	47	22	37	364	89	61	141	215	172
	Smallpox F	1,138	166	64	30	35	26	321	93	52	98	116	84
26	Erysipelas M	735	205	29	17	8	3	262	19	20	18	24	23
	Erysipelas F	650	193	34	5	5	4	241	18	16	30	17	21
27	Septicemia M	1,717	201	42	34	17	23	317	82	93	80	96	80
	Septicemia F	2,192	166	51	37	20	20	294	59	58	146	290	290
28	Venereal diseases M	405	69	14	6	2		91	3	3	15	33	33
	Venereal diseases F	239	42	13	6	3	1	65	4	2	11	22	18
29	Others of this group M	766	81	40	20	12	14	167	41	21	20	35	24
	Others of this group F	567	69	25	14	11	14	133	29	18	20	30	18
30	General diseases—B	6,424	3,223	413	280	145	97	4,158	192	64	103	159	149
31	Males	3,890	1,798	214	149	83	57	2,301	92	34	54	96	88
32	Females	2,534	1,425	199	131	62	40	1,857	100	30	49	63	61
33	Alcoholism M	695	2	1			2	5	5		3	14	34
	Alcoholism F	55				1	1	2			2	4	3
34	Parasitic diseases M	244	26	50	50	36	29	191	39	2	2	3	1
	Parasitic diseases F	265	26	60	52	34	19	191	55	5	3		1
35	Lead poison M	39	1	1			1	3			3	1	4
	Lead poison F	5	2				1	3					
36	Other poisons M	964	66	99	71	38	15	289	41	29	45	73	45
	Other poisons F	634	54	67	61	19	14	215	40	21	44	55	55
37	Inanition M	1,948	1,703	63	28	9	10	1,813	7	3	1	5	4
	Inanition F	1,575	1,343	72	18	8	5	1,446	5	4		4	2
38	General diseases—C	24,339	7,993	266	82	30	14	8,385	41	33	38	55	49
39	Males	12,539	4,457	125	40	16	8	4,646	20	19	24	27	20
40	Females	11,800	3,536	141	42	14	6	3,739	21	14	14	28	29
41	Old age M	6,689											
	Old age F	6,975											
42	Premature birth M	2,834	2,834					2,834					
	Premature birth F	2,196	2,196					2,196					
43	Malformation M	582	495	12	4	3	2	516	4	3	2	2	
	Malformation F	463	428	14	5	5	2	454	3	3	1		1
44	Debility and atrophy M	2,212	858	113	36	13	6	1,026	16	16	22	25	20
	Debility and atrophy F	1,962	710	127	37	9	4	887	18	11	13	28	28
45	Others of this group M	272	270					270					
	Others of this group F	204	202					202					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
20,672	20,034	19,153	18,282	19,544	19,062	22,023	24,421	25,681	22,122	16,395	8,247	2,923	1,621	5,576	1
9,790	9,756	9,778	10,034	10,911	10,827	12,482	14,149	14,729	12,572	9,175	4,416	1,400	674	3,258	2
10,882	10,278	9,375	8,248	8,633	8,235	9,541	10,272	10,952	9,550	7,220	3,831	1,523	947	2,318	3
646	646	681	623	723	687	803	926	889	835	653	327	153	115	794	4
262	266	311	291	371	357	419	488	487	485	372	159	65	43	412	5
384	380	370	332	352	330	384	438	402	350	281	168	88	72	382	6
3,751	3,344	2,907	2,637	2,573	2,184	2,465	2,663	2,795	2,482	1,890	974	325	177	846	7
1,836	1,647	1,475	1,489	1,364	1,170	1,270	1,391	1,427	1,323	993	509	146	59	449	8
1,915	1,697	1,432	1,148	1,209	1,014	1,195	1,272	1,368	1,159	897	465	179	118	397	9
75	66	62	71	50	14	15	16	7	13	6	2			19	10
176	147	130	81	82	44	31	27	23	13	8	5	1	1	18	
6	2	2		2	4	3	2	1		1		1		6	11
14	13	4		1	2	4	1	1		1	1			4	
11	7	11	1	8	5	3	4	3	3	3	4			10	12
17	15	9	9	8	5	5	3	3	2		1			10	
		2	3		2		1	2	2	2				7	13
1		1			2			2	1	2				5	
247	192	200	196	183	159	137	124	121	113	48	30	8	4	39	14
218	191	208	171	164	130	142	139	126	87	48	28	6	13	54	
66	94	105	132	144	174	241	363	482	482	447	247	85	31	38	15
118	116	129	118	194	196	291	369	539	512	458	239	105	74	46	
936	777	622	569	387	278	222	182	165	116	51	26	7	2	87	16
698	587	445	397	354	287	242	207	154	85	56	21	6	5	97	
32	41	35	47	65	65	78	70	71	62	43	18	8	2	15	17
63	66	61	39	46	66	52	74	62	61	40	16	5	1	12	
4	2	8	10	11	4	13	10	9	6	4	2			2	18
6	3	5	3	5	5	9	8	6	7	5	2			2	
24	29	17	51	72	94	117	147	120	115	85	43	8	5	52	19
35	34	33	28	43	34	61	62	88	52	36	34	7	6	26	
73	69	72	100	123	107	134	152	158	156	108	49	10	7	28	20
66	68	82	75	97	72	143	172	185	173	108	53	25	9	22	
27	29	43	39	39	30	37	55	40	41	28	10	2	1	18	21
35	46	35	33	28	36	46	48	48	50	19	15	2	1	15	
														1	22
														1	
32	33	17	22	21	14	21	17	21	12	18	3	2		11	23
40	38	28	25	25	15	20	18	15	15	15	11	2	1	9	
31	33	27	19	14	14	11	4	4	4	3		1		4	24
22	17	11	6	12	6	6	1	4	4	2				4	
136	101	104	60	65	37	43	25	39	16	12	3	2	1	67	25
71	54	49	39	38	18	22	21	13	5	5	2	1	2	34	
24	21	22	34	27	42	28	52	34	35	29	15	2		4	26
20	20	27	29	28	28	27	33	28	25	26	9	2		5	
63	102	71	81	105	88	117	101	68	75	47	23	4	2	22	27
265	249	140	70	56	48	56	40	44	26	26	9	6	2	18	
31	28	34	33	24	18	21	17	6	6					9	28
29	21	16	15	7	4	9	6	2		2				6	
18	21	21	21	24	21	29	49	76	66	58	34	6	4	10	29
21	12	19	10	21	16	29	43	25	41	40	19	11	3	9	
172	183	172	199	177	144	122	107	81	76	35	27	7	5	92	30
116	144	149	165	149	121	95	78	49	56	21	13	3	3	63	31
56	39	23	34	28	23	27	29	32	20	14	14	4	2	29	32
51	84	101	84	87	72	52	37	21	20	2				23	33
8	5	5	5	2		3	4	3	2		2			5	
	1	1		1				1		1		1			34
	2	2	1	1	2		1	1							
6	4	2	6	4	3			2	1						35
				1							1				
56	53	43	68	56	37	33	31	14	22	6	2		2	19	36
41	29	13	23	17	15	18	13	18	6			2	1	8	
3	2	2	7	1	9	10	10	11	13	12	11	2	1	21	37
7	3	3	5	7	6	6	11	10	12	14	11	2	1	16	
57	49	67	77	125	154	356	661	1,851	2,875	4,061	2,834	1,384	876	311	38
27	20	33	42	58	81	163	335	953	1,382	2,074	1,440	668	356	151	39
30	29	34	35	67	73	193	326	898	1,493	1,987	1,394	716	520	160	40
						90	217	800	1,214	1,929	1,359	640	347	93	41
						113	239	791	1,351	1,862	1,334	677	499	109	
															42
					2									3	43
				1											
27	20	33	42	57	79	72	118	153	168	145	81	28	9	55	44
30	27	34	35	66	73	80	87	107	142	125	60	39	21	51	
				1		1									45
	2														

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D	89,153	2,332	1,505	887	521	380	5,625	1,749	2,318	6,332	9,730	8,519
2	Males	40,258	1,202	803	459	283	205	2,952	837	885	2,240	3,786	3,384
3	Females	48,895	1,130	702	428	238	175	2,673	912	1,433	4,092	5,944	5,135
4	Anemia M	330	60	12	4	4	4	84	12	9	14	8	10
	Anemia F	397	46	8	3	3	2	62	12	15	24	35	36
5	Diabetes M	1,246	8	17	13	12	8	58	57	62	77	59	45
	Diabetes F	733	5	11	12	12	5	45	36	55	44	32	33
6	Rheumatism M	1,703	27	16	11	9	15	78	74	111	108	71	57
	Rheumatism F	1,413	18	6	14	5	14	57	63	86	70	67	50
7	Scrofula and tabes M	1,216	153	119	68	41	28	409	90	51	70	75	61
	Scrofula and tabes F	1,233	133	111	48	34	21	347	94	81	72	89	72
8	Hydrocephalus M	609	230	117	49	28	12	436	56	23	24	13	9
	Hydrocephalus F	520	202	79	41	24	13	359	49	28	21	13	13
9	Tuberculosis, general M	199	2	5	1	3	1	12	3	8	18	19	22
	Tuberculosis, general F	174	7	6	2	2		17	7	10	7	24	19
10	Consumption M	24,434	521	348	186	100	91	1,249	309	454	1,754	3,341	3,007
	Consumption F	31,354	567	343	183	92	77	1,262	449	995	3,622	5,374	4,541
11	Cancer M	5,048	28	8	13	7	6	62	23	26	32	34	67
	Cancer F	7,131	24	11	15	5	8	63	21	18	40	73	127
12	Tumor M	611	51	14	16	9	6	96	29	18	26	18	13
	Tumor F	1,149	36	13	10	9	4	72	17	17	29	40	55
13	Dropsy M	4,652	70	116	86	64	33	369	175	120	104	138	86
	Dropsy F	4,633	55	98	89	43	27	312	156	120	152	186	185
14	Others of this group M	210	49	31	12	6	1	99	9	8	13	10	7
	Others of this group F	158	37	16	11	9	4	77	8	8	8	11	4
15	2. Diseases of the nervous system	55,016	11,043	3,437	1,533	989	709	17,711	2,306	1,478	1,614	1,402	1,208
16	Males	30,509	6,326	1,785	801	517	371	9,800	1,250	768	845	745	625
17	Females	24,507	4,717	1,652	732	472	338	7,911	1,056	710	769	657	583
18	Inflammation of the brain M	2,876	981	426	192	112	77	1,788	232	121	119	101	54
	Inflammation of the brain F	2,284	771	370	140	96	73	1,450	190	113	105	71	56
19	Meningitis M	4,674	1,448	656	294	199	134	2,731	502	273	270	172	109
	Meningitis F	3,804	1,056	620	302	174	137	2,289	414	257	191	132	101
20	Apoplexy M	4,503	38	6	10	3	4	61	19	14	29	60	61
	Apoplexy F	3,225	36	21	9	10	2	78	18	25	41	49	49
21	Paralysis M	7,234	80	44	25	20	14	183	67	41	56	51	62
	Paralysis F	6,467	64	32	25	18	11	150	60	40	60	72	65
22	Paralysis, general (of insane) M	534										3	7
	Paralysis, general (of insane) F	180							1	1		2	6
23	Tetanus and trismus nascentium M	609	250	9	3	8	6	276	56	70	40	31	25
	Tetanus and trismus nascentium F	332	185	7	3	3	4	202	26	15	17	13	11
24	Chorea M	31	3		2	1		6	6	2	1	1	2
	Chorea F	62	1			2	1	4	4	20	17	3	1
25	Epilepsy M	1,235	150	21	11	13	4	199	51	76	146	135	125
	Epilepsy F	869	137	20	14	9	9	189	32	46	97	93	66
26	Convulsions M	3,273	2,554	298	108	56	37	3,053	67	31	14	10	10
	Convulsions F	2,710	1,866	283	110	62	27	2,348	59	26	63	48	41
27	Mental diseases M	929							1	4	18	36	50
	Mental diseases F	715							2	3	13	38	47
28	Diseases of the brain M	3,488	723	285	139	90	93	1,330	210	111	126	115	85
	Diseases of the brain F	2,624	519	255	117	89	64	1,044	218	133	121	86	92
29	Diseases of the spinal cord M	366	60	23	15	8	2	113	28	21	9	16	12
	Diseases of the spinal cord F	277	54	34	9	7	6	110	17	18	13	5	1
30	Locomotor ataxia M	166			1			1		1	1	2	5
	Locomotor ataxia F	53		1	1			2				2	2
31	Others of this class M	591	39	12	1	7		59	11	3	16	12	18
	Others of this class F	905	28	9	2	2	4	45	15	13	31	43	46
32	3. Diseases of the circulatory system	32,558	1,929	185	108	79	90	2,400	482	573	703	948	903
33	Males	17,920	1,110	102	55	50	62	1,379	241	269	308	366	365
34	Females	14,638	819	83	53	29	37	1,021	241	304	395	582	538
35	Pericarditis M	122	3		1		1	5	2	4	5	9	3
	Pericarditis F	90	1	1		2	1	5	7	9	8	7	5
36	Diseases of the heart M	16,717	932	99	54	48	59	1,192	231	253	292	345	346
	Diseases of the heart F	13,778	703	80	53	26	35	897	230	287	375	531	505
37	Angina pectoris M	540							2	3	7	7	8
	Angina pectoris F	406							2	4	6	21	14
38	Diseases of the arteries M	159											3
	Diseases of the arteries F	51											
39	Aneurism M	146							2	4	3	4	5
	Aneurism F	120							1	3	4	11	10
40	Embolism M	48	5			1		6	3	4	1	1	
	Embolism F	65									2	12	4
41	Others of this class M	188	170	3		1	2	176	1	1			
	Others of this class F	128	115	2		1	1	119	1	1			

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
6,726	5,968	5,618	5,204	5,203	4,857	4,993	4,938	4,516	3,042	1,774	707	187	101	1,046	1
2,723	2,525	2,424	2,343	2,467	2,398	2,529	2,641	2,447	1,625	998	389	82	49	534	2
4,003	3,443	3,194	2,861	2,736	2,459	2,464	2,297	2,069	1,417	776	318	105	52	512	3
11	8	11	19	21	18	28	28	18	19	8	1			3	4
19	20	31	22	27	14	20	15	20	13	5	2			5	
49	47	57	63	61	74	100	129	185	95	45	17	6	1	9	5
31	33	34	35	60	83	67	55	43	19	18	6	1	1	2	
50	67	66	89	90	114	128	150	174	128	87	34	6	8	13	6
40	68	54	67	91	91	117	135	141	110	54	29	8	5	10	
53	42	40	46	51	45	51	47	33	21	13	1	2	1	14	7
69	55	47	42	50	44	40	34	38	25	11	7	1	2	13	
13	9	5	6	1	1	1	4	3	2					3	8
12	4	5	3	2	2	4	1							1	
12	17	19	14	12	22	6	11	7	1	1					9
20	12	7	9	8	9	8	3	5	4	1	2			2	
2,310	2,078	1,795	1,528	1,459	1,270	1,048	974	772	446	198	68	18	9	352	10
3,301	2,569	2,088	1,531	1,266	987	890	827	670	408	182	58	14	8	312	
102	141	245	361	439	528	701	718	667	439	264	110	21	8	60	11
238	399	587	788	843	839	815	748	619	441	242	105	38	11	76	
28	23	48	26	43	41	58	52	41	30	14	4	1	1	6	12
65	73	119	108	94	99	114	86	81	46	13	6	1	1	13	
89	94	182	184	284	279	405	521	592	441	364	153	28	21	73	13
206	209	219	249	291	284	386	386	447	351	249	102	42	24	77	
6	4	11	7	6	6	3	7	5	3	4	1			1	14
2	1	3	7	4	7	3	7	5		1	1			1	
1,215	1,363	1,630	1,856	2,212	2,449	2,957	3,766	4,166	3,553	2,343	971	239	79	498	15
643	775	914	1,020	1,224	1,397	1,653	2,230	2,339	1,970	1,325	526	115	32	313	16
572	588	716	836	988	1,052	1,304	1,536	1,827	1,583	1,018	445	124	47	185	17
53	48	43	55	44	46	30	41	34	23	14	12	2		16	18
37	36	32	32	25	24	27	23	18	21	12	6	3	1	2	
102	110	76	61	67	45	27	32	34	21	11		2		29	19
75	56	67	49	33	33	35	12	19	18	9	3		2	9	
78	119	174	250	329	414	518	666	658	501	332	137	27	5	56	20
75	89	136	208	263	274	336	395	470	359	219	81	25	8	27	
82	141	193	250	358	486	682	1,045	1,208	1,086	762	314	69	20	78	21
79	110	193	241	374	462	645	815	1,012	986	632	309	79	29	54	
43	66	89	86	67	46	38	29	26	8	5	5			16	22
16	12	19	19	15	12	18	17	17	13	3	3	1		5	
21	12	11	11	10	12	14	7	5	3		1			4	23
9	7	8	2	6	7	1	2	3	1	1			1		
		2	2	2	2	1		1	1	1				1	24
	2		4			1	2	1	1	1	1				
82	61	59	50	41	41	40	33	28	27	16	4		1	20	25
57	59	33	36	27	25	18	16	27	13	8	3	2	3	19	
13	11	8	7	11	8	1	1	4	1	3			1	19	26
29	22	13	9	6	3	3	6	5	3	6				20	
40	68	77	70	86	81	71	80	78	78	45	11	4		31	27
56	69	78	67	65	46	43	48	46	36	28	6	4		20	
108	105	132	121	139	134	142	165	168	143	88	26	4	2	34	28
77	58	73	83	98	82	79	107	105	73	58	12	7	1	17	
5	9	14	17	22	24	20	25	12	11	6	1			1	29
10	8	9	16	10	11	14	10	10	5	5	1	1		3	
7	11	12	13	18	12	23	30	14	6	6				4	30
2	5	4	3	5	9	9	3	4		1			1	1	
14	14	24	27	30	46	46	76	69	61	36	15	7	3	4	31
50	55	51	67	61	64	75	80	90	54	35	20	2	1	8	
1,061	1,280	1,426	1,518	2,089	2,345	3,156	3,786	3,776	3,043	1,793	711	191	71	353	32
437	550	618	801	1,152	1,362	1,331	2,243	2,305	1,872	1,071	395	109	31	215	33
624	730	808	717	937	983	1,325	1,493	1,471	1,171	722	316	82	40	138	34
4	9	5	4	10	10	7	15	10	11	3	3	2		1	35
2	3	5	5	5	6	4	8	3	1	5	1			1	
412	514	575	752	1,068	1,277	1,725	2,067	2,184	1,762	1,013	376	102	28	203	36
581	696	760	676	892	924	1,258	1,414	1,396	1,112	686	306	82	39	181	
9	18	21	27	47	53	64	113	65	55	29	6	1		5	37
19	15	25	28	27	33	49	53	58	33	15	2			2	
	1	2	2	7	6	16	20	28	34	20	10	4	3	8	38
1		1		1	5	1	5	5	15	10	4			3	
10	8	11	12	18	12	17	18	10	7	2				3	39
15	7	10	7	9	9	8	5	7	7	2	3		1	1	
2		4	2	1	4	1	8	8	1	2					40
6	8	7	1	3	6	4	6	1	3	2					
			2	1		1	2		2	2					41
	1					1	2	1		2					

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		73,531	16,675	6,364	3,348	1,967	1,246	29,600	2,971	1,709	2,726	3,001	2,424
2	Males		40,800	9,322	3,398	1,788	1,040	642	16,190	1,515	861	1,538	1,762	1,345
3	Females		32,731	7,353	2,966	1,560	927	601	13,410	1,456	848	1,188	1,242	1,079
4	Croup	M	5,281	2,730	778	571	424	269	4,772	437	42	6	4	3
		F	4,373	2,282	592	471	348	221	3,914	365	35	8	9	3
5	Pneumonia	M	28,442	4,960	2,069	998	505	307	8,839	894	703	1,391	1,606	1,175
		F	22,233	3,730	1,850	887	470	291	7,228	887	698	1,019	1,024	921
6	Laryngitis	M	143	27	9	10	9	10	65	18	7	4	2	5
		F	120	20	16	7	9	6	58	20	6	5	4	3
7	Bronchitis	M	3,187	1,095	407	147	67	41	1,757	83	28	35	51	50
		F	3,133	938	398	136	67	56	1,595	110	49	51	63	46
8	Pleurisy	M	786	24	12	16	8	3	63	20	26	21	27	41
		F	606	19	12	9	5	3	48	18	16	23	31	33
9	Asthma	M	1,029	30	12	8	2	3	55	7	6	8	3	10
		F	745	19	9	6	6	3	43	6	5	8	15	18
10	Others of this class	M	1,932	456	111	38	25	9	639	56	49	73	69	61
		F	1,521	345	89	44	22	24	524	50	39	74	96	55
11	5. Diseases of the digestive system		31,850	6,505	2,677	914	518	376	10,990	1,359	1,101	1,226	1,382	1,233
12	Males		16,998	3,584	1,409	458	267	193	5,911	722	601	640	688	572
13	Females		14,852	2,921	1,268	456	251	183	5,079	637	500	586	694	661
14	Dentition	M	977	390	514	56	14	1	975					
		F	911	365	462	75	8	1	911					
15	Angina	M	500	118	52	51	39	35	295	67	24	12	13	10
		F	525	86	55	46	39	36	262	101	37	24	7	13
16	Gastritis	M	2,060	295	145	58	30	25	553	84	26	27	58	42
		F	2,027	260	145	62	28	19	514	74	39	58	78	112
17	Diseases of the stomach	M	1,876	343	139	61	37	33	613	99	59	45	50	53
		F	1,778	299	120	63	36	33	551	100	58	61	77	81
18	Obstruction of the bowels	M	764	122	21	24	15	6	188	42	37	53	38	33
		F	643	72	19	12	23	7	133	23	24	28	29	30
19	Appendicitis	M	1,491	13	5	9	13	14	54	105	203	222	213	159
		F	762	7	8	6	6	8	35	86	138	124	84	56
20	Hernia	M	587	63	11	4	5	1	84	8	6	15	19	14
		F	321	27	4	2	1	1	35		2	3	1	3
21	Other diseases of the bowels	M	1,430	405	187	63	29	14	698	56	35	45	50	29
		F	1,137	314	144	52	20	9	548	43	34	32	33	38
22	Jaundice	M	832	383	25	7	4	3	422	33	14	32	27	27
		F	667	257	11	11	5	5	289	22	15	23	34	26
23	Inflammation and abscess of the liver.	M	871	54	15	16	5	6	96	26	21	20	43	45
		F	772	45	26	16	8	9	104	13	12	26	43	32
24	Other diseases of the liver	M	1,514	119	30	21	14	10	194	31	22	22	33	36
		F	1,019	94	20	14	6	5	139	23	16	14	25	25
25	Peritonitis	M	1,007	67	31	13	15	13	139	84	86	104	90	64
		F	1,466	67	24	19	17	13	140	66	78	145	209	192
26	Ascites	M	537	14	14	10	6	11	55	16	22	6	19	14
		F	556	13	10	7	7	4	41	20	18	22	29	17
27	Others of this class	M	2,522	1,198	220	65	41	21	1,545	71	49	37	35	46
		F	2,268	1,015	220	71	38	33	1,377	66	29	26	45	36
28	6. Diseases of the urinary system and male organs of generation.		15,494	371	134	100	73	57	735	227	258	345	528	520
29	Males		10,710	222	77	56	44	30	429	128	122	159	255	243
30	Females		4,784	149	57	44	29	27	306	99	136	186	273	277
31	Bright's disease	M	6,612							71	77	103	166	178
		F	3,282							58	96	119	188	191
32	Calculus, urinary	M	241	10	2	2	1	1	16	9	2	2	3	6
		F	51	5		2	3		10				3	1
33	Diseases of the kidney	M	1,872	150	66	49	37	25	327	30	24	30	39	28
		F	834	105	49	38	25	24	241	27	20	28	36	31
34	Diseases of the bladder	M	895	8	5		1	2	16	1	1	2	18	6
		F	112	13				1	14	1		4	3	5
35	Others of this class	M	1,090	54	4	5	5	2	70	17	18	22	29	25
		F	505	26	8	4	1	2	41	13	20	35	43	49
36	7. Diseases of the female organs of generation		1,441	5	1			1	7	1	26	106	140	152
37	Ovarian tumors		194		1				1	1		5	13	11
38	Ovarian diseases		45	1					1		1	3	5	6
39	Diseases of the tubes		44	1					1			4	7	8
40	Uterine tumors		178									2	9	9
41	Uterine diseases		289								3	19	35	39
42	Others of this class		691	3				1	4		22	73	71	79

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,265	2,403	2,525	2,540	2,688	2,602	3,095	3,280	3,392	2,807	1,790	815	213	101	581	1
1,230	1,351	1,499	1,565	1,649	1,546	1,755	1,832	1,812	1,496	933	418	82	49	372	2
1,035	1,052	1,026	975	1,039	1,056	1,340	1,448	1,580	1,311	857	397	131	52	209	3
1	2			1		1		2		1	1		1	7	4
6	2	3	3	4	2	4	4		1	3				7	
1,091	1,200	1,325	1,319	1,363	1,199	1,348	1,347	1,284	1,038	635	290	57	35	303	5
879	876	862	807	847	837	1,030	1,093	1,118	935	618	284	87	28	155	
4	1	5	5	3	5	5	3	2	3	2	2			2	6
5	1	3			1	2	1	4	2	2	1			2	
34	37	40	61	82	94	96	155	176	185	128	58	14	5	18	7
43	39	50	56	66	82	104	149	209	196	114	67	19	11	14	
32	28	33	33	42	48	72	74	84	73	37	18	3	2	9	8
16	30	26	30	32	32	43	53	69	44	33	12	10	2	5	
15	12	28	49	73	97	119	138	166	116	74	28	5	5	15	9
15	30	26	33	42	47	88	80	104	75	56	21	10	10	13	
53	71	68	98	85	103	114	115	98	81	56	21	3	1	18	10
71	74	56	46	48	55	69	68	76	58	31	12	5	1	13	
1,048	1,126	1,177	1,196	1,343	1,455	1,576	1,692	1,535	1,171	683	274	61	25	194	11
487	517	604	647	748	813	898	926	854	665	395	146	31	17	113	12
561	609	573	549	595	642	678	766	681	506	288	128	30	8	81	13
														2	14
12	8	7	6	6	4	6	11	9	5	3		1		1	15
11	7	4	10	8	12	2	7	7	2	7	2			2	
54	52	77	97	129	134	163	155	170	134	67	18	5	4	11	16
76	80	80	78	98	113	131	159	130	105	59	29	5	1	8	
36	47	77	68	86	103	111	133	114	96	56	18	2	3	7	17
47	79	67	54	68	84	92	108	108	74	39	16	6		8	
20	28	30	31	33	31	45	39	51	34	16	7	2		6	18
22	26	43	28	35	39	45	40	40	31	14	6	3		4	
38	39	79	65	43	36	43	31	26	20	8	1			6	19
45	37	35	20	23	22	16	10	9	8	2				3	
16	19	20	23	24	44	47	57	53	60	41	18	4	3	12	20
11	13	22	34	38	34	24	34	32	13	5	9			3	
33	38	29	28	43	57	46	53	61	55	40	22	5		7	21
37	35	24	30	29	31	37	41	44	40	29	12	5	5	10	
22	22	18	19	30	41	21	26	29	24	16	7	1		1	22
19	21	19	14	28	28	26	35	23	16	16	7	2		4	
49	43	56	63	72	68	78	56	50	41	23	7	1	2	11	23
40	48	44	63	45	46	65	69	54	38	20	7			3	
60	80	83	108	125	150	151	185	126	79	33	7	2		17	24
33	47	45	64	77	97	107	99	104	57	32	10			5	
50	46	44	53	40	36	43	30	41	24	16	5			12	25
156	145	99	50	36	33	21	36	19	14	5	6			16	
11	6	29	23	31	39	47	58	51	48	31	19	3	3	6	26
21	27	26	28	35	37	36	43	58	48	29	13	1	1	6	
36	39	55	63	86	70	97	92	73	45	45	17	5	2	14	27
43	44	65	67	75	66	76	85	53	55	31	11	8	1	9	
546	631	681	755	982	1,093	1,429	1,758	1,923	1,587	863	372	74	27	160	28
271	316	393	464	638	775	1,067	1,352	1,568	1,301	728	313	59	21	108	29
275	315	288	291	344	318	362	406	355	286	185	59	15	6	52	30
182	246	302	353	481	564	740	880	958	727	356	134	20	6	68	31
201	213	216	230	283	256	282	310	261	204	85	40	8	4	37	
3	3	3	7	4	13	25	42	38	23	23	9	7	1	2	32
1	2	5	4	3	3	2	4	5	4	3			1		
49	29	50	57	75	95	145	187	219	241	150	59	18	4	16	33
34	38	32	31	37	31	39	59	51	48	27	10	5	1	5	
9	12	12	20	25	43	75	112	200	157	100	67	4	4	11	34
2	8	3	5	4	9	8	8	13	14	7	2	2			
28	26	26	27	53	60	82	131	153	153	99	44	10	6	11	35
37	54	32	18	17	19	31	25	25	16	13	7			10	
138	167	167	172	103	67	65	52	29	22	5	4	1	1	16	36
19	24	20	24	19	13	13	13	6	7	1	1			3	37
7	5	4	4		6	2	1								38
9	8	3	1	1	1			1							39
10	21	29	24	19	16	16	14	5	1		1			2	40
33	47	20	16	14	8	18	8	8	7	4		1		9	41
60	62	91	103	50	23	16	16	9	7		2		1	2	42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

NONREGISTRATION RECORD—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**	5,927								27	782	1,372	1,221
2	Abortion	320								1	36	65	77
3	Childbirth	3,531								21	466	768	662
4	Puerperal septicæmia	1,588								3	185	410	382
5	Extra-uterine pregnancy	48										5	17
6	Others of this class	440								2	95	124	83
7	**9. Diseases of the bones and joints**	1,971	548	176	109	45	56	934	142	119	110	79	68
8	Males	1,117	293	99	61	23	31	507	87	79	60	44	43
9	Females	854	255	77	48	22	25	427	55	40	50	35	25
10	Diseases of the spine M	766	262	83	59	21	23	448	61	43	33	20	18
	Diseases of the spine F	664	235	74	40	20	19	388	39	23	31	24	13
11	Abscess, lumbar and psoas M	27	1	1				2	1	1		4	3
	Abscess, lumbar and psoas F	11			1			1			1	1	2
12	Diseases of the bones M	186	20	12	1		5	38	11	20	15	13	13
	Diseases of the bones F	84	8	2	2	2	4	18	7	10	8	5	2
13	Diseases of the hip-joint M	59	3			1	2	6	9	11	5	3	7
	Diseases of the hip-joint F	40	5	1	2		1	9	4	5	2	3	6
14	Others of this class M	79	7	3	1	1	1	13	5	4	7	4	2
	Others of this class F	55	7		3		1	11	5	2	5	2	2
15	**10. Diseases of the skin**	1,298	320	87	26	16	11	460	30	34	38	36	47
16	Males	692	180	46	16	8	8	258	14	18	16	19	21
17	Females	546	140	41	10	8	3	202	16	16	22	17	26
18	Abscess M	308	56	16	4	3	6	85	10	13	12	14	14
	Abscess F	267	51	9	3	3	1	67	13	10	13	15	18
19	Carbuncle M	108	6	1				7	1	4	1	3	5
	Carbuncle F	53	3		2			5		1			4
20	Others of this class M	276	118	29	12	5	2	166	3	1	3	2	2
	Others of this class F	226	86	32	5	5	2	130	3	5	9	2	4
21	**11. Diseases of the absorbent system**	337	23	9	8	3	5	48	18	13	14	23	20
22	Males	192	18	5	4	3	2	32	11	10	8	8	12
23	Females	145	5	4	4		3	16	7	3	6	15	8
24	Addison's disease M	33							1		2	3	4
	Addison's disease F	24								1	1	4	1
25	Diseases of the spleen M	69	4	3		3	1	11	3	3	4	3	4
	Diseases of the spleen F	48	2	1	1		2	6	2	1	1	5	2
26	Others of this class M	90	14	2	4		1	21	7	7	2	2	4
	Others of this class F	73	3	3	3		1	10	5	1	4	6	5
27	**12. Accidents and injuries**	29,864	2,360	930	885	846	578	5,594	1,792	1,642	2,532	3,009	2,497
28	Males	22,347	1,298	522	507	432	265	3,024	980	1,238	2,026	2,534	2,158
29	Females	7,517	1,062	408	378	414	308	2,570	812	404	506	475	339
30	Burns and scalds M	1,675	138	269	317	279	123	1,126	157	47	34	42	32
	Burns and scalds F	2,552	97	206	262	311	235	1,111	517	160	134	117	64
31	Drowning M	1,866	13	83	66	33	30	225	192	262	291	232	157
	Drowning F	369	5	54	30	15	10	114	46	33	53	21	20
32	Exposure and neglect M	342	180	24	8	2	5	219	2	7	7	4	6
	Exposure and neglect F	329	195	17	11	8	7	238	8	2	14	12	9
33	Gunshot wounds M	2,606	5	9	13	13	17	57	96	226	421	446	360
	Gunshot wounds F	351	7	7	6	7	5	32	41	50	69	55	32
34	Homicide M	1,034			3	1	3	7	14	25	80	168	164
	Homicide F	162			5	1	1	7	6	4	25	33	20
35	Infanticide M	11	11					11					
	Infanticide F	12	12					12					
36	Injuries by machinery M	213				1		1	7	10	34	36	22
	Injuries by machinery F	8			1			1	3		2		1
37	Railroad accidents M	2,933	7	3	11	1	4	26	71	121	291	494	401
	Railroad accidents F	205		3	2	6	1	12	18	17	17	23	11
38	Suffocation M	707	490	23	10	3	4	530	9	14	14	19	15
	Suffocation F	522	401	30	10	7	5	453	9	8	5	4	6
39	Suicide by shooting M	426								3	13	64	36
	Suicide by shooting F	50								1	7	16	5
40	Suicide by drowning M	45									1	3	2
	Suicide by drowning F	32									4	5	5
41	Suicide by poison M	210								3	9	28	21
	Suicide by poison F	100								2	23	19	9
42	Other suicides M	1,002							1	7	35	64	81
	Other suicides F	233								3	28	32	30
43	Sunstroke M	237	6	5		2	2	15	5	7	7	16	14
	Sunstroke F	52	6	1	1	3	2	13	2	6	2	3	2
44	Surgical operations M	112	9	3	2		2	16	4	2	7	7	9
	Surgical operations F	178	4			1	1	6	3	2	7	25	27
45	Wounds M	286	3	3	1	8		15	14	8	28	41	22
	Wounds F	28	9	1	1	1		12	3	1		1	1
46	Others of this class M	8,642	436	100	76	89	75	776	408	496	754	870	816
	Others of this class F	2,334	326	89	49	54	41	559	156	115	116	109	97

OF DISEASES, BY AGE AND SEX: CENSUS YEAR 1900—Continued.

NONREGISTRATION RECORD—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
955	902	480	93	13	8	3	2	1	2					66	1
62	48	22	2	1										6	2
580	578	329	63	9	7	3	1	1						43	3
260	216	100	18	3			1		2					8	4
13	9	2			1									1	5
40	51	27	10											8	6
50	66	42	59	48	47	59	46	46	31	11	9	1	1	3	7
19	41	28	30	25	22	40	29	26	20	7	6	1	1	2	8
31	25	14	29	23	25	19	17	20	11	4	3			1	9
7	21	16	14	12	11	18	13	10	11	5	4			1	10
18	20	8	21	11	19	14	10	9	9	1	2			1	
3	5		1	1		2	1	1	1					1	11
		1	1	3	1										
7	8	6	7	7	6	12	10	6	4	2	1				12
6	2	4	2	7	1	3	3	4	1	1					
	5	3	4	1	1	1	1	1	1						13
4	1		2	1			1	1		1					
2	2	3	4	4	4	7	4	8	3		1	1	1		14
3	2	1	3	1	4	2	3	6	1	1	1				
34	46	42	46	62	54	54	68	64	42	47	15	3	4	12	15
14	25	20	27	30	32	29	47	42	27	26	8	2		8	16
20	21	22	19	23	22	25	21	22	15	21	7	1	4	4	17
11	15	14	13	26	15	9	17	16	8	9	3	1		3	18
11	17	13	10	9	11	15	14	9	7	9	3			3	
1	5	4	7	7	13	12	12	13	5	7				1	19
1	3	6	4	6	3	6	1	5	1	5			1	1	
2	5	2	7	6	4	8	18	13	14	10	5	1		4	20
8	1	3	5	8	8	4	6	8	7	7	4	1	3		
24	26	22	22	27	22	20	13	13	5	5				2	21
13	11	11	16	11	11	15	10	6	4	2				1	22
11	15	11	6	16	11	5	3	7	1	3				1	23
3	2	4	5	3	3	1			1					1	24
2	3	2	2	5	2					1					
4	5	4	5	3	3	9	5	2	1						25
4	7	5		4	5	1	2	2		1					
6	4	3	6	5	5	5	5	4	2	2					26
5	5	4	4	7	4	4	1	5	1	1				1	
1,984	1,834	1,516	1,285	1,176	894	870	713	604	549	442	207	84	38	602	27
1,712	1,568	1,299	1,134	1,016	742	718	547	414	346	230	94	37	13	517	28
272	266	217	151	160	152	152	166	190	203	212	113	47	25	85	29
34	25	20	19	20	13	12	10	12	14	22	8	3	5	20	30
64	48	30	24	32	25	33	30	35	41	38	13	8	9	19	
88	79	74	46	41	39	32	26	17	11	3	1	2	1	47	31
17	10	7	7	6	6	7	6	3	8	1				4	
6	5	4	11	7	6	11	12	6	8	7	5	3		6	32
4	7	3		2	6	1	6	4	6	2	1	2		2	
239	216	140	127	74	50	50	16	9	6	5	2	1		65	33
14	17	8	7	7	8	1	2				1			7	
122	120	85	60	62	33	32	10	14	4	2	1			31	34
10	15	11	9	3	2		2	2	3	3				7	
															35
24	23	15	12	14	4	3	4	1	2					1	36
	1														
344	230	180	157	161	84	103	56	43	40	28	5		2	96	37
8	10	16	9	14	7	9	10	9	5	3			1	6	
14	13	16	7	6	8	8	7	4	9	2	1	1		10	38
3	4	4	2	2	1	3	2	2	5	2				7	
36	56	54	36	38	24	19	12	14	7	1	1			12	39
3	5	4	6		2						1				
3	3	3	1	6	4	6	4	1	5	2				1	40
2	4	2	1	3	2	2	1	1							
26	13	20	25	22	6	15	5	4	1	1	1			1	41
13	5	9	4	3	4	4	2	1						2	
95	96	106	105	87	76	75	65	39	27	13	2	1		27	42
24	20	19	11	17	16	9	12	4	1	2	1	1		3	
18	16	14	15	22	15	15	19	19	7	2	2	3	1	5	43
2	2	4	3	4		2	2	2	2					1	
1	9	7	3	4	10	7	10	6	1	4				5	44
21	29	19	10	11	4	7	1	1	1		1			3	
21	19	18	15	17	13	14	10	9	6	1	2			13	45
2						1	2	2			1	1		1	
641	645	534	495	435	357	316	281	216	198	137	63	23	4	177	46
85	89	81	58	56	69	78	88	124	131	161	94	35	15	23	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	15,422	3,101	569	280	175	137	4,262	369	218	348	539	604
2	Males	7,902	1,725	294	145	91	62	2,317	174	115	173	258	326
3	Females	7,520	1,376	275	135	84	75	1,945	195	103	175	281	278
4	Unknown cause	54	23		1			24	1			3	1
5	Males	31	13		1			14	1			1	1
6	Females	23	10					10				2	
7	1. General diseases. General diseases—A	3,138	1,050	233	112	77	68	1,540	164	45	58	79	74
8	Males	1,525	547	109	56	44	32	788	76	23	26	43	38
9	Females	1,613	503	124	56	33	36	752	88	22	32	36	36
10	Measles M	79	20	16	12	3	5	56	7	1		4	2
	Measles F	82	23	17	6	6	5	57	12	1	2	1	1
11	Scarlet fever M	30		1	5	7	2	15	10	2	1		1
	Scarlet fever F	31	1	2	5	1	5	14	14	2	1		
12	Diphtheria M	121	6	18	17	12	14	67	35	9	2	3	2
	Diphtheria F	132	13	15	14	18	13	73	40	10	4	1	
13	Whooping cough M	45	30	8	2	2		42	2				
	Whooping cough F	74	38	18	8	2	3	69	1				1
14	Malarial fever M	45	1	4	1	4	3	13		2	3	1	1
	Malarial fever F	65	4	4	1	1	2	12	3		1	2	3
15	Influenza M	281	24	6	1	1	1	33	3	1	4	7	4
	Influenza F	363	15	7	3		2	27	2	4	5	5	10
16	Typhoid fever M	140	3		1	2	2	8	5	1	11	22	23
	Typhoid fever F	109	1		2	2	1	6	6	2	13	20	9
17	Cholera morbus M	18	4			1		5				1	1
	Cholera morbus F	21	4				2	6	1			1	1
18	Colitis M	5	3				1	4	1				
	Colitis F	17	6	1				7	1				
19	Diarrhea M	81	48	6				54	3				
	Diarrhea F	95	49	8	1			58					1
20	Dysentery M	80	14	1	4	5	2	26	4	2	1		
	Dysentery F	86	11	7	2	1		21	2	1	1	1	1
21	Enteritis M	193	133	15	3	3		154	4	2	1	2	1
	Enteritis F	175	101	16	5	1		123	3	1	3		1
22	Cholera infantum M	258	223	25	6	3		257					
	Cholera infantum F	243	213	22	6		2	243					
23	Fever M	2											
	Fever F	1											
24	Cerebro-spinal fever M	33	14	6	4		1	25	1	1	2	1	
	Cerebro-spinal fever F	34	12	5	3	1	1	22	3				
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	26	8	2				10					1
	Erysipelas F	19	5	1				6		1		1	
27	Septicemia M	43	7			1	1	9	1	2	1	2	2
	Septicemia F	27	1					1			1	4	8
28	Venereal diseases M	16	8					8					
	Venereal diseases F	8	5	1				6			1		
29	Others of this group M	29	1	1				2					
	Others of this group F	31	1					1					
30	General diseases—B	214	77	8	3	3	1	92		1	1	5	7
31	Males	142	46	6	2	1		55		1		2	4
32	Females	72	31	2	1	2	1	37			1	3	3
33	Alcoholism M	53										2	3
	Alcoholism F	15										1	1
34	Parasitic diseases M	1											
	Parasitic diseases F	1				1		1					
35	Lead poison M	3											
	Lead poison F												
36	Other poisons M	36	4	4	1			9		1			1
	Other poisons F	18			1	1		2			1	2	2
37	Inanition M	49	42	2	1	1		46					
	Inanition F	38	31	2			1	34					
38	General diseases—C	1,116	685	8	2			695	1	1			1
39	Males	596	408	5				413	1	1			
40	Females	520	277	3	2			282					1
41	Old age M	161											
	Old age F	203											
42	Premature birth M	232	232					232					
	Premature birth F	168	168					168					
43	Malformation M	36	36					36					
	Malformation F	22	22					22					
44	Debility and atrophy M	132	106	5				111	1	1			
	Debility and atrophy F	112	72	3	2			77					1
45	Others of this group M	35	34					34					
	Others of this group F	15	15					15					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
606	638	554	600	704	754	844	938	995	915	767	428	172	47	120	1
312	363	296	319	375	377	400	480	483	461	352	186	62	10	63	2
294	275	258	281	329	377	444	458	512	454	415	242	110	37	57	3
	2	2	1	3		4	4	3	2	1				3	4
	1	1		1		2	2	2	1	1				3	5
	1	1	1	2		2	2	1	1						6
85	66	62	54	73	76	90	130	152	145	128	67	32	8	10	7
39	34	26	32	42	36	38	60	69	63	49	29	10	1	3	8
46	32	36	22	31	40	52	70	83	82	79	38	22	7	7	9
3	2	1		1		1			1						10
4			2		2										
1															11
1	1			1											12
1	1		1		1										
												1			13
												1		2	
1	3	2	3		3		3	3	5	1	1				14
4	2	3	1		4	2	6	6	6	5	3			2	
6	7	12	11	13	13	22	27	41	30	26	13	8			15
10	8	8	7	19	20	23	36	43	49	43	26	13	5		
20	14	4	13	7	5	2	3	1						1	16
13	11	11	4	1	2	3		6	1					1	
		1		2	1	2	1	1	3						17
1				1	1		2	1	1	3		2			
															18
			2			1	3	1			1	1			
				2			7	1	6	3	5				19
1	1	1		1	3	1	6	3	4	8	5	1	1		
1	2		3	3	4	5	5	7	6	6	4	1			20
3	2	3	1	2	4	9	8	8	7	10		2			
2		2		3	1	2	2	3	5	6	1		1	1	21
3	1	2	1	4		6	4	9	8	4	1			1	
														1	22
				1					1						23
											1				
				1			1	1							24
3	1	2	2					1							
															25
2		1			2	1	3	3	2	1					26
	1	2		1	2	1	1			1		1		1	
1	5	1		6	3	1	3	3		3					27
2	3	3		2			1	1				1			
1		1	2	2	1	1									28
								1							
		1			3	1	5	5	4	3	5				29
1	1	1	1		1	6	3	3	6	5	1		1		
13	20	14	13	16	8	5	4	3	3	2	1			6	30
10	16	9	11	12	6	4	3	2	2	1				4	31
3	4	5	2	4	2	1	1	1	1	1	1			2	32
9	12	7	5	8	2	1	1		1					2	33
2	2	3	1	2	1			1						1	
				1											34
	1		1						1						35
1	3	2	5	3	3	3	2	2						1	36
1	2	2	1	2	1		1			1					
					1					1				1	37
						1			1		1			1	
4	2	3	2	1	2	11	20	45	59	98	95	50	23	3	38
2	2	3	1		1	3	7	22	26	49	44	16	4	1	39
2			1	1	1	8	13	23	33	49	51	34	19	2	40
						2	6	19	24	48	43	14	4	1	41
						6	8	16	29	44	48	32	18	2	
															42
															43
2	2	3	1		1	1	1	3	1	1	1	2			44
2			1	1	1	2	5	7	4	5	3	2	1		
									1						45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		2,520	92	45	19	12	5	173	34	35	117	212	258
2	Males		1,206	51	24	7	7	2	91	12	16	52	100	135
3	Females		1,314	41	21	12	5	3	82	22	19	65	112	123
4	Anemia	M	12	1				1	2	2		1		1
		F	23	3	1			1	5			2	1	1
5	Diabetes	M	74							2	5	3		2
		F	47				1		1	1		1	1	2
6	Rheumatism	M	33		1				1	1	2	1	1	2
		F	38				1		1	2	1		1	1
7	Scrofula and tabes	M	15	6	3				9		1			1
		F	11	3		1			4	1		1		
8	Hydrocephalus	M	41	19	8	4	2		33	1	3	1		
		F	41	16	12	5	1		34	3		1		
9	Tuberculosis, general	M	8				2		2				1	2
		F	5	1					1	1				2
10	Consumption	M	803	19	11	3	2	1	36	5	5	46	96	125
		F	726	16	6	6	1	1	30	13	18	57	104	114
11	Cancer	M	186										1	1
		F	369									1	1	2
12	Tumor	M	12							1			1	1
		F	33					1	1			1	2	
13	Dropsy	M	12		1				1					
		F	8	1					1				2	
14	Others of this group	M	10	6			1		7					
		F	13	1	2		1		4	1		1		1
15	2. Diseases of the nervous system		1,958	359	62	28	17	16	482	41	16	22	29	29
16	Males		1,012	206	30	14	7	5	262	20	11	14	14	18
17	Females		946	153	32	14	10	11	220	21	5	8	15	11
18	Inflammation of the brain	M	13	4	1				5	1	1			
		F	10		1	1	1	1	4		1	1		
19	Meningitis	M	182	83	23	11	7	4	128	12	1	5	3	9
		F	145	66	18	9	6	7	106	17	2	1	4	
20	Apoplexy	M	413	3					3			2	3	4
		F	410	3					3	1		1	3	3
21	Paralysis	M	107					1	1	1			1	2
		F	114	1	1				2	1				1
22	Paralysis, general (of insane)	M	4								1			
		F	7											
23	Tetanus and trismus nascentium	M	17	2					2	3	6	2		1
		F	8	8					8					
24	Chorea	M	2											
		F	2							1		1		
25	Epilepsy	M	17	2					2		1	2	2	1
		F	17	2					2		1	2	1	2
26	Convulsions	M	113	102	5	3			110	1				
		F	87	65	6	4	3	3	81				2	2
27	Mental diseases	M	32									1	2	
		F	33											2
28	Diseases of the brain	M	74	9	1				10	2	1	1	3	
		F	82	8	4				12	1	1	2	5	1
29	Diseases of the spinal cord	M	7									1		1
		F	9		1				1					
30	Locomotor ataxia	M	15											
		F	4											
31	Others of this class	M	16	1					1					
		F	18		1				1					
32	3. Diseases of the circulatory system		1,293	53	4		1		58	11	17	21	22	24
33	Males		634	25	4				29	2	5	10	11	13
34	Females		659	28			1		29	9	12	11	11	11
35	Pericarditis	M	4								1			
		F	7	1					1	1	1			
36	Diseases of the heart	M	561	14	4				18	2	4	10	11	12
		F	592	16			1		17	8	11	11	10	10
37	Angina pectoris	M	36											1
		F	24											1
38	Diseases of the arteries	M	11											
		F	16											
39	Aneurism	M	7											
		F	5											
40	Embolism	M	3											
		F	3										1	
41	Others of this class	M	12	11					11					
		F	12	11					11					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
228	213	154	156	164	167	160	135	119	93	52	24	8	1	17	1
115	112	78	80	74	74	60	60	57	46	22	12	4	1	5	2
113	101	76	76	90	93	100	75	62	47	30	12	4		12	3
1		1			1		2				1				4
2				1	6	4		1							
4	2	6	3	2	6	6	9	10	5	7	1	1			5
	3	3	4	7	6	9	6		2					1	
5	2	2	1	1	2	1	2	5	3				1		6
4	2	4	3	2	4	1	2	1	4	2	1	2			
	3					1									7
1	1	1			1					1					
1		1		1											8
1					1				1						
			2				1								9
	1														
98	97	63	57	42	38	27	22	19	12	7	4	1		3	10
91	78	48	26	31	24	28	19	20	11	7	1			6	
5	8	5	14	26	26	22	23	18	21	7	5	2		2	11
11	16	19	39	45	47	52	41	36	25	19	8	2		5	
			3	1		2	1	1	1						12
1		1	3	4	4	4	5	3	2	1	1				
				1	1	1		2	4	1	1				13
						1	1		2		1				
1								2							14
2			1			1	1	1							
26	36	50	80	87	130	130	175	190	185	136	75	23	3	13	15
7	22	29	37	45	66	59	97	95	95	69	37	8	1	6	16
19	14	21	43	42	64	71	78	95	90	67	38	15	2	7	17
					1		3	1	1						18
		1		1		1								1	
1	3	1	4	6	3		3		1		1	1			19
2	2		1	2	4					1	1			2	
2	4	19	19	30	39	43	55	61	60	42	20	3	1	3	20
3	5	12	21	26	40	42	59	66	56	34	24	8	2	1	
1	2	3	8	2	8	6	10	17	20	14	9	2			21
2	2	3	9	5	8	14	11	12	13	19	6	5		1	
			1				1			1					22
			2	1		1		2		1					
	1	1	1												23
				1			1								24
	2				1	1	2	1		1				1	25
		2	1	1		1		1		2		1			
											1			1	26
												1		1	
	2	1		3	4	1	7	5	2	1	3				27
2	1	1	1	2	3	5		3	4	4	5				
3	2	4	2	2	6	5	11	4	5	7	3	2		1	28
7	3		4	1	7	5	4	7	14	6	1			1	
	2			1					1	1					29
	1		2				2	2	1						
	4		1		3	2	2	3							30
			1				1		1		1				
			1		1	1	2	3	5	2					31
3		2	1	3	2	2	1	2	1						
29	39	51	59	90	76	140	148	159	149	127	40	17	3	13	32
15	17	18	26	48	42	79	75	83	74	58	16	6	1	6	33
14	22	33	33	42	34	61	73	76	75	69	24	11	2	7	34
1					1		1								35
1						1				1	1				
14	12	17	22	44	40	67	69	72	66	54	15	6	1	5	36
12	22	31	30	40	30	57	64	74	67	58	21	10	2	7	
	3		3	3		8	4	6	5	3					37
		2	1	1	1	2	6		3	5	1	1			
						2	1	3	2	1	1			1	38
			1		2	1	1	1	4	5	1				
	1	1	1	1	1	1		1							39
1			1				2	1							
	1							1	1						40
					1				1						
						1									41
				1											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		2,212	533	169	80	43	26	851	35	29	28	41	55
2	Males		1,129	301	91	46	19	10	467	19	11	14	22	33
3	Females		1,083	232	78	34	24	16	384	16	18	14	19	22
4	Croup	M	34	5	9	12	8		34					
		F	39	5	8	9	9	6	37	2				
5	Pneumonia	M	751	167	63	22	7	7	266	15	6	12	15	27
		F	718	134	58	20	12	9	233	11	14	12	15	17
6	Laryngitis	M	9	1	1	1		1	4	1	1			
		F	11	3	2				5	2		1		
7	Bronchitis	M	229	106	17	7	2	2	134	3	2		3	3
		F	215	70	8	5	2	1	86		1		2	3
8	Pleurisy	M	25			1	1		2		1	1	2	3
		F	24	1	1				2		1		2	1
9	Asthma	M	20	4					4					
		F	18	1					1					
10	Others of this class	M	61	18	1	3	1		23		1	1	2	
		F	58	18	1		1		20	1	2	1		1
11	5. Diseases of the digestive system		817	129	25	6	6	4	170	30	26	29	27	37
12	Males		396	72	16	2	4	3	97	17	18	15	10	17
13	Females		421	57	9	4	2	1	73	13	8	14	17	20
14	Dentition	M	10	3	7				10					
		F	12	10	2				12					
15	Angina	M	9	1			1		2	1		1		1
		F	9	1	3				4	3	1			
16	Gastritis	M	58	16	3		1		20					
		F	92	9	1		1	1	12	2		3	2	
17	Diseases of the stomach	M	22	3					3					1
		F	23	1					1					
18	Obstruction of the bowels	M	35	5	1				6	1	4	1		3
		F	39	4			1		5	3		1	1	1
19	Appendicitis	M	36	1					1	5	8	6	5	3
		F	30		1				1	2	5	2	5	5
20	Hernia	M	19	4					4	1	1			1
		F	11											
21	Other diseases of the bowels	M	7	2					2					
		F	2											1
22	Jaundice	M	7	2					2					1
		F	7	2					2					
23	Inflammation and abscess of the liver.	M	28	1	1			2	4	2		2		
		F	17											1
24	Other diseases of the liver	M	81	2			1		3	2	1		1	
		F	47	1					1				2	1
25	Peritonitis	M	42	6	2	1	1		10	5	4	5	4	6
		F	72	3		3			6	3	2	8	7	11
26	Ascites	M	1	1					1					
		F	4											
27	Others of this class	M	41	25	2	1		1	29					1
		F	56	26	2	1			29					
28	6. Diseases of the urinary system and male organs of generation.		985	22	3	5	4	4	38	8	6	18	38	32
29	Males		576	13	2	3	4	2	24	4	3	9	15	18
30	Females		409	9	1	2		2	14	4	3	9	23	14
31	Bright's disease	M	421							4	3	7	13	17
		F	346							4	2	8	20	14
32	Calculus, urinary	M	1											
		F	2											
33	Diseases of the kidney	M	40	10	2	3	4	1	20				1	
		F	28	9	1	2		2	14				2	
34	Diseases of the bladder	M	66	2				1	3					
		F	12											
35	Others of this class	M	48	1					1			2	1	1
		F	21								1	1	1	
36	7. Diseases of the female organs of generation.		50									3	4	5
37	Ovarian tumors		11										1	1
38	Ovarian diseases		1											
39	Diseases of the tubes		1											
40	Uterine tumors		15											
41	Uterine diseases		5									2		
42	Others of this class		17									1	3	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	72	67	82	94	117	123	121	123	119	105	57	22	4	8	1
32	48	47	49	53	51	58	58	42	54	43	18	7		3	2
27	24	20	33	41	66	65	63	81	65	62	39	15	4	5	3
															4
28	40	42	39	37	40	46	45	29	34	17	7	4		2	5
19	22	17	24	29	44	48	44	57	39	36	22	7	3	5	
			1	1		1									6
	1				1				1						
1	2	5	3	4	4	4	9	9	11	20	9	3			7
2	1		4	8	10	10	13	17	16	24	11	6	1		
1	1		2	2		2	1	2	2	2	1				8
4		1		1	3	1	1	2	4			1			
1	1			3	1	2	1	2	2	1	1			1	9
			1	2	3	3	1	3	2		2				
1	4		4	6	6	3	2		5	3					10
2		2	4	1	5	3	4	2	3	2	4	1			
22	42	36	34	56	55	44	52	48	49	32	16	6	2	4	11
10	20	17	16	23	32	20	21	23	21	9	4	3	2	1	12
12	22	19	18	33	23	24	31	25	28	23	12	3		3	13
															14
1	1	1							1						
				1											15
1	2	2	3	3	7	4	6	3	2	3	1		1		16
5	5	5	5	8	4	3	7	5	7	10	6	2		1	
1	1	2		1	4	3	3	1	2						17
1	1		2	3	3	3	2	1	3	2	1				
1	2	1	3	1	3		2	3	3					1	18
1	1	2	1		4		7	5	2	2	2	1			
1	1	1	2	1	2										19
1	2	1	1	2		2		1							
				2	2	1	3	2	2						20
	1		1		3	1	3	1	1						
				1					1	2		1			21
	1														
				1		1		1		1					22
	1			2			1							1	
4	3	1	1	2	1	2	1	3	2						23
	1	2			1	3		1	3	4	1				
1	7	7	5	10	12	7	5	8	6	2	2	1	1		24
	2	2	5	8	5	8	4	5	2	2					
	2	1		1	1	1	1					1			25
4	5	7	3	4	3		2	2	3		1			1	
				2		1		1							26
	1	1	2			1		2	2	1	1				27
	2			3		3	5	3	7	3	1				
32	46	50	64	75	85	85	104	105	87	65	30	6	2	9	28
18	27	28	30	45	41	47	67	60	67	45	19	4		5	29
14	19	22	34	30	44	38	37	45	20	20	11	2	2	4	30
17	26	24	25	38	35	35	54	40	46	25	7	1		4	31
13	17	17	32	28	37	34	33	39	17	17	9	1	1	3	
		1													32
								2							
1	1	1		1	2	1	2	3	3	2	2				33
	2	3			2	1	2	1		1					
		2	2	3	1	7	7	9	9	13	7	3			34
		1			2	3		1	1	1	2		1		
			3	3	3	4	4	8	9	5	3			1	35
1		1	2	2	3		2	2	2	1		1		1	
4	4	7	6	2	2	5	2	2	4						36
1	1	2	2			1		1	1						37
	1														38
	1														39
1	1	1	2	1	1	3	2	1	2						40
		2							1						41
2		2	2	1	1	1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		115									7	25	28
2	Abortion		9									2	1	1
3	Childbirth		21									1	6	3
4	Puerperal septicæmia		55									3	13	16
5	Extra-uterine pregnancy		3											1
6	Others of this class		27									1	5	7
7	9. Diseases of the bones and joints		40				1		1	1	4	4	1	2
8	Males		24				1		1	1	2	3		2
9	Females		16								2	1	1	
10	Diseases of the spine	M	4							1		1		2
		F	5								1	1		
11	Abscess, lumbar and psoas	M												
		F	3											
12	Diseases of the bones	M	14				1		1		2	2		
		F	2										1	
13	Diseases of the hip-joint	M	2											
		F												
14	Others of this class	M	4											
		F	6								1			
15	10. Diseases of the skin		30	7	2	1			10	1		2	2	
16	Males		14	5	1				6			1		
17	Females		16	2	1	1			4	1		1	2	
18	Abscess	M	8	1	1				2			1		
		F	11	2	1				3	1		1	2	
19	Carbuncle	M	1											
		F												
20	Others of this class	M	5	4					4					
		F	5			1			1					
21	11. Diseases of the absorbent system		10		1		1		2					
22	Males		5				1		1					
23	Females		5		1				1					
24	Addison's disease	M	1											
		F	3											
25	Diseases of the spleen	M												
		F	2		1				1					
26	Others of this class	M	4				1		1					
		F												
27	12. Accidents and injuries		870	71	9	23	10	13	126	42	38	38	51	51
28	Males		612	38	6	14	3	8	69	21	24	29	40	47
29	Females		258	33	3	9	7	5	57	21	14	9	11	4
30	Burns and scalds	M	31	2	4	8		4	18					1
		F	49	1	2	5	4	3	15	8	4			1
31	Drowning	M	98	1		2		1	4	12	12	8	6	8
		F	27	1		1	1		3	6	6	1	1	1
32	Exposure and neglect	M	6	2	1				3					
		F	2	1					1				1	
33	Gunshot wounds	M	18							1	5	6	2	
		F	4	1			1		2	1				
34	Homicide	M	3										1	
		F	2								1		1	
35	Infanticide	M												
		F												
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	116	1			1		2	2	3	2	12	17
		F	20							3		3	2	1
38	Suffocation	M	24	20		2			22					
		F	18	13		1		1	15	1				
39	Suicide by shooting	M	12											1
		F	1											1
40	Suicide by drowning	M	3											1
		F	4									1		
41	Suicide by poison	M	22									2	2	1
		F	15								1	1	3	
42	Other suicides	M	31								1		1	1
		F	7										1	
43	Sunstroke	M	6	1					1					
		F	2	1					1					
44	Surgical operations	M	4							1				
		F	1											
45	Wounds	M	11									1	2	2
		F												
46	Others of this class	M	227	11	1	2	2	3	19	5	3	10	14	15
		F	106	15	1	2	1	1	20	2	2	3	2	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
23	21	7		1										3	1
2	3														2
2	4	4												1	3
13	6	1		1										2	4
	2														5
6	6	2													6
1	2	4	1	4	1	1	2	6		1	3	1			7
1	2	2	1	1		1	1	4			2				8
		2		3	1		1	2		1	1	1			9
				2							1				10
				1	1			1							11
1	1	2		1				3			1				12
								1							
			1			1									13
	1						1	1			1				14
		2					1			1		1			
1	1	1	2	2	1	2		2		2	1				15
	1		1	1	1	1		1		1					16
1		1	1	1		1		1		1	1				17
	1			1	1			1		1					18
			1	1		1		1							
			1												19
						1									20
1		1								1	1				
2		2		1		3									21
1		1		1		1									22
1		1				2									23
				1											24
		1				2									
															25
1															
1		1				1									26
77	72	44	46	35	34	41	41	38	20	18	19	7	1	31	27
62	61	37	35	29	27	27	29	23	12	5	5	4		26	28
15	11	7	11	6	7	14	12	15	8	13	14	3	1	5	29
	1	2		1	2	1	2	2			1				30
4	8	2	4			2		1		2	2			1	
5	9	10	8	2	4	1	2	2						5	31
1	1		1	1	1	2								2	
1	1	1													32
1	1			1			1								33
	1														
	1	1													34
															35
															36
16	15	3	6	6	7	4	4	2	3					12	37
3		1	1	1	1	2	2								
	1													1	38
			1			1									
1	3	2	1	1	1		1			1					39
	1						1								40
	1	1	1												
4	1	1		2	1		2	2	1					3	41
2		2	2		2		1							1	
6	4	2	5	2	1	1	3	4							42
	1				1	2		1	1						
	1			3			1								43
								1							
	1				1			1							44
1															
2	1		1			2									45
26	20	15	14	11	10	18	12	10	8	4	4	4		5	46
4	4	1	1	4	2	5	9	12	7	11	12	3	1	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	9,725	1,948	357	170	102	85	2,657	220	187	204	330	394
2	Males	5,021	1,092	190	94	57	39	1,472	115	78	107	155	224
3	Females	4,704	861	167	76	45	46	1,185	105	59	97	175	170
4	Unknown cause	22	9		1			10	1				1
5	Males	14	6		1			7	1				1
6	Females	8	3					3					
7	1. General diseases. General diseases—A	1,877	650	144	61	43	40	938	87	29	31	37	41
8	Males	933	350	65	30	25	19	489	45	18	15	15	20
9	Females	944	300	79	31	18	21	449	42	11	16	22	21
10	Measles M	46	13	12	7	2	3	37	7				
	Measles F	55	13	15	3	5	3	39	9		1	1	1
11	Scarlet fever M	22		1	5	4	1	11	8	1			1
	Scarlet fever F	16		1	2	1	3	7	7	1	1		
12	Diphtheria M	54	3	7	5	6	5	26	13	8	2	3	1
	Diphtheria F	51	2	6	7	8	4	27	16	6	1		
13	Whooping cough M	20	10	6		2		18	2				
	Whooping cough F	38	19	9	5		2	35					1
14	Malarial fever M	27		3		2	3	8		2	2	1	
	Malarial fever F	51	3	3	1	1	2	10	2			2	2
15	Influenza M	170	15	3	1	1	1	21	1	1	2	4	2
	Influenza F	203	7	4	1		2	14		1	3	2	5
16	Typhoid fever M	77	2		1	1	2	6	3	1	7	4	13
	Typhoid fever F	57				1	1	2	2	2	5	13	6
17	Cholera morbus M	14	3			1		4				1	
	Cholera morbus F	16	4				1	5	1			1	1
18	Colitis M	5	3				1	4	1				
	Colitis F	11	3	1				4	1				
19	Diarrhea M	54	32	5				37	3				
	Diarrhea F	46	23	5				28					
20	Dysentery M	51	6		3	4	1	14	2	2			
	Dysentery F	51	9	4	2	1		16	1		1		
21	Enteritis M	114	81	8	1			90	3	1	1		1
	Enteritis F	125	69	15	3	1		88	2	1	2		
22	Cholera infantum M	176	156	14	4	1		175					
	Cholera infantum F	153	132	13	6		2	153					
23	Fever M	2											
	Fever F												
24	Cerebro-spinal fever M	21	9	4	3		1	17	1	1	1	1	
	Cerebro-spinal fever F	17	8	2	1		1	12	1				
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	22	8	2				10					1
	Erysipelas F	13	5	1				6				1	
27	Septicemia M	31	6			1	1	8	1	1		1	1
	Septicemia F	17									1	2	5
28	Venereal diseases M	5	3					3					
	Venereal diseases F	3	2					2			1		
29	Others of this group M	22											
	Others of this group F	21	1					1					
30	General diseases—B	137	58	5	2	1		66		1	1	4	4
31	Males	90	37	4	2			43		1		1	2
32	Females	47	21	1		1		23			1	3	2
33	Alcoholism M	24										1	2
	Alcoholism F	11										1	1
34	Parasitic diseases M	1											
	Parasitic diseases F	1				1		1					
35	Lead poison M	3											
	Lead poison F												
36	Other poisons M	23	3	2	1			6		1			
	Other poisons F	13									1	2	1
37	Inanition M	39	34	2	1			37					
	Inanition F	22	21	1				22					
38	General diseases—C	676	424	5				429	1	1			
39	Males	363	252	4				256	1	1			
40	Females	313	172	1				173					
41	Old age M	94											
	Old age F	117											
42	Premature birth M	149	149					149					
	Premature birth F	107	107					107					
43	Malformation M	23	23					23					
	Malformation F	14	14					14					
44	Debility and atrophy M	73	56	4				60	1	1			
	Debility and atrophy F	70	46	1				47					
45	Others of this group M	24	24					24					
	Others of this group F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
895	419	365	394	477	512	556	598	613	560	457	247	89	32	69	1
206	242	200	201	248	250	255	300	308	272	205	102	38	5	33	2
189	177	165	193	229	262	301	298	305	288	252	145	51	27	31	3
	1	1		1		1	2	1	1					2	4
	1	1						1						2	5
				1		1	2		1						6
51	39	35	30	47	52	59	92	83	91	78	35	15	3	4	7
24	21	15	17	27	25	23	44	41	39	32	15	5		3	8
27	18	20	13	20	27	36	48	42	52	46	20	10	3	1	9
	1	1													10
1			2		1										
1															11
1															12
			1												
												1		1	13
1			2		3		2	3	2	1					14
4	1	1	1		4	2	6	5	5	3	3				
4	5	7	5	8	7	13	19	24	20	16	6	5			15
5	5	5	2	11	12	16	22	23	29	26	13	6	3		
14	9	2	6	5	3		3							1	16
7	5	6	2		1	3		2	1						
		1		2	1	1	1	1	2						17
1				1	1		1	1	1	1		1			
															18
			2			1	3								
				2			4		5	1	2				19
		1			2	1	5		2	4	3				
	2		3	3	3	4	4	4	3	6	1				20
2	2	1	1	2	3	6	3	3	3	5		2			
2		1		1	1	1	2	2	3	3	1			1	21
3		1		4		3	3	7	6	4	1				
														1	22
				1					1						23
2	1		1												24
															25
		1			2	1	2	3	1	1					26
		2			2	1	1								
1	4	1		5	2	1	2	1		2					27
1	3	2		2			1								
			1			1									28
		1			3	1	5	3	2	2	5				29
1	1	1	1		1	3	3	1	5	3					
10	9	6	8	9	4	2	3	2	2	2				4	30
7	8	3	6	6	2	2	2	1	2	1				3	31
3	1	3	2	3	2		1	1		1				1	32
7	5	3	2	2					1					1	33
2		2	1	1	1			1						1	
				1											34
	1		1						1						35
	2		3	3	2	2	2	1						1	36
1	1	1	1	2	1		1			1					
										1				1	37
4	2	1	1		1	7	5	28	35	59	58	26	17	1	38
2	2	1			1	2	1	12	16	27	28	10	3		39
2			1			5	4	16	19	32	30	16	14	1	40
						1	1	10	16	27	27	9	3		41
						3	1	10	16	28	30	15	13	1	
															42
															43
2	2	1			1	1		2			1	1			44
2			1			2	3	6	3	4		1	1		
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,628	58	27	11	7	2	105	23	19	69	125	170
2	Males		791	32	13	4	6	1	56	10	12	31	58	95
3	Females		837	26	14	7	1	1	49	13	7	38	67	75
4	Anemia	M	9					1	1	1				1
		F	13		1			1	2			2	1	
5	Diabetes	M	49							2	4	2		1
		F	33							1		1		1
6	Rheumatism	M	15		1				1		1			1
		F	25							1	1		1	1
7	Scrofula and tabes	M	7	3	1				4		1			
		F	3	1					1			1		
8	Hydrocephalus	M	25	12	4	4	1		21	1	2			
		F	31	13	8	4	1		26	2		1		
9	Tuberculosis, general	M	7				2		2				1	1
		F	3											2
10	Consumption	M	544	15	6		2		23	5	4	29	56	90
		F	442	11	4	3			18	9	6	32	64	71
11	Cancer	M	113											
		F	259											
12	Tumor	M	7							1			1	1
		F	19											
13	Dropsy	M	9		1				1					
		F	2										1	
14	Others of this group	M	6	2			1		3					
		F	7	1	1				2			1		
15	2. Diseases of the nervous system		1,235	228	39	18	11	10	306	23	11	13	20	20
16	Males		637	130	22	10	4	3	169	12	8	9	10	13
17	Females		598	98	17	8	7	7	137	11	3	4	10	7
18	Inflammation of the brain	M	5	1	1				2		1			
		F	6				1		1		1	1		
19	Meningitis	M	115	45	16	7	4	3	75	7		4	2	8
		F	95	44	9	7	4	5	69	9	1	1	3	
20	Apoplexy	M	260	3					3			1	1	2
		F	261	1					1			1	2	2
21	Paralysis	M	65										1	
		F	76											1
22	Paralysis, general (of insane)	M	1											
		F	4											
23	Tetanus and trismus nascentium	M	14	2					2	2	6	1		1
		F	6	6					6					
24	Chorea	M	2											
		F	1							1				
25	Epilepsy	M	10	2					2			1	2	1
		F	7	1					1			1		
26	Convulsions	M	81	72	4	3			79	1				
		F	55	41	5	1	2	2	51				1	2
27	Mental diseases	M	16									1	1	
		F	22											1
28	Diseases of the brain	M	43	4	1				5	2	1		3	
		F	44	5	2				7	1	1		4	1
29	Diseases of the spinal cord	M	5									1		1
		F	6		1				1					
30	Locomotor ataxia	M	11											
		F	2											
31	Others of this class	M	9	1					1					
		F	13											
32	3. Diseases of the circulatory system		840	32	3		1		36	8	15	13	17	16
33	Males		393	14	3				17	1	5	7	9	9
34	Females		447	18			1		19	7	10	6	8	7
35	Pericarditis	M	4								1			
		F	6	1					1	1	1			
36	Diseases of the heart	M	341	9	3				12	1	4	7	9	8
		F	404	11			1		12	6	9	6	7	6
37	Angina pectoris	M	25											1
		F	13											1
38	Diseases of the arteries	M	9											
		F	12											
39	Aneurism	M	5											
		F	3											
40	Embolism	M	3											
		F	2										1	
41	Others of this class	M	6	5					5					
		F	7	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
156	138	98	105	114	111	104	94	75	58	33	16	4		11	1
79	74	53	54	50	45	40	43	40	26	13	6	3		3	2
77	64	45	51	64	66	64	51	35	32	20	10	1		8	3
1		1			1		2				1				4
1					5	1		1							
2	2	2	3	1	4	3	7	8	4	3		1			5
	3	2	3	5	2	7	6		2						
3		1		1	1	1	1	3	1						6
3	1	3	2	1	3		1	1	3	2	1				
	1					1									7
	1														
				1											8
1					1										
			2				1								9
	1														
70	67	45	38	32	24	19	14	13	5	6	2	1		1	10
60	47	26	15	22	21	15	11	9	8	2	1			5	
2	4	4	10	14	14	14	18	12	11	4	3	1		2	11
9	11	13	30	32	32	38	29	21	18	15	7	1		3	
			1			1		1	1						12
1		1	1	4	2	2	4	2		1	1				
				1	1	1		1	4						13
									1						
1								2							14
2						1		1							
15	25	39	56	58	89	83	102	121	112	76	41	15	1	9	15
2	16	21	28	29	47	31	53	65	59	37	19	7		2	16
13	9	18	28	29	42	52	49	56	53	39	22	8	1	7	17
								1	1						18
		1		1										1	
1	3	1	4	5	2		2				1				19
1	1			2	4					1	1			2	
	3	14	15	19	30	22	30	42	38	24	13	3			20
2	4	9	10	17	30	33	36	39	38	16	13	6	1	1	
	2	3	5	1	5	3	8	12	14	6	3	2			21
2	1	3	8	3	3	9	8	9	8	13	5	2		1	
			1												22
			1			1		1		1					
		1	1												23
				1			1								24
					1		1	1		1					25
		2	1	1		1									
														1	26
														1	
	1			2	3	1	2	4	1						27
2		1	1	1	1	4		1	3	4	3				
1	2	2		1	4	4	7	2	1	3	2	2		1	28
4	2		3	1	2	2	2	5	4	4				1	
	1								1	1					29
	1		2				1	1							
	4		1		2	1	1	2							30
			1				1								
			1				1	1	3	2					31
2		2	1	3	2	2	1								
17	27	32	41	62	52	99	92	110	96	69	21	8	2	7	32
10	11	10	16	31	27	56	43	59	41	27	8	2		4	33
7	16	22	25	31	25	43	49	51	55	42	13	6	2	3	34
1					1		1								35
						1				1	1				
9	7	9	13	29	25	46	39	51	34	26	7	2		3	36
7	16	22	23	29	23	40	42	51	50	33	11	6	2	3	
	2		2	1		7	2	5	4	1					37
				1	1	1	4		2	3					
						2	1	2	2		1			1	38
			1		1	1	1		2	5	1				
	1	1	1	1	1										39
			1				2								
	1							1	1						40
									1						
						1									41
				1											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,418	337	113	55	22	18	545	27	16	14	28	39
2	Males	735	186	66	34	9	7	302	15	7	5	13	26
3	Females	683	151	47	21	13	11	243	12	9	9	15	13
4	Croup M	22	4	4	10	4		22					
	Croup F	18	1	6	3	2	4	16	2				
5	Pneumonia M	484	89	47	14	5	5	160	12	3	5	10	22
	Pneumonia F	445	86	31	13	9	6	145	8	8	7	11	10
6	Laryngitis M	6	1		1		1	3	1	1			
	Laryngitis F	9	2	2				4	1		1		
7	Bronchitis M	156	76	14	6		1	97	2	1		3	2
	Bronchitis F	147	48	7	5	2	1	63		1		2	2
8	Pleurisy M	13			1			1		1			2
	Pleurisy F	14	1					1				2	
9	Asthma M	17	4					4					
	Asthma F	13	1					1					
10	Others of this class M	37	12	1	2			15		1			
	Others of this class F	37	12	1				13	1		1		1
11	5. Diseases of the digestive system	538	83	14	3	4	3	107	15	15	18	15	25
12	Males	256	48	9	1	4	3	65	9	9	9	6	13
13	Females	282	35	5	2			42	6	6	9	9	12
14	Dentition M	4	1	3				4					
	Dentition F	8	7	1				8					
15	Angina M	7	1			1		2	1				1
	Angina F	7	1	2				3	2	1			
16	Gastritis M	42	9	2		1		12					
	Gastritis F	65	4	1				5			3	1	
17	Diseases of the stomach M	15	3					3					1
	Diseases of the stomach F	17	1					1					
18	Obstruction of the bowels M	27	5	1				6		3	1		3
	Obstruction of the bowels F	27	3					3	2		1	1	
19	Appendicitis M	18							3	3	4	2	2
	Appendicitis F	18		1				1		3	1	3	3
20	Hernia M	10	2					2	1				
	Hernia F	7											
21	Other diseases of the bowels M	5	2					2					
	Other diseases of the bowels F	1											
22	Jaundice M	5	1					1					1
	Jaundice F	2											
23	Inflammation and abscess of the liver. M	17	1				2	3	2				
	Inflammation and abscess of the liver. F	12											1
24	Other diseases of the liver M	53	2			1		3	1				
	Other diseases of the liver F	29											1
25	Peritonitis M	29	6	2		1		9	1	3	4	4	4
	Peritonitis F	47	2		1			3	2	2	4	4	7
26	Ascites M												
	Ascites F	3											
27	Others of this class M	24	15	1	1		1	18					1
	Others of this class F	39	17		1			18					
28	6. Diseases of the urinary system and male organs of generation.	640	10	1	4	4	2	21	5	3	12	27	22
29	Males	370	6	1	2	4	1	14	3	2	6	12	12
30	Females	270	4		2		1	7	2	1	6	15	10
31	Bright's disease M	276							3	2	5	11	12
	Bright's disease F	236							2	1	5	13	10
32	Calculus, urinary M	1											
	Calculus, urinary F	1											
33	Diseases of the kidney M	23	5	1	2	4		12				1	
	Diseases of the kidney F	13	4		2		1	7				1	
34	Diseases of the bladder M	45					1	1					
	Diseases of the bladder F	9											
35	Others of this class M	25	1					1			1		
	Others of this class F	11									1	1	
36	7. Diseases of the female organs of generation.	33									2	1	4
37	Ovarian tumors	6										1	1
38	Ovarian diseases	1											
39	Diseases of the tubes	1											
40	Uterine tumors	11											
41	Uterine diseases	3									1		
42	Others of this class	11									1		3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	48	48	54	67	82	85	78	72	67	56	35	11	4	2	1
23	33	32	31	43	35	40	36	24	27	26	12	4		1	2
17	15	16	23	24	47	45	42	48	40	30	23	7	4	1	3
															4
20	27	29	25	29	28	34	28	17	18	11	5	1			5
9	13	14	16	15	28	33	29	33	23	21	13	5	3	1	
				1											6
	1				1				1						
1	2	3	2	3	2	3	6	4	5	11	6	3			7
2	1		4	7	8	8	10	11	11	8	6	2	1		
1			1	1			1	1	2	2					8
4		1			3		1		2						
1	1			3	1	2		2		1	1			1	9
				2	2	1	1	2	2		2				
	3		3	6	4	1	1		2	1					10
2		1	3		5	3	1	2	1	1	2				
14	35	27	24	40	33	33	31	33	30	21	15	4	2	1	11
6	16	14	10	14	20	15	11	14	12	6	3	2	2		12
8	19	13	14	26	13	18	20	19	18	15	12	2		1	13
															14
	1	1							1						15
				1											
1	2	2	2	3	6	3	4	2	2	1	1		1		16
3	5	5	4	7	1	3	7	3	3	7	6	1		1	
1		1		1	3	2	1	1	1						17
	1		2	2	2	2	2	1	3		1				
1	1	1	3	1	1		2	2	2						18
1	1	1			2		4	4	2	2	2	1			
1	1	1		1											19
1			1	2		2		1							
				1	2	1		1	2						20
	1		1		3		1	1							
				1						2					21
	1														
						1		1		1					22
	1			1											
1	2	1	1	1	1	2	1	1	1						23
	1	2			1	2		1	2	1	1				
1	7	5	3	5	7	6	3	5	3	1	1	1	1		24
	1		3	7	3	6	1	4	1	2					
	2	1										1			25
3	5	5	3	3	1		1	1	2		1				
				1		1		1							26
		1	1					1		1	1				27
	2			2		2	4	2	5	3	1				
24	27	34	38	49	62	50	71	61	56	51	15	4	2	6	28
14	17	19	14	28	30	26	50	35	43	33	6	3		3	29
10	10	15	24	21	32	24	21	26	13	18	9	1	2	3	30
13	16	17	12	23	24	19	30	24	32	18	3	1		2	31
9	9	11	24	20	27	22	20	24	13	16	7		1	2	
		1													32
								1							
1	1				2		2	1	1	2					33
	1	2			2										
		1	2	2	1	5	6	7	6	9	3	2			34
		1			2	2				1	2		1		
				3	3	2	3	3	4	4				1	35
1		1		1	1		1	1		1		1		1	
2	3	5	3	2	2	4	2	1	2						36
	1	1	1			1									37
	1														38
	1														39
		1	1	1	1	3	2	1	1						40
		1							1						41
2		2	1	1	1										42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		72									3	17	17
2	Abortion		6											1
3	Childbirth		13									1	2	2
4	Puerperal septicemia		38									2	11	10
5	Extra-uterine pregnancy		2											1
6	Others of this class		13										4	3
7	9. Diseases of the bones and joints		22				1		1	1	2	2		2
8	Males		16				1		1	1	2	2		2
9	Females		6											
10	Diseases of the spine	M	4							1		1		2
		F	2											
11	Abscess, lumbar and psoas	M												
		F	3											
12	Diseases of the bones	M	8				1		1		2	1		
		F												
13	Diseases of the hip-joint	M	2											
		F												
14	Others of this class	M	2											
		F	1											
15	10. Diseases of the skin		13	4		1			5	1		1	1	
16	Males		7	3					3			1		
17	Females		6	1		1			2	1			1	
18	Abscess	M	4	1					1			1		
		F	3	1					1	1			1	
19	Carbuncle	M												
		F												
20	Others of this class	M	3	2					2					
		F	3			1			1					
21	11. Diseases of the absorbent system		9		1		1		2					
22	Males		5				1		1					
23	Females		4		1				1					
24	Addison's disease	M	1											
		F	3											
25	Diseases of the spleen	M												
		F	1		1				1					
26	Others of this class	M	4				1		1					
		F												
27	12. Accidents and injuries		565	50	5	14	7	10	86	28	25	25	38	33
28	Males		411	28	3	10	3	5	49	17	13	22	31	31
29	Females		154	22	2	4	4	5	37	11	12	3	7	2
30	Burns and scalds	M	18	1	1	6		2	10					
		F	26		1		4	3	8	3	4			
31	Drowning	M	62			1		1	2	10	5	7	2	4
		F	17	1		1			2	5	5		1	
32	Exposure and neglect	M	5	1	1				2					
		F	1	1					1					
33	Gunshot wounds	M	11							1	4	1	2	
		F												
34	Homicide	M	3										1	
		F	1										1	
35	Infanticide	M												
		F												
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	81	1			1		2	2	2	2	11	14
		F	13							2		1	1	1
38	Suffocation	M	18	14		2			16					
		F	14	10		1		1	12	1				
39	Suicide by shooting	M	9											1
		F	1											1
40	Suicide by drowning	M	3											1
		F	4									1		
41	Suicide by poison	M	20									2	2	1
		F	9								1	1	2	
42	Other suicides	M	21										1	1
		F	5											
43	Sunstroke	M	2	1					1					
		F	1	1					1					
44	Surgical operations	M	3							1				
		F	1											
45	Wounds	M	8									1	2	1
		F												
46	Others of this class	M	147	10	1	1	2	2	16	3	2	9	10	8
		F	61	9	1	2		1	13		2		2	

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	15	2		1										3	1
2	3														2
1	4	2												1	3
8	4			1										2	4
	1														5
3	3														6
1		3	1	2	1	1		3			2				7
1		2	1			1		2			1				8
		1		2	1			1			1				9
				1							1				10
				1	1			1							11
1		2						1							12
			1			1									13
		1						1			1				14
		1			1	1		1			1				15
					1	1		1							16
		1									1				17
					1			1							18
															19
						1									20
		1									1				
1		2		1		3									21
1		1		1		1									22
		1				2									23
				1											24
		1				2									
															25
1		1				1									26
46	50	31	33	24	22	21	26	22	10	12	8	2	1	19	27
37	43	28	24	19	17	17	17	13	7	3	4	2		17	28
9	7	3	9	5	5	7	9	9	3	9	4		1	2	29
	1	2		1	1	1	1				1				30
3	1		3					1		1	1			1	
4	5	7	6	2	3			2						3	31
1	1		1											1	
1	1	1													32
1	1						1								33
	1	1													34
															35
															36
8	12	3	3	2	5	4	2	1	2					6	37
2			1	1	1	2	1								
	1													1	38
			1												
1	1	1	1	1	1		1			1					39
	1						1								40
	1	1	1												
4	1	1		2	1		2	1	1					2	41
1		1	1		1		1								
4	4	2	3	2		1		3							42
	1				1	2		1							
				1											43
	1				1										44
1															
2	1					1									45
12	12	10	11	8	5	10	9	6	4	2	3	2		5	46
1	8	1	1	4	2	8	7	7	8	8	3		1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	5,697	1,158	212	110	73	52	1,605	149	81	144	209	210
2	Males	2,881	633	104	51	34	23	845	59	37	66	103	102
3	Females	2,816	525	108	59	39	29	760	90	44	78	106	108
4	Unknown cause	32	14					14				3	
5	Males	17	7					7				1	
6	Females	15	7					7				2	
7	1. General diseases. General diseases—A	1,261	400	89	51	34	28	602	77	16	27	42	33
8	Males	592	197	44	26	19	13	299	31	5	11	28	18
9	Females	669	203	45	25	15	15	303	46	11	16	14	15
10	Measles M	33	7	4	5	1	2	19		1		4	2
	Measles F	27	10	2	3	1	2	18	3	1	1		
11	Scarlet fever M	8				3	1	4	2	1	1		
	Scarlet fever F	15	1	1	3		2	7	7	1			
12	Diphtheria M	67	3	11	12	6	9	41	22	1			1
	Diphtheria F	81	11	9	7	10	9	46	24	4	3	1	
13	Whooping cough M	25	20	2	2			24					
	Whooping cough F	36	19	9	3	2	1	34	1				
14	Malarial fever M	18	1	1	1	2		5			1		1
	Malarial fever F	14	1	1				2	1		1		1
15	Influenza M	111	9	3				12	2		2	3	2
	Influenza F	160	8	3	2			13	2	3	2	3	5
16	Typhoid fever M	63	1			1		2	2		4	18	10
	Typhoid fever F	52	1		2	1		4	4		8	7	3
17	Cholera morbus M	4	1					1					1
	Cholera morbus F	5					1	1					
18	Colitis M												
	Colitis F	6	3					3					
19	Diarrhea M	27	16	1				17					
	Diarrhea F	49	26	3	1			30					1
20	Dysentery M	29	8	1	1	1	1	12	2		1		
	Dysentery F	35	2	3				5	1	1		1	1
21	Enteritis M	79	52	7	2	3		64	1	1		2	
	Enteritis F	50	32	1	2			35	1		1		1
22	Cholera infantum M	82	67	11	2	2		82					
	Cholera infantum F	90	81	9				90					
23	Fever M												
	Fever F	1											
24	Cerebro-spinal fever M	12	5	2	1			8			1		
	Cerebro-spinal fever F	17	4	3	2	1		10	2				
25	Smallpox M												
	Smallpox F												
26	Erysipelas M	4											
	Erysipelas F	6								1			
27	Septicæmia M	12	1					1		1	1	1	1
	Septicæmia F	10	1					1				2	3
28	Venereal diseases M	11	5					5					
	Venereal diseases F	5	3	1				4					
29	Others of this group M	7	1	1				2					
	Others of this group F	10											
30	General diseases—B	77	19	3	1	2	1	26				1	3
31	Males	52	9	2		1		12				1	2
32	Females	25	10	1	1	1	1	14					1
33	Alcoholism M	29										1	1
	Alcoholism F	4											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	13	1	2				3					1
	Other poisons F	5			1	1		2					1
37	Inanition M	10	8			1		9					
	Inanition F	16	10	1			1	12					
38	General diseases—C	440	261	3	2			266					1
39	Males	233	156	1				157					
40	Females	207	105	2	2			109					1
41	Old age M	67											
	Old age F	86											
42	Premature birth M	83	83					83					
	Premature birth F	61	61					61					
43	Malformation M	13	13					13					
	Malformation F	8	8					8					
44	Debility and atrophy M	59	50	1				51					
	Debility and atrophy F	42	26	2	2			30					1
45	Others of this group M	11	10					10					
	Others of this group F	10	10					10					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
211	219	189	206	227	242	288	340	382	355	310	181	83	15	51	1
106	121	96	118	127	127	145	180	175	189	147	84	24	5	25	2
105	98	93	88	100	115	143	160	207	166	163	97	59	10	26	3
	1	1	1	2		3	2	2	1	1				1	4
				1		2	2	1	1	1				1	5
	1	1	1	1		1		1							6
34	27	27	24	26	24	31	38	69	54	50	32	17	5	6	7
15	13	11	15	15	11	15	16	28	24	17	14	5	1		8
19	14	16	9	11	13	16	22	41	30	33	18	12	4	6	9
3	1			1		1			1						10
3					1										
															11
	1			1											12
1	1				1										
												1			13
														1	
	3	2	1				1		3		1				14
	1	2						1	1	2				2	
2	2	5	6	5	6	9	8	17	10	10	7	3			15
5	3	3	5	8	8	7	14	20	20	17	13	7	2		
6	5	2	7	2	2	2		1							16
6	6	5	2	1	1			4						1	
						1			1						17
							1			2		1			
															18
								1			1	1			
							3	1	1	2	3				19
1	1			1	1		1	3	2	4	2	1	1		
1					1	1	1	3	3		3	1			20
1		2			1	3	5	5	4	5					
		1		2		1		1	2	3			1		21
	1	1	1			3	1	2	2					1	
															22
															23
											1				
				1			1	1							24
1		2	1					1							
															25
2							1		1						26
	1			1						1		1		1	
	1			1	1		1	2		1					27
1		1						1				1			
1		1	1	2	1										28
								1							
								2	2	1					29
						3		2	1	2	1		1		
3	11	8	5	7	4	8	1	1	1		1			2	30
														1	31
3	8	6	5	6	4	2	1	1						1	32
	8	2		1		1			1		1				
2	7	4	3	6	2	1	1							1	33
	2	1		1											
															34
															35
															36
1	1	2	2		1	1		1							
	1	1													37
					1									1	
						1			1		1				
		2	1	1	1	4	15	17	24	39	37	24	6	2	38
															39
		2	1			1	6	10	10	22	16	6	1	1	40
				1	1	3	9	7	14	17	21	18	5	1	
						1	5	9	8	21	16	5	1	1	41
						3	7	6	13	16	18	17	5	1	
															42
															43
							1	1	1	1		1			44
		2	1				2	1	1	1	3	1			
				1	1										45
									1						

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**1. General diseases—Continued.** General diseases—D		892	34	18	8	5	3	68	11	16	48	87	88
2	Males		415	19	11	3	1	1	35	2	4	21	42	40
3	Females		477	15	7	5	4	2	33	9	12	27	45	48
4	Anemia	M	3	1					1	1		1		
		F	10	3					3					1
5	Diabetes	M	25								1	1		1
		F	14				1		1				1	1
6	Rheumatism	M	18							1	1	1	1	1
		F	13				1		1	1				
7	Scrofula and tabes	M	8	3	2				5					1
		F	8	2		1			3	1				
8	Hydrocephalus	M	16	7	4		1		12		1	1		
		F	10	3	4	1			8	1				
9	Tuberculosis, general	M	1											1
		F	2	1					1	1				
10	Consumption	M	259	4	5	3		1	13		1	17	40	35
		F	284	5	2	3	1	1	12	4	12	25	40	48
11	Cancer	M	73										1	1
		F	110									1	1	2
12	Tumor	M	5											
		F	14					1	1			1	2	
13	Dropsy	M	3											
		F	6	1					1				1	
14	Others of this group	M	4	4					4					
		F	6		1		1		2	1				1
15	**2. Diseases of the nervous system**		723	131	23	10	6	6	176	18	5	9	9	9
16	Males		375	76	8	4	3	2	93	8	3	5	4	5
17	Females		348	55	15	6	3	4	83	10	2	4	5	4
18	Inflammation of the brain	M	8	3					3	1				
		F	4		1	1		1	3					
19	Meningitis	M	67	38	7	4	3	1	53	5	1	1	1	1
		F	50	22	9	2	2	2	37	8	1		1	
20	Apoplexy	M	153									1	2	2
		F	149	2					2	1			1	1
21	Paralysis	M	42					1	1	1				2
		F	38	1	1				2	1				
22	Paralysis, general (of insane)	M	3								1			
		F	3											
23	Tetanus and trismus nascentium	M	3							1		1		
		F	2	2					2					
24	Chorea	M												
		F	1									1		
25	Epilepsy	M	7								1	1		
		F	10	1					1		1	1	1	2
26	Convulsions	M	32	30	1				31					
		F	32	24	1	3	1	1	30				1	
27	Mental diseases	M	16										1	
		F	11											1
28	Diseases of the brain	M	31	5					5			1		
		F	38	3	2				5			2	1	
29	Diseases of the spinal cord	M	2											
		F	3											
30	Locomotor ataxia	M	4											
		F	2											
31	Others of this class	M	7											
		F	5		1				1					
32	**3. Diseases of the circulatory system**		453	21	1				22	3	2	8	5	8
33	Males		241	11	1				12	1		3	2	4
34	Females		212	10					10	2	2	5	3	4
35	Pericarditis	M												
		F	1											
36	Diseases of the heart	M	220	5	1				6	1		3	2	4
		F	188	5					5	2	2	5	3	4
37	Angina pectoris	M	11											
		F	11											
38	Diseases of the arteries	M	2											
		F	4											
39	Aneurism	M	2											
		F	2											
40	Embolism	M												
		F	1											
41	Others of this class	M	6	6					6					
		F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	75	56	51	50	56	56	41	44	35	19	8	4	1	6	1
36	38	25	26	24	29	20	17	17	20	9	6	1	1	2	2
36	37	31	25	26	27	36	24	27	15	10	2	3		4	3
1				1	1	3									4
2		4		1	2	3	2	2	1	4	1				5
		1	1	2	4	2								1	
2	2	1	1		1		1	2	2				1		6
1	1	1	1	1	1	1	1		1			2			
	2														7
1		1			1					1					
1		1													8
									1						
															9
28	30	18	19	10	14	8	8	6	7	1	2			2	10
31	31	22	11	9	3	13	8	11	3	5				1	
3	4	1	4	12	12	8	5	6	10	3	2	1			11
2	5	6	9	13	15	14	12	15	7	4	1	1		2	
			2	1		1	1								12
			2		2	2	1	1	2						
								1		1	1				13
						1	1		1		1				
															14
			1				1								
11	11	11	24	29	41	47	73	69	73	60	34	8	2	4	15
5	6	8	9	16	19	28	44	30	36	32	18	1	1	4	16
6	5	3	15	13	22	19	29	39	37	28	16	7	1		17
					1		3								18
						1									
				1	1		1		1			1			19
1	1		1												
2	1	5	4	11	9	21	25	19	22	18	7		1	3	20
1	1	3	11	9	10	9	23	27	18	18	11	2	1		
1			3	1	3	3	2	5	6	8	6				21
	1		1	2	5	5	3	3	5	6	1	3			
							1			1					22
			1	1				1							
	1														23
															24
	2					1	1							1	25
								1		2		1			
											1				26
												1			
	1	1		1	1		5	1	1	1	3				27
	1			1	2	1		2	1		2				
2		2	2	1	2	1	4	2	4	4	1				28
3	1		1		5	3	2	2	10	2	1				
	1			1											29
							1	1	1						
					1	1	1	1							30
									1		1				
					1	1	1	2	2						31
1								2	1						
12	12	19	18	28	24	41	56	49	53	58	19	9	1	6	32
5	6	8	10	17	15	23	32	24	33	31	8	4	1	2	33
7	6	11	8	11	9	18	24	25	20	27	11	5		4	34
															35
1															
5	5	8	9	15	15	21	30	21	32	28	8	4	1	2	36
5	6	9	7	11	7	17	22	23	17	25	10	4		4	
	1		1	2		1	2	1	1	2					37
		2	1			1	2		1	2	1	1			
								1		1					38
					1			1	2						
						1		1							39
1								1							
															40
					1										
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		794	196	56	25	21	8	306	8	13	14	13	16
2	Males		394	115	25	12	10	3	165	4	4	9	9	7
3	Females		400	81	31	13	11	5	141	4	9	5	4	9
4	Croup	M	12	1	5	2	4		12					
		F	21	4	2	6	7	2	21					
5	Pneumonia	M	267	78	16	8	2	2	106	3	3	7	5	5
		F	273	48	27	7	3	3	88	3	6	5	4	7
6	Laryngitis	M	3		1				1					
		F	2	1					1	1				
7	Bronchitis	M	73	30	3	1	2	1	37	1	1			1
		F	68	22	1				23					1
8	Pleurisy	M	12				1		1			1	2	1
		F	10		1				1		1			1
9	Asthma	M	3											
		F	5											
10	Others of this class	M	24	6		1	1		8			1	2	
		F	21	6			1		7		2			
11	5. Diseases of the digestive system		279	46	11	3	2	1	63	15	11	11	12	12
12	Males		140	24	7	1			32	8	9	6	4	4
13	Females		139	22	4	2	2	1	31	7	2	5	8	8
14	Dentition	M	6	2	4				6					
		F	4	3	1				4					
15	Angina	M	2									1		
		F	2		1				1	1				
16	Gastritis	M	16	7	1				8					
		F	27	5			1	1	7	2			1	
17	Diseases of the stomach	M	7											
		F	6											
18	Obstruction of the bowels	M	8							1	1			
		F	12	1			1		2	1				1
19	Appendicitis	M	18	1					1	2	5	2	3	1
		F	12							2	2	1	2	2
20	Hernia	M	9	2					2		1			1
		F	4											
21	Other diseases of the bowels	M	2											
		F	1											1
22	Jaundice	M	2	1					1					
		F	5	2					2					
23	Inflammation and abscess of the liver.	M	11		1				1			2		
		F	5											
24	Other diseases of the liver	M	28							1	1		1	
		F	18	1					1				2	
25	Peritonitis	M	13			1			1	4	1	1		2
		F	25	1		2			3	1		4	3	4
26	Ascites	M	1	1					1					
		F	1											
27	Others of this class	M	17	10	1				11					
		F	17	9	2				11					
28	6. Diseases of the urinary system and male organs of generation.		345	12	2	1		2	17	3	3	6	11	10
29	Males		206	7	1	1		1	10	1	1	3	3	6
30	Females		139	5	1			1	7	2	2	3	8	4
31	Bright's disease	M	145							1	1	2	2	5
		F	110							2	1	3	7	4
32	Calculus, urinary	M												
		F	1											
33	Diseases of the kidney	M	17	5	1	1		1	8					
		F	15	5	1			1	7				1	
34	Diseases of the bladder	M	21	2					2					
		F	3											
35	Others of this class	M	23									1	1	1
		F	10								1			
36	7. Diseases of the female organs of generation		17									1	3	1
37	Ovarian tumors		5											
38	Ovarian diseases													
39	Diseases of the tubes													
40	Uterine tumors		4											
41	Uterine diseases		2									1		
42	Others of this class		6										3	1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	24	19	28	27	35	38	43	51	52	49	22	11		6	1
9	15	15	18	10	16	18	22	18	27	17	6	3		2	2
10	9	4	10	17	19	20	21	33	25	32	16	8		4	3
															4
8	13	13	14	8	12	12	17	12	16	6	2	3		2	5
10	9	3	8	14	16	15	15	24	16	15	9	2		4	
			1			1									6
		2	1	1	2	1	3	5	6	9	3				7
				1	2	2	3	6	5	16	5	4			
	1		1	1		2		1			1				8
				1		1		2	2			1			
							1		2						9
			1		1	2		1							
1	1		1		2	2	1		3	2					10
		1	1	1			3		2	1	2	1			
8	7	9	10	16	22	11	21	15	19	11	1	2		3	11
4	4	3	6	9	12	5	10	9	9	3	1	1		1	12
4	3	6	4	7	10	6	11	6	10	8		1		2	13
															14
1															15
			1		1	1	2	1		2					16
2			1	1	3			2	4	3		1			
	1	1			1	1	2		1						17
1				1	1	1				2					
	1				2			1	1					1	18
		1	1		2		3	1							
			2		2										19
	2	1													
				1			3	1							20
						1	2		1						
									1			1			21
				1											22
				1			1							1	
3	1			1				2	1						23
						1			1	3					
		2	2	5	5	1	2	3	3	1	1				24
	1	2	2	1	2	2	3	1	1						
				1	1	1	1								25
1		2		1	2		1	1	1					1	
															26
				1											
	1		1			1		1	2						27
				1		1	1	1	2						
8	19	16	26	26	23	35	33	44	31	14	15	2		3	28
4	10	9	16	17	11	21	17	25	24	12	13	1		2	29
4	9	7	10	9	12	14	16	19	7	2	2	1		1	30
4	10	7	13	15	11	16	15	16	14	7	4			2	31
4	8	6	8	8	10	12	13	15	4	1	2	1		1	
															32
								1							
		1		1		1		2	2		2				33
	1	1				1	2	1		1					
		1		1		2	1	2	3	4	4	1			34
						1		1	1						
			3			2	1	5	5	1	3				35
			2	1	2		1	1	2						
2	1	2	3			1		1	2						36
1		1	1					1	1						37
															38
															39
1	1		1						1						40
		1													41
			1			1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

CONNECTICUT—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		43									4	8	11
2	Abortion		3									2	1	
3	Childbirth		8										4	1
4	Puerperal septicemia		17									1	2	6
5	Extra-uterine pregnancy		1											
6	Others of this class		14									1	1	4
7	9. Diseases of the bones and joints		18								2	2	1	
8	Males		8									1		
9	Females		10								2	1	1	
10	Diseases of the spine	M												
		F	3								1	1		
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	6									1		
		F	2										1	
13	Diseases of the hip-joint	M												
		F												
14	Others of this class	M	2											
		F	5								1			
15	10. Diseases of the skin		17	3	2				5			1	1	
16	Males		7	2	1				3					
17	Females		10	1	1				2			1	1	
18	Abscess	M	4		1				1					
		F	8	1	1				2			1	1	
19	Carbuncle	M	1											
		F												
20	Others of this class	M	2	2					2					
		F	2											
21	11. Diseases of the absorbent system		1											
22	Males													
23	Females		1											
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M												
		F	1											
26	Others of this class	M												
		F												
27	12. Accidents and injuries		305	21	4	9	3	3	40	14	13	13	13	18
28	Males		201	10	3	4		3	20	4	11	7	9	16
29	Females		104	11	1	5	3		20	10	2	6	4	2
30	Burns and scalds	M	13	1	3	2		2	8					1
		F	23	1	1	5			7	5				1
31	Drowning	M	36	1		1			2	2	7	1	4	4
		F	10				1		1	1	1	1		1
32	Exposure and neglect	M	1	1					1					
		F	1										1	
33	Gunshot wounds	M	7								1	5		
		F	4	1			1		2	1				
34	Homicide	M												
		F	1								1			
35	Infanticide	M												
		F												
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	35								1		1	3
		F	7							1		2	1	
38	Suffocation	M	6	6					6					
		F	4	3					3					
39	Suicide by shooting	M	3											
		F												
40	Suicide by drowning	M												
		F												
41	Suicide by poison	M	2											
		F	6										1	
42	Other suicides	M	10								1			
		F	2										1	
43	Sunstroke	M	4											
		F	1											
44	Surgical operations	M	1											
		F												
45	Wounds	M	3											1
		F												
46	Others of this class	M	80	1		1		1	3	2	1	1	4	7
		F	45	6			1		7	2		3		

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

CONNECTICUT—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	5													1
															2
1		2													3
5	2	1													4
	1														5
3	3	2													6
	2	1		2			2	3		1	1	1			7
	2			1			1	2			1				8
		1		1			1	1		1		1			9
				1											10
															11
	1			1				2			1				12
								1							
															13
	1						1								14
		1					1			1		1			
1	1		2	2		1		1		2					15
	1		1	1						1					16
1			1	1		1		1		1					17
	1			1						1					18
			1	1		1		1							
			1												19
															20
1										1					
1															21
															22
1															23
															24
1															25
															26
31	22	18	18	11	12	17	15	16	10	6	11	5		12	27
25	18	9	11	10	10	10	12	10	5	2	1	2		9	28
6	4	4	2	1	2	7	3	6	5	4	10	3		3	29
					1		1	2							30
1	2	2	1			2				1	1				
1	4	3	2		1	1	2							2	31
				1	1	2								1	
															32
				1											33
	1														
															34
															35
															36
8	3		3	4	2		2	1	1					6	37
1		1					1								
						1									38
	2	1													39
															40
								1						1	41
1		1	1		1									1	
2			2		1		3	1							42
									1						
	1			2			1								43
								1							
								1							44
			1			1									45
14	8	5	3	3	5	8	3	4	4	2	1	2			46
3	1					2	2	5	4	3	9	3		1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	6,364	1,806	268	129	105	67	1,875	184	140	189	358	344
2	Males	3,274	687	135	66	45	34	967	98	63	78	183	185
3	Females	3,090	619	133	63	60	33	908	86	77	111	175	159
4	Unknown cause	26	7	2	3	2		14	1				2
5	Males	15	5	2	1	2		10	1				1
6	Females	11	2		2			4					1
	1. General diseases.												
7	General diseases—A	1,270	379	104	54	50	39	626	101	56	44	55	63
8	Males	630	181	53	28	23	22	307	49	26	22	33	38
9	Females	640	198	51	26	27	17	319	52	30	22	22	25
10	Measles M	19	3	5	5	4	1	18	1				
	Measles F	19	1	6	2	4	2	15	1		1		
11	Scarlet fever M	15	1	3	2	3	1	10	3	1			1
	Scarlet fever F	10			1	1	2	4	4	1			1
12	Diphtheria M	99	2	6	12	14	14	48	34	13	2	1	
	Diphtheria F	94	1	11	7	15	8	42	32	15	3		
13	Whooping cough M	22	10	9	2			21	1				
	Whooping cough F	16	6	3	6			15	1				
14	Malarial fever M	29	2	1	1	1	2	7	1			3	3
	Malarial fever F	34	2	1	2	2	1	8			3	3	5
15	Influenza M	41	1			1	1	3		3	2		1
	Influenza F	74	6	2	1		1	10				1	2
16	Typhoid fever M	135	1		1			2	7	7	16	27	26
	Typhoid fever F	90	1			1	2	4	9	12	15	16	10
17	Cholera morbus M	6	1	2				3			1		1
	Cholera morbus F	4											
18	Colitis M	7	2					2					
	Colitis F	1	1					1					
19	Diarrhea M	44	18	4	1		1	24					
	Diarrhea F	41	22	4		1		27					1
20	Dysentery M	17	3	2			1	6					1
	Dysentery F	21	2	1	2			5		1		1	1
21	Enteritis M	90	67	5	3			75				1	4
	Enteritis F	128	85	13	3	1	1	103					2
22	Cholera infantum M	69	55	13	1			69					
	Cholera infantum F	61	50	8	2	1		61					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	13	4	3			1	8	2	1			
	Cerebro-spinal fever F	11	5	2		1		8	1				1
25	Smallpox M	2										1	1
	Smallpox F	3								1		1	
26	Erysipelas M	3								1			
	Erysipelas F	4	1					1					1
27	Septicemia M	8	2					2			1		
	Septicemia F	8							3				1
28	Venereal diseases M	9	9					9					
	Venereal diseases F	15	15					15					
29	Others of this group M	2											
	Others of this group F	6							1				
30	General diseases—B	68	27	2	2			31	2		1	2	3
31	Males	45	13	2	1			16	1			1	3
32	Females	23	14		1			15	1		1	1	
33	Alcoholism M	18											2
	Alcoholism F	2									1		
34	Parasitic diseases M												
	Parasitic diseases F	1			1			1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	13		1	1			2	1			1	1
	Other poisons F	6							1			1	
37	Inanition M	14	13	1				14					
	Inanition F	14	14					14					
38	General diseases—C	542	364	8	1	2		375				1	
39	Males	287	196	6		1		203				1	
40	Females	255	168	2	1	1		172					
41	Old age M	77											
	Old age F	77											
42	Premature birth M	83	83					83					
	Premature birth F	64	64					64					
43	Malformation M	8	8					8					
	Malformation F	7	7					7					
44	Debility and atrophy M	112	98	6		1		105				1	
	Debility and atrophy F	101	91	2	1	1		95					
45	Others of this group M	7	7					7					
	Others of this group F	6	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
267	244	275	254	310	356	349	348	313	238	185	83	24	21	7	1
149	125	130	129	174	203	178	197	156	117	82	40	7	6	7	2
118	119	145	125	136	153	171	151	157	121	103	43	17	15		3
	1	1		3	1	1	1		1						4
				2			1								5
	1	1		1	1	1			1						6
42	28	22	21	33	37	31	28	32	24	25	4		2	1	7
27	11	12	12	21	16	13	12	12	7	9	1		1	1	8
15	12	10	9	12	21	18	16	20	17	16	3		1		9
1	1														10
															11
1															12
1										1					
															13
1		1	2	1	1	4	1	3			1				14
1	1	1	1	1	1	2	2		2		2		1		
2		2	1	6	4	4	4	3	2	4					15
2	2	2	3	7	8	5	8	8	7	8	1				
18	9	6	3	7	3	1		1	1					1	16
7	4	5	1	1	3	2		1							
1															17
					1	2		1							
		2		1			1	1							18
1				3	3	3	3	2	2	3					19
					3	1	1	3		5					
2	1	1	1	2						2			1		20
1			2	1		3	2	4							
			2		3	1	1	1	2						21
	2	1	2	1	4	2		3	7	1					
															22
															23
1			1												24
									1						
															25
		1													
	1				1										26
					1	1									
			1	1	1		1	1							27
2	2														
															28
			1				1								29
				1			3			1					
2	4	1	2	6	6	3	2		2	1					30
1	4	1	1	5	6	3	2		1						31
1			1	1					1	1					32
1	3	1		4	4	1	2								33
									1						
															34
															35
	1		1	1	2	2			1						36
1			1	1						1					
															37
			1	1	3	2	11	21	27	48	25	16	10	1	38
			1		1	1	6	14	15	24	13	4	3	1	39
				1	2	1	5	7	12	24	12	12	7		40
						1	6	13	13	24	12	4	3	1	41
						1	5	7	11	23	11	12	7		
															42
															43
			1		1			1	2		1				44
				1	2				1	1	1				
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,219	46	31	20	12	7	116	18	26	80	157	131
2	Males		590	25	17	11	6	4	63	10	12	29	79	59
3	Females		629	21	14	9	6	3	53	8	14	51	78	72
4	Anemia	M	8		1		1		2			1	1	
		F	6							1	1		2	
5	Diabetes	M	8								1			
		F	7											
6	Rheumatism	M	12							1		2	1	
		F	16									2		
7	Scrofula and tabes	M	7				1		1				1	
		F	7	1					1			2		
8	Hydrocephalus	M	24	5	7	2	1	1	16	1	3		4	
		F	15	5	1	2	2	1	11			2	1	
9	Tuberculosis, general	M	12	2					2			1	2	
		F	8	2					2		1	1	1	1
10	Consumption	M	441	18	8	7	3	3	39	8	8	25	67	57
		F	410	12	13	7	3	2	37	7	12	44	74	66
11	Cancer	M	62										2	1
		F	138											4
12	Tumor	M	6											1
		F	10				1		1					1
13	Dropsy	M	5											
		F	7											
14	Others of this group	M	5		1	2			3				1	
		F	3	1					1					
15	2. Diseases of the nervous system		786	170	21	5	8	3	207	9	11	8	9	23
16	Males		446	99	9	4	3	1	116	5	6	5	7	16
17	Females		340	71	12	1	5	2	91	4	5	3	2	7
18	Inflammation of the brain	M	3	1					1					1
		F	1											
19	Meningitis	M	47	15	4	3	3		25	3	5	2	2	1
		F	41	13	5		3	1	22	4	3		1	1
20	Apoplexy	M	163									2		6
		F	120	2	1				3					1
21	Paralysis	M	28								1		1	1
		F	33										1	
22	Paralysis, general (of insane)	M	8											1
		F	3											1
23	Tetanus and trismus nascentium	M	8	7					7					
		F	4	4					4					
24	Chorea	M	2									1		
		F												
25	Epilepsy	M	8											2
		F	10									1		1
26	Convulsions	M	74	67	2				69					
		F	60	47	6	1	2		56			1		
27	Mental diseases	M	25										1	2
		F	12											
28	Diseases of the brain	M	70	9	3	1		1	14	2			3	2
		F	32	5				1	6		2			1
29	Diseases of the spinal cord	M	5											
		F	6									1		1
30	Locomotor ataxia	M	3											
		F	2											
31	Others of this class	M	2											
		F	7											1
32	3. Diseases of the circulatory system		604	7	1	2			10	5	10	5	19	12
33	Males		314	3	1				4	3	5		6	6
34	Females		290	4		2			6	2	5	5	13	6
35	Pericarditis	M	4							1				
		F	3										1	
36	Diseases of the heart	M	288	3	1				4	2	5		6	6
		F	269	1		2			3	2	5	5	12	6
37	Angina pectoris	M	8											
		F	10											
38	Diseases of the arteries	M	7											
		F												
39	Aneurism	M	5											
		F												
40	Embolism	M	2											
		F	5	1					1					
41	Others of this class	M												
		F	3	2					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
110	80	83	86	68	75	61	60	26	24	13	3	1		1	1
55	43	33	43	33	37	25	33	14	12	6	2	1		1	2
55	37	50	43	35	38	36	27	12	12	7	1				3
1			2		1										4
		1			1										
					1	3	2		1						5
				2	2		1		1	1					
1			1		2		1		3						6
1	1	1	1	3		1	5		1	2					
1		1			1	1	1								7
	2			2											
															8
				1											
1	1	2		2					1						9
		2													
49	41	28	31	23	20	14	16	8	1	2	2	1		1	10
47	25	28	21	10	9	11	11	4	3	1					
2	1	1	7	7	10	6	13	5	5	2					11
5	8	17	21	16	23	22	9	7	3	2	1				
		1	1		1	1		1							12
1		1		1	2			1	2						
			1		1				1	2					13
	1				1	1	1		2	1					
				1											14
1						1									
13	25	32	28	51	77	66	68	64	45	32	12	1	5		15
9	12	16	16	30	56	35	42	33	23	13	8	1	2		16
4	13	16	12	21	21	31	26	31	22	19	9		3		17
	1														18
	1														
2	2			2	1	2									19
1	1	2	2	1	1				1				1		
1	4	9	8	18	32	17	26	19	13	7		1			20
	3	9	4	10	14	21	16	19	14	8	6		1		
	1			1	3	2	5	7	2	1	1		2		21
2			2	3	4	3	6	4	2	4	2				
1	1	1		1	1			2							22
				2											
1															23
				1											24
		1		1	3	1									25
	3			2		2				1					
		2	1				1	1							26
		1			1				1						
2	2		3	1	4	4	2	2	1		1				27
1		2	1	1			2	3		2					
2	1	3	2	4	9	8	5	2	7	5	1				28
	2		2	1	1	4	2	3	3	3	1		1		
				1	2	1	1								29
		1				1		1	1						
			1		1		1								30
	1		1												
			1				1								31
	2	1		1				1		1					
19	34	38	36	53	58	66	83	79	40	23	10	2	2		32
13	16	21	15	34	33	39	45	35	23	12	4				33
6	18	17	21	19	25	27	38	44	17	11	6	2	2		34
	2							1							35
		1	1												
11	13	16	15	32	32	34	43	32	23	10	4				36
4	17	16	19	15	23	26	36	43	16	11	6	2	2		
	1					5	1	1							37
	1		1	3	2	1	1		1						
		2		1	1		1	1		1					38
1		3		1											39
1										1					40
2							1	1							
															41
				1											

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		800	217	72	30	19	10	348	20	18	14	31	26
2	Males		388	122	33	13	6	5	179	11	4	5	19	16
3	Females		412	95	39	17	13	5	169	9	9	9	12	10
4	Croup	M	9	2	1	2	2	1	8				1	
		F	8		2		2	3	7	1				
5	Pneumonia	M	255	73	20	7	3	2	105	6	3	3	14	15
		F	263	64	26	12	8	2	112	5	5	8	9	7
6	Laryngitis	M	2	1					1	1				
		F	3			1	1		2	1				
7	Bronchitis	M	62	27	11	4	1		43	1			2	
		F	79	23	9	3	2		37	1		1	2	
8	Pleurisy	M	10							3		2		
		F	8											1
9	Asthma	M	2											
		F	3										1	
10	Others of this class	M	48	19	1			2	22		1		2	1
		F	48	8	2	1			11	1	4			2
11	5. Diseases of the digestive system		330	57	18	6	1	2	84	9	8	14	18	25
12	Males		164	30	6	3	1		40	6	3	4	8	14
13	Females		166	27	12	3		2	44	3	5	10	10	11
14	Dentition	M	8	4	3	1			8					
		F	17	8	9				17					
15	Angina	M												
		F	1											
16	Gastritis	M	25	2	1		1		4	2				1
		F	30	4	3				7			1		1
17	Diseases of the stomach	M	13	2					2					1
		F	12							1				3
18	Obstruction of the bowels	M	10	2					2	1			1	1
		F	17	2		1		1	4				1	2
19	Appendicitis	M	16							1	2		2	2
		F	9							1		4	1	
20	Hernia	M	8	2					2					1
		F	2											
21	Other diseases of the bowels	M	1									1		
		F	2	1					1					
22	Jaundice	M	9	6					6					1
		F	3	3					3					
23	Inflammation and abscess of the liver.	M	12									1		1
		F	6			1		1	2					
24	Other diseases of the liver	M	28	1	1				2	1		1	1	3
		F	10								1		2	
25	Peritonitis	M	15			2			2	1	1	1	4	2
		F	35			1			1	1	4	4	6	4
26	Ascites	M	1											1
		F	1											1
27	Others of this class	M	18	11	1				12					
		F	21	9					9			1		
28	6. Diseases of the urinary system and male organs of generation.		348	6	3		4	1	14	6	5	7	15	15
29	Males		202	1	1		2	1	5	3	1	3	2	11
30	Females		146	5	2		2		9	3	4	4	13	4
31	Bright's disease	M	160							2		3	2	8
		F	115							3	3	2	9	2
32	Calculus, urinary	M	1								1			
		F	2	1					1					
33	Diseases of the kidney	M	11	1	1		2	1	5	1				
		F	13	4	2		2		8			1		1
34	Diseases of the bladder	M	15											1
		F	4											
35	Others of this class	M	15											2
		F	12								1	1	4	1
36	7. Diseases of the female organs of generation.		39									1	8	11
37	Ovarian tumors		7										1	3
38	Ovarian diseases		2										1	1
39	Diseases of the tubes		10									1	2	3
40	Uterine tumors		8											
41	Uterine diseases		1										1	
42	Others of this class		11										3	4

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
24	18	24	23	28	34	52	33	34	33	25	16	2	2		1
12	11	13	10	17	17	18	16	13	9	8	10				2
12	7	11	13	11	17	34	17	21	24	17	6	2	2		3
															4
8	10	11	9	11	11	11	12	10	4	6	6				5
6	5	9	9	10	12	19	12	11	12	11			1		
															6
1			1	5	1	1		2	3	1	1				7
2	1		2		1	7	3	7	6	4	4	1			
1					2	1					1				8
1	1	1			1	2					1				
					1		1								9
				1			1								
2	1	2		1	2	5	3	1	2	1	2				10
3		1	2		3	6	1	3	6	2	1	1	1		
14	14	20	16	18	18	22	19	18	8	1	2	2			11
7	8	13	7	7	9	13	9	10	4		1	1			12
7	6	7	9	11	9	9	10	8	4	1	1	1			13
															14
															15
							1								
1		2	2	2	3	4		2	1			1			16
1	5	2	2	1	3	4	3								
	1	1		1	2	2	2	1							17
		2		2	1	1		1	1						
					1	2	1	1							18
1			2	1	1	1		1	2	1					
2	3	2		1			1								19
			1		2										
					1		1	1	1		1				20
				1				1							
															21
						1									
					1	1									22
4		2	1	2		1									23
	1		1	1				1							
	2	3	4		1	2	2	5	1						24
			2	2	1			1			1				
		3		1											25
5		2		1		2	4	1							
															26
	2					1	2		1						27
		1	1	2	1		2	2	1			1			
13	19	29	26	31	35	31	32	25	23	13	9				28
9	8	11	15	18	19	23	23	18	19	8	6				29
4	11	18	11	13	16	8	9	7	4	5	3				30
8	7	10	12	18	16	19	17	12	15	7	4				31
3	11	16	9	12	15	6	7	6	4	4	3				
															32
						1									
	1		1				1	2							33
		1		1			1								
		1	1			1	4	2	3		2				34
			1				1	1		1					
1			1		3	3	1	2	1	1					35
1		1	1		1	1									
4	1	6	3	3		1		1							36
		2	1												37
															38
3	1														39
1		2	2	2				1							40
															41
		2		1		1									42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		48								1	3	12	9
2	Abortion		7										3	1
3	Childbirth		13									2	2	3
4	Puerperal septicæmia		14								1	1	5	3
5	Extra-uterine pregnancy		3										1	
6	Others of this class		6										1	2
7	9. Diseases of the bones and joints		17							1	2		1	1
8	Males		8								1		1	1
9	Females		9							1	1			
10	Diseases of the spine	M	2								1		1	
		F	1								1			
11	Abscess, lumbar and psoas	M	1											
		F	3							1				
12	Diseases of the bones	M	4											1
		F	1											
13	Diseases of the hip-joint	M												
		F	1											
14	Others of this class	M	1											
		F	3											
15	10. Diseases of the skin		9	1					1					
16	Males		4											
17	Females		5	1					1					
18	Abscess	M	1											
		F	1	1					1					
19	Carbuncle	M	3											
		F	1											
20	Others of this class	M												
		F	3											
21	11. Diseases of the absorbent system		4	2					2					1
22	Males		2	1					1					
23	Females		2	1					1					1
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M												
		F												
26	Others of this class	M	2	1					1					
		F	2	1					1					1
27	12. Accidents and injuries		259	23	6	6	7	5	47	12	8	12	30	22
28	Males		179	11	5	5	1	1	23	9	5	10	26	20
29	Females		80	12	1	1	6	4	24	3	3	2	4	2
30	Burns and scalds	M	11	1	3	4			8	2			1	
		F	24		1	1	5	4	11	2	1	1		1
31	Drowning	M	29							3	2	4	9	5
		F	1											
32	Exposure and neglect	M	1	1					1					
		F												
33	Gunshot wounds	M	10										4	1
		F	2											
34	Homicide	M	8										3	3
		F	6				1		1		1			
35	Infanticide	M												
		F	1	1					1					
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	23				1		1	1	1	2	4	3
		F	2											
38	Suffocation	M	5	3	1				4					
		F	7	6					6	1				
39	Suicide by shooting	M	5											
		F	1											
40	Suicide by drowning	M												
		F												
41	Suicide by poison	M	3										1	
		F	5								1	1	2	1
42	Other suicides	M	7											1
		F	7										1	
43	Sunstroke	M	7	2					2					
		F	2											
44	Surgical operations	M												
		F	2										1	
45	Wounds	M	4										1	1
		F												
46	Others of this class	M	66	4	1	1		1	7	3	2	4	3	6
		F	20	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	9	2													1
1	2														2
4	2														3
2	1	1													4
	2														5
	2	1													6
1		2	1	1	2			1	3	1					7
1		1	1		2										8
		1		1				1	3	1					9
															10
					1										11
		1		1											
1		1			1										12
									1						
										1					13
			1												14
								1	2						
		1		1	2	1	1	1	1						15
		1		1	1			1							16
					1	1	1		1						17
		1													18
				1	1			1							19
									1						
					1	1	1								20
							1								21
							1								22
															23
															24
															25
							1								26
18	16	14	11	13	8	12	9	11	7	3	2			4	27
15	12	8	8	6	6	8	7	6	4	2				4	28
3	4	6	3	7	2	4	2	5	3	1	2				29
1		1	1		2	1		1	1						30
2		2		1										1	31
			1												32
1						1								3	33
		1		1											
	1		1												34
	2	1		1											
															35
															36
2	3		2			2		2							37
				1				1							
							1								38
	1	3			1										39
				1											
															40
					1		1								41
3		1				1				1					42
1	1	2	1	1											
	1	1	2		1										43
								1	1						
															44
1															
2															45
5	6	1	3	5	3	4	5	4	4	1					46
	1	1		2		3	2	2	1	1	2				

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	12,148	1,946	408	187	125	88	2,754	265	162	364	445	439
2	Males	6,292	1,085	215	93	70	41	1,504	138	80	186	209	200
3	Females	5,856	861	193	94	55	47	1,250	127	82	178	236	239
4	Unknown cause	220	103	6	5	2	1	117	4	2	10	2	5
5	Males	131	59	3	3	1	1	67	2	2	8	1	3
6	Females	89	44	3	2	1		50	2		2	1	2
7	1. General diseases. General diseases—A	1,788	659	142	65	52	36	954	87	39	56	59	46
8	Males	973	362	76	33	33	21	525	50	17	34	34	32
9	Females	815	297	66	32	19	15	429	37	22	22	25	14
10	Measles M	23	9	6	2	1	1	19	2		1		1
	Measles F	27	5	9	2		1	17	1	3	1	1	
11	Scarlet fever M	37	5	3	1	8	5	22	10	1	2		
	Scarlet fever F	17	1	3	3	1	1	9	7	1			
12	Diphtheria M	55	4	8	8	8	9	37	13	2	3		
	Diphtheria F	48	2	8	11	5	2	28	10	6	1	2	
13	Whooping cough M	47	32	5	4	3		44					
	Whooping cough F	50	30	8	3	4	2	47	3				
14	Malarial fever M	11	1					1			1		
	Malarial fever F	5										1	
15	Influenza M	116	14	5	3	1	1	24	3	1	1	3	
	Influenza F	129	13	2	1	1	1	18	2	1	2	1	
16	Typhoid fever M	128	1			1	1	3	9	7	20	21	26
	Typhoid fever F	72		1		1	1	3		9	11	10	7
17	Cholera morbus M	33	7	8	1	2		18	4	2			
	Cholera morbus F	18	4		2			6	3	1		1	
18	Colitis M	5	3					3					
	Colitis F	9	4	1				5				1	
19	Diarrhea M	44	16	1				17	3	2		1	
	Diarrhea F	31	10	2			1	13	2	1			
20	Dysentery M	32	13	4	1	3	1	22		1			1
	Dysentery F	42	14	9	3		1	27	3				1
21	Enteritis M	67	35	9	2	1	1	48	3		1	1	1
	Enteritis F	70	37	5	1			43	1		1	1	1
22	Cholera infantum M	246	211	23	7	3	1	245					
	Cholera infantum F	194	165	16	4	5	3	193					
23	Fever M	1									1		
	Fever F	2	2					2					
24	Cerebro-spinal fever M	25	7	4	2		1	14	1		1	2	
	Cerebro-spinal fever F	19	2	1	2	2	1	8	4		3	1	1
25	Smallpox M	5									1		
	Smallpox F												
26	Erysipelas M	16	1			2		3					
	Erysipelas F	10	4					4			1		
27	Septicemia M	43	2		2			4	1	1	2	2	2
	Septicemia F	42		1			1	2	1		1	6	4
28	Venereal diseases M	1											1
	Venereal diseases F	2									1		
29	Others of this group M	38	1					1	1			1	
	Others of this group F	28	4					4					
30	General diseases—B	118	57	4	1	2	1	65	2			3	4
31	Males	71	32	3			1	36				2	1
32	Females	47	25	1	1	2		29	2			1	3
33	Alcoholism M	12										1	
	Alcoholism F	3											
34	Parasitic diseases M												
	Parasitic diseases F	1				1		1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	17		2				2				1	1
	Other poisons F	7			1	1		2	2			1	2
37	Inanition M	42	32	1			1	34					
	Inanition F	36	25	1				26					1
38	General diseases—C	1,097	361	10	2			373			1	1	1
39	Males	556	198	6	1			205			1		1
40	Females	541	163	4	1			168				1	
41	Old age M	313											
	Old age F	340											
42	Premature birth M	104	104					104					
	Premature birth F	94	94					94					
43	Malformation M	12	12					12					
	Malformation F	10	10					10					
44	Debility and atrophy M	118	73	6	1			80			1		1
	Debility and atrophy F	89	51	4	1			56				1	
45	Others of this group M	9	9					9					
	Others of this group F	8	8					8					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
393	374	403	412	443	610	736	890	924	929	824	487	192	57	45	1
172	183	192	183	219	318	393	493	500	504	438	264	75	19	22	2
221	191	211	229	224	292	343	397	424	425	386	223	117	38	23	3
4	3	6	6	6	7	8	4	11	5	6	5	3		6	4
3	1	4	2	5	4	8	2	6	3	3	1	2		4	5
1	2	2	4	1	3		2	5	2	3	4	1		2	6
23	29	29	38	19	36	33	67	56	63	77	46	22	3	6	7
12	15	13	23	11	22	14	39	27	27	38	26	10	1	3	8
11	14	16	15	8	14	19	28	29	36	39	20	12	2	3	9
		1	2				1								10
	1										1				11
									1						12
		1	1					1							13
				1	2	2	2	2							14
		2							2						
1	2		2	1	5	2	10	10	13	18	15	4	1		15
	5	2	2	2	3	7	11	17	15	20	9	10	1	1	
5	7	7	6	4	3	2	3	1	1						16
5	5	3	5	2	4	1	3		2		1			1	
	1		3		1			2		2					17
						1	1	1	1	3					
				1			1								18
						1			1			1			
			1		2	2	5	2	3	3	1	2			19
				1	1	2	3	1	2	3	1	1			
		1				1			2	1		2		1	20
		1	1			1	1	2	1	2	2				
			1	1	2	1	4	1		2	1				21
1	1	2	2		2	1	3	3	5	1	2				
														1	22
														1	
															23
1		2	2		2										24
		1	1												
1			2	1											25
1		1	1	1	2	1	1		2	1	2				26
					1	1				2			1		
2	4	1	3	1	2	3	7	3	2	2	1				27
5	3	2	2	2	3	3	1	2		2	3				
															28
		1													
1			1		1		6	5	4	9	5	2		1	29
		1		1		1	4	3	6	6	2				
6	2	5	2		8	2	4	5	4	3	2			1	30
6	2	4	2		6	2	3		4	2	1				31
		1			2		1	5		1	1			1	32
1	2	2	2		2	1	1								33
					1			1						1	
															34
															35
5		1			1		2		3		1				36
		1			3	1			1	2					37
		1			1		1	4		1	1				
3	1	1		5	5	5	13	46	109	219	181	89	40	4	38
				3	2	2	9	24	57	105	97	33	16	1	39
3	1	1		2	3	3	4	22	52	114	84	56	24	3	40
						1	3	19	51	99	94	30	16		41
						1	3	21	49	107	81	55	23		
															42
															43
				3	2	1	6	5	6	6	3	3		1	44
3	1	1		2	3	2	1	1	3	7	8	1	1	3	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		2,193	83	28	10	8	10	139	28	39	141	187	191
2	Males		965	43	16	5	2	3	69	14	11	59	75	77
3	Females		1,228	40	12	5	6	7	70	14	28	82	112	114
4	Anemia	M	24	7					7			1	2	
		F	33	7					7	1		2	1	3
5	Diabetes	M	50							2	2	5	1	3
		F	49					1	1		3		3	3
6	Rheumatism	M	20	1					1		1			1
		F	14	1					1					
7	Scrofula and tabes	M	21	10	2				12					1
		F	25	5					5		1	6		2
8	Hydrocephalus	M	35	10	7	3	1	1	22	5	3	1		1
		F	43	18	7	2		4	31	2	2	2	1	2
9	Tuberculosis, general	M	25		1				1	1	2	2	1	6
		F	17				1		1	1	2	3	1	1
10	Consumption	M	524	10	5	1	1		17	5	3	49	70	62
		F	621	6	4	3	4	2	19	8	18	66	102	96
11	Cancer	M	219	1				1	2	1			1	2
		F	362				1		1			2	1	6
12	Tumor	M	8			1			1			1		
		F	25	2					2	1		1	1	1
13	Dropsy	M	33	1	1				2					
		F	35		1				1	1	2		1	
14	Others of this group	M	6	3				1	4					1
		F	4	1					1				1	
15	2. Diseases of the nervous system		1,827	219	67	32	15	14	347	33	18	21	29	37
16	Males		939	131	34	17	8	7	197	18	10	11	14	17
17	Females		888	88	33	15	7	7	150	15	8	10	15	20
18	Inflammation of the brain	M	27	5	2	2	1	2	12	1	1	1	1	1
		F	11	3	2				5	2		1		2
19	Meningitis	M	146	62	15	8	4	2	91	13	5	7	4	6
		F	130	41	17	12	6	6	82	12	4	5	5	4
20	Apoplexy	M	289	4	1		1		6			1		4
		F	313	3	3				6			1	1	4
21	Paralysis	M	182	2	1	1		1	5	1				
		F	176	2					2		1	1		3
22	Paralysis, general (of insane)	M	18											
		F	5											
23	Tetanus and trismus nascentium	M	8	1	1			1	3				1	1
		F	1											
24	Chorea	M												
		F	1					1	1					
25	Epilepsy	M	17	1					1			1		1
		F	9	1	1				2	1			1	1
26	Convulsions	M	67	47	10	6	1		64	1	1			
		F	48	29	9	1			39			1	1	1
27	Mental diseases	M	53							1		1	7	1
		F	78										4	2
28	Diseases of the brain	M	96	9	4		1	1	15	1	2		1	3
		F	77	9	1	2	1		13		3	1	2	1
29	Diseases of the spinal cord	M	13								1			
		F	12										1	
30	Locomotor ataxia	M	8											
		F	4											
31	Others of this class	M	15											
		F	23											2
32	3. Diseases of the circulatory system		1,267	52	1	1	1	2	57	10	9	17	20	5
33	Males		708	32	1	1		1	35	5	4	7	5	1
34	Females		559	20			1	1	22	5	5	10	15	4
35	Pericarditis	M	9							1		1		
		F	6				1		1				1	
36	Diseases of the heart	M	625	20	1	1		1	23	4	4	6	4	
		F	503	15				1	16	5	5	9	13	4
37	Angina pectoris	M	45											1
		F	35											
38	Diseases of the arteries	M	5											
		F	5											
39	Aneurism	M	5										1	
		F	1									1		
40	Embolism	M	6											
		F	4										1	
41	Others of this class	M	13	12					12					
		F	5	5					5					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
165	120	123	140	131	152	148	152	125	108	62	28	6		8	1
62	58	54	52	50	55	72	80	70	56	34	13	1		3	2
103	62	69	88	81	97	76	72	55	52	28	15	5		5	3
		1	2	2	1	3	2		1	2					4
2	1		4		2	2	3	2	1	1		1			
4	4	4	2	1	2	7	6	3	3	1					5
1	1		4	7	5	4	7	5	4	1					
	1	2			2	2	3	1	3	2	1				6
				2	1	1	3	1	3	1	1				
1	1		1				2	1		1				1	7
3	1	2	1	1					1	1				1	
	1		1					1							8
2	1														
1		3	1	2	1		1	2		1					9
1		1	4		1						1				
54	47	31	36	29	23	32	24	16	13	8	3			2	10
83	44	35	32	26	24	12	17	17	12	5	2	1		2	
1	4	12	8	13	22	25	35	38	34	13	7	1			11
8	14	25	39	40	57	51	39	27	25	16	9	2			
				1	3			1			1				12
1		2	3	3	4	2			3	1					
1		1	1	2	1	3	6	7	2	6	1				13
1		4	1	2	3	3	3	3	3	2	2	1		2	
							1								14
1						1									
36	49	36	61	80	101	152	188	207	199	151	46	22	6	5	15
15	26	15	28	38	58	84	78	109	99	87	28	10		2	16
21	23	21	33	42	43	68	110	98	100	67	23	12	6	3	17
1		1	1	1	1	2				2	1				18
					1										
2			2	3	3	1	2	3	3					1	19
4	1	3		4	1	1	2	1				1			
3	10	2	10	15	31	39	31	44	44	36	9	3		1	20
4	3	5	8	18	18	36	53	52	45	31	17	6	2	3	
1	2	3	6	5	9	20	16	36	33	35	7	3			21
2	4	2	10	6	8	21	29	26	31	18	5	4	3		
	3	1	2	2	3	1	1	1	1	1	1	1			22
						1	1	1		2					
					2			1							23
									1						
															24
1	3	2		2		2	1		2			1			25
		1					2	1							
								1							26
2				1			3								
5	4	2	3	3	2	2	6	7	4	4	1				27
3	9	7	10	8	4	3	8	6	8	6					
2	2	2	1	5	4	12	11	11	10	8	4	2			28
2	2	1	2	4	5	5	7	6	13	8		1	1		
	1	1		2	1	2	4			1					29
1		2	1		3		3			1					
			2			1	2	3							30
	1				1			1	1						
	1	1	1		2	2	4	2	2						31
3	3		2	1	2	1	2	4	1	1	1				
21	33	38	35	61	105	153	175	177	169	104	59	16	2	1	32
11	14	15	14	34	66	92	110	99	91	62	38	5			33
10	19	23	21	27	39	61	65	78	78	42	21	11	2	1	34
	1						2	2	1	1					35
			1				1	1			1				
10	12	13	14	30	61	83	93	89	84	54	36	5			36
8	15	22	13	21	35	58	58	72	77	32	19	10	2	1	
1	1	1		2	4	7	11	5	5	6	1				37
1	4	1	2	1	4	2	5	5	1	9					
								3	1		1				38
				1		1				1	1	1			
				1	1	2									39
				1			4			1					40
1				1			1								
		1													41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	1,604	290	125	54	31	15	515	50	15	36	38	28
2	Males	800	149	66	23	16	5	259	21	8	15	26	12
3	Females	804	141	59	31	15	10	256	29	7	21	12	16
4	Croup M	29	3	7	9	4		23	6				
	Croup F	36	6	9	5	4	6	30	6				
5	Pneumonia M	580	89	43	7	10	2	151	12	7	14	22	12
	Pneumonia F	559	85	32	18	10	1	146	16	6	19	8	12
6	Laryngitis M	3	1		2			3					
	Laryngitis F	6	1	2			1	4	1				1
7	Bronchitis M	110	39	14	5	2	2	62	3	1			
	Bronchitis F	118	34	13	6	1	1	55	1		1	1	2
8	Pleurisy M	11										1	
	Pleurisy F	16							2		1	2	
9	Asthma M	11	1					1				1	
	Asthma F	9	4					4					
10	Others of this class M	56	16	2			1	19			1	2	
	Others of this class F	60	11	3	2		1	17	3	1		1	1
11	5. Diseases of the digestive system	588	74	14	6	1	6	101	18	12	19	22	29
12	Males	281	43	4	4	1	1	53	7	6	10	11	8
13	Females	307	31	10	2		5	48	11	6	9	11	21
14	Dentition M	2	2					2					
	Dentition F												
15	Angina M	3		1		1		2	1				
	Angina F	5		1			1	2	1				1
16	Gastritis M	37	7					7					1
	Gastritis F	52	5	1				6				2	3
17	Diseases of the stomach M	24	3					3	1		1		
	Diseases of the stomach F	15	1					1		1		2	1
18	Obstruction of the bowels M	27	2					2	1	1	1		1
	Obstruction of the bowels F	25	3	1			1	5	2	1			1
19	Appendicitis M	20								3	4	3	2
	Appendicitis F	25	1				2	3	2	1	3		5
20	Hernia M	13	1					1					
	Hernia F	12					1	1	2				
21	Other diseases of the bowels M	13	5	2				7			1	1	
	Other diseases of the bowels F	4	2					2					
22	Jaundice M	13	8		1			9					
	Jaundice F	11	3					3		1			
23	Inflammation and abscess of the liver. M	13	2					2					
	Inflammation and abscess of the liver. F	18		1	1			2	1				
24	Other diseases of the liver M	49			1			1		1			1
	Other diseases of the liver F	28			1			1	1				
25	Peritonitis M	35	1	1				2	4	1	3	7	3
	Peritonitis F	72	2	4				6	1	2	5	7	10
26	Ascites M	1											
	Ascites F	8									1		
27	Others of this class M	26	12		2		1	15					
	Others of this class F	32	14	2				16	1				
28	6. Diseases of the urinary system and male organs of generation.	704	9	1	4	3		17	9	4	11	13	17
29	Males	437	8	1	2	2		13	2	2	7	3	7
30	Females	267	1		2	1		4	7	2	4	10	10
31	Bright's disease M	284							2	2	6	8	7
	Bright's disease F	202							6	2	3	5	6
32	Calculus, urinary M	4											
	Calculus, urinary F	1										1	
33	Diseases of the kidney M	33	7		1	2		10					
	Diseases of the kidney F	13			1	1		2					
34	Diseases of the bladder M	48											
	Diseases of the bladder F	7										1	1
35	Others of this class M	68	1	1	1			3			1		
	Others of this class F	44	1		1			2	1		1	3	3
36	7. Diseases of the female organs of generation	31									1	4	4
37	Ovarian tumors	9										1	
38	Ovarian diseases	2										1	
39	Diseases of the tubes												
40	Uterine tumors	8											1
41	Uterine diseases	3									1	1	
42	Others of this class	9										1	3

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
38	48	49	42	39	74	94	89	138	118	110	63	12	4	4	1
22	25	29	22	16	36	45	53	63	65	53	21	2	2	2	2
16	23	20	20	23	38	49	36	75	53	57	39	10	2	2	3
															4
19	22	25	17	14	32	36	39	50	48	39	19	1	1		5
9	17	19	16	15	33	40	29	58	38	45	26	6	1		
															6
		1			1	2	4	8	11	9	4	1	1	2	7
4		1	2	3	3	5	2	9	9	6	11	2	1		
			2	2	2		1	1		2					8
1	1			3	1			1	2	2					
			1			3	5								9
						1		1	1	1	1				
3	3	3	2		1	4	4	4	6	3	1				10
2	5		2	2	1	3	5	6	3	3	1	2		2	
15	19	27	26	28	31	45	72	45	38	26	11	3		1	11
8	7	11	11	14	15	20	38	19	17	16	8	2			12
7	12	16	15	14	16	25	34	26	21	10	3	1		1	13
															14
															15
							1								
2	1	1	1	1		2	6	6	5	2	1	1			16
	1	5	1	2	4	3	7	8	6	3	1				
	1	1	1		3	3	5	1	2	1	1				17
	1			1		1	2	2	2	1					
2		1		5	4	1	2	2	4						18
	2	2		2	2	1	1	3	1	2					
	1	2	2			1			1	1					19
1		1	1	1		1	3		2	1					
1				1	2		2			2	4				20
		1		2	2		2	1	1						
					1	1				2					21
			1					1							
					1	1	1	1							22
	1					1		2	2		1				
			2	3	1	1	3	1	2	2	1				23
	1		2	1		4	4	2		1					
	4		4	3	2	7	13	7	2	3	1				24
	2		1		4	5	6	4	3	1					
2		5	1	1	1	2	2			1					25
6	3	6	7	3	2	6	4	1	1			1		1	
										1					26
			1		1	2	2	1							
1		1				1	4	1	1	1		1			27
	1	1	1	2	1	1	2	1	3	1	1				
25	22	35	32	39	62	65	88	89	84	45	33	9	1	4	28
9	4	13	12	25	37	38	58	69	67	34	27	6		4	29
16	18	22	20	14	25	27	30	20	17	11	6	3	1		30
8	2	11	8	20	28	31	44	38	46	15	9	2		2	31
13	12	16	15	11	22	20	25	15	13	11	4	2	1		
					1			1	2						32
1	1				1		3	5	5	2	5				33
2		1		1		2	2	1	2						
		1		1	1	2	9	10	8	8	5	2		1	34
					1	2		1			1				
	1	1	4	4	6	5	2	15	6	9	8	2		1	35
1	6	5	5	2	2	3	3	3	2		1	1			
3	2	1	3	3	4	2	1	1		1		1			36
1			1	1	2	2		1							37
	1														38
															39
1	1			2	2					1					40
1															41
		1	2				1					1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	88								1	8	22	19
2	Abortion	5										2	1
3	Childbirth	34									2	8	7
4	Puerperal septicemia	35								1	5	9	6
5	Extra-uterine pregnancy												
6	Others of this class	14									1	3	5
7	9. Diseases of the bones and joints	30		1	1	1	1	4	1		4	5	1
8	Males	18		1		1	1	3			3	4	1
9	Females	12			1			1	1		1	1	
10	Diseases of the spine M	7		1		1		2				2	1
	Diseases of the spine F	7			1			1					
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	5					1	1			2		
	Diseases of the bones F	4							1			1	
13	Diseases of the hip-joint M	5									1	1	
	Diseases of the hip-joint F	1									1		
14	Others of this class M	1										1	
	Others of this class F												
15	10. Diseases of the skin	22	3					3		1		2	2
16	Males	15	1					1		1		2	2
17	Females	7	2					2					
18	Abscess M	10	1					1		1		1	2
	Abscess F	5											
19	Carbuncle M	2											
	Carbuncle F												
20	Others of this class M	3										1	
	Others of this class F	2	2					2					
21	11. Diseases of the absorbent system	11											
22	Males	4											
23	Females	7											
24	Addison's disease M	3											
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F	2											
26	Others of this class M	1											
	Others of this class F	4											
27	12. Accidents and injuries	560	36	9	6	9	2	62	23	22	39	38	50
28	Males	394	27	4	4	6		41	19	19	31	32	38
29	Females	166	9	5	2	3	2	21	4	3	8	6	12
30	Burns and scalds M	17	1	1	3	2		7	2				2
	Burns and scalds F	24		3	1	3		7	2		2	2	2
31	Drowning M	95		1	1	1		3	12	12	12	11	9
	Drowning F	17			1			1	1	1	4	2	1
32	Exposure and neglect M	2											
	Exposure and neglect F	2		1				1					
33	Gunshot wounds M	17							1	1	5	2	
	Gunshot wounds F	2					1	1					1
34	Homicide M	4							1			1	1
	Homicide F	4					1	1					1
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	4									1		
	Injuries by machinery F												
37	Railroad accidents M	34								2	4	5	7
	Railroad accidents F	4											
38	Suffocation M	15	13					13					
	Suffocation F	8	3					3			1		1
39	Suicide by shooting M	17										2	2
	Suicide by shooting F												
40	Suicide by drowning M	3											
	Suicide by drowning F	5											
41	Suicide by poison M	8											1
	Suicide by poison F	8									1		2
42	Other suicides M	28										4	
	Other suicides F	6											1
43	Sunstroke M	2		1				1		1			
	Sunstroke F	2											
44	Surgical operations M	1											
	Surgical operations F	7										1	1
45	Wounds M	4										1	
	Wounds F												
46	Others of this class M	148	18	1		3		17	3	3	9	6	16
	Others of this class F	77	6	1				7	1	2		1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
20	6	10	1	1											1
2															2
6	3	8													3
9	3	1		1											4
															5
3		1	1												6
1		3	1	1		3	2	1	2			1			7
1		2		1		1			2						8
		1	1			2	2	1				1			9
						1			1						10
		1				1	2	1				1			
															11
				1					1						12
			1			1									
1		2													13
															14
1	2	2	1	2	1		2	1	2						15
	1	1	1	2	1		1	1	1						16
1	1	1					1		1						17
		1	1		1			1	1						18
1	1	1					1		1						
	1			1											19
				1			1								20
3		1			1		1	5							21
2					1			1							22
1		1					1	4							23
1					1			1							24
								1							
															25
1								1							
1															26
		1					1	2							
29	38	37	24	28	23	26	32	17	28	17	13	8	1	5	27
21	30	31	16	20	15	15	22	12	15	4	6	4		3	28
8	8	6	8	8	8	11	10	5	13	13	7	4	1	2	29
	1	1					2		2						30
3	2					1	1			1	1				
5	8	6	1	3	6	1	2	2						2	31
1	1	2	1	1			1								
								2							32
												1			
3	4			1											33
	1														34
	1	1													
															35
	1						2								36
2	4	2	1		1	4			1		1				37
							1		1	2					
	2														38
			1											2	
	1	3	2	2	2	2	1								39
					1		1	1							40
			1	1	1	1		1							
	1	1			1			2	1					1	41
	1	1			1	1			1						
2	2	3	6	5	1		3		1		1				42
1			2			1	1								
								1	1						43
						1									44
1		2	1		1										
			1						1			1			45
9	5	15	5	9	3	7	11	5	9	4	4	3			46
2	3		2	6	5	7	6	3	10	10	6	3	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	8,439	1,310	271	122	93	59	1,855	182	93	223	307	302
2	Males	4,425	748	147	57	51	26	1,029	97	51	124	148	142
3	Females	4,014	562	124	65	42	33	826	85	42	99	159	160
4	Unknown cause	119	51	5	3		1	60	1	1	1	2	3
5	Males	71	29	2	2		1	34		1	1	1	3
6	Females	48	22	3	1			26	1			1	
7	1. General diseases. General diseases—A	1,139	400	78	38	38	23	577	55	24	28	38	33
8	Males	621	226	41	19	23	12	321	31	12	18	25	23
9	Females	518	174	37	19	15	11	256	24	12	10	13	10
10	Measles M	9	4	1		1		6	1		1		1
	Measles F	8	1	5	1			7					
11	Scarlet fever M	19	2	2	1	5	2	12	4		2		
	Scarlet fever F	6		1	1			2	3	1			
12	Diphtheria M	48	3	8	6	8	8	33	12	2	1		
	Diphtheria F	38	1	7	8	4	2	22	9	4	1	1	
13	Whooping cough M	35	26	1	3	2		32					
	Whooping cough F	35	21	5	3	4	1	34	1				
14	Malarial fever M	6	1					1					
	Malarial fever F	3										1	
15	Influenza M	78	4	2	1	1		8	2			2	
	Influenza F	85	5	1				6			1	1	
16	Typhoid fever M	82					1	1	4	7	10	16	19
	Typhoid fever F	44				1	1	2		5	6	5	5
17	Cholera morbus M	17	6	1	1			8	2	1			
	Cholera morbus F	10			1			1	2	1			
18	Colitis M	3	2					2					
	Colitis F	7	3	1				4				1	
19	Diarrhea M	29	14	1				15	2	2		1	
	Diarrhea F	23	9	1			1	11	1	1			
20	Dysentery M	15	6	1		2		9					
	Dysentery F	14	2	1			1	4	2				1
21	Enteritis M	50	28	4	1	1	1	35	2		1	1	
	Enteritis F	59	33	4	1			38	1		1	1	1
22	Cholera infantum M	151	125	20	3	2		150					
	Cholera infantum F	111	92	10	2	4	3	111					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	12	4		2			6				2	
	Cerebro-spinal fever F	12			2	2	1	5	4		1		
25	Smallpox M	3									1		
	Smallpox F												
26	Erysipelas M	7				1		1					
	Erysipelas F	7	3					3					
27	Septicemia M	30	1		1			2	1		2	2	2
	Septicemia F	31		1			1	2	1			3	3
28	Venereal diseases M	1											1
	Venereal diseases F	1											
29	Others of this group M	26							1			1	
	Others of this group F	24	4					4					
30	General diseases—B	88	47	4		1	1	53	1			3	2
31	Males	55	29	3			1	33				2	
32	Females	33	18	1		1		20	1			1	2
33	Alcoholism M	10										1	
	Alcoholism F	3											
34	Parasitic diseases M												
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	9		2				2				1	
	Other poisons F	4				1		1	1			1	1
37	Inanition M	36	29	1			1	31					
	Inanition F	26	18	1				19					1
38	General diseases—C	751	264	7	1			272			1		
39	Males	384	144	4	1			149			1		
40	Females	367	120	3				123					
41	Old age M	211											
	Old age F	221											
42	Premature birth M	73	73					73					
	Premature birth F	66	66					66					
43	Malformation M	6	6					6					
	Malformation F	7	7					7					
44	Debility and atrophy M	85	56	4	1			61			1		
	Debility and atrophy F	67	41	3				44					
45	Others of this group M	9	9					9					
	Others of this group F	6	6					6					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
265	278	289	300	337	426	531	602	667	673	574	331	135	39	30	1
121	135	139	138	171	225	279	336	377	361	299	178	49	14	12	2
144	143	150	162	166	201	252	266	290	312	275	153	86	25	18	3
2	2	4	4	4	5	3	4	6	3	5	3	3		3	4
2	1	3	1	4	3	3	2	4	2	2		2		2	5
	1	1	3		2		2	2	1	3	3	1		1	6
18	20	22	25	16	28	24	45	42	40	56	31	16	1	5	7
10	12	8	14	11	14	7	29	20	15	25	16	7		3	8
8	8	14	11	5	9	17	16	22	25	31	15	9	1	2	9
		1													10
	1														11
															12
									1						
		1	1					1							13
				1	2	1	1								14
		2													
1	2		1	1	3	1	10	9	10	15	11	2			15
	3	1	1	2	2	5	6	12	12	17	7	7	1	1	
5	6	4	3	4	1		1	1							16
5	3	2	4		2	1	2				1			1	
	1		2					2		1					17
						1	1		1	3					
				1											18
						1						1			
			1		1		2	2	1	1		1			19
				1		2	1	1	1	2	1	1			
		1				1			1			2		1	20
		1	1			1		2	1	1					
			1	1	1	1	4	1		1	1				21
		2	2		1	1	1	3	5		2				
														1	22
															23
		1	2		1										24
		1	1												
1				1											25
			1	1	2					1	1				26
					1	1				2					
2	2	1	1	1	2	3	5	1		2	1				27
3	2	2	2	1	3	3	1	1		2	2				
		1													28
1			1		1		6	3	3	4	2	2		1	29
		1		1		1	4	3	4	4	2				
3	1	4	2		4		3	4	3	2	2			1	30
3	1	3	2		3		2		3	2	1				31
		1			1		1	4			1			1	32
1	1	2	2		2		1								33
					1			1						1	
															34
															35
2							1		2		1				36
		1			1				1	2					37
		1					1	3			1				
2	1	1		3	3		11	28	73	151	111	64	28	2	38
				1	1		8	17	40	72	62	21	12		39
2	1	1		2	2		3	11	33	79	49	43	16	2	40
							3	15	34	67	61	19	12		41
							2	11	30	74	47	42	15		
															42
															43
				1	1		5	2	6	5	1	2			44
2	1	1		2	2		1		3	5	2	1	1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,584	64	19	6	6	7	102	21	23	98	133	134
2	Males		696	34	9	3	1	2	49	11	10	47	53	55
3	Females		888	30	10	3	5	5	53	10	13	51	80	79
4	Anemia	M	15	7					7					
		F	20	5					5			1	1	2
5	Diabetes	M	34							1	2	4		1
		F	38								2		3	3
6	Rheumatism	M	14	1					1		1			1
		F	12	1					1					
7	Scrofula and tabes	M	16	9	2				11					
		F	15	3					3		1	4		1
8	Hydrocephalus	M	21	5	4	1	1	1	12	5	2	1		1
		F	32	14	6	1		3	24	2	1	2	1	
9	Tuberculosis, general	M	19		1				1	1	2	1	1	3
		F	10							1	1	3		1
10	Consumption	M	386	8	2	1			11	3	3	40	52	47
		F	425	5	3	2	4	2	16	6	8	40	73	70
11	Cancer	M	159	1				1	2	1				1
		F	247				1		1					1
12	Tumor	M	8			1			1			1		
		F	18	2					2	1		1		1
13	Dropsy	M	19											
		F	18		1				1				1	
14	Others of this group	M	5	3					3					1
		F	3										1	
15	2. Diseases of the nervous system		1,330	165	51	26	11	10	263	26	9	15	23	24
16	Males		696	106	26	12	6	5	155	14	4	7	11	14
17	Females		634	59	25	14	5	5	108	12	5	8	12	10
18	Inflammation of the brain	M	24	4	2	2	1	1	10	1		1	1	1
		F	8	3	2				5	2				1
19	Meningitis	M	111	51	11	5	4	2	73	10	2	5	2	5
		F	100	30	14	11	4	5	64	9	3	4	5	1
20	Apoplexy	M	224	4	1				5					3
		F	231	2	2				4			1	1	1
21	Paralysis	M	118	1		1			2	1				
		F	109	2					2			1		1
22	Paralysis, general (of insane)	M	13											
		F	3											
23	Tetanus and trismus nascentium	M	8	1	1			1	3				1	1
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	11	1					1					1
		F	7		1				1	1			1	1
26	Convulsions	M	53	37	8	4	1		50	1	1			
		F	30	19	5	1			25			1		
27	Mental diseases	M	43									1	6	
		F	67										8	2
28	Diseases of the brain	M	67	7	3			1	11	1	1		1	3
		F	48	3	1	2	1		7		2	1	1	1
29	Diseases of the spinal cord	M	10											
		F	8										1	
30	Locomotor ataxia	M	6											
		F	3											
31	Others of this class	M	8											
		F	19											2
32	3. Diseases of the circulatory system		893	29			1	1	31	8	3	15	10	5
33	Males		493	15				1	16	3	1	5	3	1
34	Females		400	14			1		15	5	2	10	7	4
35	Pericarditis	M	6									1		
		F	4				1		1					
36	Diseases of the heart	M	438	10				1	11	3	1	4	3	
		F	361	12					12	5	2	9	6	4
37	Angina pectoris	M	34											1
		F	26											
38	Diseases of the arteries	M	3											
		F	4											
39	Aneurism	M	3											
		F	1									1		
40	Embolism	M	4											
		F	2										1	
41	Others of this class	M	5	5					5					
		F	2	2					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
109	85	85	103	91	104	109	100	83	83	43	18	4		6	1
43	40	41	39	37	38	53	49	51	45	23	9	1		2	2
66	45	44	64	54	66	56	51	32	38	20	9	3		4	3
		1	1	1	1	3			1						4
1	1		3			2	2		1			1			
2	4		2	1	1	5	4	3	3	1					5
	1		3	4	3	4	7	4	3	1					
	1	2					2	1	3	2					6
				1	1	1	3	1	2	1	1				
	1		1				1			1				1	7
2	1			1						1				1	
															8
1	1														
1		3	1	1	1		1	1		1					9
			3		1										
38	30	24	28	21	17	21	19	13	11	4	3			1	10
52	31	23	23	18	19	7	12	11	8	4	2	1		1	
1	4	10	5	11	15	21	20	28	26	9	4	1			11
8	10	17	30	28	38	37	25	15	18	12	6	1			
				1	3			1			1				12
1		2		1	2	2			3	1					
1		1	1	1		3	1	4	1	5	1				13
		2	1	1	2	2	2	1	3					2	
							1								14
1						1									
27	42	26	44	62	67	114	129	154	143	105	32	16	4	5	15
13	24	9	21	31	40	61	56	84	67	61	16	6		2	16
14	18	17	23	31	27	53	73	70	76	44	16	10	4	3	17
1		1	1	1	1	2				2	1				18
2			2	3	1	1	1	1	2					1	19
3	1	2		3	1	1	1	1				1			
2	9	1	7	13	23	29	23	37	37	27	5	2		1	20
2	1	4	6	14	13	31	35	39	37	22	11	5	1	3	
1	2	1	3	4	6	14	12	25	16	25	4	2			21
	2	1	5	4	4	12	20	15	22	11	4	3	2		
	3	1	2	2	2			1			1	1			22
						1				2					
					2			1							23
									1						
															24
1	2	1		2		1	1		1						25
		1					2								
								1							26
2							2								
4	4	1	3	3	1	2	5	7	3	2	1				27
3	9	6	8	7	3	3	7	5	8	3					
2	2	2		2	2	8	8	8	7	4	4	1			28
1	2	1	2	2	2	4	4	5	7	4		1	1		
	1	1		1	1	2	3			1					29
1		2	1		1		1			1					
			2			1	1	2							30
	1				1			1							
	1		1		1	1	2	1	1						31
2	2		1	1	2	1	1	4	1	1	1				
14	27	27	25	48	72	113	112	132	131	70	38	11	1		32
7	10	11	10	24	45	67	69	80	71	42	24	4			33
7	17	16	15	21	27	46	43	52	60	28	14	7	1		34
	1							2	1	1					35
			1				1	1							
6	8	10	10	20	41	59	59	72	66	38	23	4			36
6	13	16	13	21	24	44	38	47	59	22	13	6	1		
1	1	1		2	4	6	7	5	3	3					37
1	4		1	1	3	1	4	4	1	6					
								1	1		1				38
				1		1					1	1			
				1		2									39
				1			3								40
				1											
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,168	210	90	40	26	11	377	43	11	19	30	20
2	Males		597	115	54	18	13	3	203	21	6	13	18	8
3	Females		571	95	36	22	13	8	174	22	5	6	12	12
4	Croup	M	26	2	7	7	4		20	6				
		F	29	2	8	5	4	5	24	5				
5	Pneumonia	M	429	66	37	5	8		116	12	5	12	15	8
		F	382	55	15	10	8	1	89	12	4	5	8	8
6	Laryngitis	M	3	1		2			3					
		F	4		2				2	1				1
7	Bronchitis	M	82	32	10	4	1	2	49	3	1			
		F	94	30	9	5	1	1	46	1			1	2
8	Pleurisy	M	11										1	
		F	15							2		1	2	
9	Asthma	M	5	1					1					
		F	4	2					2					
10	Others of this class	M	41	13				1	14			1	2	
		F	43	6	2	2		1	11	1	1		1	1
11	5. Diseases of the digestive system		386	45	9	2		4	60	7	7	12	12	20
12	Males		186	25	3			1	29	3	5	7	6	7
13	Females		200	20	6	2		3	31	4	2	5	6	13
14	Dentition	M	2	2					2					
		F												
15	Angina	M												
		F	3		1			1	2					1
16	Gastritis	M	26	3					3					1
		F	37	5					5				1	3
17	Diseases of the stomach	M	12							1				
		F	6											1
18	Obstruction of the bowels	M	20	2					2					1
		F	18	2	1				3	1	1			
19	Appendicitis	M	15								3	4	1	1
		F	12	1				1	2	1				2
20	Hernia	M	9	1					1					
		F	8					1	1	1				
21	Other diseases of the bowels	M	8	4	2				6			1		
		F	3	2					2					
22	Jaundice	M	10	7					7					
		F	9	2					2		1			
23	Inflammation and abscess of the liver.	M	14	2					2					
		F	16		1	1			2	1				
24	Other diseases of the liver	M	35								1			1
		F	19			1			1					
25	Peritonitis	M	27	1	1				2	2	1	2	5	3
		F	45	1	1				2			4	5	6
26	Ascites	M	1											
		F	5									1		
27	Others of this class	M	7	3				1	4					
		F	19	7	2				9					
28	6. Diseases of the urinary system and male organs of generation.		534	6	1	3	3		13	5	3	7	8	13
29	Males		332	5	1	1	2		9	2	2	4	2	6
30	Females		202	1		2	1		4	3	1	3	6	7
31	Bright's disease	M	225							2	2	3	2	6
		F	154							2	1	3	3	3
32	Calculus, urinary	M	3											
		F												
33	Diseases of the kidney	M	24	4		1	2		7					
		F	11			1	1		2					
34	Diseases of the bladder	M	33											
		F	4										1	1
35	Others of this class	M	47	1	1				2			1		
		F	33	1		1			2	1			2	3
36	7. Diseases of the female organs of generation		25										4	3
37	Ovarian tumors		6										1	
38	Ovarian diseases		2										1	
39	Diseases of the tubes													
40	Uterine tumors		7											1
41	Uterine diseases		2										1	
42	Others of this class		8										1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	40	33	29	28	52	66	60	98	91	80	52	5	3	3	1
15	22	20	18	11	24	31	38	42	47	38	19		2	1	2
13	18	13	11	17	28	35	22	56	44	42	33	5	1	2	3
															4
14	19	18	14	9	21	25	29	33	34	29	15		1		5
6	12	13	9	10	26	28	18	42	33	33	23	3			
															6
					1	1	3	5	8	6	3		1	1	7
4			1	2	1	3	2	8	7	5	9	1	1		
			2	2	2		1	1		2					8
1	1			3	1			1	1	2					
						2	2								9
						1			1						
1	3	2	2			3	3	3	5	1	1				10
2	5		1	2		3	2	5	2	2	1	1		2	
7	16	20	16	23	25	29	44	32	28	18	8	1		1	11
3	6	8	7	12	14	13	22	14	14	11	5				12
4	10	12	9	11	11	16	22	18	14	7	3	1		1	13
															14
															15
	1	1	1	1		1	5	5	5	1	1				16
	1	4	1	2	3	2	3	4	5	2	1				
	1				2	1	3		2	1	1				17
	1					1		1	1	1					
1		1		4	4	1	2	2	2						18
	1	2		2	2	1	1	3		1					
	1	1	1			1			1	1					19
		1	1	1			2		1	1					
					2		1			2	3				20
		1		1			2	1	1						
					1										21
			1												
					1		1	1							22
	1					1		1	2		1				
			2	3	1	1	2		1	2					23
	1		2	1		3	3	2		1					
	3		3	3	2	6	6	5	2	3					24
	1				3	4	4	4	2						
2		5		1	1	2	1								25
4	3	4	2	2	2	3	4	1	1			1		1	
										1					26
			1			1	1	1							
							1	1	1						27
	1		1	2	1		2		1	1	1				
19	15	29	25	34	46	52	66	69	63	32	24	9	1	1	28
7	2	11	10	21	28	33	44	53	49	22	20	6		1	29
12	13	18	15	13	18	19	22	16	14	10	4	3	1		30
6	1	9	7	16	21	26	39	30	37	10	6	2			31
9	8	14	11	10	16	16	20	11	11	10	3	2	1		
								1	2						32
1					1		2	4	3	2	4				33
2		1		1		1	1	1	2						
		1		1	1	2	3	7	5	5	5	2		1	34
					1			1							
	1	1	3	4	5	5		11	2	5	5	2			35
1	5	3	4	2	1	2	1	3	1		1	1			
3	1	1	3	2	4	1	1			1		1			36
1			1		2	1									37
	1														38
															39
1				2	2					1					40
1															41
		1	2				1					1			42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		46									3	13	10
2	Abortion		3										2	
3	Childbirth		16										3	4
4	Puerperal septicemia		19									2	6	3
5	Extra-uterine pregnancy													
6	Others of this class		8									1	2	3
7	9. Diseases of the bones and joints		22		1	1	1		3			3	4	1
8	Males		14		1		1		2			2	3	1
9	Females		8			1			1			1	1	
10	Diseases of the spine	M	5		1		1		2				1	1
		F	5			1			1					
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	4									2		
		F	2										1	
13	Diseases of the hip-joint	M	4										1	
		F	1									1		
14	Others of this class	M	1										1	
		F												
15	10. Diseases of the skin		14	2					2				1	
16	Males		9										1	
17	Females		5	2					2					
18	Abscess	M	4											
		F	3											
19	Carbuncle	M	2											
		F												
20	Others of this class	M	3										1	
		F	2	2					2					
21	11. Diseases of the absorbent system		7											
22	Males		4											
23	Females		3											
24	Addison's disease	M	3											
		F	1											
25	Diseases of the spleen	M												
		F	1											
26	Others of this class	M	1											
		F	1											
27	12. Accidents and injuries		383	27	6	2	6	1	42	15	12	21	26	34
28	Males		267	20	3	1	5		29	12	10	19	23	24
29	Females		116	7	3	1	1	1	13	3	2	2	3	10
30	Burns and scalds	M	10			1	1		2	2				
		F	15		2		1		3	2				2
31	Drowning	M	61		1		1		2	7	7	8	7	6
		F	11			1			1	1	1	1	1	1
32	Exposure and neglect	M	1											
		F												
33	Gunshot wounds	M	11								1	4	1	
		F	1											1
34	Homicide	M	2							1			1	
		F	4					1	1					1
35	Infanticide	M												
		F												
36	Injuries by machinery	M	1											
		F												
37	Railroad accidents	M	28									4	4	7
		F	3											
38	Suffocation	M	11	9					9					
		F	5	1					1			1		
39	Suicide by shooting	M	15										2	1
		F												
40	Suicide by drowning	M	2											
		F	4											
41	Suicide by poison	M	6											1
		F	2											1
42	Other suicides	M	18										2	
		F	4											1
43	Sunstroke	M	2		1				1		1			
		F	2											
44	Surgical operations	M												
		F	6										1	1
45	Wounds	M	3										1	
		F												
46	Others of this class	M	96	11	1		3		15	2	1	3	5	9
		F	59	6	1				7		1		1	2

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	5	5	1												1
1															2
1	3	5													3
6	2														4
															5
1			1												6
1		3	1	1		1	1	1	1			1			7
1		2		1		1			1						8
		1	1				1	1				1			9
						1									10
		1					1	1				1			
															11
				1					1						12
			1												
1		2													13
															14
1	1	1	1	2	1		2	1	1						15
	1	1	1	2	1		1	1							16
1							1		1						17
		1	1		1			1							18
1							1		1						
	1			1											19
				1			1								20
2					1		1	3							21
2					1			1							22
							1	2							23
1					1			1							24
								1							
															25
								1							
1															26
							1								
20	22	28	21	23	19	19	23	14	13	11	12	4	1	3	27
15	16	22	15	10	13	10	16	10	7	1	6	2		1	28
5	6	6	6	7	6	9	7	4	6	10	6	2	1	2	29
	1	1					2		2						30
2	2					1	1			1	1				
2	3	4	1	3	6	1	1	2						1	31
1		2	1	1											
								1							32
3	2														33
	1	1													34
															35
							1								36
2	3	1	1		1	4					1				37
	2						1		1	1					
			1											2	38
	1	3	1	2	2	2	1								39
							1	1							40
			1	1		1		1							
		1			1			2	1						41
		1													
	2	1	6	3	1		2				1				42
			2			1									
								1	1						43
															44
1		2			1										
			1									1			45
8	2	11	5	8	2	3	8	4	4	1	4	1			46
1	3		1	5	5	6	5	2	4	8	5	2	1		

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	3,709	636	137	65	32	20	899	83	69	141	138	137
2	Males	1,867	337	68	36	19	15	475	41	29	62	61	58
3	Females	1,842	299	69	29	13	14	424	42	40	79	77	79
4	Unknown cause	101	52	1	2	2		57	3	1	9		2
5	Males	60	30	1	1	1		33	2	1	7		
6	Females	41	22		1	1		24	1		2		2
7	1. General diseases. General diseases—A	649	259	64	27	14	13	377	32	15	28	21	13
8	Males	352	136	35	14	10	9	204	19	5	16	9	9
9	Females	297	123	29	13	4	4	173	13	10	12	12	4
10	Measles M	14	5	5	2		1	13	1				
	Measles F	19	4	4	1		1	10	1	3	1	1	
11	Scarlet fever M	18	3	1		3	3	10	6	1			
	Scarlet fever F	11	1	2	2	1	1	7	4				
12	Diphtheria M	7	1		2		1	4	1		2		
	Diphtheria F	10	1	1	3	1		6	1	2		1	
13	Whooping cough M	12	6	4	1	1		12					
	Whooping cough F	15	9	3			1	13	2				
14	Malarial fever M	5									1		
	Malarial fever F	2											
15	Influenza M	38	10	3	2		1	16	1	1	1	1	
	Influenza F	44	8	1	1	1	1	12	2	1	1		
16	Typhoid fever M	46	1			1		2	5		10	8	7
	Typhoid fever F	28		1				1		4	5	5	2
17	Cholera morbus M	16	1	7		2		10	2	1			
	Cholera morbus F	8	4		1			5	1			1	
18	Colitis M	2	1					1					
	Colitis F	2	1					1					
19	Diarrhea M	15	2					2	1				
	Diarrhea F	8	1	1				2	1				
20	Dysentery M	17	7	3	1	1	1	13		1			1
	Dysentery F	28	12	8	3			23	1				
21	Enteritis M	17	7	5	1			13	1				1
	Enteritis F	11	4	1				5					
22	Cholera infantum M	95	86	3	4	1	1	95					
	Cholera infantum F	83	73	6	2	1		82					
23	Fever M	1									1		
	Fever F	2	2					2					
24	Cerebro-spinal fever M	13	3	4			1	8	1		1		
	Cerebro-spinal fever F	7	2	1				3			2	1	1
25	Smallpox M	2											
	Smallpox F												
26	Erysipelas M	9	1			1		2					
	Erysipelas F	3	1					1			1		
27	Septicemia M	13	1		1			2		1			
	Septicemia F	11									1	3	1
28	Venereal diseases M												
	Venereal diseases F	1									1		
29	Others of this group M	12	1					1					
	Others of this group F	4											
30	General diseases—B	30	10		1	1		12	1				2
31	Males	16	3					3					1
32	Females	14	7		1	1		9	1				1
33	Alcoholism M	2											
	Alcoholism F												
34	Parasitic diseases M												
	Parasitic diseases F	1				1		1					
35	Lead poison M												
	Lead poison F												
36	Other poisons M	8											1
	Other poisons F	3			1			1	1				1
37	Inanition M	6	3					3					
	Inanition F	10	7					7					
38	General diseases—C	346	97	3	1			101				1	1
39	Males	172	54	2				56					1
40	Females	174	43	1	1			45				1	
41	Old age M	102											
	Old age F	119											
42	Premature birth M	31	31					31					
	Premature birth F	28	28					28					
43	Malformation M	6	6					6					
	Malformation F	3	3					3					
44	Debility and atrophy M	33	17	2				19					1
	Debility and atrophy F	22	10	1	1			12				1	
45	Others of this group M												
	Others of this group F	2	2					2					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
128	96	114	112	106	184	205	288	257	256	250	156	57	18	15	1
51	48	53	45	48	93	114	157	123	143	139	86	26	5	10	2
77	48	61	67	58	91	91	131	134	113	111	70	31	13	5	3
2	1	2	2	2	2	5		5	2	1	2			3	4
1		1	1	1	1	5		2	1	1	1			2	5
1	1	1	1	1	1			3	1		1			1	6
5	9	7	13	3	13	9	22	14	23	21	15	6	2	1	7
2	3	5	9		8	7	10	7	12	13	10	3	1		8
3	6	2	4	3	5	2	12	7	11	8	5	3	1	1	9
			2				1								10
											1				11
															12
															13
						1	1	2							14
									2						
			1		2	1		1	3	3	4	2	1		15
	2	1	1		1	2	5	5	3	3	2	3			
	1	3	3		2	2	2		1						16
	2	1	1	2	2		1		2						
			1		1					1					17
								1							
							1								18
									1						
					1	2	3		2	2	1	1			19
					1		2		1	1					
									1	1					20
							1			1	2				
					1					1					21
1	1				1		2			1					
															22
														1	
															23
1		1			1										24
			2												25
1		1				1	1		2		1				26
													1		
	2		2				2	2	2						27
2	1			1				1			1				
															28
								2	1	5	3				29
									2	2					
3	1	1			4	2	1	1	1	1					30
3	1	1			3	2	1		1						31
					1			1		1					32
	1					1									33
															34
															35
3		1			1		1		1						36
					2	1									37
					1			1		1					
1				2	2	5	2	18	36	68	70	25	12	2	38
				2	1	2	1	7	17	33	35	12	4	1	39
1					1	3	1	11	19	35	35	13	8	1	40
						1		4	17	32	33	11	4		41
						1	1	10	19	33	34	13	8		
															42
															43
				2	1	1	1	3		1	2	1		1	44
1					1	2		1		2	1			1	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		659	19	9	4	2	3	37	7	16	43	54	57
2	Males		269	9	7	2	1	1	20	3	1	12	22	22
3	Females		390	10	2	2	1	2	17	4	15	31	32	35
4	Anemia	M	9									1	2	
		F	13	2					2	1		1		1
5	Diabetes	M	16							1		1	1	2
		F	11					1	1		1			
6	Rheumatism	M	6											
		F	2											
7	Scrofula and tabes	M	5	1					1					1
		F	10	2					2			2		1
8	Hydrocephalus	M	14	5	3	2			10		1			
		F	11	4	1	1		1	7		1			2
9	Tuberculosis, general	M	6									1		3
		F	7				1		1		1		1	
10	Consumption	M	138	2	3		1		6	2		9	18	15
		F	196	1	1	1			3	2	10	26	29	26
11	Cancer	M	60										1	1
		F	115									2	1	5
12	Tumor	M												
		F	7										1	
13	Dropsy	M	14	1	1				2					
		F	17							1	2			
14	Others of this group	M	1					1	1					
		F	1	1					1					
15	2. Diseases of the nervous system		497	54	16	6	4	4	84	7	9	6	6	13
16	Males		243	25	8	5	2	2	42	4	6	4	3	3
17	Females		254	29	8	1	2	2	42	3	3	2	3	10
18	Inflammation of the brain	M	3	1				1	2		1			
		F	3									1		1
19	Meningitis	M	35	11	4	3			18	3	3	2	2	1
		F	30	11	3	1	2	1	18	3	1	1		3
20	Apoplexy	M	65				1		1			1		1
		F	82	1	1				2					3
21	Paralysis	M	64	1	1			1	3					
		F	67								1			2
22	Paralysis, general (of insane)	M	5											
		F	2											
23	Tetanus and trismus nascentium	M												
		F												
24	Chorea	M												
		F	1					1	1					
25	Epilepsy	M	6									1		
		F	2	1					1					
26	Convulsions	M	14	10	2	2			14					
		F	18	10	4				14				1	1
27	Mental diseases	M	10							1			1	1
		F	11										1	
28	Diseases of the brain	M	29	2	1		1		4		1			
		F	29	6					6		1		1	
29	Diseases of the spinal cord	M	8								1			
		F	4											
30	Locomotor ataxia	M	2											
		F	1											
31	Others of this class	M	7											
		F	4											
32	3. Diseases of the circulatory system		374	23	1	1		1	26	2	6	2	10	
33	Males		215	17	1	1			19	2	3	2	2	
34	Females		159	6				1	7		3		8	
35	Pericarditis	M	3							1				
		F	2										1	
36	Diseases of the heart	M	187	10	1	1			12	1	3	2	1	
		F	142	3				1	4		3		7	
37	Angina pectoris	M	11											
		F	9											
38	Diseases of the arteries	M	2											
		F	1											
39	Aneurism	M	2										1	
		F												
40	Embolism	M	2											
		F	2											
41	Others of this class	M	8	7					7					
		F	3	3					3					

OF DISEASES, BY SEX AND AGE. CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
56	35	38	37	40	48	39	52	42	25	19	10	2		2	1
19	18	13	13	13	17	19	31	19	11	11	4			1	2
37	17	25	24	27	31	20	21	23	14	8	6	2		1	3
			1	1			2			2					4
1			1		2		1	2		1					
2		4			1	2	2								5
1			1	3	2			1	1						
					2	2	1				1				6
				1					1						
1							1	1							7
1		2	1						1						
	1		1					1							8
1															
				1				1							9
1		1	1								1				
16	17	7	8	8	6	11	5	3	2	4				1	10
31	13	12	9	8	5	5	5	6	4	1				1	
		2	3	2	7	4	15	10	8	4	3				11
	4	8	9	12	19	14	14	12	7	4	3	1			
															12
			2	2	2										
				1	1		5	3	1	1					13
1		2		1	1	1	1	2		2	2	1			
															14
9	7	10	17	18	34	38	59	53	56	49	14	6	2		15
2	2	6	7	7	18	23	22	25	32	26	7	4			16
7	5	4	10	11	16	15	37	28	24	23	7	2	2		17
															18
					1										
					2		1	2	1						19
1		1		1			1								
1	1	1	3	2	8	10	8	7	7	9	4	1			20
2	2	1	2	4	5	5	18	13	8	9	6	1	1		
		2	3	1	8	6	4	11	17	10	3	1			21
2	2	1	5	2	4	9	9	11	9	7	1	1	1		
					1	1	1		1	1					22
							1	1							
															23
															24
	1	1				1			1			1			25
								1							
															26
				1			1								
1		1			1		1		1	2					27
		1	2	1	1		1	1		3					
			1	3	2	4	3	3	3	4		1			28
1				2	3	1	3	1	6	4					
				1			1								29
					2		2								
							1	1							30
									1						
		1			1	1	2	1	1						31
1	1		1				1								
7	6	11	10	13	33	40	63	45	38	34	21	5	1	1	32
4	4	4	4	10	21	25	41	19	20	20	14	1			33
3	2	7	6	3	12	15	22	26	18	14	7	4	1	1	34
							2								35
											1				
4	4	3	4	10	20	24	34	17	18	16	13	1			36
2	2	6	5	3	11	14	20	25	18	10	6	4	1	1	
						1	4		2	3	1				37
		1	1		1	1	1	1		3					
								2							38
										1					
					1										39
							1			1					40
1							1								
		1													41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	436	80	35	14	5	4	138	7	4	17	8	8
2	Males	203	34	12	5	3	2	56		2	2	8	4
3	Females	233	46	23	9	2	2	82	7	2	15		4
4	Croup M	3	1		2			3					
	Croup F	7	4	1			1	6	1				
5	Pneumonia M	151	23	6	2	2	2	35		2	2	7	4
	Pneumonia F	177	30	17	8	2		57	4	2	14		4
6	Laryngitis M												
	Laryngitis F	2	1				1	2					
7	Bronchitis M	28	7	4	1	1		13					
	Bronchitis F	24	4	4	1			9			1		
8	Pleurisy M												
	Pleurisy F	1											
9	Asthma M	6										1	
	Asthma F	5	2					2					
10	Others of this class M	15	3	2				5					
	Others of this class F	17	5	1				6	2				
11	5. Diseases of the digestive system	202	29	5	4	1	2	41	11	5	7	10	9
12	Males	95	18	1	4	1		24	4	1	3	5	1
13	Females	107	11	4			2	17	7	4	4	5	8
14	Dentition M												
	Dentition F												
15	Angina M	3		1		1		2	1				
	Angina F	2							1				
16	Gastritis M	11	4					4					
	Gastritis F	15		1				1				1	
17	Diseases of the stomach M	12	3					3			1		
	Diseases of the stomach F	9	1					1		1		2	
18	Obstruction of the bowels M	7							1	1	1		
	Obstruction of the bowels F	7	1				1	2	1				1
19	Appendicitis M	5										2	1
	Appendicitis F	13					1	1	1	1	3		3
20	Hernia M	4											
	Hernia F	4							1				
21	Other diseases of the bowels M	5	1					1				1	
	Other diseases of the bowels F	1											
22	Jaundice M	3	1		1			2					
	Jaundice F	2	1					1					
23	Inflammation and abscess of the liver. M	4											
	Inflammation and abscess of the liver. F	2											
24	Other diseases of the liver M	14			1			1					
	Other diseases of the liver F	9							1				
25	Peritonitis M	8							2		1	2	
	Peritonitis F	27	1	3				4	1	2	1	2	4
26	Ascites M												
	Ascites F	3											
27	Others of this class M	19	9		2			11					
	Others of this class F	18	7					7	1				
28	6. Diseases of the urinary system and male organs of generation.	170	3		1			4	4	1	4	5	4
29	Males	105	3		1			4			3	1	1
30	Females	65							4	1	1	4	3
31	Bright's disease M	59									3	1	1
	Bright's disease F	48							4	1		2	3
32	Calculus, urinary M	1											
	Calculus, urinary F	1										1	
33	Diseases of the kidney M	9	3					3					
	Diseases of the kidney F	2											
34	Diseases of the bladder M	15											
	Diseases of the bladder F	3											
35	Others of this class M	21			1			1					
	Others of this class F	11									1	1	
36	7. Diseases of the female organs of generation	6									1		1
37	Ovarian tumors	3											
38	Ovarian diseases												
39	Diseases of the tubes												
40	Uterine tumors	1											
41	Uterine diseases	1									1		
42	Others of this class	1											1

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	8	16	13	11	22	28	29	40	27	30	11	7	1	1	1
7	3	9	4	5	12	14	15	21	18	15	5	2		1	2
3	5	7	9	6	10	14	14	19	9	15	6	5	1		3
															4
5	3	7	3	5	11	11	10	17	14	10	4	1			5
3	5	6	7	5	7	12	11	16	5	12	3	3	1		
															6
		1				1	1	3	3	3	1	1		1	7
		1	1	1	2	2		1	2	1	2	1			
									1						8
			1			1	3								9
								1		1	1				
2		1			1	1	1	1	1	2					10
			1		1		3	1	1	1		1			
8	3	7	10	5	6	16	28	13	10	8	3	2			11
5	1	3	4	2	1	7	16	5	3	5	3	2			12
3	2	4	6	3	5	9	12	8	7	3					13
															14
															15
							1								
2						1	1	1		1		1			16
		1			1	1	4	4	1	1					
		1	1		1	2	2	1							17
				1			2	1	1						
1				1					2						18
	1								1	1					
		1	1												19
1						1	1		1						
1				1			1				1				20
				1	2										
						1				2					21
								1							
						1									22
								1							
							1	1	1		1				23
						1	1								
	1		1			1	7	2			1				24
	1		1		1	1	2		1	1					
			1				1			1					25
2		2	5	1		3									
					1	1	1								26
1		1				1	3			1		1			27
		1				1		1	2						
6	7	6	7	5	16	13	22	20	21	13	9			3	28
2	2	2	2	4	9	5	14	16	18	12	7			3	29
4	5	4	5	1	7	8	8	4	3	1	2				30
2	1	2	1	4	7	5	5	8	9	5	3			2	31
4	4	2	4	1	6	4	5	4	2	1	1				
					1										32
	1						1	1	2		1				33
						1	1								
							6	3	3	3					34
						2					1				
			1		1		2	4	4	4	3			1	35
	1	2	1		1	1	2		1						
	1			1		1		1							36
				1		1		1							37
															38
															39
	1														40
															41
															42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MAINE—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	42								1	5	9	9
2	Abortion	2											1
3	Childbirth	18									2	5	3
4	Puerperal septicemia	16								1	3	3	3
5	Extra-uterine pregnancy												
6	Others of this class	6										1	2
7	9. Diseases of the bones and joints	8					1	1	1		1	1	
8	Males	4					1	1			1	1	
9	Females	4							1				
10	Diseases of the spine M	2										1	
	Diseases of the spine F	2											
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	1					1	1					
	Diseases of the bones F	2							1				
13	Diseases of the hip-joint M	1									1		
	Diseases of the hip-joint F												
14	Others of this class M												
	Others of this class F												
15	10. Diseases of the skin	8	1					1		1		1	2
16	Males	6	1					1		1		1	2
17	Females	2											
18	Abscess M	6	1					1		1		1	2
	Abscess F	2											
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M												
	Others of this class F												
21	11. Diseases of the absorbent system	4											
22	Males												
23	Females	4											
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F	1											
26	Others of this class M												
	Others of this class F	3											
27	12. Accidents and injuries	177	9	3	4	3	1	20	8	10	18	12	16
28	Males	127	7	1	3	1		12	7	9	12	9	14
29	Females	50	2	2	1	2	1	8	1	1	6	3	2
30	Burns and scalds M	7	1	1	2	1		5					2
	Burns and scalds F	9		1	1	2		4			2	2	
31	Drowning M	34			1			1	5	5	4	4	3
	Drowning F	6									3	1	
32	Exposure and neglect M	1											
	Exposure and neglect F	2		1				1					
33	Gunshot wounds M	6							1		1	1	
	Gunshot wounds F	1					1	1					
34	Homicide M	2											1
	Homicide F												
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	3									1		
	Injuries by machinery F												
37	Railroad accidents M	6								2		1	
	Railroad accidents F	1											
38	Suffocation M	4	4					4					
	Suffocation F	3	2					2					1
39	Suicide by shooting M	2											1
	Suicide by shooting F												
40	Suicide by drowning M	1											
	Suicide by drowning F	1											
41	Suicide by poison M	2											
	Suicide by poison F	6									1		1
42	Other suicides M	10										2	
	Other suicides F	2											
43	Sunstroke M												
	Sunstroke F												
44	Surgical operations M	1											
	Surgical operations F	1											
45	Wounds M	1											
	Wounds F												
46	Others of this class M	47	2					2	1	2	6	1	7
	Others of this class F	18							1	1			

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MAINE—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	1	5		1											1
1															2
5		3													3
3	1	1		1											4
															5
2		1													6
						2	1		1						7
									1						8
						2	1								9
									1						10
						1	1								
															11
															12
						1									
															13
															14
	1	1							1						15
									1						16
	1	1													17
									1						18
	1	1													
															19
															20
1		1						2							21
															22
1		1						2							23
															24
1															25
		1						2							26
9	16	9	3	5	4	7	9	3	15	6	1	4		2	27
6	14	9	1	4	2	5	6	2	8	3		2		2	28
3	2		2	1	2	2	3	1	7	3	1	2			29
1															30
3	5	2					1							1	31
	1						1								
								1							32
												1			
	2			1											33
	1														34
															35
	1						1								36
	1	1							1						37
										1					
															38
			1												39
					1										40
					1										
	1													1	41
	1				1	1			1						
2		2		2			1		1						42
1							1								
															43
						1									44
			1												
									1						45
1	3	4		1	1	4	3	1	5	3		2			46
1			1	1		1	1	1	6	2	1	1			

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	49,756	10,754	2,331	1,058	714	499	15,356	1,184	674	1,100	1,779	2,068
2	Males	25,352	6,028	1,246	542	385	240	8,441	614	307	533	930	1,045
3	Females	24,404	4,726	1,085	516	329	259	6,915	570	367	567	849	1,023
4	Unknown cause	350	108	10	2	4		124	8	8	4	5	11
5	Males	189	59	6	2	3		70	4	3	1	4	5
6	Females	161	49	4		1		54	4	5	3	1	6
7	1. General diseases. General diseases—A	8,715	3,351	888	455	321	236	5,251	488	154	154	190	186
8	Males	4,341	1,843	454	210	172	104	2,783	236	65	65	108	91
9	Females	4,374	1,508	434	245	149	132	2,468	252	89	89	82	95
10	Measles M	167	46	56	19	18	4	143	14	1	1	2	1
	Measles F	144	40	42	19	9	6	116	9	10	1	2	2
11	Scarlet fever M	180	9	23	29	32	19	112	50	5	4	3	2
	Scarlet fever F	204	15	24	33	35	25	132	53	7	2	1	2
12	Diphtheria M	516	40	96	95	85	53	369	107	18	10	5	2
	Diphtheria F	556	31	83	100	63	71	348	143	34	11	7	4
13	Whooping cough M	162	93	41	11	9	4	158	2				
	Whooping cough F	213	102	55	29	14	3	203	8	1			
14	Malarial fever M	41	3			1	1	5	1	1	1	2	1
	Malarial fever F	29	5	1	1			7	1	2	1	3	1
15	Influenza M	411	33	8	3	3	1	48	6	4	4	8	6
	Influenza F	709	33	8	5	5	3	54	4	5	5	3	17
16	Typhoid fever M	374	1	2	1	3	1	8	12	16	29	68	55
	Typhoid fever F	251	1	3	3		1	8	8	16	50	29	34
17	Cholera morbus M	56	5	4	5	2	1	17	6	2	1	2	1
	Cholera morbus F	57	6	3	8	1		18	1	1	1	1	3
18	Colitis M	32	18	4	1	1		24	1			1	
	Colitis F	39	20	6		1		27	1			1	
19	Diarrhea M	160	83	13	2			98	4				2
	Diarrhea F	156	76	6				82	6	1		1	2
20	Dysentery M	118	24	10	6	1	4	45	3	3	2	1	3
	Dysentery F	148	10	3	5	3	3	24	3	2	2	4	3
21	Enteritis M	622	458	65	14	4	5	546	6	3			3
	Enteritis F	547	317	82	13	7	4	423	6	3	2	2	1
22	Cholera infantum M	1,062	929	113	13	4	3	1,062					
	Cholera infantum F	902	781	97	13	5	6	902					
23	Fever M	1											
	Fever F	5	1	2	1		1	5					
24	Cerebro-spinal fever M	125	42	14	8	6	4	74	13	8	6	9	5
	Cerebro-spinal fever F	86	23	10	13	5	6	57	7	5	6	4	2
25	Smallpox M	6				1		1	1				1
	Smallpox F	9		2				2			1	3	
26	Erysipelas M	80	30					30		1	2	1	1
	Erysipelas F	76	24	3	1			28	1			2	2
27	Septicemia M	109	9	3	1	2	3	18	7	1	3	6	6
	Septicemia F	147	10	3		1	1	15	1	2	6	17	19
28	Venereal diseases M	29	18	1				19			2		1
	Venereal diseases F	20	12	1			1	14				2	1
29	Others of this group M	90	2	1	2		1	6	3	2			1
	Others of this group F	76	1		1		1	3			1		2
30	General diseases—B	1,222	847	28	4	4	4	887	7	1	5	12	36
31	Males	730	475	16	3	1	3	498	5		2	6	28
32	Females	492	372	12	1	3	1	389	2	1	3	6	8
33	Alcoholism M	145							1			2	15
	Alcoholism F	46										1	3
34	Parasitic diseases M	1											
	Parasitic diseases F	1				1		1					
35	Lead poison M	6			1			1					
	Lead poison F	3											
36	Other poisons M	75	4	2	2		3	11	1		2	4	13
	Other poisons F	43	3	1	1	2	1	8	1		2	4	5
37	Inanition M	503	471	14		1		486	3				
	Inanition F	399	369	11				380	1	1	1	1	
38	General diseases—C	4,734	2,658	79	12	6	6	2,761	5	5	3	8	5
39	Males	2,338	1,508	44	7	5	1	1,565	1	2	2	4	3
40	Females	2,396	1,150	35	5	1	5	1,196	4	3	1	4	2
41	Old age M	661											
	Old age F	1,042											
42	Premature birth M	683	683					683					
	Premature birth F	481	481					481					
43	Malformation M	95	91	1				92					
	Malformation F	96	94	1			1	96					
44	Debility and atrophy M	817	652	43	7	5	1	708	1	2	2	4	3
	Debility and atrophy F	718	517	34	5	1	4	561	4	3	1	4	2
45	Others of this group M	82	82					82					
	Others of this group F	59	58					58					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,061	1,999	1,861	1,926	2,232	2,412	2,639	2,892	2,926	2,761	2,074	1,140	427	126	119	1
1,077	1,056	931	1,019	1,129	1,213	1,313	1,405	1,395	1,304	932	459	142	37	70	2
984	943	930	907	1,103	1,199	1,326	1,487	1,531	1,457	1,142	681	285	89	49	3
15	22	21	15	19	18	14	15	13	8	10	5	1		14	4
8	11	15	9	6	11	12	9	7	3	5				6	5
7	11	6	6	13	7	2	6	6	5	5	5	1		8	6
182	152	133	131	140	134	217	240	269	291	234	108	49	8	4	7
91	81	64	59	62	62	90	92	121	112	89	49	17	2	2	8
91	71	69	72	78	72	127	148	148	179	145	59	32	6	2	9
2	1				1				1						10
1		1	1		1										
3	1														11
2	2	1					1	1							
2	1		1	1											12
1	3		2	1	1		1								
	1									1					13
														1	
	3		1		6	3	4	5	5	1	1	1			14
	2	1		1	1	1	2	2	1	2	1				
7	11	13	16	16	12	31	37	52	56	50	21	11	1	1	15
11	14	24	25	29	26	72	78	86	97	94	33	27	5		
52	39	25	20	19	10	11	3	3	3		1				16
33	16	9	17	9	5	8	3	5	1						
1		2	3	1	1	3	2	5	2	2	3	1		1	17
2	6	2	1	3	1	1	4	3	4	1	3	1			
1			1	1	1		1		1						18
1		2	1	1	1		2		2						
2	4	1	2	2	4	8	6	8	8	8	1	2			19
1		4		3	7	6	5	9	14	10	4	1			
2	4	3		3	3	10	8	11	11	4	2				20
5	4	5	5	2	7	9	18	15	23	8	6	3			
2	3	6	2	4	8	10	10	6	5	4	3		1		21
5	3	5	7	11	7	8	14	13	17	16	3		1		
															22
		1													23
	4	3	1	1				1							24
2	1	1					1								
2				1											25
1				1	1										
7	4	3	4	2	5	3	3	6	4	1	1	2			26
1	3	3	6	4	7	3	3	1	8	3	1				
7	4	5	5	6	8	5	12	10	4	2					27
23	17	8	5	11	3	7	3	1	3	3	2			1	
1	1	1		2				1	1						28
2		1													
		1	3	3	3	6	6	13	11	16	16				29
		2	2	2	4	12	13	12	9	8	6				
38	51	32	28	25	24	15	17	8	14	4	1	1	1	15	30
27	37	22	21	17	17	10	13	5	9	2	1			10	31
11	14	10	7	8	7	5	4	3	5	2		1	1	5	32
22	33	13	14	14	11	6	6	2	4		1			1	33
5	11	8	6	3	6	1	1			1					
					1										34
1		2	1			1									35
3															
4	4	7	6	3	4	3	6	2	4	1					36
3	3	2	1	4	1	2	2	3	1	1					
					1		1	1	1	1				9	37
				1		2	1		4			1	1	5	
2	6	2	7	8	21	49	89	191	339	511	428	206	79	9	38
1	2	1	2	4	9	22	40	79	136	205	171	64	20	5	39
1	4	1	5	4	12	27	49	112	203	306	257	142	59	4	40
						9	23	68	122	195	164	60	20		41
						16	35	81	188	283	242	138	57	2	
															42
														3	43
1	2	1	2	4	9	13	17	11	14	10	7	4		2	44
1	4	1	5	4	12	11	14	30	15	23	15	4	2	2	
															45
								1							

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		8,737	351	187	96	61	34	729	110	134	458	796	918
2	Males		4,168	206	110	47	25	16	404	48	41	189	406	454
3	Females		4,569	145	77	49	36	18	325	62	93	269	390	464
4	Anemia	M	76	11	1		1		13	1			3	3
		F	119	7	5		2	1	15		1	3	6	7
5	Diabetes	M	150		2	2			4	2	5	4	3	7
		F	168	1			2	1	4	5	11	7	4	5
6	Rheumatism	M	84	2		1		2	5	6	4	3	4	5
		F	93	2		1	1		4	6	6	8	2	4
7	Scrofula and tabes	M	31	9	3				12	2			3	2
		F	33		5	1	1		7		3	2	2	2
8	Hydrocephalus	M	249	91	67	22	15	10	205	16	4	2	4	6
		F	196	66	39	26	13	8	152	15	7	7	7	2
9	Tuberculosis, general	M	77	8	3	1			12	2	5	1	6	12
		F	79	10	3	3	1	2	19	5	3	6	7	7
10	Consumption	M	2,769	72	31	16	5	3	127	14	20	172	375	413
		F	2,455	50	24	16	13	6	109	30	54	230	359	421
11	Cancer	M	605			2			2	1	1	2	3	4
		F	1,259				1		1		2	2		12
12	Tumor	M	69	2				1	3	2		2	3	2
		F	98	1		1	1		3	1	2	1	2	4
13	Dropsy	M	20		1		1		2	1		1	1	
		F	36	1					1			1		
14	Others of this group	M	38	11	2	3	3		19	1	2	2	1	
		F	33	7	1	1	1		10		4	2	1	
15	2. Diseases of the nervous system		6,156	1,087	338	129	86	64	1,704	124	82	67	78	114
16	Males		3,139	686	188	77	44	33	978	71	34	40	35	66
17	Females		3,017	451	150	52	42	31	726	53	48	27	43	48
18	Inflammation of the brain	M	46	18	3	5	2	1	29	2	1	1	1	1
		F	23	6	1	2	1		10		1		1	1
19	Meningitis	M	656	294	114	48	23	18	497	45	11	14	10	16
		F	550	221	100	31	32	20	404	44	27	10	9	4
20	Apoplexy	M	1,007	16	3	1	2		22	3	2	3	5	14
		F	1,183	7	1	1	1	1	11		3	4	1	14
21	Paralysis	M	432	3	1				4	1	3	1	4	3
		F	410	3		2			5	1	1		4	2
22	Paralysis, general (of insane)	M	25											1
		F	22											
23	Tetanus and trismus nascentium	M	26	3					3	2	5	5	2	1
		F	5	1					1			1		
24	Chorea	M	4				1	1	2		1			
		F	4								3			
25	Epilepsy	M	66	2	1		1		4	1	5	8	2	7
		F	67	3		1			4	1	4	5	9	7
26	Convulsions	M	390	265	56	19	8	9	357	10	3			2
		F	307	185	44	15	8	7	259	3	3		8	8
27	Mental diseases	M	107									2	2	5
		F	133										3	3
28	Diseases of the brain	M	264	32	9	3	6	4	54	6	3	4	6	13
		F	206	20	4			1	25	3	4	6	7	3
29	Diseases of the spinal cord	M	42	3	1				4	1		2	1	3
		F	41	2				2	4	1				2
30	Locomotor ataxia	M	37											
		F	10											
31	Others of this class	M	37			1	1		2				2	
		F	56	3					3		2	1	1	4
32	3. Diseases of the circulatory system		4,784	207	13	8	10	10	248	62	72	73	112	123
33	Males		2,426	115	6	3	6	6	136	30	33	25	45	60
34	Females		2,358	92	7	5	4	4	112	32	39	48	67	63
35	Pericarditis	M	28	2	1				3	1	3	1	1	2
		F	28	1	1	1			3	2	2	1		
36	Diseases of the heart	M	2,143	85	5	3	6	5	104	28	30	20	43	56
		F	2,123	69	6	4	3	3	85	29	35	46	62	56
37	Angina pectoris	M	95							1		2	1	2
		F	86									1	2	2
38	Diseases of the arteries	M	91											
		F	64	1					1				1	
39	Aneurism	M	23											
		F	10								2			1
40	Embolism	M	17									2		
		F	25					1	1	1			2	4
41	Others of this class	M	29	28				1	29					
		F	22	21			1		22					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
825	693	592	587	578	580	482	449	368	266	146	54	12	2	8	1
458	360	268	278	267	213	221	194	164	121	54	17	4	1	6	2
367	333	324	309	311	317	261	255	204	145	92	37	8	1	2	3
4	2	4	4	9	8	7	9	2	4	3					4
5	3	8	8	12	12	5	11	11	7	3	2				
10	8	4	9	17	12	19	20	12	10	4					5
1	4	6	13	17	23	26	12	18	8	3	1				
2	2	1	5	3	10	10	4	8	6	4	1	1			6
2	2	8	3	5	6	8	7	7	8	5	1				
1	3	1				2	1	3	1						7
2	2	2	2	2		2	2	2		1					
7	1		1	1	1									1	8
2		1	1					1						1	
8	10	3	7	6	1		2		2						9
7	5	6	6	2	1	2	1		2						
414	303	218	190	163	109	91	62	54	27	10	4			3	10
314	250	179	122	99	82	60	56	42	22	15	9	1	1		
8	18	34	50	61	69	82	85	75	63	30	11	3	1	2	11
25	57	103	138	158	181	148	148	110	86	56	24	7		1	
4	8		12	5	3	8	8	5	3	1					12
2	9	7	10	12	7	8	14	6	6	4					
	3	1				1	2	5	1	1	1				13
2	1	2	1	2	4	2	4	5	6	5					
	2	2		2		1	1		4	1					14
4		2	5	2	1			2							
129	158	173	222	290	365	442	518	576	551	365	142	44	7	5	15
68	88	84	123	150	193	206	240	272	252	168	53	12	3	3	16
61	70	89	99	140	172	236	278	304	299	197	89	32	4	2	17
	1		1	1	1	2	2	1	2						18
1	1	3		1		2	1		1						
16	9	7	12	4	1	4	5	5							19
10	3	7	11	3	4	2	6	5	1						
19	32	31	53	71	103	109	134	150	126	88	32	6	2	2	20
11	22	40	49	77	99	142	170	178	171	107	60	20	3	1	
9	20	15	20	31	42	44	50	64	69	38	13	1			21
4	6	10	11	20	30	41	48	69	68	57	22	9	1	1	
2	1	2	1	4	2	4	3	1	4						22
2		1		2	4	1	3	5	3	1					
2		1	1	2	1		1								23
	1	1			1										
1															24
									1						
4	5	8	4	3	3	2	3	3	1	3					25
6	4	4	3	3	5	4	1	2	4		1				
1			2			1	2	5	3	3				1	26
10	8	3	1			1	1	2							
2	4	4	4		6	8	16	15	18	13	4	4			27
7	5	4	2	9	7	16	16	23	19	16	3				
8	11	12	12	24	13	17	15	20	21	20	4	1			28
5	13	7	17	17	11	16	20	12	23	11	3	3			
	3	1	2	5	6	6	3	2	1	2					29
2	5	4	2	1	7	2	4	3	2	2					
1	1	1	6	4	9	6	4	2	3						30
	1		1	2		3	2			1					
3	1	2	5	1	6	3	2	4	4	1			1		31
3	1	5	2	5	4	6	6	5	6	2					
146	193	207	256	315	436	472	557	548	492	290	139	30	4	9	32
56	95	93	128	158	236	261	308	281	260	148	52	12	1	8	33
90	98	114	128	157	200	211	249	267	232	142	87	18	3	1	34
	1		2	2	5		2	3	1					1	35
3	2	3	2		1	1	1	2		5					
53	82	89	116	136	210	237	277	249	227	129	39	11		7	36
80	93	108	112	142	189	192	230	232	211	127	77	13	3	1	
2	2	1	9	6	6	15	15	9	10	9	5				37
1		1	11	10	8	7	14	12	10	2	5				
			1	6	12	7	12	15	18	10	8	1	1		38
1		2		3	1	7	2	20	9	8	4	5			
1	6	2		5	2	1	1	2	3						39
2	1		1			2	1								
	4	1		3	1	1	1	3	1						40
3	2		2	2	1	2	1	1	2		1				
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	7,596	1,624	674	267	158	82	2,805	168	63	82	152	197
2	Males	3,827	900	351	141	86	41	1,519	87	28	54	90	107
3	Females	3,769	724	323	126	72	41	1,286	81	35	28	62	90
4	Croup M	108	15	27	20	17	9	88	18	1		1	
	Croup F	96	9	29	20	16	7	81	13	2			
5	Pneumonia M	2,676	500	252	87	50	26	915	52	20	46	77	90
	Pneumonia F	2,592	418	231	77	41	25	792	51	27	15	52	71
6	Laryngitis M	31	5	6	2	5	2	20	6				
	Laryngitis F	22	3	3	1	4	2	13	4	1			1
7	Bronchitis M	673	298	55	28	11	3	395	6	5	4	2	7
	Bronchitis F	751	233	52	25	6	5	321	9	4	8	3	6
8	Pleurisy M	79	1	3	1	1	1	7	2	2	4	6	3
	Pleurisy F	49	2	2	1	1		6	2	1	1	4	3
9	Asthma M	37	2					2	1				
	Asthma F	22	2					2					
10	Others of this class M	223	79	8	3	2		92	2			4	7
	Others of this class F	237	57	6	2	4	2	71	2		4	8	9
11	5. Diseases of the digestive system	2,305	294	64	32	13	22	425	61	65	82	121	129
12	Males	1,131	163	36	20	7	11	237	33	34	46	64	52
13	Females	1,174	131	28	12	6	11	188	28	31	36	60	77
14	Dentition M	25	12	13				25					
	Dentition F	14	9	5				14					
15	Angina M	17	2	2	2		2	8	1	1		1	
	Angina F	18	1	4	1		2	8	1	1		1	
16	Gastritis M	137	29	7				36			1	1	3
	Gastritis F	154	21	6	2	2	1	32	2	1	2	4	9
17	Diseases of the stomach M	59	3					3		1	1	2	3
	Diseases of the stomach F	74	1	1				2			1	5	5
18	Obstruction of the bowels M	101	21	2	4		1	28	4	2	8	2	8
	Obstruction of the bowels F	112	15	3		1		19	2		4	2	5
19	Appendicitis M	167		1		4	2	7	11	17	25	34	13
	Appendicitis F	62			1		1	2	5	8	10	7	9
20	Hernia M	40	6				1	7			1	1	
	Hernia F	52											
21	Other diseases of the bowels M	25	8					8					2
	Other diseases of the bowels F	33	7	1		1		9	1		1		1
22	Jaundice M	33	23		1		1	25					1
	Jaundice F	34	14		3			17					1
23	Inflammation and abscess of the liver. M	41	2				1	3			1	1	2
	Inflammation and abscess of the liver. F	43	1				1	2		1		3	1
24	Other diseases of the liver M	192	1		1			2	1		1		8
	Other diseases of the liver F	146	2				1	3	1			1	3
25	Peritonitis M	169	12	3	9	2	2	28	15	12	13	19	12
	Peritonitis F	301	15	5	2	2	4	28	14	20	17	35	38
26	Ascites M	6											
	Ascites F	15	2					2					
27	Others of this class M	114	44	8	3	1	1	57	1	1		3	
	Others of this class F	116	43	3	3		1	50	2		1	2	5
28	6. Diseases of the urinary system and male organs of generation.	2,401	40	3	10	13	9	75	26	16	47	88	97
29	Males	1,389	24	2	5	6	2	39	13	12	24	42	41
30	Females	1,012	16	1	5	7	7	36	13	4	23	46	56
31	Bright's disease M	946							10	9	23	38	34
	Bright's disease F	809							10	4	20	39	45
32	Calculus, urinary M	7								1			
	Calculus, urinary F	1											
33	Diseases of the kidney M	87	16	2	5	6	2	31	1	2			2
	Diseases of the kidney F	64	12	1	4	7	7	31			1	3	3
34	Diseases of the bladder M	163									1		2
	Diseases of the bladder F	17											
35	Others of this class M	186	8					8	2			4	3
	Others of this class F	121	4		1			5	3		2	4	8
36	7. Diseases of the female organs of generation.	139	1					1		1	7	10	21
37	Ovarian tumors	21											3
38	Ovarian diseases	5											
39	Diseases of the tubes	33									3	6	9
40	Uterine tumors	40											1
41	Uterine diseases	8										2	3
42	Others of this class	32	1					1		1	4	2	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
226	264	251	282	364	398	453	498	477	383	292	149	53	18	21	1
126	146	137	162	183	189	213	227	195	152	120	55	22	5	10	2
100	118	114	120	181	209	240	271	282	231	172	94	31	13	11	3
															4
106	127	116	133	146	147	160	168	143	101	79	33	10	3	4	5
85	95	90	94	130	161	192	195	200	156	99	57	21	6	8	
1		2					1		1						6
	1			1			1								
3	9	8	11	13	24	24	33	34	36	29	18	9	2	1	7
5	7	9	12	28	30	33	61	59	51	54	34	9	6	2	
9	3	4	8	7	6	6	1	6	3	1				1	8
2	4	4	4	4	2	1	1	5	2	3					
1		1	2	5	3	7	6	1	3	4		1			9
		1		3	3	2	3	1	4	3					
6	7	6	8	12	9	16	18	11	8	7	4	2		4	10
8	11	10	10	15	13	12	10	17	18	13	3	1	1	6	
123	104	137	111	149	153	139	155	130	120	51	31	9		7	11
52	38	77	53	74	74	58	68	58	71	21	16	4		1	12
71	66	60	58	75	79	81	87	72	49	30	15	5		6	13
															14
	1			1	1	1		2							15
			4	1					1	1					
4	4	10	6	8	6	14	10	6	15	5	5	3			16
4	6	6	4	10	14	20	14	13	6	5	2				
2	1	4	2	7	6	5	8	6	9	2	2				17
11	4	2	2	5	10	5	3	7	6	2	3	1			
3	4	3	5	7	3	4	8	8	7	1	1				18
3	7	5	11	2	7	10	12	11	5	3	4				
18	9	12	7	4	5	1	1	2	1						19
5	4	3	4		2	1	1		1						
1	1	2		4	5		1	4	9	1	3				20
2		3	2	5	12	6	12	4	3	2		1			
1	2	2	1	2			2	1	3					1	21
2	1		3	1	2	2	3	2	2	2	1				
			1			1		3	4	2	1				22
1	1		2	2			3	3			1			3	
4	2	4		5	4	4	1	6	3			1			23
3	1	4	3	3	1	7	7	3	3	1					
6	8	21	14	28	29	19	27	9	13	6					24
7	10	15	10	18	11	11	14	18	16	5	3				
10	5	14	10	3	11	3	4	4	4	1	1				25
31	28	20	8	19	11	10	6	5	4	3	1	2		1	
		1	1			1	2			1					26
		1	1	1	3		3	2	1					1	
3	1	4	6	5	4	5	9	7	3	2	3				27
2	4	1	4	8	6	9	9	4	1	6		1		1	
110	118	105	137	198	207	251	254	257	215	128	54	10	8	5	28
45	58	49	77	101	119	146	159	167	151	96	39	5	3	3	29
65	60	56	60	97	88	105	95	90	64	32	15	5		2	30
35	42	41	67	79	95	107	105	110	91	44	13	1		2	31
42	44	50	51	82	74	91	85	77	53	25	14	3			
		1		1	2		1				1				32
									1						
2	4	1		7	4	3	10	6	5	4	5				33
6	3	2	1	1	3	4	1	3	2						
	1		3	6	6	22	22	26	26	27	16	3	2		34
2	2			1	2	3	1	2		2		2			
8	11	6	7	8	12	14	21	25	29	21	4	1	1	1	35
15	11	4	8	13	9	7	8	8	8	5	1			2	
16	15	18	23	5	8	2	3	2	6	1					36
3		2	6	1	1	1	2		2						37
3	1							1							38
5	2	4	3	1											39
1	5	7	10	3	7	1	1	1	2	1					40
2									1						41
2	7	5	4						1						42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	270									10	53	64
2	Abortion	13										1	4
3	Childbirth	78										14	14
4	Puerperal septicemia	92									3	21	29
5	Extra-uterine pregnancy	19										3	4
6	Others of this class	68									7	14	13
7	9. Diseases of the bones and joints	114	7	3		5		15	15	10	4	12	5
8	Males	74	6	2		5		13	10	5	1	9	3
9	Females	40	1	1				2	5	5	3	3	2
10	Diseases of the spine M	26	1	1		2		4	6	4		3	1
	Diseases of the spine F	10		1				1	2	1		2	
11	Abscess, lumbar and psoas M	5	1					1				1	
	Abscess, lumbar and psoas F	2											
12	Diseases of the bones M	28	4	1		2		7	3		1	3	1
	Diseases of the bones F	13	1					1	1	2	3	1	
13	Diseases of the hip-joint M	6							1	1		2	1
	Diseases of the hip-joint F	2							1	1			
14	Others of this class M	9				1		1					
	Others of this class F	13							1	1			2
15	10. Diseases of the skin	94	32	5	1	1		39	4	1	1	1	
16	Males	49	15	3	1			19	2		1		
17	Females	45	17	2		1		20	2	1		1	
18	Abscess M	30	9	2	1			12	2		1		
	Abscess F	18	7					7	2	1			
19	Carbuncle M	7	1					1					
	Carbuncle F	4										1	
20	Others of this class M	12	5	1				6					
	Others of this class F	23	10	2		1		13					
21	11. Diseases of the absorbent system	40	4	3				7			1	1	3
22	Males	21	3	2				5			1		2
23	Females	19	1	1				2				1	1
24	Addison's disease M	8									1		
	Addison's disease F	5										1	
25	Diseases of the spleen M	1											
	Diseases of the spleen F	5											
26	Others of this class M	12	3	2				5					2
	Others of this class F	9	1	1				2					1
27	12. Accidents and injuries	2,099	143	36	42	32	32	285	106	62	102	137	159
28	Males	1,530	75	26	26	25	23	175	74	50	82	117	133
29	Females	569	68	10	16	7	9	110	32	12	20	20	26
30	Burns and scalds M	90	4	16	13	7	6	46	3	2	2	3	1
	Burns and scalds F	128	3	5	10	5	6	29	18	2	8	3	7
31	Drowning M	267	1	2	3	5	9	20	37	28	27	22	23
	Drowning F	18	2		1		1	4	1	3	4		
32	Exposure and neglect M	15	1					1				2	
	Exposure and neglect F	8	5					5					
33	Gunshot wounds M	26	1					1	1	2	3	2	2
	Gunshot wounds F	9								2	3	1	
34	Homicide M	13					1	1			1	1	
	Homicide F	6							1				
35	Infanticide M	4	4					4					
	Infanticide F	3	3					3					
36	Injuries by machinery M	6									1	2	
	Injuries by machinery F												
37	Railroad accidents M	250					2	2	13	2	17	31	33
	Railroad accidents F	15		1	1			2	2	1	1		
38	Suffocation M	68	37	3	2	1		43		2	3	2	
	Suffocation F	46	33			1	1	35					
39	Suicide by shooting M	71									2	4	8
	Suicide by shooting F	4										1	
40	Suicide by drowning M	19										1	
	Suicide by drowning F	10										1	
41	Suicide by poison M	20										2	4
	Suicide by poison F	14									1	4	1
42	Other suicides M	94								1	1	4	8
	Other suicides F	30									1	2	4
43	Sunstroke M	7	2					2				1	
	Sunstroke F	2		2				2					
44	Surgical operations M	7							1				2
	Surgical operations F	22								1	1	2	1
45	Wounds M	29			1	1		2		1		2	4
	Wounds F	2							1				
46	Others of this class M	544	25	5	7	11	5	53	19	12	25	38	43
	Others of this class F	252	22	3	4		1	30	9	3	1	6	13

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
59	52	29		1	1									1	1
2	3	2			1										2
17	19	13		1											3
21	11	7													4
3	8	1													5
16	11	6												1	6
6	6	7	6	4	2	4	8	4	2	2	1	1			7
3	6	5	5	2	2	1	4	1	2	1		1			8
3		2	1	2		3	4	3		1	1				9
	4	1	1		1				1						10
				1		1	1	1							
			1				1	1							11
1			1												
3	1		2	1	1	1	2		1	1					12
		1				2	1				1				
		1													13
	1	3	1	1			1					1			14
2		1		1			2	2		1					
3	4	8	5	4	3	4	4	4	6	2	1				15
1	2	3	3	3	3	2	3	3	2	1	1				16
2	2	5	2	1		2	1	1	4	1					17
1	1	3	1	2	2	1	3	1							18
	1			1		1	1	1	2	1					
	1		2	1		1			1						19
		2	1												
					1			2	1	1	1				20
2	1	3	1			1			2						
3	2	5	1		4	3	4	2	4						21
1	1	2	1		2	3	1	1	1						22
2	1	3			2		3	1	3						23
	1	1			2	2	1								24
	1				1		2								
		1													25
1		1			1				2						
1			1			1		1	1						26
1		2					1	1	1						
178	159	141	115	132	108	92	81	77	64	38	27	11	4	21	27
140	131	111	98	102	88	68	47	41	32	22	5	1	2	16	28
38	28	30	17	30	25	24	34	36	32	16	22	10	2	5	29
2	7	4	3	3	2	3	1	4	2	2					30
7	5	5	3	5	5	6	7	8	6	2	2				
25	27	14	15	8	14	2	2		1					2	31
1		1		1	1		1	1							
2		1	2	1	1	1			3					1	32
						2			1						
5	2	3	2	1					2						33
1	1			1											
7				2						1					34
1	1	1		1	1										
															35
1			1	1											36
26	25	21	14	19	10	11	8	4	2	2				5	37
1	2	1		1		1		1	2						
5	1	1	1	2		1	1	1						5	38
3				2	1					1				4	
5	10	6	8	7	8	3	4	3	1	1	1				39
3															
2	1	2	1	5	1	2		1	3						40
	1		1	1	2	2	1		1						
2	3	4	1	2		1	1								41
3		1	1		1			1	1						
13	9	11	9	8	9	9	5	3	2	1				1	42
3	3	8		2	1		4	1			1				
	1					1			2						43
			1	1	1	1									44
2	3	5	1		1	3	1			1					
5	3	1	1	4	3	1	1			1					45
									1						
40	42	43	39	38	34	32	24	25	14	14	4	1	2	2	46
18	12	8	11	16	12	10	20	24	20	12	19	10	2	1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	37,876	8,185	1,823	894	579	376	11,767	870	513	834	1,344	1,592
2	Males	19,282	4,634	959	416	310	180	6,499	458	232	406	698	796
3	Females	18,594	3,551	864	388	269	196	5,268	412	281	428	646	796
4	Unknown cause	274	84	9	2	3		98	6	7	3	2	8
5	Males	145	47	5	2	2		56	3	3	1	1	3
6	Females	129	37	4		1		42	3	4	2	1	5
7	1. General diseases. General diseases—A	6,672	2,559	699	360	262	187	4,067	359	127	114	146	129
8	Males	3,288	1,419	342	164	133	82	2,140	174	51	50	81	62
9	Females	3,384	1,140	357	196	129	105	1,927	185	76	64	65	67
10	Measles M	114	34	41	14	12	2	103	7	1		2	
	Measles F	99	27	31	16	7	3	84	4	6		2	1
11	Scarlet fever M	138	8	19	24	24	16	91	32	4	4	1	2
	Scarlet fever F	157	13	17	25	31	21	107	36	7	1	1	1
12	Diphtheria M	403	30	75	76	67	41	289	81	15	7	5	2
	Diphtheria F	450	29	74	78	54	54	289	110	28	10	6	1
13	Whooping cough M	131	77	32	9	5	4	127	2				
	Whooping cough F	176	83	43	26	13	8	168	6	1			
14	Malarial fever M	21	1			1	1	3	1	1	1	1	
	Malarial fever F	14	2	1	1			4	1	1			
15	Influenza M	307	29	5	2	2		38	4	4	2	7	5
	Influenza F	568	27	8	5	5	3	48	4	5	5	3	13
16	Typhoid fever M	278	1	2	1	2	1	7	12	12	22	48	36
	Typhoid fever F	188	1	2	2		1	6	4	15	35	25	24
17	Cholera morbus M	34	3		4	1	1	9	4	2	1	1	1
	Cholera morbus F	44	4	2	5	1		12	1	1	1	1	2
18	Colitis M	23	15	2		1		18	1			1	
	Colitis F	31	17	4		1		22	1			1	
19	Diarrhea M	110	55	10	2			67	2				1
	Diarrhea F	106	50	3				53	3	1		1	2
20	Dysentery M	96	19	9	4	1	4	37	3	3	2	1	2
	Dysentery F	112	6	3	5	2	3	19	2	2	1	3	2
21	Enteritis M	498	377	47	9	4	4	441	5	3			2
	Enteritis F	450	259	72	12	5	3	351	5	3	2	1	1
22	Cholera infantum M	800	697	87	11	4	1	800					
	Cholera infantum F	664	564	78	11	5	6	664					
23	Fever M	1											
	Fever F	3	1	2				3					
24	Cerebro-spinal fever M	90	23	9	6	6	4	48	11	5	6	8	3
	Cerebro-spinal fever F	70	18	9	8	5	5	45	6	5	4	3	2
25	Smallpox M	5				1		1					1
	Smallpox F	9		2				2			1	3	
26	Erysipelas M	64	24					24			2	1	1
	Erysipelas F	58	16	2	1			19	1			2	
27	Septicemia M	85	8	2	1	2	2	15	6		1	5	5
	Septicemia F	109	10	3			1	14	1	1	4	11	15
28	Venereal diseases M	27	16	1				17			2		1
	Venereal diseases F	19	12	1			1	14				2	1
29	Others of this group M	63	2	1	1		1	5	3	1			
	Others of this group F	57	1		1		1	3					2
30	General diseases—B	900	606	20	3	4	3	636	6	1	4	10	27
31	Males	550	350	14	2	1	2	369	4		2	4	20
32	Females	350	256	6	1	3	1	267	2	1	2	6	7
33	Alcoholism M	116										1	13
	Alcoholism F	40										1	3
34	Parasitic diseases M												
	Parasitic diseases F	1				1		1					
35	Lead poison M	5			1			1					
	Lead poison F	3											
36	Other poisons M	61	4	2	1		2	9	1		2	3	7
	Other poisons F	33	2		1	2	1	6	1		2	4	4
37	Inanition M	368	346	12		1		359	3				
	Inanition F	273	254	6				260	1	1		1	
38	General diseases—C	3,571	2,057	78	11	5	4	2,150	3	4	3	6	2
39	Males	1,784	1,182	40	7	4	1	1,234	1	2	2	4	
40	Females	1,787	875	33	4	1	3	916	2	2	1	2	2
41	Old age M	474											
	Old age F	763											
42	Premature birth M	483	483					483					
	Premature birth F	333	333					333					
43	Malformation M	75	73					73					
	Malformation F	77	76	1				77					
44	Debility and atrophy M	688	557	40	7	4	1	609	1	2	2	4	
	Debility and atrophy F	572	424	32	4	1	3	464	2	2	1	2	2
45	Others of this group M	69	69					69					
	Others of this group F	42	42					42					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,603	1,590	1,471	1,498	1,735	1,807	2,029	2,194	2,190	2,006	1,501	847	317	87	81	1
848	838	738	798	886	909	1,005	1,059	1,025	928	657	330	105	24	43	2
755	752	733	700	849	898	1,024	1,135	1,165	1,078	844	517	212	63	38	3
13	19	18	15	15	12	8	11	9	6	9	4	1		10	4
7	10	13	9	4	7	6	6	6	2	5				3	5
6	9	5	6	11	5	2	5	3	4	4	4	1		7	6
140	120	102	96	110	93	164	194	195	210	178	81	40	6	1	7
73	64	51	44	47	40	62	71	84	78	65	35	15	1		8
67	56	51	52	63	53	102	123	111	132	113	46	25	5	1	9
					1										10
1		1													
3	1														11
1	1	1					1								
1	1		1	1											12
1	2		1	1	1										
	1									1					13
														1	
	2				2		3	3	2		1	1			14
	2				1	1	2	1		1					
6	7	11	13	11	7	20	30	37	41	37	17	10			15
8	12	15	17	25	18	57	65	73	73	74	28	21	4		
42	35	21	11	15	5	8	1	2			1				16
24	12	9	15	6	3	5	3	2							
1		1	3	1			2	4		2	2				17
1	5	1	1	2	1	1	4	2	4	1	2	1			
			1	1					1						18
1		2	1	1			1		1						
2	1	1	1	1	2	6	3	6	8	6	1	2			19
1		4		3	6	5	4	5	9	6	3				
2	1	1		2	3	10	8	6	10	3	2				20
4	4	4	3	2	5	8	14	9	15	8	4	3			
	3	5	2	3	7	7	7	4	5	2	1		1		21
3	2	3	4	9	4	8	12	11	15	12	3		1		
															22
		1													23
	4	2	1	1				1							24
2	1	1					1								
2				1											25
1				1	1										
6	3	2	3	1	5	2	3	5	3	1		2			26
1	3	3	5	3	7	1	3	1	6	3					
7	4	4	5	4	6	5	9	5	3	1					27
17	12	5	4	8	3	5	2	1	2	2	2				
1	1	1		2				1	1						28
1		1													
		1	3	3	2	4	5	10	4	12	10				29
		1	1	2	3	11	11	6	7	6	4				
32	43	29	24	20	17	14	10	5	10	3				9	30
22	32	20	19	13	11	9	9	4	6	1				5	31
10	11	9	5	7	6	5	1	1	4	2				4	32
17	29	12	13	11	6	5	4	2	2					1	33
5	10	7	5	2	5	1				1					
															34
1		1	1			1									35
3															
4	3	7	5	2	4	3	5	2	3	1					36
2	1	2		4	1	2	1	1	1	1					
					1				1					4	37
				1		2			3					4	
1	4	2	5	5	12	39	70	143	242	356	313	148	56	7	38
	2	1	1	4	4	16	31	56	97	140	126	46	14	3	39
1	2	1	4	1	8	23	39	87	145	216	187	102	42	4	40
						8	19	50	86	133	121	43	14		41
						15	28	66	137	201	174	99	41	2	
															42
														2	43
	2	1	1	4	4	8	12	6	11	7	5	3		1	44
1	2	1	4	1	8	8	11	21	8	15	13	3	1	2	
															45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		6,826	268	154	69	52	23	566	88	107	357	607	731
2	Males		3,255	151	90	37	20	9	307	41	31	147	307	364
3	Females		3,571	117	64	32	32	14	259	47	76	210	300	367
4	Anemia	M	64	7	1		1		9	1			2	8
		F	92	6	5		2		13			2	4	5
5	Diabetes	M	111		2	2			4	1	2	2	1	4
		F	129				1		1	5	9	6	4	4
6	Rheumatism	M	65	1		1		1	3	6	3	3	3	5
		F	63	2			1		3	2	2	6	1	4
7	Scrofula and tabes	M	19	6	2				8				2	2
		F	22		4	1			5		3	1		2
8	Hydrocephalus	M	197	69	54	19	12	8	162	14	8	2	3	3
		F	158	54	38	17	13	7	124	10	6	7	6	2
9	Tuberculosis, general	M	59	5	3				8	2	3	1	5	10
		F	67	10	3	3	1	2	19	4	1	6	5	5
10	Consumption	M	2,184	53	25	11	5		94	12	17	134	287	331
		F	1,936	38	18	10	11	5	82	25	47	178	278	334
11	Cancer	M	457			1			1	1	1	1	1	4
		F	974				1		1		2	1		8
12	Tumor	M	56	2					2	2		1	3	2
		F	76				1		1	1	2	1	1	3
13	Dropsy	M	13		1				1	1		1		
		F	23											
14	Others of this group	M	30	8	2	3	2		15	1	2	2		
		F	31	7	1	1	1		10		4	2	1	
15	2. Diseases of the nervous system		4,584	800	265	90	63	46	1,264	89	48	49	55	83
16	Males		2,342	467	152	54	37	26	736	57	23	29	26	46
17	Females		2,242	333	113	36	26	20	528	32	25	20	29	37
18	Inflammation of the brain	M	29	10	2	3	1	1	17	2	1	1		1
		F	13	2	1	1	1		5		1		1	1
19	Meningitis	M	503	226	91	34	21	15	387	36	7	8	8	10
		F	377	156	75	20	20	11	282	27	14	8	6	2
20	Apoplexy	M	746	11	3		2		16	2	1	2	5	11
		F	896	2	1	1	1	1	6		2	4	1	9
21	Paralysis	M	328	2	1				3		3	1	4	1
		F	320	3		1			4	1	1		3	2
22	Paralysis, general (of insane)	M	21											1
		F	14											
23	Tetanus and trismus nascentium	M	23	1					1	2	5	5	1	1
		F	2	1					1					
24	Chorea	M	2				1		1		1			
		F	1											
25	Epilepsy	M	46	1	1		1		3	1	2	5	1	5
		F	45	2		1			3		2	4	6	5
26	Convulsions	M	292	193	45	13	6	8	265	10	1			2
		F	243	148	33	12	4	6	203	2	1		6	7
27	Mental diseases	M	76									2	1	4
		F	91										3	3
28	Diseases of the brain	M	194	20	8	3	4	2	37	3	2	3	3	7
		F	164	16	3			1	20	1	2	4	3	2
29	Diseases of the spinal cord	M	32	3	1				4	1		2	1	3
		F	28	1				1	2	1				2
30	Locomotor ataxia	M	27											
		F	6											
31	Others of this class	M	23			1	1		2				2	
		F	42	2					2		2			4
32	3. Diseases of the circulatory system		3,709	159	11	7	5	6	188	45	60	58	82	99
33	Males		1,859	88	6	3	4	3	104	20	26	20	35	48
34	Females		1,850	71	5	4	1	3	84	25	34	38	47	51
35	Pericarditis	M	19	1	1				2	1	2		1	2
		F	21	1	1	1			3	1	2	1		
36	Diseases of the heart	M	1,635	63	5	3	4	2	77	19	24	17	33	44
		F	1,677	56	4	3	1	2	66	23	30	36	48	47
37	Angina pectoris	M	76									1	1	2
		F	58									1	1	1
38	Diseases of the arteries	M	71											
		F	52										1	
39	Aneurism	M	21											
		F	8								2			
40	Embolism	M	12									2		
		F	20					1	1	1			2	3
41	Others of this class	M	25	24				1	25					
		F	14	14					14					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
652	551	477	463	444	411	385	336	284	203	108	42	9	2	3	1
363	281	210	226	211	170	173	144	125	94	41	13	3	1	3	2
289	270	267	237	233	241	212	192	159	109	67	29	6	1		3
3	2	3	3	8	8	5	8	2	4	3					4
4	2	8	6	8	9	4	9	9	6	1	2				
8	6	4	8	14	8	14	15	8	9	3					5
	2	4	9	13	17	22	10	16	4	3					
1		1	5	3	7	9	2	5	5	3	1				6
2	2	5	2	4	4	6	6	5	6	3					
1	1	1				1	1	1	1						7
1	1	2		1		2	2	2							
6	1		1	1										1	8
1		1						1							
5	8	2	5	5	1		2		2						9
6	4	4	5	2	1	2	1		2						
328	238	172	156	131	90	76	45	39	21	9	3			1	10
250	205	145	96	76	64	43	39	35	18	10	9	1	1		
7	15	25	37	45	53	61	63	62	46	20	9	3	1	1	11
18	47	91	106	117	136	125	108	82	66	43	18	5			
4	6		11	3	3	5	6	4	3	1					12
2	6	5	7	10	5	6	14	6	3	3					
	2					1	1	4	1	1					13
1	1	1	1		4	2	3	2	4	4					
	2	2		1		1	1		2	1					14
4		1	5	2	1			1							
99	121	136	170	231	270	337	395	423	410	261	98	36	4	5	15
51	66	66	91	121	142	156	184	196	183	121	33	10	2	3	16
48	55	70	79	110	128	181	211	227	227	140	65	26	2	2	17
			1		1	1	1	1	2						18
1	1	2					1								
12	7	5	9	3	1	3	3	4							19
7	2	6	7	2	3	1	5	4	1						
16	26	24	38	59	77	84	100	108	91	57	19	6	2	2	20
8	17	31	41	60	75	108	127	136	135	76	43	15	1	1	
7	14	12	14	24	29	34	41	49	53	32	7				21
4	5	7	7	17	23	32	40	52	52	42	18	8	1	1	
2	1	2	1	4	2	3	2	1	2						22
1		1		2	4		2	2	2						
2		1	1	2	1		1								23
	1														
															24
									1						
3	3	5	3	2	2	2	3	3	1	2					25
4	3	2	2	3	3	4		2	2						
1			2				2	3	2	3				1	26
9	7	3	1			1	1	2							
1	4	3	3		2	4	14	8	14	10	3	3			27
6	3	4	2	7	3	13	11	13	11	10	2				
4	8	11	11	21	11	13	10	14	15	16	4	1			28
4	11	7	16	14	9	15	15	11	16	9	2	3			
	2	1	1	4	5	4	3	1							29
2	3	2	2		5	1	3	1	2	2					
1	1		4	2	9	5	3	1	1						30
	1			2		2	1								
2		2	3		2	3	1	3	2	1					31
2	1	5	1	3	3	4	5	4	5	1					
119	165	164	208	263	332	373	421	427	354	210	112	20	3	6	32
48	82	74	105	129	179	203	235	214	183	100	39	8	1	6	33
71	83	90	103	134	153	170	186	213	171	110	73	12	2		34
	1		2	1	3		2	1						1	35
2	1	2	2		1	1	1	1		3					
45	71	70	94	113	159	182	208	190	159	88	30	7		5	36
66	79	86	90	122	144	157	172	187	157	98	63	9	2		
2	2	1	8	5	5	14	13	6	8	5	3				37
		1	8	8	6	4	10	7	5	1	5				
			1	4	9	5	10	13	14	7	6	1	1		38
		1		2	1	6	2	17	7	8	4	3			
1	5	2		5	2	1	1	2	2						39
2	1		1			1	1								
	3	1		1	1	1	1	2							40
1	2		2	2	1	1		1	2		1				
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	5,864	1,272	505	200	132	58	2,167	127	47	60	122	157
2	Males	2,970	715	258	109	73	28	1,183	68	20	39	71	84
3	Females	2,894	557	247	91	59	30	984	59	27	21	51	73
4	Croup M	75	10	14	16	13	6	59	14	1		1	
	Croup F	66	8	16	13	13	5	55	9	2			
5	Pneumonia M	2,079	401	196	68	43	17	725	40	14	31	59	71
	Pneumonia F	2,007	327	183	58	33	18	619	35	19	12	44	59
6	Laryngitis M	25	4	4	2	4	2	16	5				
	Laryngitis F	20	3	2	1	4	2	12	4	1			
7	Bronchitis M	528	236	37	22	11	3	309	4	4	4	2	6
	Bronchitis F	570	175	42	17	5	4	243	7	4	5	3	4
8	Pleurisy M	66	1	1	1	1		4	2	1	4	6	3
	Pleurisy F	37	2	1	1	1		5	2	1	1	2	3
9	Asthma M	26	1					1	1				
	Asthma F	18	1					1					
10	Others of this class M	171	62	6		1		69	2			3	4
	Others of this class F	176	41	3	1	3	1	49	2		3	2	7
11	5. Diseases of the digestive system	1,718	215	50	24	12	15	316	43	48	61	91	102
12	Males	835	123	27	15	7	7	179	22	25	34	45	40
13	Females	883	92	23	9	5	8	137	21	23	27	46	62
14	Dentition M	19	10	9				19					
	Dentition F	11	8	3				11					
15	Angina M	8		1	2		1	4	1				
	Angina F	11	1	4			1	6				1	
16	Gastritis M	97	22	5				27			1	1	2
	Gastritis F	118	14	4	1	1	1	21	1	1	2	3	7
17	Diseases of the stomach M	46	2					2		1	1	1	3
	Diseases of the stomach F	55		1				1			1	3	4
18	Obstruction of the bowels M	78	17	1	4		1	23	2		2	1	7
	Obstruction of the bowels F	88	12	3		1		16	2		3	2	5
19	Appendicitis M	122		1		4	1	6	6	16	17	26	10
	Appendicitis F	50			1		1	2	4	5	9	6	7
20	Hernia M	24	5				1	6			1	1	
	Hernia F	47											
21	Other diseases of the bowels M	20	6					6					1
	Other diseases of the bowels F	26	4	1		1		6	1		1		1
22	Jaundice M	27	15		1		1	17					1
	Jaundice F	20	6		2			8					1
23	Inflammation and abscess of the liver. M	34	2					2			1	1	2
	Inflammation and abscess of the liver. F	27	1					1		1		2	1
24	Other diseases of the liver M	146	1		1			2	1		1		6
	Other diseases of the liver F	111	1				1	2	1			1	3
25	Peritonitis M	125	10	2	6	2	1	21	12	8	10	11	8
	Peritonitis F	218	13	5	2	2	3	25	10	16	10	26	28
26	Ascites M	3											
	Ascites F	9	2					2					
27	Others of this class M	86	33	8	1	1	1	44				3	
	Others of this class F	92	30	2	3		1	36	2		1	2	5
28	6. Diseases of the urinary system and male organs of generation.	1,723	31	1	5	10	6	53	14	10	38	67	71
29	Males	1,006	17		4	5	2	28	5	9	19	34	28
30	Females	717	14	1	1	5	4	25	9	1	19	33	43
31	Bright's disease M	681							3	6	19	31	23
	Bright's disease F	566							6	1	16	27	35
32	Calculus, urinary M	4								1			
	Calculus, urinary F												
33	Diseases of the kidney M	72	12		4	5	2	23	1	2			2
	Diseases of the kidney F	48	10	1	1	5	4	21			1	2	2
34	Diseases of the bladder M	118											2
	Diseases of the bladder F	12											
35	Others of this class M	131	5					5	1			3	1
	Others of this class F	91	4					4	3		2	4	6
36	7. Diseases of the female organs of generation.	109								1	6	8	17
37	Ovarian tumors	17											3
38	Ovarian diseases	3											
39	Diseases of the tubes	26									3	5	6
40	Uterine tumors	30											
41	Uterine diseases	6										1	3
42	Others of this class	27								1	3	2	5

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
182	205	199	217	281	301	345	388	365	295	221	116	41	15	18	1
104	115	107	124	145	140	172	178	154	114	86	43	16	4	8	2
78	90	92	93	136	161	173	210	211	181	135	73	25	11	10	3
															4
90	98	89	102	120	110	125	127	113	74	54	26	6	2	3	5
63	74	74	76	95	126	135	153	150	124	81	44	17	5	2	
1		1					1		1						6
	1			1			1								
1	7	7	7	11	16	20	27	28	30	22	13	8	2		7
5	4	6	10	22	22	25	45	42	39	42	26	8	6	2	
8	3	4	7	4	6	5	1	3	3	1				1	8
2	3	3	2	4	1	1		5	2						
1		1	1	1	2	6	5	1	1	4		1			9
		1		2	3	1	3	1	4	2					
3	7	5	7	9	6	16	12	9	5	5	4	1		4	10
8	8	8	5	12	9	11	8	13	12	10	3			6	
94	79	110	86	105	114	103	116	95	81	39	22	7		6	11
38	29	65	40	53	54	45	50	41	46	17	8	3		1	12
56	50	45	46	52	60	58	66	54	35	22	14	4		5	13
															14
	1				1	1									15
			3						1						
3	2	8	6	5	3	8	8	5	10	3	3	2			16
4	6	3	3	7	13	15	11	10	6	3	2				
2	1	3	2	6	6	4	1	3	7	2	1				17
7	3	2	2	4	7	4	1	7	4	2	2	1			
2	4	2	5	4	3	4	7	5	6	1					18
3	5	4	11	2	4	5	11	8	1	2	4				
11	8	8	5	3	3	1		1	1						19
5	4	2	3		1	1			1						
1		2		3	3			3	2	1	1				20
1		3	2	5	11	3	12	4	3	2		1			
1	1	2	1	1			2	1	3					1	21
1	1		3		2	2	3	2		2	1				
			1			1		3	2	2					22
1			2	1			2	2			1			2	
2	2	4		5	3	4	1	5	1			1			23
2	1	1		1	1	6	4	2	3	1					
6	6	19	10	20	21	14	22	6	8	4					24
6	8	15	7	11	8	7	10	11	13	5	3				
7	3	13	6	2	9	2	3	4	4	1	1				25
24	18	14	7	13	8	6	3	4	2	1	1	1		1	
		1				1				1					26
				1	2		2	1						1	
3	1	3	4	4	2	5	6	5	2	2	2				27
2	4	1	3	7	3	9	7	8	1	4		1		1	
71	93	71	101	153	156	182	177	182	142	92	38	6	1	5	28
31	45	35	58	78	98	107	113	116	99	68	28	3	1	3	29
40	48	36	43	75	58	75	64	66	43	24	10	3		2	30
26	31	32	50	66	80	76	69	71	56	27	12	1		2	31
26	38	32	35	63	47	65	56	53	36	20	9	1			
		1			1						1				32
2	3	1		5	4	3	10	5	4	3	4				33
4	2	2	1	1	2	4	1	3	2						
	1		3	3	4	15	20	22	17	20	9	2			34
2	1			1	1	1	1	2		1		2			
3	10	1	5	4	9	13	14	18	22	18	2		1	1	35
8	7	2	7	10	8	5	6	8	5	3	1			2	
11	13	15	18	4	5	1	2	1	6	1					36
2		2	5	1			2		2						37
2	1														38
4	2	3	2	1											39
	5	5	8	2	5	1		1	2	1					40
1									1						41
2	5	5	3						1						42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 1—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		188									4	39	44
2	Abortion		9											4
3	Childbirth		55										9	7
4	Puerperal septicemia		66									2	16	24
5	Extra-uterine pregnancy		15										3	3
6	Others of this class		43									2	11	6
7	9. Diseases of the bones and joints		93	6	2		4		12	12	8	4	7	5
8	Males		59	5	2		4		11	8	3	1	5	3
9	Females		34	1					1	4	5	3	2	2
10	Diseases of the spine	M	21	1	1		1		3	6	2		2	1
		F	6							1	1		1	
11	Abscess, lumbar and psoas	M	4	1					1					
		F	2											
12	Diseases of the bones	M	24	3	1		2		6	2		1	2	1
		F	13	1					1	1	2	3	1	
13	Diseases of the hip-joint	M	4								1		1	1
		F	2							1	1			
14	Others of this class	M	6				1		1					
		F	11							1	1			2
15	10. Diseases of the skin		76	24	4	1	1		30	4		1	1	
16	Males		41	12	2	1			15	2		1		
17	Females		35	12	2		1		15	2			1	
18	Abscess	M	26	7	2	1			10	2		1		
		F	12	4					4	2				
19	Carbuncle	M	5											
		F	3										1	
20	Others of this class	M	10	5					5					
		F	20	8	2		1		11					
21	11. Diseases of the absorbent system		34	3	3				6			1	1	3
22	Males		18	3	2				5			1		2
23	Females		16		1				1				1	1
24	Addison's disease	M	5									1		
		F	5										1	
25	Diseases of the spleen	M	1											
		F	4											
26	Others of this class	M	12	3	2				5					2
		F	7		1				1					1
27	12. Accidents and injuries		1,535	101	27	32	26	28	214	74	45	71	100	114
28	Males		1,130	55	19	18	20	20	132	53	39	60	85	96
29	Females		405	46	8	14	6	8	82	21	6	11	15	18
30	Burns and scalds	M	68	4	10	7	7	6	34	3	2	2	1	1
		F	90	2	3	8	4	5	22	12	2	4	2	7
31	Drowning	M	211	1	2	2	2	7	14	25	20	16	20	23
		F	13	2		1		1	4			3		
32	Exposure and neglect	M	9										2	
		F	4	2					2					
33	Gunshot wounds	M	20	1					1	1	2	3	2	1
		F	6								1	1	1	
34	Homicide	M	8									1	1	
		F	4											
35	Infanticide	M	4	4					4					
		F												
36	Injuries by machinery	M	5										2	
		F												
37	Railroad accidents	M	162					2	2	10	2	11	19	16
		F	11			1	1		2	2		1		
38	Suffocation	M	48	27	3	2			32		2	2	2	
		F	33	23			1	1	25					
39	Suicide by shooting	M	48									1	2	5
		F	2											
40	Suicide by drowning	M	14										1	
		F	7											
41	Suicide by poison	M	18										1	4
		F	11									1	3	1
42	Other suicides	M	70									1	3	7
		F	23										2	2
43	Sunstroke	M	5	1					1				1	
		F	2		2				2					
44	Surgical operations	M	4							1				
		F	20								1		2	1
45	Wounds	M	25			1	1		2		1		2	4
		F	1							1				
46	Others of this class	M	411	17	4	6	10	5	42	13	10	23	26	35
		F	178	17	3	4		1	25	6	2	1	5	7

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 1—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	39	19		1	1									1	1
1	3				1										2
12	16	10		1											3
13	5	6													4
2	7														5
12	8	3												1	6
6	5	5	5	2	2	4	7	3	2	2	1	1			7
3	5	4	4	1	2	1	3	1	2	1		1			8
3		1	1	1		3	4	2		1	1				9
	3	1	1		1				1						10
						1	1	1							
			1				1	1							11
1			1												
3	1		2	1	1	1	1		1	1					12
		1				2	1				1				
		1													13
	1	2					1					1			14
2				1			2	1		1					
3	3	8	2	4	3	3	4	2	6	1	1				15
1	1	3	2	3	3	2	3	1	2	1	1				16
2	2	5		1		1	1	1	4						17
1		3	1	2	2	1	3								18
	1			1			1	1	2						
	1		1	1		1			1						19
		2													
					1			1	1	1	1				20
2	1	3				1			2						
3	2	3	1		3	2	4	2	3						21
1	1	1	1		1	2	1	1	1						22
2	1	2			2		3	1	2						23
	1				1	1	1								24
	1				1		2								
		1													25
1		1			1				1						
1			1			1		1	1						26
1		1					1	1	1						
137	128	113	87	97	75	69	64	54	36	20	19	8		10	27
106	105	88	74	77	58	51	36	26	21	11	4			8	28
31	23	25	13	20	17	18	28	28	15	9	15	8		2	29
1	6	3	3	2	1	2	1	4	2						30
5	4	5	3	2	3	4	5	4	4	1	1				
20	23	11	14	8	13		1		1					2	31
1		1		1	1		1	1							
1		1	2			1			2						32
						2									
3	1	3		1					2						33
1	1			1											
5				1											34
	1	1		1	1										
															35
1			1	1											36
20	17	13	9	10	7	10	7	3	1	2				3	37
1	1	1				1		1	1						
3	1			2			1	1						2	38
3				2	1					1				1	
3	10	5	5	4	4	2	2	2	1	1	1				39
2															
2	1	1	1	2	1	2		1	2						40
	1		1	1	1	2	1								
2	3	3	1	2		1	1								41
3		1	1		1										
10	7	10	8	8	4	5	4	1	2						42
3	3	5		2	1		3	1			1				
	1					1			1						43
			1	1		1									44
2	3	5	1		1	2	1			1					
4	2	1	1	3	3	1	1								45
31	33	37	28	32	25	25	18	14	7	8	3			1	46
10	9	6	7	10	7	7	17	21	10	6	13	8		1	

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		11,880	2,569	508	254	195	123	3,589	314	161	266	435	476
2	Males		6,070	1,394	287	126	75	60	1,942	156	75	127	232	249
3	Females		5,810	1,175	221	128	60	63	1,647	158	86	139	203	227
4	Unknown cause		76	24	1		1		26	2	1	1	3	3
5	Males		44	12	1		1		14	1			3	2
6	Females		32	12					12	1	1	1		1
7	1. General diseases. General diseases—A		2,043	792	189	95	59	49	1,184	129	27	40	44	57
8	Males		1,053	424	112	46	39	22	643	62	14	15	27	29
9	Females		990	368	77	49	20	27	541	67	13	25	17	28
10	Measles	M	53	12	15	5	6	2	40	7		1		1
		F	45	13	11	8	2	3	32	5	4	1		1
11	Scarlet fever	M	42	1	4	5	8	3	21	18	1		2	
		F	47	2	7	8	4	4	25	17		1		1
12	Diphtheria	M	113	10	21	19	18	12	80	26	3	3		
		F	106	2	9	22	9	17	59	33	6	1	1	3
13	Whooping cough	M	31	16	9	2	4		31					
		F	37	19	12	3	1		35	2				
14	Malarial fever	M	20	2					2				1	1
		F	15	3					3		1	1	3	1
15	Influenza	M	104	4	3	1	1	1	10	2		2	1	1
		F	141	6					6					4
16	Typhoid fever	M	96				1		1		4	7	20	19
		F	63		1	1			2	4	1	15	4	10
17	Cholera morbus	M	22	2	4	1	1		8	2			1	
		F	13	2	1	3			6					1
18	Colitis	M	9	3	2	1			6					
		F	8	3	2				5					
19	Diarrhea	M	50	28	3				31	2				1
		F	50	26	3				29	3				
20	Dysentery	M	22	5	1	2			8					1
		F	36	4			1		5	1		1	1	1
21	Enteritis	M	124	81	18	5		1	105	1				1
		F	97	58	10	1	2	1	72	1			1	
22	Cholera infantum	M	262	232	26	2		2	262					
		F	238	217	19	2			238					
23	Fever	M												
		F	2			1		1	2					
24	Cerebro-spinal fever	M	35	19	5	2			26	2	3		1	2
		F	16	5	1	5		1	12	1		2	1	
25	Smallpox	M	1							1				
		F												
26	Erysipelas	M	16	6					6		1			
		F	18	8	1				9					2
27	Septicemia	M	24	1	1			1	3	1	1	2	1	1
		F	38				1		1		1	2	6	4
28	Venereal diseases	M	2	2					2					
		F	1											
29	Others of this group	M	27			1			1		1			1
		F	19									1		
30	General diseases—B		322	241	8	1		1	251	1		1	2	9
31	Males		180	125	2	1		1	129	1			2	8
32	Females		142	116	6				122			1		1
33	Alcoholism	M	29							1			1	2
		F	6											
34	Parasitic diseases	M	1											
		F												
35	Lead poison	M	1											
		F												
36	Other poisons	M	14			1		1	2				1	6
		F	10	1	1				2					1
37	Inanition	M	135	125	2				127					
		F	126	115	5				120			1		
38	General diseases—C		1,163	601	6	1	1	2	611	2	1		2	3
39	Males		554	326	4		1		331					3
40	Females		609	275	2	1		2	280	2	1		2	
41	Old age	M	187											
		F	279											
42	Premature birth	M	200	200					200					
		F	148	148					148					
43	Malformation	M	20	18	1				19					
		F	19	18				1	19					
44	Debility and atrophy	M	134	95	3		1		99					3
		F	146	93	2	1		1	97	2	1		2	
45	Others of this group	M	13	13					13					
		F	17	16					16					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
458	409	390	428	497	605	610	698	786	755	573	293	110	39	38	1
229	218	193	221	243	304	308	346	370	376	275	129	37	13	27	2
229	191	197	207	254	301	302	352	366	379	298	164	73	26	11	3
2	3	3		4	6	6	4	4	2	1	1			4	4
1	1	2		2	4	6	3	1	1					3	5
1	2	1		2	2		1	3	1	1	1			1	6
42	32	31	35	30	41	53	46	74	81	56	27	9	2	3	7
18	17	13	15	15	22	28	21	37	34	24	14	2	1	2	8
24	15	18	20	15	19	25	25	37	47	32	13	7	1	1	9
2	1								1						10
			1		1										
1	1							1							11
1															
	1		1				1								12
															13
	1		1		4	3	1	2	3	1					14
		1		1				1	1	1	1				
1	4	2	3	5	5	11	7	15	15	13	4	1	1	1	15
3	2	9	8	4	8	15	13	13	24	20	5	6	1		
10	4	4	9	4	5	3	2	1	3						16
9	4		2	3	2	3		3	1						
		1			1	3		1	2		1	1		1	17
1	1	1		1				1			1				
1					1		1								18
					1		1		1						
	3		1	1	2	2	3	2		2					19
					1	1	1	4	5	4	1	1			
	3	2		1				5	1	1					20
1		1	2		2	1	4	6	8		2				
2		1		1	1	3	3	2		2	2				21
2	1	2	3	2	3		2	2	2	4					
															22
															23
		1													24
															25
1	1	1	1	1		1		1	1		1				26
			1	1		2			2		1				
		1		2	2		3	5	1	1					27
6	5	3	1	3		2	1		1	1				1	
1															28
					1	2	1	3	7	4	6				29
		1	1		1	1	2	6	2	2	2				
6	8	3	4	5	7	1	7	3	4	1	1	1	1	6	30
5	5	2	2	4	6	1	4	1	3	1	1			5	31
1	3	1	2	1	1		3	2	1			1	1	1	32
5	4	1	1	3	5	1	2		2		1				33
	1	1	1	1	1		1								
					1										34
		1													35
	1		1	1			1		1						36
1	2		1				1	2							
							1	1		1				5	37
							1		1			1	1	1	
1	2		2	3	9	10	19	48	97	155	115	58	23	2	38
1			1		5	6	9	23	39	65	45	18	6	2	39
	2		1	3	4	4	10	25	58	90	70	40	17		40
						1	4	18	36	62	43	17	6		41
						1	7	15	51	82	68	39	16		
															42
														1	43
1			1		5	5	5	5	3	3	2	1		1	44
	2		1	3	4	3	3	9	7	8	2	1	1		
								1							45

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**1. General diseases—Continued.** General diseases—D		1,911	83	33	27	9	11	163	22	27	101	189	187
2	Males		913	55	20	10	5	7	97	7	10	42	99	90
3	Females		998	28	13	17	4	4	66	15	17	59	90	97
4	Anemia	M	12	4					4				1	
		F	27	1				1	2		1	1	2	2
5	Diabetes	M	39							1	3	2	2	3
		F	39	1			1	1	3		2	1		1
6	Rheumatism	M	19	1				1	2		1		1	
		F	30			1			1	4	4	2	1	
7	Scrofula and tabes	M	12	3	1				4	2			1	
		F	11		1		1		2			1	2	
8	Hydrocephalus	M	52	22	13	3	3	2	43	2	1		1	3
		F	38	12	6	9		1	28	5	1		1	
9	Tuberculosis, general	M	18	3		1			4		2		1	2
		F	12							1	2		2	2
10	Consumption	M	585	19	6	5		3	33	2	3	38	88	82
		F	519	12	6	6	2	1	27	5	7	52	81	87
11	Cancer	M	148			1			1			1	2	
		F	285									1		4
12	Tumor	M	13					1	1			1		
		F	22	1		1			2				1	1
13	Dropsy	M	7				1		1				1	
		F	13	1					1			1		
14	Others of this group	M	8	3			1		4				1	
		F	2											
15	**2. Diseases of the nervous system**		1,572	287	78	39	23	18	440	35	34	18	23	31
16	Males		797	169	36	23	7	7	242	14	11	11	9	20
17	Females		775	118	37	16	16	11	198	21	23	7	14	11
18	Inflammation of the brain	M	17	8	1	2	1		12				1	
		F	10	4		1			5					
19	Meningitis	M	153	68	23	14	2	3	110	9	4	6	2	6
		F	173	65	25	11	12	9	122	17	13	2	3	2
20	Apoplexy	M	261	5		1			6	1	1	1		3
		F	287	5					5		1			5
21	Paralysis	M	104	1					1	1				2
		F	90			1			1				1	
22	Paralysis, general (of insane)	M	4											
		F	8											
23	Tetanus and trismus nascentium	M	3	2					2				1	
		F	3									1		
24	Chorea	M	2					1	1					
		F	3								3			
25	Epilepsy	M	20	1					1		3	3	1	2
		F	22	1					1	1	2	1	3	2
26	Convulsions	M	98	72	11	6	2	1	92		2			
		F	64	37	11	3	4	1	56	1	2		2	1
27	Mental diseases	M	31										1	1
		F	42											
28	Diseases of the brain	M	70	12	1		2	2	17	3	1	1	3	6
		F	42	4	1				5	2	2	2	4	1
29	Diseases of the spinal cord	M	10											
		F	13	1				1	2					
30	Locomotor ataxia	M	10											
		F	4											
31	Others of this class	M	14											
		F	14	1					1			1	1	
32	**3. Diseases of the circulatory system**		1,075	48	2	1	5	4	60	17	12	15	30	24
33	Males		567	27			2	3	32	10	7	5	10	12
34	Females		508	21	2	1	3	1	28	7	5	10	20	12
35	Pericarditis	M	9	1					1		1	1		
		F	7							1				
36	Diseases of the heart	M	508	22			2	3	27	9	6	3	10	12
		F	446	13	2	1	2	1	19	6	5	10	19	9
37	Angina pectoris	M	19							1		1		
		F	28										1	1
38	Diseases of the arteries	M	20											
		F	12	1					1					
39	Aneurism	M	2											
		F	2											1
40	Embolism	M	5											
		F	5											1
41	Others of this class	M	4	4					4					
		F	8	7			1		8					

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
173	142	115	124	134	119	97	118	84	63	38	12	3		5	1
95	79	58	52	56	43	48	50	39	27	13	4	1		3	2
78	63	57	72	78	76	49	68	45	36	25	8	2		2	3
1		1	1	1		2	1								4
1	1		2	4	3	1	2	2	1	2					
2	2		1	3	4	5	5	4	1	1					5
1	2	2	4	4	6	4	2	2	4		1				
1	2				3	1	2	3	1	1		1			6
1		3	1	1	2	2	1	2	2	2	1				
	2					1		2							7
1	1		2	1						1					
1					1										8
1			1											1	
3	2	1	2	1											9
1	1	2	1												
86	65	46	34	32	19	15	17	15	6	1	1			2	10
64	45	34	26	23	18	17	17	7	4	5					
1	3	9	13	16	16	21	22	13	17	10	2			1	11
7	10	12	32	41	45	23	40	28	20	13	6	2		1	
	2		1	2		3	2	1							12
	3	2	3	2	2	2			3	1					
	1	1					1	1			1				13
1		1		2			1	3	2	1					
				1					2						14
		1						1							
30	37	37	52	59	95	105	123	153	141	104	44	8	3		15
17	22	18	32	29	51	50	56	76	69	47	20	2	1		16
13	15	19	20	30	44	55	67	77	72	57	24	6	2		17
	1			1		1	1								18
		1		1		2			1						
4	2	2	3	1		1	2	1							19
3	1	1	4	1	1	1	1	1							
3	6	7	15	12	26	25	34	42	35	31	13				20
3	5	9	8	17	24	34	43	42	36	31	17	5	2		
2	6	3	6	7	13	10	9	15	16	6	6	1			21
	1	3	4	3	7	9	8	17	10	15	4	1			
						1	1		2						22
1						1	1	3	1	1					
															23
		1			1										
1															24
1	2	3	1	1	1					1					25
2	1	2	1		2		1		2		1				
						1		2	1						26
1	1														
1		1	1		4	4	2	7	4	3	1	1			27
1	2			2	4	3	5	10	8	6	1				
4	3	1	1	3	2	4	5	6	6	4					28
1	2		1	3	2	1	5	1	7	2	1				
	1		1	1	1	2		1	1	2					29
	2	2		1	2	1	1	2							
		1	2	2		1	1	1	2						30
			1			1	1			1					
1	1		2	1	4		1	1	2				1		31
1			1	2	1	2	1	1	1	1					
27	28	43	48	52	104	99	136	121	138	80	27	10	1	3	32
8	13	19	23	29	57	58	73	67	77	48	13	4		2	33
19	15	24	25	23	47	41	63	54	61	32	14	6	1	1	34
				1	2			2	1						35
1	1	1						1		2					
8	11	19	22	23	51	55	69	59	68	41	9	4		2	36
14	14	22	22	20	45	35	58	45	54	29	14	4	1	1	
			1	1	1	1	2	3	2	4	2				37
1			3	2	2	3	4	5	5	1					
				2	3	2	2	2	4	3	2				38
1		1		1		1		3	2			2			
	1								1						39
						1									
	1			2				1	1						40
2						1	1								
															41

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,732	352	169	67	26	24	638	41	16	22	30	40
2	Males		857	185	93	32	13	13	336	19	8	15	19	23
3	Females		875	167	76	35	13	11	302	22	8	7	11	17
4	Croup	M	33	5	13	4	4	3	29	4				
		F	30	1	13	7	3	2	26	4				
5	Pneumonia	M	597	99	56	19	7	9	190	12	6	15	18	19
		F	585	91	48	19	8	7	173	16	8	3	8	12
6	Laryngitis	M	6	1	2		1		4	1				
		F	2		1				1					1
7	Bronchitis	M	145	62	18	6			86	2	1			1
		F	131	58	10	8	1	1	78	2		3		2
8	Pleurisy	M	13		2			1	3		1			
		F	12		1				1				2	
9	Asthma	M	11	1					1					
		F	4	1					1					
10	Others of this class	M	52	17	2	3	1		23				1	3
		F	61	16	3	1	1	1	22			1	1	2
11	5. Diseases of the digestive system		587	79	14	8	1	7	109	18	17	21	33	27
12	Males		296	40	9	5		4	58	11	9	12	19	12
13	Females		291	39	5	3	1	3	51	7	8	9	14	15
14	Dentition	M	6	2	4				6					
		F	3	1	2				3					
15	Angina	M	9	2	1			1	4		1		1	
		F	7			1		1	2	1	1			
16	Gastritis	M	40	7	2				9					1
		F	36	7	2	1	1		11	1			1	2
17	Diseases of the stomach	M	13	1					1				1	
		F	19	1					1				2	1
18	Obstruction of the bowels	M	23	4	1				5	2	2	1	1	1
		F	24	3					3			1		
19	Appendicitis	M	45					1	1	5	1	8	8	3
		F	12							1	3	1	1	2
20	Hernia	M	16	1					1					
		F	5											
21	Other diseases of the bowels	M	5	2					2					1
		F	7	3					3					
22	Jaundice	M	11	8					8					
		F	14	8		1			9					
23	Inflammation and abscess of the liver.	M	7					1	1					
		F	16					1	1				1	
24	Other diseases of the liver	M	46											2
		F	35	1					1					
25	Peritonitis	M	44	2	1	3		1	7	3	4	3	8	4
		F	33	2				1	3	4	4	7	9	10
26	Ascites	M	3											
		F	6											
27	Others of this class	M	28	11		2			13	1	1			
		F	24	13	1				14					
28	6. Diseases of the urinary system and male organs of generation.		678	9	2	5	3	3	22	12	6	9	21	26
29	Males		383	7	2	1	1		11	8	3	5	8	13
30	Females		295	2		4	2	3	11	4	3	4	13	13
31	Bright's disease	M	265							7	3	4	7	11
		F	243							4	3	4	12	10
32	Calculus, urinary	M	3											
		F	1											
33	Diseases of the kidney	M	15	4	2	1	1		8					
		F	16	2		3	2	3	10				1	1
34	Diseases of the bladder	M	45									1		
		F	5											
35	Others of this class	M	55	3					3	1			1	2
		F	30			1			1					2
36	7. Diseases of the female organs of generation		30	1					1			1	2	4
37	Ovarian tumors		4											
38	Ovarian diseases		2											
39	Diseases of the tubes		7										1	3
40	Uterine tumors		10											1
41	Uterine diseases		2										1	
42	Others of this class		5	1					1			1		

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
44	59	52	65	83	97	108	115	112	88	71	33	12	3	3	1
22	31	30	38	38	49	41	54	41	38	34	12	6	1	2	2
22	28	22	27	45	48	67	61	71	50	37	21	6	2	1	3
															4
16	29	27	31	26	37	35	41	30	27	25	7	4	1	1	5
22	21	16	18	35	35	57	42	50	32	18	13	4	1	1	
		1													6
2	2	1	4	2	8	4	6	6	6	7	5	1		1	7
	3	3	2	6	8	8	16	17	12	12	8	1			
1			1	3		1		3							8
	1	1	2		1		1			3					
			1	4	1	1	1		2						9
				1		1				1					
3		1	1	3	3		6	2	3	2		1			10
	3	2	5	3	4	1	2	4	6	3		1	1		
29	25	27	25	44	39	36	39	35	39	12	9	2		1	11
14	9	12	13	21	20	13	18	17	25	4	8	1			12
15	16	15	12	23	19	23	21	18	14	8	1	1		1	13
															14
				1				2							15
			1	1						1					
1	2	2		3	3	6	2	1	5	2	2	1			16
		3	1	3	1	5	3	3		2					
		1		1		1	2	3	2		1				17
4	1			1	3	1	2		2		1				
1		1		3			1	3	1		1				18
	2	1			3	5	1	3	4	1					
7	1	4	2	1	2		1	1							19
		1	1		1		1								
	1			1	2		1	1	7		2				20
1					1	3									
	1			1											21
1				1					2						
									2		1				22
	1			1			1	1						1	
2					1			1	2						23
1		3	3	2		1	3	1							
	2	2	4	8	8	5	5	3	5	2					24
1	2		3	7	3	4	4	7	3						
3	2	1	4	1	2	1	1								25
7	10	6	1	6	3	4	3	1	2	2		1			
			1				2								26
		1	1		1		1	1	1						
		1	2	1	2		3	2	1		1				27
			1	1	3		2	1		2					
39	25	34	36	45	51	69	77	75	73	36	16	4	2		28
14	13	14	19	23	21	39	46	51	52	28	11	2	2		29
25	12	20	17	22	30	30	31	24	21	8	5	2			30
9	11	9	17	13	15	31	36	39	35	17	1				31
16	6	18	16	19	27	26	29	24	17	5	5	2			
				1	1		1								32
									1						
	1			2				1	1	1	1				33
2	1				1										
				3	2	7	2	4	9	7	7	1	2		34
	1				1	2				1					
5	1	5	2	4	3	1	7	7	7	3	2	1			35
7	4	2	1	3	1	2	2		3	2					
5	2	3	5	1	3	1	1	1							36
1			1		1	1									37
1								1							38
1		1	1												39
1		2	2	1	2		1								40
1															41
	2		1												42

TABLE 8.—DEATHS FROM EACH SPECIFIED DISEASE AND CLASS

MASSACHUSETTS—GROUP 2—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	82									6	14	20
2	Abortion	4										1	
3	Childbirth	23										5	7
4	Puerperal septicemia	26									1	5	5
5	Extra-uterine pregnancy	4											1
6	Others of this class	25									5	3	7
7	9. Diseases of the bones and joints	21	1	1		1		3	3	2		5	
8	Males	15	1			1		2	2	2		4	
9	Females	6		1				1	1			1	
10	Diseases of the spine M	5				1		1		2		1	
	Diseases of the spine F	4		1				1	1			1	
11	Abscess, lumbar and psoas M	1										1	
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	4	1					1	1			1	
	Diseases of the bones F												
13	Diseases of the hip-joint M	2							1			1	
	Diseases of the hip-joint F												
14	Others of this class M	3											
	Others of this class F	2											
15	10. Diseases of the skin	18	8	1				9		1			
16	Males	8	3	1				4					
17	Females	10	5					5		1			
18	Abscess M	4	2					2					
	Abscess F	6	3					3		1			
19	Carbuncle M	2	1					1					
	Carbuncle F	1											
20	Others of this class M	2		1				1					
	Others of this class F	3	2					2					
21	11. Diseases of the absorbent system	6	1					1					
22	Males	3											
23	Females	3	1					1					
24	Addison's disease M	3											
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F	1											
26	Others of this class M												
	Others of this class F	2	1					1					
27	12. Accidents and injuries	564	42	9	10	6	4	71	32	17	31	37	45
28	Males	400	20	7	8	5	3	43	21	11	22	32	37
29	Females	164	22	2	2	1	1	28	11	6	9	5	8
30	Burns and scalds M	22		6	6			12				2	
	Burns and scalds F	38	1	2	2	1	1	7	6		4	1	
31	Drowning M	56			1	3	2	6	12	8	11	2	
	Drowning F	5							1	3	1		
32	Exposure and neglect M	6	1					1					
	Exposure and neglect F	4	3					3					
33	Gunshot wounds M	6											1
	Gunshot wounds F	3								1	2		
34	Homicide M	5					1	1					
	Homicide F	2							1				
35	Infanticide M												
	Infanticide F	3	3					3					
36	Injuries by machinery M	1									1		
	Injuries by machinery F												
37	Railroad accidents M	38							3		6	12	22
	Railroad accidents F	4								1			
38	Suffocation M	20	10			1		11			1		
	Suffocation F	13	10					10					
39	Suicide by shooting M	23									1	2	3
	Suicide by shooting F	2										1	
40	Suicide by drowning M	5											
	Suicide by drowning F	3										1	
41	Suicide by poison M	2										1	
	Suicide by poison F	3										1	
42	Other suicides M	24								1		1	1
	Other suicides F	7									1		2
43	Sunstroke M	2	1					1					
	Sunstroke F												
44	Surgical operations M	3											2
	Surgical operations F	2									1		
45	Wounds M	4											
	Wounds F	1											
46	Others of this class M	133	8	1	1	1		11	6	2	2	12	8
	Others of this class F	74	5					5	3	1		1	6

OF DISEASES, BY SEX AND AGE: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—GROUP 2—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
19	13	10													1
1		2													2
5	3	3													3
8	6	1													4
1	1	1													5
4	3	3													6
	1	2	1	2			1	1							7
	1	1	1	1			1								8
		1		1				1							9
	1														10
				1											
															11
							1								12
															13
		1	1	1											14
		1						1							
	1		3			1		2		1					15
	1		1					2							16
			2			1				1					17
	1							1							18
						1				1					
			1												19
			1												
								1							20
			1												
		2			1	1			1						21
		1			1	1									22
		1							1						23
		1			1	1									24
															25
									1						
															26
		1													
41	31	28	28	35	33	23	17	23	28	18	8	3	4	11	27
34	26	23	24	25	25	17	11	15	11	11	1	1	2	8	28
7	5	5	4	10	8	6	6	8	17	7	7	2	2	3	29
1	1	1		1	1	1				2					30
2	1			3	2	2	2	4	2	1	1				
5	4	3	1		1	2	1								31
1				1	1				1					1	32
									1						
2	1		2												33
2				1						1					34
1															
															35
															36
6	8	8	5	9	3	1	1	1	1					2	37
	1			1					1						
2		1	1			1								3	38
														3	
2		1	3	3	4	1	2	1							39
1															
		1		3					1						40
					1				1						
		1													41
								1	1						
3	2	1	1		5	4	1	2		1				1	42
		3					1								
									1						43
					1										44
						1									
1	1			1						1					45
									1						
9	9	6	11	6	9	7	6	11	7	6	1	1	2	1	46
3	3	2	4	6	5	3	3	3	10	6	6	2	2		