TABLE 11.

DEATHS OF WHITE PERSONS IN THE REGISTRATION AREA, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS.

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE

MOTHERS BORN IN THE UNITED STATES (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	143,119	34,361	7,750	3,720	2,406	1,707	50,444	4,922	2,967	4,114	5,293	4,960
2	Males	73,765	19,440	4,080	1,919	1,209	892	27,540	2,523	1,500	2,011	2,600	2,354
3	Females	69,354	15,421	3,670	1,801	1,197	815	22,904	2,399	1,467	2,103	2,693	2,606
4	Unknown cause	1,349	576	35	16	17	11	655	32	22	34	27	30
5	Males	730	329	17	9	8	5	368	17	9	19	12	11
6	Females	619	247	18	7	9	6	287	15	13	15	15	19
7	1. General diseases. General diseases—A	27,168	9,740	2,991	1,464	1,021	758	15,974	1,997	783	758	854	609
8	Males	13,905	5,315	1,551	714	499	392	8,471	968	346	380	459	314
9	Females	13,263	4,425	1,440	750	522	366	7,503	1,029	437	378	395	295
10	Measles M	538	151	164	61	29	22	427	42	17	9	14	7
	Measles F	624	142	176	74	35	19	446	63	26	18	14	10
11	Scarlet fever M	554	35	70	73	87	66	331	173	22	12	7	3
	Scarlet fever F	522	18	53	73	76	75	295	157	34	10	10	5
12	Diphtheria M	1,490	80	183	221	197	192	873	450	93	29	19	11
	Diphtheria F	1,533	65	180	216	215	163	839	485	117	35	21	6
13	Whooping cough M	661	413	138	48	23	13	635	17	1	1	.....	.....
	Whooping cough F	712	381	166	73	38	14	672	26	4	2	.....	.....
14	Malarial fever M	243	23	15	6	8	8	60	8	11	14	22	12
	Malarial fever F	271	26	14	14	9	7	70	27	12	15	28	12
15	Influenza M	1,085	109	19	7	8	3	146	11	11	12	21	10
	Influenza F	1,496	102	21	18	9	12	162	17	16	17	22	28
16	Typhoid fever M	1,583	14	6	16	18	17	71	98	105	218	299	196
	Typhoid fever F	1,205	9	14	18	22	16	79	87	143	203	181	111
17	Cholera morbus M	300	83	34	25	14	3	159	18	15	6	5	4
	Cholera morbus F	267	62	19	25	6	3	115	12	11	9	9	5
18	Colitis M	175	95	15	12	6	1	129	3	.....	1	3	1
	Colitis F	160	75	19	13	2	.....	109	5	2	.....	2	3
19	Diarrhea M	602	285	48	10	4	3	350	22	5	3	6	6
	Diarrhea F	507	246	36	10	4	1	297	21	5	2	1	7
20	Dysentery M	377	75	66	21	16	14	192	18	7	4	6	8
	Dysentery F	431	82	44	23	15	7	171	14	4	3	3	4
21	Enteritis M	2,231	1,532	304	87	30	19	1,972	34	14	14	9	9
	Enteritis F	2,052	1,228	297	74	32	18	1,649	33	15	7	10	18
22	Cholera infantum M	2,552	2,063	386	66	22	15	2,552	.....	.....	.....	.....	.....
	Cholera infantum F	2,141	1,697	331	69	25	16	2,138	.....	.....	.....	.....	.....
23	Fever M	16	1	2	1	.....	1	5	1	1	2	1	.....
	Fever F	15	3	.....	1	.....	1	5	2	2	1	3	1
24	Cerebro-spinal fever M	470	145	81	46	28	9	309	48	26	24	14	10
	Cerebro-spinal fever F	375	107	56	35	22	7	227	51	24	21	11	12
25	Smallpox M	48	9	3	2	1	1	16	.....	.....	5	7	4
	Smallpox F	36	3	3	2	1	.....	9	5	5	2	5	4
26	Erysipelas M	244	80	5	1	2	1	89	2	4	2	4	6
	Erysipelas F	164	67	5	1	.....	1	74	.....	3	3	6	5
27	Septicemia M	375	40	6	7	3	3	59	12	10	17	21	19
	Septicemia F	462	47	6	8	8	4	73	16	10	24	63	55
28	Venereal diseases M	93	64	3	1	1	.....	69	.....	.....	1	.....	5
	Venereal diseases F	72	55	.....	1	2	1	59	.....	.....	2	1	1
29	Others of this group M	268	18	3	3	2	1	27	11	4	6	1	3
	Others of this group F	218	10	.....	2	1	1	14	8	4	4	5	8
30	General diseases—B	2,976	2,095	94	42	26	8	2,265	20	13	24	48	69
31	Males	1,702	1,131	57	25	9	6	1,228	11	9	9	27	43
32	Females	1,274	964	37	17	17	2	1,037	9	4	15	21	26
33	Alcoholism M	199	.....	.....	.....	.....	.....	.....	.....	1	.....	3	22
	Alcoholism F	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5
34	Parasitic diseases M	7	2	3	1	.....	.....	6	.....	.....	.....	.....	.....
	Parasitic diseases F	9	.....	2	2	5	.....	9	.....	.....	.....	.....	.....
35	Lead poison M	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	Lead poison F	4	1	.....	1	.....	.....	2	.....	.....	.....	1	.....
36	Other poisons M	267	20	20	17	6	4	67	6	5	8	22	16
	Other poisons F	162	10	10	10	6	1	37	4	2	12	15	19
37	Inanition M	1,217	1,109	34	7	3	2	1,155	5	3	1	1	4
	Inanition F	1,065	953	25	4	6	1	989	5	2	3	3	2
38	General diseases—C	13,756	8,216	261	49	14	19	8,559	15	15	10	14	21
39	Males	7,115	4,669	136	28	9	7	4,849	10	8	5	6	6
40	Females	6,641	3,547	125	21	5	12	3,710	5	7	5	8	15
41	Old age M	1,950	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Old age F	2,523	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth M	2,269	2,269	.....	.....	.....	.....	2,269	.....	.....	.....	.....	.....
	Premature birth F	1,676	1,676	.....	.....	.....	.....	1,676	.....	.....	.....	.....	.....
43	Malformation M	420	410	1	2	1	.....	414	3	.....	.....	.....	.....
	Malformation F	356	344	5	2	1	.....	352	.....	2	.....	1	.....
44	Debility and atrophy M	2,240	1,755	135	26	8	7	1,931	7	8	5	6	6
	Debility and atrophy F	1,901	1,342	120	19	4	12	1,497	5	5	5	7	15
45	Others of this group M	236	235	.....	.....	.....	.....	235	.....	.....	.....	.....	.....
	Others of this group F	185	185	.....	.....	.....	.....	185	.....	.....	.....	.....	.....

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

MOTHERS BORN IN THE UNITED STATES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,400	4,147	4,185	4,491	4,900	5,614	6,474	7,629	8,223	8,339	6,590	3,588	1,340	268	231	1
2,162	2,064	2,107	2,278	2,522	2,893	3,359	3,997	4,190	4,210	3,176	1,585	511	75	108	2
2,238	2,083	2,078	2,213	2,378	2,721	3,115	3,632	4,033	4,129	3,414	2,003	829	193	123	3
26	45	41	31	38	56	52	57	63	52	38	20	10	.....	20	4
16	25	27	16	18	33	31	32	35	26	14	7	5	.....	9	5
10	20	14	15	20	23	21	25	28	26	24	13	5	.....	11	6
497	398	404	353	354	400	442	622	711	771	671	380	138	22	30	7
266	210	206	188	189	208	203	302	342	348	278	161	45	8	13	8
231	188	198	165	165	192	239	320	369	423	393	219	93	14	17	9
5	4	3	.....	4	1	1	1	1	2	.....	.....	.....	.....	.....	10
11	14	5	5	1	6	.....	2	1	.....	1	1	.....	.....	.....	
2	.....	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	11
5	.....	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	
7	3	.....	3	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	12
5	6	1	6	3	3	2	2	1	1	.....	.....	.....	.....	.....	
1	1	1	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	13
1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	3	
12	6	9	7	9	10	13	9	14	14	8	5	.....	.....	.....	14
11	8	10	8	7	8	6	9	15	10	9	5	.....	.....	1	
19	22	34	41	35	54	67	101	126	142	130	72	28	3	.....	15
19	28	41	32	44	62	92	150	167	215	205	113	57	8	1	
160	108	91	64	52	45	23	18	17	8	3	3	.....	.....	4	16
90	61	63	44	36	27	27	15	16	11	5	3	.....	.....	3	
7	2	3	8	10	5	11	10	15	8	8	5	.....	.....	1	17
8	2	8	3	2	8	10	6	14	12	21	8	3	.....	1	
.....	2	2	3	3	4	2	3	5	9	4	1	.....	.....	.....	18
2	.....	2	1	5	.....	8	6	4	4	2	2	3	.....	.....	
3	3	3	3	7	22	19	33	36	41	17	14	4	2	3	19
5	2	7	3	4	11	8	15	24	31	30	22	9	1	2	
9	8	2	4	7	1	9	15	18	20	29	13	3	2	2	20
8	4	8	11	9	13	22	25	33	37	28	26	7	.....	1	
9	10	7	9	11	14	14	26	24	25	18	10	1	.....	1	21
13	15	13	14	20	19	22	41	47	53	38	20	3	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	
.....	.....	1	1	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
6	5	7	9	3	3	1	3	2	.....	.....	.....	.....	.....	.....	24
7	6	4	5	1	1	2	1	1	1	.....	.....	.....	.....	.....	
2	3	1	4	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	7	10	4	8	16	14	16	16	20	11	5	2	.....	.....	26
1	3	2	5	3	6	10	12	11	8	9	1	1	1	.....	
16	19	22	22	27	20	22	34	20	18	11	6	.....	.....	.....	27
41	35	24	19	16	21	17	13	12	13	6	3	1	.....	.....	
.....	1	4	1	3	2	1	2	2	.....	.....	.....	.....	.....	2	28
1	.....	2	3	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
.....	6	4	4	5	9	6	27	44	41	37	26	6	1	.....	29
2	2	4	5	9	7	13	21	21	27	38	15	8	3	.....	
73	61	65	65	56	52	35	35	30	26	13	9	2	2	13	30
50	44	47	54	38	39	26	19	14	20	8	5	2	.....	9	31
23	17	18	11	18	13	9	16	16	6	5	4	.....	2	4	32
24	29	28	28	26	17	10	5	2	3	.....	.....	.....	.....	1	33
3	9	6	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
21	13	17	23	8	16	15	9	7	9	3	2	.....	.....	.....	36
18	6	11	4	8	7	2	7	3	.....	2	.....	.....	.....	.....	
2	1	1	.....	2	6	1	4	5	8	5	3	2	.....	8	37
1	2	1	3	5	6	7	9	8	6	3	4	.....	2	4	
19	20	24	17	23	51	71	161	445	880	1,455	1,177	617	146	16	38
7	6	5	6	10	17	31	78	221	392	671	500	235	41	11	39
12	14	19	11	13	34	40	83	224	488	784	677	382	105	5	40
.....	.....	.....	.....	.....	.....	11	44	180	341	634	474	226	39	1	41
.....	.....	.....	.....	.....	.....	19	46	170	438	730	646	372	101	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	43
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
7	6	5	6	10	17	20	34	41	50	37	26	9	2	7	44
12	14	19	11	13	34	21	36	54	50	54	31	10	4	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		20,772	1,087	475	228	160	107	2,007	356	415	1,232	1,899	1,815
2	Males		9,246	582	246	128	72	58	1,076	175	158	490	883	857
3	Females		11,526	455	229	105	88	54	931	181	257	742	1,016	958
4	Anemia	M	217	27	9	2	2	1	41	7	3	5	6	7
		F	303	34	12	3	5	1	55	2	6	20	19	11
5	Diabetes	M	520	4	1	3	1	3	12	16	31	35	26	28
		F	419	2	4		6	3	15	16	24	13	20	18
6	Rheumatism	M	271	3	3	2	3	3	14	23	15	15	11	12
		F	277	6	2	3	1	2	14	23	20	16	12	7
7	Scrofula and tabes	M	157	49	9	5	1	2	66	4	1	5	10	11
		F	190	39	10	5	2	2	58	6	5	17	13	12
8	Hydrocephalus	M	608	246	129	59	33	25	492	53	15	14	6	6
		F	535	190	119	54	41	23	427	40	18	16	7	7
9	Tuberculosis, general	M	146	17	7	4	2	1	31	9	4	10	13	22
		F	148	17	4		3	2	26	4	10	15	19	12
10	Consumption	M	5,287	170	74	34	23	11	312	47	70	388	780	747
		F	5,775	128	61	29	23	16	257	80	149	625	901	844
11	Cancer	M	1,506	2	3	1	1	1	8	3	6	6	14	12
		F	3,229	2	1	1	1		5	1	7	8	8	34
12	Tumor	M	180	5	3	6	3	3	20	4	8	6	5	8
		F	278	7	3	3	3	2	18	1	5	5	8	7
13	Dropsy	M	249	12	2		1	1	16	3	4	3	7	2
		F	270	2	3	2	1	1	9	4	8	5	5	2
14	Others of this group	M	105	47	6	7	2	2	64	6	1	3	5	2
		F	102	28	10	5	2	2	47	4	5	2	4	4
15	2. Diseases of the nervous system		20,347	4,416	1,205	519	280	182	6,602	523	356	299	280	322
16	Males		10,749	2,504	655	268	144	98	3,669	287	202	160	140	154
17	Females		9,598	1,912	550	251	136	84	2,933	236	154	139	140	168
18	Inflammation of the brain	M	207	68	21	16	4	4	113	8	5	6	6	5
		F	170	38	18	12	4	4	76	10	11	7	7	7
19	Meningitis	M	2,083	795	386	156	95	53	1,485	177	70	60	41	40
		F	1,783	653	319	148	85	46	1,251	141	89	42	38	37
20	Apoplexy	M	3,050	56	11	1	1	1	70	5	7	16	21	30
		F	2,958	38	8	2	3		51	4	2	13	16	25
21	Paralysis	M	1,587	25	3	2	4	2	36	8	6	4	2	9
		F	1,546	9	6	4	3	3	25	10	1	8	14	20
22	Paralysis, general (of insane)	M	96											2
		F	71											3
23	Tetanus and trismus nascentium	M	230	98	2	1	2	4	107	19	54	9	8	9
		F	71	49	1		1	1	52	2	3	2	2	
24	Chorea	M	15			1		1	2	2		2	1	1
		F	23					1	1	1	8	6	2	
25	Epilepsy	M	216	21	2	1	1		25	7	18	24	16	16
		F	189	16	4	6	2		28	9	9	15	11	20
26	Convulsions	M	1,575	1,229	165	69	20	17	1,500	29	9	3	4	3
		F	1,298	960	141	59	28	15	1,203	24	7	7	11	15
27	Mental diseases	M	241							1	1	3	8	6
		F	265								1	3	7	9
28	Diseases of the brain	M	995	186	60	19	16	12	293	25	28	24	23	25
		F	796	130	49	16	9	11	215	24	17	24	21	16
29	Diseases of the spinal cord	M	178	22	5		1	4	32	3	3	6	6	4
		F	173	15	3	4	1	3	26	7	4	3	2	3
30	Locomotor ataxia	M	127										1	1
		F	43											
31	Others of this class	M	149	4		2			6	3	1	3	3	3
		F	212	4	1				5	4	2	9	9	13
32	3. Diseases of the circulatory system		12,428	986	47	24	27	36	1,120	219	280	266	282	248
33	Males		6,607	550	25	14	17	17	623	93	114	109	130	115
34	Females		5,821	436	22	10	10	19	497	126	166	157	152	133
35	Pericarditis	M	81	4	2		1	1	8	4	9	9	6	3
		F	89	5	1		1	2	9	6	9	8	4	2
36	Diseases of the heart	M	5,684	360	22	13	15	14	424	88	103	96	115	101
		F	5,155	292	20	10	8	16	346	118	153	147	135	124
37	Angina pectoris	M	405							1		3	4	7
		F	277								2	2	5	4
38	Diseases of the arteries	M	154	2					2					
		F	83								1		1	1
39	Aneurism	M	57								2		4	4
		F	21							1	1			1
40	Embolism	M	42	5		1			6			1	1	
		F	51	1					1				5	1
41	Others of this class	M	184	179	1		1	2	183					
		F	145	138	1		1	1	141	1			2	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,525	1,290	1,178	1,250	1,228	1,298	1,306	1,331	1,094	855	447	177	40	7	22	1
710	588	502	508	509	490	556	569	501	382	198	66	19	2	7	2
815	702	676	742	719	808	750	762	593	473	249	111	21	5	15	3
3	4	8	11	22	18	15	23	15	15	12	2	...	...	...	4
12	13	12	17	15	25	24	25	28	11	3	2	1	...	2	
23	15	28	21	38	35	63	51	43	33	18	2	1	...	1	5
9	16	18	26	37	39	47	44	40	22	11	3	...	...	1	
8	11	9	11	9	23	23	24	22	17	18	4	1	1	...	6
11	7	10	10	21	20	14	22	17	24	16	10	3	...	...	
4	7	5	8	2	8	8	8	8	1	1	...	...	...	...	7
15	10	6	8	9	4	8	6	3	5	5	...	...	...	...	
10	5	2	1	3	...	...	...	1	...	...	...	...	...	...	8
5	4	2	3	2	1	...	1	1	1	...	...	...	...	...	
8	8	8	9	12	2	...	4	1	4	1	...	...	...	...	9
13	8	7	13	7	5	1	3	...	3	2	...	...	...	...	
618	488	360	336	273	220	217	170	126	91	28	10	1	...	5	10
646	473	357	267	217	227	187	199	149	113	42	27	5	2	8	
22	32	62	90	126	156	197	232	226	175	92	33	12	1	1	11
76	155	225	353	368	427	423	400	304	234	135	50	11	2	3	
6	9	8	11	14	10	11	19	18	17	4	2	...	...	...	12
13	12	25	26	23	32	23	27	21	20	7	4	...	...	1	
5	7	8	9	10	17	21	35	38	25	22	13	4	...	...	13
7	2	12	14	15	25	19	32	28	38	28	15	1	1	...	
3	2	4	1	...	1	1	3	3	4	2	...	...	...	...	14
8	2	2	5	5	3	4	3	2	2	...	...	...	...	...	
360	371	478	613	770	949	1,253	1,500	1,793	1,821	1,286	555	163	27	26	15
196	200	254	317	416	515	661	797	923	902	641	234	59	10	12	16
164	171	224	296	354	434	592	703	870	919	645	321	104	17	14	17
6	3	6	5	5	4	7	5	9	8	6	...	...	...	...	18
6	5	6	6	6	5	3	3	4	5	1	...	1	...	1	
28	15	21	25	25	21	10	21	21	11	4	3	2	...	3	19
25	19	25	26	16	18	12	16	9	8	5	3	1	...	2	
45	49	85	123	192	268	359	413	475	438	317	109	19	5	4	20
37	39	78	119	177	223	316	362	459	444	339	184	56	11	3	
31	41	53	62	82	99	147	171	257	287	199	72	17	4	...	21
19	22	34	51	60	92	131	181	247	304	199	92	29	4	3	
9	7	9	10	10	9	9	8	6	7	4	4	2	...	...	22
3	4	5	2	3	4	3	13	11	8	8	3	1	...	...	
9	1	2	1	1	4	2	1	1	2	...	...	...	...	...	23
2	1	3	...	...	1	2	...	...	1	...	...	...	...	...	
2	...	...	...	...	...	1	1	1	1	...	...	1	...	...	24
...	...	...	1	1	1	1	...	...	...	1	...	...	...	...	
20	19	12	8	6	2	4	10	10	9	4	4	2	...	...	25
13	17	8	9	9	9	9	5	9	5	3	...	1	...	...	
4	3	...	2	3	...	...	2	3	1	4	1	1	...	3	26
9	3	1	2	...	1	3	5	2	2	1	...	1	...	1	
11	7	11	13	12	15	23	30	30	32	24	12	2	...	...	27
12	13	18	16	18	17	26	29	23	33	22	12	6	...	...	
22	37	21	23	44	43	55	73	77	75	65	27	12	1	2	28
16	30	26	32	28	31	49	47	60	77	48	22	8	2	3	
4	7	17	11	16	13	10	24	5	11	6	...	...	...	...	29
9	5	7	7	13	16	15	16	18	11	9	1	...	...	1	
...	6	12	20	13	19	19	20	9	6	1	...	...	...	...	30
1	3	2	7	3	5	6	7	2	5	1	1	...	...	...	
5	5	5	14	7	18	15	18	19	14	7	2	1	...	...	31
12	10	11	18	20	11	16	19	26	16	8	3	...	...	...	
279	331	388	469	656	888	1,139	1,436	1,530	1,476	904	392	95	13	17	32
129	164	183	218	360	528	650	815	832	830	477	188	39	4	6	33
150	167	205	251	296	360	489	621	698	646	427	204	56	9	11	34
2	8	1	2	5	7	4	5	3	4	1	...	...	...	...	35
7	...	7	4	...	6	2	8	5	4	6	2	...	...	...	
116	132	157	190	308	456	569	725	732	739	419	167	38	4	5	36
130	151	180	223	274	324	436	552	637	592	378	187	49	9	10	
6	14	17	19	34	42	63	58	57	43	28	8	...	...	1	37
9	12	8	21	15	26	33	45	28	29	28	6	4	...	...	
...	1	2	2	5	15	8	19	29	31	27	12	1	...	...	38
...	...	3	1	3	2	10	7	19	12	14	6	3	...	...	
3	7	5	2	5	6	5	2	5	6	1	...	...	...	...	39
...	2	3	...	1	1	2	2	2	3	1	1	...	...	...	
1	2	1	3	3	2	1	6	6	7	1	1	...	...	...	40
4	2	4	2	3	1	6	7	7	6	...	2	...	...	...	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	41
...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		20,739	5,473	2,158	1,045	580	354	9,610	853	262	404	481	443
2	Males		10,588	3,076	1,145	551	296	179	5,247	439	130	219	265	230
3	Females		10,151	2,397	1,013	494	284	175	4,363	414	132	185	216	213
4	Croup	M	538	77	106	115	77	51	426	105	3	.....	2	.....
		F	423	47	72	74	58	56	307	103	7	1	.....	.....
5	Pneumonia	M	7,182	1,754	762	345	160	95	3,116	253	103	184	224	200
		F	6,816	1,375	717	320	168	82	2,662	238	99	138	157	165
6	Laryngitis	M	123	25	24	7	13	5	74	24	3	.....	1	1
		F	102	11	16	9	20	8	64	17	2	3	.....	4
7	Bronchitis	M	1,681	826	219	65	29	15	1,154	34	8	8	6	7
		F	1,821	696	165	79	26	22	988	30	7	16	19	15
8	Pleurisy	M	152	8	3	2	5	3	21	9	6	11	9	8
		F	152	6	7	3	2	1	19	12	2	7	12	7
9	Asthma	M	87	18	.....	.....	.....	.....	18	3	1	.....	3	1
		F	89	10	1	.....	.....	.....	11	1	2	.....	4	2
10	Others of this class	M	825	368	31	17	12	10	438	11	6	16	20	13
		F	748	252	35	9	10	6	312	13	13	20	24	20
11	5. Diseases of the digestive system		7,807	1,395	281	135	78	78	1,967	324	311	346	386	410
12	Males		3,872	775	147	71	36	41	1,070	158	162	160	168	156
13	Females		3,935	620	134	64	42	37	897	166	149	186	218	254
14	Dentition	M	102	62	39	1	.....	.....	102	.....	.....	.....	.....	.....
		F	98	60	36	1	.....	1	98	.....	.....	.....	.....	.....
15	Angina	M	70	3	8	5	8	4	28	14	4	.....	7	1
		F	71	5	5	9	4	6	29	19	8	1	1	3
16	Gastritis	M	524	124	24	7	6	3	164	12	3	9	9	11
		F	626	99	28	14	12	8	161	21	6	8	19	23
17	Diseases of the stomach	M	228	26	4	2	.....	3	35	3	3	7	2	3
		F	199	17	4	2	.....	2	25	1	.....	8	10	16
18	Obstruction of the bowels	M	339	81	10	4	4	5	104	19	14	13	13	14
		F	320	49	7	4	5	3	68	11	7	8	7	18
19	Appendicitis	M	483	2	2	2	3	4	13	40	70	71	64	59
		F	316	4	2	1	.....	4	11	35	56	57	36	30
20	Hernia	M	110	20	.....	.....	.....	1	21	1	3	1	3	3
		F	106	6	.....	.....	.....	1	7	3	.....	.....	1	2
21	Other diseases of the bowels	M	148	55	6	3	2	1	67	1	1	2	5	4
		F	124	39	4	1	3	.....	47	5	3	7	2	4
22	Jaundice	M	152	93	1	5	.....	.....	99	4	.....	1	1	2
		F	128	58	2	5	1	1	67	1	2	2	.....	3
23	Inflammation and abscess of the liver.	M	153	13	2	.....	2	4	21	1	1	3	7	9
		F	153	7	.....	1	2	1	11	4	6	6	7	12
24	Other diseases of the liver	M	565	17	3	4	.....	1	25	2	4	2	8	13
		F	372	16	3	2	.....	1	22	5	2	3	5	8
25	Peritonitis	M	517	39	12	23	6	9	89	51	57	49	44	34
		F	930	32	14	13	9	6	74	54	57	84	126	129
26	Ascites	M	22	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1
		F	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
27	Others of this class	M	459	240	36	15	5	6	302	9	1	2	5	2
		F	462	228	29	11	6	3	277	7	2	2	4	4
28	6. Diseases of the urinary system and male organs of generation.		7,561	201	49	45	36	42	373	135	122	183	226	254
29	Males		4,479	108	24	23	19	23	197	74	55	83	90	113
30	Females		3,082	93	25	22	17	19	176	61	67	100	136	141
31	Bright's disease	M	3,076	.....	.....	.....	.....	.....	.....	68	45	76	71	89
		F	2,367	.....	.....	.....	.....	.....	.....	53	62	76	103	97
32	Calculus, urinary	M	26	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1
		F	15	2	.....	.....	.....	.....	2	.....	.....	.....	1	.....
33	Diseases of the kidney	M	319	67	20	22	17	21	147	1	1	3	2	6
		F	265	69	22	18	16	17	142	1	.....	5	7	3
34	Diseases of the bladder	M	443	1	.....	.....	.....	.....	1	.....	2	1	1	4
		F	61	2	.....	.....	.....	.....	2	1	.....	.....	1	1
35	Others of this class	M	615	40	4	1	2	2	49	5	6	3	13	13
		F	374	20	3	4	1	2	30	6	5	19	24	40
36	7. Diseases of the female organs of generation.		477	3	1	.....	1	1	6	.....	2	12	51	69
37	Ovarian tumors		88	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	8
38	Ovarian diseases		21	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	5
39	Diseases of the tubes		52	.....	.....	.....	.....	.....	.....	.....	.....	2	8	11
40	Uterine tumors		148	.....	.....	.....	.....	1	1	.....	.....	2	4	9
41	Uterine diseases		33	.....	.....	.....	.....	.....	.....	.....	.....	4	9	9
42	Others of this class		135	3	1	.....	1	.....	5	.....	2	4	22	27

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
455	477	495	544	603	700	800	926	1,074	1,075	893	440	151	25	28	1
239	275	278	293	307	340	379	438	462	446	358	174	51	3	15	2
216	202	217	251	296	360	421	488	612	629	585	266	100	22	13	3
...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	4
1	1	1	...	1	1	...	...	...	...	...	...	...	...	...	
199	235	244	239	264	258	291	333	345	309	243	103	29	3	7	5
172	164	171	196	228	281	331	376	432	438	341	156	51	12	8	
4	...	1	...	3	4	4	1	...	2	1	...	...	...	...	6
1	...	1	...	2	4	...	...	1	2	...	1	...	...	...	
3	17	10	17	12	32	30	44	64	83	83	52	15	...	2	7
14	10	12	22	24	34	44	60	116	128	144	83	43	9	3	
11	6	5	11	8	10	5	9	4	10	5	4	...	...	...	8
12	4	7	11	9	8	11	4	6	10	7	3	1	...	...	
3	1	3	2	4	5	14	7	9	4	6	3	...	...	...	9
4	1	2	4	7	5	11	11	5	9	6	4	...	...	...	
19	16	15	24	16	31	35	44	40	38	19	12	7	...	5	10
12	22	23	18	25	27	24	37	52	42	37	19	5	1	2	
288	293	317	364	335	364	382	475	445	396	239	111	39	3	12	11
118	120	170	200	169	195	190	243	209	208	105	51	14	2	4	12
170	173	147	164	166	169	192	232	236	188	134	60	25	1	8	13
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	14
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2	1	2	2	3	1	2	1	...	1	1	...	...	...	...	15
1	...	...	4	1	1	1	...	...	1	1	...	...	...	...	
9	13	20	22	22	24	34	35	44	47	25	14	5	1	1	16
14	25	19	18	29	25	30	43	57	53	53	14	8	...	...	
7	12	15	15	17	19	15	23	17	24	8	3	...	...	...	17
12	8	5	9	12	8	17	12	21	16	8	7	3	...	1	
12	5	4	14	16	16	6	21	24	26	9	6	3	...	...	18
9	15	20	16	15	19	20	23	22	18	14	7	1	1	1	
40	24	27	30	13	11	9	6	4	1	1	...	...	...	...	19
20	13	18	9	8	7	3	7	1	2	3	...	...	...	...	
2	2	2	7	3	10	6	8	10	13	7	7	1	...	...	20
2	5	5	7	5	10	15	19	12	4	6	2	1	...	...	
4	2	2	6	3	10	3	8	9	10	7	1	2	...	1	21
3	8	3	5	4	4	2	9	8	4	1	3	1	...	1	
1	1	3	2	2	7	5	5	7	6	3	1	1	...	1	22
...	2	1	2	3	4	5	11	12	6	3	3	1	...	...	
6	7	8	8	15	11	13	13	15	8	6	1	...	...	...	23
4	5	5	9	9	6	15	9	18	11	11	4	1	...	...	
9	25	51	58	50	57	57	87	48	47	17	4	...	1	...	24
6	15	15	31	34	42	30	50	43	38	13	9	1	...	...	
23	20	25	25	15	18	18	21	11	8	6	2	1	...	...	25
93	70	48	37	27	28	30	22	24	13	4	5	3	...	2	
...	3	2	...	1	1	3	1	4	2	1	1	...	...	...	26
...	1	...	2	1	3	4	7	3	4	1	...	1	...	1	
3	5	9	11	9	10	19	14	16	15	14	11	1	...	1	27
6	6	8	15	18	12	20	20	15	18	16	6	4	...	2	
254	299	357	379	510	594	717	810	814	760	482	229	40	11	12	28
100	131	191	215	308	354	444	524	522	524	355	160	28	4	7	29
154	168	166	164	202	240	273	286	292	236	127	69	12	7	5	30
79	112	163	178	256	282	352	396	333	319	177	66	11	...	3	31
113	139	141	130	171	200	231	246	252	187	102	51	8	5	...	
...	...	1	1	2	3	1	3	3	5	...	2	...	...	...	32
...	...	...	...	1	...	2	1	2	2	3	1	...	...	...	
5	4	8	6	10	10	11	22	22	30	17	14	...	...	...	33
15	10	9	10	8	6	9	10	7	14	5	3	...	...	1	
1	1	4	8	11	16	31	58	88	78	84	41	10	2	1	34
1	3	...	1	...	7	8	2	7	10	6	7	3	1	...	
15	14	15	22	29	43	49	45	76	92	77	37	7	2	3	35
25	16	16	23	22	27	23	27	24	23	11	7	1	1	4	
44	58	47	58	40	27	20	15	13	9	4	1	1	...	...	36
6	8	8	12	12	8	6	5	5	4	3	...	...	...	...	37
3	3	1	2	1	...	...	...	1	...	...	...	...	...	...	38
8	15	3	2	2	...	...	...	1	...	...	...	...	...	...	39
8	15	22	24	18	16	11	7	6	4	1	...	...	...	...	40
4	1	3	1	...	...	...	2	...	...	...	...	...	...	...	41
15	16	10	17	7	3	3	1	...	1	...	1	1	...	...	42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**	867								1	84	221	232
2	Abortion	48									5	9	14
3	Childbirth	214									12	46	51
4	Puerperal septicemia	342								1	35	106	99
5	Extra-uterine pregnancy	35										7	7
6	Others of this class	228									32	53	61
7	**9. Diseases of the bones and joints**	334	36	13	5	9	5	68	20	31	29	27	12
8	Males	194	22	5	3	7	4	41	8	19	22	19	9
9	Females	140	14	8	2	2	1	27	12	12	7	8	3
10	Diseases of the spine M	63	12	2	1	3	2	20	4	6	4	6	3
	Diseases of the spine F	55	7	5	1	1		14	4	5	1	3	1
11	Abscess, lumbar and psoas M	12								1		4	1
	Abscess, lumbar and psoas F	6	1					1	1				
12	Diseases of the bones M	66	8	1	2	3	1	15	2	5	11	5	2
	Diseases of the bones F	42	5	3	1	1	1	11	5	4		5	1
13	Diseases of the hip-joint M	31	1	1		1		3	2	6	6	2	3
	Diseases of the hip-joint F	12							1	1	6		
14	Others of this class M	22	1	1			1	3		1	1	2	
	Others of this class F	25	1					1	1	2			1
15	**10. Diseases of the skin**	257	74	12	4	2	2	94	8	3	3	5	3
16	Males	144	37	4	2	1	1	45	6		2	3	2
17	Females	113	37	8	2	1	1	49	2	3	1	2	1
18	Abscess M	78	12	3	2	1	1	19	6		2	2	2
	Abscess F	60	17	4	1	1	1	24	2	2	1		1
19	Carbuncle M	22	1					1				1	
	Carbuncle F	3	1					1					
20	Others of this class M	49	24	1				25					
	Others of this class F	50	19	4	1			24		1		2	
21	**11. Diseases of the absorbent system**	135	15	5		3		23	3	3	4	8	5
22	Males	64	9	3		3		15	1	1	2	5	2
23	Females	71	6	2				8	2	2	2	3	3
24	Addison's disease M	22								1	1	1	
	Addison's disease F	23										1	1
25	Diseases of the spleen M	9	2			1		3				1	1
	Diseases of the spleen F	11	2	1				3				1	
26	Others of this class M	33	7	3		2		12	1		1	3	1
	Others of this class F	37	4	1				5	2	2	2	1	2
27	**12. Accidents and injuries**	6,146	598	123	144	152	104	1,121	417	348	426	484	418
28	Males	4,370	333	65	88	89	66	641	276	287	351	393	342
29	Females	1,776	265	58	56	63	38	480	141	61	75	91	76
30	Burns and scalds M	256	9	30	43	40	17	139	30	8	8	7	12
	Burns and scalds F	352	14	29	30	37	26	136	69	18	14	11	13
31	Drowning M	664	4	12	8	13	9	46	115	135	88	77	45
	Drowning F	92	4	7	5	6	1	23	12	10	12	5	2
32	Exposure and neglect M	30	12	1				13	1	1			
	Exposure and neglect F	20	6					6				3	
33	Gunshot wounds M	237	1		1	2	1	5	5	21	45	34	19
	Gunshot wounds F	34	1			1	1	3	3	2	3	6	2
34	Homicide M	49			1		2	3	2	1	5	9	5
	Homicide F	20							4	1	1	1	4
35	Infanticide M	2	2					2					
	Infanticide F	4	4					4					
36	Injuries by machinery M	26									7	2	2
	Injuries by machinery F												
37	Railroad accidents M	649	1	2	2	5	12	22	44	42	56	105	64
	Railroad accidents F	89	1		1	2		4	19	6	12	7	4
38	Suffocation M	222	150	3	3	2	2	160	2	5	3	5	7
	Suffocation F	170	116	6	4	1	3	130	6	1	3	1	2
39	Suicide by shooting M	176									4	18	20
	Suicide by shooting F	17									1	2	4
40	Suicide by drowning M	18									1	1	1
	Suicide by drowning F	19										2	1
41	Suicide by poison M	83									9	9	8
	Suicide by poison F	73								2	16	9	6
42	Other suicides M	209									5	10	15
	Other suicides F	67								2	1	8	6
43	Sunstroke M	45	16	1	2		2	21	1	1	4	2	4
	Sunstroke F	27	14	3	1			18	1	1			
44	Surgical operations M	28	3	1			1	5	2		3	1	1
	Surgical operations F	75	2		1			3	1	2		12	8
45	Wounds M	58	2		1		1	4	3	4	6	8	5
	Wounds F	5							2	1	1		
46	Others of this class M	1,618	133	15	27	27	19	221	71	69	107	105	134
	Others of this class F	712	103	13	14	16	7	153	24	15	11	24	24

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN THE UNITED STATES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
144	115	59	3	1	1									6	1
7	11				1									1	2
44	30	26	2	1										2	3
49	33	17	1											1	4
9	10	2													5
35	31	14												2	6
8	13	11	14	23	13	12	16	16	7	7	5	2			7
2	8	7	8	11	7	6	10	4	6	3	3	1			8
6	5	4	6	12	6	6	6	12	1	4	2	1			9
	4		1	2	4	1	3	1	3	1					10
1	3	1	2	8	2	3	1	3		1	1	1			
1			1	2	1			1							11
		1		1				2							
	3	1	4	5	2	2	2	1	2	2	2				12
3		1	3		2	1		3		2	1				
1	1	4		1		1	1								13
1	2									1					
		2	2	1		2	4	1	1		1	1			14
1		1	1	3	2	2	5	4	1						
9	13	9	11	13	18	12	15	13	16	9	2	1			15
3	8	4	8	8	12	8	9	8	10	6	2				16
6	5	5	3	5	6	4	6	5	6	3		1			17
2	4	3	4	4	7	3	4	4	5	2					18
3	3	3	2	3	2	2	4	2	3	2		1			
1	2		3	3	1	3	3	2	1	1					19
				1				1							
	2	1	1	1	4	2	2	2	4	3	2				20
3	2	2	1	1	4	2	2	2	3	1					
9	7	9	12	3	9	11	14	7	8						21
6	4	6	5	2	3	3	7		2						22
3	3	3	7	1	6	8	7	7	6						23
1	4	2	3	2	2	2	2		1						24
2	3	1	2	1	3	3	4	1	1						
2		1	1												25
1		1	1		1			1	2						
3		3	1		1	1	5		1						26
		1	4		2	5	3	5	3						
410	356	303	308	247	194	222	216	175	187	142	90	41	12	29	27
320	281	227	242	177	152	171	154	117	114	62	34	13	1	15	28
90	75	76	66	70	42	51	62	58	73	80	56	28	11	14	29
6	9	3	6	3	3	5	6	4	4	2				1	30
14	12	10	9	4	2	7	5	8	9	7	3			1	
34	22	32	15	15	11	8	6	5	5	3	1			1	31
10	2	4	2	3	1	1	2	2						1	
1	2		2	1		1	1	1	4	1	1				32
	2	1				1			3	2		1		1	
26	17	17	9	9	12	9	5		2	1		1			33
6	4	2	1	1		1									
10	5	2	2	1	1	1		1		1					34
3	3	1		1	1										
															35
2	5	2	1	1		1	3								36
68	58	44	31	27	19	23	20	9	7	6	2			2	37
5	3	1	4	5	2	4	1	6	3	3					
7	4	2	2	3	5	5	3	1	2					6	38
2	8	1	4	1		1	2	1			1			11	
20	18	14	24	16	12	9	7	7	3	1	2			1	39
3	2	1	1		2		1								
	1		2	1	4	2	2	1	2						40
1			3	4	5	2		1							
6	7	8	13	4	4	4	4	4	1	1				1	41
6	5	8	9	3	3	2	3		1						
15	12	13	36	22	22	19	13	15	7	3	1			1	42
6	7	9	9	4	8	2	6	2		1	1				
1	1	2	1		2	1		1	2	1					43
		1		1			1	2	2						
2	3	3	1	1	1	2	3								44
6	9	9	5	10	5	1	3		1						
4	4	1	3	3	5	3	2		1	1		1			45
	1														
118	113	84	94	70	51	78	79	68	74	41	27	11	1	2	46
28	22	28	19	33	18	29	38	36	54	67	51	27	11		

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		59,762	5,843	1,734	807	554	357	9,295	926	515	1,071	2,579	3,963
2	Males		29,995	3,294	917	411	289	184	5,095	478	253	529	1,294	2,098
3	Females		29,767	2,549	817	396	265	173	4,200	448	262	542	1,285	1,865
4	Unknown cause		302	36	3	1	1	.....	41	6	3	4	12	20
5	Males		160	25	2	.....	1	.....	28	3	.....	1	9	11
6	Females		142	11	1	1	.....	.....	13	3	3	3	3	9
7	1. General diseases. General diseases—A		7,706	1,810	686	362	255	187	3,300	356	100	115	239	287
8	Males		3,756	1,027	371	176	129	93	1,796	177	48	55	119	148
9	Females		3,950	783	315	186	126	94	1,504	179	52	60	120	139
10	Measles	M	155	40	53	21	11	13	138	12	1	.....	.....	1
		F	136	32	42	20	8	11	113	12	4	1	1	3
11	Scarlet fever	M	133	5	20	23	24	15	87	30	4	3	4	1
		F	136	9	10	29	27	12	87	37	6	2	1	1
12	Diphtheria	M	364	19	60	65	64	41	249	78	17	3	5	1
		F	391	17	61	76	65	47	266	87	14	9	6	5
13	Whooping cough	M	144	77	31	19	9	4	140	3	.....	.....	.....	.....
		F	161	70	38	20	13	9	150	7	.....	.....	.....	1
14	Malarial fever	M	68	3	1	2	2	1	9	1	.....	4	6	4
		F	94	2	.....	2	1	1	6	2	1	4	7	3
15	Influenza	M	410	15	3	.....	3	1	22	5	.....	5	10	15
		F	673	7	3	1	.....	.....	11	.....	4	4	14	21
16	Typhoid fever	M	434	1	2	1	1	3	8	11	10	30	66	78
		F	325	.....	4	1	.....	2	7	8	12	26	49	52
17	Cholera morbus	M	86	8	1	3	.....	1	13	2	.....	.....	2	2
		F	77	3	3	2	.....	.....	8	1	.....	1	1	1
18	Colitis	M	29	16	.....	.....	.....	.....	16	.....	.....	.....	1	1
		F	49	14	9	.....	.....	1	24	.....	.....	.....	2	1
19	Diarrhea	M	206	65	10	3	.....	.....	78	4	.....	.....	2	4
		F	200	30	12	1	.....	.....	43	5	1	1	3	4
20	Dysentery	M	164	15	9	5	1	.....	30	5	2	1	4	4
		F	257	13	8	4	.....	1	26	.....	1	.....	6	4
21	Enteritis	M	633	337	73	17	6	5	438	13	4	.....	3	15
		F	691	275	60	13	4	6	358	11	2	4	9	18
22	Cholera infantum	M	462	362	89	8	2	1	462	.....	.....	.....	.....	.....
		F	335	270	54	9	2	.....	335	.....	.....	.....	.....	.....
23	Fever	M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
		F	3	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
24	Cerebro-spinal fever	M	98	25	15	8	4	5	57	9	9	4	4	2
		F	63	18	7	5	5	4	34	6	6	4	1	2
25	Smallpox	M	19	.....	.....	.....	1	.....	1	.....	.....	.....	2	2
		F	8	1	1	.....	.....	.....	2	.....	.....	.....	1	.....
26	Erysipelas	M	101	13	1	.....	.....	1	15	.....	.....	1	.....	8
		F	77	14	2	1	.....	.....	17	1	.....	.....	1	3
27	Septicemia	M	122	13	1	.....	1	2	17	2	1	2	8	5
		F	136	2	1	1	1	.....	5	2	1	4	14	18
28	Venereal diseases	M	26	10	2	.....	.....	.....	12	.....	.....	.....	1	2
		F	21	9	.....	.....	.....	.....	9	.....	.....	.....	2	1
29	Others of this group	M	101	3	.....	1	.....	.....	4	1	.....	2	1	3
		F	117	1	.....	.....	.....	.....	1	.....	.....	.....	2	1
30	General diseases—B		1,019	269	21	3	2	2	297	3	1	7	32	73
31	Males		685	156	14	2	1	2	175	2	1	2	23	53
32	Females		334	113	7	1	1	.....	122	1	.....	5	9	20
33	Alcoholism	M	386	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	38
		F	111	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	13
34	Parasitic diseases	M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Lead poison	M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Other poisons	M	118	1	5	1	.....	2	9	2	1	2	13	15
		F	69	1	1	.....	.....	.....	2	.....	.....	5	6	7
37	Inanition	M	181	155	9	1	1	.....	166	.....	.....	.....	.....	.....
		F	148	112	6	1	1	.....	120	1	.....	.....	1	.....
38	General diseases—C		3,729	1,304	73	17	3	.....	1,397	4	2	1	4	10
39	Males		1,700	736	31	9	3	.....	779	3	1	1	2	9
40	Females		2,029	568	42	8	.....	.....	618	1	1	.....	2	1
41	Old age	M	767	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	1,187	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth	M	284	284	.....	.....	.....	.....	284	.....	.....	.....	.....	.....
		F	202	202	.....	.....	.....	.....	202	.....	.....	.....	.....	.....
43	Malformation	M	52	50	.....	1	.....	.....	51	.....	.....	.....	.....	.....
		F	49	49	.....	.....	.....	.....	49	.....	.....	.....	.....	.....
44	Debility and atrophy	M	515	320	31	8	3	.....	362	3	1	1	2	9
		F	528	255	42	8	.....	.....	305	1	1	.....	2	1
45	Others of this group	M	82	82	.....	.....	.....	.....	82	.....	.....	.....	.....	.....
		F	63	62	.....	.....	.....	.....	62	.....	.....	.....	.....	.....

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4,017	4,156	3,480	3,282	3,921	4,197	4,619	4,280	3,736	2,573	1,718	827	307	163	137	1
2,243	2,274	1,916	1,690	1,987	2,029	2,094	1,852	1,596	1,219	731	373	120	62	62	2
1,774	1,882	1,564	1,592	1,934	2,168	2,525	2,428	2,140	1,354	987	454	187	101	75	3
14	27	16	19	28	25	20	24	12	12	11	5	.....	.....	3	4
9	15	10	10	17	10	11	9	4	2	6	2	.....	.....	3	5
5	12	6	9	11	15	9	15	8	10	5	3	.....	.....	.....	6
298	269	211	216	258	298	423	408	365	275	174	70	22	9	13	7
148	124	114	111	114	123	164	166	129	106	64	36	6	6	2	8
150	145	97	105	144	175	259	242	236	169	110	84	16	3	11	9
2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	10
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	1	.....	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
6	4	3	7	1	4	2	7	2	6	1	1	.....	.....	.....	14
8	4	1	5	3	10	13	8	11	2	5	.....	.....	.....	1	
16	21	24	26	25	27	45	48	42	40	27	9	3	.....	.....	15
22	25	27	29	54	56	91	91	87	65	41	16	10	1	4	
68	52	28	24	18	11	15	8	3	3	.....	.....	.....	.....	1	16
49	32	17	16	17	11	12	11	3	.....	2	.....	.....	.....	1	
3	2	6	5	4	11	7	9	11	4	2	1	.....	2	.....	17
1	8	2	1	5	3	12	11	10	6	3	1	1	1	.....	
1	.....	1	1	4	1	1	.....	1	1	.....	.....	.....	.....	.....	18
1	1	1	3	2	2	4	5	2	1	.....	.....	.....	.....	.....	
3	4	5	6	9	7	15	19	18	14	14	4	.....	.....	.....	19
7	3	1	8	9	15	19	16	16	24	22	2	1	.....	.....	
8	4	4	8	7	9	23	16	18	8	7	4	1	1	.....	20
7	12	10	11	10	23	34	30	37	27	11	6	1	1	.....	
8	10	13	10	14	15	24	25	17	10	5	5	1	2	1	21
19	18	18	16	24	28	37	45	40	23	14	2	3	.....	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
2	1	3	2	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	24
2	2	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
4	2	1	1	1	2	1	1	1	.....	.....	.....	.....	.....	.....	25
2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	6	15	6	8	10	9	8	2	2	2	3	.....	1	.....	26
2	10	4	5	6	7	9	5	3	3	1	.....	.....	.....	.....	
10	11	9	4	12	12	6	10	3	6	3	1	.....	.....	.....	27
22	22	8	3	7	7	7	5	4	3	2	1	.....	.....	1	
3	3	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	28
2	3	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	
1	2	2	7	7	8	13	15	11	12	3	8	1	.....	.....	29
3	2	1	5	7	10	21	15	21	15	8	5	.....	.....	.....	
109	125	82	58	53	61	44	24	16	13	7	5	.....	1	8	30
80	100	56	40	40	42	26	15	11	6	3	3	.....	1	6	31
29	25	26	18	13	19	18	9	5	7	4	2	.....	.....	2	32
68	86	43	32	35	28	18	13	6	3	2	2	.....	.....	2	33
15	15	20	12	9	10	10	2	1	1	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	35
2	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	
11	14	11	8	5	12	5	1	2	2	.....	.....	.....	.....	.....	36
11	8	4	5	3	6	5	2	.....	3	2	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	2	1	3	1	1	1	.....	1	4	37
1	.....	2	1	1	2	3	5	3	3	1	2	.....	.....	2	
7	18	9	15	23	44	111	210	380	421	500	311	157	94	11	38
4	10	4	9	10	12	44	80	132	181	193	121	70	32	3	39
3	8	5	6	13	32	67	130	248	240	307	190	87	62	8	40
.....	.....	.....	.....	.....	.....	27	55	116	164	184	118	68	32	3	41
.....	.....	.....	.....	.....	.....	47	100	206	216	284	186	84	60	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	10	4	9	10	12	17	25	16	17	9	3	2	.....	.....	44
3	8	5	6	13	32	20	30	41	24	23	4	3	2	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		13,243	191	110	46	37	14	398	72	93	488	1,220	1,848
2	Males		6,851	100	65	25	19	8	217	32	28	204	606	969
3	Females		6,392	91	45	21	18	6	181	40	65	284	614	879
4	Anemia	M	57	5			1		6		1	2	2	4
		F	128	3	2	1	1	1	8		2	3	8	8
5	Diabetes	M	131		1	1			2	4	3	1	5	6
		F	160							1	3	1	1	4
6	Rheumatism	M	109	1				1	2	3	1	1	5	6
		F	152	1					1	5	1	3	4	5
7	Scrofula and tabes	M	24	4					4			1	3	6
		F	34	1	1	2			4		1	1	2	5
8	Hydrocephalus	M	171	56	45	13	11	5	130	13	3		5	
		F	128	52	26	12	10	1	101	6	4	3	3	4
9	Tuberculosis, general	M	56	7		1	2		10	2	2	2	3	11
		F	43	1		1			2	2	2		7	6
10	Consumption	M	5,407	24	17	9	4	2	56	7	15	193	577	923
		F	4,108	28	14	5	5	2	54	25	47	265	582	810
11	Cancer	M	747			1			1	1	1		1	9
		F	1,395	1					1			1	4	22
12	Tumor	M	74							2		3	2	2
		F	137				1		1	1	1	1	3	8
13	Dropsy	M	54		1				1		1		1	1
		F	69								1	2		1
14	Others of this group	M	21	3	1		1		5		1	1	2	1
		F	38	4	2		1	2	9		3	4		6
15	2. Diseases of the nervous system		6,362	639	198	75	68	39	1,019	97	58	65	94	161
16	Males		3,023	375	87	44	38	14	558	54	35	41	40	83
17	Females		3,339	264	111	31	30	25	461	43	23	24	54	78
18	Inflammation of the brain	M	25	5	1	1			7			1		
		F	23	3	2				5		1	1	1	3
19	Meningitis	M	501	157	54	31	20	6	268	38	16	17	12	26
		F	379	102	73	19	21	14	229	32	11	8	11	13
20	Apoplexy	M	1,219	6	1	1	3	2	13	3	1	5	5	22
		F	1,601	8	2	2		1	13		2	4	7	15
21	Paralysis	M	397				2		2	2	1	2	4	5
		F	458	1	1		1	2	5			1	4	7
22	Paralysis, general (of insane)	M	36											
		F	19											
23	Tetanus and trismus nascentium	M	50	8		1			9	5	12	4	4	5
		F	19	9					9		1		1	
24	Chorea	M	4				1		1			1		
		F	4							1	2	1		
25	Epilepsy	M	68					1	1	1	1	4	3	9
		F	61								1	3	9	7
26	Convulsions	M	239	179	25	9	6	3	222	4				1
		F	222	124	29	10	8	5	176	8	1		6	7
27	Mental diseases	M	103										4	3
		F	169										5	10
28	Diseases of the brain	M	270	20	5	1	5	2	33	1	2	5	6	9
		F	255	17	4			2	23	1	4	6	4	10
29	Diseases of the spinal cord	M	38		1				1		1	2	1	1
		F	53					1	1	1			3	1
30	Locomotor ataxia	M	36								1			
		F	11											
31	Others of this class	M	37				1		1				1	2
		F	65										3	5
32	3. Diseases of the circulatory system		5,759	125	9	2	9	9	154	48	54	79	157	191
33	Males		2,660	73	6	1	4	5	89	25	21	39	67	106
34	Females		3,099	52	3	1	5	4	65	23	33	40	90	85
35	Pericarditis	M	37	2					2	1	2	3	1	2
		F	28							1		2	1	1
36	Diseases of the heart	M	2,390	42	6	1	4	5	58	24	18	35	65	100
		F	2,861	27	3	1	5	4	40	21	33	38	85	75
37	Angina pectoris	M	75									1		3
		F	73										1	3
38	Diseases of the arteries	M	78											1
		F	70										1	
39	Aneurism	M	33										1	
		F	21										1	1
40	Embolism	M	17								1			
		F	16							1			1	3
41	Others of this class	M	30	29					29					
		F	30	25					25					2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
1,686	1,523	1,126	894	944	807	734	589	426	217	98	38	13	3	26	1
964	864	633	479	491	391	349	252	189	104	43	19	5	1	11	2
722	659	493	415	453	416	385	337	237	113	55	19	8	2	15	3
5	2	6	2	4	5	7	7	1	...	...	2	...	1	...	4
10	14	13	11	12	13	11	8	3	3	...	1	...	...	...	
9	11	8	6	17	13	15	16	8	4	3	...	...	...	...	5
7	5	7	13	25	27	26	19	13	7	...	...	...	...	1	
12	9	7	4	9	12	8	10	12	6	2	...	...	...	...	6
5	12	7	11	15	14	18	20	13	10	4	3	1	...	...	
2	3	...	1	...	...	1	2	1	...	...	...	...	...	...	7
5	2	2	...	3	1	2	4	...	...	2	...	...	...	...	
3	2	4	6	1	2	1	...	...	...	...	...	...	...	1	8
1	2	3	...	...	...	...	...	...	...	...	...	...	...	1	
6	10	2	2	3	...	2	...	1	...	...	...	...	...	...	9
5	3	...	4	1	1	6	3	1	...	...	...	...	...	...	
909	791	552	379	340	234	180	104	87	38	13	3	1	...	5	10
632	520	308	201	183	144	122	93	72	28	11	5	1	...	5	
8	28	40	65	106	113	119	98	67	49	22	10	4	...	5	11
43	78	132	156	200	191	175	168	113	55	33	9	5	2	7	
7	4	5	9	8	8	9	7	5	3	...	...	...	...	...	12
11	15	16	15	12	16	13	8	11	4	1	...	...	...	...	
2	3	5	3	2	3	6	8	7	4	3	4	...	...	...	13
1	4	2	2	1	9	11	12	10	6	4	1	1	...	1	
1	1	4	2	1	1	1	...	...	...	...	...	...	...	...	14
2	4	3	2	1	...	1	2	1	...	...	...	...	...	...	
228	240	283	362	470	561	708	651	565	416	238	91	23	14	18	15
135	133	151	164	201	253	295	273	233	199	109	43	9	4	10	16
93	107	132	198	269	308	413	378	332	217	129	48	14	10	8	17
4	2	...	...	1	3	1	2	3	...	1	...	...	...	...	18
2	1	1	...	2	2	...	3	...	...	1	...	...	...	...	
24	23	11	23	14	8	8	5	3	3	...	2	...	...	...	19
18	8	4	10	8	4	11	7	2	2	1	...	...	...	...	
40	46	69	83	112	148	163	167	127	109	71	23	5	1	6	20
20	31	75	129	176	213	242	225	204	130	70	24	10	7	4	
11	18	24	26	26	37	55	46	58	47	17	12	...	1	3	21
8	8	11	25	28	43	67	74	67	52	35	14	3	2	4	
4	2	11	2	7	2	4	2	1	1	...	...	...	...	...	22
1	2	3	...	2	...	1	3	3	2	2	...	...	...	...	
2	4	1	2	1	1	...	...	...	...	...	...	...	...	...	23
...	4	2	1	...	...	1	...	...	...	...	...	...	...	...	
1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	24
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
9	4	5	5	4	8	6	3	3	2	...	...	...	...	...	25
2	4	5	5	5	2	11	2	...	1	3	1	...	...	...	
3	2	1	1	...	...	1	...	2	1	...	...	...	...	1	26
11	6	...	1	1	2	...	1	1	1	...	...	...	...	...	
5	7	4	3	4	9	19	15	9	8	8	2	3	...	...	27
8	8	4	10	12	13	33	14	25	13	10	4	...	...	...	
23	19	19	10	18	19	25	25	17	21	11	4	1	2	...	28
14	18	14	12	19	14	32	39	24	10	5	5	...	1	...	
4	1	1	3	5	6	7	2	1	2	...	...	...	...	...	29
2	8	6	1	6	8	8	2	3	2	...	...	1	...	...	
3	2	3	3	5	9	3	2	3	2	...	...	...	...	...	30
...	2	...	1	3	1	2	1	1	...	...	...	...	...	...	
2	3	2	3	4	3	3	3	6	3	1	...	...	...	...	31
7	7	7	3	7	6	5	7	2	4	2	...	...	...	...	
253	334	349	374	459	612	720	673	598	365	197	88	28	11	15	32
121	150	149	160	215	273	335	294	270	191	90	44	8	4	9	33
132	184	200	214	244	339	385	379	328	174	107	44	20	7	6	34
3	4	3	4	3	4	1	1	2	1	...	...	...	...	...	35
4	2	3	2	1	2	4	3	1	1	...	...	...	...	...	
108	133	142	147	192	248	304	267	248	173	74	36	6	3	9	36
120	175	191	200	227	314	366	350	304	162	95	41	14	4	6	
7	4	2	4	9	8	10	10	6	3	6	2	...	...	...	37
4	4	5	8	11	10	9	10	4	2	2	...	...	...	...	
...	...	...	...	2	6	10	14	13	11	6	6	2	1	...	38
...	1	...	...	1	7	4	11	18	8	7	3	6	3	...	
3	9	2	4	6	4	1	...	1	2	...	...	...	...	...	39
2	1	1	3	2	2	2	4	...	1	1	...	...	...	...	
...	...	...	1	3	3	3	2	...	1	3	...	...	...	...	40
2	1	...	1	...	4	...	1	1	...	1	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	41
...	...	...	...	2	...	...	...	...	...	1	...	...	...	...	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**4.** Diseases of the respiratory system	10,236	1,121	556	243	130	72	2,122	171	60	103	278	482
2	Males	5,130	604	306	121	65	40	1,136	83	24	55	161	273
3	Females	5,106	517	250	122	65	32	986	88	36	48	117	209
4	Croup M	89	8	17	23	9	14	71	17				
	Croup F	75	6	16	19	13	5	59	14	1			
5	Pneumonia M	3,768	355	232	66	44	22	719	50	19	46	129	234
	Pneumonia F	3,453	292	177	80	34	19	602	59	28	31	91	162
6	Laryngitis M	24		1		1	1	3	6			3	
	Laryngitis F	22	4	2	3	1		10	3			1	1
7	Bronchitis M	775	188	47	27	5	1	268	4	5	5	10	17
	Bronchitis F	1,051	180	50	16	13	5	264	6	6	8	10	18
8	Pleurisy M	114	1	1	1	3		6	1		3	10	9
	Pleurisy F	101	1	2	2		1	6	3		1	8	12
9	Asthma M	74		1		1		2					2
	Asthma F	90	1					1					1
10	Others of this class M	291	52	7	4	2	2	67	5		1	9	11
	Others of this class F	314	33	3	2	4	2	44	3	1	8	7	15
11	**5.** Diseases of the digestive system	3,268	216	40	21	6	9	292	46	44	60	121	203
12	Males	1,483	118	19	10	3	5	155	24	21	33	41	86
13	Females	1,785	98	21	11	3	4	137	22	23	27	80	117
14	Dentition M	18	10	7	1			18					
	Dentition F	20	15	5				20					
15	Angina M	13	2		1			3	1			3	1
	Angina F	5		1				1	1				
16	Gastritis M	253	14	4	1	1		20			2	2	17
	Gastritis F	378	13	4	2	1		20	2	4	2	11	25
17	Diseases of the stomach M	106	2				1	3				2	12
	Diseases of the stomach F	106								1	2	7	5
18	Obstruction of the bowels M	117	16		2		1	19	2	1	3	3	7
	Obstruction of the bowels F	145	12	1	1	1		15	3	1		5	8
19	Appendicitis M	126					1	1	8	9	18	12	13
	Appendicitis F	100			1		1	2	9	9	11	11	13
20	Hernia M	50	5	1				6					1
	Hernia F	95	1					1					
21	Other diseases of the bowels M	24	5					5	1			1	2
	Other diseases of the bowels F	26	3	1				4				1	4
22	Jaundice M	40	15		1			16			1		
	Jaundice F	49	8				1	9	1				2
23	Inflammation and abscess of the liver. M	73	1	1				2	1		1	1	4
	Inflammation and abscess of the liver. F	91	3					3				5	3
24	Other diseases of the liver M	395	1					1		1		4	17
	Other diseases of the liver F	324	1					1	1			5	12
25	Peritonitis M	147	7	1	2		1	11	9	10	8	12	10
	Peritonitis F	290	5	4	3		1	13	5	6	11	35	41
26	Ascites M	7											
	Ascites F	9											
27	Others of this class M	114	40	5	2	2	1	50	2			1	2
	Others of this class F	147	37	5	4	1	1	48		2	1		4
28	**6.** Diseases of the urinary system and male organs of generation.	4,500	24	7	5	7	6	49	24	24	45	148	246
29	Males	2,321	18	3	3	2	3	29	14	13	23	65	107
30	Females	2,179	6	4	2	5	3	20	10	11	22	83	139
31	Bright's disease M	1,860							12	10	20	59	100
	Bright's disease F	1,917							9	10	18	70	121
32	Calculus, urinary M	8									1		
	Calculus, urinary F	3											
33	Diseases of the kidney M	93	16	2	3	2	3	26	1	1			2
	Diseases of the kidney F	50	4	4	2	5	3	18				1	4
34	Diseases of the bladder M	155								1		1	
	Diseases of the bladder F	34										1	1
35	Others of this class M	205	2	1				3	1	1	2	5	5
	Others of this class F	175	2					2	1	1	4	11	13
36	**7.** Diseases of the female organs of generation.	167	1					1			4	13	20
37	Ovarian tumors	28										3	1
38	Ovarian diseases	6										1	2
39	Diseases of the tubes	31									2	6	8
40	Uterine tumors	46											
41	Uterine diseases	11									2	1	2
42	Others of this class	45	1					1				2	7

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
485	569	508	547	716	825	871	875	700	445	269	124	42	24	20	1
286	325	302	290	378	409	365	361	291	202	106	55	11	9	8	2
199	244	206	257	338	416	506	514	409	243	163	69	31	15	12	3
							1								4
			1												
251	282	258	243	290	297	264	259	194	127	55	32	6	2	6	5
154	196	174	192	236	305	350	322	258	128	96	33	18	8	10	
1	1	1	4	1	1	1	1			1					6
1	2				1	1	1		1						
12	15	17	17	40	65	58	60	69	53	31	19	4	6		7
16	17	19	29	57	71	110	133	114	77	46	32	12	5	1	
8	13	4	8	12	6	10	9	11	3	1					8
9	12	2	10	3	6	5	10	7	5		2				
1	2	2	4	12	12	9	12	5	3	5	1			2	9
2	2	2	4	11	11	15	20	7	9	5					
13	12	20	14	23	28	23	19	12	16	13	3	1	1		10
17	15	9	21	31	22	25	28	23	23	16	2	1	2	1	
214	250	255	231	293	310	282	260	199	121	55	20	5	2	5	11
100	111	135	105	141	140	124	103	83	54	17	7	2	1		12
114	139	120	126	152	170	158	157	116	67	38	13	3	1	5	13
															14
1	1				1	1		1							15
			1		1		1								
14	15	21	18	26	31	25	27	13	10	8	3		1		16
15	22	16	23	38	39	47	43	30	19	13	6	2		1	
6	8	7	12	16	9	7	8	9	5		2				17
15	8	4	9	14	13	5	5	11	3	2	2				
5	8	6	8	10	13	6	9	7	7		2	1			18
8	9	6	11	12	17	9	18	11	7	4				1	
12	9	19	9	5	2		3	3	3						19
9	9	4	2	6	3	5	3	3	1						
3	1	6	4	4	5	7	4	2	5	2					20
2	4	9	11	8	15	17	11	9	6	2					
	4	2		3		2	1	2		1					21
	3		2		2	3	3	2	1		1				
1	1	1	1	1	2	4	6	2	3	1					22
2	3	2	3	2	5	4	3	6	4	2				1	
11	5	8	3	8	5	10	4	6	2	2					23
4	7	14	7	5	10	9	11	9	3	1					
33	42	48	36	53	50	42	27	26	13	1		1			24
18	33	39	38	46	33	32	28	17	13	7	1				
11	12	12	9	6	16	9	3	5	4						25
36	38	21	13	14	15	13	11	8	1	2	2			2	
		2		1	1		2	1							26
				1	2	2	2	2							
3	5	3	5	8	5	11	9	6	2	2					27
5	3	2	6	6	15	12	18	8	9	5	1	1	1		
278	364	358	364	465	468	519	399	356	207	118	50	9	3	6	28
145	184	179	172	234	240	262	200	199	135	74	36	4	3	3	29
133	180	179	192	231	228	257	199	157	72	44	14	5		3	30
130	159	160	152	199	209	212	151	138	85	40	19	2	1	2	31
112	156	162	177	206	208	233	178	140	65	36	11	3		2	
1	2			1	1	2									32
1		1							1						
1	3	4	3	11	6	4	7	9	7	6	2				33
3	5	3	1	4	3	4	2	1		1					
2	2	2	6	9	10	28	25	25	21	17	9		2		34
1	3	1	1	2	3	6	5	4	2	1	2	1			
11	18	13	11	14	14	21	17	27	22	11	6	2		1	35
16	16	12	13	19	14	14	14	12	4	6	1	1		1	
28	22	30	14	10	6	5	5	4	1	4					36
2	2	5	3	3	3	2	2	1		1					37
3															38
6	4	4	1												39
5	5	10	8	6	2	3	2	3		2					40
2	2	1							1						41
10	9	10	2	1	1		1			1					42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN IRELAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		443									6	62	127
2	Abortion		18										1	5
3	Childbirth		136										13	30
4	Puerperal septicemia		184									4	28	63
5	Extra-uterine pregnancy		8										2	3
6	Others of this class		97									2	18	26
7	9. Diseases of the bones and joints		115	4	3	1	3	1	12	10	10	8	9	5
8	Males		65	2	1	1	3	1	8	4	6	5	5	4
9	Females		50	2	2				4	6	4	3	4	1
10	Diseases of the spine	M	18				1	1	2	2	3	3	1	1
		F	17	2					2	4	3		2	
11	Abscess, lumbar and psoas	M	6	1					1				1	1
		F	3											
12	Diseases of the bones	M	26	1	1		1		3	1	2	1	2	2
		F	12		2				2		1	2	1	
13	Diseases of the hip-joint	M	7							1	1	1		
		F	5							2		1		
14	Others of this class	M	8			1	1		2				1	
		F	13										1	1
15	10. Diseases of the skin		86	8	2	2	1		13	2			3	3
16	Males		42	4	1	1			6	1			1	2
17	Females		44	4	1	1	1		7	1			2	1
18	Abscess	M	29	2	1	1			4	1				2
		F	24	1			1		2	1			2	1
19	Carbuncle	M	6											
		F	5											
20	Others of this class	M	7	2					2				1	
		F	15	3	1	1			5					
21	11. Diseases of the absorbent system		29	1	3				4	1		1	1	3
22	Males		17		2				2	1				3
23	Females		12	1	1				2			1	1	
24	Addison's disease	M	8											1
		F	3									1	1	
25	Diseases of the spleen	M	1											1
		F	2											
26	Others of this class	M	8		2				2	1				1
		F	7	1	1				2					
27	12. Accidents and injuries		2,798	94	23	29	32	18	196	86	66	85	186	284
28	Males		2,102	56	9	18	21	13	117	55	55	70	155	244
29	Females		696	38	14	11	11	5	79	31	11	15	31	40
30	Burns and scalds	M	90	1	4	11	11	4	31	3		2	7	3
		F	172	2	11	7	10	5	35	18		3	5	14
31	Drowning	M	303	1	1	1	2	3	8	22	18	13	22	41
		F	31	1	1				2	1	3	5	2	
32	Exposure and neglect	M	22	1					1				3	
		F	5										1	
33	Gunshot wounds	M	41							1	3	5	2	8
		F	5								1			
34	Homicide	M	26									1	7	4
		F	8			1			1		1		1	
35	Infanticide	M												
		F												
36	Injuries by machinery	M	9										2	
		F												
37	Railroad accidents	M	412			1	2	2	5	6	8	19	36	68
		F	30		1				1	1	1	1	1	2
38	Suffocation	M	72	31	1	1	1		34	1	3	2	3	2
		F	39	26					26	1				2
39	Suicide by shooting	M	14											2
		F	1											
40	Suicide by drowning	M	8											
		F	4										1	
41	Suicide by poison	M	39										1	8
		F	25										5	7
42	Other suicides	M	62								1	1		7
		F	18										3	1
43	Sunstroke	M	30	3	1				4	1		1	2	2
		F	19	1					1	1				1
44	Surgical operations	M	13							1			1	2
		F	21								1	1	2	3
45	Wounds	M	52									3	6	10
		F	4							1				1
46	Others of this class	M	909	19	2	4	5	4	34	20	22	23	63	87
		F	814	8	1	3	1		13	8	4	5	10	9

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN IRELAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
122	97	27	1	1											1
6	4	2													2
39	47	7													3
51	27	9	1	1											4
	3														5
26	16	9													6
8	9	8	5	5	3	6	7	5	4	1					7
3	6	4	4	3	1	3	6	1	2						8
5	3	4	1	2	2	3	1	4	2	1					9
	1	1	2	2											10
2	1	1		1		1									
						1	1	1							11
1	1				1										
1	3	1	2		1	2	3		2						12
		1			1	1		2	1						
2	1	1													13
	1							1							
	1	1		1			2								14
2		2	1	1		1	1	1	1	1					
7	5	4	6	6	7	8	10	6	2	2	1	1			15
4	3	3	4	3	4	3	2	2		2	1	1			16
3	2	1	2	3	3	5	8	4	2						17
3	3	2	1	3	3	2	2	2				1			18
2	1	1		1	2	2	6	1	2						
1		1	2		1	1									19
			1	1	1			2							
			1							2	1				20
1	1		1	1		3	2	1							
1	1	2	4	4	3	3	1								21
	1	2	3	2	2	1									22
1			1	2	1	2	1								23
	1	1	1	2	1	1									24
						1									
															25
1						1									
		1	2		1										26
			1	2	1		1								
279	303	212	172	186	167	165	144	104	74	44	24	7	2	12	27
244	248	174	139	138	129	112	91	52	37	24	6	4	1	7	28
35	55	38	33	48	38	53	53	52	37	20	18	3	1	5	29
5	6	7	3	4	1	7	2	6		3					30
8	14	10	6	8	6	16	9	10	4	3	1	1		1	
35	41	17	17	13	24	7	14	6	4					1	31
2	5	3	1	3	2		1	1							
3	1	3		2	1	2	3	1	1	1					32
			1	1	1	1									
5	4	4	3	2	1	2		1							33
1		1	1							1					
4	3	3		1	1	1		1							34
2	1	1		1											
															35
3		1	2				1								36
44	45	30	32	32	34	23	11	5	7	3				4	37
3	3	1	3	2	1	3	4	2	1						
4	4	3	4	2	2	2	2	1	1		1			1	38
1		1	1	2		2	1			1				1	
3	2	3			1	2	1								39
								1							
2	2	1		2	1										40
	1	1					1								
5	5	8	3	4			4	1							41
3	4	2	1	1	1									1	
7	8	10	6	3	5	5	3	3	3						42
3	2	3		1	2		2	1							
3	6	4	2	3	1		1								43
	4	3		4		2		2	1						
1	1	2	1	2			2								44
1	2	4	2	2	1	2									
8	6	2	5	3	2	4	2			1					45
								1	1						
112	114	76	61	65	55	57	45	27	21	16	5	4	1	1	46
11	19	8	17	23	24	27	35	34	30	15	17	2	1	2	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	41,375	5,794	1,549	700	522	364	8,929	999	548	837	1,426	1,835
2	Males	22,666	3,277	806	386	267	183	4,919	525	281	438	691	906
3	Females	18,709	2,517	743	314	255	181	4,010	474	267	399	735	929
4	Unknown cause	255	58	11	2	3	3	77	8	2	6	2	10
5	Males	137	26	5	1	1	2	35	3		3	1	4
6	Females	118	32	6	1	2	1	42	5	2	3	1	6
	1. General diseases.												
7	General diseases—A	6,152	1,939	615	267	212	158	3,191	416	136	144	178	203
8	Males	3,299	1,076	308	152	119	78	1,733	203	72	81	89	106
9	Females	2,853	863	307	115	93	80	1,458	213	64	63	89	97
10	Measles M	117	29	50	15	6	3	103	7	1	1		1
	Measles F	120	32	35	18	6	6	97	16		1	1	2
11	Scarlet fever M	94	2	11	19	16	14	62	25	5	1		
	Scarlet fever F	110	1	18	14	15	14	62	35	5		2	2
12	Diphtheria M	404	25	52	68	59	44	248	114	27	10	1	
	Diphtheria F	370	17	54	43	43	45	202	117	24	7	4	4
13	Whooping cough M	76	43	15	10	3	1	72	1				
	Whooping cough F	109	49	35	9	4	2	99	5		2		1
14	Malarial fever M	80	4	1	2		3	10	2		3	11	2
	Malarial fever F	66	3	2	1	1		7	5	2	4	4	3
15	Influenza M	197	11					11	6		1	4	8
	Influenza F	204	7	2				9	3		2	1	4
16	Typhoid fever M	422	2	2	4	4	4	16	12	22	45	58	63
	Typhoid fever F	314	3		1	5	2	11	15	21	35	50	47
17	Cholera morbus M	76	14		2	2		18	3	2	1	1	4
	Cholera morbus F	77	13	5	1	1	1	21	1	2	4		4
18	Colitis M	33	13	2		2		17	2				1
	Colitis F	16	3	4	1			8					
19	Diarrhea M	167	61	18	3	2		84	4		1		1
	Diarrhea F	121	56	7	3			66	2	2			5
20	Dysentery M	101	10	9	5	5		29	3	4	1	2	
	Dysentery F	103	12	4	4	1	1	22	1			2	1
21	Enteritis M	641	393	63	16	5	3	480	13	1	3	4	7
	Enteritis F	538	291	69	12	8	5	385	8	2	2	7	5
22	Cholera infantum M	511	426	73	5	6	1	511					
	Cholera infantum F	406	331	66	6	3		406					
23	Fever M	2		1				1					
	Fever F	3	1					1		1			
24	Cerebro-spinal fever M	65	15	8	2	6	3	34	5	3	7	3	4
	Cerebro-spinal fever F	40	10	4	1	6	2	23	2	4	2	1	1
25	Smallpox M	12									1	2	1
	Smallpox F	2										1	
26	Erysipelas M	88	16	2		1		19	1	2	3	1	5
	Erysipelas F	46	14	1				15			1	1	2
27	Septicemia M	96	7	1	1	1	1	11	3	4	1	2	4
	Septicemia F	116	9	1			2	12	3	1	3	13	15
28	Venereal diseases M	14	3					3					3
	Venereal diseases F	14	9		1			10					
29	Others of this group M	103	2			1	1	4	2	1	2		2
	Others of this group F	78	2					2				2	1
30	General diseases—B	665	288	10	4	5		307	7		12	18	24
31	Males	438	161	7	2	2		172	1		4	10	18
32	Females	227	127	3	2	3		135	6		8	8	6
33	Alcoholism M	143										1	9
	Alcoholism F	20										1	
34	Parasitic diseases M												
	Parasitic diseases F	1							1				
35	Lead poison M	6											
	Lead poison F	3											1
36	Other poisons M	111	2	2	1	1		6	1		4	9	9
	Other poisons F	57	3			2		5	2		8	6	5
37	Inanition M	178	159	5	1	1		166					
	Inanition F	146	124	3	2	1		130	3			1	
38	General diseases—C	2,682	1,014	48	7	4		1,073	3	3		7	11
39	Males	1,328	556	21	4	2		583	1	1		5	2
40	Females	1,354	458	27	3	2		490	2	2		2	9
41	Old age M	609											
	Old age F	725											
42	Premature birth M	263	263					263					
	Premature birth F	200	200					200					
43	Malformation M	45	44	1				45					
	Malformation F	28	26	1				27	1				
44	Debility and atrophy M	375	213	20	4	2		239	1	1		5	2
	Debility and atrophy F	378	209	26	3	2		240	1	2		2	9
45	Others of this group M	36	36					36					
	Others of this group F	23	23					23					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2,088	2,234	2,270	2,165	2,193	2,362	2,646	2,921	3,093	2,511	1,475	597	156	51	39	1
1,106	1,277	1,376	1,329	1,331	1,347	1,513	1,575	1,609	1,304	739	285	68	23	24	2
982	957	894	836	862	1,015	1,133	1,346	1,484	1,207	736	312	88	28	15	3
7	5	11	20	7	15	18	23	15	17	8	2	1	.....	1	4
2	2	6	14	5	8	12	16	8	9	6	1	1	.....	1	5
5	3	5	6	2	7	6	7	7	8	2	1	.....	.....	.....	6
193	164	145	140	129	136	169	179	239	221	112	46	5	2	4	7
101	96	87	84	79	86	94	83	122	95	57	25	2	1	3	8
92	68	58	56	50	50	75	96	117	126	55	21	3	1	1	9
2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	12
5	1	1	1	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1	13
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	7	5	10	3	4	4	4	4	1	1	.....	.....	.....	.....	14
5	3	2	5	2	4	4	4	4	5	1	2	.....	.....	.....	
7	12	7	7	13	8	20	13	27	23	19	10	1	.....	.....	15
9	3	8	11	7	11	15	22	28	46	16	6	2	1	.....	
50	43	29	30	15	16	12	4	6	.....	.....	.....	.....	.....	1	16
30	29	16	9	13	8	8	7	10	4	.....	.....	.....	.....	1	
4	.....	6	3	5	3	3	7	6	6	1	2	.....	1	.....	17
2	2	3	2	1	3	6	7	9	6	1	3	.....	.....	.....	
1	.....	3	1	.....	.....	1	1	.....	3	2	1	.....	.....	.....	18
.....	.....	.....	.....	.....	1	1	1	2	1	2	.....	.....	.....	.....	
1	4	2	2	3	6	6	9	20	11	10	2	.....	.....	1	19
3	1	.....	.....	3	1	6	6	7	11	5	3	.....	.....	.....	
1	2	2	2	3	4	8	13	12	6	6	3	.....	.....	.....	20
1	1	4	6	2	3	1	14	14	15	14	2	.....	.....	.....	
7	9	10	5	9	16	11	11	20	21	10	4	.....	.....	.....	21
6	9	8	6	8	5	15	19	20	21	8	3	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	.....	1	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	24
2	.....	2	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	3	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	3	7	6	10	11	5	1	5	5	.....	.....	.....	.....	.....	26
2	1	2	1	4	2	6	2	3	3	.....	1	.....	.....	.....	
7	7	6	10	11	8	8	6	5	2	1	.....	.....	.....	.....	27
16	14	8	5	5	5	5	4	5	2	.....	.....	.....	.....	.....	
1	2	2	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	28
1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	5	3	7	8	9	14	17	15	7	3	1	.....	.....	29
5	2	1	6	2	7	7	10	15	11	6	1	.....	.....	.....	
41	48	39	35	28	30	17	21	10	12	10	5	.....	.....	1	30
33	41	33	30	22	22	13	15	7	7	6	4	.....	.....	.....	31
8	7	6	5	6	8	4	6	3	5	4	1	.....	.....	1	32
24	22	21	21	15	13	2	10	.....	2	1	2	.....	.....	.....	33
3	4	6	2	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	35
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	16	12	8	6	9	9	3	3	3	3	2	.....	.....	.....	36
4	2	.....	2	5	7	2	5	.....	1	3	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	2	1	4	2	2	.....	.....	.....	.....	37
.....	.....	.....	1	1	1	1	.....	2	3	1	1	.....	.....	1	
13	10	16	10	20	23	37	93	238	356	425	234	80	26	4	38
7	8	9	6	11	12	19	39	104	173	197	103	34	12	2	39
6	2	7	4	9	11	18	54	134	183	228	131	46	14	2	40
.....	.....	.....	.....	.....	.....	8	26	91	156	182	98	34	12	2	41
.....	.....	.....	.....	.....	.....	6	39	114	168	211	127	44	14	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	8	9	6	11	12	11	13	13	17	15	5	.....	.....	.....	44
6	2	7	4	9	11	12	15	20	15	17	4	2	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		7,843	148	62	38	18	20	286	56	74	237	530	694
2	Males		4,173	79	31	22	10	9	151	33	24	103	252	356
3	Females		3,670	69	31	16	8	11	135	23	50	134	278	338
4	Anemia	M	41	2		1			3			1	1	
		F	56	3	1			2	6			3	3	2
5	Diabetes	M	152				1		1		4	1	3	4
		F	174	1					1	4		2	6	4
6	Rheumatism	M	93	1		1			2	3	1	4	2	5
		F	80	1			1		2	2	8	2	3	3
7	Scrofula and tubes	M	30	11	4	1			16				6	
		F	14	3		1			4			1	2	1
8	Hydrocephalus	M	95	28	16	13	5	3	65	11	1	1	3	1
		F	76	31	15	4	3	4	57	6	1	2	2	3
9	Tuberculosis, general	M	26		1		1	1	3	3		1	3	3
		F	20	4			1		5		3			
10	Consumption	M	2,613	28	9	5	3	5	50	10	13	87	225	330
		F	1,848	22	11	6	2	4	45	8	35	121	250	299
11	Cancer	M	913							1	1	3	4	7
		F	1,174	2					2		1	1	5	19
12	Tumor	M	80	2		1			3	2	1	2	3	6
		F	85			3		1	4	1			3	4
13	Dropsy	M	100	1					1	3	2	1	1	
		F	124	1					1		2	2	3	2
14	Others of this group	M	30	6	1				7		1	2	1	
		F	19	1	4	2	1		8	2			1	1
15	2. Diseases of the nervous system		4,776	776	194	88	59	30	1,147	94	45	63	66	89
16	Males		2,694	461	112	46	23	16	658	43	26	37	47	44
17	Females		2,082	315	82	42	36	14	489	51	19	26	19	45
18	Inflammation of the brain	M	36	6	4	4		1	15	2		1	2	
		F	26	5	4	1	3		13	4			1	2
19	Meningitis	M	412	114	57	27	14	5	217	24	16	8	17	10
		F	272	68	44	26	18	12	168	31	10	9	3	7
20	Apoplexy	M	1,002	4	4	1			9	3	2	4	6	7
		F	869	11	2		2		15	3	2	1	2	10
21	Paralysis	M	346	2		1			3	1	1	2	2	3
		F	264	2	1	2			5			1	2	5
22	Paralysis, general (of insane)	M	51											1
		F	15											
23	Tetanus and trismus nascentium	M	44	18					18	3	4	7	2	1
		F	25	13	1		1		15	1	1		1	
24	Chorea	M	1											
		F	4	1					1			3		
25	Epilepsy	M	53	2	1				3		1	6	4	7
		F	36	1			1		2	2	1	6	3	2
26	Convulsions	M	366	290	34	12	7	7	350	3	1		5	
		F	272	202	28	11	9	2	252	5			1	2
27	Mental diseases	M	69									1		3
		F	91										2	8
28	Diseases of the brain	M	219	24	10	1	2	3	40	6	1	6	5	11
		F	138	11	2	1	1		15	4	4	3	3	8
29	Diseases of the spinal cord	M	42	1	2				3	1			2	
		F	30			1	1		2	1	1	1		1
30	Locomotor ataxia	M	30										1	
		F	12										1	
31	Others of this class	M	23									2	1	1
		F	28	1					1			2		
32	3. Diseases of the circulatory system		3,870	98	3	3	6	12	122	58	63	77	75	106
33	Males		2,060	55	2	1	3	5	66	30	26	26	33	44
34	Females		1,810	43	1	2	3	7	56	28	37	51	42	62
35	Pericarditis	M	24	1					1	2	5	1	1	1
		F	31					3	3	3	3	3	4	1
36	Diseases of the heart	M	1,820	26	2	1	3	5	37	25	21	25	32	38
		F	1,647	28		2	3	4	37	25	34	44	36	55
37	Angina pectoris	M	87							1				3
		F	54									2		3
38	Diseases of the arteries	M	58							1				
		F	43											
39	Aneurism	M	28											1
		F	5											
40	Embolism	M	14											1
		F	12									2	2	2
41	Others of this class	M	29	28					28	1				
		F	18	15	1				16					1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
769	718	708	623	599	602	555	550	420	280	98	34	3	.....	7	1
413	422	414	357	335	316	280	289	210	141	54	18	1	.....	4	2
356	296	294	266	264	286	275	261	210	139	44	16	2	.....	3	3
1	2	4	4	6	5	6	.....	.....	7	.....	1	.....	.....	.....	4
3	5	6	5	3	6	5	5	1	2	1	.....	.....	.....	.....	
8	9	11	11	13	9	27	23	15	8	3	2	.....	.....	.....	5
3	4	8	6	13	29	33	29	18	11	2	1	.....	.....	.....	
3	5	3	12	6	14	6	9	6	8	2	2	.....	.....	.....	6
3	4	3	4	3	4	5	9	14	5	4	2	.....	.....	.....	
2	.....	.....	2	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	7
.....	1	1	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	
5	2	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	8
2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	3	1	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	9
5	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
363	372	318	224	175	149	96	90	63	32	9	4	.....	.....	3	10
292	210	162	102	86	65	59	37	41	25	7	3	.....	.....	1	
20	25	60	81	119	123	127	141	103	66	23	7	1	.....	1	11
36	60	96	136	144	171	141	154	108	74	18	6	.....	.....	2	
4	1	8	11	6	3	8	11	6	2	3	.....	.....	.....	.....	12
7	6	12	3	7	6	13	8	5	4	1	1	.....	.....	.....	
1	3	4	7	4	8	7	12	14	16	14	2	.....	.....	.....	13
2	.....	2	10	5	4	17	19	22	17	11	3	2	.....	.....	
3	1	1	2	4	2	1	3	2	.....	.....	.....	.....	.....	.....	14
3	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	
103	174	217	236	262	323	372	457	480	364	205	51	18	5	5	15
57	101	143	142	158	179	207	243	260	208	102	25	9	2	3	16
46	73	74	94	104	144	165	214	220	156	103	26	9	3	2	17
1	4	1	1	2	.....	1	1	1	1	1	2	.....	.....	.....	18
.....	.....	1	.....	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	
9	20	15	20	13	8	12	8	9	1	4	1	.....	.....	.....	19
5	5	7	4	4	7	3	3	5	.....	1	.....	.....	.....	.....	
23	24	53	59	74	104	127	134	166	124	58	14	9	.....	2	20
18	28	28	53	66	89	109	131	125	107	61	16	3	2	.....	
6	18	33	24	28	35	27	49	42	46	20	4	.....	2	.....	21
2	7	11	8	15	19	28	36	58	30	24	8	4	1	.....	
4	9	10	7	8	4	2	3	1	1	1	.....	.....	.....	.....	22
2	2	2	1	3	.....	.....	2	3	.....	.....	.....	.....	.....	.....	
.....	.....	2	2	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	23
3	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	4	5	3	1	3	2	2	4	2	1	.....	.....	.....	25
3	5	1	4	1	1	2	.....	3	.....	.....	.....	.....	.....	.....	
.....	2	.....	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	26
2	4	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	2	
2	6	4	4	4	4	6	13	8	9	3	2	.....	.....	.....	27
2	7	0	9	5	2	9	15	8	7	7	.....	1	.....	.....	
6	10	11	13	11	12	17	23	18	17	11	1	.....	.....	.....	28
6	7	8	7	6	15	9	13	14	7	7	2	.....	.....	.....	
1	2	5	3	6	1	4	6	5	3	.....	.....	.....	.....	.....	29
1	2	1	2	.....	5	2	4	3	3	.....	.....	1	.....	.....	
2	4	3	.....	4	6	4	4	2	.....	.....	.....	.....	.....	.....	30
1	1	1	1	1	2	1	2	.....	.....	1	.....	.....	.....	.....	
.....	.....	1	3	3	1	2	.....	4	2	2	.....	.....	.....	1	31
1	5	3	3	.....	3	2	3	1	2	2	.....	.....	.....	.....	
144	185	196	223	286	314	400	482	504	371	170	75	12	4	3	32
78	95	104	131	167	174	236	250	261	201	91	38	4	2	3	33
66	90	92	92	119	140	164	232	243	170	79	37	8	2	.....	34
.....	2	1	1	1	3	3	1	.....	1	.....	.....	.....	.....	.....	35
2	1	1	1	.....	1	3	2	1	2	.....	.....	.....	.....	.....	
73	83	90	119	154	149	206	220	246	176	84	34	4	2	2	36
61	86	86	85	118	132	152	214	222	156	71	30	7	1	.....	
2	4	6	6	5	11	14	12	5	13	4	1	.....	.....	.....	37
2	2	3	4	5	4	7	7	10	3	1	1	.....	.....	.....	
1	1	2	.....	3	5	6	15	8	9	3	3	.....	.....	1	38
.....	.....	.....	.....	1	2	2	7	8	9	7	5	1	1	.....	
1	4	3	4	3	5	5	1	1	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	1	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	
1	1	2	1	1	1	2	1	1	2	.....	.....	.....	.....	.....	40
1	1	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	6,562	1,096	522	239	144	92	2,093	183	63	84	147	174
2	Males	3,490	636	272	131	71	45	1,155	101	24	44	78	90
3	Females	3,072	460	250	108	73	47	938	82	39	40	69	84
4	Croup M	114	14	19	25	19	16	93	21				
	Croup F	117	13	23	20	24	10	90	19	5	1		
5	Pneumonia M	2,321	367	197	82	38	19	703	62	16	37	63	82
	Pneumonia F	1,981	261	180	69	36	26	572	48	27	31	50	69
6	Laryngitis M	27	2	1	3	5	1	12	6	1			
	Laryngitis F	25	4	5	4	2	2	17	2	1	1		
7	Bronchitis M	626	193	47	17	6	7	270	10	4	1	6	2
	Bronchitis F	630	144	36	11	5	7	203	10	1	4	8	5
8	Pleurisy M	70	4	4	3	2		13		2	2	3	3
	Pleurisy F	45		3		1		4	1	1	1	3	2
9	Asthma M	108									2		1
	Asthma F	89	1					1	1				
10	Others of this class M	224	56	4	1	1	2	64	2	1	2	6	2
	Others of this class F	185	37	3	4	5	2	51	1	4	2	8	3
11	5. Diseases of the digestive system	2,680	260	49	13	20	17	359	47	52	71	94	127
12	Males	1,471	151	27	6	8	7	199	29	32	39	40	58
13	Females	1,209	109	22	7	12	10	160	18	20	32	54	69
14	Dentition M	25	17	7		1		25					
	Dentition F	21	12	9				21					
15	Angina M	6	1	2	1			4			1		
	Angina F	14	1	1	2		2	6		2	1		
16	Gastritis M	194	22	9	1	2		34	2	1			2
	Gastritis F	171	18	4	1	2	2	27	2			3	2
17	Diseases of the stomach M	68	2			1	1	4			2		2
	Diseases of the stomach F	39	3	2				5				4	2
18	Obstruction of the bowels M	85	14			1		15	5	4	3		2
	Obstruction of the bowels F	98	4		1	1	1	7	3		3	3	2
19	Appendicitis M	171	1				1	2	5	17	19	23	21
	Appendicitis F	89				1		1	4	8	10	7	11
20	Hernia M	74	3	1				4			3		2
	Hernia F	71	1					1	1				
21	Other diseases of the bowels M	33	5	1				6		1	2	1	2
	Other diseases of the bowels F	19	4	1				5			1	1	2
22	Jaundice M	35	15	1	1			17					3
	Jaundice F	28	6		1			7					1
23	Inflammation and abscess of the liver. M	63	3					3	1			2	3
	Inflammation and abscess of the liver. F	53	1					1				2	2
24	Other diseases of the liver M	419	3					3	1		3	5	5
	Other diseases of the liver F	166	2	1				3				3	4
25	Peritonitis M	172	10	3	3	3	4	23	14	9	6	9	13
	Peritonitis F	319	6	2	1	6	3	18	6	10	17	30	42
26	Ascites M	9	1					1					
	Ascites F	6											
27	Others of this class M	117	54	3			1	58	1				3
	Others of this class F	115	51	2	1	2	2	58	2			1	1
28	6. Diseases of the urinary system and male organs of generation.	2,842	22	4	7	12	6	51	34	29	29	64	94
29	Males	1,690	18	2	3	8	5	36	18	14	14	27	43
30	Females	1,152	4	2	4	4	1	15	16	15	15	37	51
31	Bright's disease M	1,323							13	13	12	23	32
	Bright's disease F	994							14	15	15	32	40
32	Calculus, urinary M	9	1					1					
	Calculus, urinary F	5	1					1				1	
33	Diseases of the kidney M	84	13	2	3	7	5	30	1		1	1	2
	Diseases of the kidney F	51	1	2	3	4	1	11	1				4
34	Diseases of the bladder M	108	1					1	1	1	1		3
	Diseases of the bladder F	16			1			1					1
35	Others of this class M	166	3			1		4	3			3	6
	Others of this class F	86	2					2	1			4	6
36	7. Diseases of the female organs of generation.	164								1	3	17	22
37	Ovarian tumors	28									1	4	3
38	Ovarian diseases	12										1	2
39	Diseases of the tubes	22											11
40	Uterine tumors	43											
41	Uterine diseases	13									1	2	3
42	Others of this class	46								1	1	10	3

AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
261	271	255	255	270	309	364	464	547	450	257	82	21	9	3	1
145	173	157	164	161	151	185	245	247	211	110	34	9	4	2	2
116	98	98	91	109	158	179	219	300	239	147	48	12	5	1	3
.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	4
122	142	127	130	127	106	130	143	139	118	51	13	5	3	2	5
106	84	67	72	85	115	124	185	168	128	68	21	7	3	1	
.....	.....	4	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	
11	8	8	6	11	20	25	54	68	65	37	16	3	1	.....	7
6	4	8	9	11	24	27	60	84	74	63	23	4	2	.....	
3	8	8	5	5	4	2	5	3	4	.....	.....	.....	.....	.....	8
2	3	9	1	1	2	2	2	3	5	1	2	.....	.....	.....	
2	2	1	5	5	12	12	17	24	8	15	1	1	.....	.....	9
.....	1	3	1	3	6	13	13	22	18	6	1	.....	.....	.....	
7	13	9	17	12	9	15	25	13	16	7	4	.....	.....	.....	10
2	5	10	7	9	11	13	9	20	14	9	1	1	.....	.....	
133	167	218	184	191	181	230	212	190	141	52	20	6	1	4	11
61	88	136	113	117	106	133	109	100	71	30	6	1	1	2	12
72	79	82	71	74	75	97	103	90	70	22	14	5	.....	2	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
1	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	10	9	12	10	17	16	18	26	17	13	2	1	.....	.....	16
6	9	8	8	12	7	11	13	27	21	8	4	3	.....	.....	
4	3	5	8	6	8	12	5	4	2	3	.....	.....	.....	.....	17
2	1	3	3	1	2	4	5	6	1	.....	.....	.....	.....	.....	
5	3	4	3	9	2	5	8	7	6	3	.....	.....	.....	1	18
4	7	8	5	6	7	5	18	6	9	2	2	.....	.....	1	
12	16	17	5	7	6	10	4	5	1	1	.....	.....	.....	.....	19
8	6	4	9	2	3	7	3	2	3	1	.....	.....	.....	.....	
3	4	3	3	3	4	12	10	12	9	1	.....	.....	1	.....	20
3	1	3	6	8	5	10	10	9	9	2	3	.....	.....	.....	
2	.....	3	4	2	2	3	2	2	1	.....	.....	.....	.....	.....	21
.....	.....	2	.....	.....	2	.....	3	2	.....	.....	.....	.....	.....	1	
1	.....	2	2	2	.....	.....	4	3	1	.....	.....	.....	.....	.....	22
.....	1	2	.....	1	2	3	7	3	.....	1	.....	.....	.....	.....	
4	3	7	8	9	3	5	3	5	5	2	.....	.....	.....	.....	23
.....	6	7	3	1	9	3	5	6	6	1	1	.....	.....	.....	
17	32	64	51	50	47	54	39	28	16	3	1	.....	.....	.....	24
7	6	12	13	21	11	33	20	15	12	4	2	.....	.....	.....	
9	14	16	13	8	10	10	9	2	6	.....	1	.....	.....	.....	25
38	40	27	19	13	20	12	11	8	5	1	.....	2	.....	.....	
.....	.....	2	1	1	1	.....	2	.....	.....	1	.....	.....	.....	.....	26
1	.....	.....	1	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	
.....	3	3	3	10	6	6	5	6	7	3	2	.....	.....	1	27
2	2	5	4	7	5	9	7	5	4	2	1	.....	.....	.....	
111	187	186	213	222	275	330	314	342	227	89	38	4	2	1	28
57	92	106	122	131	164	214	198	217	146	59	28	3	.....	1	29
54	95	80	91	91	111	116	116	125	81	30	10	1	2	.....	30
52	73	90	105	124	150	180	149	161	93	34	16	2	.....	1	31
44	80	64	77	82	98	107	105	112	71	26	10	1	1	.....	
1	.....	1	.....	1	1	2	.....	.....	1	1	.....	.....	.....	.....	32
1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	7	6	2	3	4	4	10	6	4	1	2	.....	.....	.....	33
4	3	4	4	3	5	2	6	2	.....	1	.....	.....	1	.....	
.....	2	1	1	1	2	11	21	21	25	11	5	.....	.....	.....	34
1	.....	2	.....	.....	1	2	.....	4	4	.....	.....	.....	.....	.....	
4	10	8	14	2	7	17	18	29	23	12	5	1	.....	.....	35
4	12	10	9	6	7	4	5	7	6	3	.....	.....	.....	.....	
18	25	27	15	12	7	6	3	5	1	1	.....	.....	1	.....	36
1	1	5	5	2	1	.....	1	3	.....	.....	.....	.....	1	.....	37
3	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
2	3	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	39
2	9	9	3	9	3	5	.....	1	1	1	.....	.....	.....	.....	40
3	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	41
7	8	8	4	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN GERMANY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	429									11	92	94
2	Abortion	27										4	7
3	Childbirth	108									2	17	22
4	Puerperal septicemia	216									6	46	48
5	Extra-uterine pregnancy	14										3	3
6	Others of this class	64									3	22	14
7	9. Diseases of the bones and joints	76	2	1	2	1	1	7	5	2	4	2	6
8	Males	39	1	1	1		1	4	1	1	4	1	2
9	Females	37	1		1	1		3	4	1		1	4
10	Diseases of the spine M	9									2	1	1
	Diseases of the spine F	11				1		1	2				1
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F	2											
12	Diseases of the bones M	19	1	1	1		1	4			1		1
	Diseases of the bones F	11							1	1		1	2
13	Diseases of the hip-joint M	6							1	1	1		
	Diseases of the hip-joint F	3	1		1			2	1				
14	Others of this class M	5											
	Others of this class F	10											1
15	10. Diseases of the skin	82	23	1	1	1		26	2			2	1
16	Males	50	12		1			13	1			1	1
17	Females	32	11	1		1		13	1			1	
18	Abscess M	21	4					4	1			1	1
	Abscess F	16	5					5	1			1	
19	Carbuncle M	12											
	Carbuncle F	6											
20	Others of this class M	17	8		1			9					
	Others of this class F	10	6	1		1		8					
21	11. Diseases of the absorbent system	39	4		1			5		1			5
22	Males	16	4		1			5					1
23	Females	23								1			4
24	Addison's disease M	4											1
	Addison's disease F	12											2
25	Diseases of the spleen M	2	1					1					
	Diseases of the spleen F	3								1			1
26	Others of this class M	10	3		1			4					
	Others of this class F	8											1
27	12. Accidents and injuries	2,258	66	29	28	37	25	185	86	77	96	132	175
28	Males	1,781	41	18	15	20	15	109	61	61	83	107	137
29	Females	477	25	11	13	17	10	76	25	16	13	25	38
30	Burns and scalds M	79	2	11	10	10	2	35	4	2	1	1	4
	Burns and scalds F	86	3	5	6	8	4	26	13	8	1		4
31	Drowning M	204		1	2	2	4	9	22	22	22	23	17
	Drowning F	20		2	1			3	2	1	1	2	2
32	Exposure and neglect M	8	1					1				1	1
	Exposure and neglect F	3	1					1					
33	Gunshot wounds M	73		1				1	1	5	10	9	4
	Gunshot wounds F	3			1			1					1
34	Homicide M	12											4
	Homicide F	11			1		1	2		1		1	2
35	Infanticide M	1	1					1					
	Infanticide F												
36	Injuries by machinery M	7										2	
	Injuries by machinery F												
37	Railroad accidents M	216	1	1	1	2		5	9	10	13	13	16
	Railroad accidents F	36	2	1	1		1	5	4	1		2	1
38	Suffocation M	41	17	1	1		2	21	2	1	1	1	1
	Suffocation F	28	9		1	3	1	14			1	1	2
39	Suicide by shooting M	122									2	4	9
	Suicide by shooting F	5										1	
40	Suicide by drowning M	16											2
	Suicide by drowning F	6									1		2
41	Suicide by poison M	102									2	8	9
	Suicide by poison F	44								1	2	5	5
42	Other suicides M	183									2	6	10
	Other suicides F	39									2	3	5
43	Sunstroke M	30	2					2	3			1	
	Sunstroke F	9	1					1			1		
44	Surgical operations M	7										1	1
	Surgical operations F	22										2	5
45	Wounds M	34					1	1	2	1	1	2	8
	Wounds F	3								1			
46	Others of this class M	646	17	3	1	6	6	33	18	20	29	35	51
	Others of this class F	162	9	3	2	6	3	23	6	3	4	8	9

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN GERMANY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
104	84	38	5			1									1
9	4	3													2
21	27	17	2												3
55	44	15	1			1									4
6	1	1													5
13	8	2	2												6
3	5	8	7	7	4	3	2	8	3						7
2	3	5	3	5	1	1	1	4	1						8
1	2	3	4	2	3	2	1	4	2						9
		2		1		1		1							10
1	1	1	2		1				1						
															11
				1				1							
2	2	1	2	3				2	1						12
	1		1	1	1			2							
		1		1	1										13
	1	1	1				1	1							14
		2	1		1	2	1	1	1						
4	2	2	3	5	5	7	10	5	3	4	1				15
2	2	2	1	4	5	4	5	3	2	3	1				16
2			2	1		3	5	2	1	1					17
1	2	1	1	2	1	2	1	1		2					18
2			2			2	2	1							
1				2	2	2	1	2	2						19
				1		1	1	1	1	1					
		1			2		3			1	1				20
							2								
4	2	6	1	1	6	3		2	3						21
2		3			3	1		1							22
2	2	3	1	1	3	2		1	3						23
		1			2										24
1	1	1		1	1	2		1	2						
		1													25
	1														
2		1			1	1		1							26
1		2	1		2				1						
180	187	198	195	154	132	134	111	88	62	44	9	6	1	6	27
146	154	171	162	136	120	114	82	65	39	24	2	4	1	3	28
34	33	27	33	18	12	20	29	23	23	20	7	2		3	29
4	4	4	3	4	3	2	5	1	2						30
4	2	2	4	3	3	2	5	3	5	1					
9	14	19	16	6	6	6	8	3	2						31
1	1	1	2	1			1	1	1						
	1			1				1	1	1					32
1			1												
4	9	5	8	6	3	4	4								33
	1														
1	2	1		1	1	1			1						34
1	2	1	1												
															35
1	1			2		1									36
27	16	16	17	17	22	14	4	5	8	2			1	1	37
2	3	3	1	1	1	2	1	3	4		1			1	
2	1	4	2		3	1	1								38
2	1		1		2			1	1					2	
14	16	21	17	13	10	7	3	3	3						39
2	1		1												
2	1	1			1	1	4	1	2	1					40
1				1		1									
10	11	10	5	10	13	9	7	6	1					1	41
5	8	3	2	3	1	1	1	5		1		1			
14	13	21	24	18	17	21	12	12	7	5		1			42
4	3	3	6	5		4	2	1		1					
1	5	1	8	6	1	1			1						43
			1			2	2	1		1					
1		1	1		2										44
5	2	1	1	2	1		1		1	1					
5	1	3	4	2		2	1	1							45
		1			1										
51	59	64	57	50	38	44	33	32	11	15	2	3		1	46
6	9	12	12	2	3	8	16	8	11	15	6	1			

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	14,364	1,745	438	226	132	83	2,624	305	174	265	421	554
2	Males	7,820	964	232	126	69	88	1,429	175	84	149	214	292
3	Females	6,544	781	206	100	63	45	1,195	130	90	116	207	262
4	Unknown cause	97	15	2			1	18		1	3	1	5
5	Males	51	7	1			1	9			2		2
6	Females	46	8	1				9		1	1	1	3
7	1. General diseases. General diseases—A	2,085	524	175	92	58	40	889	116	44	45	57	69
8	Males	1,085	262	95	52	34	15	458	59	17	23	34	46
9	Females	1,000	262	80	40	24	25	431	57	27	22	23	23
10	Measles M.	38	7	12	12	4		35	3				
	Measles F.	35	9	14	3	3	2	31	1	1			
11	Scarlet fever M.	32	2	4	7	8	2	23	6	1	1		
	Scarlet fever F.	45	1	5	7	5	7	25	11	3	3	1	
12	Diphtheria M.	98	8	19	15	13	10	65	24	4	1		1
	Diphtheria F.	84	6	7	14	8	13	48	24	6	2		1
13	Whooping cough M.	41	23	9	4	3		39	2				
	Whooping cough F.	52	26	12	4	3	3	48	3				
14	Malarial fever M.	20	2					2			1	1	
	Malarial fever F.	23	1					1	2				1
15	Influenza M.	116	4	1	2			7		1	1		2
	Influenza F.	148	5		1	1		7			2	2	3
16	Typhoid fever M.	186		1			1	2	10	9	18	23	36
	Typhoid fever F.	96	2					2	5	9	13	10	10
17	Cholera morbus M.	25	3	1	2			6	1			1	
	Cholera morbus F.	22	5		2	1		8		1		2	
18	Colitis M.	12	3	1				4	1				
	Colitis F.	13	3			1		4					
19	Diarrhea M.	51	16	3	1			20				1	
	Diarrhea F.	47	16	3	1			20	3			1	
20	Dysentery M.	44	3	2	2	3		10	1				2
	Dysentery F.	47	1			1		2	1				1
21	Enteritis M.	140	80	16	2	2		100	2			2	
	Enteritis F.	140	70	18	2	1		91	6	2			1
22	Cholera infantum M.	115	90	22	3			115					
	Cholera infantum F.	126	105	16	5			126					
23	Fever M.	1											
	Fever F.	4											2
24	Cerebro-spinal fever M.	25	6	4	1	1	1	13	3	1		3	2
	Cerebro-spinal fever F.	23	3	3	1			7	1	5	1	2	1
25	Smallpox M.	2											
	Smallpox F.	2											
26	Erysipelas M.	31	8					8			1		1
	Erysipelas F.	19	3					3				1	1
27	Septicemia M.	53	2				1	3	4	1		1	2
	Septicemia F.	35	2	2				4			1	4	2
28	Venereal diseases M.	10	5					5					
	Venereal diseases F.	8	4					4					
29	Others of this group M.	45			1			1	2			2	
	Others of this group F.	31											
30	General diseases—B	238	101	7	1	1		110	1		2	4	6
31	Males	155	58	2				60	1		2	1	5
32	Females	83	43	5	1	1		50				3	1
33	Alcoholism M.	60											4
	Alcoholism F.	17											1
34	Parasitic diseases M.												
	Parasitic diseases F.												
35	Lead poison M.	3											
	Lead poison F.												
36	Other poisons M.	32	2	1				3	1		2	1	1
	Other poisons F.	13				1		1				2	
37	Inanition M.	60	56	1				57					
	Inanition F.	53	43	5	1			49				1	
38	General diseases—C	1,012	408	19	3		1	431		1	1		3
39	Males	512	220	9	2			231		1	1		
40	Females	500	188	10	1		1	200					3
41	Old age M.	246											
	Old age F.	261											
42	Premature birth M.	100	100					100					
	Premature birth F.	88	88					88					
43	Malformation M.	14	13					13			1		
	Malformation F.	11	11					11					
44	Debility and atrophy M.	133	88	9	2			99		1			
	Debility and atrophy F.	132	81	10	1		1	93					3
45	Others of this group M.	19	19					19					
	Others of this group F.	8	8					8					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
609	701	705	772	793	956	985	1,112	1,129	1,040	676	372	109	30	32	1
305	389	357	438	443	555	558	618	618	569	364	188	51	10	14	2
304	312	348	334	350	401	427	494	511	471	312	184	58	20	18	3
1	10	6	3	6	6	6	13	6	4	4	3			1	4
1	7	1	3	1	4	2	6	5	3	3	2				5
	3	5		5	2	4	7	1	1	1	1			1	6
81	65	54	61	59	53	69	95	94	103	72	42	8	4	5	7
44	39	30	34	27	35	39	45	46	49	35	16	4	2	3	8
37	26	24	27	32	18	30	50	48	54	37	26	4	2	2	9
		1	1												10
1															11
1	1														
			1	2											12
1	1			1											
															13
														1	
1	1	3	1	1		2	1	2	3	1					14
2	3		1	3		2	3	1	2	2					
5	5	4	3	2	8	9	11	17	19	12	8		1	1	15
6	3	3	4	8	5	12	21	18	26	15	11	1		1	
31	20	9	6	5	5	7	3	2							16
12	5	8	5	5	3	3	2	3	1						
	1	1	2	1	4		2		2	2	1	1			17
	2	1	1	3	1		1			1		1			
		2	1				1	1	1			1			18
2	1		2	1	1				1	1					
1			1	2	4	3	5	3	2	5	1	1	1	1	19
	2	1	3				1	5	4	3	3		1		
	3		4	2		3	2	4	4	6	3				20
3	2	2	1	1	1	2	6	6	7	7	5				
	1	6	4	3	2	4	2	6	2	4	1	1			21
	1	2	4	3	3	4	6	5	5	4	2		1		
															22
				1											23
									1			1			
1	1		1												24
2	2		1			1									
			1	1											25
				1	1										
2		1	2		4	2	3	5	2						26
2	1		2	3	1		2	1	2						
1	4	3	4	4	5	6	9	1	4	1					27
6	2	4	1	1	2	1		3	1	1	2				
	1		1	1	1	1									28
		1	1				1	1							
1	2	1	2	2	2	2	6	5	10	4	2			1	29
		1		2		5	7	5	4	3	3	1			
14	23	10	15	16	8	8	9	5	5		1			1	30
10	17	8	14	13	4	7	6	3	4						31
4	6	2	1	3	4	1	3	2	1		1			1	32
6	15	7	8	9	2	1	6	1	1						33
2	4	2	1	1	3	1	2								
															34
	1		1	1											35
4	1	1	5	3	2	6		1	1						36
2	2			2	1		1	1	1						
								1	2						37
								1			1			1	
2	1	2	4	6	7	11	31	74	101	146	117	53	20	1	38
1	1		2	1	2	5	13	29	60	71	60	27	6	1	39
1		2	2	5	5	6	18	45	41	75	57	26	14		40
						4	9	22	53	70	57	25	6		41
						5	13	41	35	71	57	25	14		
															42
															43
1	1		2	1	2	1	4	7	7	1	3	2		1	44
1		2	2	5	5	1	5	4	6	4		1			
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		2,414	62	25	10	5	4	106	28	23	61	140	178
2	Males		1,251	37	11	6	4	1	59	13	12	28	75	89
3	Females		1,163	25	14	4	1	3	47	15	11	33	65	89
4	Anemia	M	22									1		1
		F	28	1		1			2	1		1	4	2
5	Diabetes	M	64								1	1	1	2
		F	48								1	3	1	
6	Rheumatism	M	48		1				1		3		1	3
		F	32							1	2	1	1	1
7	Scrofula and tabes	M	10	3					3	1				1
		F	12	1		1			2					3
8	Hydrocephalus	M	47	20	10	4	2	1	37	4	1		1	
		F	27	9	9	1		2	21	3				
9	Tuberculosis, general	M	13			1			1	1			2	2
		F	16	1	2	1			4	1		1	1	1
10	Consumption	M	703	10		1	1		12	3	5	24	70	79
		F	546	11	3		1	1	16	9	7	26	56	79
11	Cancer	M	274	1					1	2				
		F	392								1	1	1	1
12	Tumor	M	31	1					1	1	1	1		
		F	27										1	1
13	Dropsy	M	30							1				1
		F	24											
14	Others of this group	M	9	2			1		3		1	1		
		F	11	2					2					1
15	2. Diseases of the nervous system		1,953	206	54	28	17	7	312	25	20	21	19	23
16	Males		1,083	124	25	14	9	3	175	15	11	13	9	12
17	Females		870	82	29	14	8	4	137	10	9	8	10	11
18	Inflammation of the brain	M	16	3		1			4	1	2	1		
		F	7				1		1					
19	Meningitis	M	131	45	11	10	7	1	74	9	3	4	3	5
		F	99	21	16	8	5	2	52	6	5	3	5	4
20	Apoplexy	M	425	5					5					1
		F	331	2	1				3			1	1	1
21	Paralysis	M	217	2	1				3	1	2		1	2
		F	177	1	1				2	1				
22	Paralysis, general (of insane)	M	24									1		1
		F	6											
23	Tetanus and trismus nascentium	M	11	1					1		4	3	1	
		F	7	3					3					1
24	Chorea	M	2									2		
		F	4								1			
25	Epilepsy	M	14											2
		F	16								2		1	2
26	Convulsions	M	79	57	9	3	1	1	71	3				
		F	78	51	9	3	2	1	66	1		1	1	1
27	Mental diseases	M	31										2	
		F	28											1
28	Diseases of the brain	M	90	8	4		1		13	1		1	2	1
		F	71	4	2	3		1	10	2		1	2	1
29	Diseases of the spinal cord	M	18	3				1	4			1		
		F	14											
30	Locomotor ataxia	M	10											
		F	2											
31	Others of this class	M	15											
		F	30								1	2		
32	3. Diseases of the circulatory system		1,532	44	1	3		2	50	25	25	14	19	27
33	Males		847	28	1	2		2	33	14	5	8	8	15
34	Females		685	16		1			17	11	20	6	11	12
35	Pericarditis	M	14		1				1	1				1
		F	9							1		1		
36	Diseases of the heart	M	739	15		1		2	18	12	5	7	8	14
		F	609	11		1			12	10	19	5	11	11
37	Angina pectoris	M	41									1		
		F	38											1
38	Diseases of the arteries	M	24											
		F	11											
39	Aneurism	M	11											
		F	5								1			
40	Embolism	M	4							1				
		F	8											
41	Others of this class	M	14	13		1			14					
		F	5	5					5					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
187	192	184	235	178	226	184	190	133	107	39	16	4	...	3	1
102	103	90	118	88	115	98	99	69	54	26	10	2	...	1	2
85	89	94	117	90	111	86	91	64	53	13	6	2	...	2	3
1	...	2	5	2	3	1	2	1	2	1	...	...	...	...	4
2	1	2	1	4	4	3	...	...	1	...	...	...	...	...	
1	3	4	7	6	8	9	5	8	8	...	...	...	...	...	5
2	1	3	3	4	8	5	8	4	5	...	...	...	...	...	
4	1	1	1	...	7	7	6	7	3	2	1	...	...	...	6
...	...	...	2	3	2	2	5	2	5	4	1	...	...	...	
...	...	1	1	...	1	1	1	...	...	...	...	...	...	...	7
1	...	2	...	2	1	...	...	...	1	...	...	...	...	...	
1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	8
1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
1	1	...	1	1	1	1	...	1	...	...	...	...	...	...	9
4	...	1	...	...	...	2	1	...	...	...	...	...	...	...	
88	86	65	71	55	44	26	35	22	12	5	...	...	...	1	10
63	60	40	47	26	38	24	25	16	10	3	...	1	...	...	
5	10	12	21	22	45	44	45	24	25	10	6	2	...	...	11
10	22	42	60	45	51	40	44	34	28	5	5	1	...	1	
1	...	3	8	...	5	3	4	1	1	1	...	...	...	...	12
2	4	2	3	2	4	4	...	2	1	...	...	...	...	1	
...	...	1	2	1	1	5	1	4	3	7	3	...	...	...	13
...	1	1	...	2	2	4	7	5	2	...	...	...	...	...	
...	...	...	1	1	...	1	...	1	...	...	...	...	...	...	14
...	...	1	1	1	...	2	1	1	...	1	...	...	...	...	
46	67	53	79	121	160	167	212	222	191	130	67	16	1	1	15
22	40	24	44	77	87	101	128	131	91	70	29	9	...	...	16
24	27	29	35	44	73	66	89	91	100	60	38	7	1	1	17
1	...	...	1	1	...	1	...	1	1	1	1	...	...	...	18
1	1	1	...	1	1	...	...	1	...	...	...	...	...	...	
2	5	3	1	6	2	4	2	1	7	...	...	...	...	...	19
...	4	3	7	1	1	3	2	3	...	...	...	...	...	...	
6	8	7	18	39	46	61	72	62	51	33	12	4	...	...	20
5	7	16	9	23	42	34	38	45	50	33	19	4	...	...	
3	10	6	9	14	21	19	25	42	22	25	9	3	...	...	21
2	3	1	5	5	18	18	28	29	27	20	14	2	1	1	
2	4	2	3	2	2	1	3	1	1	...	1	...	...	...	22
3	...	...	...	...	...	...	...	1	2	...	...	...	...	...	
...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	23
1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	24
...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	
1	4	1	1	...	1	...	...	2	1	1	...	...	...	...	25
2	2	2	1	1	...	1	...	...	2	...	...	...	...	...	
1	...	...	...	1	...	1	...	1	1	...	...	...	...	...	26
1	2	2	...	1	...	...	...	1	1	...	...	...	...	...	
2	2	1	2	1	...	1	6	4	3	2	3	2	...	...	27
2	1	1	2	3	1	1	7	3	3	2	1	...	...	...	
1	3	2	6	9	11	10	7	9	3	8	3	...	...	...	28
5	4	...	7	5	4	1	8	3	11	4	2	1	...	...	
...	1	1	2	1	3	...	4	1	...	...	...	...	...	...	29
...	2	...	...	1	4	3	2	1	1	...	...	...	...	...	
1	1	...	1	1	1	2	1	1	1	...	...	...	...	...	30
...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	
2	2	1	...	1	...	1	3	5	...	...	...	...	...	...	31
2	...	3	3	3	2	3	3	3	2	1	2	...	...	...	
40	48	75	80	101	148	165	185	228	168	95	31	4	...	4	32
15	22	30	40	54	87	83	109	141	98	61	20	1	...	3	33
25	26	45	40	47	61	82	76	87	70	34	11	3	...	1	34
1	1	2	...	1	...	...	1	1	3	1	...	...	...	...	35
1	1	1	1	1	...	1	1	...	...	...	...	...	...	...	
14	20	26	34	48	76	78	93	129	86	50	17	1	...	3	36
20	22	43	38	42	52	76	65	81	61	30	7	3	...	1	
...	...	...	4	3	4	3	10	5	7	2	2	...	...	...	37
2	3	...	1	4	6	4	7	4	1	3	2	...	...	...	
...	...	1	...	...	1	2	4	5	2	8	1	...	...	...	38
...	...	...	...	...	1	1	1	2	4	...	2	...	...	...	
...	1	1	2	2	5	...	...	...	...	...	...	...	...	...	39
...	...	1	...	...	...	...	2	...	...	1	...	...	...	...	
...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	40
2	...	...	...	...	2	...	...	...	4	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	41
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	2,114	273	127	65	38	13	516	53	15	34	45	54
2	Males	1,149	165	71	38	16	5	295	34	6	18	25	31
3	Females	965	108	56	27	22	8	221	19	9	16	20	23
4	Croup M	34	2	8	8	5	1	24	9	1			
	Croup F	19	1	1	6	7	1	16	3				
5	Pneumonia M	795	89	51	22	7	2	171	17	4	15	21	28
	Pneumonia F	657	66	44	13	13	5	141	13	6	13	14	18
6	Laryngitis M	14	3		1	2	1	7	4				
	Laryngitis F	9		1				1	2	1		1	1
7	Bronchitis M	158	54	10	5	1	1	71	2	1		1	2
	Bronchitis F	181	33	10	5	1	1	50	1		2		3
8	Pleurisy M	23							1		2	1	
	Pleurisy F	22			1			1		1		2	1
9	Asthma M	24											
	Asthma F	16											
10	Others of this class M	103	17	2	2	1		22	1		1	2	1
	Others of this class F	61	8		2	1	1	12		1	1	3	
11	5. Diseases of the digestive system	916	75	15	6	4	4	104	11	14	23	36	49
12	Males	476	40	7	3	2	2	54	6	10	14	17	22
13	Females	440	35	8	3	2	2	50	5	4	9	19	27
14	Dentition M	6	3	2	1			6					
	Dentition F	9	6	2	1			9					
15	Angina M	4		1				1	2				
	Angina F	2		2				2					
16	Gastritis M	67	8					8	1			1	
	Gastritis F	83	7	2		1		10			1	2	1
17	Diseases of the stomach M	43	1					1				1	3
	Diseases of the stomach F	19	1					1	1		1		2
18	Obstruction of the bowels M	36	3	1				4		1	2	1	2
	Obstruction of the bowels F	45	6				1	7	1				3
19	Appendicitis M	53				1	1	2	1	6	5	9	9
	Appendicitis F	21								1	5	5	2
20	Hernia M	22	2					2					
	Hernia F	19	1					1			1		
21	Other diseases of the bowels M	8									1	1	
	Other diseases of the bowels F	9	2	1				3					2
22	Jaundice M	17	3				1	4					
	Jaundice F	16	2		1			3					1
23	Inflammation and abscess of the liver. M	27	1					1	1	1			
	Inflammation and abscess of the liver. F	20											2
24	Other diseases of the liver M	93										1	2
	Other diseases of the liver F	70											1
25	Peritonitis M	52	2	2		1		5		2	6	3	3
	Peritonitis F	78	2		1		1	4	1	3	1	11	13
26	Ascites M	2											
	Ascites F	5											
27	Others of this class M	46	17	1	2			20	1				3
	Others of this class F	44	8	1		1		10	2			1	
28	6. Diseases of the urinary system and male organs of generation.	1,052	7	3	5	2	3	20	7	8	16	30	42
29	Males	644	6	3	1	2	2	14	5	4	9	15	19
30	Females	408	1		4		1	6	2	4	7	15	23
31	Bright's disease M	460							4	2	8	13	16
	Bright's disease F	327							2	2	6	10	17
32	Calculus, urinary M	5											
	Calculus, urinary F	2											
33	Diseases of the kidney M	41	4	3	1	2		10					1
	Diseases of the kidney F	22	1		3		1	5				3	1
34	Diseases of the bladder M	64					1	1					
	Diseases of the bladder F	7											
35	Others of this class M	74	2				1	3	1	2	1	2	2
	Others of this class F	50			1			1		2	1	2	5
36	7. Diseases of the female organs of generation.	44										1	3
37	Ovarian tumors	9											
38	Ovarian diseases	1											
39	Diseases of the tubes	2											
40	Uterine tumors	12											
41	Uterine diseases	4											1
42	Others of this class	16										1	2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
67	105	82	83	119	112	166	152	158	172	102	54	12	5	8	1
33	70	45	60	77	65	93	70	73	84	43	22	1	2	2	2
34	35	37	23	42	47	73	82	85	88	59	32	11	3	6	3
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	4
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
31	61	35	45	67	44	67	42	48	51	30	13	...	2	1	5
29	29	31	19	34	28	58	51	57	54	35	20	5	1	1	
...	1	...	1	...	...	...	...	...	1	...	...	...	...	...	6
...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	
...	1	3	3	2	7	9	13	9	20	6	7	1	...	...	7
4	1	1	3	2	7	8	19	21	25	18	9	5	2	...	
1	2	2	2	2	2	3	2	2	...	1	...	...	...	...	8
...	1	2	1	3	...	3	3	...	2	2	...	...	...	...	
...	1	...	2	2	2	4	4	4	4	...	...	...	...	1	9
...	1	...	...	...	2	...	7	1	3	2	...	...	...	...	
1	4	5	7	4	10	10	9	10	8	6	2	...	...	...	10
1	2	3	...	3	9	4	2	5	4	2	3	1	...	5	
40	56	68	68	59	69	73	82	64	56	29	10	3	...	2	11
15	23	38	36	27	37	39	51	32	35	13	5	2	...	...	12
25	33	30	32	32	32	34	31	32	21	16	5	1	...	2	13
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	14
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
2	4	3	4	4	8	6	10	5	7	2	1	1	...	...	16
2	5	4	2	5	7	14	9	7	5	8	1	...	...	...	
1	1	5	5	3	4	5	4	5	3	1	1	...	...	...	17
1	2	...	3	2	2	2	2	...	...	...	...	...	...	...	
2	4	1	4	2	1	4	3	...	4	...	1	...	...	...	18
3	1	3	2	3	4	3	5	5	4	...	1	...	...	...	
3	5	6	2	...	1	...	4	...	...	...	...	...	...	...	19
...	2	1	2	...	1	...	1	1	...	...	...	...	...	...	
1	1	1	1	2	3	2	2	4	2	1	...	...	...	...	20
1	...	1	...	5	3	...	2	2	2	1	...	...	...	...	
...	...	...	1	1	...	...	1	1	2	...	...	...	...	...	21
...	...	...	...	...	...	1	...	1	1	...	...	...	...	1	
...	...	...	1	...	1	3	3	...	3	2	...	...	...	...	22
...	...	...	3	4	1	3	...	...	...	1	...	...	...	...	
2	3	5	1	4	2	1	2	1	1	2	...	...	...	...	23
...	1	3	2	...	3	1	2	2	2	2	...	...	...	...	
...	3	9	8	6	12	16	17	10	7	2	...	...	...	...	24
5	9	8	7	7	7	5	6	8	3	1	2	...	...	1	
2	1	5	5	4	4	1	2	2	4	1	1	1	...	...	25
11	11	8	8	2	...	1	1	2	...	...	1	...	...	...	
...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	26
...	1	...	...	...	1	...	...	...	2	1	...	...	...	...	
1	1	3	3	1	1	1	3	3	2	2	1	...	...	...	27
2	1	2	3	4	3	4	3	4	2	2	...	1	...	...	
34	44	76	76	86	116	102	104	113	98	45	25	7	...	3	28
13	18	36	38	48	77	67	73	72	71	36	22	5	...	2	29
21	26	40	38	38	39	35	31	41	27	9	3	2	...	1	30
12	13	29	32	37	63	52	57	50	43	18	10	...	...	1	31
12	20	32	33	33	34	30	24	35	23	9	2	2	...	1	
...	...	...	...	1	1	...	1	1	1	...	...	...	...	...	32
...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	
...	2	2	1	2	...	3	6	3	4	4	2	1	...	...	33
2	...	2	2	3	...	...	2	1	1	...	...	...	...	...	
...	...	...	2	4	2	4	6	11	16	7	8	3	...	...	34
...	2	...	...	...	...	1	1	2	...	...	1	...	...	...	
1	3	5	3	4	11	8	3	7	7	7	2	1	...	1	35
7	4	6	3	2	5	4	3	2	3	...	...	...	...	...	
7	7	5	7	5	3	1	1	1	2	1	...	...	...	...	36
...	1	...	2	3	...	...	1	1	1	...	...	...	...	...	37
...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	38
2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	39
...	...	3	4	2	1	1	...	...	1	...	...	...	...	...	40
...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	41
5	3	2	...	...	2	...	...	...	...	1	...	...	...	...	42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	137									4	32	32
2	Abortion	6									1	1	1
3	Childbirth	35										5	8
4	Puerperal septicemia	58									1	19	15
5	Extra-uterine pregnancy	3											1
6	Others of this class	35									2	7	7
7	9. Diseases of the bones and joints	26	1				1	2	2	2	3	1	5
8	Males	15	1				1	2	2	2	2		3
9	Females	11									1	1	2
10	Diseases of the spine M	4	1					1	1	1	1		
	Diseases of the spine F	2											
11	Abscess, lumbar and psoas M	1											1
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	7					1	1	1		1		2
	Diseases of the bones F	7									1	1	2
13	Diseases of the hip-joint M	1								1			
	Diseases of the hip-joint F												
14	Others of this class M	2											
	Others of this class F	2											
15	10. Diseases of the skin	20	4			1		5				1	
16	Males	11	2					2				1	
17	Females	9	2			1		3					
18	Abscess M	6	1					1				1	
	Abscess F	2											
19	Carbuncle M	2											
	Carbuncle F	2											
20	Others of this class M	3	1					1					
	Others of this class F	5	2			1		3					
21	11. Diseases of the absorbent system	10									1		
22	Males	7									1		
23	Females	3											
24	Addison's disease M	3									1		
	Addison's disease F												
25	Diseases of the spleen M	2											
	Diseases of the spleen F												
26	Others of this class M	2											
	Others of this class F	3											
27	12. Accidents and injuries	714	25	10	13	6	7	61	37	21	37	35	58
28	Males	534	14	7	8	2	6	37	26	16	28	29	48
29	Females	180	11	3	5	4	1	24	11	5	9	6	10
30	Burns and scalds M	24		1	4	1	2	8	3	2			2
	Burns and scalds F	35	1	3	3	4		11	2	3	3	1	
31	Drowning M	67		3	1		2	6	9	8	3	5	5
	Drowning F	6							1		1	2	1
32	Exposure and neglect M	4											
	Exposure and neglect F												
33	Gunshot wounds M	21							1		1	3	3
	Gunshot wounds F	5								1	1		
34	Homicide M	7							2				
	Homicide F	3					1	1					
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	1											
	Injuries by machinery F												
37	Railroad accidents M	80			1		1	2	5	2	7	6	5
	Railroad accidents F	15							4	1	2	1	
38	Suffocation M	11	8					8					1
	Suffocation F	7	5		1			6					
39	Suicide by shooting M	23											1
	Suicide by shooting F	2											
40	Suicide by drowning M	7									1		1
	Suicide by drowning F	2											
41	Suicide by poison M	10										1	1
	Suicide by poison F	10									2		3
42	Other suicides M	34									1	1	2
	Other suicides F	8											1
43	Sunstroke M	3	1					1	1				
	Sunstroke F	2	1					1					
44	Surgical operations M	2											
	Surgical operations F	6											1
45	Wounds M	11									2	1	2
	Wounds F	2											
46	Others of this class M	229	5	3	2	1	1	12	5	4	13	12	25
	Others of this class F	77	4		1			5	4			2	4

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ENGLAND AND WALES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
28	22	18	1												1
2		1													2
4	8	9	1												3
12	6	5													4
1	1														5
9	7	3													6
2		1		1	2	1	2			2					7
1					1	1	1								8
1		1		1	1		1			2					9
1				1											10
															11
						1	1								
		1								2					12
															13
1					1										
					1		1								14
		3		2			2	1	4	1	1				15
				2			2	1	2	1					16
		3							2		1				17
				1			1	1		1					
		1							1						18
				1					1						
		2													19
							1		1						
									1		1				20
			2		2	1	1	1	1	1					21
			2		1	1			1	1					22
					1		1	1							23
			1		1										
															24
									1	1					
															25
			1			1									
					1		1	1							26
60	61	68	58	34	44	31	33	29	28	9	5	2		3	27
48	49	55	47	28	40	22	20	16	17	4	2			2	28
12	12	13	11	6	4	9	13	13	11	5	3	2		1	29
1	1	1		1		1			1	2	1				
2	2	2	3	2		2	1	1							30
7	7	3	3	2	1	3	2	2	1						31
			1												
		1	1		1				1						32
1		1	2	3	1	1	1	1	1					1	
1	1		1												33
1			1		1		1							1	
	1	1													34
															35
					1										
															36
9	10	10	7	1	6	1	1	5	1	1	1				
1	1		2	1					2						37
						1		1							
									1						38
3	4	3	3	2	3	1	3								
	2														39
1				2	1		1								
		1						1							40
	1	1	5		1										
1	2	2													41
1	5	4	5	5	5	1	1	2	1						
		2	1		1		2			1					42
							1								
							1								43
		1	1												
3			1				1								44
2			1		1		1		1						
1						1									45
22	21	30	18	12	18	13	8	5	10	1					
3	3	5	2	3	3	6	8	11	8	4	3	2		1	46

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		18,605	5,742	1,155	537	386	261	8,081	628	422	690	964	906
2	Males		9,736	3,265	627	293	195	126	4,506	320	219	333	447	392
3	Females		8,869	2,477	528	244	191	135	3,575	308	203	357	517	514
4	Unknown cause		221	116	11	3	4	.....	134	8	6	4	3	6
5	Males		122	66	6	.....	4	.....	76	4	3	2	2	2
6	Females		99	50	5	3	.....	.....	58	4	3	2	1	4
	1. General diseases.													
7	General diseases—A		4,269	2,099	426	210	169	116	3,020	229	115	110	139	91
8	Males		2,217	1,140	225	109	86	54	1,614	118	57	47	74	49
9	Females		2,052	959	201	101	83	62	1,406	111	58	63	65	42
10	Measles	M.	119	33	35	17	10	4	99	13	4	1	2	.....
		F.	113	23	38	13	10	5	89	10	4	2	3	1
11	Scarlet fever	M.	81	7	10	12	13	8	50	16	8	2	.....	1
		F.	73	8	12	9	15	10	54	17	1	1	.....	.....
12	Diphtheria	M.	204	20	31	25	30	31	137	44	13	7	2	1
		F.	200	12	23	30	26	21	112	58	19	4	5	.....
13	Whooping cough	M.	101	67	16	7	3	1	94	2	.....	.....	1	.....
		F.	114	72	16	14	4	2	108	3	.....	.....	.....	.....
14	Malarial fever	M.	33	3	1	1	1	1	7	3	.....	3	2	4
		F.	18	2	1	.....	1	1	5	2	2	1	2	.....
15	Influenza	M.	87	17	6	3	4	.....	30	2	1	2	5	2
		F.	151	22	3	2	4	1	32	3	5	4	2	5
16	Typhoid fever	M.	205	1	2	1	3	1	8	12	16	22	49	35
		F.	165	1	.....	4	4	1	10	9	19	37	30	18
17	Cholera morbus	M.	38	7	2	3	2	.....	14	4	2	1	1	.....
		F.	39	5	4	3	2	1	15	3	.....	2	1	.....
18	Colitis	M.	12	7	2	.....	.....	.....	9	.....	.....	1	.....	.....
		F.	6	4	1	.....	.....	.....	5	.....	.....	.....	.....	.....
19	Diarrhea	M.	104	70	8	2	1	.....	81	6	2	1	2	.....
		F.	94	62	9	1	.....	1	73	1	1	1	.....	.....
20	Dysentery	M.	59	28	4	5	3	1	41	1	1	1	.....	1
		F.	39	17	1	1	.....	2	21	.....	1	.....	1	2
21	Enteritis	M.	247	182	26	8	2	1	219	3	2	1	2	1
		F.	210	140	24	5	3	3	175	2	2	3	4	2
22	Cholera infantum	M.	757	661	68	18	6	2	755	.....	.....	.....	.....	.....
		F.	635	552	61	10	5	6	634	.....	.....	.....	.....	.....
23	Fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	4	3	1	.....	.....	.....	4	.....	.....	.....	.....	.....
24	Cerebro-spinal fever	M.	68	17	11	5	7	4	44	8	5	2	4	2
		F.	58	17	3	7	6	7	40	2	4	4	3	3
25	Smallpox	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	5	.....	1	.....	.....	.....	1	.....	.....	1	3	.....
26	Erysipelas	M.	26	8	.....	.....	.....	.....	8	.....	.....	.....	1	.....
		F.	25	5	1	1	1	.....	8	.....	.....	.....	.....	1
27	Septicemia	M.	40	6	.....	1	1	.....	8	3	1	3	2	2
		F.	64	2	.....	1	2	.....	5	1	.....	2	11	9
28	Venereal diseases	M.	11	6	1	.....	.....	.....	7	.....	.....	.....	.....	.....
		F.	12	8	2	.....	.....	.....	10	.....	.....	1	.....	.....
29	Others of this group	M.	23	.....	2	1	.....	.....	3	1	2	.....	.....	.....
		F.	27	4	.....	.....	.....	1	5	.....	.....	.....	.....	1
30	General diseases—B		422	281	11	3	2	3	300	5	2	4	7	14
31	Males		262	170	5	2	.....	2	179	4	.....	.....	2	10
32	Females		160	111	6	1	2	1	121	1	2	4	5	4
33	Alcoholism	M.	37	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3
		F.	12	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
34	Parasitic diseases	M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
		F.	2	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....
35	Lead poison	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
36	Other poisons	M.	41	3	2	2	.....	.....	7	.....	.....	.....	2	7
		F.	24	.....	1	1	.....	1	3	1	.....	3	4	4
37	Inanition	M.	181	167	3	.....	.....	2	172	2	.....	.....	.....	.....
		F.	121	111	4	.....	.....	.....	115	.....	2	.....	1	.....
38	General diseases—C		1,676	1,242	34	3	3	2	1,284	.....	1	1	9	4
39	Males		915	717	22	2	1	.....	742	.....	.....	.....	3	2
49	Females		761	525	12	1	2	2	542	.....	1	1	6	2
41	Old age	M.	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	166	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Premature birth	M.	342	342	.....	.....	.....	.....	342	.....	.....	.....	.....	.....
		F.	229	229	.....	.....	.....	.....	229	.....	.....	.....	.....	.....
43	Malformation	M.	50	46	2	.....	.....	.....	48	.....	.....	.....	.....	.....
		F.	34	32	2	.....	.....	.....	34	.....	.....	.....	.....	.....
44	Debility and atrophy	M.	363	304	20	2	1	.....	327	.....	.....	.....	3	2
		F.	311	243	10	1	2	2	258	.....	1	1	6	2
45	Others of this group	M.	25	25	.....	.....	.....	.....	25	.....	.....	.....	.....	.....
		F.	21	21	.....	.....	.....	.....	21	.....	.....	.....	.....	.....

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
771	814	631	610	630	595	608	652	552	456	287	163	54	28	63	1
331	400	314	318	319	330	321	353	309	231	137	87	22	15	32	2
440	414	317	292	311	265	287	299	243	225	150	76	32	13	31	3
7	5	6	10	7	12	4		3	1	1	1			3	4
3	1	2	6	3	10	4		1	1		1			1	5
4	4	4	4	4	2			2		1				2	6
79	65	53	37	43	38	46	52	46	41	28	17	5	2	13	7
33	30	21	24	23	19	25	22	19	12	12	8	3		7	8
46	35	32	13	20	19	21	30	27	29	16	9	2	2	6	9
															10
1			1							1				1	
															11
1	1	1												1	
															12
		1				1									
	1	1												2	13
1		1												1	
			5		2	1		3	1		1	1			14
2	1					2	1								
3		5		6	4	4	9	6	1	5	2				15
11	6	2	4	6	5	11	12	10	12	11	5	1	1	3	
21	14	8	8	4	2	3	1	2							16
11	9	9	2	6	1	1	2	1							
1	1		3	3	2	2		1	3						17
5	2	1		1	3			4	1		1				
						1	1								18
1															
1	1	1		2		3	2			1		1			19
2	1	1		1			6	3	1	3					
	1	1		2		1	2	1	3	2				1	20
2	1	1	1		1		3		4			1			
	2		3	2	4	1	1		3	1	2				21
2	1	4	4		2	1	1	3	2	1			1		
														2	22
														1	
															23
	2				1										24
		1			1										
			1												25
1	4		3	1	1	2	3	1		1					26
2	2	1		2	3	1	2		3						
3	2	3		3	2	5	2		1						27
6	11	8	1	2	3	1		1	1		2				
	1	1	1			1									28
		1													
2					1	1	1	5		2	3	1		1	29
	1	1		2		3	3	5	5		1				
17	18	11	14	5	5	4	9	2		1				4	30
11	14	8	11	3	5	3	7	2		1				2	31
6	4	3	3	2		1	2							2	32
8	9	4	5		2	1	4								33
2	3	2	2				1							1	
															34
			1			1									35
3	4	4	5	2	3		2	2							36
3	1	1	1	2		1									
	1			1		1	1			1				2	37
1							1							1	
5	7	2		1	5	10	22	41	69	87	68	32	16	12	38
2	1				3	4	9	17	30	40	35	13	7	7	39
3	6	2		1	2	6	13	24	39	47	33	19	9	5	40
							6	13	25	35	35	12	7	2	41
						3	9	20	36	41	31	17	8	1	
															42
														2	43
2	1				3	4	3	4	5	5		1		3	44
3	6	2		1	2	3	4	4	3	6	2	2	1	4	
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		3,074	167	62	36	25	16	306	47	58	223	385	367
2	Males		1,408	102	37	16	12	9	176	22	25	84	154	143
3	Females		1,666	65	25	20	13	7	130	25	33	139	231	224
4	Anemia	M	30	11					11		2		3	
		F	58	12	2	1			15	1		1	3	8
5	Diabetes	M	41	1	2				3	4	3		1	2
		F	44				1		1	1	5		1	3
6	Rheumatism	M	22			1		1	2	1	5	2		2
		F	29							2	2	3	1	6
7	Scrofula and tabes	M	31	16	5	1		1	23	1		1	2	
		F	29	4	3	1	1		9	1	1	2	4	3
8	Hydrocephalus	M	84	33	17	6	4	3	63	9	3	1	2	1
		F	60	20	7	8	2	4	41	6	1	4	5	
9	Tuberculosis, general	M	15	1					1		2		1	1
		F	19	1	2	1	1		5	1			2	4
10	Consumption	M	898	29	11	6	6	2	54	5	10	79	142	130
		F	1,027	21	9	8	7	2	47	10	24	123	210	197
11	Cancer	M	215	1				2	3	1			2	5
		F	327				1		1	1		1	3	2
12	Tumor	M	21	1		1			2	1			1	2
		F	29	3				1	4			3	1	
13	Dropsy	M	40	2	1		1		4			1		
		F	32	3	1				4	1		1	1	
14	Others of this group	M	11	7	1	1	1		10					
		F	12	1	1	1			3	1		1		1
15	2. Diseases of the nervous system		1,966	549	172	77	42	34	874	77	46	41	49	39
16	Males		1,077	336	98	52	18	18	522	39	26	24	18	22
17	Females		889	213	74	25	24	16	352	38	20	17	31	17
18	Inflammation of the brain	M	40	12	5	7	1	2	27	5	1	1	1	
		F	24	11	2				13		1		1	
19	Meningitis	M	321	142	53	30	8	11	244	22	15	8	5	8
		F	263	90	41	16	18	14	179	32	14	8	10	1
20	Apoplexy	M	198	6	1		1		8	1	1	1	4	4
		F	181	4	2				6			1	1	3
21	Paralysis	M	126	3	1				4			2	2	
		F	131	1	2				3	1	2	1	4	1
22	Paralysis, general (of insane)	M	11											
		F	6											1
23	Tetanus and trismus nascentium	M	14	2			1		3	2		2	2	1
		F												
24	Chorea	M	1								1			
		F	2											
25	Epilepsy	M	26	3	2	2	1		8	1	4	5	2	2
		F	25	2			1		3		1	2	4	3
26	Convulsions	M	195	140	30	10	3	1	184	5	2		1	1
		F	145	91	22	8	3	2	126	3		2	3	3
27	Mental diseases	M	26											3
		F	20											
28	Diseases of the brain	M	89	28	6	3	3	3	43	2	2	3	1	3
		F	57	12	3	1	2		18	1	2	2	6	2
29	Diseases of the spinal cord	M	11					1	1	1		1		
		F	14	1	2				3	1		1	1	
30	Locomotor ataxia	M	6									1		
		F	3											
31	Others of this class	M	13											
		F	18	1					1				1	3
32	3. Diseases of the circulatory system		1,216	112	2	5	4	2	125	28	38	40	42	40
33	Males		598	56	2	2	2	2	64	14	14	16	14	16
34	Females		618	56		3	2		61	14	24	24	28	24
35	Pericarditis	M	5							1				1
		F	12	1		1			2	1	2			
36	Diseases of the heart	M	529	38	2	2	2	2	46	13	13	15	14	14
		F	540	37		2	2		41	13	22	23	25	22
37	Angina pectoris	M	22											1
		F	24										3	1
38	Diseases of the arteries	M	13											
		F	10	1					1					
39	Aneurism	M	7								1			
		F	8									1		
40	Embolism	M	4									1		
		F	7											1
41	Others of this class	M	18	18					18					
		F	17	17					17					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
292	255	208	168	186	154	185	108	81	54	29	11	1	1	5	1
128	119	96	71	89	78	69	57	46	30	14	5		1	1	2
164	136	112	97	97	76	66	51	35	24	15	6	1		4	3
1	1		3	2	1	4	1			1					4
8	2	3	2	3	4		4	2	2						
2	2	6	4	4	4	2	1	2	1						5
1	4	2	4	3	4	8	3	1	2	1					
	1	1	1	1	1	1	1	2	1						6
3	1	1	1		2	2	1	1	1	2					
	1			1				1					1		7
7	1	1													
2	1			1	1										8
	1	1	1												
1	4	1	1		2		1								9
3	1	2	1												
116	100	67	41	43	39	23	20	15	6	5	2			1	10
126	92	57	30	34	16	20	9	5	8	4	2			4	
5	7	19	14	29	26	32	26	19	19	6	2				11
10	30	39	43	51	47	32	26	23	8	7	2	1			
	1	1	3	5	2	1	2								12
1	4	3	3	4			6								
1		1	4	3	2	6	5	7	3	2	1				13
4		2	1	2	2	4	1	3	3	1	2				
	1														14
1		1	2		1		1								
40	77	42	73	71	87	92	103	102	87	37	18	4	1	6	15
15	42	20	34	29	51	45	52	60	46	19	8		1	4	16
25	35	22	39	42	36	47	51	42	41	18	10	4		2	17
	1			2				1	1						18
2	1	1		1	1	2				1					
6	5	1	3		1		1	1						1	19
4	4	1	3	2		2	2					1			
	13	11	11	10	30	17	22	26	23	10	4			2	20
3	8	11	20	17	15	25	27	18	19	3	3	1			
2	8	2	7	6	8	13	24	22	14	8	4				21
4	3	5	6	12	13	10	14	20	15	9	6	2			
	2		4	1	1	1		1	1						22
1						1		2	1						
	1		1	1	1										23
															24
			1						1						
	2		1			1									25
	3		1	2	2	1	1		1	1					
								1						1	26
3	2		1											2	
3	6	2	1	1	1	4	3	1	1						27
3	2	2	1	1	1	1	2	1	3	2	1				
3	2	2	1	6	6	5		4	5	1					28
2	4	2	5	3	2	4	2	1		1					
	1		1	1		3	1	1							29
	3		1	1		1	2								
	1		2	1	1										30
	1				1					1					
1		2	2		2	1	1	2	1				1		31
3	4			3	1		1		1						
46	71	68	64	92	84	92	131	99	80	51	17	5	2	1	32
16	29	33	32	42	45	46	78	58	43	24	10	3	1		33
30	42	35	32	50	39	46	53	41	37	27	7	2	1	1	34
							2	1							35
	1			1	1	1	1			2					
16	26	28	31	38	41	40	71	52	39	20	9	2	1		36
26	40	33	27	44	35	40	47	39	34	20	5	2	1	1	
	1	2		3	4	4	2	3	2						37
1		1	1	3	1	4	2	2	2	2	1				
				1		1	2	1	2	4	1	1			38
				2		1	2			3	1				
	1	3	1			1									39
2	1		1		2		1								
	1						1	1							40
1		1	3						1						
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		2,816	896	363	155	105	51	1,570	120	42	64	82	74
2	Males		1,460	510	188	84	51	21	854	52	16	37	39	31
3	Females		1,356	386	175	71	54	30	716	68	26	27	43	43
4	Croup	M.	72	12	17	12	12	2	55	15		1		
		F.	75	10	21	9	18	6	64	10			1	
5	Pneumonia	M.	937	305	121	47	30	12	515	26	13	25	32	26
		F.	895	224	119	47	28	16	434	45	21	21	32	33
6	Laryngitis	M.	15	2	4	2	1	1	10	2				
		F.	13	3	3		2	1	9	1	1			
7	Bronchitis	M.	286	148	43	19	8	6	224	3	2	2	1	2
		F.	256	125	27	12	5	3	172	5	2	4	5	6
8	Pleurisy	M.	41	2	1	1			4	2		5	3	1
		F.	17	1					1	3			2	1
9	Asthma	M.	13							1		1		
		F.	9							1				
10	Others of this class	M.	96	41	2	3			46	3	1	3	3	2
		F.	91	23	5	3	1	4	36	3	2	2	3	3
11	5. Diseases of the digestive system		970	168	40	18	6	15	247	34	49	76	59	76
12	Males		502	100	23	11	4	8	146	17	29	36	35	29
13	Females		468	68	17	7	2	7	101	17	20	40	24	47
14	Dentition	M.	18	10	8				18					
		F.	13	7	6				13					
15	Angina	M.	14	2	3	1		2	8		1	1	1	1
		F.	11	1	1	1	1	2	6	1		1		2
16	Gastritis	M.	60	19	2	1			22		1		2	6
		F.	53	14	2	2			18				4	4
17	Diseases of the stomach	M.	21	1	1			1	3				1	1
		F.	22	3					3		1	2	1	
18	Obstruction of the bowels	M.	40	7	1	2		1	11	3		2	2	4
		F.	29	4	2	1			7	3			1	2
19	Appendicitis	M.	79				3	1	4	4	16	15	15	4
		F.	44	1	1			2	4	1	5	11	3	10
20	Hernia	M.	22	3					3			1	1	
		F.	12	1					1					
21	Other diseases of the bowels	M.	14	8		1			9		1	1		
		F.	14	5	1				6			1		2
22	Jaundice	M.	19	10					10		1	1	1	1
		F.	22	7				1	8		1			
23	Inflammation and abscess of the liver.	M.	25	2					2	2	1	1	1	2
		F.	22				1		1	1				
24	Other diseases of the liver	M.	62	2					2			2		2
		F.	37			2			2					3
25	Peritonitis	M.	74	8	1	3	1		13	6	8	12	10	6
		F.	138	4	3			1	8	8	11	21	14	22
26	Ascites	M.	1	1					1					
		F.	4	1					1			1		1
27	Others of this class	M.	53	27	7	3		3	40	2			1	2
		F.	47	20	1	1		1	23	3	2	3	1	1
28	6. Diseases of the urinary system and male organs of generation.		664	18	8	7	8	4	45	22	6	14	31	43
29	Males		369	13	5	2	6	1	27	11	4	7	11	10
30	Females		295	5	3	5	2	3	18	11	2	7	20	33
31	Bright's disease	M.	245							8	2	7	11	7
		F.	227							9	2	6	18	18
32	Calculus, urinary	M.	1											
		F.	1											1
33	Diseases of the kidney	M.	41	6	5	2	5	1	19	1	1			
		F.	27	3	3	5	2	3	16					3
34	Diseases of the bladder	M.	34	3					3					1
		F.												
35	Others of this class	M.	48	4			1		5	2	1			2
		F.	40	2					2	2		1	2	11
36	7. Diseases of the female organs of generation.		63									6	11	9
37	Ovarian tumors		6										1	
38	Ovarian diseases		1											
39	Diseases of the tubes		11									1	4	1
40	Uterine tumors		10											
41	Uterine diseases		9									1	2	1
42	Others of this class		26									4	4	7

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
88	81	71	87	82	75	94	102	77	48	28	15	5	3	8	1
41	45	43	52	46	32	38	47	35	24	14	7	2	2	3	2
47	36	28	35	36	43	56	55	42	24	14	8	3	1	5	3
						1									4
32	38	35	34	39	21	23	31	17	13	9	4		1	3	5
33	29	20	20	27	34	44	39	31	13	7	7	1	1	3	
1				1			1								6
1	1														
4	1		4	3	4	6	5	10	7	4	2	1	1		7
5	1	2	8	4	5	6	9	6	7	6	1	1		1	
4	1	3	7		4	2	1	2	1			1			8
1	3	2	1	1				1	1						
		3	3			1	2		2						9
1		1	1	1	1	1	1		1						
	5	2	4	3	3	5	7	6	1	1	1				10
6	2	3	5	3	3	5	6	4	2	1		1		1	
50	58	38	48	30	37	36	37	36	28	11	6	1		4	11
20	24	20	22	16	22	17	22	21	11	6	6	1		2	12
30	34	18	26	23	15	19	15	15	17	5				2	13
															14
								2							15
									1						
2	4	1	2	1	5	2	4	2	1	1	3			1	16
3	5	5	3	2	2		2	2	3						
	1	1	4	1	2	2	3	1			1				17
3	4	1	1	1	1	1	2	1							
2	1	3		1		3	1	4	3						18
1	1	1	3		2	1	2	2	1	2					
10	4	1	4		1	1									19
2	3		3				1	1							
	2			1	2	1	2	4	1	3	1				20
	1	1	1	2	2	1	1	2							
1			1			1									21
1			2			2									
								2	1	1	1				22
	1		1	1	2	1	1	2	2	1				1	
1	3		1	3	1	2	3	1	1						23
2		2	3	1	1	5	3		2	1					
2	6	9	4	9	8	4	7	4	2			1			24
4	3	1	5	4	3	3	1	3	5						
2	1	5	5		3	1	1	1							25
12	14	6	3	10		4	2		2	1					
															26
														1	
	2		1				1		2	1				1	27
2	2	1	1	2	2	1		2	1						
39	42	37	49	47	55	59	58	50	42	11	8	1	3	2	28
14	16	16	25	23	35	42	40	40	30	7	6		3	2	29
25	26	21	24	24	20	17	18	10	12	4	2	1			30
11	13	14	17	19	27	28	25	24	20	4	4		2	2	31
23	20	15	20	17	19	16	16	9	12	4	2	1			
								1							32
2	2		1	2	4	1	4	1	2		1				33
		3	2	1			2								
				1	3	4	4	9	5	2	1		1		34
1	1	2	7	1	1	9	7	5	3	1					35
2	6	3	2	6	1	1		1							
8	9	9	8	1	2										36
1	1		1		2										37
	1														38
2		2	1												39
	1	6	3												40
3		1		1											41
2	6		3												42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN CANADA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		180									11	36	41
2	Abortion		6										1	
3	Childbirth		52									2	11	12
4	Puerperal septicemia		80									6	16	21
5	Extra-uterine pregnancy		6									1		1
6	Others of this class		36									2	8	7
7	9. Diseases of the bones and joints		45	3	1			2	6	4	5	7	7	1
8	Males		27	2				2	4	4	1	3	6	
9	Females		18	1	1				2		4	4	1	1
10	Diseases of the spine	M	12	2				1	3	1		2	3	
		F	6	1					1		1	1		
11	Abscess, lumbar and psoas	M	1										1	
		F	1											
12	Diseases of the bones	M	8					1	1	1	1	1	1	
		F	6		1				1		1	3		
13	Diseases of the hip-joint	M	3							1			1	
		F	2								2			
14	Others of this class	M	3							1				
		F	3										1	1
15	10. Diseases of the skin		45	17	4				21	1	1	1	3	3
16	Males		26	9	3				12	1	1	1	1	2
17	Females		19	8	1				9				2	1
18	Abscess	M	17	5	1				6	1	1	1	1	2
		F	5	1	1				2					1
19	Carbuncle	M	2											
		F	4										2	
20	Others of this class	M	7	4	2				6					
		F	10	7					7					
21	11. Diseases of the absorbent system		16	1	1			1	3	1		1	1	
22	Males		9		1			1	2	1		1		
23	Females		7	1					1				1	
24	Addison's disease	M	1											
		F												
25	Diseases of the spleen	M	3											
		F	2										1	
26	Others of this class	M	5		1			1	2	1		1		
		F	5	1					1					
27	12. Accidents and injuries		962	73	20	20	18	15	146	52	53	87	100	98
28	Males		744	44	12	13	11	8	88	33	43	75	88	76
29	Females		218	29	8	7	7	7	58	19	10	12	12	22
30	Burns and scalds	M	37	4	5	8	4	1	22	1	1	1	2	2
		F	50	1	5	3	4	4	17	8	4	2	3	5
31	Drowning	M	142	2	1	2	2	3	10	21	25	18	18	15
		F	19	1			1	1	3	3	2	2	4	1
32	Exposure and neglect	M	4	1				1	2					
		F	3	1	1				2					
33	Gunshot wounds	M	27							1	2	9	4	1
		F	3				1		1			1		1
34	Homicide	M	4										3	
		F	1											
35	Infanticide	M												
		F												
36	Injuries by machinery	M	4									1		1
		F	1	1					1					
37	Railroad accidents	M	113							4	4	16	16	14
		F	11			1	1	1	3	1	1	1		2
38	Suffocation	M	34	20	1	1	1		23		1	1	2	
		F	21	15	1				16	1				
39	Suicide by shooting	M	13										4	3
		F	3									1	1	
40	Suicide by drowning	M	4											
		F	3										1	
41	Suicide by poison	M	11										3	1
		F	10									3		
42	Other suicides	M	30									1	2	1
		F	13									1	1	4
43	Sunstroke	M	3											1
		F	2		1	1			2					
44	Surgical operations	M	2										1	
		F	10									1	2	3
45	Wounds	M	11			1	2		3			4	1	
		F												
46	Others of this class	M	305	17	5	1	2	3	28	6	10	24	32	37
		F	68	10		2		1	13	6	3			6

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN CANADA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
40	32	19	1												1
2	3														2
9	8	10													3
19	14	4													4
2	1	1													5
8	6	4	1												6
4	4	2	1	1			3								7
3	2	2	1				1								8
1	2			1			2								9
	1		1				1								10
	1			1			1								
															11
1															
2		1													12
							1								
1															13
	1	1													14
	1														
1	2	2	3	1	3	2			1						15
		1	1	1	3	1			1						16
1	2	1	2			1									17
		1	1		2	1									18
1	1														
					1				1						19
			1			1									
				1											20
	1	1	1												
2	1	4	2	1											21
1	1	1	1	1											22
1		3	1												23
				1											24
	1	1	1												25
		1													
1															26
1		2	1												
53	87	59	45	53	38	34	27	15	5	3	2			5	27
44	76	51	38	43	27	27	18	10	3		1			3	28
9	11	8	7	10	11	7	9	5	2	3	1			2	29
2		2		3	1										30
2		1	1	2	2		2	1							
4	8	7	3	5	3	4		1							31
	2			1			1								
					1	1									32
								1							
2	3	2		1				1	1						33
	1														34
	1														
															35
	1					1									36
6	18	4	4	8	6	4	6	2	1						37
				1		1	1								
	2	1	1											3	38
					2									2	
		2	1	3											39
			1												
1		1	1			1									40
	1	1													
	2			1	2	1		1							41
1	2	1	1		1			1							
2	4	6	7	3		3	1								42
1		3		1		1				1					
	1					1									43
						1									44
1		1		1	1										
1	1				1										45
26	35	26	21	19	18	10	11	5	1		1				46
4	5	1	4	4	5	5	5	2	2	2	1				

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		6,095	1,437	449	172	125	94	2,277	254	124	180	302	356
2	Males		3,424	835	282	102	65	42	1,276	127	49	93	137	193
3	Females		2,671	602	217	70	60	52	1,001	127	75	87	165	163
4	Unknown cause		63	24	5	1	1	1	32	1	1	1	4	4
5	Males		29	8	3	1	1		13	1				3
6	Females		34	16	2			1	19		1	1	4	1
	1. General diseases.													
7	General diseases—A		1,304	451	175	70	50	40	786	123	37	31	54	45
8	Males		692	255	88	45	28	16	432	58	14	11	24	29
9	Females		612	196	87	25	22	24	354	65	23	20	30	16
10	Measles	M	36	8	12	4	4	2	30	6				
		F	30	3	10	3	4	3	23	7				
11	Scarlet fever	M	39	1	4	9	5	1	20	12	4		1	1
		F	28	2	1		3	4	10	15	1			
12	Diphtheria	M	85	8	12	18	12	5	55	26	2			1
		F	90	5	14	11	10	13	53	29	6	1		
13	Whooping cough	M	37	23	11		2		36	1				
		F	42	20	11	6		1	38	1	3			
14	Malarial fever	M	3											1
		F	6		1				1	1		1	1	1
15	Influenza	M	22	5	1	1			7	1				1
		F	24	6					6		1			3
16	Typhoid fever	M	116			1		3	4	5	6	8	21	19
		F	90		1	1			2	4	6	13	22	8
17	Cholera morbus	M	10	5	1	1			7				1	
		F	12	3	3				6	3				
18	Colitis	M	2	2					2					
		F	2	1	1				2					
19	Diarrhea	M	16	6				2	8					
		F	16	7					7	2	1			
20	Dysentery	M	18	2	1	1		1	5	2	1			
		F	19	1	2	1	1		5		1			1
21	Enteritis	M	117	77	21	7	1	1	107					1
		F	89	56	18	2	1		77			1	2	
22	Cholera infantum	M	125	102	19	3	1		125					
		F	101	80	18		1	2	101					
23	Fever	M	1	1					1					
		F												
24	Cerebro-spinal fever	M	20	7	2		2	1	12	3	1	1		
		F	21	6	3	1	1	1	12	3	3	2		
25	Smallpox	M												
		F	2				1		1		1			
26	Erysipelas	M	9	4	1				5			1		
		F	5	3	1				4			1		
27	Septicemia	M	23	2	2		1		5	2			1	4
		F	22		2				2			1	4	2
28	Venereal diseases	M	6	2	1				3			1		
		F	5	2	1				3				1	
29	Others of this group	M	7											1
		F	8	1					1					1
30	General diseases—B		132	62	4	1	2	1	70			2	2	7
31	Males		82	31	2	1	2		36				1	3
32	Females		50	31	2			1	34			2	1	4
33	Alcoholism	M	25										1	1
		F	2											
34	Parasitic diseases	M												
		F	1	1					1					
35	Lead poison	M	1			1			1					
		F												
36	Other poisons	M	24	1	2		2		5					2
		F	16	2	1				3			2	1	4
37	Inanition	M	32	30					30					
		F	31	28	1			1	30					
38	General diseases—C		381	253	8	1			262	2		1		
39	Males		210	156	2	1			159	1				
40	Females		171	97	6				103	1		1		
41	Old age	M	41											
		F	61											
42	Premature birth	M	73	73					73					
		F	49	49					49					
43	Malformation	M	13	12	1				13					
		F	10	9	1				10					
44	Debility and atrophy	M	76	64	1	1			66	1				
		F	46	34	5				39	1		1		
45	Others of this group	M	7	7					7					
		F	5	5					5					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
409	395	308	278	243	202	158	175	159	130	90	37	5	1	12	1
221	226	186	196	168	144	108	86	76	67	46	12	4		9	2
188	169	122	82	75	58	50	89	83	63	44	25	1	1	3	3
1	2	1	2	2	1	3	2	4		2					4
1	1		2	1		3	1	2		1					5
	1	1		1	1		1	2		1					6
55	54	20	19	13	15	4	18	10	7	4	6		1	2	7
29	27	13	15	10	9	2	5	5	5	3				1	8
26	27	7	4	3	6	2	13	5	2	1	6		1	1	9
															10
	1														11
	1							1							
				1											12
	1														
															13
	1	1													14
					1										
3		3	1	1			1	2	2						15
	2	1	1		2	1	3	2		1	1				
24	15	3	5	3	1	1			1						16
18	12	2	2	1											
		1			1										17
				1	1		1								
															18
		1		2	1	1			1	1				1	19
		1			1		1		1				1	1	
	3	1	2	1			1		1	1					20
2	1				1		7				1				
	1		2	2	2		1	1							21
2	2	1				1		2			1				
															22
															23
1	1						1								24
			1												
															25
	1				2										26
1	3	3	3					1							27
4	7	1		1											
			1		1										28
		1													
	1		1		1		1	1		1					29
	1						1		1		3				
9	8	6	8	7	1	2	4	3	2					1	30
6	6	5	7	6	1	2	4	2	2					1	31
3	2	1	1	1				1							32
4	5	3	4	3	1		2		1						33
1	1														
															34
															35
2	1	2	3	3		2	2	2							36
2	1	1	1	1											
									1					1	37
								1							
	2	2	2	2		3	3	18	29	34	18	3			38
	1	1	2	2		2		6	15	14	5	2			39
	1	1				1	3	12	14	20	13	1			40
						2		6	14	12	5	2			41
						1	2	11	14	20	12	1			
															42
															43
	1	1	2	2					1	2					44
	1	1					1	1			1				
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		1,203	38	35	13	8	7	101	27	17	70	111	145
2	Males		625	19	14	9	4	5	51	11	4	35	38	70
3	Females		578	19	21	4	4	2	50	16	13	35	73	75
4	Anemia	M	6		1				1	1				
		F	12	1					1	1	1			2
5	Diabetes	M	11									1		
		F	5									1	1	
6	Rheumatism	M	12							1				
		F	13	1					1	2	1	1	1	
7	Scrofula and tabes	M	8			1			1			1		1
		F	7	4					4		1		1	
8	Hydrocephalus	M	41	7	9	5	3	2	26	4	1	4	1	2
		F	35	12	12	3	2	1	30	4		1		
9	Tuberculosis, general	M	9	1	1				2			2	1	1
		F	8		1				1		2	2	1	1
10	Consumption	M	448	11	3	3	1	3	21	5	3	25	36	65
		F	389	1	6	1	2	1	11	6	7	27	66	68
11	Cancer	M	71									1		
		F	82										2	3
12	Tumor	M	6											1
		F	12		1				1	1		3		
13	Dropsy	M	8											
		F	9							1				1
14	Others of this group	M	5									1		
		F	6		1				1	1	1		1	
15	2. Diseases of the nervous system		563	179	54	16	11	16	276	15	9	8	10	12
16	Males		328	103	26	7	4	8	148	9	3	6	6	8
17	Females		235	76	28	9	7	8	128	6	6	2	4	4
18	Inflammation of the brain	M	11	3	2	1		1	7	1			1	
		F	3		1				1	1	1			
19	Meningitis	M	85	32	14	5	1	4	56	4	2	5	2	2
		F	75	32	12	5	5	6	60	4	4		1	2
20	Apoplexy	M	78	4					4					1
		F	43	1	1				2				1	1
21	Paralysis	M	24							1				
		F	20	1		1			2					
22	Paralysis, general (of insane)	M	4											2
		F												
23	Tetanus and trismus nascentium	M	5							2			1	
		F	7	2	2				4		1		1	
24	Chorea	M	1				1		1					
		F	1		1				1					
25	Epilepsy	M	6	1	1				2			1	1	1
		F	3	2					2			1		
26	Convulsions	M	74	59	7	1	2	1	70	1			1	
		F	54	36	9	3		2	50	1				
27	Mental diseases	M	5											
		F	7											1
28	Diseases of the brain	M	22	4	2			1	7					
		F	19	1	2		2		5			1	1	
29	Diseases of the spinal cord	M	6					1	1					1
		F	2	1					1					
30	Locomotor ataxia	M	3											
		F												
31	Others of this class	M	4								1			1
		F	1											
32	3. Diseases of the circulatory system		338	27	3	1	1	2	34	10	17	15	9	10
33	Males		188	16	1	1	1	1	20	6	5	9	5	4
34	Females		150	11	2			1	14	4	12	6	4	6
35	Pericarditis	M	11							2	1	2	1	
		F	5							1		1		
36	Diseases of the heart	M	161	12	1	1	1	1	16	4	4	7	4	4
		F	134	8	2			1	11	3	12	5	4	4
37	Angina pectoris	M	4											
		F	1											
38	Diseases of the arteries	M	1											
		F	3											
39	Aneurism	M	5											
		F												
40	Embolism	M	2											
		F	3											2
41	Others of this class	M	4	4					4					
		F	4	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
156	142	112	89	68	55	37	22	31	11	7	1			1	1
79	84	59	62	39	40	22	6	14	7	3				1	2
77	58	53	27	29	15	15	16	17	4	4	1				3
1	3														4
2	2	1	1		1										
3		1	4		1			1							5
	1		1	1											
1	2	1		2		1	2	1	1						6
1	1	1					1	2		1					
1	1	1				1		1							7
					1										
1	1		1												8
			1	1			1								9
			1												
72	68	45	39	24	22	14	1	4	3					1	10
67	46	38	16	15	3	6	7	4		2					
	4	11	13	12	13	5	2	6	1	3					11
4	8	10	6	11	9	8	6	10	3	1	1				
	1				4										12
		2	1	2	1	1									
	2		2			1		1	2						13
2			1				2	1	1						
	2		2												14
1		1													
25	22	18	18	24	22	28	23	16	24	8	3			2	15
19	14	12	10	16	14	20	12	9	15	4	1			2	16
6	8	6	8	8	8	8	11	7	9	4	2				17
	1							1							18
3	3	2	1	2	1									2	19
1			1		1	1									
7	1	7	8	9	7	12	10	3	6	3					20
1	3	1	4	5	6	4	8	3	4						
3	3	1		1	1	4	1	2	6		1				21
	1	1	1	1		2	2	3	3	3	1				
1					1										22
2															23
					1										
															24
						1									25
1	1														26
	1	2													
2		1			1	1									27
1		1		1					2	1					
	4	1	1	2	1	1	1	2	2						28
3	3	1	1	1		1	1				1				
				2				1	1						29
			1												
	1				1	1									30
					1					1					31
								1							
20	18	18	35	30	24	20	27	20	17	9	2	1		2	32
8	10	12	19	17	14	15	17	14	5	5	2	1			33
12	8	6	16	13	10	5	10	6	12	4				2	34
				3	1		1								35
	1	1				1									
6	9	11	17	12	18	12	16	14	4	5	2	1			36
12	6	4	16	13	9	4	9	6	10	4				2	
1			1			2									37
	1														
									1						38
					1				2						
	1	1	1	1		1									39
1				1											40
		1													
															41
							1								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,031	312	138	53	36	21	560	27	12	12	26	39
2	Males		595	187	80	28	15	8	318	11	3	6	19	33
3	Females		436	125	58	25	21	13	242	16	9	6	7	6
4	Croup	M	21	4	4	3	6	3	20	1				
		F	23	2	6	2	4	1	15	7	1			
5	Pneumonia	M	419	104	59	19	6	4	192	10	1	5	19	30
		F	310	81	37	17	12	11	158	6	7	5	7	5
6	Laryngitis	M	5		2		1	1	4					
		F	4	1	1	1			3	1				
7	Bronchitis	M	95	60	12	6	1		79					
		F	67	31	12	4	3		50	2				1
8	Pleurisy	M	5								1			
		F	7		1		1	1	3					
9	Asthma	M	8											
		F	2											
10	Others of this class	M	42	19	3		1		23		1	1		3
		F	23	10	1	1	1		13		1	1		
11	5. Diseases of the digestive system		335	63	13	4	5	1	86	17	10	17	21	25
12	Males		188	41	5	3	4		53	9	7	10	10	12
13	Females		147	22	8	1	1	1	33	8	3	7	11	13
14	Dentition	M	6	4	2				6					
		F	8	4	4				8					
15	Angina	M	3	1	1				2	1				
		F	1											
16	Gastritis	M	24	10			3		13			1		2
		F	8	1	2				3				1	
17	Diseases of the stomach	M	6											
		F	2											
18	Obstruction of the bowels	M	15	5	1				6	1		1		2
		F	13	1			1		2	1	1			1
19	Appendicitis	M	27							1	5	3	7	4
		F	16							1	2	2	3	3
20	Hernia	M	6	1					1			1		
		F	3											
21	Other diseases of the bowels	M	3	1					1					
		F	2	1					1					
22	Jaundice	M	6	3					3					
		F	2	2					2					
23	Inflammation and abscess of the liver.	M	5									2	1	
		F	6	1					1					1
24	Other diseases of the liver	M	35	1			1		2		1			
		F	7											
25	Peritonitis	M	30	4	1	1			6	4	1	2	2	4
		F	61	2	1	1		1	5	6		4	6	8
26	Ascites	M												
		F												
27	Others of this class	M	22	11		2			13	2				
		F	18	10	1				11			1	1	
28	6. Diseases of the urinary system and male organs of generation.		246	6	3	6		1	16	9	7	4	10	15
29	Males		136	4	2	2		1	9	4	3	1	5	2
30	Females		110	2	1	4			7	5	4	3	5	13
31	Bright's disease	M	99							4	3	1	4	2
		F	90							5	4	3	2	9
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	14	4	2	2		1	9				1	
		F	9	2	1	3			6					1
34	Diseases of the bladder	M	15											
		F												
35	Others of this class	M	8											
		F	11			1			1				3	3
36	7. Diseases of the female organs of generation.		18									1	1	4
37	Ovarian tumors		1											
38	Ovarian diseases		1											
39	Diseases of the tubes		4										1	1
40	Uterine tumors		4											1
41	Uterine diseases		1											
42	Others of this class		7									1		2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
31	46	50	40	29	31	22	34	33	23	10	4	1		1	1
18	23	33	30	20	25	15	13	11	8	5	2	1		1	2
13	23	17	10	9	6	7	21	22	15	5	2				3
															4
16	20	29	28	14	18	11	7	8	5	4		1		1	5
9	19	14	9	8	5	7	17	17	12	3	2				
		1													6
		1		2	4	1	2	2	2	1	1				7
1			1				3	4	3	2					
1	1			2											8
1	2	1													
			1	1	1	1	1	1	1		1				9
				1			1								
1	2	2	1	1	2	2	3								10
2	2	2			1			1							
26	19	18	18	19	25	12	10	6	2	3	1				11
7	9	9	12	12	19	7	4	4	1	2	1				12
19	10	9	6	7	6	5	6	2	1	1					13
															14
															15
1															
	1			1	2	1	1	1		1					16
	1	1			2										
	1		1	1	2	1									17
1			1												
			1	1	3										18
	3	2	2						1						
3	2	1			1										19
3		1				1									
		1	1		1					1					20
		1		1				1							
	1				1										21
1															
						1		1			1				22
			1	1											23
	1			1			1	1							
1	1	3	5	6	7	4	3	1	1						24
1	1	1		1	1	1				1					
1	2	3	3	2											25
12	3	3	2	3	3	3	3								
															26
2	1	1			2			1							27
	1		1	1			2								
23	22	19	20	20	12	12	19	15	12	9	2				28
13	12	7	13	19	6	8	13	6	8	6	1				29
10	10	12	7	1	6	4	6	9	4	3	1				30
10	11	5	13	18	5	5	9	4	4	1					31
10	8	12	4	1	6	4	6	9	4	3					
															32
		1		1	1				1						33
			2												
						2	3	2	2	5	1				34
3	1	1				1	1		1						35
	2		1								1				
2	2	2	2	2		1			1						36
				1											37
			1												38
1	1														39
				1		1			1						40
1															41
	1	2	1												42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		63									2	16	14
2	Abortion		7										3	2
3	Childbirth		13										2	3
4	Puerperal septicemia		34									2	9	8
5	Extra-uterine pregnancy													
6	Others of this class		9										2	1
7	9. Diseases of the bones and joints		20		1				1	6	3		2	
8	Males		12							4	1		2	
9	Females		8		1				1	2	2			
10	Diseases of the spine	M	5							2	1		1	
		F	4							2				
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	3							1				
		F	1		1				1					
13	Diseases of the hip-joint	M	2							1			1	
		F	2								1			
14	Others of this class	M	2											
		F	1								1			
15	10. Diseases of the skin		7	3					3				1	1
16	Males		5	3					3					1
17	Females		2										1	
18	Abscess	M	4	3					3					1
		F												
19	Carbuncle	M												
		F												
20	Others of this class	M	1											
		F	2										1	
21	11. Diseases of the absorbent system		2											
22	Males		2											
23	Females													
24	Addison's disease	M	1											
		F												
25	Diseases of the spleen	M	1											
		F												
26	Others of this class	M												
		F												
27	12. Accidents and injuries		389	19	10	6	11	4	50	17	11	16	35	35
28	Males		332	12	9	4	6	3	34	13	9	15	27	28
29	Females		57	7	1	2	5	1	16	4	2	1	8	7
30	Burns and scalds	M	20	2	3	3	2	1	11	1				
		F	20		1	2	5	1	9	2	2			2
31	Drowning	M	59		2		2	1	5	9	5	4	5	3
		F	1											1
32	Exposure and neglect	M	1	1					1					
		F	1	1					1					
33	Gunshot wounds	M	14	1					1		1	2	4	1
		F	2									1	1	
34	Homicide	M	4											2
		F	2											1
35	Infanticide	M												
		F												
36	Injuries by machinery	M	2									1		
		F												
37	Railroad accidents	M	45			1			1		2	4	4	1
		F	3										1	1
38	Suffocation	M	8	4	1				5			1		
		F	5	3					3	1			1	
39	Suicide by shooting	M	12										2	1
		F	1											
40	Suicide by drowning	M	1											
		F												
41	Suicide by poison	M	8											1
		F	1										1	
42	Other suicides	M	25											1
		F	5										1	1
43	Sunstroke	M	1											
		F												
44	Surgical operations	M												
		F	2											
45	Wounds	M	5									1		1
		F												
46	Others of this class	M	127	4	3		2	1	10	3	1	2	12	17
		F	14	3					3	1			3	1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCANDINAVIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
15	11	4	1												1
1	1														2
3	4	1													3
9	4	1	1												4
															5
2	2	2													6
	3		3				1	1							7
	1		3					1							8
	2						1								9
			1												10
	1						1								
															11
	1		1												12
															13
	1														
			1					1							14
	1	1													15
		1													16
	1														17
															18
															19
		1													20
	1														
1			1												21
1			1												22
															23
			1												24
1															25
															26
45	43	37	20	27	16	14	12	2	2	4				3	27
40	38	34	20	26	16	12	11	2	1	3				3	28
5	5	3		1		2	1		1	1					29
1		2	2	2			1								30
	3	1		1											
8	8	5	2	4	1										31
															32
2		1	1			1									33
2															34
						1									
															35
	1														36
7	7	7	2	3	4	2								1	37
									1						
1						1									38
1		1	1	2	4										39
1															
				1											40
		1	1	3			2								41
	7	4	3	2	3	2	2		1						42
	1	1								1					
1															43
															44
	1	1													
2						1									45
15	15	13	8	9	4	5	6	2		3				2	46
4						1	1								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		4,386	391	101	48	38	22	600	83	34	79	111	157
2	Males		2,338	232	55	26	20	10	343	45	16	32	59	75
3	Females		2,048	159	46	22	18	12	257	38	18	47	52	82
4	Unknown cause		31	3	2				5		1		1	1
5	Males		14	3	1				4					
6	Females		17		1				1		1		1	1
	1. General diseases.													
7	General diseases—A		566	110	39	18	20	9	196	44	11	14	15	17
8	Males		267	60	19	7	10	4	100	25	4	5	8	11
9	Females		299	50	20	11	10	5	96	19	7	9	7	6
10	Measles	M	9	1	2		1		4	5				
		F	7	4		2			6	1				
11	Scarlet fever	M	12	1	1	1			3	6				2
		F	14	1		2	3		6	6	1			
12	Diphtheria	M	23	2	1	3	6	3	15	7	1			
		F	31	1	5	4	5	4	19	9	1	2		
13	Whooping cough	M	7	1	4	1	1		7					
		F	11	6	4		1		11					
14	Malarial fever	M	10											1
		F	9			1			1		1	1	1	2
15	Influenza	M	31		1				1	1		1		
		F	47	1		1			2				1	
16	Typhoid fever	M	32		1				1		2	3	6	2
		F	23								3	4	4	2
17	Cholera morbus	M	5	1					1	1				1
		F	6								1	1		
18	Colitis	M	3											
		F	4	1	1				2					
19	Diarrhea	M	11	1					1	1			1	
		F	18											
20	Dysentery	M	8	2					2					
		F	17			1	1		2					
21	Enteritis	M	42	24	4				28	3				1
		F	58	16	6			1	23	1				1
22	Cholera infantum	M	30	23	4	1	2		30					
		F	21	18	3				21					
23	Fever	M	2	1					1					
		F												
24	Cerebro-spinal fever	M	13	2	1	1			4	1	1	1	1	1
		F	7	1	1				2	1		1		1
25	Smallpox	M	2											
		F												
26	Erysipelas	M	7											1
		F	4											
27	Septicemia	M	12											1
		F	7	1					1	1				
28	Venereal diseases	M	3	1					1					
		F	2										1	
29	Others of this group	M	5					1	1					1
		F	13											
30	General diseases—B		73	26				2	28			1	2	
31	Males		47	19				1	20				2	
32	Females		26	7				1	8			1		
33	Alcoholism	M	19											
		F	8											
34	Parasitic diseases	M	1					1	1					
		F												
35	Lead poison	M												
		F												
36	Other poisons	M	7	1					1				2	
		F	6					1	1			1		
37	Inanition	M	20	18					18					
		F	12	7					7					
38	General diseases—C		344	104					104				1	
39	Males		163	69					69					
40	Females		181	35					35				1	
41	Old age	M	84											
		F	130											
42	Premature birth	M	29	29					29					
		F	20	20					20					
43	Malformation	M	4	4					4					
		F	4	4					4					
44	Debility and atrophy	M	40	30					30					
		F	24	9					9				1	
45	Others of this group	M	6	6					6					
		F	8	2					2					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
187	237	253	250	297	296	305	357	371	301	271	126	46	18	7	1
98	140	138	138	171	159	164	191	192	156	130	63	20	6	2	2
89	97	115	112	126	137	141	166	179	145	141	63	26	12	5	3
2	1	1	3	3	4	1	4	3	1						4
		1	2		1	1	3	1	1						5
2	1		1	3	3		1	2							6
13	19	10	15	11	23	20	31	42	30	32	15	5	2	1	7
9	13	3	6	5	9	6	14	17	8	13	8	2	1		8
4	6	7	9	6	14	14	17	25	22	19	7	3	1	1	9
															10
1															11
		1													
															12
															13
		1		1	2	1	2	2							14
		1			1					1					
	1	1			3	1	2	6	3	9	1	1			15
			1	2	5	5	1	13	9	5	2		1		
4	5	1	2	1		2	3								16
3	1	2	1	1		1	1								
								2							17
							1	2	1						
					1		1				1				18
						1	1								
1							1	2	1	1	1		1		19
	1		1	1		2	2	2	2	5	1			1	
							2	2			2				20
		1			2	2	3	1	3	3					
			1		1	1	1		2	1	2	1			21
	2	1	4		4	2	5	4	3	4	4				
															22
									1						23
1	3														24
				1								1			
	1				1										25
1	1			1		1			1	1					26
	2							1	1						
1	1		1	2	1		1	2		1	1				27
		1	2		1				1						
	1		1												28
							1								
			1				1	1							29
1				1	1	1	2	2	2	1		2			
2	5	6	7	5	9	2	2		2	2					30
2	4	4	3	5	3	1	1		2						31
	1	2	4		6	1	1			2					32
1	3	4	2	5	2		1		1						33
	1	2	3		2										
															34
															35
1	1		1		1										36
			1		2					1					
						1			1						37
					2	1	1			1					
		1		1	5	9	11	21	40	64	57	20	8	2	38
		1			2	2	6	13	13	21	26	7	3		39
				1	3	7	5	8	27	43	31	13	5	2	40
						1	4	12	13	20	24	7	3		41
						4	4	7	25	41	31	12	5	1	
															42
															43
		1			2	1	2	1		1	2				44
				1	2	3	1	1	2	2		1		1	
					1										45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		851	19	3	3	5	3	33	8	6	24	43	56
2	Males		443	9	2	3	3	1	18	3	4	6	22	20
3	Females		408	10	1		2	2	15	5	2	18	21	36
4	Anemia	M	6											
		F	11											
5	Diabetes	M	21			1			1	1	2			
		F	13							1		1		1
6	Rheumatism	M	6											
		F	13										1	
7	Scrofula and tabes	M	2											
		F	4											
8	Hydrocephalus	M	11	5	1	1	2		9		1			
		F	12	7	1		1	1	10	1				
9	Tuberculosis, general	M	2											
		F	4	1					1					2
10	Consumption	M	287	3	1	1		1	6	2	1	6	22	18
		F	192	1			1	1	3	3	2	15	18	31
11	Cancer	M	90											2
		F	137	1					1			1	1	2
12	Tumor	M	10											
		F	12									1	1	
13	Dropsy	M	4											
		F	10											
14	Others of this group	M	4	1			1		2					
		F												
15	2. Diseases of the nervous system		571	44	18	12	2	1	77	3	2	6	6	8
16	Males		321	20	11	8		1	40	2		4	4	5
17	Females		250	24	7	4	2		37	1	2	2	2	3
18	Inflammation of the brain	M	3	1					1	1				
		F	2			1			1					
19	Meningitis	M	30	3	5	5			13	1		2	1	2
		F	28	7	6	1	2		16	1	1	2		
20	Apoplexy	M	134		1				1			1	1	
		F	118	1					1					1
21	Paralysis	M	67	1					1					
		F	41	1					1					1
22	Paralysis, general (of insane)	M	6											
		F	5											
23	Tetanus and trismus nascentium	M	1	1					1					
		F	1											
24	Chorea	M												
		F												
25	Epilepsy	M	6										1	
		F	2											
26	Convulsions	M	19	11	5	3			19					
		F	18	12		2			14				1	1
27	Mental diseases	M	16										1	
		F	6											
28	Diseases of the brain	M	23	3					3			1		2
		F	30	3	1				4		1		1	
29	Diseases of the spinal cord	M	7											1
		F	2											
30	Locomotor ataxia	M	2											
		F												
31	Others of this class	M	7					1	1					
		F	2											
32	3. Diseases of the circulatory system		477	9	1				10	3	1	6	4	14
33	Males		267	4					4	1	1	3	3	3
34	Females		210	5	1				6	2		3	1	6
35	Pericarditis	M	4											1
		F	1											
36	Diseases of the heart	M	237	3					3	1	1	3	3	7
		F	190	2	1				3	2		3	1	6
37	Angina pectoris	M	15											
		F	6											
38	Diseases of the arteries	M	7											
		F	4											
39	Aneurism	M	2											
		F	4											
40	Embolism	M	1											
		F	2											
41	Others of this class	M	1	1					1					
		F	3	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
72	81	91	61	80	62	59	55	45	38	26	4	4	1	2	1
39	48	54	36	44	35	25	30	20	20	12	2	3	1	1	2
33	33	37	25	36	27	34	25	25	18	14	2	1		1	3
		2		2			1			1					4
	1			5	1	3						1			
	1	3		1	5	1	2	1		1	1	1			5
1		1	1		1	2	1	1	2						
	3	1	1					1							6
2		1	1			2	1	1		2	1			1	
					1			1							7
1		1	1		1										
	1														8
1															
1					1										9
		1													
36	40	38	26	31	18	15	15	7	3	2				1	10
27	24	21	9	10	9	5	4	6	2	2	1				
1	3	10	7	8	7	8	11	10	16	4	1	2			11
1	7	12	12	16	13	21	15	14	13	8					
1			1	1	2	1	1		1	2					12
	1		1	2	2		2	2							
				1	1					2					13
				3		1	2	1	1	2					
			1										1		14
13	22	23	29	42	45	48	59	69	58	43	16	1	1		15
7	13	14	20	25	24	29	28	34	33	27	11	1			16
6	9	9	9	17	21	19	31	35	25	16	5		1		17
1															18
				1											
3			3	2			1			1	1				19
1		1	3	1			1	1							
1	3	6	5	12	12	18	16	22	20	11	5				20
1	4	5	5	9	13	9	20	26	13	3	3				
1	3	1	3	6	6	5	7	9	10	10	4	1			21
		3	1	4	3	1	4	5	6	10	2				
			2		1	1		1		1					22
1						4									
															23
					1										
															24
	2		2			1									25
1									1						
															26
	1				1										
1	3	2	2		1	2	1		1	1	1				27
1	1			1				2		1					
	1	4		1	2	1	1	2	2	3					28
	3			1	2	3	6	1	5	2			1		
	1		2	2	1										29
					1	1									
		1		1											30
			1	1	1	1	2								31
1						1									
13	20	25	28	40	38	58	55	75	46	27	9	4		1	32
3	12	10	12	20	21	37	33	50	31	13	3	2			33
10	8	15	16	20	17	21	22	25	15	14	6	2		1	34
				1				1	1						35
							1								
3	11	10	12	17	20	33	31	42	23	12	3	2			36
9	7	14	12	20	17	21	21	20	14	11	6	2		1	
	1			2	1	3	1	3	4						37
1		1	2					1	1						
								3	3	1					38
								3		1					
						1		1							39
	1		2					1							
							1								40
										2					
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		614	52	31	12	8	5	108	5	4	6	10	14
2	Males		324	34	17	6	6	2	65	4	1	2	6	9
3	Females		290	18	14	6	2	3	43	1	3	4	4	5
4	Croup	M	5		2		2		4	1				
		F	5		2	2		1	5					
5	Pneumonia	M	233	16	13	5	4	1	39	1	1	2	5	9
		F	195	12	9	3	2	1	27	1	2	3	4	4
6	Laryngitis	M												
		F	1		1				1					
7	Bronchitis	M	55	11	2	1		1	15	2				
		F	51	4	2	1		1	8					
8	Pleurisy	M	3											
		F	11									1		
9	Asthma	M	2											
		F	5											
10	Others of this class	M	26	7					7				1	
		F	22	2					2		1			1
11	5. Diseases of the digestive system		248	10	4				14	8	1	11	8	10
12	Males		121	5	2				7	3	1	4	3	3
13	Females		127	5	2				7	5		7	5	7
14	Dentition	M	3	2	1				3					
		F	2	1	1				2					
15	Angina	M												
		F	1							1				
16	Gastritis	M	12											
		F	26									1	1	3
17	Diseases of the stomach	M	9											
		F	8							1			1	1
18	Obstruction of the bowels	M	7							1				
		F	9	1					1	1		1		
19	Appendicitis	M	20							1	1	2	2	2
		F	9									2	1	1
20	Hernia	M	11	1					1					
		F	4											
21	Other diseases of the bowels	M	4		1				1					
		F	2	1					1					
22	Jaundice	M												
		F	3	1					1	1				
23	Inflammation and abscess of the liver.	M	6											
		F	4											
24	Other diseases of the liver	M	27											
		F	29											1
25	Peritonitis	M	13							1		2	1	1
		F	21	1	1				2			3	2	1
26	Ascites	M												
		F	1											
27	Others of this class	M	9	2					2					
		F	8							1				
28	6. Diseases of the urinary system and male organs of generation.		309	2					2	2	4	2	5	11
29	Males		191	1					1		3	1	1	6
30	Females		118	1					1	2	1	1	4	5
31	Bright's disease	M	138								2	1	1	4
		F	105							2	1	1	4	5
32	Calculus, urinary	M	4								1			
		F												
33	Diseases of the kidney	M	6											1
		F	7	1					1					
34	Diseases of the bladder	M	16											
		F	1											
35	Others of this class	M	27	1					1					1
		F	5											
36	7. Diseases of the female organs of generation.		15										1	4
37	Ovarian tumors		4											1
38	Ovarian diseases		1											
39	Diseases of the tubes													
40	Uterine tumors		6										1	1
41	Uterine diseases		1											1
42	Others of this class		3											1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	27	29	42	38	40	46	61	51	43	42	12	10	4		1
15	12	17	24	23	20	25	28	21	18	24	6	3	1		2
7	15	12	18	15	20	21	33	30	25	18	6	7	3		3
															4
11	8	14	22	20	17	18	22	13	13	11	5	2			5
5	12	9	12	10	13	13	21	22	19	10	4	4			
															6
	1	1	2	3	2	5	4	4	4	10	1		1		7
1			2	2	2	4	8	5	5	8	1	3	2		
1								1	1						8
1	1	1	2	1	2	1	1								
1							1								9
					1	1		2			1				
2	3	2			1	2	1	3		3		1			10
	2	2	2	2	2	2	3	1	1				1		
10	12	18	10	27	22	27	27	22	8	9	3	1			11
2	7	7	7	18	14	15	16	6	4	3		1			12
8	5	11	3	9	8	12	11	16	4	6	3				13
															14
															15
1				2	1	2	3		2	1					16
1		1		1		5	5	4	1		3				
	1	2		2	1		1	1	1						17
					2	2		1							
	1				2	1	1	1							18
1		1	1	1		1		1							
1		1	1	6	1	1			1						19
2		2		1											
	1	1		2		1	3	1		1					20
				1			1		1	1					
				1		1		1							21
								1							
															22
						1									
	2	1	1	1								1			23
		1			1	1				1					
	2	2	2	2	5	8	5	1							24
1	2	4	1	4	3	1	4	5		3					
			2	1	2		2	1							25
3	2	2	1	1		1	1	2							
															26
					1										
			1	1	2	1	1			1					27
	1				1			2	2	1					
8	17	20	23	34	30	24	45	33	25	18	6				28
5	9	11	7	20	19	17	27	24	21	15	4				29
3	8	9	16	14	11	7	18	9	4	3	2				30
5	7	8	5	19	17	10	21	18	10	9	1				31
2	6	7	16	12	9	7	16	9	3	3	2				
								1	2						32
	1	1				2			1						33
	1	1		1	2		1								
		1				1	2	3	5	2	2				34
				1											
	1	1	2	1	2	4	4	2	3	4	1				35
1	1	1					1		1						
2	1	2	1	2	1			1							36
		1			1			1							37
1															38
															39
	1	1		2											40
															41
1			1												42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	**8. Affections connected with pregnancy**	28										2	5
2	Abortion	3											1
3	Childbirth	10											1
4	Puerperal septicemia	10											2
5	Extra-uterine pregnancy	1											1
6	Others of this class	4										2	
7	**9. Diseases of the bones and joints**	12		1		1		2	2				
8	Males	6		1				1	2				
9	Females	6				1		1					
10	Diseases of the spine M	2							1				
	Diseases of the spine F	3				1		1					
11	Abscess, lumbar and psoas M	1											
	Abscess, lumbar and psoas F												
12	Diseases of the bones M												
	Diseases of the bones F												
13	Diseases of the hip-joint M	1							1				
	Diseases of the hip-joint F												
14	Others of this class M	2		1				1					
	Others of this class F	3											
15	**10. Diseases of the skin**	13	1	1				2	1	1			
16	Males	8	1	1				2					
17	Females	5							1	1			
18	Abscess M	6											
	Abscess F	4							1	1			
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	2	1	1				2					
	Others of this class F	1											
21	**11. Diseases of the absorbent system**	4											
22	Males												
23	Females	4											
24	Addison's disease M												
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F	1											
26	Others of this class M												
	Others of this class F	2											
27	**12. Accidents and injuries**	230	11	1	3	2	2	19	7	3	9	13	17
28	Males	166	7	1	2	1	1	12	5	2	7	10	13
29	Females	64	4		1	1	1	7	2	1	2	3	4
30	Burns and scalds M	13	1	1	1	1	1	5	1				
	Burns and scalds F	8			1		1	2			1		
31	Drowning M	25							1	1	6	4	2
	Drowning F	6							1	1	1		
32	Exposure and neglect M	3											1
	Exposure and neglect F												
33	Gunshot wounds M	6											1
	Gunshot wounds F	1										1	
34	Homicide M	1											
	Homicide F	1				1		1					
35	Infanticide M												
	Infanticide F	1	1					1					
36	Injuries by machinery M												
	Injuries by machinery F												
37	Railroad accidents M	25							1	1		2	2
	Railroad accidents F	4											
38	Suffocation M	10	4					4				1	
	Suffocation F	3	2					2					1
39	Suicide by shooting M	7										2	
	Suicide by shooting F	1											
40	Suicide by drowning M	2											
	Suicide by drowning F												
41	Suicide by poison M	7											
	Suicide by poison F	4										1	1
42	Other suicides M	10											
	Other suicides F	1											
43	Sunstroke M	2											
	Sunstroke F	1											
44	Surgical operations M												
	Surgical operations F	3											
45	Wounds M	3											1
	Wounds F	1											
46	Others of this class M	52	2		1			3	2		1	1	6
	Others of this class F	29	1					1	1			1	2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN SCOTLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	6	4	1												1
1		1													2
3	3	2	1												3
5	3														4
															5
1		1													6
	1	1	1		1	1	1	1	1						7
	1							1	1						8
		1	1		1	1	1								9
									1						10
			1			1									
	1														11
															12
															13
								1							14
		1			1		1								
	1	2	1	1		2	1		1						15
	1	1		1		2	1								16
		1	1						1						17
	1	1		1		2	1								18
		1	1												
															19
															20
									1						
	1	1		1						1					21
															22
	1	1		1						1					23
	1														24
															25
				1											
															26
		1								1					
20	23	19	28	12	16	8	5	8	8	7	4	1	2	1	27
16	20	15	21	10	11	4	4	5	4	2	3	1		1	28
4	3	4	7	2	5	4	1	3	4	5	1		2		29
	2		3		1			1							30
	1		3			1									
5	1	1	3				1								31
1		1				1									
			1						1						32
	2	2	1												33
	1														34
															35
															36
3	2	6	2	2	1	2		1							37
		1	1		1				1						
			2	1		1	1								38
1	1			1		1	1								39
		1													
				1					1						40
1	1	1	1	3											41
				1	1										
1	3	1	1		3			1							42
			1												
		1							1						43
				1											
1			1			1									44
	1		1												45
					1										
5	6	3	6	2	6		1	2	1	2	3	1		1	46
2	2	1	1		2	1	1	3	3	5	1		2		

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		9,501	3,542	1,519	565	305	172	6,103	335	136	227	318	331
2	Males		5,428	1,982	804	296	163	79	3,324	172	72	127	180	210
3	Females		4,073	1,560	715	269	142	93	2,779	163	64	100	138	121
4	Unknown cause		44	17	4	3		1	25	2	1	1	1	5
5	Males		24	11	3	1			15	1				3
6	Females		20	6	1	2		1	10	1	1	1	1	2
7	1. General diseases. General diseases—A		2,192	1,050	449	176	98	48	1,821	104	28	28	31	27
8	Males		1,170	558	241	97	50	22	968	49	11	16	18	22
9	Females		1,022	497	208	79	48	26	858	55	17	12	13	5
10	Measles	M	152	35	74	24	12	3	148	3				
		F	139	36	62	25	8	4	135	4				
11	Scarlet fever	M	45	6	8	8	5	3	30	11	2	1	1	
		F	27	1	8	5	4	4	22	4	1			
12	Diphtheria	M	123	14	32	32	19	7	104	13	2	1		
		F	103	14	21	19	21	7	82	20			1	
13	Whooping cough	M	43	22	16	4	1		43					
		F	54	25	12	8	5	3	53	1				
14	Malarial fever	M	21	5	1	1	1		8	2		1	1	2
		F	13		1	2	2	1	6	2	1	1		1
15	Influenza	M	30	9	3	2	1		15	1	1		2	2
		F	25	8	2	2			12	1		2		
16	Typhoid fever	M	57	2	2		1	1	6	1		9	11	12
		F	40		4	2	1	1	8	5	3	6	7	1
17	Cholera morbus	M	9	3	1				4	1	2			
		F	14	4	2	1	1	1	9	2				
18	Colitis	M	10	8	1	1			10					
		F	8	5	1				6			1		
19	Diarrhea	M	67	46	11	4	1		62	2				
		F	60	37	13		1	1	52	1	3			
20	Dysentery	M	22	4	1	2	1	1	9	1	1	1		1
		F	20	9	6		1		16	1				
21	Enteritis	M	305	207	58	10	4	4	283	4	3	1	2	3
		F	262	183	41	8	2	4	238	6	3	1		
22	Cholera infantum	M	176	142	28	4	1	1	176					
		F	164	130	29	4	1		164					
23	Fever	M	1											
		F	1											
24	Cerebro-spinal fever	M	28	10	5	3	2	1	21	7				
		F	24	9	2	2			13	5	5			1
25	Smallpox	M	1											
		F	1		1				1					
26	Erysipelas	M	35	20		1			21			1		
		F	32	20		1	1		22	1			1	
27	Septicemia	M	18	2				1	3	3			1	1
		F	21	5	1				6	2	1		4	2
28	Venereal diseases	M	22	16		1	1		18					
		F	12	10	1				11			1		
29	Others of this group	M	5	2					2			1		1
		F	2	1	1				2					
30	General diseases—B		113	91	1	3	1		96	2				2
31	Males		69	54	1	2			57	1				1
32	Females		44	37		1	1		39	1				1
33	Alcoholism	M	2											1
		F	1			1			1					
34	Parasitic diseases	M	1			1			1					
		F												
35	Lead poison	M												
		F	1	1					1					
36	Other poisons	M	11			1			1	1				
		F	4				1		1	1				1
37	Inanition	M	55	54	1				55					
		F	38	36					36					
38	General diseases—C		566	484	23	3	5	4	519	1		2		
39	Males		331	289	9	2	3	2	305	1		2		
40	Females		235	195	14	1	2	2	214					
41	Old age	M	14											
		F	19											
42	Premature birth	M	137	137					137					
		F	93	93					93					
43	Malformation	M	22	22					22					
		F	16	16					16					
44	Debility and atrophy	M	133	105	9	2	3	2	121	1		2		
		F	98	77	14	1	2	2	96					
45	Others of this group	M	25	25					25					
		F	9	9					9					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
323	345	275	244	220	193	123	110	91	59	37	14	3	6	8	1
199	231	179	177	156	124	85	70	50	32	21	10	2	1	6	2
124	114	96	67	64	69	38	40	41	27	16	4	1	5	2	3
2	5	1								1					4
1	4														5
1	1	1								1					6
27	29	24	17	14	13	6	14	4	3	1				1	7
15	17	17	8	10	6	3	9	3	2	1					8
12	12	7	9	4	7	3	5	1	1					1	9
							1								10
															11
1	1							1							12
															13
1		1		2	2				1						14
1							1								
	1	2	1	2			1	1	1						15
1	1			1	4		2							1	
6	5	4	2	1											16
3	2	2	2			1									
		1		1											17
	1		2												
															18
1															
1		1					1								19
					2		2								
		2	2	2	1	1	1								20
				1		1			1						
	1		2			1	3	1		1					21
1	2	2	4	2	1	1		1							
															22
		1													23
1															
															24
1															25
3	3	1	1	2	1	1	1								26
1	5	2													
1	4	3			1		1								27
3	1	1	1												
	2	1			1										28
1															29
2	2	2		4	2	1									30
2	1	2		3	1	1									31
	1			1	1										32
					1										33
															34
															35
2	1	2		3		1									36
					1										
															37
	1			1											
2		1			1	2	5	9	9	6	5	1	3		38
2		1			1	1	2	5	3	3	3	1	1		39
						1	3	4	6	3	2		2		40
							2	4	2	1	3	1	1		41
						1	3	2	6	3	2		2		
															42
															43
2		1			1	1		1	1	2					44
								2							
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		834	76	54	27	16	9	182	28	25	82	88	76
2	Males		472	43	31	17	7	5	103	12	10	43	47	37
3	Females		362	33	23	10	9	4	79	16	15	39	41	39
4	Anemia	M	8	2	1				3			1		2
		F	4			1			1	1			1	
5	Diabetes	M	8										2	
		F	4	1		1			2					
6	Rheumatism	M	7	1					1			1		1
		F	9	2			1		3		1	2		
7	Scrofula and tabes	M	9	3	2				5	1	1		1	
		F	6		3	1		1	5	1				
8	Hydrocephalus	M	52	19	13	5	1	3	41	6	2	2		
		F	43	16	10	3	5	1	35	7		1		
9	Tuberculosis, general	M	16	1	4	4	1	1	11			1		
		F	10	6	1				7	1	1	1		
10	Consumption	M	312	11	11	8	4	1	35	5	5	37	44	32
		F	216	6	9	3	3	2	23	6	13	35	38	36
11	Cancer	M	46								1	1		2
		F	60										2	3
12	Tumor	M	4	1					1					
		F	5											
13	Dropsy	M												
		F	2											
14	Others of this group	M	10	5			1		6		1			
		F	3	2		1			3					
15	2. Diseases of the nervous system		771	297	103	40	23	17	480	37	18	10	13	23
16	Males		469	183	56	25	11	5	280	23	12	6	8	18
17	Females		302	114	47	15	12	12	200	14	6	4	5	5
18	Inflammation of the brain	M	5		1			1	2	1				1
		F	6		1	2			3	1				
19	Meningitis	M	201	79	44	19	9	3	154	15	7	1	3	6
		F	139	52	31	9	9	10	111	11	4	1	4	1
20	Apoplexy	M	69			1			1				1	4
		F	40	1		1			2		1			1
21	Paralysis	M	11											2
		F	6		1	1			2	1				
22	Paralysis, general (of insane)	M	2											
		F	2											
23	Tetanus and trismusnascentium	M	24	6	1	1			8	3	2	1		2
		F	6	5					5					
24	Chorea	M												
		F												
25	Epilepsy	M	9	3		1			4		1		1	1
		F	4				1		1					1
26	Convulsions	M	108	88	9	3	1	1	102	2	2	1		
		F	74	52	13	1	1	2	69			2		
27	Mental diseases	M	8										2	
		F	9								1			1
28	Diseases of the brain	M	22	4	1		1		6	2		2	1	
		F	10	2	1	1			4	1		1		
29	Diseases of the spinal cord	M	5	1					1			1		1
		F	3	1			1		2					1
30	Locomotor ataxia	M	3	1					1					
		F	1										1	
31	Others of this class	M	2	1					1					1
		F	2	1					1					
32	3. Diseases of the circulatory system		355	44	3	1		1	49	17	11	14	8	21
33	Males		221	28	1	1			30	7	3	8	5	11
34	Females		134	16	2			1	19	10	8	6	3	10
35	Pericarditis	M	6							1	1			1
		F	4					1	1			1		
36	Diseases of the heart	M	189	15	1	1			17	6	2	8	5	9
		F	121	13	2				15	9	8	5	2	10
37	Angina pectoris	M	7											
		F	3							1				
38	Diseases of the arteries	M	1											
		F												
39	Aneurism	M	4											1
		F	1											
40	Embolism	M	2	1					1					
		F	2										1	
41	Others of this class	M	12	12					12					
		F	3	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
81	62	45	63	36	20	17	11	8	9		1				1
45	42	26	45	27	10	10	8	2	4		1				2
36	20	19	18	9	10	7	3	6	5						3
	1			1											4
		1													
		2	1	1			2								5
			1	1											
			2	1							1				6
1		1		1											
	1														7
1															8
3	1														9
36	35	20	30	16	4	9	2	1	1						10
28	13	9	5	1	4	2			3						
4	3	3	11	7	5	1	4	1	3						11
5	5	7	12	6	6	4	2	6	2						
1			1	1											12
2	1	1					1								
															13
	1					1									
	1	1			1										14
10	14	29	19	20	36	18	16	15	6	5		1		1	15
8	11	21	13	8	21	13	8	10	3	4		1		1	16
2	3	8	6	12	15	5	8	5	3	1					17
	1														18
		1		1											
2	2	5	2	1	3										19
1		1	3	2											
3	3	7	6	4	11	8	5	8	3	4		1			20
	2	2	3	5	8	5	6	3	2						
	1	1	1	2	1	1	2								21
					1		1	1							
		1			1										22
				1	1										
2	1	1	1		2			1							23
								1							
															24
		1						1							25
				1					1						
														1	26
		3													
	1		1	1	1	1	1								27
1	1	1		1	3										
1	1	4	1		2	2									28
				1	1		1			1					
	1		1												29
		1				1									30
															31
					1										
20	37	23	25	31	39	22	14	9	6	7	1			1	32
16	26	15	17	21	26	15	8	4	3	5				1	33
4	11	8	8	10	13	7	6	5	3	2	1				34
		2				1									35
	1			1											
12	25	11	13	21	26	14	8	4	3	4				1	36
4	8	8	8	8	12	7	6	5	3	2	1				
3		1	3												37
	1				1										
										1					38
1		1	1												39
				1											
	1														40
	1														
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	3,278	1,320	844	269	120	63	2,616	84	25	32	58	52
2	Males	1,845	728	443	131	65	29	1,396	45	16	20	38	36
3	Females	1,433	592	401	138	55	34	1,220	39	9	12	20	16
4	Croup M	49	10	16	10	9	2	47	2				
	Croup F	38	7	14	6	4	4	35	2		1		
5	Pneumonia M	1,293	430	328	95	45	21	919	36	13	18	33	32
	Pneumonia F	936	333	281	100	41	23	778	29	8	7	18	15
6	Laryngitis M	14	2	5	2	1		10	2				
	Laryngitis F	10	1	3	3	1		8	2				
7	Bronchitis M	418	263	86	22	9	4	384	4	1	2	3	1
	Bronchitis F	398	227	97	28	9	4	365	2	1	3	1	
8	Pleurisy M	26	3	5	2	1	1	12		1		2	
	Pleurisy F	9	4	1			1	6	1				1
9	Asthma M	3											
	Asthma F	3	1					1					
10	Others of this class M	42	20	3			1	24	1	1			3
	Others of this class F	39	19	5	1		2	27	3		1	1	
11	5. Diseases of the digestive system	350	110	20	5	2	3	140	12	8	12	14	16
12	Males	207	64	7	3	2	3	79	8	6	7	8	11
13	Females	143	46	13	2			61	4	2	5	6	5
14	Dentition M	7	5	2				7					
	Dentition F	11	8	2	1			11					
15	Angina M	5	2		1	1		4			1		
	Angina F	2	1	1				2					
16	Gastritis M	24	13				1	14		2			
	Gastritis F	30	13	6	1			20	1			1	1
17	Diseases of the stomach M	3		1				1					
	Diseases of the stomach F	4											
18	Obstruction of the bowels M	17	7					7			1		4
	Obstruction of the bowels F	8	2					2	1		1		
19	Appendicitis M	19					1	1		1	3	6	1
	Appendicitis F	6								2			1
20	Hernia M	10	1					1	1		1		1
	Hernia F	1	1					1					
21	Other diseases of the bowels M	1	1					1					
	Other diseases of the bowels F	2	1					1					
22	Jaundice M	13	10					10					
	Jaundice F	8	7					7	1				
23	Inflammation and abscess of the liver. M	4											
	Inflammation and abscess of the liver. F	8	2					2				1	
24	Other diseases of the liver M	38	2	1	1			4	3				2
	Other diseases of the liver F	16							1				
25	Peritonitis M	42	7	1	1	1	1	11	4	2	1	2	2
	Peritonitis F	35	3	2				5			4	4	3
26	Ascites M												
	Ascites F	1	1					1					
27	Others of this class M	24	16	2				18		1			1
	Others of this class F	11	7	2				9					
28	6. Diseases of the urinary system and male organs of generation.	259	11	8	9	16	7	51	15	5	7	13	11
29	Males	162	6	6	5	10	5	32	7	3	3	2	6
30	Females	97	5	2	4	6	2	19	8	2	4	11	5
31	Bright's disease M	104							5	2	2	2	5
	Bright's disease F	66							8	2	3	9	5
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	39	6	6	5	10	5	32	2		1		1
	Diseases of the kidney F	15	4	1	3	5	2	15					
34	Diseases of the bladder M	6											
	Diseases of the bladder F												
35	Others of this class M	13								1			
	Others of this class F	16	1	1	1	1		4			1	2	
36	7. Diseases of the female organs of generation.	29	1					1			3	5	5
37	Ovarian tumors	4									1		
38	Ovarian diseases	2											
39	Diseases of the tubes	6										2	1
40	Uterine tumors	4											1
41	Uterine diseases	3									1		2
42	Others of this class	10	1					1			1	3	1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
44	55	58	56	44	40	28	24	28	16	13	3		2		1
33	40	43	45	34	28	21	16	17	9	6	2				2
11	15	15	11	10	12	7	8	11	7	7	1		2		3
															4
29	35	36	40	30	22	18	12	11	5	4					5
9	12	12	8	7	9	3	4	6	5	6					
		1		1											6
1	3		1		3	2	1	5	3	2	2				7
2	2	2	1	3	1	2	4	3	2	1	1		2		
1		3	2	2	2			1							8
			1												
		1					2								9
								2							
2	2	2	2	1	1	1	1		1						10
	1	1	1		2	2									
20	24	22	22	24	18	8	5	6	3		1				11
10	12	11	17	18	10	3	2	2	2		1				12
10	12	11	5	6	3	5	3	4	1						13
															14
															15
1	1	1	2	1	2										16
1	1		1		1		2	1							
	1			1											17
	1	1	1			1									
1	2			1	1										18
1	1					1	1								
	1	2	2	1	1										19
1		1	1												
2			1		1		1	1							20
															21
	1														
				2					1						22
			2		2										23
1	1	1	1			1									
4	4	3	4	8	2	1	1	1	1						24
1		4		2	2	2		3	1						
1	3	4	6	3	1	1					1				25
5	7	4	1	2											
															26
1		1		1		1									27
				2											
12	18	22	17	22	15	15	18	6	5	3	2	1	1		28
7	12	12	12	16	11	13	14	5	4	1	2				29
5	6	10	5	6	4	2	4	1	1	2		1	1		30
6	9	10	11	12	9	11	10	5	4		1				31
4	3	7	5	6	4	1	4	1		2		1	1		
															32
	1		1	1											33
	1					2	2			1					34
1	1	2		3	2		2				1				35
1	3	3				1			1						
5	5		1	2	1									1	36
1			1		1										37
2															38
2	1														39
	2			1											40
															41
	2			1										1	42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN ITALY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	118									10	24	24
2	Abortion	1											1
3	Childbirth	24										3	3
4	Puerperal septicemia	69									6	18	14
5	Extra-uterine pregnancy	1											
6	Others of this class	23									4	3	6
7	9. Diseases of the bones and joints	18	4			2	1	7	3	2		1	
8	Males	11				1	1	2	2	2		1	
9	Females	7	4			1		5	1				
10	Diseases of the spine M	5				1		1	1	2			
	Diseases of the spine F	3	1			1		2	1				
11	Abscess, lumbar and psoas M	1										1	
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	3					1	1	1				
	Diseases of the bones F	3	2					2					
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F												
14	Others of this class M	2											
	Others of this class F	1	1					1					
15	10. Diseases of the skin	15	10			1		11			2		1
16	Males	9	6			1		7			1		1
17	Females	6	4					4			1		
18	Abscess M	5	3			1		4			1		
	Abscess F	4	2					2			1		
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	4	3					3					1
	Others of this class F	2	2					2					
21	11. Diseases of the absorbent system	4								1			1
22	Males	4								1			1
23	Females												
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	4								1			1
	Others of this class F												
27	12. Accidents and injuries	555	27	10	29	21	18	105	30	12	24	62	67
28	Males	434	17	6	12	13	7	55	16	8	21	53	63
29	Females	121	10	4	17	8	11	50	14	4	3	9	4
30	Burns and scalds M	34	2	4	8	9	2	25	2			1	2
	Burns and scalds F	50		2	12	7	8	29	7	2		1	2
31	Drowning M	35			1		1	2	3		4	7	5
	Drowning F	3		1				1					1
32	Exposure and neglect M	1											
	Exposure and neglect F	2	1					1				1	
33	Gunshot wounds M	24								1	1	4	4
	Gunshot wounds F	3			1	1		2	1				
34	Homicide M	20								2	2	2	3
	Homicide F	2									1		
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	3									1	1	
	Injuries by machinery F												
37	Railroad accidents M	100							2	2	5	15	14
	Railroad accidents F	8									1		1
38	Suffocation M	16	6		1			7	1			1	2
	Suffocation F	8	3	1				4	2				
39	Suicide by shooting M	13									1	3	2
	Suicide by shooting F	2									1		
40	Suicide by drowning M	2										2	
	Suicide by drowning F												
41	Suicide by poison M	2										1	
	Suicide by poison F												
42	Other suicides M	4										2	1
	Other suicides F	1										1	
43	Sunstroke M	15	5					5			1		3
	Sunstroke F	3	1		1			2				1	
44	Surgical operations M	2											
	Surgical operations F	3										1	
45	Wounds M	7											2
	Wounds F	1							1				
46	Others of this class M	156	4	2	2	4	4	16	3	3	6	14	25
	Others of this class F	35	5		3		3	11	3	2		4	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN ITALY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
25	21	18	1												1
															2
6	6	6													3
16	9	5	1												4
	1														5
3	5	2													6
2	1	1							1						7
1	1	1							1						8
1															9
									1						10
															11
1															12
1															
															13
	1	1													14
						1									15
															16
						1									17
						1									18
															19
															20
	1		1												21
	1		1												22
															23
															24
															25
	1		1												26
71	71	34	22	23	13	5	3	6	1	1	1			4	27
59	64	30	19	19	10	5	3	2	1	1	1			4	28
12	7	4	3	4	3			4							29
	4														30
3	2	2		1				1							
6	3	1		1		2	1								31
					1										
														1	32
6	4	2			1									1	33
5	3	1		2											34
				1											
															35
	1														36
12	17	7	7	10	2	1	2	1			1			2	37
1	1		1		2			1							
1	3	1													38
		1						1							
2	1	1	1		2										39
1															
															40
1															41
		1													42
	3		1		1				1						43
2															44
1	1														
1	3	1													45
23	22	15	10	6	4	2		1		1					46
6	3	1	2	2				1							

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		1,713	215	54	15	9	8	301	20	14	17	51	70
2	Males		981	124	31	8	7	5	175	13	8	10	30	36
3	Females		732	91	23	7	2	3	126	7	6	7	21	34
4	Unknown cause		7										2	
5	Males		4										1	
6	Females		3										1	
	1. General diseases.													
7	General diseases—A		249	94	19	4	2	5	124	4	2	3	8	12
8	Males		136	55	12	2	2	3	74	1	2	1	6	5
9	Females		113	39	7	2		2	50	3		2	2	7
10	Measles	M	2	1		1			2					
		F												
11	Scarlet fever	M	3				1	2	3					
		F												
12	Diphtheria	M	5		2		1	1	4					
		F	5	1		1			2	2				
13	Whooping cough	M	4	3	1				4					
		F	2		2				2					
14	Malarial fever	M	8											1
		F	4										1	
15	Influenza	M	5											
		F	11	1					1					
16	Typhoid fever	M	14								1		5	
		F	17					2	2	1		2		3
17	Cholera morbus	M	3		1				1					1
		F	7											
18	Colitis	M												
		F	2	1					1					
19	Diarrhea	M	7										1	
		F	5	2					2					
20	Dysentery	M	5											1
		F	3											1
21	Enteritis	M	24	18	1				19					1
		F	15	10					10					1
22	Cholera infantum	M	36	30	6				36					
		F	28	23	5				28					
23	Fever	M												
		F												
24	Cerebro-spinal fever	M	5	2	1				3	1				
		F												
25	Smallpox	M	2			1			1					
		F												
26	Erysipelas	M	5	1					1					
		F	1											
27	Septicemia	M	3								1			
		F	4										1	2
28	Venereal diseases	M												
		F	2	1		1			2					
29	Others of this group	M	5									1		1
		F	7											
30	General diseases—B		24	7	1				8			1		2
31	Males		15	3					3					2
32	Females		9	4	1				5			1		
33	Alcoholism	M	5											1
		F	2											
34	Parasitic diseases	M												
		F												
35	Lead poison	M	1											
		F												
36	Other poisons	M	5											
		F	2		1				1			1		
37	Inanition	M	4	3					3					1
		F	5	4					4					
38	General diseases—C		119	41	2				43					1
39	Males		63	25	1				26					
40	Females		56	16	1				17					1
41	Old age	M	30											
		F	32											
42	Premature birth	M	11	11					11					
		F	7	7					7					
43	Malformation	M	1	1					1					
		F	1	1					1					
44	Debility and atrophy	M	20	12	1				13					
		F	16	8	1				9					1
45	Others of this group	M	1	1					1					
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
78	94	105	91	107	128	185	186	133	113	58	41	21	2	3	1
45	45	66	47	69	82	83	80	68	64	25	22	9	1	3	2
28	49	39	44	38	46	52	56	65	49	33	19	12	1		3
1			1	1					2						4
1			1	1											5
									2						6
4	8	8	5	4	7	19	8	12	11	6	3		1		7
2	4	4	2	1	6	10	6	4	4	3	1				8
2	4	4	3	3	1	9	2	8	7	3	2		1		9
															10
															11
1			1												12
															13
		2			1	1	1		1	1					14
		1		1		1									
						1	2		1	1					15
						2		4	2		1		1		
	2	2	1		1		1		1						16
1	1	1	3			2		1							
							1								17
	2	1				2			1		1				
															18
								1							
	1			1		2				1	1				19
						1	1		1						
						2	1	1							20
								1		1					
					3	1									21
		1						1	2						
															22
															23
1															24
					1										25
	1					2		1							26
							1								
1						1									27
	1														
															28
								2	1						29
				2	1	1			1	2					
	2	1		2	1	1	3	1				1		1	30
	1	1		2	1	1	2	1						1	31
	1						1					1			32
		1		2			1								33
	1						1								
															34
							1								35
	1				1	1		1						1	36
															37
												1			
1				1		2	3	14	11	15	16	11	1		38
1						2	1	7	4	6	10	5	1		39
				1			2	7	7	9	6	6			40
						1	1	4	3	6	9	5	1		41
							2	5	6	8	6	5			
															42
															43
1						1		3	1		1				44
				1				2	1	1		1			
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		330	9	4	1	1	1	16	2		6	21	22
2	Males		179	7	3	1	1		12	1		3	11	8
3	Females		151	2	1			1	4	1		3	10	14
4	Anemia	M	4	1					1					
		F	2											
5	Diabetes	M	6											1
		F	7											
6	Rheumatism	M	5											
		F	4											
7	Scrofula and tabes	M	3	2	1				3					
		F	1											
8	Hydrocephalus	M	5	1	1	1			3			1		
		F	4	1				1	2	1				
9	Tuberculosis, general	M												
		F	2		1				1					
10	Consumption	M	111	3	1		1		5	1		2	11	7
		F	74	1					1			3	10	12
11	Cancer	M	42											
		F	51											2
12	Tumor	M	2											
		F	3											
13	Dropsy	M												
		F	2											
14	Others of this group	M	1											
		F	1											
15	**2.** Diseases of the nervous system		222	18	9	3	3	1	34	4	1		2	2
16	Males		119	7	4	1	2	1	15	3			2	2
17	Females		103	11	5	2	1		19	1	1			
18	Inflammation of the brain	M	1	1					1					
		F	3	1					1		1			
19	Meningitis	M	15	2		1	2	1	6	2			1	
		F	13	3	3	1	1		8	1				
20	Apoplexy	M	51											
		F	44											
21	Paralysis	M	16											
		F	19											
22	Paralysis, general (of insane)	M	2											
		F	1											
23	Tetanus and trismus nascentium	M	3	1					1					
		F												
24	Chorea	M												
		F												
25	Epilepsy	M	3											1
		F												
26	Convulsions	M	6	3	3				6					
		F	9	6	2	1			9					
27	Mental diseases	M	2											
		F												
28	Diseases of the brain	M	15		1				1	1			1	1
		F	10											
29	Diseases of the spinal cord	M	1											
		F	2											
30	Locomotor ataxia	M	2											
		F												
31	Others of this class	M	2											
		F	2	1					1					
32	**3.** Diseases of the circulatory system		177	2					2	2	3	2	4	7
33	Males		110							2		2	3	6
34	Females		67	2					2		3		1	1
35	Pericarditis	M	1							1				
		F	1											
36	Diseases of the heart	M	96							1		2	3	5
		F	61	2					2		3		1	1
37	Angina pectoris	M	5											
		F	1											
38	Diseases of the arteries	M	2											
		F	3											
39	Aneurism	M	5											1
		F												
40	Embolism	M	1											
		F	1											
41	Others of this class	M												
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
26	36	32	29	20	35	28	22	17	11	5	1	1			2
17	16	21	11	14	18	15	13	9	6	2	1	1			2
9	20	11	18	6	17	13	9	8	5	3					3
	1			1	1										4
					1					1					
						1	3	1							5
		1	1		2	1	1	1							
					1		1	1	2						6
1	1	1			1										
															7
	1														
		1													8
									1						
															9
					1										
17	12	18	6	7	12	6	2	3	1			1			10
7	15	6	9	3	3	1	2	1	1						
	2	2	4	5	4	8	7	4	3	2	1				11
1	3	3	8	3	9	10	4	4	2	2					
	1		1												12
						1	1	1							
															13
							1		1						
				1											14
								1							
2	10	11	10	14	15	18	25	23	30	12	8	1			15
2	7	8	7	7	10	10	15	7	19	3	2				16
	3	3	3	7	5	8	10	16	11	9	6	1			17
															18
											1				
1	1	2	1				1								19
		1	1			1		1							
	2	5	2	2	3	5	10	5	12	3	2				20
			2	3	4	4	7	9	9	4	2				
	2	1	2	1	2	2	1	1	4						21
	2	1		1	1	1	2	3	2	3	2	1			
1			1												22
		1													
				1			1								23
															24
				1	1										25
															26
							1		1						27
	1		1		3	2	1	1	2						28
	1			2		2	1	3			1				
	1														29
				1						1					
				2											30
					1	1									31
										1					
6	6	8	7	16	15	18	21	23	17	8	8	3		1	32
3	4	6	4	11	10	12	10	15	10	4	5	2		1	33
3	2	2	3	5	5	6	11	8	7	4	3	1			34
															35
							1								
2	1	6	3	9	8	12	9	14	10	3	5	2		1	36
3	2	2	2	5	5	6	10	7	6	3	2	1			
	2		1		1					1					37
			1												
				1				1							38
									1	1	1				
	1			1	1		1								39
1															40
								1							
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		209	34	17	5	1	1	58	2	3	1	3	8
2	Males		122	21	11	3	1	1	37	1	2	1	2	5
3	Females		87	13	6	2			21	1	1		1	3
4	Croup	M												
		F	1		1				1					
5	Pneumonia	M	82	10	9	2		1	22		1	1	1	3
		F	64	6	4	2			12	1	1		1	3
6	Laryngitis	M	1								1			
		F												
7	Bronchitis	M	23	11	2	1	1		15	1				1
		F	16	6	1				7					
8	Pleurisy	M	1										1	
		F	1											
9	Asthma	M	6											1
		F												
10	Others of this class	M	9											
		F	5	1					1					
11	5. Diseases of the digestive system		133	9	2	2			13	3	3	4	6	4
12	Males		75	6		1			7	3	2	3	2	2
13	Females		58	3	2	1			6		1	1	4	2
14	Dentition	M												
		F	1		1				1					
15	Angina	M	1											
		F												
16	Gastritis	M	8											
		F	5		1				1					
17	Diseases of the stomach	M	4											
		F												
18	Obstruction of the bowels	M	5	1		1			2	1				1
		F	6	2		1			3					
19	Appendicitis	M	5							1	1			
		F	6								1			1
20	Hernia	M	2											
		F												
21	Other diseases of the bowels	M	2	1					1					
		F	2											
22	Jaundice	M	1											
		F	3										1	
23	Inflammation and abscess of the liver.	M	4											1
		F	1											
24	Other diseases of the liver	M	24										1	
		F	20										1	1
25	Peritonitis	M	8							1	1	1	1	
		F	11	1					1			1	2	
26	Ascites	M	1											
		F												
27	Others of this class	M	10	4					4			2		
		F	3											
28	6. Diseases of the urinary system and male organs of generation.		144										2	2
29	Males		92										2	
30	Females		52											2
31	Bright's disease	M	73										2	
		F	45											
32	Calculus, urinary	M												
		F												
33	Diseases of the kidney	M	2											
		F	2											
34	Diseases of the bladder	M	10											
		F	1											
35	Others of this class	M	7											
		F	4											2
36	7. Diseases of the female organs of generation.		8											
37	Ovarian tumors		4											
38	Ovarian diseases													
39	Diseases of the tubes		1											
40	Uterine tumors		3											
41	Uterine diseases													
42	Others of this class													

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
10	15	9	7	11	17	13	18	17	11	3	2	1			1
6	5	6	4	8	10	9	9	8	7	1	1				2
4	10	3	3	3	7	4	9	9	4	2	1	1			3
															4
5	4	6	4	5	7	7	7	5	3	1					5
3	9	2	1	2	6	3	6	7	4	2		1			
															6
					1	1	1	2	1						7
1		1			1	1	2	2			1				
			1												8
					1	1			2		1				9
1	1			3	1		1	1	1						10
	1		1	1			1								
9	8	13	7	8	16	12	13	6	3	3		2			11
5	3	6	5	5	9	5	10	3	2	2		1			12
4	5	7	2	3	7	7	3	3	1	1		1			13
															14
										1					15
			1	2	2	2		1							16
					1	1		1	1						
	1		1		1		1								17
1															18
						2	1								
		1		1			1								19
1	1	1		1											
						1						1			20
		1													21
			1					1							
							1								22
							1					1			
1				1			1								23
1															
1	2	3	2	1	6	2	4	1	1						24
	2	5		1	5	2	1	1		1					
1		1					1	1							25
2	2		1		1	1									
										1					26
1			1				1		1						27
		1		1		1									
1	6	7	19	18	18	17	19	16	12	5	1	1			28
	3	3	10	13	14	13	11	11	8	3	1				29
1	3	4	9	5	4	4	8	5	4	2		1			30
	2	3	7	11	10	12	9	9	6	2					31
1	2	4	9	5	3	4	6	5	3	2		1			
															32
				1				1							33
	1				1										
	1		1	1	2	1	2	1			1				34
							1								
			2		2				2	1					35
							1		1						
2		1	1	2				1	1						36
1		1		1				1							37
															38
1															39
			1	1					1						40
															41
															42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN FRANCE (WHITE)—Continued.

	CAUSE OF DEATH		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		7											1
2	Abortion													
3	Childbirth		3											
4	Puerperal septicæmia		3											
5	Extra-uterine pregnancy													
6	Others of this class		1											1
7	9. Diseases of the bones and joints		2											1
8	Males		1											
9	Females		1											1
10	Diseases of the spine	M	1											
		F												
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M												
		F	1											1
13	Diseases of the hip-joint	M												
		F												
14	Others of this class	M												
		F												
15	10. Diseases of the skin		3											
16	Males		3											
17	Females													
18	Abscess	M	1											
		F												
19	Carbuncle	M	1											
		F												
20	Others of this class	M	1											
		F												
21	11. Diseases of the absorbent system													
22	Males													
23	Females													
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M												
		F												
26	Others of this class	M												
		F												
27	12. Accidents and injuries		79	1			2		3	3	2		3	8
28	Males		62				1		1	2	2		1	6
29	Females		17	1			1		2	1			2	2
30	Burns and scalds	M	1											
		F	3				1		1	1				
31	Drowning	M	8								1			1
		F												
32	Exposure and neglect	M												
		F												
33	Gunshot wounds	M	2											1
		F	1										1	
34	Homicide	M	1											
		F	1											
35	Infanticide	M												
		F												
36	Injuries by machinery	M												
		F												
37	Railroad accidents	M	10				1		1					1
		F	1											
38	Suffocation	M												
		F	1	1					1					
39	Suicide by shooting	M	9											1
		F												
40	Suicide by drowning	M												
		F												
41	Suicide by poison	M	5										1	
		F	1										1	
42	Other suicides	M	5											
		F	2											
43	Sunstroke	M	1											
		F												
44	Surgical operations	M												
		F												
45	Wounds	M	2											
		F												
46	Others of this class	M	18							2	1			2
		F	7											2

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN FRANCE (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	1	3													1
															2
1		2													3
1	1	1													4
															5
															6
1															7
1															8
															9
1															10
															11
															12
															13
															14
					1				2						15
					1				2						16
															17
									1						18
					1										19
									1						20
															21
															22
															23
															24
															25
															26
8	2	12	5	10	3	7	4	3	2	1	2			1	27
7	2	11	3	7	3	6	3	3	2	1	1			1	28
1		1	2	3		1	1				1				29
					1										30
			1												
2		1		1		1		1							31
															32
					1										33
1				1											34
															35
															36
2	2	2						1						1	37
							1								38
2		1	1	3			1								39
															40
		1				1	1	1							41
		1		1		2				1					42
		1									1				
											1				43
															44
		1		1											45
1		4	2		1	2	1		2						46
			1	3		1									

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		1,446	530	169	54	29	24	806	44	14	30	65	77
2	Males		812	296	92	27	14	11	440	22	6	11	34	45
3	Females		634	234	77	27	15	13	366	22	8	19	31	32
4	Unknown cause		8	4	2				6					
5	Males		3	2	1				3					
6	Females		5	2	1				3					
	1. General diseases. General diseases—A													
7			338	167	61	17	5	11	261	17	2	6	16	8
8	Males		184	82	32	11	2	7	134	11	1	1	10	7
9	Females		154	85	29	6	3	4	127	6	1	5	6	1
10	Measles	M	5	3	2				5					
		F	7	2	4	1			7					
11	Scarlet fever	M	12	2	3	2	1	2	10	2				
		F	5			1			1	2	1	1		
12	Diphtheria	M	24	1	7	6	1	5	20	3	1			
		F	19	1	10	3		2	16	3				
13	Whooping cough	M	4	2	2				4					
		F	5	2	2		1		5					
14	Malarial fever	M												
		F	1									1		
15	Influenza	M	2							1				
		F												
16	Typhoid fever	M	23							2		1	9	5
		F	7	1					1			1	4	
17	Cholera morbus	M	3	1					1					
		F	3	1	1				2					
18	Colitis	M												
		F	2	1	1				2					
19	Diarrhea	M	5	3					3					
		F	9	5	3				8					
20	Dysentery	M	5	1	2				3	1				
		F	2	2					2					
21	Enteritis	M	52	39	11	1			51					
		F	43	31	7	1		1	40	1				
22	Cholera infantum	M	31	25	4	1			30					
		F	38	36	1		1		38					
23	Fever	M	1	1					1					
		F												
24	Cerebro-spinal fever	M	6	1	1	1			3	2				1
		F	2	1				1	2					
25	Smallpox	M												
		F												
26	Erysipelas	M	5	2					2					
		F	7	2					2			2	1	
27	Septicemia	M	4	1					1				1	1
		F	3				1		1				1	
28	Venereal diseases	M												
		F	1											1
29	Others of this group	M	2											
		F												
30	General diseases—B		27	20	2	1			23					1
31	Males		17	11	2				13					1
32	Females		10	9		1			10					
33	Alcoholism	M	4											1
		F												
34	Parasitic diseases	M												
		F												
35	Lead poison	M												
		F												
36	Other poisons	M												
		F												
37	Inanition	M	13	11	2				13					
		F	10	9		1			10					
38	General diseases—C		93	77	3	1			81			1		1
39	Males		51	43	2				45			1		
40	Females		42	34	1	1			36					1
41	Old age	M	3											
		F	4											
42	Premature birth	M	12	12					12					
		F	14	14					14					
43	Malformation	M	6	6					6					
		F	1	1					1					
44	Debility and atrophy	M	28	23	2				25			1		
		F	20	16	1	1			18					1
45	Others of this group	M	2	2					2					
		F	3	3					3					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
68	81	55	43	36	32	30	18	17	7	9	8	1		5	1
45	50	38	21	24	15	21	11	9	4	6	6			4	2
23	31	17	22	12	17	9	7	8	3	3	2	1		1	3
1			1												4
															5
1			1												6
3	5	5	3	3	2	3		2		1				1	7
3	4	2	2	1	2	3		1		1				1	8
	1	3	1	2				1							9
															10
															11
															12
															13
															14
						1									15
2	1	2	1												16
		1													
						2									17
	1														
															18
				1	1										19
								1							
										1					20
	1														21
		1	1												
														1	22
															23
															24
															25
	1		1		1										26
				2											
1															27
		1													
															28
	1							1							29
	1			2											30
	1			2											31
															32
	1			2											33
															34
															35
															36
															37
					1	1	2		1	2	2	1			38
					1	1	2				1				39
									1	2	1	1			40
							2				1				41
									1	2		1			
															42
															43
					1	1									44
											1				
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		164	17	7	4	4	1	33	6	4	7	8	28
2	Males		93	10	4	3	2	1	20		2	3	5	14
3	Females		71	7	3	1	2		13	6	2	4	3	9
4	Anemia	M	1	1					1					
		F												
5	Diabetes	M	1											
		F	2								1			
6	Rheumatism	M	1											
		F	1											
7	Scrofula and tabes	M												
		F												
8	Hydrocephalus	M	12	6	2	3	1		12					
		F	8	1	3	1	2		7	1				
9	Tuberculosis, general	M	3	1					1					
		F	1	1					1					
10	Consumption	M	68	2	2		1	1	6		2	3	3	14
		F	37	4					4	4	1	3	3	8
11	Cancer	M	5											
		F	19											1
12	Tumor	M	2										2	
		F	1									1		
13	Dropsy	M												
		F												
14	Others of this group	M												
		F	2	1					1	1				
15	2. Diseases of the nervous system		135	62	16	3		3	84	3	1	2		3
16	Males		78	42	9			1	52	2	1	1		1
17	Females		57	20	7	3		2	32	1		1		2
18	Inflammation of the brain	M												
		F												
19	Meningitis	M	14	8	4				12	1				
		F	15	5	2	1		2	10	1		1		1
20	Apoplexy	M	11		1				1					
		F	16	1					1					
21	Paralysis	M	5					1	1					
		F	3											
22	Paralysis, general (of insane)	M	1											
		F												
23	Tetanus and trismus nascentium	M	4	3					3		1			
		F	1	1					1					
24	Chorea	M												
		F												
25	Epilepsy	M	1									1		
		F												
26	Convulsions	M	34	29	3				32					
		F	21	13	5	2			20					1
27	Mental diseases	M	1											1
		F	1											
28	Diseases of the brain	M	6	2					2	1				
		F												
29	Diseases of the spinal cord	M	1		1				1					
		F												
30	Locomotor ataxia	M												
		F												
31	Others of this class	M												
		F												
32	3. Diseases of the circulatory system		68	11			1		12	3	2	1	3	6
33	Males		29	6					6	2				2
34	Females		39	5			1		6	1	2	1	3	4
35	Pericarditis	M												
		F												
36	Diseases of the heart	M	26	5					5	2				2
		F	35	5			1		6	1	2	1	3	4
37	Angina pectoris	M	1											
		F	2											
38	Diseases of the arteries	M												
		F	1											
39	Aneurism	M												
		F												
40	Embolism	M	1											
		F	1											
41	Others of this class	M	1	1					1					
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
14	22	15	8	7	7	4	4	1		1					1
12	9	11	5	4	3	2	1	1		1					2
2	13	4	3	3	4	2	3								3
															4
		1													5
	1														
										1					6
			1												
															7
															8
		1		1											9
12	9	8	4	2	2	1	1	1							10
2	8	2	1	1											
		1	1	1	1	1									11
	4	2	1	2	4	2	3								
															12
															13
															14
4	7	1	3	3	4	4	1	8	4	1	1			1	15
2	4	1	1		1	3	1	3	3	1	1				16
2	3		2	3	3	1		5	1					1	17
															18
						1									19
1								1							
1					1	1		3	3	1					20
	2		2	3	2	1		4	1						
	3		1												21
1					1									1	
	1														22
															23
															24
															25
		1				1									26
															27
	1														
1							1				1				28
															29
															30
															31
3	4	7	8	4	3	2	6	2		1	1				32
1	2	5	3	3		1	3	1							33
2	2	2	5	1	3	1	3	1		1	1				34
															35
	1	5	3	3		1	3	1							36
2	2	2	4	1	2	1	2	1		1					
1															37
			1		1										
											1				38
															39
	1														40
							1								
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	342	140	70	24	16	5	255	6	1	4	8	9
2	Males	196	83	39	10	8	1	141	3		1	3	6
3	Females	146	57	31	14	8	4	114	3	1	3	5	3
4	Croup M	5		1		2	1	4	1				
	Croup F	6	1	1		2	1	5	1				
5	Pneumonia M	150	56	33	10	5		104	2		1	3	5
	Pneumonia F	121	46	26	12	6	2	92	1		3	5	3
6	Laryngitis M	1				1		1					
	Laryngitis F												
7	Bronchitis M	24	19	3				22					
	Bronchitis F	15	8	4	1		1	14	1				
8	Pleurisy M	4	1	1				2					
	Pleurisy F	1			1			1					
9	Asthma M												
	Asthma F												
10	Others of this class M	12	7	1				8					1
	Others of this class F	3	2					2		1			
11	5. Diseases of the digestive system	81	19	6				25	5	1		3	5
12	Males	41	8	2				10	2			1	1
13	Females	40	11	4				15	3	1		2	4
14	Dentition M												
	Dentition F	2	1	1				2					
15	Angina M												
	Angina F	1							1				
16	Gastritis M	4	3					3					
	Gastritis F	5	3					3					
17	Diseases of the stomach M	4											
	Diseases of the stomach F	2	1	1				2					
18	Obstruction of the bowels M	2											
	Obstruction of the bowels F	4							1				
19	Appendicitis M	4							1				1
	Appendicitis F	2		1				1					
20	Hernia M	3										1	
	Hernia F												
21	Other diseases of the bowels M												
	Other diseases of the bowels F												
22	Jaundice M	4	1	1				2					
	Jaundice F	5	5					5					
23	Inflammation and abscess of the liver. M	2											
	Inflammation and abscess of the liver. F	2											
24	Other diseases of the liver M	5											
	Other diseases of the liver F	5											
25	Peritonitis M	9	2					2	1				
	Peritonitis F	9								1		2	4
26	Ascites M	1											
	Ascites F												
27	Others of this class M	3	2	1				3					
	Others of this class F	3	1	1				2	1				
28	6. Diseases of the urinary system and male organs of generation.	56	2	2	1	1	3	9			3	2	3
29	Males	30	2	1	1	1	1	6					
30	Females	26		1			2	3			3	2	3
31	Bright's disease M	16											
	Bright's disease F	20									3	2	2
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	5	1	1	1	1	1	5					
	Diseases of the kidney F	2					2	2					
34	Diseases of the bladder M	2											
	Diseases of the bladder F												
35	Others of this class M	7	1					1					
	Others of this class F	4		1				1					1
36	7. Diseases of the female organs of generation.	5										1	1
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes	2										1	1
40	Uterine tumors												
41	Uterine diseases												
42	Others of this class	3											

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	13	7	6	7	6	5	1	2		2	1				1
5	12	4	3	6	4	3	1	1		2	1				2
4	1	3	3	1	2	2		1							3
															4
5	10	2	3	6	3	3		1		1	1				5
4	1	3	3	1	2	2		1							
															6
		1								1					7
		1			1										8
															9
	2						1								10
7	5	6	8	5	5	3	2			1					11
5	4	3	5	4	1	3	1			1					12
2	1	3	3	1	4		1								13
															14
															15
	1														16
1		1													
1	1		1			1									17
			2												18
			2		1										
1				1											19
		1													
		1								1					20
															21
				2											22
2															23
					2										
			1	1		2	1								24
1			1	1	1		1								
1	2	2			1										25
	1	1													
			1												26
															27
6	7		3	3	4	7	2	2	2		3				28
3	3			3	3	4	2	2	1		3				29
3	4		3		1	3			1						30
2	2			1	3	3	1	2			2				31
3	3		2		1	3			1						
															32
															33
							1				1				34
1	1			2		1			1						35
	1		1												
2	1														36
															37
															38
															39
															40
															41
2	1														42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN HUNGARY (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	17										6	2
2	Abortion												
3	Childbirth	4										1	1
4	Puerperal septicemia	11										5	1
5	Extra-uterine pregnancy	1											
6	Others of this class	1											
7	9. Diseases of the bones and joints	1	1					1					
8	Males												
9	Females	1	1					1					
10	Diseases of the spine M												
	F												
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M												
	F	1	1					1					
13	Diseases of the hip-joint M												
	F												
14	Others of this class M												
	F												
15	10. Diseases of the skin	3										1	
16	Males												
17	Females	3										1	
18	Abscess M												
	F	2										1	
19	Carbuncle M												
	F												
20	Others of this class M												
	F	1											
21	11. Diseases of the absorbent system	3	2					2					
22	Males	3	2					2					
23	Females												
24	Addison's disease M	1											
	F												
25	Diseases of the spleen M												
	F												
26	Others of this class M	2	2					2					
	F												
27	12. Accidents and injuries	105	8		3	2	1	14	4	3	6	17	15
28	Males	87	5		2	1		8	2	2	4	15	13
29	Females	18	3		1	1	1	6	2	1	2	2	2
30	Burns and scalds M	10	2		2	1		5				2	
	F	8	2		1		1	4	2	1			
31	Drowning M	4							1	1		1	1
	F	1				1		1					
32	Exposure and neglect M												
	F												
33	Gunshot wounds M	6											3
	F												
34	Homicide M	3											1
	F												
35	Infanticide M												
	F												
36	Injuries by machinery M	1										1	
	F												
37	Railroad accidents M	27	1					1	1	1	4	5	3
	F	2											2
38	Suffocation M	1	1					1					
	F	1	1					1					
39	Suicide by shooting M	2											1
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	1											
	F	1										1	
42	Other suicides M	4											
	F	1									1		
43	Sunstroke M	1											
	F												
44	Surgical operations M												
	F												
45	Wounds M	1											
	F												
46	Others of this class M	26	1					1				6	4
	F	4									1	1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN HUNGARY (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
4	3	1	1												1
															2
	1		1												3
3	1	1													4
	1														5
1															6
															7
															8
															9
															10
															11
															12
															13
															14
1	1														15
															16
1	1														17
	1														18
															19
1															20
	1														21
	1														22
															23
	1														24
															25
															26
14	11	13	2	2		1								3	27
14	10	12	2	1		1								3	28
	1	1		1											29
1	1		1												30
	1														
															31
															32
1	1	1													33
1	1														34
															35
															36
4	3	3												2	37
															38
1															39
															40
														1	41
1		3													42
1															43
															44
	1														45
4	3	5	1	1		1									46
		1		1											

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	1,169	317	78	41	28	14	478	43	22	34	45	64
2	Males	648	189	42	25	13	9	278	20	7	15	27	34
3	Females	521	128	36	16	15	5	200	23	15	19	18	30
4	Unknown cause	7	4					4					
5	Males	3	2					2					
6	Females	4	2					2					
7	1. General diseases. General diseases—A	218	97	29	11	12	5	154	17	5	8	3	8
8	Males	123	54	15	6	6	4	85	7	2	4	2	4
9	Females	95	43	14	5	6	1	69	10	3	4	1	4
10	Measles M	2		1	1			2					
	Measles F	4	3	1				4					
11	Scarlet fever M	5				3	1	4	1				
	Scarlet fever F	6		1	1	1		3	2		1		
12	Diphtheria M	15		2	1	2	3	8	6		1		
	Diphtheria F	18	1	2		5	1	9	7	2			
13	Whooping cough M	4	3	1				4					
	Whooping cough F	4	1	1	2			4					
14	Malarial fever M	2		2				2					
	Malarial fever F												
15	Influenza M	4											
	Influenza F	1											
16	Typhoid fever M	15								2	3	1	2
	Typhoid fever F	5									2		2
17	Cholera morbus M	1											
	Cholera morbus F												
18	Colitis M	1											
	Colitis F												
19	Diarrhea M	12	9		2			11					
	Diarrhea F	7	5	1				6	1				
20	Dysentery M	2			1			1					
	Dysentery F												
21	Enteritis M	25	19	4				23					
	Enteritis F	24	15	5	1			21				1	1
22	Cholera infantum M	29	23	5	1			29					
	Cholera infantum F	18	15	3				18					
23	Fever M												
	Fever F	1	1					1					
24	Cerebro-spinal fever M												
	Cerebro-spinal fever F	2			1			1			1		
25	Smallpox M												
	Smallpox F												
26	Erysipelas M												
	Erysipelas F	2	2					2					
27	Septicemia M	6				1		1				1	2
	Septicemia F	2								1			1
28	Venereal diseases M												
	Venereal diseases F												
29	Others of this group M												
	Others of this group F	1											
30	General diseases—B	34	25	2				27					
31	Males	24	15	2				17					
32	Females	10	10					10					
33	Alcoholism M	4											
	Alcoholism F												
34	Parasitic diseases M	1		1				1					
	Parasitic diseases F												
35	Lead poison M												
	Lead poison F												
36	Other poisons M	1											
	Other poisons F												
37	Inanition M	18	15	1				16					
	Inanition F	10	10					10					
38	General diseases—C	97	49		2			51		1			1
39	Males	49	32		1			33					
40	Females	48	17		1			18		1			1
41	Old age M	8											
	Old age F	21											
42	Premature birth M	18	18					18					
	Premature birth F	5	5					5					
43	Malformation M	1	1					1					
	Malformation F	2	2					2					
44	Debility and atrophy M	21	12		1			13					
	Debility and atrophy F	19	9		1			10		1			1
45	Others of this group M	1	1					1					
	Others of this group F	1	1					1					

CLASS OF DISEASES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
49	53	53	37	45	46	53	53	30	30	17	8	4	2	3	1
30	34	35	24	28	30	22	27	14	9	6	5			3	2
19	19	18	13	17	16	31	26	16	21	11	3	4	2		3
1	1			1											4
				1											5
1	1														6
3	2	2	2	2	4		2	2	1	1	2				7
3	1	2	2	2	3		1	2		1	2				8
	1				1		1		1						9
															10
															11
															12
															13
															14
				1				1		1	1				15
					1										
3	1	1	1				1								16
	1														
					1										17
					1										18
								1							19
		1													20
			1								1				21
									1						
															22
															23
															24
															25
															26
				1	1										27
															28
															29
							1								
	1	1		1			4								30
	1	1		1			4								31
															32
	1	1		1			1								33
															34
															35
							1								36
							2								37
1		1		1	2	5	3	4	9	10	4	2	1	1	38
1		1			1	1	3	2	2	2	2			1	39
				1	1	4		2	7	8	2	2	1		40
						1	2	2	1	1	1				41
						3		2	6	7	1	2			
															42
															43
1		1			1		1		1	1	1			1	44
				1	1	1			1	1	1		1		
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		185	2	3	2		3	10	3	1	10	27	24
2	Males		108	1	1	2		3	7	2		4	17	15
3	Females		77	1	2				3	1	1	6	10	9
4	Anemia	M												
		F												
5	Diabetes	M	2											
		F	2							1				
6	Rheumatism	M	1											
		F	3									1		
7	Scrofula and tabes	M	1										1	
		F												
8	Hydrocephalus	M	7	1		2			3	2			2	
		F	2		2				2					
9	Tuberculosis, general	M	1					1	1					
		F												
10	Consumption	M	72		1			1	2			4	14	15
		F	42	1					1		1	5	10	9
11	Cancer	M	18											
		F	22											
12	Tumor	M	1											
		F	1											
13	Dropsy	M	4											
		F	4											
14	Others of this group	M	1					1	1					
		F	1											
15	2. Diseases of the nervous system		152	58	10	10	2	1	81	2	4	3	2	9
16	Males		82	33	6	5	1	1	46		1	3	1	6
17	Females		70	25	4	5	1		35	2	3		1	3
18	Inflammation of the brain	M	1	1					1					
		F												
19	Meningitis	M	17	5	4	1		1	11			1		2
		F	12	1	1	3	1		6		3			2
20	Apoplexy	M	18	2					2		1	1		1
		F	18											
21	Paralysis	M	4											
		F	2											
22	Paralysis, general (of insane)	M												
		F												
23	Tetanus and trismus nascentium	M	1									1		
		F	1	1					1					
24	Chorea	M												
		F												
25	Epilepsy	M	2											1
		F												
26	Convulsions	M	33	25	2	3	1		31					1
		F	28	23	1	2			26	1				1
27	Mental diseases	M	1											1
		F	3											
28	Diseases of the brain	M	1											
		F	4		2				2	1				
29	Diseases of the spinal cord	M	1										1	
		F												
30	Locomotor ataxia	M	3			1			1					
		F												
31	Others of this class	M												
		F	2										1	
32	3. Diseases of the circulatory system		67	2		1	1	1	5	3	1	3	2	2
33	Males		34	2		1			3	2		1	1	1
34	Females		33				1	1	2	1	1	2	1	1
35	Pericarditis	M	2										1	
		F	4					1	1				1	
36	Diseases of the heart	M	30	1		1			2	2		1		
		F	28				1		1	1	1	2		1
37	Angina pectoris	M	1											1
		F												
38	Diseases of the arteries	M												
		F												
39	Aneurism	M												
		F												
40	Embolism	M												
		F	1											
41	Others of this class	M	1	1					1					
		F												

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
18	16	17	9	11	12	11	6	3	7						1
11	10	12	6	7	9	3	2	1	2						2
7	6	5	3	4	3	8	4	2	5						3
															4
	2														5
							1								
1															6
	1					1									
															7
															8
															9
10	8	11	3	1	3	1									10
5	4	1	2	2			1	1							
			3	5	5	1	2	1	1						11
2		4		2	3	7	2	1	1						
					1										12
									1						
		1		1		1			1						13
			1						3						
															14
	1														
3	2	6	4	11	4	6	5	4	2			1	1	2	15
1	2	5	3	5		4	1	1	1					2	16
2		1	1	6	4	2	4	3	1			1	1		17
															18
			2	1											19
1															
	1	3		3		3	1		1					1	20
1			1	4	3	2	3	2				1	1		
		2		1		1									21
				1			1								
															22
															23
															24
	1														25
														1	26
															27
					1			1	1						
1															28
		1													
															29
			1					1							30
															31
				1											
2	6	2	4	3	5	6	11	8	1	2	1				32
1	4	1	3	2	4	1	5	3	1	1					33
1	2	1	1	1	1	5	6	5		1	1				34
					1										35
							2								
1	4	1	3	2	3	1	5	3	1	1					36
1	2	1	1	1	1	5	4	5		1					
															37
															38
															39
															40
											1				
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	212	49	31	12	12	2	106	9	5	3	2	8
2	Males	116	29	17	8	5		59	4	1		2	2
3	Females	96	20	14	4	7	2	47	5	4	3		6
4	Croup M	3	1	1				2	1				
	Croup F	10	1	1	2	2	1	7	2	1			
5	Pneumonia M	86	20	12	8	5		45	3			2	1
	Pneumonia F	63	13	10	1	4	1	29	1	3	3		6
6	Laryngitis M	2	1	1				2					
	Laryngitis F	1							1				
7	Bronchitis M	12	6	3				9					
	Bronchitis F	17	5	3	1	1		10	1				
8	Pleurisy M	3											
	Pleurisy F												
9	Asthma M	5											
	Asthma F	2											
10	Others of this class M	5	1					1		1			1
	Others of this class F	3	1					1					
11	5. Diseases of the digestive system	81	29	1	1		1	32	2	2	2		4
12	Males	48	19					19	2	1			2
13	Females	33	10	1	1		1	13		1	2		2
14	Dentition M	1	1					1					
	Dentition F	2	2					2					
15	Angina M												
	Angina F	1					1	1					
16	Gastritis M	6	3					3					1
	Gastritis F	2											
17	Diseases of the stomach M												
	Diseases of the stomach F	3		1				1					
18	Obstruction of the bowels M	4											
	Obstruction of the bowels F	2											1
19	Appendicitis M	4							1	1			
	Appendicitis F	2								1			
20	Hernia M												
	Hernia F												
21	Other diseases of the bowels M	1	1					1					
	Other diseases of the bowels F												
22	Jaundice M	1	1					1					
	Jaundice F	1	1					1					
23	Inflammation and abscess of the liver. M	4											
	Inflammation and abscess of the liver. F	1											
24	Other diseases of the liver M	8											1
	Other diseases of the liver F	6											
25	Peritonitis M	2											
	Peritonitis F	4									2		1
26	Ascites M												
	Ascites F												
27	Others of this class M	17	13					13	1				
	Others of this class F	9	7		1			8					
28	6. Diseases of the urinary system and male organs of generation.	50					1	1	2	1	1	1	4
29	Males	16					1	1	1			1	1
30	Females	34							1	1	1		3
31	Bright's disease M	14							1			1	1
	Bright's disease F	30							1	1	1		3
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M												
	Diseases of the kidney F	1											
34	Diseases of the bladder M												
	Diseases of the bladder F												
35	Others of this class M	2					1	1					
	Others of this class F	3											
36	7. Diseases of the female organs of generation.	4										2	1
37	Ovarian tumors												
38	Ovarian diseases												
39	Diseases of the tubes	1											
40	Uterine tumors	1											1
41	Uterine diseases	1										1	
42	Others of this class	1										1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
7	14	5	7	4	5	11	11	5	6	3		1			1
4	11	2	4	2	5	7	7	2	2	2					2
3	3	3	3	2		4	4	3	4	1		1			3
															4
4	9	2	4	1	3	4	6			2					5
3	2	2	2	1		3	3	1	3			1			
															6
						1	1	1							7
	1	1	1			1	1		1						
	1				1	1									8
				1	1	1			2						9
								1		1					
	1							1							10
				1				1							
5	4	9	1	3	6	7	3	1							11
4	4	5	1	2	3	3	2								12
1		4		1	3	4	1	1							13
															14
															15
					1		1								16
					1			1							
															17
		1					1								
1	1	1				1									18
						1									
	1			1											19
					1										
															20
															21
															22
		2	1	1											23
						1									
1	2	2			1	1									24
1		2		1	1	1									
2															25
						1									
															26
					1	1	1								27
		1													
3	5	6	4	3	4	4	7	1	2	1					28
1	1	4	1	1	2		1	1							29
2	4	2	3	2	2	4	6		2	1					30
	1	4	1	1	2		1	1							31
2	3	1	3	2	1	4	5		2	1					
															32
															33
					1										
															34
1															35
	1	1					1								
			1												36
															37
															38
			1												39
															40
															41
															42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	7									1	2	
2	Abortion												
3	Childbirth												
4	Puerperal septicemia	5									1	1	
5	Extra-uterine pregnancy												
6	Others of this class	2										1	
7	9. Diseases of the bones and joints	2									1		
8	Males	2									1		
9	Females												
10	Diseases of the spine M	1									1		
	F												
11	Abscess, lumbar and psoas M												
	F												
12	Diseases of the bones M												
	F												
13	Diseases of the hip-joint M												
	F												
14	Others of this class M	1											
	F												
15	10. Diseases of the skin	1									1		
16	Males	1									1		
17	Females												
18	Abscess M												
	F												
19	Carbuncle M	1									1		
	F												
20	Others of this class M												
	F												
21	11. Diseases of the absorbent system												
22	Males												
23	Females												
24	Addison's disease M												
	F												
25	Diseases of the spleen M												
	F												
26	Others of this class M												
	F												
27	12. Accidents and injuries	52	2	2	2	1		7	5	2	1	4	3
28	Males	42	2	1	2	1		6	2	2	1	3	3
29	Females	10		1				1	3			1	
30	Burns and scalds M	3		1	1			2					
	F	5		1				1	3				
31	Drowning M	4							1	1	1	1	
	F												
32	Exposure and neglect M	1											
	F												
33	Gunshot wounds M	1											
	F												
34	Homicide M												
	F												
35	Infanticide M												
	F												
36	Injuries by machinery M												
	F												
37	Railroad accidents M	4							1				
	F												
38	Suffocation M	2	1			1		2					
	F												
39	Suicide by shooting M	2											1
	F												
40	Suicide by drowning M												
	F												
41	Suicide by poison M	4										1	
	F	1											
42	Other suicides M	7										1	1
	F	1											
43	Sunstroke M	2	1		1			2					
	F	1										1	
44	Surgical operations M	1											
	F												
45	Wounds M												
	F												
46	Others of this class M	11								1			1
	F	2											

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN BOHEMIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
2	2														1
															2
															3
1	2														4
															5
1															6
				1											7
				1											8
															9
															10
															11
															12
															13
				1											14
															15
															16
															17
															18
															19
															20
															21
															22
															23
															24
															25
															26
4		4	5	4	4	3	1	2	2		1				27
4		2	4	4	3	3	1	2	1		1				28
		2	1		1				1						29
		1													30
		1													
															31
			1												32
				1											33
															34
															35
															36
1				1				1							37
															38
1															39
															40
			1			2									41
			1												
1		1		1		1			1						42
		1													
															43
					1										44
															45
1			2	1	2		1	1			1				46
					1				1						

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		5,487	1,939	695	295	151	87	3,167	198	90	137	191	218
2	Males		3,121	1,122	397	150	88	45	1,802	113	50	74	104	122
3	Females		2,366	817	298	145	63	42	1,365	85	40	63	87	96
4	Unknown cause		27	16	2			1	19			1	1	1
5	Males		19	12	1			1	14			1	1	
6	Females		8	4	1				5					1
	1. General diseases.													
7	General diseases—A		1,257	619	255	99	54	28	1,055	56	13	12	12	31
8	Males		664	324	140	42	30	8	544	28	8	6	7	23
9	Females		593	295	115	57	24	20	511	28	5	6	5	8
10	Measles	M	28	10	13	2	2		27	1				
		F	23	7	9	3	2	1	22		1			
11	Scarlet fever	M	51	6	10	10	10	5	41	7	3			
		F	40	3	8	11	5	6	33	6				
12	Diphtheria	M	90	15	32	19	12	2	80	9				
		F	114	14	32	31	10	9	96	12	2	3		1
13	Whooping cough	M	26	13	10	2			25	1				
		F	35	14	11	6	1	1	33	1	1			
14	Malarial fever	M	4	1					1					2
		F	2							1				1
15	Influenza	M	10	3	1		1		5	1				
		F	4		1				1	1				
16	Typhoid fever	M	36							2	2	4	4	14
		F	19	1	1		1	1	4	2		2	1	3
17	Cholera morbus	M	10	4	1		1		6					
		F	7	6					6					
18	Colitis	M	9	5	2				7					1
		F	7	5	1				6				1	
19	Diarrhea	M	22	16	4				20					
		F	16	13	1				14	1				
20	Dysentery	M	10	1	4				5	1				1
		F	6		2				2				1	
21	Enteritis	M	175	129	29	6	1		165	1	1			2
		F	163	116	31	4	2	1	154				1	2
22	Cholera infantum	M	119	93	23	2			118					
		F	108	91	16	1			108					
23	Fever	M	1											
		F												
24	Cerebro-spinal fever	M	35	12	8	1	3	1	25	5	2	1		
		F	14	4	2		2		8	2	1	1		
25	Smallpox	M												
		F	2	1					1	1				
26	Erysipelas	M	14	7	2				9					2
		F	16	13				1	14					
27	Septicemia	M	11	3	1				4				3	1
		F	11	4		1	1		6	1			1	
28	Venereal diseases	M	5	5					5					
		F	3	3					3					
29	Others of this group	M	8	1					1			1		
		F	3											1
30	General diseases—B		89	61	6		1		68	1		1	2	
31	Males		50	30	4		1		35				2	
32	Females		39	31	2				33	1		1		
33	Alcoholism	M	4											
		F												
34	Parasitic diseases	M												
		F												
35	Lead poison	M												
		F												
36	Other poisons	M	13		1		1		2				2	
		F	6	1					1			1		
37	Inanition	M	33	30	3				33					
		F	33	30	2				32	1				
38	General diseases—C		368	311	14	3	1		329				1	
39	Males		209	177	8	1	1		187					
40	Females		159	134	6	2			142				1	
41	Old age	M	17											
		F	14											
42	Premature birth	M	90	90					90					
		F	64	64					64					
43	Malformation	M	9	9					9					
		F	9	9					9					
44	Debility and atrophy	M	80	65	8	1	1		75					
		F	63	52	6	2			60				1	
45	Others of this group	M	13	13					13					
		F	9	9					9					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
199	231	170	132	164	141	149	116	64	51	34	19	7	4	5	1
110	128	108	88	99	71	87	60	37	30	20	9	3	2	4	2
89	103	62	44	65	70	62	56	27	21	14	10	4	2	1	3
1			1		1	1				1					4
1			1		1										5
						1				1					6
6	19	7	10	12	7	3	2	4	2	1	1	3		1	7
5	7	5	5	10	5	1	1	3	2	1	1	1		1	8
1	12	2	5	2	2	2	1	1				2			9
															10
	1														11
				1											12
															13
	1														14
1						1	1			1					15
	1											1			
3	2	2		2	1										16
	4	1	2												
	1		1	1				1							17
1															
								1							18
								1	1						19
												1			
		1							1		1				20
	1		1	1											
		2	1	1	1							1			21
			1		1	2	1	1							
														1	22
			1												23
	1			1											24
	1				1										
															25
	1		1		1										26
		1	1												
				2	1										27
	2			1											
															28
1	1		1	2	1										29
	2														
3	7	1	3	2		1									30
2	5	1	2	2		1									31
1	2		1												32
1	1		1	1											33
															34
															35
1	4	1	1	1		1									36
1	2		1												
															37
		1			2	3	2	7	6	7	3	2	4	1	38
		1			1	1	1	4	3	5	2	1	2	1	39
					1	2	1	3	3	2	1	1	2		40
							1	4	3	5	1	1	2		41
						2	1	2	3	2	1	1	2		
															42
															43
		1			1	1					1			1	44
					1			1							
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		691	65	30	19	14	8	136	15	8	36	55	59
2	Males		411	39	20	13	9	6	87	8	2	22	26	33
3	Females		280	26	10	6	5	2	49	7	6	14	29	26
4	Anemia	M	9				1	1	2	2			1	
		F	3									2		
5	Diabetes	M	13									1		2
		F	8							1				
6	Rheumatism	M	2											
		F	3									2		
7	Scrofula and tabes	M												
		F	3	2	1				3					
8	Hydrocephalus	M	61	21	13	11	5	3	53	5				
		F	36	15	7	4	3	1	30	3		2		
9	Tuberculosis, general	M	5		1				1				1	
		F	4	1					1			2		1
10	Consumption	M	233	13	6	1	3	2	25	1	2	18	21	30
		F	136	5	2	2	1	1	11	1	4	4	28	23
11	Cancer	M	69										2	
		F	71							2	2		1	1
12	Tumor	M	10			1			1			2	1	1
		F	7									1		1
13	Dropsy	M	1											
		F	3	1					1					
14	Others of this group	M	8	5					5			1		
		F	6	2			1		3			1		
15	2. Diseases of the nervous system		478	190	46	25	14	8	283	14	9	13	15	12
16	Males		290	112	26	16	9	5	168	10	3	8	9	7
17	Females		188	78	20	9	5	3	115	4	6	5	6	5
18	Inflammation of the brain	M	4	3		1			4					
		F	1											
19	Meningitis	M	109	41	21	11	8	3	84	9	1	3	4	4
		F	61	33	13	3	3	2	54	2	3	1		
20	Apoplexy	M	54	2				1	3			1		1
		F	35									1	2	1
21	Paralysis	M	16								1	1	1	1
		F	9			1			1		1	1		1
22	Paralysis, general (of insane)	M	1											
		F												
23	Tetanus and trismus nascentium	M	14	10					10		1	2	1	
		F	4	3				1	4					
24	Chorea	M												
		F												
25	Epilepsy	M	5	1	1				2				1	
		F	3	1					1	1			1	
26	Convulsions	M	53	47	3	1	1		52	1				
		F	54	40	6	3	2		51	1		1		1
27	Mental diseases	M	3										2	
		F	10									1	3	1
28	Diseases of the brain	M	24	8	1	1		1	11			1		
		F	9	1	1	2			4		2			
29	Diseases of the spinal cord	M	2			2			2					
		F	1											1
30	Locomotor ataxia	M	1											
		F												
31	Others of this class	M	4											1
		F	1											
32	3. Diseases of the circulatory system		294	28	3	2	5	6	44	14	17	16	15	14
33	Males		147	15	1	1	3	3	23	6	7	9	7	2
34	Females		147	13	2	1	2	3	21	8	10	7	8	12
35	Pericarditis	M	3							1				
		F	2	1					1			1		
36	Diseases of the heart	M	124	9	1		3	3	16	5	7	9	7	2
		F	133	7	2	1	2	2	14	8	9	6	8	12
37	Angina pectoris	M	6											
		F	2								1			
38	Diseases of the arteries	M	5											
		F	2											
39	Aneurism	M	1											
		F	1											
40	Embolism	M	1	1					1					
		F	2					1	1					
41	Others of this class	M	7	5		1			6					
		F	5	5					5					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
73	62	60	36	40	37	33	24	4	8	4	1				1
40	39	42	24	26	17	21	14	3	3	3	1				2
33	23	18	12	14	20	12	10	1	5	1					3
	1	1	1		1										4
			1												
		1	2	1	1	2	2	1							5
				2	2	2			1						
							1	1							6
				1											
															7
2		1													8
					1										
			1	1			1								9
33	30	29	18	11	5	8	5			2					10
29	16	6	2	3	5	3				1					
2	8	9	6	13	10	10	4		3	1	1				11
3	7	11	7	7	11	7	7	1	4						
2		1					1	1							12
			2	1	1		1								
						1									13
							2								
1			1												14
1		1													
10	6	11	10	15	12	17	22	10	10	7	2				15
9	4	7	5	11	7	10	16	8	7	2					16
1	2	4	5	4	5	7	7	2	3	5	2				17
															18
			1												
1	1				1		1								19
	1														
3	1	4	2	7	5	5	9	7	4	2					20
		2	2	4	4	5	4	2	3	3	2				
1	1	1		1		3	2	1	2						21
					1		2			2					
1															22
															23
															24
1		1													25
															26
1															27
1	1	1	1			1									
1	1	1	2	2	1	2	1		1						28
		1	1			1									
															29
				1											30
			1				2								31
							1								
18	19	20	19	18	18	23	17	8	3	7	1	2		1	32
5	11	8	10	14	11	13	9	5	1	4	1	1			33
13	8	12	9	4	7	10	8	3	2	3		1		1	34
1				1											35
2	10	6	9	12	11	11	8	4	1	3	1				36
13	8	11	9	4	6	9	8	2	2	2		1		1	
2	1	1	1	1											37
								1							
						1	1	1		1		1			38
						1				1					
		1													39
		1													
					1										40
						1									41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,307	513	305	121	37	15	991	35	9	14	16	17
2	Males		756	329	179	62	19	6	595	19	5	7	9	11
3	Females		551	184	126	59	18	9	396	16	4	7	6	6
4	Croup	M	25	6	7	5	4		22	3				
		F	19	3	3	6	4	2	18	1				
5	Pneumonia	M	576	234	153	52	13	4	456	14	4	7	9	7
		F	421	126	113	48	9	7	303	14	4	7	5	5
6	Laryngit's	M	3	2				1	3					
		F	3	2					2					
7	Bronchitis	M	93	64	11	2	1	1	79		1			1
		F	66	39	6	5	1		51				1	
8	Pleurisy	M	12	3	3	1	1		8					2
		F	12	1	4		3		8					1
9	Asthma	M	2		1				1					
		F	6	1					1					
10	Others of this class	M	45	20	4	2			26	2				1
		F	24	12			1		13	1				
11	5. Diseases of the digestive system		280	78	10	4	4	4	100	15	11	14	15	21
12	Males		172	48	3	3	2	3	59	8	9	8	8	14
13	Females		108	30	7	1	2	1	41	7	2	6	7	7
14	Dentition	M	4	3	1				4					
		F	5	3	1	1			5					
15	Angina	M	2											1
		F	2				1	1	2					
16	Gastritis	M	17	7	1		1	1	10		1			
		F	11	3	1				4			1		
17	Diseases of the stomach	M	8	1					1				1	
		F	2										1	
18	Obstruction of the bowels	M	19	10		2			12	1				1
		F	12	1	2		1		4	2				1
19	Appendicitis	M	43	1				1	2	5	8	7	5	3
		F	13							2	2	3	4	1
20	Hernia	M	8	2					2					1
		F	6	1					1					
21	Other diseases of the bowels	M												
		F	2	2					2					
22	Jaundice	M	10	6					6				1	1
		F	10	8					8					
23	Inflammation and abscess of the liver.	M	9										1	2
		F	4	1					1					1
24	Other diseases of the liver	M	11	1					1					1
		F	5											1
25	Peritonitis	M	25	7		1	1		9	2		1		4
		F	21	1	1				2	3		2	2	2
26	Ascites	M												
		F	1											
27	Others of this class	M	16	10	1			1	12					
		F	14	10	2				12					1
28	6. Diseases of the urinary system and male organs of generation.		254	13	5	7	2	4	31	4	4	7	11	14
29	Males		141	7	4	4	2	4	21	2	1	1	4	8
30	Females		113	6	1	3			10	2	3	6	7	6
31	Bright's disease	M	93							1		1	4	6
		F	91							2	3	5	7	6
32	Calculus, urinary	M	3											
		F												
33	Diseases of the kidney	M	23	6	4	4	1	4	19	1				
		F	15	6		3			9			1		
34	Diseases of the bladder	M	4								1			
		F	1											
35	Others of this class	M	18	1			1		2					2
		F	6		1				1					
36	7. Diseases of the female organs of generation		22	1					1			1	3	3
37	Ovarian tumors		8											
38	Ovarian diseases		3										1	1
39	Diseases of the tubes		6									1	1	2
40	Uterine tumors		3											
41	Uterine diseases		1											
42	Others of this class		6	1					1				1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
22	24	20	18	28	26	27	24	19	8	4	5			1	1
11	15	16	15	11	9	10	9	5	4	2	2			1	2
11	9	4	3	17	17	17	15	14	4	2	3				3
															4
6	12	12	11	8	6	8	8	3	1	1	2			1	5
9	6	3	3	14	13	12	9	9	2	2	1				
						1									6
		1	1		2	2		2	3	1					7
	1	1		1	4	1	2	3			1				
1			1												8
1								1	1						
			1												9
				1		2	1	1							
4	3	3	1	3	1		1								10
1	2			1		1	3		1		1				
9	23	14	7	12	7	15	5	8	5	1	3				11
6	16	8	7	3	4	11	2	3	4	1	1				12
3	7	6		9	3	4	3		1		2				13
															14
				1											15
	1		1				1		3						16
	1			2		2					1				
1	2				1	2									17
				1											
	1	1	1			2									18
				1	1	1	1				1				
2	7	1	1	1			1								19
		1													
	1					1		1	1		1				20
	1			2	1				1						
															21
			1					1							22
1					1										
	2	1	2			1									23
1		1													
1	1	1			2	2		1		1					24
	1	1					2								
2	1	3			1	2									25
1	4	3		2											
															26
				1											
		1	1	1		1									27
						1									
25	19	11	16	28	25	24	15	9	7	1	3				28
13	10	7	9	15	12	17	8	6	5	1	1				29
12	9	4	7	13	13	7	7	3	2		2				30
11	8	5	6	14	9	13	7	5	2	1					31
11	5	3	6	13	11	7	5	3	2		2				
		1	1				1								32
	1					2									33
1	2		1		1										
		1							1		1				34
	1														
2	1		2	1	3	2		1	2						35
	1	1			1		2								
															36
2	7	4					1								
															37
	2						1								38
	1														39
	1	1													40
1		2													41
1															42
	3	1													

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN RUSSIA (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	65									6	10	12
2	Abortion	5									1	1	
3	Childbirth	18									1	2	3
4	Puerperal septicemia	27									3	4	7
5	Extra-uterine pregnancy	4										1	1
6	Others of this class	11									1	2	1
7	9. Diseases of the bones and joints	14	4				1	5	3		1	2	
8	Males	10	3				1	4	1			2	
9	Females	4	1					1	2		1		
10	Diseases of the spine M	3	1					1	1			1	
	Diseases of the spine F												
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	5	1				1	2				1	
	Diseases of the bones F	2	1					1	1				
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F	1									1		
14	Others of this class M	2	1					1					
	Others of this class F	1							1				
15	10. Diseases of the skin	16	10					10					1
16	Males	11	7					7					
17	Females	5	3					3					1
18	Abscess M	6	4					4					
	Abscess F	1	1					1					
19	Carbuncle M	2	1					1					
	Carbuncle F												
20	Others of this class M	3	2					2					
	Others of this class F	4	2					2					1
21	11. Diseases of the absorbent system	2		1				1					
22	Males	1		1				1					
23	Females	1											
24	Addison's disease M												
	Addison's disease F	1											
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	1		1				1					
	Others of this class F												
27	12. Accidents and injuries	323	30	18	15	19	12	94	41	19	15	34	33
28	Males	240	19	10	8	12	8	57	31	15	12	29	24
29	Females	83	11	8	7	7	4	37	10	4	3	5	9
30	Burns and scalds M	30	3	5	5	6	2	21	1	2	1	3	1
	Burns and scalds F	32	2	7	3	3	2	17	6	1		1	3
31	Drowning M	25			1	1	1	3	5	8	2	2	3
	Drowning F	1											
32	Exposure and neglect M	1	1					1					
	Exposure and neglect F												
33	Gunshot wounds M	4									1	2	
	Gunshot wounds F	3								1			
34	Homicide M	4									1	1	
	Homicide F	2											2
35	Infanticide M												
	Infanticide F												
36	Injuries by machinery M	1											
	Injuries by machinery F												
37	Railroad accidents M	20		1		1		2	2	2	2	3	2
	Railroad accidents F	6	1	1			1	3	1		1		
38	Suffocation M	11	9				1	10					
	Suffocation F	3	3					3					
39	Suicide by shooting M	6											2
	Suicide by shooting F												
40	Suicide by drowning M												
	Suicide by drowning F												
41	Suicide by poison M	12										3	3
	Suicide by poison F	4									2	1	
42	Other suicides M	11										2	2
	Other suicides F	3										1	1
43	Sunstroke M	2	1					1					1
	Sunstroke F	2	2					2					
44	Surgical operations M												
	Surgical operations F	1											
45	Wounds M	10							1	1	1	1	1
	Wounds F	1										1	
46	Others of this class M	108	5	4	2	4	4	19	22	2	4	12	9
	Others of this class F	25	3		4	4	1	12	3	2		1	3

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN RUSSIA (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
11	19	7													1
	1	2													2
4	6	2													3
6	6	1													4
	1	1													5
1	5	1													6
	1	1	1												7
	1	1	1												8
															9
															10
															11
	1	1													12
															13
			1												14
		2	2						1						15
		2	1						1						16
			1												17
		2													18
									1						19
			1												20
			1												
				1											21
															22
				1											23
				1											24
															25
															26
19	25	11	9	8	6	2	4		1	1				1	27
18	20	10	8	7	4	2	1			1				1	28
1	5	1	1	1	2		3		1						29
1															30
	4														
	2														31
					1										
															32
	1														33
	1			1											
	1	1													34
															35
1															36
2	2		2	1											37
		1													
					1										38
	1	1		1	1										39
															40
2	1	1	2												41
									1						
1	2	2	1				1								42
1															
															43
															44
			1												
3	1													1	45
8	9	5	3	5	2	2				1					46
					1		3								

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE).

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes		3,543	1,556	395	186	91	66	2,294	135	39	64	118	107
2	Males		2,027	903	196	96	46	34	1,275	71	24	32	69	70
3	Females		1,516	653	199	90	45	32	1,019	64	15	32	49	37
4	Unknown cause		58	41	1	1	2	1	46		1			1
5	Males		36	24		1	2		27		1			1
6	Females		22	17	1			1	19					
7	1. General diseases. General diseases—A		965	475	186	81	35	25	802	48	11	15	23	13
8	Males		545	269	95	46	18	16	444	25	4	12	19	13
9	Females		420	206	91	35	17	9	358	23	7	3	4	
10	Measles	M	23	7	7	5	1	2	22	1				
		F	28	7	11	4	1		23	3	2			
11	Scarlet fever	M	32	2	6	7	5		20	11				1
		F	16	2	1	6	1	1	11	4				
12	Diphtheria	M	44	4	8	14	4	6	36	7		1		
		F	50	1	8	9	9	8	35	13	2			
13	Whooping cough	M	12	7	3	1		1	12					
		F	15	8	4	3			15					
14	Malarial fever	M	5	1			1		2				1	1
		F	2	2					2					
15	Influenza	M	11	2		1		1	4	2				
		F	9	3	1				4					
16	Typhoid fever	M	58	1		2	2	1	6	1	2	10	15	11
		F	17	2			2		4		2	2	4	
17	Cholera morbus	M	6	1		3	1		5		1			
		F	8	3	1	2			6					
18	Colitis	M	6	5					5	1				
		F	2	1	1				2					
19	Diarrhea	M	39	21	13	3			37					
		F	38	15	16	2	1		34	2	1			
20	Dysentery	M	7	4	3				7					
		F	7	3	1		1		5			1		
21	Enteritis	M	130	87	30	4	1	1	123		1	1		
		F	87	59	19	4	2		84					
22	Cholera infantum	M	153	122	22	6	1	2	153					
		F	128	96	28	4			128					
23	Fever	M	1	1					1					
		F												
24	Cerebro-spinal fever	M	4				1	2	3	1				
		F	4	3		1			4					
25	Smallpox	M												
		F												
26	Erysipelas	M	3	1					1				1	
		F	1	1					1					
27	Septicemia	M	9	2	3				5	1			2	
		F	6							1				
28	Venereal diseases	M	1				1		1					
		F												
29	Others of this group	M	1	1					1					
		F	2											
30	General diseases—B		147	125	5	2	1		133	1				
31	Males		90	77	1	2			80					
32	Females		57	48	4		1		53	1				
33	Alcoholism	M	6											
		F	3											
34	Parasitic diseases	M												
		F												
35	Lead poison	M												
		F												
36	Other poisons	M	3											
		F												
37	Inanition	M	81	77	1	2			80					
		F	54	48	4		1		53	1				
38	General diseases—C		302	228	13	5	1		247					
39	Males		171	134	6	3	1		144					
40	Females		131	94	7	2			103					
41	Old age	M	24											
		F	26											
42	Premature birth	M	56	56					56					
		F	36	36					36					
43	Malformation	M	8	8					8					
		F	5	5					5					
44	Debility and atrophy	M	64	51	6	3	1		61					
		F	52	41	7	2			50					
45	Others of this group	M	19	19					19					
		F	12	12					12					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
111	112	96	81	71	62	37	51	49	31	39	19	6	7	14	1
65	73	67	65	49	38	26	27	26	14	16	11	1	1	7	2
46	39	29	16	22	24	11	24	23	17	23	8	5	6	7	3
1		2	1	2							2			2	4
1		1	1	2							2				5
		1												2	6
6	10	4	7	5	6	1	5	5	1	2				1	7
5	3	3	6	2	2	1	2	3		1					8
1	7	1	1	3	4		3	2	1	1				1	9
															10
	1														11
															12
															13
							1								14
	1	1				1		2							15
			1	1			1	1	1						
5	2	2	1	2	1										16
	3				1		1								
					1		1								17
															18
			1							1					19
					1										
								1							20
			4					1							21
	1			1	1										
															22
															23
															24
															25
							1								26
					1										27
1	1	1		1										1	
															28
	1									1					29
	1	5	5						1					1	30
	1	3	4						1					1	31
		2	1												32
	1	2	3												33
		2	1												
															34
															35
		1	1						1						36
														1	37
1	1	1			1	1	1	7	8	20	9		5		38
		1			1	1	1	5	4	10	3		1		39
1	1							2	4	10	6		4		40
						1	1	5	4	9	3		1		41
								2	4	10	6		4		
															42
															43
		1			1					1					44
1	1														
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
	1. General diseases—Continued.													
1	General diseases—D		279	17	10	2	1	2	32	4	3	17	31	24
2	Males		165	10	3		1	1	15	3	3	5	17	13
3	Females		114	7	7	2		1	17	1		12	14	11
4	Anemia	M	3		1				1					
		F	3											1
5	Diabetes	M	4											
		F												
6	Rheumatism	M	6							1			1	
		F	5									2		
7	Scrofula and tabes	M	1											
		F	1											
8	Hydrocephalus	M	7	4	1				5		1		1	
		F	10	3	5	1			9			1		
9	Tuberculosis, general	M	1					1	1					
		F												
10	Consumption	M	101	4	1		1		6	2	2	5	15	11
		F	70	3	2			1	6	1		9	13	10
11	Cancer	M	36	1					1					2
		F	17											
12	Tumor	M	4	1					1					
		F	1											
13	Dropsy	M	2											
		F	4											
14	Others of this group	M												
		F	3	1		1			2				1	
15	2. Diseases of the nervous system		382	213	36	9	5	8	271	14	6	8	6	7
16	Males		214	124	15	4	2	3	148	6	5	4	4	4
17	Females		168	89	21	5	3	5	123	8	1	4	2	3
18	Inflammation of the brain	M	4	1	1				2	1				
		F	2	1					1	1				
19	Meningitis	M	44	16	5	3	1	2	27	5	1	1	1	2
		F	38	16	10	3	1	3	33	2			2	
20	Apoplexy	M	16	2					2				1	
		F	24	1	1		1		3	2	1	1		1
21	Paralysis	M	7									1		
		F	2											
22	Paralysis, general (of insane)	M												
		F												
23	Tetanus and trismus nascentium	M	17	10	1				11		2	2		
		F	2	2					2					
24	Chorea	M												
		F												
25	Epilepsy	M	1	1					1					
		F	1	1					1					
26	Convulsions	M	101	89	8	1	1	1	100					
		F	86	64	10	2	1	2	79	3		1		
27	Mental diseases	M	7										2	1
		F	2											1
28	Diseases of the brain	M	13	3					3		2			1
		F	7	3					3			1		1
29	Diseases of the spinal cord	M	3	2					2					
		F	2	1					1			1		
30	Locomotor ataxia	M	1											
		F												
31	Others of this class	M												
		F	2											
32	3. Diseases of the circulatory system		123	16		1	3	1	21	7		2	6	7
33	Males		66	9		1	1	1	12	1			3	4
34	Females		57	7			2		9	6		2	3	3
35	Pericarditis	M												
		F	3							1			1	
36	Diseases of the heart	M	58	6		1	1		8	1			3	4
		F	50	5			2		7	5		2	2	3
37	Angina pectoris	M	3											
		F	1											
38	Diseases of the arteries	M	1											
		F	1											
39	Aneurism	M												
		F												
40	Embolism	M	1					1	1					
		F												
41	Others of this class	M	3	3					3					
		F	2	2					2					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
30	22	26	24	12	12	9	14	8	9	2					1
18	14	16	22	10	9	5	3	7	4	1					2
12	8	10	2	2	3	4	11	1	5	1					3
	1				1										4
	1	1													
		1					1	2							5
		2	1						1						6
1							1		1						
	1														7
		1													
															8
															9
17	11	7	14	4	3	1	1	1	1						10
9	5	3	2	1	1	1	5		3	1					
	1	5	6	6	5	3	1	4	1	1					11
2	2	4		1		2	4	1	1						
1		1				1									12
		1													
			1						1						13
					2	1	1								
															14
10	7	8	5	7	9	5	5	3	2	4	3		1	1	15
5	6	7	1	3	6	5	3	2	2	1	2				16
5	1	1	4	4	3		2	1		3	1		1	1	17
							1								18
3	1				1	1		1							19
1															
	1	4		1	3	2	1				1				20
2	1		2	3	3		2			2	1				
	2					1			2	1					21
			1							1					
															22
2															23
															24
															25
								1							26
1		1												1	
			1			1	1				1				27
								1							
	2	2		2	1										28
			1	1											
		1													29
					1										30
															31
1													1		
7	8	8	5	9	13	3	7	8	3	4	2	3			32
4	6	6	4	4	8	1	6	2	1	2	2				33
3	2	2	1	5	5	2	1	6	2	2		3			34
															35
1															
4	6	5	4	4	5	1	6	2	1	2	2				36
2	2	2	1	4	5	2	1	5	2	2		3			
		1			2										37
				1											
					1										38
								1							
															39
															40
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system	714	309	111	70	32	18	540	23	7	6	10	12
2	Males	386	173	60	32	15	8	288	13	3	3	6	6
3	Females	328	136	51	38	17	10	252	10	4	3	4	6
4	Croup M	15	5	1	4	2	2	14	1				
	Croup F	17	2	3	3	3	3	14	2	1			
5	Pneumonia M	272	111	43	24	10	2	190	9	2	3	6	6
	Pneumonia F	218	82	37	26	12	5	162	4	3	3	2	6
6	Laryngitis M	4			1	1	2	4					
	Laryngitis F	5		1	1		1	3	2				
7	Bronchitis M	76	49	14	2		1	66	3	1			
	Bronchitis F	72	45	8	8	1		62	2				
8	Pleurisy M	8		2	1	2		5					
	Pleurisy F	2					1	1				1	
9	Asthma M												
	Asthma F	2		1				1				1	
10	Others of this class M	11	8				1	9					
	Others of this class F	12	7	1		1		9					
11	5. Diseases of the digestive system	184	79	15	8	3	1	106	9	3	2	9	3
12	Males	105	51	7	2	1		61	6	2	1	2	2
13	Females	79	28	8	6	2	1	45	3	1	1	7	1
14	Dentition M	5	4	1				5					
	Dentition F	2	1	1				2					
15	Angina M	2	1					1					
	Angina F	2	1					1				1	
16	Gastritis M	29	15	4	2			21	3				
	Gastritis F	20	9	7		1	1	18				1	
17	Diseases of the stomach M	1	1					1					
	Diseases of the stomach F												
18	Obstruction of the bowels M	7	1					1	1		1	1	1
	Obstruction of the bowels F	5			1			1		1			
19	Appendicitis M	8							1	1			1
	Appendicitis F	3										1	
20	Hernia M	2	1					1					
	Hernia F	2	1					1					
21	Other diseases of the bowels M	1											
	Other diseases of the bowels F												
22	Jaundice M	7	6			1		7					
	Jaundice F	1										1	
23	Inflammation and abscess of the liver. M	2											
	Inflammation and abscess of the liver. F	2										1	
24	Other diseases of the liver M	9											
	Other diseases of the liver F	4							1				
25	Peritonitis M	5	1					1	1	1		1	
	Peritonitis F	20	2		1	1		4	2		1	2	1
26	Ascites M	3		1				1					
	Ascites F												
27	Others of this class M	24	21	1				22					
	Others of this class F	18	14		4			18					
28	6. Diseases of the urinary system and male organs of generation.	69	11	4		2	2	19	3		1	3	5
29	Males	42	3	1		1	2	7	3		1	2	3
30	Females	27	8	3		1		12				1	2
31	Bright's disease M	21							2		1	1	2
	Bright's disease F	11										1	1
32	Calculus, urinary M												
	Calculus, urinary F												
33	Diseases of the kidney M	8	1	1		1	1	4	1				1
	Diseases of the kidney F	10	7	3				10					
34	Diseases of the bladder M	6	1					1					
	Diseases of the bladder F	2											
35	Others of this class M	7	1				1	2				1	
	Others of this class F	4	1			1		2					1
36	7. Diseases of the female organs of generation	7											
37	Ovarian tumors	1											
38	Ovarian diseases	1											
39	Diseases of the tubes												
40	Uterine tumors	1											
41	Uterine diseases												
42	Others of this class	4											

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS· CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
12	18	10	11	11	6	8	9	13	6	5	2	2		3	1
7	12	9	8	8	3	6	4	4	2		1			3	2
5	6	1	3	3	3	2	5	9	4	5	1	2			3
															4
6	8	6	8	7	3	4	4	4	2		1			3	5
5	6	1	2	3	3	1	4	7	1	2	1	2			
															6
1	1	2		1		1									7
						1	1	2	2	2					
	2					1									8
															9
	1	1													10
			1						1	1					
4	10	11	7	6	3	3	6	1	1						11
2	7	6	4	4	1	2	4	1							12
2	3	5	3	2	2	1	2		1						13
															14
		1													15
1	1	1		1		1									16
									1						
															17
	1		1												18
		2		1											
1	1	2		1											19
	1	1													
	1														20
						1									
							1								21
															22
	1		1												23
	1														
	2	1	2	1	1	1	1								24
	1	1					1								
				1											25
2		1	3	1	2		1								
							1	1							26
		1					1								27
4	5	3	2	6	2	4	4	4		1	1	1	1		28
2	4	2	2	4		3	4	2		1	1	1			29
2	1	1		2	2	1		2					1		30
1	3	1	2	3		2	1	1				1			31
1	1	1		2	2			1					1		
															32
	1						1								33
1							2	1			1				34
						1		1							
		1		1		1				1					35
1															
2	2	2			1										36
					1										37
1															38
															39
		1													40
															41
1	2	1													42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN POLAND (WHITE)—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy	44									3	11	11
2	Abortion	3											1
3	Childbirth	19									1	1	7
4	Puerperal septicemia	17									1	7	3
5	Extra-uterine pregnancy												
6	Others of this class	5									1	3	
7	9. Diseases of the bones and joints	7	1				1	2	2	2			
8	Males	3	1				1	2					
9	Females	4							2	2			
10	Diseases of the spine M	2	1				1	2					
	Diseases of the spine F												
11	Abscess, lumbar and psoas M												
	Abscess, lumbar and psoas F												
12	Diseases of the bones M	1											
	Diseases of the bones F	4							2	2			
13	Diseases of the hip-joint M												
	Diseases of the hip-joint F												
14	Others of this class M												
	Others of this class F												
15	10. Diseases of the skin	12	7	2		1	1	11					
16	Males	8	5	2				7					
17	Females	4	2			1	1	4					
18	Abscess M	4	2	1				3					
	Abscess F	3	2				1	3					
19	Carbuncle M												
	Carbuncle F												
20	Others of this class M	4	3	1				4					
	Others of this class F	1				1		1					
21	11. Diseases of the absorbent system	2		1				1					1
22	Males	1											1
23	Females	1		1				1					
24	Addison's disease M												
	Addison's disease F												
25	Diseases of the spleen M												
	Diseases of the spleen F												
26	Others of this class M	1											1
	Others of this class F	1		1				1					
27	12. Accidents and injuries	248	34	11	7	5	6	63	24	6	10	19	23
28	Males	195	23	6	5	4	2	40	14	6	6	16	23
29	Females	53	11	5	2	1	4	23	10		4	3	
30	Burns and scalds M	21	2	4	4	3		13	2	1	1		1
	Burns and scalds F	16	3	2		1	3	9	5		1		
31	Drowning M	17	1	1			1	3	4	4	1	1	2
	Drowning F	1		1				1					
32	Exposure and neglect M	4	4					4					
	Exposure and neglect F	1	1					1					
33	Gunshot wounds M	1											
	Gunshot wounds F	1										1	
34	Homicide M	1											1
	Homicide F												
35	Infanticide M	1	1					1					
	Infanticide F												
36	Injuries by machinery M	2											
	Injuries by machinery F												
37	Railroad accidents M	42					1	1	5	1	1	10	1
	Railroad accidents F	6			1			1	3		1		
38	Suffocation M	15	12		1			13				1	
	Suffocation F	7	5					5	1				
39	Suicide by shooting M												
	Suicide by shooting F												
40	Suicide by drowning M	1											1
	Suicide by drowning F	1											
41	Suicide by poison M												
	Suicide by poison F	1										1	
42	Other suicides M	3											
	Other suicides F	1											
43	Sunstroke M	8	1					1	1			1	1
	Sunstroke F	1									1		
44	Surgical operations M	2											1
	Surgical operations F	2											
45	Wounds M	5											
	Wounds F	1		1				1					
46	Others of this class M	72	2	1		1		4	2		3	3	15
	Others of this class F	14	2	1	1		1	5	1		1	1	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN POLAND (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
9	6	3												1	1
	2														2
5	2	2												1	3
4	1	1													4
															5
	1														6
				1											7
				1											8
															9
															10
															11
				1											12
															13
															14
			1												15
			1												16
															17
			1												18
															19
															20
															21
															22
															23
															24
															25
															26
25	22	13	13	12	9	3				1				5	27
21	20	13	12	11	8	2								3	28
4	2		1	1	1	1				1				2	29
2														1	30
					1										
			1	1											31
															32
1															33
															34
															35
1	1														36
4	7		3	3	5	1									37
			1												
				1										1	38
															39
	1														40
															41
			1	2											42
1															
1	1	1												1	43
1															44
1				1											
2		1	1		1										45
9	11	11	6	4	2	1								1	46
2	1					1				1				1	

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	All causes	9,804	2,987	863	316	181	111	4,458	292	133	245	424	465
2	Males	5,654	1,705	468	163	92	59	2,487	137	57	128	224	282
3	Females	4,150	1,282	395	153	89	52	1,971	155	76	117	200	183
4	Unknown cause	108	58	4	3	2	1	68	3		1	4	
5	Males	59	29	2	1			32	1		1	1	
6	Females	49	29	2	2	2	1	36	2			3	
	1. General diseases.												
7	General diseases—A	2,159	1,008	345	104	62	37	1,556	94	33	41	64	60
8	Males	1,181	565	177	53	28	21	844	41	11	18	40	41
9	Females	978	443	168	51	34	16	712	53	22	23	24	19
10	Measles M	66	19	27	6	5	1	58	5		2	1	
	Measles F	67	16	31	7	5		59	6		1		
11	Scarlet fever M	37	3	10	7	5	4	29	5		1		2
	Scarlet fever F	31	2	6	6	7	2	23	6		1		1
12	Diphtheria M	89	12	24	14	14	4	68	15	5		1	
	Diphtheria F	90	5	18	15	7	11	56	21	7		2	2
13	Whooping cough M	50	23	17	7	1		48	2				
	Whooping cough F	60	30	18	6	5	1	60					
14	Malarial fever M	17	2		1		2	5			1	2	
	Malarial fever F	14	5		1			6			1	1	1
15	Influenza M	44	5	2	2	1		10				2	1
	Influenza F	32	1	2	1			4	1		1	1	2
16	Typhoid fever M	147	2	1	1		2	6	6	2	9	27	31
	Typhoid fever F	67			1	2	1	4	5	5	14	15	8
17	Cholera morbus M	14	4	2	1		1	8					
	Cholera morbus F	21	7	6	1			14		1		1	1
18	Colitis M	17	9	5				14					
	Colitis F	10	7			1		8					
19	Diarrhea M	60	31	9	2		3	45	1	2			
	Diarrhea F	50	34	4	1			39	4		1		
20	Dysentery M	26	11	2	1	1		15				1	1
	Dysentery F	21	4	3	1	1		9				1	
21	Enteritis M	278	220	32	3		2	257	1		1	3	1
	Enteritis F	216	148	38	1	5	1	193	2	2			1
22	Cholera infantum M	241	197	36	7	1		241					
	Cholera infantum F	207	165	34	7	1		207					
23	Fever M												
	Fever F												
24	Cerebro-spinal fever M	29	7	6	1		2	16	5	1	2	1	2
	Cerebro-spinal fever F	27	3	6	2			11	6	4	2	1	
25	Smallpox M	6							1	1	1		1
	Smallpox F	1							1				
26	Erysipelas M	19	9	1				10			1		
	Erysipelas F	16	10	1				11					1
27	Septicemia M	18	5					5				1	1
	Septicemia F	32	1	1				2	1	2	2	1	2
28	Venereal diseases M	10	5					5					
	Venereal diseases F	6	5		1			6					
29	Others of this group M	13	1	3				4				1	1
	Others of this group F	10								1		1	
30	General diseases—B	262	182	11	3	2	2	200	1	1	2	5	3
31	Males	155	96	8	2	2	1	109	1	1	2	1	2
32	Females	107	86	3	1		1	91				4	1
33	Alcoholism M	23											1
	Alcoholism F	1											
34	Parasitic diseases M	2		2				2					
	Parasitic diseases F	1	1					1					
35	Lead poison M	1											
	Lead poison F	1											
36	Other poisons M	23		1	2	1	1	5	1	1	1	1	1
	Other poisons F	16	2		1		1	4				4	1
37	Inanition M	106	96	5		1		102			1		
	Inanition F	88	83	3				86					
38	General diseases—C	708	493	31	4		2	530	5	1			
39	Males	392	290	12	3		1	306	1				
40	Females	316	203	19	1		1	224	4	1			
41	Old age M	73											
	Old age F	79											
42	Premature birth M	128	128					128					
	Premature birth F	87	87					87					
43	Malformation M	11	10	1				11					
	Malformation F	12	10				1	11	1				
44	Debility and atrophy M	160	132	11	3		1	147	1				
	Debility and atrophy F	131	99	19	1			119	3	1			
45	Others of this group M	20	20					20					
	Others of this group F	7	7					7					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE).

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
425	435	402	329	347	337	325	304	305	255	187	82	23	13	18	1
270	277	274	222	247	211	195	165	176	140	86	46	10	6	14	2
155	158	128	107	100	126	130	139	129	115	101	36	13	7	4	3
2	5	3	2	2	1	5	1	3	2	2	3			1	4
2	3	3	2	2	1	5	1	1	2		1			1	5
	2							2		2	2				6
57	47	40	24	20	14	20	30	18	18	13	6	1	1	2	7
35	32	26	15	12	11	9	13	11	6	8	4	1	1	2	8
22	15	14	9	8	3	11	17	7	12	5	2				9
	1														10
															11
1				1											12
															13
1	3		1		2		1					1			14
1	1		1	1				1							
5	2	3	5	2		2	1	3	3	2	2		1		15
	1	2		1	1	3	5	2	4	3	1				
21	18	13	4	3	3		2	1						1	16
8	2	2	2	2											
		2		1		1	1		1						17
	2	1					1								
	1	1								1					18
		2													
				1	1	1	3	2	1	1	2				19
	1							1	4						
		1	1		2		2	1		2					20
		1	2			1	3		2	2					
2		4		2	1	3	1			1				1	21
5	1		1		1	1	4	3	1		1				
															22
															23
	1		1												24
1	1	1													
	1		1												25
	2	1	1		1		1	2							26
		1				3									
4	2		1	1		2	1								27
6	5	3	2	2	1	1	1		1						
1	2	1		1											28
1				1	1			2	1	1					29
		1	1	1		2	3								
10	6	6	5	7	6	2	1	1	2			1	1	2	30
6	4	5	4	7	6	2	1	1	1					2	31
4	2	1	1						1			1	1		32
1	1	4	4	4	4	1	1	1						1	33
1															
															34
1															35
													1		
4	3	1		2	2				1						36
3	2	1	1												
				1		1								1	37
									1			1			
		1		1	1	3	9	23	27	58	31	10	7	1	38
		1		1		3	6	9	15	24	19	4	3		39
					1		3	14	12	34	12	6	4	1	40
						2	3	8	15	20	18	4	3		41
							2	13	11	32	11	6	4		
															42
															43
		1		1		1	3	1		4	1				44
					1		1	1	1	2	1			1	
															45

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	1. General diseases—Continued. General diseases—D		1,448	70	37	22	8	8	145	31	27	80	124	152
2	Males		805	37	18	7	4	4	70	13	9	36	61	84
3	Females		643	33	19	15	4	4	75	18	18	44	63	68
4	Anemia	M	11	2	1				3					1
		F	10	2				2	4		1	3		
5	Diabetes	M	26							1	2	1		2
		F	18							1		1		
6	Rheumatism	M	12							3				
		F	12	2					2	2	1			
7	Scrofula and tabes	M	9	5					5				1	
		F	7	4	1				5			1		
8	Hydrocephalus	M	36	13	9	2	2	1	27	4		2	1	
		F	58	13	10	9	1	1	34	10	5		2	1
9	Tuberculosis, general	M	15					1	1	1	1	1	1	3
		F	9							1		2	1	1
10	Consumption	M	521	14	8	4	2	2	30	3	5	29	56	75
		F	347	12	8	6	2	1	29	4	10	35	56	62
11	Cancer	M	136										1	1
		F	138										1	3
12	Tumor	M	13									1	1	
		F	20								1		1	
13	Dropsy	M	17											1
		F	16									1		1
14	Others of this group	M	9	3		1			4	1	1	2		1
		F	8				1		1			1	2	
15	2. Diseases of the nervous system		997	340	85	31	26	15	497	30	10	6	14	21
16	Males		584	202	49	16	15	12	294	12	5	2	7	13
17	Females		413	138	36	15	11	3	203	18	5	4	7	8
18	Inflammation of the brain	M	17	5	4		1	1	11				1	1
		F	5	1	4				5					
19	Meningitis	M	113	44	19	7	7	6	83	6	3	1	2	4
		F	113	48	16	12	6		82	12	4	2	2	2
20	Apoplexy	M	123	2				2	4			1		2
		F	107	1	1	1	1		4	1		1		2
21	Paralysis	M	48	1		1			2				1	2
		F	27	1					1	1			1	
22	Paralysis, general (of insane)	M	5											1
		F	3											
23	Tetanus and trismus nascentium	M	12	7					7	2	1			
		F	6	5					5					
24	Chorea	M												
		F												
25	Epilepsy	M	11	2	2				4	1	1			
		F	9	1	1	1			3			1	1	
26	Convulsions	M	175	135	22	7	6	2	172	2				
		F	104	79	12	1	2	2	96	2			1	2
27	Mental diseases	M	16										1	2
		F	6											
28	Diseases of the brain	M	30	5	1				6				2	1
		F	25	2	2		1	1	6	2	1		2	1
29	Diseases of the spinal cord	M	11		1	1	1	1	4	1				
		F	2				1		1					1
30	Locomotor ataxia	M	6											
		F	1											
31	Others of this class	M	8	1					1					
		F	5											
32	3. Diseases of the circulatory system		580	41	4	2	1	1	49	15	14	17	24	27
33	Males		330	26	3	2			31	10	5	7	8	13
34	Females		250	15	1		1	1	18	5	9	10	16	14
35	Pericarditis	M	3								1			
		F	2									1		
36	Diseases of the heart	M	287	12	3	2			17	10	4	7	7	12
		F	230	13	1		1	1	16	5	9	9	14	12
37	Angina pectoris	M	14											1
		F	13										2	2
38	Diseases of the arteries	M	4											
		F	2											
39	Aneurism	M	5											
		F												
40	Embolism	M	3										1	
		F	1											
41	Others of this class	M	14	14					14					
		F	2	2					2					

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
124	118	119	107	99	87	71	70	40	38	12	2	1		1	1
77	63	80	69	67	52	36	37	22	21	6	2				2
47	55	39	38	32	35	35	33	18	17	6		1		1	3
1		2	1	1				2							4
	2														
1			2	5	3	2	3	2	2						5
1		2		1	1	2	4	2	3						
1			2	1			1		4						6
		1		1	1		1	3							
	1		1				1								7
			1												
1			1												8
2	2	1						1							
1	2		2	1	1										9
	2			1	1										
68	55	57	46	37	24	11	12	9	3	1					10
37	37	18	20	12	7	11	1	3	3	1				1	
2	4	13	14	20	22	22	18	8	8	2	1				11
5	10	15	14	17	21	15	21	7	7	2					
1	1	5		1	1		1		1						12
1	2	2	1		3	3	2	1	2	1					
1		3		1	1	1	1	1	3	3	1				13
			2			3	3	1	2	2		1			
															14
1					1	1	1								
8	39	30	37	43	47	47	49	40	43	22	10	2	1	1	15
5	27	23	31	28	29	26	22	24	21	8	5		1	1	16
3	12	7	6	15	18	21	27	16	22	14	5	2			17
		2		1				1							18
2	4	3	2	2	1										19
1	2	2	1		1				2						
1	8	5	12	15	15	15	12	13	13	4	3				20
	4	3	3	11	12	14	17	10	13	7	4	1			
1	3	1	6	8	6	2	5	4	2	3	1		1		21
	1		1	2	2	2	4	3	3	4	1	1			
			1		1	1	1								22
	1			1	1										
	2														23
		1													
															24
	1	2	1			1									25
	1		1			1	1								
														1	26
1	1									1					
	3	3	1		1	1	1	2	1						27
					1	1	1	1		2					
1	3	4	5	1	5	3	2	2	3	1					28
1	1			1	1	2	4		3						
	2	1	1	1		1									29
		1	2			1			2						30
	1														
	1	1				1	1	2			1				31
		1				1		2	1						
29	38	26	40	35	44	50	38	65	37	22	8	1		1	32
22	20	17	26	23	28	28	19	42	17	9	3	1		1	33
7	18	9	14	12	16	22	19	23	20	13	5				34
					2										35
1															
21	17	16	22	20	26	26	18	37	16	7	3	1			36
5	17	9	18	12	15	20	19	20	18	12	5				
1	2	1	2	3			1	2						1	37
1	1		1			1		2	2	1					
						1		2		1					38
						1		1							
	1		2			1			1						39
								1		1					40
					1										
															41

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	4. Diseases of the respiratory system		1,849	611	308	123	56	26	1,124	55	15	28	35	47
2	Males		1,091	362	179	67	28	10	646	23	6	20	21	33
3	Females		758	249	129	56	28	16	478	32	9	8	14	11
4	Croup	M	37	11	8	6	5	1	31	5	1			
		F	33	2	11	5	4	3	25	8				
5	Pneumonia	M	758	209	138	47	17	7	418	16	3	17	21	28
		F	521	172	93	42	16	11	334	19	6	8	11	13
6	Laryngitis	M	8	1	2		1		4	1	1			
		F	8	1		2	3		6	2				
7	Bronchitis	M	192	114	25	8	4	1	152					1
		F	185	59	24	4	4	1	92	1	1			
8	Pleurisy	M	29	1	3	4		1	9	1	1	3		3
		F	11			3		1	4	1	1		1	
9	Asthma	M	11											
		F	12				1		1					1
10	Others of this class	M	56	26	3	2	1		32					1
		F	38	15	1				16	1	1		2	
11	5. Diseases of the digestive system		581	140	18	6	1	3	168	16	16	20	38	33
12	Males		284	74	9	4		1	88	6	10	10	18	23
13	Females		247	66	9	2	1	2	80	10	6	10	20	10
14	Dentition	M	10	9	1				10					
		F	9	6	2		1		9					
15	Angina	M	3											
		F	1	1					1					
16	Gastritis	M	39	19	2				21	1			2	1
		F	45	23	2			1	26	1				
17	Diseases of the stomach	M	14	2	1				3	1				2
		F	7	1	1				2			1		
18	Obstruction of the bowels	M	22	5	1	1			7			1	1	3
		F	27	7					7			1	1	1
19	Appendicitis	M	43					1	1	1	7	7	7	8
		F	19							5	1	4	3	3
20	Hernia	M	15	2					2				2	2
		F	9					1	1			1		
21	Other diseases of the bowels	M	3	1					1		1			
		F	4	1	1				2					
22	Jaundice	M	13	9					9					
		F	3	1					1					
23	Inflammation and abscess of the liver.	M	14							1			1	1
		F	15	1	1				2	1	1			
24	Other diseases of the liver	M	34									1		
		F	18										1	
25	Peritonitis	M	43	6	2	1			9	2	2		5	6
		F	61	6	1	1			8	3	4	3	15	4
26	Ascites	M	1											
		F	2											
27	Others of this class	M	30	21	2	2			25			1		
		F	27	19	1	1			21					2
28	6. Diseases of the urinary system and male organs of generation.		384	11	5	1	8	3	28	5	3	4	13	15
29	Males		254	7	3		5		15	2	1	1	10	5
30	Females		130	4	2	1	3	3	13	3	2	3	3	10
31	Bright's disease	M	180							2	1		8	3
		F	100							3	2	2	3	8
32	Calculus, urinary	M	3											
		F	1											
33	Diseases of the kidney	M	24	6	3		4		13				1	1
		F	15	3	1	1	3	3	11			1		1
34	Diseases of the bladder	M	22									1		
		F	2											
35	Others of this class	M	25	1			1		2				1	1
		F	12	1	1				2					1
36	7. Diseases of the female organs of generation.		26								1		6	3
37	Ovarian tumors		5											1
38	Ovarian diseases		1										1	
39	Diseases of the tubes		6										2	
40	Uterine tumors		6											
41	Uterine diseases		3										1	2
42	Others of this class		5								1		2	

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
61	63	49	37	50	47	50	45	62	31	32	11	4	1	2	1
41	44	38	22	33	29	32	28	30	19	18	4	2		2	2
20	19	11	15	17	18	18	17	32	12	14	7	2	1		3
															4
37	37	29	18	24	21	29	16	17	11	13	1	2			5
15	17	6	9	12	10	13	10	28	3	9	3				
1								1							6
	1	4	2		5	1	3	9	6	5	3				7
2	2		4		4	3	4	7	8	1	3	2	1		
1	2	2		3	1		2							1	8
1						1	1	1							
			1	2	1	1	4		1					1	9
1			1	3	1		1			2	1				
2	4	3	1	4	1	1	3	3	1						10
1		5	1	2	3	1	1	1	1	2					
37	22	33	22	15	22	22	18	15	17	10	4		2	1	11
22	16	16	13	9	8	15	6	8	9	3	2		1	1	12
15	6	17	9	6	14	7	12	7	8	7	2		1		13
															14
3															15
1			1			2	2	1	4	2			1		16
1		1	1		3		2	3	4	3					
1		1	1	1	1	2	1								17
1				1	1					1					
4		1		3		1			1						18
1	1	2	2	2	2	1	2	2	1		1				
5	3		2	1			1								19
1			1										1		
1	1		1	1	1		1	1	1		1				20
	2		1		1	1	1		1						
				1											21
		1				1									
		1			1			2							22
1			1												
2	3	2	1	1		1	1								23
1		2	1	2	2		2				1				
2	5	8	6	1	3	6		1	1						24
1	1	4		1	3	3	2	1	1						
3	4	2			2	3		2	1	1				1	25
8	2	6	1		1	1	2	1	1	1					
			1												26
		1								1					
		1						1	1		1				27
			1		1		1			1					
20	15	28	19	40	42	37	32	30	31	11	6	3		2	28
14	7	20	10	33	28	25	24	20	24	7	5	2		1	29
6	8	8	9	7	14	12	8	10	7	4	1	1		1	30
12	5	19	9	28	23	20	18	14	13	2	1	1		1	31
5	6	7	9	6	14	11	6	7	4	4	1	1		1	
	1			1					1						32
	1														
2			1	1	2	1	1		1						33
	1								1						
	1	1		3	2	3		3	3	1	3	1			34
									2						
					1	1	5	3	6	4	1				35
1		1		1		1	2	3							
2	5	6	1			1	1								36
	1	1				1	1								37
															38
2	2														39
	1	4	1												40
															41
	1	1													42

TABLE 11.—DEATHS IN THE REGISTRATION AREA FROM EACH SPECIFIED DISEASE AND MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29
1	8. Affections connected with pregnancy		98									2	25	26
2	Abortion		7											1
3	Childbirth		20									1	2	5
4	Puerperal septicemia		59									1	20	13
5	Extra-uterine pregnancy		3											3
6	Others of this class		9										3	4
7	9. Diseases of the bones and joints		16	1			1	1	3	2	1		2	
8	Males		13	1			1	1	3	2	1			
9	Females		3										2	
10	Diseases of the spine	M	5				1		1	1	1			
		F	1										1	
11	Abscess, lumbar and psoas	M												
		F												
12	Diseases of the bones	M	5	1				1	2					
		F	1											
13	Diseases of the hip-joint	M	2							1				
		F												
14	Others of this class	M	1											
		F	1										1	
15	10. Diseases of the skin		25	8	2				10	2			2	1
16	Males		13	3	1				4	2				1
17	Females		12	5	1				6				2	
18	Abscess	M	7	3	1				4	2				
		F	5	2					2				2	
19	Carbuncle	M												
		F	1											
20	Others of this class	M	6											1
		F	6	3	1				4					
21	11. Diseases of the absorbent system		7	1					1				1	
22	Males		6	1					1				1	
23	Females		1											
24	Addison's disease	M												
		F												
25	Diseases of the spleen	M	1											
		F												
26	Others of this class	M	5	1					1				1	
		F	1											
27	12. Accidents and injuries		606	23	13	17	14	12	79	33	11	44	67	77
28	Males		487	12	7	8	9	8	44	23	8	31	56	67
29	Females		119	11	6	9	5	4	35	10	3	13	11	10
30	Burns and scalds	M	35	2	4	4	4	3	17	2			3	1
		F	31	1	4	4	2	1	12	5	1	8	2	3
31	Drowning	M	58			3	2	2	7	12	1	5	6	4
		F	10	1	1	1	2		5	2		1	1	
32	Exposure and neglect	M	3	1					1					
		F	1	1					1					
33	Gunshot wounds	M	14								1	3	1	
		F	3									1	1	
34	Homicide	M	4											
		F	2										1	
35	Infanticide	M												
		F												
36	Injuries by machinery	M	7										1	3
		F												
37	Railroad accidents	M	55					1	1	1	2	5	4	8
		F	7			1		1	2				1	1
38	Suffocation	M	13	6		1			7	1		1	1	
		F	7	4					4			1		
39	Suicide by shooting	M	18										2	2
		F												
40	Suicide by drowning	M	3											
		F	1											1
41	Suicide by poison	M	16										1	4
		F	14									4	2	2
42	Other suicides	M	25									2	2	3
		F	8										1	1
43	Sunstroke	M	10	1					1					1
		F	2	1					1					
44	Surgical operations	M	2											
		F	1											1
45	Wounds	M	10		1				1				1	4
		F	2									1		
46	Others of this class	M	214	2	2		3	2	9	7	4	15	34	37
		F	30	3	1	3	1	2	10	3	2	2	2	1

CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MOTHERS BORN IN OTHER FOREIGN COUNTRIES (WHITE)—Continued.

30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over.	Unknown.	
21	9	11	2						1					1	1
2	3								1						2
5	3	4													3
13	3	6	2											1	4
															5
1		1													6
	1	1		4	2										7
	1	1		4	1										8
					1										9
				2											10
															11
		1		1	1										12
				1											13
	1														14
1	1	1	1	1		3			1		1				15
		1		1		2			1		1				16
1	1		1			1									17
1		1													18
						1									19
	1		1	1		2			1		1				20
	1			2		1	1								21
	1			2		1									22
							1								23
															24
						1									25
	1			2											26
							1								
53	65	48	32	28	24	13	9	8	7	5				3	27
46	59	43	30	25	18	11	8	8	4	3				3	28
7	6	5	2	3	6	2	1		3	2					29
1	2	5	1	2	1										30
1	1			1	1				1						
4	7	3	1		1	4		1	1					1	31
	1														
	1					1									32
4	1		1	1		1		1							33
		1													
1	2	1													34
	1														
															35
1	1	1													36
5	8	6	7	3	1	1		2		1					37
1			1		1										
		1				1	1								38
1	1														
3		2	2	1	4	1		1							39
				2				1							40
2	2	1	2	3			1								41
2		2			2										
5	4	1	2	3	2				1						42
1	1		1	1	2										
1	1	2	1		3										43
										1					
					2										44
	1	2	1												45
						1									
19	29	18	12	10	4	2	6	2	2	2				2	46
1	1	2		1		1	1		2	1					

TABLE 12.

DEATHS IN EACH REGISTRATION STATE, DURING THE CENSUS YEAR ENDING MAY 31, 1900, FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, BY BIRTHPLACES OF MOTHERS.

(NOTE.—Birthplace of mother not reported for Vermont.)

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

CONNECTICUT.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	5,706	3,452	911	662	580	362	163	396	60	87	376	377	1,916
Males	2,789	1,720	491	333	308	206	93	229	33	46	202	219	1,048
Females	2,917	1,732	420	329	272	156	70	167	27	41	174	158	868
Unknown cause	18	10	2	4	4	2		1	1	1	4		7
Males	10	4	2	1	2	1		1	1		3		6
Females	8	6		3	2	1				1	1		1
1. General diseases. General diseases—A	1,274	546	194	130	129	111	26	113	10	25	123	102	284
Males	590	271	103	61	71	59	16	56	5	13	63	54	138
Females	684	275	91	69	58	52	10	57	5	12	60	48	146
Measles M	26	8	4	2	4	6		8		2	8	3	7
Measles F	39	3	5	3	3	3		10		1	3	4	5
Scarlet fever M	13	5	1	1	1	5	2	1			1		
Scarlet fever F	14	4	1	2	1	2					2	1	4
Diphtheria M	51	16	10	6	5	1	2	4		1	7	6	10
Diphtheria F	48	17	10	8	3	15	2	6			5	5	10
Whooping cough M	25	4	1	1	3	3		1				2	3
Whooping cough F	32	6	3	3	3	8	1	1			4	4	1
Malarial fever M	20	6	5	1	3	1	1	1				2	5
Malarial fever F	26	15	3	2		2	1	1	1			2	8
Influenza M	128	66	15	13	7	5	3	5				3	35
Influenza F	185	78	12	15	7	2	1	3	1		1	1	52
Typhoid fever M	54	25	13	11	4	8		5			2		16
Typhoid fever F	43	22	11	4	3	6		4			3		10
Cholera morbus M		7	2	2				1	1		1	1	2
Cholera morbus F	9	5		1	1			1			1	1	2
Colitis M	3	1									1		
Colitis F	9	1	1	2						1	1		2
Diarrhea M	30	17	5	1	8			6		1	1	4	7
Diarrhea F	25	20	9	4	8	1		4		1	7	4	9
Dysentery M	20	25	4	6	4	3		3				2	12
Dysentery F	27	28	4	4	2	1	2	3			2	2	11
Enteritis M	78	36	10	4	8	11	1	3	1	6	13	8	13
Enteritis F	83	23	11	8	7	2	1	2	1	3	10	7	11
Cholera infantum M	88	38	22	5	15	11	3	9	3	2	25	20	12
Cholera infantum F	104	23	13	11	14	8	2	17	2	5	16	15	5
Fever M	1						1						
Fever F													1
Cerebro-spinal fever M	13	7	1	1	1	2	2				2	2	1
Cerebro-spinal fever F	16	7	1		3			1			1		4
Smallpox M													
Smallpox F													
Erysipelas M	10	2	2	3	2		1	2			1		3
Erysipelas F	5	3	2					1		1	2	1	4
Septicemia M	16	5	4	4	2	2		5		1	1	1	2
Septicemia F	6	6	4	1	1	2		1			1	1	3
Venereal diseases M	6	1			2	1		2					4
Venereal diseases F	2	1			1			2			1		
Others of this group M	13	2	4		2								6
Others of this group F	11	13	1	1	1								4
General diseases—B	66	50	10	9	6	3	2	3	1	1	6	9	43
Males	38	36	8	6	4	2	2	1	1		2	7	33
Females	28	14	2	3	2	1		2		1	4	2	10
Alcoholism M	10	18		2	3		1						18
Alcoholism F	3	6		1	1								3
Parasitic diseases M													1
Parasitic diseases F	1												
Lead poison M	1		1										1
Lead poison F													
Other poisons M	12	10	1	1		1			1				9
Other poisons F	8	3		1	1			1					3
Inanition M	15	8	6	3	1	1	1	1			2	7	4
Inanition F	16	5	2	1		1		1		1	4	2	4
General diseases—C	489	185	49	36	53	23	16	34	1	12	27	33	134
Males	260	81	31	19	31	15	13	25		9	12	23	63
Females	229	104	18	17	22	8	3	9	1	3	15	10	71
Old age M	71	27	10	8	3		5	1		1		1	33
Old age F	90	48	7	4	2	2	1	1			1	1	42
Premature birth M	113	17	14	9	15	7	6	11		4	9	14	7
Premature birth F	77	17	6	8	16	4	2	5	1	2	9	4	14
Malformation M	21	4			5	2						1	2
Malformation F	13	3				1		1			1	2	
Debility and atrophy M	44	24	6	2	6	5	1	8		4	3	5	18
Debility and atrophy F	45	30	5	5	3	1		2		1	3	3	13
Others of this group M	11	9	1		2	1	1	5				2	3
Others of this group F	4	6			1						1		2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D	792	762	185	108	115	65	25	39	12	7	34	38	263
Males	333	401	85	54	50	38	15	19	8	3	19	27	124
Females	459	361	100	54	65	27	10	20	4	4	15	11	139
Anemia M	5	3	1					1			2		
Anemia F	11	3	3	1	1		1		1				2
Diabetes M	38	12	5	3	3	2	1				2	1	6
Diabetes F	13	14	4	3	3		1					1	6
Rheumatism M	12	6	1	2		3	1				1		6
Rheumatism F	11	15	5		2	1		1				1	
Scrofula and tabes M	4	4	1		4			1					
Scrofula and tabes F	9							1			1		
Hydrocephalus M	21	1		2	3	6		1			3		4
Hydrocephalus F	21	3	3	2		2	1	3	1		3		
Tuberculosis, general M	3	2	2										1
Tuberculosis, general F	1	2	1										
Consumption M	182	321	53	34	31	24	7	12	6	3	8	23	76
Consumption F	225	230	41	23	47	23	3	13	1	3	10	6	69
Cancer M	50	46	18	12	9	2	6	4	2		3	3	27
Cancer F	146	82	38	24	10	1	4	2				2	56
Tumor M	5	3	1			1							2
Tumor F	14	7	3	1							1		6
Dropsy M	7	1	2										2
Dropsy F	4	1	1		2								
Others of this group M	6	2	1	1									
Others of this group F	4	4	1						1	1		1	
2. Diseases of the nervous system	818	372	112	92	66	31	18	37	8	8	39	38	287
Males	433	163	62	47	31	10	9	22	1	5	23	20	166
Females	380	209	50	45	35	21	9	15	7	3	16	18	121
Inflammation of the brain. M	8	1	1		1								2
Inflammation of the brain. F	7	1	1					1					
Meningitis M	78	40	6	7	12	5	2	6			7	6	12
Meningitis F	57	22	12	2	11	8		6			2	6	15
Apoplexy M	178	70	31	21	7	1	4	3			4	3	85
Apoplexy F	171	112	16	24	5	5	7	2	3	1	3	1	55
Paralysis M	55	16	4	6			1				1		22
Paralysis F	50	26	3	5	7	2			2				18
Paralysis, general (of insane). M	1			1									2
Paralysis, general (of insane). F	3		1				1						2
Tetanus and trismus nascentium. M	8	4	2	1	1			1					
Tetanus and trismus nascentium. F	2		3	1		1						1	
Chorea M	1												1
Chorea F		1	1										
Epilepsy M	11												4
Epilepsy F	3	3			2						1		7
Convulsions M	39	12	10	1	7	1		11		5	7	10	5
Convulsions F	25	12	7	3	5	2	1	6	2	2	8	9	3
Mental diseases M	8	4	1	3							1	1	13
Mental diseases F	13	11		1	1								5
Diseases of the brain M	29	13	4	6	3	2		1			2		11
Diseases of the brain F	38	15	4	7	1	3					2		11
Diseases of the spinal cord. M	1		1				1		1				3
Diseases of the spinal cord. F	4		1		3								1
Locomotor ataxia M	7	2	2	1		1							2
Locomotor ataxia F	3												1
Others of this class M	9	1					1				1		4
Others of this class F	4	6	1	2								1	3
3. Diseases of the circulatory system	531	259	60	72	35	11	20	19	5	6	6	18	217
Males	270	106	29	31	19	6	8	13	4	2	3	8	116
Females	261	153	31	41	16	5	12	6	1	4	3	10	101
Pericarditis M	1	1		1									1
Pericarditis F	2	1		1							1		1
Diseases of the heart M	238	95	25	27	18	4	6	13	2	1	3	5	105
Diseases of the heart F	235	142	28	37	16	5	8	6	1	4	1	6	89
Angina pectoris M	20	3	2	3	1		1						6
Angina pectoris F	10	4	1	1			1					2	5
Diseases of the arteries M	5	3	2				1						
Diseases of the arteries F	7	2	1	1									5
Aneurism M	1	2				2			2				
Aneurism F	1	1		1			2						
Embolism M	2									1			
Embolism F	1		1									1	
Others of this class M	3	2										3	4
Others of this class F	5	3					1				1	1	1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system		736	544	117	80	84	59	20	102	13	13	73	84	229
Males		336	270	68	45	43	38	10	64	9	7	40	50	116
Females		400	274	49	35	41	21	10	38	4	6	33	34	113
Croup	M	10	5	3	4	1	1	1	2			2	4	1
	F	18	7		1	1	3		2			1	4	2
Pneumonia	M	223	192	40	28	31	25	6	45	6	5	22	25	83
	F	272	178	28	21	26	14	9	25	3	5	24	21	76
Laryngitis	M	5	2	1			1							
	F	5	1	1		1	1					2		
Bronchitis	M	67	45	18	8	8	6	2	15	1	2	13	16	18
	F	76	55	12	8	9	2	1	10	1	1	6	6	22
Pleurisy	M	4	8	1		1	1	1					3	5
	F	7	9	3	1	1								1
Asthma	M	7	4	1	3		1							4
	F	2	7	2	1	1			1				2	2
Others of this class	M	20	14	4	2	2	3		2	2		3	2	5
	F	20	17	3	3	2	1						1	10
5. Diseases of the digestive system		275	221	61	36	20	21	4	9	2	7	24	18	105
Males		122	101	37	20	14	16	1	8	1	3	9	9	49
Females		153	120	24	16	6	5	3	1	1	4	15	9	56
Dentition	M	3	2	2		2	1							
	F	7	1			1					1	1		
Angina	M	6	1				1		1					
	F	4	1	2									1	
Gastritis	M	15	20	7	3		2				1	1	1	7
	F	27	30	1	6				1		1	6	2	16
Diseases of the stomach	M	6	8	1	2		2						1	2
	F	12	6		1	1							1	2
Obstruction of the bowels	M	8	12	2	2	1	1		2				1	5
	F	15	8	4	1									11
Appendicitis	M	14	6	2	1	2	1						1	8
	F	13	10	3	1			1			1			1
Hernia	M	6	1	5					2					5
	F	4	4	1	1									1
Other diseases of the bowels	M	4	1	1										1
	F		1											1
Jaundice	M	3	1				1		1			1		
	F	3	1	1		1								1
Inflammation and abscess of the liver	M	10	7		4		1					2	1	3
	F	5	7			1							1	3
Other diseases of the liver	M	20	25	11	4	3	4		2	1				10
	F	12	19	6	3							1	1	5
Peritonitis	M	10	8	3	2	4	2				2	3	2	5
	F	26	16	2	1	1	4			1	1	2	2	12
Ascites	M					1								
	F		3									1		
Others of this class	M	17	9	3	2	1		1				2	2	3
	F	25	13	4	2	1	1	2				4	1	3
6. Diseases of the urinary system and male organs of generation		364	252	61	41	25	11	16	7	6	5	12	9	147
Males		216	136	31	23	17	4	7	3	3	2	8	5	104
Females		148	116	30	18	8	7	9	4	3	3	4	4	43
Bright's disease	M	156	109	25	17	10	2	5	3	1	1	5	3	70
	F	127	98	27	13	7	6	8	3	3	3	3	3	36
Calculus, urinary	M											1		
	F	1			1									
Diseases of the kidney	M	17	5	3	3	2	1			1	1	1	1	4
	F	8	4	1	3	1		1	1			1	1	4
Diseases of the bladder	M	27	8	2	2	3		2		1		1	1	19
	F	6	4											2
Others of this class	M	16	14	1	1	2	1							11
	F	6	10	2	1		1							1
7. Diseases of the female organs of generation		19	10	4	2	4			1					10
Ovarian tumors		5	3	1	1	1								
Ovarian diseases		1												
Diseases of the tubes		1												
Uterine tumors		5	4		1									5
Uterine diseases			1	1		2								1
Others of this class		7	2	2		1			1					4

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	36	26	4	10	4	5	1	5	1		5	8	8
Abortion	2	3				1	1					1	1
Childbirth	9	3		1	1	1			1		1		3
Puerperal septicemia	14	12	3	7	3	2		3			1	7	2
Extra-uterine pregnancy	2										1		
Others of this class	9	8	1	2		1		2			2		2
9. Diseases of the bones and joints	18	7	4		2	1	1						4
Males	11	4	2			1	1						3
Females	7	3	2		2								1
Diseases of the spine M		1	2				1						
Diseases of the spine F	3				2								
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F	1	1	1										
Diseases of the bones M	7	2				1							2
Diseases of the bones F	2												
Diseases of the hip-joint. M	1												1
Diseases of the hip-joint. F													
Others of this class M	3	1											
Others of this class F	1	2	1										1
10. Diseases of the skin	15	8						1					5
Males	8	3											2
Females	7	5						1					3
Abscess M	5	2											1
Abscess F	5	3						1					2
Carbuncle M		1											
Carbuncle F													
Others of this class M	3												1
Others of this class F	2	2											1
11. Diseases of the absorbent system	7	1	1										1
Males	5												
Females	2	1	1										1
Addison's disease M	1												
Addison's disease F		1	1										1
Diseases of the spleen M													
Diseases of the spleen F	2												
Others of this class M	4												
Others of this class F													
12. Accidents and injuries	253	199	47	42	33	19	14	25		2	23	20	172
Males	157	144	33	26	26	16	11	17		2	20	16	128
Females	96	55	14	16	7	3	3	8			3	4	44
Burns and scalds M	10	5	1	3						1	5	1	1
Burns and scalds F	17	11	3	3	2	1		4			1	1	6
Drowning M	21	28	4	3	5	6	3	1			2	2	20
Drowning F	8	4		1	2		2					1	8
Exposure and neglect M	2	2									1		1
Exposure and neglect F		1										1	
Gunshot wounds M	4	1	1	3	2			1			1		4
Gunshot wounds F	2							1			1		
Homicide M								1					2
Homicide F		1										1	
Infanticide M													
Infanticide F													
Injuries by machinery M													
Injuries by machinery F													
Railroad accidents M	19	33		4	5	4	2	4			1	2	39
Railroad accidents F	7	8		4									1
Suffocation M	12	5			2		1						3
Suffocation F	8	4									1		2
Suicide by shooting M	2		3	2		1					1	1	2
Suicide by shooting F	1												
Suicide by drowning M	1		1	1									
Suicide by drowning F		1	1	1									1
Suicide by poison M	9	3	5				1			1			3
Suicide by poison F	10	3	1										1
Other suicides M	12	6	4	1		2	1				1	2	2
Other suicides F	4	1	1										1
Sunstroke M		3	1		1						1		
Sunstroke F	1	1											
Surgical operations M	1											1	2
Surgical operations F	1												
Wounds M		4			1		1	1				1	2
Wounds F													
Others of this class M	64	54	13	9	10	3	2	9			7	6	47
Others of this class F	37	20	8	7	3	2	1	3					24

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	2,370	428	287	105	20	6	36	28	18	2	20	32	308
Males	1,223	225	173	65	10	5	17	13	10	2	13	21	190
Females	1,147	203	114	40	10	1	19	15	8		7	11	118
Unknown cause	15												
Males	8												
Females	7												
1. General diseases. General diseases—A	566	53	43	15	2	1	4	11	2	1	4	5	39
Males	287	23	22	8	2		1	3	1	1	2	4	26
Females	279	30	21	7		1	3	8	1		2	1	13
Measles M	12							1					3
Measles F	8	1						2					
Scarlet fever M	12												
Scarlet fever F	6		2										
Diphtheria M	65	1	3		1		1				1		2
Diphtheria F	55		4	2		1		1				1	2
Whooping cough M	13			1									
Whooping cough F	8		1										
Malarial fever M	10	2	3	2						1			2
Malarial fever F	11	3	2	1									
Influenza M	21	4		1	1								1
Influenza F	28	8	5	2									2
Typhoid fever M	60	7	7	1								2	4
Typhoid fever F	38	3	3	2				2					3
Cholera morbus M	2												
Cholera morbus F	2								1				
Colitis M	3		1										
Colitis F	1												
Diarrhea M	12	2	4	1								1	5
Diarrhea F	16	6	1				2						1
Dysentery M	11		1										
Dysentery F	10	1	1										1
Enteritis M	31	4	3	2							1	1	3
Enteritis F	53	3					1	1			1		4
Cholera infantum M	20	2						2	1				2
Cholera infantum F	22	2						1					
Fever M													
Fever F													
Cerebro-spinal fever M	6												
Cerebro-spinal fever F	4	1	1								1		
Smallpox M													2
Smallpox F	3												
Erysipelas M	2												
Erysipelas F	2												
Septicemia M	4												2
Septicemia F	5	1						1					
Venereal diseases M	3												
Venereal diseases F	4		1										
Others of this group M		1											
Others of this group F	3	1											
General diseases—B	29	6	3	1	1						1		2
Males	19	6	3	1									1
Females	10				1						1		1
Alcoholism M	5	6	3	1									1
Alcoholism F					1								1
Parasitic diseases M													
Parasitic diseases F													
Lead poison M													
Lead poison F													
Other poisons M	9												
Other poisons F	4										1		
Inanition M	5												
Inanition F	6												
General diseases—C	217	24	21	7			1	1	1		1		22
Males	122	10	8	6				1					12
Females	95	14	13	1			1		1		1		10
Old age M	31	7	6	6									7
Old age F	25	12	7				1		1				5
Premature birth M	45	2	1										
Premature birth F	30	1	2	1									2
Malformation M	3												1
Malformation F	3												
Debility and atrophy M	40	1	1					1					4
Debility and atrophy F	33	1	4								1		3
Others of this group M	3												
Others of this group F	4												

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D	399	103	55	18	6	1	5	2	4		1	11	51
Males	180	61	31	12	3	1	2	1	2		1	7	24
Females	219	42	24	6	3		3	1	2			4	27
Anemia M	4												
Anemia F	2	2											
Diabetes M	5	2		1									
Diabetes F	5												
Rheumatism M	6	1	1	1					1				
Rheumatism F	9	1	1				2						1
Scrofula and tabes M	3			1									1
Scrofula and tabes F	1												2
Hydrocephalus M	9	1	2										
Hydrocephalus F	6			1									
Tuberculosis, general M	2											1	1
Tuberculosis, general F	4							1					
Consumption M	125	41	18	6	2	1	2	1	1		1	6	16
Consumption F	121	26	12	3	3				1			3	14
Cancer M	20	15	6	2	1								6
Cancer F	63	11	8	2			1		1			1	9
Tumor M	3	1	1										
Tumor F	5	2	2										
Dropsy M	2		2	1									
Dropsy F	2												1
Others of this group M	1		1										
Others of this group F	1		1										
2. Diseases of the nervous system	270	63	47	19	3	1	8	5	1		5	2	69
Males	154	32	35	12	1	1	5	3	1		4	1	48
Females	116	31	12	7	2		3	2			1	1	21
Inflammation of the brain. M	1										1		
Inflammation of the brain. F	1												
Meningitis M	23	2	1					2	1				2
Meningitis F	20	1		1				1					3
Apoplexy M	57	17	21	5			4	1					15
Apoplexy F	39	16	7	1	1		2	1			1		11
Paralysis M	14	1	1	2									
Paralysis F	15	1	1	2									
Paralysis, general (of insane). M	1		1				1				1		3
Paralysis, general (of insane). F													1
Tetanus and trismus nascentium. M	5	1											
Tetanus and trismus nascentium. F	2												
Chorea M				1									1
Chorea F													
Epilepsy M	1	1											4
Epilepsy F	3				1								2
Convulsions M	22	1	1								1	1	2
Convulsions F	11	3	2										
Mental diseases M	4	5			1	1					1		5
Mental diseases F	1		1	1								1	4
Diseases of the brain M	23	3	8	4									15
Diseases of the brain F	13	7		2			1						
Diseases of the spinal cord. M	1	1	1										1
Diseases of the spinal cord. F	6												
Locomotor ataxia M	1		1										
Locomotor ataxia F	1	1											
Others of this class M	1												
Others of this class F	4	2	1										
3. Diseases of the circulatory system	193	55	37	11	2	1	8	2	4		1	6	32
Males	99	27	27	5	1	1	5	2	3		1	5	21
Females	94	28	10	6	1		3		1			1	11
Pericarditis M	1	1											
Pericarditis F													
Diseases of the heart M	88	23	25	4	1		5	2	3		1	5	20
Diseases of the heart F	86	27	10	6	1		3		1			1	10
Angina pectoris M	6	1	1										
Angina pectoris F	6												
Diseases of the arteries. M	4			1									
Diseases of the arteries. F													
Aneurism M		1				1							1
Aneurism F													
Embolism M		1	1										
Embolism F	1												1
Others of this class M													
Others of this class F	1	1											

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	266	56	26	11	4	2	5	5	2			4	17
Males	127	25	14	5	2	2	2	2	1			2	11
Females	139	31	12	6	2		3	3	1			2	6
Croup M	6												
Croup F	4	2						1					
Pneumonia M	79	18	12	3	2	1	2	1	1			2	8
Pneumonia F	87	17	8	2			1	2	1			2	6
Laryngitis M	1												
Laryngitis F	1												
Bronchitis M	17	4											1
Bronchitis F	29	4	1	2			1						
Pleurisy M	4			1									2
Pleurisy F	4		1										
Asthma M													
Asthma F													
Others of this class M	20	3	2	1		1		1					
Others of this class F	14	8	2	2	2		1						
5. Diseases of the digestive system	131	20	17	7			1		1		2	1	21
Males	64	9	13	5					1				16
Females	67	11	4	2			1				2	1	5
Dentition M	2		1										
Dentition F	7												
Angina M													
Angina F													
Gastritis M	7	3	5	1									3
Gastritis F	14	2	1	1									1
Diseases of the stomach M	5	1		1									
Diseases of the stomach F	4	2											
Obstruction of the bowels M	6		2										
Obstruction of the bowels F	8	1		1									1
Appendicitis M	5	1	1										3
Appendicitis F	6	1											1
Hernia M													2
Hernia F	1												
Other diseases of the bowels M													1
Other diseases of the bowels F	1										1		
Jaundice M	5												2
Jaundice F	1												
Inflammation and abscess of the liver M	5	2	2	1									1
Inflammation and abscess of the liver F	2	1	1										
Other diseases of the liver M	14	2	2	1									1
Other diseases of the liver F	4	1											
Peritonitis M	6												1
Peritonitis F	11		1									1	2
Ascites M	1												
Ascites F													
Others of this class M	8			1					1				2
Others of this class F	8	3	1				1				1		
6. Diseases of the urinary system and male organs of generation.	147	29	16	10	1		3		2	1	2		22
Males	86	18	10	9	1		2		1	1	2		15
Females	61	11	6	1			1		1				7
Bright's disease M	71	16	7	7	1		2		1				10
Bright's disease F	42	10	5	1			1						7
Calculus, urinary M													
Calculus, urinary F	1												
Diseases of the kidney M		1	1	1							1		1
Diseases of the kidney F	7		1										
Diseases of the bladder M	7	1	1								1		3
Diseases of the bladder F	1	1							1				
Others of this class M	8		1	1						1			1
Others of this class F	10												
7. Diseases of the female organs of generation.	9	1	2	1									8
Ovarian tumors	2												4
Ovarian diseases	1												
Diseases of the tubes		1	1										2
Uterine tumors	1		1	1									1
Uterine diseases	1												
Others of this class	4												1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14		5	1	1							1	1
Abortion	1		1										
Childbirth	2		2									1	
Puerperal septicemia	6		2										1
Extra-uterine pregnancy	1				1								
Others of this class	4			1									
9. Diseases of the bones and joints	6	1											2
Males	2												
Females	4	1											2
Diseases of the spine M	1												
Diseases of the spine F	1												
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F	2												
Diseases of the bones M	1												
Diseases of the bones F													
Diseases of the hip-joint M													
Diseases of the hip-joint F	1												
Others of this class M													
Others of this class F		1											2
10. Diseases of the skin	5	1	1										1
Males	3	1											
Females	2		1										1
Abscess M	1												
Abscess F	1												
Carbuncle M	2	1											
Carbuncle F			1										
Others of this class M													
Others of this class F	1												1
11. Diseases of the absorbent system	2												
Males	1												
Females	1												
Addison's disease M													
Addison's disease F													
Diseases of the spleen M													
Diseases of the spleen F													
Others of this class M	1												
Others of this class F	1												
12. Accidents and injuries	101	16	14	4			1	2	1		3	2	21
Males	71	13	10	2				1			3	2	16
Females	30	3	4	2			1	1	1				5
Burns and scalds M	7	1						1					
Burns and scalds F	11			1									
Drowning M	14	1	2								1		2
Drowning F				1									
Exposure and neglect M													
Exposure and neglect F													
Gunshot wounds M	5												3
Gunshot wounds F	2												
Homicide M	3												
Homicide F	1		2				1						
Infanticide M													
Infanticide F													
Injuries by machinery M													
Injuries by machinery F													
Railroad accidents M	7	2	1										5
Railroad accidents F	1												1
Suffocation M	1											1	
Suffocation F		1											
Suicide by shooting M	1	1	2	1									
Suicide by shooting F													1
Suicide by drowning M													
Suicide by drowning F													
Suicide by poison M	2												
Suicide by poison F			1										
Other suicides M	1	1	2									1	2
Other suicides F	4	1	1										1
Sunstroke M	2												1
Sunstroke F	1												
Surgical operations M													
Surgical operations F													2
Wounds M	1												1
Wounds F													
Others of this class M	27	7	3	1							2		2
Others of this class F	10	1						1	1				

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	8,525	652	36	175	1,898	52	81	10	4	2	27	29	621
Males	4,365	346	23	100	983	30	41	4	2	1	19	18	336
Females	4,160	306	13	75	915	22	40	6	2	1	8	11	285
Unknown cause	139	6		3	50	1	2				2		16
Males	83	6		2	27	1					1		10
Females	56			1	23		2				1		6
1. General diseases. General diseases—A	1,155	52	4	23	460	7	11	4	1	1	6	5	53
Males	626	25	3	15	259	5	4	1			5	3	26
Females	529	27	1	8	201	2	7	3	1	1	1	2	27
Measles M	13				9		1						
Measles F	15				10	1							1
Scarlet fever M	19			1	16								1
Scarlet fever F	11				3								
Diphtheria M	29	2		1	19	1	1				1		1
Diphtheria F	25	3			16		1	1					1
Whooping cough M	32	1		1	12								1
Whooping cough F	33	1		1	15								
Malarial fever M	8	1			1								1
Malarial fever F	4												1
Influenza M	92	3		1	14								6
Influenza F	102	2			12		2						9
Typhoid fever M	91	5	1		26						1		4
Typhoid fever F	44	2		4	18	1							3
Cholera morbus M	23	1			5		2						1
Cholera morbus F	11				5						1		1
Colitis M	4	1											
Colitis F	9												
Diarrhea M	25		1	4	13								1
Diarrhea F	18	2			11								
Dysentery M	22	1			8							1	
Dysentery F	31	3			5								3
Enteritis M	45	1		2	13			1			2		3
Enteritis F	44	7	1		13		2						3
Cholera infantum M	125	1	1	1	110	4					1	2	1
Cholera infantum F	105	3		1	77		1	2		1		2	
Fever M	1												
Fever F					2								
Cerebro-spinal fever M	19			1	5								
Cerebro-spinal fever F	14				5								
Smallpox M	5												
Smallpox F													
Erysipelas M	13	1			1								1
Erysipelas F	10												
Septicemia M	31	4			7								1
Septicemia F	31	2		1	5								3
Venereal diseases M	1												
Venereal diseases F	1												1
Others of this group M	28	3		3									4
Others of this group F	21	2		1	1		1		1				1
General diseases—B	76	10	2	2	20	1	1				1		5
Males	44	5	2	2	13	1					1		3
Females	32	5			7		1						2
Alcoholism M	5	4	1										2
Alcoholism F		1			1								1
Parasitic diseases M													
Parasitic diseases F	1												
Lead poison M													
Lead poison F													
Other poisons M	13			1	2								1
Other poisons F	6				1								
Inanition M	26	1	1	1	11	1					1		
Inanition F	25	4			5		1						1
General diseases—C	780	53	4	13	155	8	6	1			2	3	71
Males	388	24	1	3	85	3	4				1	2	44
Females	392	29	3	10	70	5	2	1			1	1	27
Old age M	237	15	1	2	15	1	2						39
Old age F	268	21		6	15	5	2						23
Premature birth M	69	2			31	1						1	
Premature birth F	56	2	1	4	28			1			1	1	
Malformation M	7	1			2	1					1		
Malformation F	8		1		1								
Debility and atrophy M	69	6		1	36		1						5
Debility and atrophy F	54	6			25								4
Others of this group M	6				1		1					1	
Others of this group F	6		1		1								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		1,559	159	5	29	312	7	12	1	1			6	95
Males		666	81	4	12	145	4	7		1			4	37
Females		893	78	1	17	167	3	5	1				2	58
Anemia	M	17		2		5								
	F	21	2			9								1
Diabetes	M	42	3			4								1
	F	42	1		1	2								3
Rheumatism	M	14	1			3								2
	F	12			1									1
Scrofula and tabes	M	11				8								1
	F	17			1	4								3
Hydrocephalus	M	22	2		1	8								2
	F	31	3	1	2	5		1						
Tuberculosis, general	M	18				3	1							3
	F	14				1								1
Consumption	M	358	51	2	7	73	3	5					3	19
	F	439	44		4	104	2		1				2	23
Cancer	M	155	22		4	27		1		1			1	8
	F	273	24		7	33	1	4						20
Tumor	M	6				2								
	F	18	1		1	3								2
Dropsy	M	20	2			9		1						1
	F	23	3			6								3
Others of this group	M	3				3								
	F	3												1
2. Diseases of the nervous system		1,331	98	5	29	220	4	14		1	1	3	2	117
Males		682	50	3	20	111	2	6			1	2	2	59
Females		649	48	2	9	109	2	8		1		1		58
Inflammation of the brain.	M	18			1	8								
	F	8	1			2								
Meningitis	M	90	10	1	1	40							1	3
	F	80	5	1	1	36		1				1		5
Apoplexy	M	226	20	1	7	15	1	2				1		16
	F	251	20	1	2	17	1	1						20
Paralysis	M	146	7		7	11		1						10
	F	133	6		1	26		1		1				7
Paralysis, general (of insane).	M	11									1			6
	F	4	1											
Tetanus and trismus nascentium.	M	6	1			1								
	F	1												
Chorea	M													
	F	1												
Epilepsy	M	10	1			1		1						4
	F	8	1											
Convulsions	M	43	1		1	20								2
	F	39				8								1
Mental diseases	M	24	5		1	5	1	1				1		14
	F	45	8		1	3	1	1						19
Diseases of the brain	M	76	4		1	9		1					1	4
	F	53	5		3	9		4						3
Diseases of the spinal cord.	M	10	1	1	1									
	F	10			1	1								
Locomotor ataxia	M	8												
	F	1				2								1
Others of this class	M	14				1								
	F	15	1			5								2
3. Diseases of the circulatory system.		942	76	5	25	111	4	11	1			1	1	86
Males		521	40	3	15	57	3	6	1			1		57
Females		421	36	2	10	54	1	5					1	29
Pericarditis	M	5			1	2								1
	F	5												1
Diseases of the heart	M	463	37	3	13	44	3	6	1			1		50
	F	382	33	2	9	47	1	4						25
Angina pectoris	M	34	2			5								4
	F	24	3		1	2		1					1	3
Diseases of the arteries.	M	3	1		1									
	F	3				2								
Aneurism	M	5												
	F					1								
Embolism	M	3				1								2
	F	4												
Others of this class	M	8				5								
	F	3				2								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	1,106	79	7	23	291	6	13	2			5	3	60
Males	550	41	5	15	142	2	5	1			3	3	29
Females	556	38	2	8	152	4	8	1			2		31
Croup M	13			1	15								
Croup F	13	1			20		1				1		
Pneumonia M	407	36	5	10	83	2	4	1			2	2	24
Pneumonia F	392	30	2	6	90	4	6	1			1		25
Laryngitis M	1			1	1								
Laryngitis F	5				1								
Bronchitis M	67	3		2	34		1				1		2
Bronchitis F	88	1		2	22								5
Pleurisy M	8				2							1	
Pleurisy F	9	1			4		1						1
Asthma M	9			1	1								
Asthma F	8				1								
Others of this class M	45	2			6								3
Others of this class F	41	5			14								
5. Diseases of the digestive system	416	33		5	88	7	3	1	1		1	6	24
Males	198	18		2	39	3	2	1	1		1	3	10
Females	218	15		3	49	4	1					3	14
Dentition M	1	1											
Dentition F													
Angina M	3												
Angina F	2				2								1
Gastritis M	25	2			7				1				2
Gastritis F	40	4		1	7								
Diseases of the stomach M	19	1			2								1
Diseases of the stomach F	10	1			1								3
Obstruction of the bowels M	17	5			4			1					
Obstruction of the bowels F	22				1							2	
Appendicitis M	12	1			6								
Appendicitis F	19	1			2	1							2
Hernia M	10				1							1	1
Hernia F	7			1	2								2
Other diseases of the bowels M	11				1							1	
Other diseases of the bowels F	2				2								
Jaundice M	9			1	1	1						1	
Jaundice F	7			1	2								1
Inflammation and abscess of the liver M	13	1			4								
Inflammation and abscess of the liver F	10	3			2							1	2
Other diseases of the liver M	40	2		1	2		1				1		2
Other diseases of the liver F	21	1			4	1							1
Peritonitis M	23	5			5								1
Peritonitis F	53	2			14	1	1						1
Ascites M													1
Ascites F	5	2			1								
Others of this class M	15				6	2	1						2
Others of this class F	20	1			9	1							1
6. Diseases of the urinary system and male organs of generation.	548	36	1	14	57	1	3				2		41
Males	338	24	1	11	32	1	3						26
Females	210	12		3	25						2		15
Bright's disease M	214	18		8	19	1	2						21
Bright's disease F	155	10		3	19						2		13
Calculus, urinary M	2				1								1
Calculus, urinary F	1												
Diseases of the kidney M	23	2		1	5								2
Diseases of the kidney F	11				2								
Diseases of the bladder M	40	2	1	1	2		1						1
Diseases of the bladder F	6	1											
Others of this class M	59	2		1	5								1
Others of this class F	37	1			4								2
7. Diseases of the female organs of generation.	25	1			5								
Ovarian tumors	7				2								
Ovarian diseases	1				1								
Diseases of the tubes													
Uterine tumors	7	1											
Uterine diseases	2				1								
Others of this class	8				1								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MAINE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	51	3	1	1	24								7
Abortion	3				1								1
Childbirth	22	1	1		8								2
Puerperal septicemia	17	2		1	10								4
Extra-uterine pregnancy													
Others of this class	9				5								
9. Diseases of the bones and joints	23	1			2								4
Males	12	1			2								3
Females	11												1
Diseases of the spine M	4				1								2
Diseases of the spine F	6												1
Abscess, lumbar and psoas. M													
Abscess, lumbar and psoas. F													
Diseases of the bones M	4				1								
Diseases of the bones F	4												
Diseases of the hip-joint M	3	1											1
Diseases of the hip-joint F	1												
Others of this class M	1												
Others of this class F													
10. Diseases of the skin	13	1			7								
Males	8	1			5								
Females	5				2								
Abscess M	4				5								
Abscess F	4				1								
Carbuncle M	2												
Carbuncle F													
Others of this class M	2	1											
Others of this class F	1				1								
11. Diseases of the absorbent system	5		1	1	1								3
Males	1		1										2
Females	4			1	1								1
Addison's disease M	1		1										1
Addison's disease F	1												
Diseases of the spleen M													
Diseases of the spleen F	1												1
Others of this class M													1
Others of this class F	2			1	1								
12. Accidents and injuries	356	44	1	7	92	6	5				4	3	39
Males	248	30		3	66	5	4				4	1	30
Females	108	14	1	4	26	1	1					2	9
Burns and scalds M	12	1			4								
Burns and scalds F	16	2			4	1							1
Drowning M	57	9			20	1					2	1	4
Drowning F	8	2	1		3							2	1
Exposure and neglect M	1												1
Exposure and neglect F	1				1								
Gunshot wounds M	14				3								
Gunshot wounds F	1				1								
Homicide M				1	2	1							
Homicide F	2			2									
Infanticide M													
Infanticide F													
Injuries by machinery M	3				1								
Injuries by machinery F													
Railroad accidents M	15	7			4	1	1						5
Railroad accidents F	3				1								
Suffocation M	9				5								
Suffocation F	5				2		1						
Suicide by shooting M	16												1
Suicide by shooting F													
Suicide by drowning M	3												
Suicide by drowning F	5												
Suicide by poison M	6						1						1
Suicide by poison F	5	1		1	1								
Other suicides M	18				4	1	1				1		3
Other suicides F	4				1								1
Sunstroke M	2												
Sunstroke F	1												1
Surgical operations M	1												
Surgical operations F	4				2								1
Wounds M	3				1								
Wounds F													
Others of this class M	88	13		2	22	1	1				1		15
Others of this class F	53	9		1	10								4

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	18,114	12,924	911	2,254	7,038	697	808	759	84	31	785	1,864	3,292
Males	9,149	6,396	498	1,160	3,662	372	395	454	47	16	436	749	1,651
Females	8,965	6,528	413	1,094	3,376	325	413	305	37	15	349	615	1,641
Unknown cause	148	86	5	11	31	6	5	7			5	11	31
Males	82	51	2	6	14	3		4			4	8	13
Females	66	35	3	5	17	3	5	3			1	3	18
1. General diseases. General diseases—A	3,056	1,801	154	391	1,792	158	125	200	13	7	212	371	342
Males	1,497	862	74	181	949	79	59	109	5	3	109	195	165
Females	1,559	939	80	210	843	79	66	91	8	4	103	176	177
Measles M	39	34	1	7	45	2	2	16		1	3	10	6
Measles F	39	27	3	4	31	1		15			4	11	8
Scarlet fever M	62	49	5	5	30	5	3	6			9	4	2
Scarlet fever F	77	43	6	8	35	5	4	3			17	5	1
Diphtheria M	178	112	8	28	106	16	4	27			20	6	3
Diphtheria F	192	125	17	21	106	18	10	21		1	20	10	9
Whooping cough M	57	31	2	8	41		1	6			5	4	3
Whooping cough F	65	54	2	15	40	5	3	4			4	14	3
Malarial fever M	22	7			6		1					1	4
Malarial fever F	7	10		1	5		2				1	2	1
Influenza M	192	83	5	21	38	2	7	2	1			9	47
Influenza F	321	164	7	33	76	5	12	3	3		3	4	76
Typhoid fever M	133	72	10	17	73	12	4	7			6	19	16
Typhoid fever F	73	74	3	15	37	9	5	2	1			14	11
Cholera morbus M	22	16	2	1	10	1					1	1	2
Cholera morbus F	19	18		1	7	2	2	1	1		1	2	2
Colitis M	16	5	1	2	3		1					3	
Colitis F	14	10		2	5			2			2	2	2
Diarrhea M	39	48	6	4	38	2	1	2			1	8	11
Diarrhea F	48	36	4	6	32	4	3	2				11	9
Dysentery M	36	35	2	7	20	1	1				1	5	8
Dysentery F	56	51		4	15	2	3	1				3	12
Enteritis M	208	129	8	18	130	18	10	16	2	1	21	40	15
Enteritis F	185	125	12	28	103	5	12	14	1		22	19	17
Cholera infantum M	329	155	11	39	345	14	15	15	2	1	37	75	13
Cholera infantum F	303	100	22	48	277	19	4	13	2	3	24	69	9
Fever M								1					
Fever F	2	1			2								
Cerebro-spinal fever M	49	17	3	3	28	1	3	7			3	5	2
Cerebro-spinal fever F	38	11	1	3	19		1	4			2	4	2
Smallpox M	1	3		1								1	
Smallpox F	1	2		1	5								
Erysipelas M	32	18	3	5	11	1	1	1			1	1	4
Erysipelas F	29	17	2	5	13		1	4				2	3
Septicemia M	37	26	5	6	12	3	4	1			1	1	11
Septicemia F	57	45		6	23	3	1	2			2	4	2
Venereal diseases M	8	6	1	2	5	1		1					3
Venereal diseases F	6	5		2	4	1							2
Others of this group M	37	16	1	7	8		1	1				2	15
Others of this group F	27	21	1	7	8		3				1		8
General diseases—B	439	259	18	63	219	15	15	17	2	1	26	70	60
Males	253	171	13	36	129	10	8	8	1	1	15	35	37
Females	186	88	5	27	90	5	7	9	1		11	35	23
Alcoholism M	21	80	2	9	13	2	3	1					14
Alcoholism F	3	26		4	3		3						7
Parasitic diseases M		1											
Parasitic diseases F					1								
Lead poison M	2	3				1							
Lead poison F	1	2											
Other poisons M	19	16	3	4	14						3	4	9
Other poisons F	14	7	3	2	9	1	1	1				1	4
Inanition M	211	71	8	23	102	7	5	7	1	1	12	31	14
Inanition F	168	53	2	21	77	4	3	8	1		11	34	12
General diseases—C	2,025	974	51	167	744	47	66	54	9	3	71	111	368
Males	956	482	25	86	416	26	33	27	5		38	60	161
Females	1,069	492	26	81	328	21	33	27	4	3	33	51	207
Old age M	293	178	10	13	29	3	14				1	2	114
Old age F	484	265	8	35	41	5	25	3	4		2	2	163
Premature birth M	272	99	5	32	167	16	12	15	3		16	21	18
Premature birth F	226	58	6	17	104	6	5	11		1	7	18	12
Malformation M	52	13	1	3	20	1	1	2			1		1
Malformation F	46	16	3	3	19	1	1	2		1	3	1	
Debility and atrophy M	311	166	8	33	194	5	6	8	2		13	33	27
Debility and atrophy F	298	132	9	26	154	6	2	11		1	17	27	30
Others of this group M	28	26	1	5	6	1		2			7	4	1
Others of this group F	15	21			10	3					4	3	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D	2,688	2,917	194	360	1,146	152	171	73	13	5	98	198	527
Males	1,201	1,448	112	173	538	80	83	48	4	2	57	94	229
Females	1,487	1,469	82	187	608	72	88	25	9	3	41	104	298
Anemia M	38	13	2	3	10		1				1	1	7
Anemia F	45	31		4	18		5	1	1			1	12
Diabetes M	73	38	4	5	7	1	3				1	4	13
Diabetes F	83	33	4	14	13	1	3		1			2	13
Rheumatism M	36	18	1	10	9		1						7
Rheumatism F	35	31	1	3	6	2	1				1	3	8
Scrofula and tabes M	13	9		1	5							2	1
Scrofula and tabes F	13	6		1	8		1	1				1	
Hydrocephalus M	102	47	4	11	42	6	6	6			11	6	3
Hydrocephalus F	71	51	4	6	33	7	2	2			5	8	2
Tuberculosis, general M	34	20	1	3	6	1	1	3				2	5
Tuberculosis, general F	33	9	1	4	7		3	4			2	5	5
Consumption M	630	1,123	74	108	371	59	61	32	2	2	30	69	122
Consumption F	616	945	38	87	381	50	43	9	4	2	20	71	118
Cancer M	225	152	21	23	73	11	9	5	2		10	9	63
Cancer F	529	320	29	61	121	8	26	8	3	1	10	11	125
Tumor M	29	18	2	6	9	1					3		1
Tumor F	39	29	3	3	7	2	1				2	2	9
Dropsy M	7	5		1	3	1							3
Dropsy F	10	6	1	3	9	1	3						3
Others of this group M	14	5	3	2	3		1	2			1	1	4
Others of this group F	13	8	1	1	5	1					1		3
2. Diseases of the nervous system	2,596	1,421	107	323	718	81	109	59	12	1	59	132	473
Males	1,350	634	63	175	390	46	56	40	9	1	30	81	233
Females	1,246	787	44	148	328	35	53	19	3		29	51	240
Inflammation of the brain M	14	5		1	14	2	2				1	3	4
Inflammation of the brain F	4	2	1	3	9				1				3
Meningitis M	254	124	9	32	143	11	9	14			10	33	11
Meningitis F	221	110	6	23	114	14	6	11			8	21	8
Apoplexy M	463	219	30	61	59	7	18	8	4	1	5	11	115
Apoplexy F	483	366	16	54	67	5	26	2	1		3	12	136
Paralysis M	203	88	7	33	32	5	12	1			2	3	43
Paralysis F	191	95	8	32	30	2	9				1		39
Paralysis, general (of insane) M	10	5		3	2			1					3
Paralysis, general (of insane) F	14	2	1	1	1								2
Tetanus and trismus nascentium M	7	5	1	1	5	1		2	1		1		1
Tetanus and trismus nascentium F	1	2										1	1
Chorea M	1	2			1								
Chorea F	1	2			1								
Epilepsy M	25	12	2	2	9	1	1	1			1	2	8
Epilepsy F	23	20	1	4	12	1						1	4
Convulsions M	144	67	7	19	78	16	5	11	2		9	21	6
Convulsions F	110	62	4	18	64	7	3	4			13	13	3
Mental diseases M	41	26	1	6	9		3		1			3	16
Mental diseases F	47	49	1	4	9	2		2			2	1	16
Diseases of the brain M	121	59	4	10	29	3	5	1	1		1	4	21
Diseases of the brain F	88	52	4	7	16	4	8		1		2	2	19
Diseases of the spinal cord M	24	4	2	4	4		1	1				1	1
Diseases of the spinal cord F	28	10	1										2
Locomotor ataxia M	25	9		1									2
Locomotor ataxia F	4	4	1										1
Others of this class M	18	9		2	5								2
Others of this class F	31	11		2	5		1						6
3. Diseases of the circulatory system	1,962	1,270	94	242	406	48	86	35	7	1	46	71	449
Males	1,045	579	51	124	181	24	43	19	3	1	22	40	260
Females	917	691	43	118	225	24	43	16	4		24	31	189
Pericarditis M	13	7			2	3					1		2
Pericarditis F	14	2		2	5	1	1					1	1
Diseases of the heart M	903	526	45	117	165	19	36	16	3	1	19	34	231
Diseases of the heart F	813	642	42	106	194	20	40	15	3		23	28	168
Angina pectoris M	65	11	1	2	2	1	3				1	1	8
Angina pectoris F	42	17		6	9							1	9
Diseases of the arteries M	39	19	1	5	3		3	1			1	1	14
Diseases of the arteries F	25	20	1	1	6	1	1		1			1	7
Aneurism M	5	8	2		2		1					1	3
Aneurism F	2	3		1	1		1						2
Embolism M	7	2	1		3			1					2
Embolism F	10	5		1	3	1		1			1		2
Others of this class M	13	6	1		4	1		1				3	
Others of this class F	11	2		1	7	1							

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	2,503	2,156	135	331	1,080	101	114	215	14	7	147	242	439
Males	1,250	1,062	73	171	548	55	47	132	8	4	91	134	194
Females	1,253	1,094	62	160	532	46	67	83	6	3	56	108	245
Croup M	36	16	2	7	23	4		5			9	4	
Croup F	38	20	3	1	20	3	1	5	1		1	2	1
Pneumonia M	891	764	48	109	353	37	33	95	8	3	57	88	150
Pneumonia F	860	746	35	106	365	31	46	60	4	2	42	71	185
Laryngitis M	10	4	2	2	6	1		1			1	2	1
Laryngitis F	10	3		3	5							1	
Bronchitis M	186	196	15	31	118	9	8	27		1	21	30	26
Bronchitis F	234	236	18	33	105	10	13	13		1	8	29	40
Pleurisy M	20	20	3	4	16	1	1	2				4	5
Pleurisy F	17	16		1	7	1	1	2			2		2
Asthma M	10	16	1	1	5	1		1			1		1
Asthma F	4	8	1	3	1						1		4
Others of this class M	97	46	2	17	27	2	5	1			2	6	11
Others of this class F	90	65	5	13	29	1	6	3	1		2	5	13
5. Diseases of the digestive system	853	661	49	113	302	27	32	23	2		29	48	137
Males	429	303	25	59	156	15	15	13	1		19	25	54
Females	424	358	24	54	146	12	17	10	1		10	23	83
Dentition M	9	3		3	8							2	
Dentition F	5	2	2		3						1	1	
Angina M	5	3			6			1					2
Angina F	12	1		2	2			1					
Gastritis M	47	50	3	5	14	1	3	1			3	2	6
Gastritis F	52	67		5	14		2	1			1	1	10
Diseases of the stomach M	27	15		5	3	1	1					2	3
Diseases of the stomach F	29	26	1	2	9		1					2	3
Obstruction of the bowels M	36	23	1	6	13	2	1	2			6	5	6
Obstruction of the bowels F	40	32	3	7	13	1	1				1	4	8
Appendicitis M	68	33	6	7	29	1	3	4			5	1	5
Appendicitis F	26	16	2	3	6						1	1	6
Hernia M	7	15	1	3	4	1	1				2		6
Hernia F	15	23	1	2	5		1						5
Other diseases of the bowels M	12	7		1	4	1							
Other diseases of the bowels F	15	6		1	6	1			1				3
Jaundice M	13	9	1	2	8	1						2	1
Jaundice F	12	9		2	8		1						2
Inflammation and abscess of the liver M	17	12	1	2	7		1						1
Inflammation and abscess of the liver F	10	16		1	10	1	1				2	1	1
Other diseases of the liver M	72	68	9	12	17		1	2					9
Other diseases of the liver F	53	50		8	7		7	1				1	19
Peritonitis M	63	36	2	8	31	6	3	1			3	6	5
Peritonitis F	111	67	11	17	46	6	2	6			3	9	17
Ascites M	1	2							1			1	1
Ascites F	4	2		2	2		1	1					3
Others of this class M	52	27	1	5	12	1	1	2				4	9
Others of this class F	40	41	4	2	15	3					1	3	6
6. Diseases of the urinary system and male organs of generation	999	637	47	123	210	23	36	14	4	2	16	21	239
Males	606	348	28	68	107	9	24	9	3	1	4	13	154
Females	393	289	19	55	103	14	12	5	1	1	12	8	85
Bright's disease M	412	238	22	45	68	8	16	5	2	1	3	5	108
Bright's disease F	312	231	17	41	75	13	9	5	1	1	11	5	74
Calculus, urinary M	4		1	1			1						
Calculus, urinary F	1												
Diseases of the kidney M	41	17		7	14	1	1	3				1	1
Diseases of the kidney F	32	14		3	10							3	1
Diseases of the bladder M	76	37		8	11		4		1			3	23
Diseases of the bladder F	6	8					1						2
Others of this class M	73	56	5	7	14		2	1			1	4	22
Others of this class F	42	36	2	11	18	1	2				1		8
7. Diseases of the female organs of generation	45	32	5	6	20	1	3	1		1	3	5	11
Ovarian tumors	6	5	2	3	1		1						2
Ovarian diseases	1	1		1			1						
Diseases of the tubes	14	7	1		4					1	1		4
Uterine tumors	16	9	1		4		1				1	3	3
Uterine diseases		3		1	4								
Others of this class	8	7	1	1	7	1		1			1	2	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	77	81	6	14	51	5	2	6			11	7	7
Abortion	4	1			2	2		1			1		1
Childbirth	14	29	3	5	14		1	2			5	1	3
Puerperal septicemia	20	29	2	5	24	1	1	3			1	5	1
Extra-uterine pregnancy	11	3	1		2						1		
Others of this class	28	19		4	9	2					3	1	2
9. Diseases of the bones and joints	44	33	3	3	15	2	2	3			2	1	2
Males	29	25	2	2	8	1		3				1	
Females	15	8	1	1	7	1	2				2		2
Diseases of the spine M.	12	5		1	3	1		2					
Diseases of the spine F.	5	1	1		1	1	1						
Abscess, lumbar and psoas. M.	2	3											
Abscess, lumbar and psoas. F.					1								1
Diseases of the bones M.	8	12	1	1	3			1				1	
Diseases of the bones F.	3	2		1	4						2		
Diseases of the hip-joint. M.	3	2			1								
Diseases of the hip-joint. F.		1			1								
Others of this class M.	4	3	1		1								
Others of this class F.	7	4					1						1
10. Diseases of the skin	36	15	2	4	18	1	3	3			4	2	5
Males	17	9	2	1	8		1	3			3	1	3
Females	19	6		3	10	1	2				1	1	2
Abscess M.	8	7	1	1	6		1	1			1	1	2
Abscess F.	10	4			1		1				1	1	
Carbuncle M.	4	1									2		
Carbuncle F.				2	2								
Others of this class M.	5	1	1		2			2					1
Others of this class F.	9	2		1	7	1	1						2
11. Diseases of the absorbent system	20	8	1	3	2		2			1	1		2
Males	9	5		3						1	1		2
Females	11	3	1		2		2						
Addison's disease M.	4	2		1									1
Addison's disease F.	3	1					1						
Diseases of the spleen M.	1												
Diseases of the spleen F.	4	1											
Others of this class M.	4	3		2						1	1		1
Others of this class F.	4	1	1		2		1						
12. Accidents and injuries	623	573	40	100	284	30	37	49	8	2	55	74	200
Males	425	417	28	75	218	24	26	39	8	2	43	62	146
Females	198	156	12	25	66	6	11	10			12	12	54
Burns and scalds M.	24	24	1	2	13	1	3	5	1	1	6	6	1
Burns and scalds F.	28	39	3	7	25	1	2	4			3	4	9
Drowning M.	76	59	2	18	40	5	7	4	1	1	5	17	31
Drowning F.	10	3			3		1						1
Exposure and neglect M.	4	8					1	1					1
Exposure and neglect F.	3	1			1			1					2
Gunshot wounds M.	12	3	1		4						1	2	2
Gunshot wounds F.	3	1		2							1		2
Homicide M.	6	3						2			1		
Homicide F.	3	2			1								
Infanticide M.											1		3
Infanticide F.							1						1
Injuries by machinery M.		3				1		1					
Injuries by machinery F.													
Railroad accidents M.	52	78	3	11	33	3	2	8	1		7	7	37
Railroad accidents F.	7	2			1						3		2
Suffocation M.	21	20		4	10	1	3	2				2	4
Suffocation F.	19	8	1	1	8						2	3	2
Suicide by shooting M.	38	4	4	5	4	3	1		2			3	7
Suicide by shooting F.	2							1					1
Suicide by drowning M.	5	1	2		3		1					2	5
Suicide by drowning F.	5	2			1								2
Suicide by poison M.	3	10			1	1	2				2		1
Suicide by poison F.	4	3	2	1	1	1							2
Other suicides M.	29	14	5	9	8	3	1	2	1		1	5	16
Other suicides F.	12	4		3	5	1					1	1	3
Sunstroke M.	2	1			1							1	2
Sunstroke F.	1				1								
Surgical operations M.	3	1			1						1		1
Surgical operations F.	9	5	2			1	1	1					3
Wounds M.	5	13	1	1	1			2	1		4	1	
Wounds F.		2											
Others of this class M.	145	175	9	25	94	6	5	12	1		14	16	35
Others of this class F.	92	84	4	11	19	2	6	3			2	4	24

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	15,369	2,001	4,592	1,658	3,241	883	574	125	146	77	569	1,695	2,335
Males	8,021	1,060	2,444	955	1,711	505	329	85	85	42	337	960	1,359
Females	7,348	941	2,088	703	1,530	378	245	40	61	35	232	735	976
Unknown cause	279	18	68	15	78	22	9	4	.....	2	33	38	48
Males	157	8	30	7	40	6	5	3	.....	1	18	20	30
Females	122	10	38	8	38	16	4	1	.....	1	15	18	18
1. General diseases. General diseases—A	2,944	196	777	221	592	177	53	23	21	15	122	361	329
Males	1,524	104	435	123	300	92	21	18	13	7	66	193	167
Females	1,420	92	342	98	292	85	32	5	8	8	56	168	162
Measles M	89	.....	25	4	22	6	.....	3	.....	.....	3	13	4
Measles F	116	1	26	4	19	5	.....	.....	.....	2	7	17	1
Scarlet fever M	62	3	12	2	17	5	.....	1	.....	.....	4	8	1
Scarlet fever F	65	.....	12	4	11	4	.....	.....	.....	.....	2	6	1
Diphtheria M	63	1	43	6	24	4	.....	.....	1	.....	7	10	7
Diphtheria F	98	3	47	2	23	7	1	.....	1	.....	13	6	10
Whooping cough M	73	2	9	2	16	13	.....	2	1	.....	1	14	3
Whooping cough F	74	2	10	3	14	7	2	.....	.....	.....	4	14	3
Malarial fever M	42	5	9	2	14	.....	1	.....	1	.....	2	4	4
Malarial fever F	50	4	5	5	6	1	2	.....	1	.....	1	3	5
Influenza M	104	23	22	13	5	2	4	1	1	.....	2	11	13
Influenza F	105	9	18	17	22	2	8	.....	.....	.....	1	12	17
Typhoid fever M	173	21	47	23	34	9	8	1	1	2	6	23	15
Typhoid fever F	161	13	40	11	54	14	3	1	1	.....	2	6	6
Cholera morbus M	66	4	17	7	9	4	1	.....	1	.....	3	7	8
Cholera morbus F	59	3	16	5	10	5	.....	.....	1	.....	2	3	4
Colitis M	29	1	4	.....	4	.....	.....	.....	.....	.....	4	4	2
Colitis F	17	1	5	1	.....	.....	1	.....	.....	.....	1	3	1
Diarrhea M	98	7	19	9	14	2	3	.....	1	.....	2	10	13
Diarrhea F	68	13	13	7	12	4	3	1	.....	.....	3	5	13
Dysentery M	42	7	13	6	7	3	1	.....	.....	.....	1	2	7
Dysentery F	58	7	12	7	4	2	2	.....	.....	.....	2	7	11
Enteritis M	135	3	37	16	28	6	1	3	.....	.....	5	35	20
Enteritis F	125	11	27	9	26	6	4	2	1	2	5	28	23
Cholera infantum M	336	3	107	9	64	27	.....	6	5	1	18	29	26
Cholera infantum F	248	8	71	4	48	14	.....	1	1	2	9	33	32
Fever M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fever F	2	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....
Cerebro-spinal fever M	98	2	20	9	21	7	1	.....	.....	3	4	8	2
Cerebro-spinal fever F	59	1	8	6	15	8	1	.....	.....	.....	1	15	3
Smallpox M	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Smallpox F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas M	27	10	14	3	8	2	.....	.....	.....	.....	3	5	7
Erysipelas F	16	6	8	.....	3	1	3	.....	.....	.....	.....	1	5
Septicemia M	39	5	16	5	7	1	1	1	.....	1	.....	6	5
Septicemia F	71	5	14	7	16	3	1	.....	1	1	3	5	3
Venereal diseases M	9	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	18
Venereal diseases F	4	1	.....	2	3	.....	1	.....	.....	.....	.....	.....	20
Others of this group M	31	6	17	6	5	1	.....	.....	1	.....	1	4	11
Others of this group F	24	4	9	2	6	2	.....	.....	1	.....	.....	4	4
General diseases—B	291	25	75	19	63	22	6	4	2	2	17	36	48
Males	172	21	50	11	37	15	5	2	1	1	9	18	36
Females	119	4	25	8	26	7	1	2	1	1	8	18	12
Alcoholism M	16	16	16	3	4	4	2	.....	.....	.....	2	5	11
Alcoholism F	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
Parasitic diseases M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Parasitic diseases F	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Lead poison M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lead poison F	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other poisons M	39	1	10	3	13	4	2	.....	.....	1	.....	.....	10
Other poisons F	28	1	8	1	7	2	1	.....	.....	.....	.....	6	5
Inanition M	114	4	24	5	20	7	1	2	1	.....	7	13	15
Inanition F	88	2	16	6	17	5	.....	2	1	1	8	12	6
General diseases—C	1,236	188	334	127	229	61	44	13	13	6	50	127	262
Males	633	81	187	66	121	32	20	8	8	3	33	72	128
Females	603	107	147	61	108	29	24	5	5	3	17	55	134
Old age M	197	73	96	50	32	9	19	.....	6	1	12	26	68
Old age F	235	88	95	48	41	15	20	.....	5	3	5	23	53
Premature birth M	240	1	42	6	46	11	1	5	1	1	10	23	11
Premature birth F	187	6	23	3	30	8	1	2	.....	.....	6	16	11
Malformation M	58	.....	10	1	11	4	.....	.....	.....	.....	1	1	4
Malformation F	71	1	3	2	8	2	.....	.....	.....	.....	.....	2	6
Debility and atrophy M	113	6	33	7	27	7	.....	3	1	1	7	20	43
Debility and atrophy F	97	12	21	8	26	4	3	3	.....	.....	5	14	63
Others of this group M	25	1	6	2	5	1	.....	.....	.....	.....	3	2	2
Others of this group F	13	.....	5	.....	3	.....	.....	.....	.....	.....	1	.....	1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		2,265	379	784	278	531	136	108	15	25	10	53	244	313
Males		947	179	352	142	221	66	57	9	13	5	34	111	162
Females		1,318	200	432	136	310	70	51	6	12	5	19	133	151
Anemia	M	38	10	5	3	7	2	1					5	4
	F	44	11	11	8	11	3	4				1	5	2
Diabetes	M	87	5	15	13	10	2	4	1	2		2	6	9
	F	45	6	17	7	9	1	1					4	
Rheumatism	M	48	8	16	5	2	4	1	1	1		2	4	9
	F	43	7	17	3	10	3			1		1	1	3
Scrofula and tabes	M	23	1	4	3	4	2	1	1		1		4	1
	F	32	2	4	4	9	2	1					3	
Hydrocephalus	M	45	4	11	4	10	5	2		1		1	2	5
	F	41	2	5	1	7	1				1	2	9	1
Tuberculosis, general	M	15	1	2	2	5						1	1	4
	F	27	5	1	2	6	1						2	2
Consumption	M	397	103	136	52	125	35	28	4	3	3	18	48	76
	F	601	91	203	51	178	42	22	4	6	2	9	62	78
Cancer	M	223	35	130	48	41	11	17	2	5	1	9	31	38
	F	392	57	134	44	59	11	19	1	3	1	4	30	49
Tumor	M	19	4	10	3	4	1			1			3	
	F	27	5	14	4	12	2	2		1			8	3
Dropsy	M	45	6	22	7	12	3	2				1	6	14
	F	53	10	26	10	5	3	2		1	1	1	7	11
Others of this group	M	12	2	1	2	1	1	1					1	2
	F	13	4		2	4	1		1			1	2	2
2. Diseases of the nervous system		2,165	228	502	228	324	95	33	8	18	10	62	200	349
Males		1,158	111	274	123	188	54	55	7	11	7	34	120	210
Females		1,007	117	228	105	136	41	28	1	7	3	28	80	139
Inflammation of the brain	M	40		10	3	9	5					4	8	3
	F	44	1	4	1	7						1	2	
Meningitis	M	147	6	23	4	33	10	1	2		1	6	11	13
	F	114	8	22	6	23	8				1	4	12	5
Apoplexy	M	282	40	82	46	36	16	22		4	3	2	30	55
	F	245	42	75	33	32	8	14	1	3		5	24	42
Paralysis	M	225	30	52	34	32	3	17		3		3	11	66
	F	259	35	44	38	21	4	7		1		2	10	44
Paralysis, general (of insane)	M	19	3	3	4	3		3		1			1	5
	F	7	4	3	2			2					2	2
Tetanus and trismus nascentium	M	11	1	3	2	4	1					1	1	2
	F	3	1	1									1	1
Chorea	M	6												
	F	5			1	1	1							1
Epilepsy	M	46	3	9	1	7		1		2		1	6	8
	F	36	3	6	1	6	1	1				1	4	6
Convulsions	M	155	4	48	4	31	10		4		1	12	37	15
	F	123	6	36	3	26	13					13	11	13
Mental diseases	M	22	5	9	3	7	1	5			1	2	2	13
	F	17	5	12	1	2	2	1			1	1		10
Diseases of the brain	M	137	15	27	9	19	4	1	1	1		2	6	14
	F	93	6	17	11	6	2	2		2	1		9	11
Diseases of the spinal cord	M	35	1	3	6	1	1	3				1	2	6
	F	23	3	4	3	7	2	1					1	
Locomotor ataxia	M	12	1	1	3	3	1	1			1			5
	F	5		2									1	1
Others of this class	M	21	2	4	4	3	2	1					5	5
	F	33	3	2	5	5				1		1	3	3
3. Diseases of the circulatory system		1,407	254	423	211	259	45	81	3	18	6	25	89	270
Males		802	142	238	133	136	30	54	1	12	3	17	56	168
Females		605	112	185	78	123	15	27	2	6	3	8	33	102
Pericarditis	M	10	3	1	5		1	2					1	2
	F	9	4	4		3								
Diseases of the heart	M	686	126	205	110	122	27	48		10	2	15	47	150
	F	537	99	167	69	107	14	26	2	6	2	7	32	94
Angina pectoris	M	57	6	17	9	6	1	3		2			3	9
	F	36	6	7	7	3					1	1	1	1
Diseases of the arteries	M	24	6	6	4	4							2	5
	F	9	2	6	1	1	1							5
Aneurism	M	6		1	2	2		1					1	2
	F	2				2								
Embolism	M	3		2	2		1		1			1	1	
	F	3	1		1	2		1						1
Others of this class	M	16	1	6	1	2					1	1	1	
	F	9		1		5								1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system		1,757	261	612	183	442	139	67	26	13	10	85	284	244
Males		928	129	328	109	239	86	36	15	8	5	49	167	147
Females		829	132	284	74	203	53	31	11	5	5	36	117	97
Croup	M	39	3	14	2	15	1	1	1			3	9	5
	F	24		13	2	6	1	1				3	13	3
Pneumonia	M	598	94	178	75	161	59	25	12	5	1	36	111	90
	F	528	79	154	52	138	42	15	9	4	2	22	56	60
Laryngitis	M	13		1		1	2							1
	F	8	1	2		3							2	3
Bronchitis	M	170	17	82	19	37	19	6	2	1	1	8	31	33
	F	162	27	86	12	39	7	8	2		3	8	28	20
Pleurisy	M	8	3	4	3	5		1				1	3	2
	F	18	3	1	3	1	2	5					1	3
Asthma	M	11	4	17	3	3	1			1	3		1	10
	F	13	12	17	1	3							4	
Others of this class	M	89	8	32	7	17	4	3		1		1	12	6
	F	76	10	11	4	13	1	2		1		3	13	8
5. Diseases of the digestive system		1,133	151	342	133	244	60	40	5	17	5	51	113	121
Males		582	82	182	78	134	32	22	5	10	2	31	59	71
Females		551	69	160	55	110	28	18		7	3	20	54	50
Dentition	M	4		2		2						2	1	1
	F	4		1		1						2	1	
Angina	M	11		3		3	1						1	
	F	6		2		3								
Gastritis	M	73	10	22	6	17	4	4	1		1	3	7	9
	F	80	18	21	10	13	3	5		1		5	11	13
Diseases of the stomach	M	38	5	16	12	7		1		1		1	4	4
	F	35	2	14	4	6	1						2	1
Obstruction of the bowels	M	58	5	19	4	17	2	1	1			2	3	8
	F	27	2	7	3	7	3	2		1		1	3	7
Appendicitis	M	73	11	15	5	20	6	2		1		1	6	10
	F	47	4	9	2	20	2	2		1		1	3	1
Hernia	M	16	2	7	2	10	1	2		1			4	2
	F	10	2	9		2	1						1	2
Other diseases of the bowels	M	25	2	8	3	5	1	2		1				
	F	23	2	2		3	1	1					2	1
Jaundice	M	30	2	5	2	3						2	2	4
	F	21	4	3	4	5		1				1	2	6
Inflammation and abscess of the liver	M	26	5	5	7	6		3				1	4	4
	F	33	5	7	4	3							4	4
Other diseases of the liver	M	77	25	36	16	18	8	4		2		4	7	17
	F	61	15	19	9	8	2	3		3	2		5	3
Peritonitis	M	57	8	19	8	12	3	2	1	2		1	10	8
	F	126	12	46	9	25	8	3			1	5	13	5
Ascites	M	4	1	2	1							1		
	F	7		1		1							2	
Others of this class	M	90	6	23	12	14	6	1	2	2	1	13	10	4
	F	71	3	19	10	13	7	1		1		5	5	7
6. Diseases of the urinary system and male organs of generation		726	133	201	103	118	28	34	8	7	2	10	51	136
Males		462	87	132	73	62	21	28	5	2	1	9	38	92
Females		264	46	69	30	56	7	6	3	5	1	1	13	44
Bright's disease	M	283	55	82	47	41	16	18	2	2	1	8	24	53
	F	188	37	59	23	46	6	5	3	3	1	1	9	34
Calculus, urinary	M	6	1	3	1			1					1	2
	F	4		1		1							1	1
Diseases of the kidney	M	37	9	14	8	6		2	1			1	3	13
	F	37	1	5	2	3	1	1					2	4
Diseases of the bladder	M	62	9	16	10	7	4	1				2	4	11
	F	9	3	1	1									1
Others of this class	M	74	13	17	7	8	1	6	2			3	6	13
	F	26	5	3	4	6				2			1	4
7. Diseases of the female organs of generation		90	8	17	5	14	3	4			1		4	18
Ovarian tumors		17		3		1		1					2	7
Ovarian diseases		4												2
Diseases of the tubes		4	1	2		4							1	3
Uterine tumors		29	2	2	2	1		1			1		1	2
Uterine diseases		6	1	1	2	1	1	1						2
Others of this class		30	4	9	1	7	2	1						2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

MICHIGAN—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	158	16	89	25	47	14	6	2	2	1	11	20	15
Abortion	11	1	2	1	1							2	1
Childbirth	39	7	23	7	11	6	1	1			5	7	2
Puerperal septicemia	74	6	48	11	24	7	4	1	1	1	6	10	6
Extra-uterine pregnancy	1		1		2								4
Others of this class	33	2	15	6	9	1	1		1			1	2
9. Diseases of the bones and joints	53	5	9	6	13	2	2		1		2	3	5
Males	35	2	4	5	9	2	2				2	2	4
Females	18	3	5	1	4				1			1	1
Diseases of the spine M	13			1	3		1				1		2
Diseases of the spine F	11	1	5										
Abscess, lumbar and psoas. M	1				1								2
Abscess, lumbar and psoas. F	1	1											
Diseases of the bones M	13	2	2	3	3							1	
Diseases of the bones F	4	1		1	1				1			1	1
Diseases of the hip-joint. M	4		2		1	1						1	
Diseases of the hip-joint. F	1												
Others of this class M	4			1	1	1	1				1		
Others of this class F	1				3								
10. Diseases of the skin	39	6	10	5	10		1				1	5	6
Males	21	5	7	5	7							2	2
Females	18	1	3		3		1				1	3	4
Abscess M	8	3	4	2	4								2
Abscess F	11	1	2				1				1	2	
Carbuncle M			2	1									
Carbuncle F					1							1	1
Others of this class M	13	2	1	2	3							2	
Others of this class F	7		1		2								3
11. Diseases of the absorbent system	26	3	2		11		1					1	4
Males	15	2	2		8							1	
Females	11	1			3		1						4
Addison's disease M	6				1								
Addison's disease F	5												1
Diseases of the spleen M	1		1		3								
Diseases of the spleen F	1				1								
Others of this class M	3	2	1		4							1	
Others of this class F	5	1			2		1						3
12. Accidents and injuries	800	130	287	99	266	79	35	14	9	7	47	119	167
Males	585	107	223	80	209	69	24	12	7	7	35	101	142
Females	215	23	64	19	57	10	11	2	2		12	18	25
Burns and scalds M	30	1	9	1	12	6	3				3	6	6
Burns and scalds F	39	2	13	1	9	2					6	3	7
Drowning M	78	10	30	6	31	7	1	1	1		5	5	23
Drowning F	14	3	4		6		2					1	1
Exposure and neglect M	3	1	1		3	1					1	2	2
Exposure and neglect F	6		1										
Gunshot wounds M	40	6	11	2	13	6	1	1			1	2	4
Gunshot wounds F	7		1		1				1				
Homicide M	5		3		2								4
Homicide F	3												
Infanticide M													
Infanticide F													
Injuries by machinery M	10	1	1		1						1		
Injuries by machinery F					1								
Railroad accidents M	73	25	29	15	34	9	3	4	2	3	3	7	33
Railroad accidents F	4		8	2	3	3	3					1	1
Suffocation M	24	2	3	1	6	1		1			1	6	2
Suffocation F	24	1	3	2	4	2					1	2	
Suicide by shooting M	25	1	5	1	5	2	1			2	1		3
Suicide by shooting F	6		1		2								
Suicide by drowning M	3	1	1		1	1	1					1	
Suicide by drowning F	2				1								
Suicide by poison M	9	1	7	1	2	1			2				
Suicide by poison F	10	1	3	2	5							4	1
Other suicides M	23	6	21	6	4	4	2		1	1	1	5	5
Other suicides F	7		1		4		1					1	
Sunstroke M	5												
Sunstroke F	1		1		1								
Surgical operations M	5				1								
Surgical operations F	13	1	2	1	4							1	2
Wounds M	12	5	5	4	5	1	2					2	2
Wounds F		1						1				1	1
Others of this class M	240	47	97	48	89	30	10	5	1	1	18	65	58
Others of this class F	79	14	26	11	16	3	5	1	1		5	4	12

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system		571	124	7	23	326	4	4	1			4	5	166
Males		288	54	2	13	164	3	4	1			3	2	75
Females		283	70	5	10	162	1					1	3	91
Croup	M	10	2			7								1
	F	7				13								2
Pneumonia	M	214	30		11	105	1	3	1			2		59
	F	203	47	3	8	110	1					1	2	71
Laryngitis	M	4			1	2								
	F	4	1			2								
Bronchitis	M	41	17		1	30							2	11
	F	51	18	1	1	29								11
Pleurisy	M	6	3			5								
	F	4				1								
Asthma	M	1				1								
	F	2	1			1								3
Others of this class	M	12	2	2		14	2	1				1		4
	F	12	3	1	1	6							1	4
5. Diseases of the digestive system		175	29	3	5	60	2	8						52
Males		83	14	1	3	29	1	5						24
Females		92	15	2	2	31	1	3						28
Dentition	M	3				5								
	F	1	1			5								
Angina	M	1				1								
	F	1				1								
Gastritis	M	13		1		3								3
	F	21	6	1		2		1						8
Diseases of the stomach	M	7	2			2								2
	F	8	1			2								3
Obstruction of the bowels	M	6	1			1	1							3
	F	11	1			1								3
Appendicitis	M	8	1			1		1						
	F	7		1		1								1
Hernia	M	3	1			3								2
	F	1				1								2
Other diseases of the bowels	M	4				1								1
	F	1												
Jaundice	M		1											2
	F	1				2								
Inflammation and abscess of the liver	M	3	3		1	1								3
	F	5				1		1						2
Other diseases of the liver	M	15	1			4		2						6
	F	7	1		1	1								1
Peritonitis	M	12	2		2	4								1
	F	21	5		1	14								5
Ascites	M	1												
	F													2
Others of this class	M	7	2			3		2						1
	F	7					1	1						1
6. Diseases of the urinary system and male organs of generation		177	21	2	8	31	1		1	1			1	74
Males		100	15	1	4	17			1	1			1	48
Females		77	6	1	4	14	1							26
Bright's disease	M	65	14	1	1	10				1			1	27
	F	66	5	1	3	11	1							26
Calculus, urinary	M													
	F													
Diseases of the kidney	M	7	1			5								2
	F	3				2								
Diseases of the bladder	M	14			2				1					13
	F	2												
Others of this class	M	14			1	2								6
	F	6	1		1	1								
7. Diseases of the female organs of generation		10	2			1								1
Ovarian tumors		3												
Ovarian diseases														
Diseases of the tubes		1												
Uterine tumors		5	1											1
Uterine diseases														
Others of this class		1	1			1								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	3			9	1							5
Abortion					1								
Childbirth	2	1			4								3
Puerperal septicemia	9	2			3								2
Extra-uterine pregnancy													
Others of this class	3				1	1							
9. Diseases of the bones and joints	8			1	3			1					2
Males	4			1	2								1
Females	4				1			1					1
Diseases of the spine M	1				1								1
Diseases of the spine F	3				1			1					
Abscess, lumbar and psoas. M	1												
Abscess, lumbar and psoas. F													
Diseases of the bones M													
Diseases of the bones F	1												1
Diseases of the hip-joint. M	2												
Diseases of the hip-joint. F													
Others of this class M				1	1								
Others of this class F													
10. Diseases of the skin	5	1			3								1
Males	4				2								
Females	1	1			1								1
Abscess M					1								
Abscess F					1								
Carbuncle M	2												
Carbuncle F		1											
Others of this class M	2				1								
Others of this class F	1												1
11. Diseases of the absorbent system.	3												
Males													
Females	3												
Addison's disease M													
Addison's disease F	1												
Diseases of the spleen M													
Diseases of the spleen F													
Others of this class M													
Others of this class F	2												
12. Accidents and injuries	127	30	3	5	44	1	5	2				1	85
Males	87	22	1	4	34	1	4	2				1	68
Females	40	8	2	1	10		1						17
Burns and scalds M	2	1											3
Burns and scalds F	3	2	1	1	2								1
Drowning M	12	3			8							1	11
Drowning F	1				2								
Exposure and neglect M	2						1						3
Exposure and neglect F	2												
Gunshot wounds M	5	1						1					
Gunshot wounds F							1						
Homicide M													
Homicide F													1
Infanticide M													
Infanticide F	1												
Injuries by machinery M													
Injuries by machinery F													
Railroad accidents M	3	4		1	8	1	1						11
Railroad accidents F	1												
Suffocation M	5	2											3
Suffocation F	3	2			2								
Suicide by shooting M	3			1	1								4
Suicide by shooting F													
Suicide by drowning M				1									
Suicide by drowning F	1												
Suicide by poison M	1												1
Suicide by poison F													
Other suicides M	10				2		2						8
Other suicides F	5												1
Sunstroke M		1											
Sunstroke F													
Surgical operations M													
Surgical operations F	1												
Wounds M	1												1
Wounds F													
Others of this class M	43	10	1	1	15			1					23
Others of this class F	22	4	1		4								14

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Cont'd.

NEW JERSEY.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	13,594	5,113	4,218	1,414	124	301	418	1,211	140	272	672	1,119	2,473
Males	7,081	2,563	2,352	774	59	174	218	697	84	154	394	614	1,453
Females	6,513	2,550	1,866	640	65	127	200	514	56	118	278	505	1,020
Unknown cause	86	16	23	10	2	1	2	10	.....	1	1	6	20
Males	42	7	14	5	1	.....	.....	5	.....	.....	.....	2	14
Females	44	9	9	5	1	1	2	5	.....	1	1	4	6
1. General diseases. General diseases—A	2,507	712	602	221	15	70	64	266	18	66	154	251	282
Males	1,306	358	328	120	8	36	32	154	12	29	86	135	147
Females	1,201	354	274	101	7	34	32	112	6	37	68	116	135
Measles M	36	11	11	1	.....	1	2	27	.....	1	5	6	3
Measles F	44	9	11	2	2	.....	1	17	.....	.....	2	3	3
Scarlet fever M	58	9	10	8	1	4	.....	13	1	.....	6	3	4
Scarlet fever F	48	22	14	9	1	1	1	3	.....	2	5	1	6
Diphtheria M	185	36	45	14	1	2	6	15	1	4	4	13	20
Diphtheria F	175	35	33	11	.....	2	5	11	1	4	10	14	12
Whooping cough M	71	23	15	6	.....	1	3	4	1	2	4	9	3
Whooping cough F	82	14	10	5	.....	1	1	11	.....	3	6	9	2
Malarial fever M	24	11	10	2	.....	.....	.....	2	.....	.....	.....	3	4
Malarial fever F	25	14	6	1	.....	1	.....	3	.....	.....	.....	.....	1
Influenza M	93	33	22	11	2	2	2	2	.....	1	2	5	16
Influenza F	114	52	29	16	.....	2	3	3	.....	.....	1	2	15
Typhoid fever M	106	34	21	18	.....	2	3	5	3	4	3	13	15
Typhoid fever F	75	20	17	4	1	3	2	2	.....	1	1	4	18
Cholera morbus M	26	12	5	2	.....	.....	1	2	.....	.....	1	.....	4
Cholera morbus F	19	7	3	1	.....	.....	.....	.....	.....	.....	1	4	2
Colitis M	19	3	3	.....	1	.....	.....	2	.....	.....	2	1	3
Colitis F	19	6	2	2	.....	.....	.....	.....	.....	.....	.....	2	2
Diarrhea M	38	14	13	8	.....	1	.....	5	1	1	3	3	4
Diarrhea F	44	17	4	5	.....	1	2	4	.....	.....	2	5	3
Dysentery M	25	19	10	5	.....	3	.....	5	.....	.....	1	4	3
Dysentery F	37	23	6	6	.....	1	1	5	.....	.....	3	1	9
Enteritis M	258	69	76	15	1	3	7	36	2	12	25	47	31
Enteritis F	199	64	70	15	2	12	9	25	1	12	21	42	32
Cholera infantum M	241	39	51	13	1	6	1	17	1	2	19	18	10
Cholera infantum F	212	26	35	11	.....	3	4	16	1	12	15	17	10
Fever M	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
Fever F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebro-spinal fever M	41	15	6	3	1	.....	3	1	.....	1	2	4	3
Cerebro-spinal fever F	34	8	4	5	.....	1	.....	2	.....	.....	.....	1	2
Smallpox M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox F	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Erysipelas M	23	12	5	2	.....	1	1	10	2	1	4	.....	7
Erysipelas F	21	11	6	.....	.....	.....	.....	5	.....	2	1	3	3
Septicemia M	36	11	11	3	.....	5	2	5	.....	.....	3	2	8
Septicemia F	28	12	13	3	1	1	.....	5	2	.....	.....	5	10
Venereal diseases M	2	.....	2	.....	.....	.....	1	2	.....	.....	1	2	2
Venereal diseases F	3	2	2	1	.....	.....	.....	.....	.....	1	.....	1	2
Others of this group M	18	7	12	8	.....	.....	.....	1	.....	.....	.....	2	7
Others of this group F	20	11	9	4	.....	.....	3	.....	1	.....	.....	2	2
General diseases—B	238	67	47	28	4	5	10	10	5	3	11	24	42
Males	137	41	30	20	2	4	6	7	4	3	7	16	30
Females	101	26	17	8	2	1	4	3	1	.....	4	8	12
Alcoholism M	18	16	12	11	.....	1	3	.....	2	1	.....	2	17
Alcoholism F	2	7	1	3	.....	.....	1	.....	.....	.....	.....	.....	3
Parasitic diseases M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....
Parasitic diseases F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Lead poison M	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Lead poison F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other poisons M	24	7	7	3	.....	2	.....	.....	1	.....	1	3	5
Other poisons F	11	8	6	.....	1	1	1	1	.....	.....	1	2	5
Inanition M	92	17	10	6	2	1	3	6	1	2	6	10	7
Inanition F	88	11	10	5	1	.....	2	2	1	.....	3	6	4
General diseases—C	1,279	260	226	88	6	18	31	102	6	24	66	102	151
Males	711	111	117	39	3	13	10	60	4	15	44	53	83
Females	568	149	109	49	3	5	21	42	2	9	22	49	68
Old age M	123	30	31	17	.....	3	1	.....	.....	.....	.....	7	38
Old age F	160	64	45	23	1	1	10	3	.....	.....	1	8	28
Premature birth M	208	14	23	5	2	3	3	19	2	4	9	14	11
Premature birth F	138	13	17	11	2	2	4	17	.....	2	5	9	10
Malformation M	56	11	10	1	.....	.....	1	3	.....	.....	3	3	1
Malformation F	32	8	4	.....	.....	.....	3	2	.....	.....	1	2	1
Debility and atrophy M	288	44	49	14	1	6	5	35	1	11	26	29	31
Debility and atrophy F	221	55	41	12	.....	2	1	19	2	5	14	28	27
Others of this group M	36	12	4	2	.....	1	.....	3	1	.....	6	.....	2
Others of this group F	17	9	2	3	.....	.....	3	1	.....	2	1	2	2

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		1,892	1,051	759	238	22	53	75	92	27	23	58	142	467
Males		859	552	430	124	12	29	40	49	21	12	33	83	238
Females		1,033	499	329	114	10	24	35	43	6	11	25	59	229
Anemia	M	15	4	5	3	1			2	2	1			2
	F	17	14	6	4		1							2
Diabetes	M	35	8	15	7		1	2		1		1	1	6
	F	32	14	16	5	1	1	1		1				3
Rheumatism	M	20	4	5	5				1				1	2
	F	14	8	7	1				2	1	1		3	3
Scrofula and tabes	M	13	1	2			1		2				1	1
	F	5	1		2				1			1	1	
Hydrocephalus	M	60	18	12	4		1	1	5		3	3	6	3
	F	53	8	12	3	1	2	1	4		2	2	8	4
Tuberculosis, general	M	13	4	1	2				1				1	5
	F	10	3		1						1		1	2
Consumption	M	535	441	289	71	8	24	29	33	13	7	24	56	184
	F	603	329	178	57	5	12	15	24	3	4	17	36	156
Cancer	M	124	54	82	24	1	1	7	5	5		5	13	26
	F	244	102	94	34	3	6	15	11	1	3	4	10	51
Tumor	M	13	9	12	5		1	1			1		2	6
	F	30	12	8	3		2	3						4
Dropsy	M	15	6	5	2	2							1	2
	F	16	6	6	2									3
Others of this group	M	16	3	2	1								1	1
	F	9	2	2	2				1			1		1
2. Diseases of the nervous system		2,196	668	560	212	17	32	75	133	25	39	81	161	390
Males		1,167	312	326	121	6	20	38	77	9	24	45	86	224
Females		1,029	356	234	91	11	12	37	56	16	15	36	75	166
Inflammation of the brain.	M	14	2	3	1			1		1			2	1
	F	23	5	3	1		1							
Meningitis	M	228	68	67	18	2	6	6	31	1	5	21	16	22
	F	198	50	31	15	3	3	5	24	1	4	16	19	15
Apoplexy	M	290	110	122	48	1	8	10	9	3	1	2	18	100
	F	286	163	105	37	3	1	12	5	7	1	4	24	64
Paralysis	M	177	35	32	22		1	5		1		1	4	28
	F	155	41	31	18	3	3	6	1	2	1		3	35
Paralysis, general (of insane).	M	11	6	6	5			1	1					21
	F	12	1	2	1			1					1	2
Tetanus and trismus nascentium.	M	34	6	7	3			1	2		3	4	3	2
	F	10		3	1			1	3		1	1		
Chorea	M	2												
	F	3			1									
Epilepsy	M	15	5	4	2				1	1	1		1	6
	F	12	2	2	3									4
Convulsions	M	242	40	50	13		2	4	29	2	10	13	29	18
	F	194	43	26	10	2	2	9	22	3	8	12	26	11
Mental diseases	M	9	6	6	2	1			1				2	16
	F	15	12	11	3			2					1	18
Diseases of the brain	M	96	26	19	11		2	5	2		3	4	6	9
	F	91	22	14	4		2	1	1	3		3	1	11
Diseases of the spinal cord.	M	24	4	7		2		1			1		4	2
	F	12	9	4										3
Locomotor ataxia	M	14	3	3	1		1	1	1				1	2
	F	4												1
Others of this class	M	11	1					3						2
	F	14	8	2	2									2
3. Diseases of the circulatory system		1,227	459	401	141	19	14	26	37	11	9	34	63	235
Males		628	205	208	81	10	5	14	20	7	6	16	29	134
Females		599	254	193	60	9	9	12	17	4	3	18	34	101
Pericarditis	M	7	1	2					2					
	F	7	6	3		1						2		1
Diseases of the heart	M	540	187	191	68	10	5	12	14	7	6	14	27	120
	F	539	230	176	56	8	9	12	17	4	3	14	30	96
Angina pectoris	M	35	9	9	4			1	3			1	1	6
	F	26	6	11	2							1	4	4
Diseases of the arteries	M	15	5	3	3									7
	F	12	7	1	2									
Aneurism	M	6	1	1	1									1
	F	1	2	1										
Embolism	M	4	1											
	F	1	1											
Others of this class	M	21	1	2	5			1	1			1	1	
	F	13	2	1								1		

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system		2,057	911	734	203	20	53	69	364	15	55	149	190	298
Males		1,062	454	390	108	8	30	40	207	7	28	85	110	187
Females		995	457	344	95	12	23	29	157	8	27	64	80	111
Croup	M	78	7	22	5		1		7		1	4	3	3
	F	58	14	13	2		3	1	7		1	4	2	
Pneumonia	M	689	327	263	75	5	21	30	154	4	19	56	77	139
	F	651	304	244	66	8	16	24	105	5	21	47	62	78
Laryngitis	M	13	2	4	1						1		3	
	F	14	4	3	1				4			1		1
Bronchitis	M	165	70	55	12	1	5	6	35	2	4	15	17	21
	F	169	95	59	15	4	2		35	1	3	8	11	23
Pleurisy	M	16	15	11	2				6			2	1	8
	F	13	8	4	2			2		1		1	2	1
Asthma	M	2	1	3	1					1				6
	F	7	4	2	2								1	
Others of this class	M	99	32	32	12	2	3	4	5		3	8	9	10
	F	83	28	19	7		2	2	6	1	2	3	2	8
5. Diseases of the digestive system		689	267	258	78	9	18	24	42	11	17	28	61	103
Males		326	115	137	37	3	13	10	24	5	11	21	33	51
Females		363	152	121	41	6	5	14	18	6	6	7	28	52
Dentition	M	5	1	1				1				1	1	1
	F	14	1	1	1			1					1	
Angina	M	9	2		1				1					
	F	10												1
Gastritis	M	62	24	21	10		1	1	3	1	2	5	7	6
	F	65	39	22	3	1	1	3	3		3		4	7
Diseases of the stomach	M	14	10	4	4				1	1		2	2	1
	F	10	5	1	2			1	2					7
Obstruction of the bowels	M	22	5	9	2		2		2		1	4	5	2
	F	39	18	9	7			1	1	1			3	
Appendicitis	M	28	8	6	6	1	1	1	1	1		1	4	6
	F	30	7	6	1	1	1	1			1	2	1	6
Hernia	M	13	4	8	2		1	2	1		1	1	2	6
	F	18	7	6									1	1
Other diseases of the bowels	M	16	2	2				1	1	1				1
	F	14	1	4	1	1			1	1				1
Jaundice	M	18	7	2	1				1		2	1	1	4
	F	8	3	2	2				1	1	1	2	1	1
Inflammation and abscess of the liver	M	6	2	1	2	1			1					2
	F	7	8	3					2				2	
Other diseases of the liver	M	45	31	50	6	1	6	3	5	1		1	2	16
	F	34	32	12	8		1	3	1	2	1	1	2	14
Peritonitis	M	61	11	26	1		2		6		2	5	7	2
	F	81	22	45	12	2	2	3	7			1	11	9
Ascites	M	1		1	1									1
	F	1	1		1									
Others of this class	M	26	8	6	1			1	1		3		2	3
	F	32	8	10	3	1		1		1		1	2	5
6. Diseases of the urinary system and male organs of generation.		756	350	280	117	4	14	24	34	14	8	20	42	215
Males		436	188	154	76	3	6	16	20	10	6	12	21	128
Females		320	162	126	41	1	8	8	14	4	2	8	21	87
Bright's disease	M	320	154	124	56	3	3	12	11	7	3	5	13	103
	F	254	133	105	30	1	5	8	8	3	2	6	17	77
Calculus, urinary	M	1	1									1		
	F	3	1											
Diseases of the kidney	M	26	7	14	5				5		1	4	3	8
	F	28	6	6	1		1			1		1	2	2
Diseases of the bladder	M	31	11	4	6		1		3	2		1	3	5
	F	5	1	1	2							1	1	
Others of this class	M	58	15	12	9		2	4	1	1	2	1	2	12
	F	30	21	14	8		2		6				1	8
7. Diseases of the female organs of generation.		25	7	13	5	1			3			2	4	1
Ovarian tumors		4	1	3								1		
Ovarian diseases												1		
Diseases of the tubes		1	3	1	1				1				2	
Uterine tumors		5	1	4	2	1								
Uterine diseases		5											1	
Others of this class		10	2	5	2				2				1	1

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS; CENSUS YEAR 1900—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	78	48	36	12	2	3		14	1	3	9	13	10
Abortion	2	1										1	1
Childbirth	18	12	9	3	2	1		2	1	1	3	3	2
Puerperal septicemia	37	23	19	6		2		7		1	1	8	6
Extra-uterine pregnancy	2		1					1			1		
Others of this class	19	12	7	3				4		1	4	1	1
9. Diseases of the bones and joints	32	11	9	3			1	2			1	1	2
Males	20	6	7	2								1	1
Females	12	5	2	1			1	2			1		1
Diseases of the spine M	6	3		1								1	
Diseases of the spine F	2	1	1				1						1
Abscess, lumbar and psoas. M	1												
Abscess, lumbar and psoas. F													
Diseases of the bones M	7	2	4	1									1
Diseases of the bones F	5	2		1				2			1		
Diseases of the hip-joint. M	5	1	2										
Diseases of the hip-joint. F	1												
Others of this class. M	1		1										
Others of this class. F	4	2	1										
10. Diseases of the skin	15	4	5	2	1						5	2	3
Males	7	2	5		1						5	1	3
Females	8	2		2								1	
Abscess M	4	1									2		
Abscess F	5	2		1									
Carbuncle M	2	1	3										2
Carbuncle F	1												
Others of this class M	1		2		1						3	1	1
Others of this class F	2			1								1	
11. Diseases of the absorbent system.	11	2	4										
Males	7		3										
Females	4	2	1										
Addison's disease M	2		1										
Addison's disease F	1												
Diseases of the spleen M	3												
Diseases of the spleen F		1	1										
Others of this class M	2		2										
Others of this class F	3	1											
12. Accidents and injuries	506	280	261	56	2	20	17	102	7	24	53	57	254
Males	373	212	203	41	2	18	12	74	5	20	40	44	213
Females	133	68	58	15		2	5	28	2	4	13	13	41
Burns and scalds M	22	9	13	2		1		8		1	4	1	11
Burns and scalds F	31	19	10	4		2	1	12		3	6	3	15
Drowning M	61	35	25	6		6	1	4			6	9	44
Drowning F	12	4	2										2
Exposure and neglect M	1	2	1	1									3
Exposure and neglect F		1											
Gunshot wounds M	10	3	2	1				3		3		2	7
Gunshot wounds F	3	1									1	1	1
Homicide M	3	2	1	1								1	3
Homicide F		1						1					1
Infanticide M	1												
Infanticide F													
Injuries by machinery M	3												
Injuries by machinery F													
Railroad accidents M	83	68	31	8		2	4	17		5	12	3	68
Railroad accidents F	13	2	9	2				5	1	1	1	2	5
Suffocation M	22	8	9		1	1	2	6			3	2	4
Suffocation F	11	3	7	1				6					5
Suicide by shooting M	10	2	18	1		1	1	5	3	1		5	5
Suicide by shooting F	1												
Suicide by drowning M		1	1	1				1					1
Suicide by drowning F	1		1										
Suicide by poison M	4	7	10	3			1	1	1		2	1	4
Suicide by poison F	4	1	6	1			1				1	3	3
Other suicides M	5	4	21	2				1					5
Other suicides F	1	1	4										1
Sunstroke M	5	3	4			1	1	5		1	2	1	1
Sunstroke F	6	6	1	2								1	
Surgical operations M	2		2					1				1	
Surgical operations F	3	1	1	1			1				1		1
Wounds M	3	5	4					1			1		3
Wounds F							1				1		
Others of this class M	129	63	52	15	1	6	2	21	1	9	10	18	54
Others of this class F	47	28	17	4			1	4	1		2	3	7

TABLE 12.—DEATHS IN REGISTRATION STATES BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900.

NEW YORK.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes		47,922	26,286	18,160	4,843	2,298	1,695	1,457	5,856	616	1,133	4,379	3,278	9,459
Males		24,711	12,994	9,975	2,632	1,227	971	769	3,256	352	603	2,457	1,896	5,292
Females		23,211	13,242	8,185	2,211	1,071	724	688	2,600	264	530	1,922	1,382	4,167
Unknown cause		312	66	45	21	16	1	4	11	1	2	15	9	48
Males		155	39	29	11	14	.....	1	6	.....	1	13	6	28
Females		157	27	16	10	2	1	3	5	1	1	2	3	20
1. General diseases. General diseases—A		9,321	3,160	2,616	585	391	367	173	1,289	73	248	1,011	659	1,150
Males		4,800	1,523	1,404	304	204	200	84	677	38	141	526	359	603
Females		4,521	1,637	1,212	281	187	167	89	612	35	107	485	300	547
Measles	M	198	80	61	8	10	16	2	81	1	3	20	24	57
	F	228	75	55	12	10	10	3	75	.....	6	25	18	65
Scarlet fever	M	201	55	36	8	4	8	4	22	1	12	39	18	16
	F	185	50	37	14	8	11	7	19	.....	9	20	13	11
Diphtheria	M	627	171	193	32	22	37	6	65	3	19	70	44	48
	F	613	183	167	26	20	28	10	58	2	20	95	42	46
Whooping cough	M	250	65	33	12	15	9	2	23	.....	5	21	11	10
	F	273	64	54	11	7	13	2	33	.....	4	26	9	7
Malarial fever	M	57	17	24	5	3	1	2	10	1	1	6	2	4
	F	70	36	27	6	.....	1	3	5	.....	1	2	7	8
Influenza	M	249	120	78	30	7	5	12	13	2	5	14	10	55
	F	366	222	93	41	13	6	12	11	4	1	4	7	54
Typhoid fever	M	459	156	146	42	35	20	11	17	2	3	21	18	70
	F	371	115	96	22	28	16	7	19	6	.....	16	14	36
Cholera morbus	M	87	25	19	6	7	.....	.....	3	1	3	3	3	10
	F	69	28	30	7	5	1	3	7	.....	.....	3	2	5
Colitis	M	64	14	17	8	2	2	2	7	.....	.....	6	7	25
	F	55	26	7	5	1	1	1	6	1	.....	4	2	30
Diarrhea	M	238	74	71	14	11	8	6	48	1	14	25	26	32
	F	203	73	54	13	8	4	3	45	3	13	18	17	23
Dysentery	M	135	56	51	13	8	4	4	6	2	6	7	7	19
	F	124	107	44	16	4	7	5	9	1	1	3	6	22
Enteritis	M	925	320	336	46	22	40	17	233	13	35	152	107	108
	F	866	371	276	48	19	32	15	189	7	25	140	94	124
Cholera infantum	M	848	167	196	21	42	36	3	94	5	27	91	51	38
	F	677	122	168	26	37	26	6	82	8	17	93	39	27
Fever	M	5	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	F	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Cerebro-spinal fever	M	140	39	21	6	3	4	3	19	3	1	22	5	9
	F	134	27	14	4	4	2	3	16	.....	3	12	6	8
Smallpox	M	1	2	.....	1	.....	.....	1	.....	.....	.....	.....	2	1
	F	2	2	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
Erysipelas	M	89	42	37	15	2	1	3	19	2	2	6	10	17
	F	49	35	19	9	3	1	.....	18	1	6	11	7	15
Septicemia	M	109	47	31	21	3	6	1	2	1	4	10	4	30
	F	140	44	39	6	9	2	3	8	.....	.....	7	11	23
Venereal diseases	M	33	12	9	6	3	.....	2	14	.....	.....	5	5	23
	F	29	9	5	2	2	3	1	9	1	.....	2	4	20
Others of this group	M	85	51	49	10	5	2	3	1	.....	1	8	5	31
	F	64	48	26	13	9	3	5	2	1	1	2	2	23
General diseases—B		820	432	257	58	42	38	24	58	8	14	69	57	235
Males		485	287	185	42	26	25	14	37	6	10	37	33	156
Females		335	145	72	16	16	13	10	21	2	4	32	24	79
Alcoholism	M	77	188	68	20	8	9	5	1	2	4	5	4	83
	F	16	56	10	4	3	2	4	1	1	.....	1	1	29
Parasitic diseases	M	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Lead poison	M	5	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	3	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	1
Other poisons	M	92	57	73	13	5	12	4	10	3	.....	8	11	55
	F	47	45	33	5	3	9	2	1	.....	.....	4	6	27
Inanition	M	309	42	41	8	13	4	5	26	1	5	24	17	18
	F	268	41	28	7	9	2	4	18	1	4	27	16	22
General diseases—C		4,800	1,390	976	338	194	114	102	285	36	70	312	186	997
Males		2,551	609	477	179	97	69	52	159	18	39	176	113	519
Females		2,249	781	499	159	97	45	50	126	18	31	136	73	478
Old age	M	692	266	205	100	27	7	30	3	11	3	19	17	234
	F	833	457	253	83	35	10	40	10	9	7	18	15	223
Premature birth	M	746	120	97	27	31	23	1	70	2	12	79	35	31
	F	544	83	77	27	26	16	4	49	5	10	52	23	27
Malformation	M	167	18	20	5	5	3	2	15	.....	7	7	4	7
	F	116	15	13	2	1	1	.....	9	1	.....	7	4	4
Debility and atrophy	M	854	177	139	40	28	34	16	59	5	15	61	47	244
	F	665	203	144	44	32	16	6	52	3	13	49	30	220
Others of this group	M	92	28	16	7	6	2	3	12	.....	2	10	10	3
	F	91	23	12	3	3	2	.....	6	.....	1	10	1	4

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		6,840	6,126	3,565	900	423	320	313	515	134	181	540	550	1,436
Males		3,125	3,242	1,946	482	214	178	161	282	82	105	321	316	709
Females		3,715	2,884	1,619	418	209	147	152	233	52	76	219	234	727
Anemia	M	59	18	16	7	4	.....	3	3	2	.....	8	1	13
	F	98	53	23	6	11	2	.....	3	.....	.....	2	2	10
Diabetes	M	153	46	87	24	12	2	7	6	2	2	9	12	26
	F	133	70	97	11	5	1	5	4	3	2	8	8	18
Rheumatism	M	82	51	38	16	4	1	2	4	3	1	2	6	18
	F	95	63	27	16	6	2	6	5	1	2	1	4	17
Scrofula and tabes	M	48	3	14	3	.....	1	1	3	2	.....	.....	2	7
	F	71	14	6	1	.....	2	.....	3	.....	.....	2	1	4
Hydrocephalus	M	247	82	45	17	4	9	1	40	4	15	44	18	14
	F	207	47	40	7	3	12	7	33	2	6	29	32	12
Tuberculosis, general	M	36	20	15	2	1	1	1	6	.....	3	5	8	9
	F	25	18	12	5	.....	1	.....	5	1	.....	2	.....	8
Consumption	M	1,854	2,670	1,290	301	138	145	106	189	48	71	182	205	494
	F	1,836	1,920	813	210	125	100	75	143	28	44	106	108	376
Cancer	M	451	301	385	85	37	12	32	22	20	11	57	53	96
	F	1,017	602	543	141	50	22	54	31	16	19	58	66	231
Tumor	M	67	29	28	12	4	.....	5	1	1	1	8	5	10
	F	95	55	25	10	2	2	2	5	1	2	4	8	18
Dropsy	M	95	16	17	13	9	1	1	.....	.....	.....	.....	2	16
	F	108	25	24	7	5	.....	3	.....	.....	.....	2	2	28
Others of this group	M	33	6	11	2	1	1	2	8	.....	1	6	4	6
	F	30	17	9	4	2	3	.....	1	.....	1	5	3	5
2. Diseases of the nervous system		6,492	2,561	1,903	644	269	124	171	426	69	84	352	275	1,177
Males		3,378	1,213	1,043	370	143	76	101	253	42	43	216	166	631
Females		3,114	1,348	860	274	126	48	70	173	27	41	136	109	546
Inflammation of the brain.	M	53	9	9	4	4	.....	.....	1	.....	.....	.....	1	4
	F	39	8	3	1	1	.....	.....	4	1	.....	.....	.....	5
Meningitis	M	686	183	156	40	28	22	8	122	6	12	77	33	46
	F	596	133	102	35	25	13	6	81	4	12	46	39	40
Apoplexy	M	1,075	558	471	169	35	19	51	37	22	11	44	45	301
	F	1,077	699	451	113	38	11	36	26	17	18	31	28	235
Paralysis	M	506	144	140	72	29	6	22	9	6	6	12	21	116
	F	474	180	85	49	22	2	13	4	2	3	7	12	110
Paralysis, general (of insane).	M	23	12	27	8	2	2	1	.....	1	.....	.....	2	8
	F	15	9	6	1	5	.....	.....	2	.....	.....	.....	.....	4
Tetanus and trismus nascentium.	M	62	24	15	3	1	.....	.....	10	1	1	13	5	9
	F	17	13	11	3	.....	3	.....	2	.....	.....	4	1	.....
Chorea	M	3	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	F	8	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Epilepsy	M	64	28	26	6	4	3	1	6	.....	1	4	.....	29
	F	70	25	19	4	3	1	1	3	.....	.....	1	2	19
Convulsions	M	418	79	72	16	22	15	6	43	.....	10	35	36	24
	F	358	55	71	16	13	9	4	33	1	5	30	14	35
Mental diseases	M	76	35	24	11	3	2	4	6	.....	.....	3	4	28
	F	74	66	30	10	4	2	1	7	.....	2	9	2	31
Diseases of the brain	M	278	92	69	28	11	2	5	14	4	2	22	8	45
	F	241	107	51	22	10	6	7	6	1	1	5	9	46
Diseases of the spinal cord.	M	49	17	15	4	2	2	1	3	.....	.....	2	4	9
	F	70	25	11	9	3	.....	1	3	.....	.....	2	1	5
Locomotor ataxia	M	41	14	11	3	1	.....	.....	1	.....	.....	2	5	4
	F	15	3	7	1	1	.....	.....	1	.....	.....	.....	.....	3
Others of this class	M	44	16	8	5	1	2	2	1	2	.....	2	2	8
	F	60	25	10	10	1	1	1	1	1	.....	1	1	12
3. Diseases of the circulatory system		3,822	2,502	1,745	497	206	95	163	213	71	56	236	210	912
Males		1,985	1,121	920	268	110	54	93	132	43	18	114	116	488
Females		1,837	1,381	825	229	96	41	70	81	28	38	122	94	424
Pericarditis	M	26	18	11	5	.....	3	2	2	.....	1	1	1	5
	F	35	10	14	5	2	1	.....	3	1	2	1	1	8
Diseases of the heart	M	1,693	1,000	818	230	104	45	83	116	39	16	94	100	433
	F	1,595	1,280	749	201	82	37	65	70	26	33	112	88	377
Angina pectoris	M	120	30	29	17	3	1	4	2	1	1	5	7	26
	F	90	28	24	15	6	.....	1	3	.....	1	1	3	20
Diseases of the arteries.	M	34	27	26	5	1	.....	3	.....	.....	.....	4	1	8
	F	13	32	13	1	1	.....	1	.....	.....	1	3	1	6
Aneurism	M	18	17	15	6	.....	1	.....	3	2	.....	1	2	6
	F	8	9	4	2	3	.....	1	1	.....	.....	.....	.....	3
Embolism	M	18	13	6	2	.....	1	1	.....	1	.....	1	.....	2
	F	21	4	7	3	1	1	1	1	1	1	1	.....	2
Others of this class	M	76	16	15	3	2	3	.....	9	.....	.....	8	5	8
	F	75	18	14	2	1	2	1	3	.....	.....	4	1	8

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	7,653	4,727	3,172	777	296	326	217	2,327	86	302	1,140	712	1,175
Males	3,893	2,336	1,713	415	147	186	116	1,288	46	169	640	416	629
Females	3,760	2,391	1,459	362	149	140	101	1,039	40	133	500	296	546
Croup M	193	35	42	5	2	7	3	29	.....	.....	12	5	5
Croup F	143	26	38	6	8	5	1	17	.....	6	16	9	4
Pneumonia M	2,649	1,763	1,211	308	95	127	84	883	34	136	510	316	502
Pneumonia F	2,542	1,657	1,000	256	99	103	71	659	32	111	383	226	406
Laryngitis M	53	10	9	4	1	.....	.....	13	.....	2	3	2	1
Laryngitis F	34	12	8	.....	.....	.....	1	6	.....	1	1	4	3
Bronchitis M	601	313	297	49	27	31	18	322	6	20	69	61	65
Bronchitis F	675	477	283	65	23	22	19	320	7	11	67	35	79
Pleurisy M	60	51	30	7	5	1	.....	15	1	3	12	12	13
Pleurisy F	55	51	25	9	2	2	1	7	.....	1	9	8	11
Asthma M	20	17	26	4	1	2	.....	1	1	.....	1	2	3
Asthma F	21	31	22	.....	1	1	2	2	.....	.....	2	2	5
Others of this class M	317	147	98	38	16	18	11	25	4	8	33	18	40
Others of this class F	290	137	83	26	16	7	6	28	1	3	22	12	38
5. Diseases of the digestive system	2,597	1,357	1,119	319	137	93	78	193	41	55	212	179	486
Males	1,310	594	613	146	68	46	37	110	18	25	136	92	249
Females	1,287	763	506	173	69	47	41	83	23	30	76	87	237
Dentition M	49	7	10	2	1	4	2	7	.....	1	5	3	2
Dentition F	38	14	11	4	2	5	.....	10	1	2	2	4	.....
Angina M	21	5	1	1	3	1	.....	2	1	.....	3	1	3
Angina F	25	3	3	.....	1	.....	1	1	.....	2	1	.....	.....
Gastritis M	181	86	68	28	11	9	1	13	1	1	17	14	30
Gastritis F	213	142	73	35	9	1	9	16	1	1	5	21	46
Diseases of the stomach M	77	47	29	8	4	1	5	.....	1	2	4	4	16
Diseases of the stomach F	53	49	15	9	1	1	3	1	.....	2	2	2	20
Obstruction of the bowels M	126	51	25	14	1	2	3	8	1	2	11	5	25
Obstruction of the bowels F	107	69	46	16	5	5	3	4	3	3	12	9	29
Appendicitis M	169	44	83	17	9	4	7	10	3	3	39	23	31
Appendicitis F	102	50	50	12	6	6	3	5	3	2	10	9	18
Hernia M	38	23	37	10	3	.....	4	5	.....	1	6	5	19
Hernia F	27	39	36	10	2	2	3	1	.....	.....	5	5	14
Other diseases of the bowels M	43	8	16	1	1	.....	.....	.....	.....	.....	1	1	6
Other diseases of the bowels F	38	9	5	4	1	.....	1	.....	.....	.....	1	1	12
Jaundice M	46	9	17	5	3	2	.....	7	.....	1	9	3	8
Jaundice F	40	20	11	4	3	1	1	6	.....	5	6	.....	8
Inflammation and abscess of the liver M	39	25	28	2	4	2	1	1	.....	2	7	3	14
Inflammation and abscess of the liver F	49	38	22	11	4	3	1	5	.....	2	4	4	11
Other diseases of the liver M	200	191	189	31	12	9	8	18	7	5	8	19	36
Other diseases of the liver F	120	163	82	29	12	2	10	11	9	2	4	6	26
Peritonitis M	170	53	66	17	7	6	4	24	3	3	13	7	37
Peritonitis F	295	115	107	19	18	18	4	15	5	5	17	18	37
Ascites M	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Ascites F	6	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Others of this class M	144	43	43	10	9	6	2	15	1	4	13	4	19
Others of this class F	174	51	43	20	5	3	2	8	1	4	7	3	15
6. Diseases of the urinary system and male organs of generation.	2,691	2,522	1,561	441	156	93	126	163	59	57	202	195	676
Males	1,543	1,235	915	264	96	54	64	102	37	21	114	130	430
Females	1,148	1,287	646	177	60	39	62	61	22	36	88	65	246
Bright's disease M	1,103	1,045	773	196	66	43	52	65	32	17	81	101	321
Bright's disease F	896	1,182	579	155	49	31	55	39	21	33	70	55	219
Calculus, urinary M	5	6	3	2	.....	.....	2	.....	.....	.....	.....	2	2
Calculus, urinary F	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of the kidney M	104	42	36	10	6	7	2	28	1	3	19	14	22
Diseases of the kidney F	95	20	26	6	3	4	4	14	.....	2	11	2	8
Diseases of the bladder M	135	63	40	27	9	4	3	2	1	.....	3	6	28
Diseases of the bladder F	17	9	6	2	.....	.....	.....	.....	.....	.....	2	1	2
Others of this class M	196	79	63	29	15	.....	5	7	3	1	11	7	57
Others of this class F	137	74	34	14	8	4	3	8	1	1	5	7	17
7. Diseases of the female organs of generation.	154	79	76	11	10	5	7	22	6	4	16	8	41
Ovarian tumors	81	14	11	3	.....	.....	2	3	4	.....	1	2	6
Ovarian diseases	6	4	7	.....	.....	1	.....	2	.....	.....	3	1	4
Diseases of the tubes	17	16	13	.....	2	3	.....	5	.....	1	4	2	12
Uterine tumors	52	22	23	2	2	.....	3	4	2	.....	3	.....	9
Uterine diseases	10	3	7	1	1	.....	.....	3	.....	1	1	2	2
Others of this class	38	20	15	5	5	1	2	5	.....	2	4	1	8

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	273	208	176	36	16	14	12	81	2	16	51	37	52
Abortion	12	10	9	3		2	2				4	2	8
Childbirth	68	61	38	11	7	2	4	14	1	2	13	6	7
Puerperal septicemia	102	88	95	12	3	10	5	53	1	12	27	20	19
Extra-uterine pregnancy	10	5	10	2	1					1	1	3	3
Others of this class	86	44	24	8	5		1	14		1	6	6	15
9. Diseases of the bones and joints	105	43	29	9	4	6	6	11	1	3	14	8	21
Males	58	22	17	3	4	3	3	8	1	2	9	6	11
Females	47	21	12	6		3	3	3		1	5	2	10
Diseases of the spine M.	17	7	5	1	3			3	1	1	3	3	3
Diseases of the spine F.	18	10	2	2		1	1	1				1	1
Abscess, lumbar and psoas. M.	4	2		1			1	1					1
Abscess, lumbar and psoas. F.	2	1											
Diseases of the bones M.	22	7	10	1		2		2			5	2	4
Diseases of the bones F.	15	3	4	3		1		1		1	3		4
Diseases of the hip-joint M.	8	2	1		1	1	1						1
Diseases of the hip-joint F.	5	4	1			1					1		2
Others of this class M.	7	4	1				1	2		1	1	1	2
Others of this class F.	7	3	5	1			2	1			1	1	3
10. Diseases of the skin	80	37	27	3	4	1	5	10	1	3	13	14	14
Males	44	14	17	1	2	1	4	5	1	1	8	8	10
Females	36	23	10	2	2		1	5		2	5	6	4
Abscess M.	26	12	10	1	1	1	2	3	1		5	5	3
Abscess F.	15	11	7	1	2		1	3		2	2	2	1
Carbuncle M.	5	1	2		1					1			2
Carbuncle F.	1	4											
Others of this class M.	13	1	5				2	2			3	3	5
Others of this class F.	20	8	3	1				2			3	4	3
11. Diseases of the absorbent system	46	12	23	5	1		1	2			2	5	6
Males	18	8	7	4				2			1	4	2
Females	28	4	16	1	1		1				1	1	4
Addison's disease M.	6	5	2	2									1
Addison's disease F.	10	1	10								1		3
Diseases of the spleen M.	3			2									1
Diseases of the spleen F.	2		1		1		1						
Others of this class M.	9	3	5					2			1	4	
Others of this class F.	16	3	5	1								1	1
12. Accidents and injuries	1,916	1,014	870	199	133	98	55	250	28	38	194	174	1,033
Males	1,366	751	689	143	102	84	39	195	20	28	146	131	827
Females	550	263	181	56	31	14	16	55	8	10	48	43	206
Burns and scalds M.	68	28	32	8	5	5	5	16		4	23	11	39
Burns and scalds F.	104	66	29	11	5	6	4	25	3	5	14	9	29
Drowning M.	220	126	86	22	21	15	7	21	2	4	12	12	215
Drowning F.	25	13	10		2	1		3			2	5	11
Exposure and neglect M.	12	5	3	2						1	2	1	2
Exposure and neglect F.	3	1	2		1								3
Gunshot wounds M.	70	12	41	9	5	5	1	12	1	3	1	6	22
Gunshot wounds F.	10	2	2	2	1	1		2			1	1	4
Homicide M.	16	11	6	1		2	1	14			3	3	7
Homicide F.	6	4	6			1		1			1	1	2
Infanticide M.			1										1
Infanticide F.													
Injuries by machinery M.	3	1	4								1		1
Injuries by machinery F.													
Railroad accidents M.	162	101	59	14	8	10	3	32	3	2	10	10	133
Railroad accidents F.	26	8	6	2	3						1	1	13
Suffocation M.	79	20	13	3	6	2	2	5		1	9	1	24
Suffocation F.	66	12	10	3	3		1		1	1		2	12
Suicide by shooting M.	48	3	49	9	2	1	1	3		1	3	5	20
Suicide by shooting F.	4	1	3	2		1		1					
Suicide by drowning M.	4	2	4								1		6
Suicide by drowning F.	4	1	3	1							1		
Suicide by poison M.	31	15	47	3	6	3	1		2	2	6	15	26
Suicide by poison F.	16	15	23	3	2		3		1	2	4	5	26
Other suicides M.	82	17	77	8	8	4	2	1	1	4	7	10	37
Other suicides F.	20	8	18	3	2	1		1	1	1	2	3	9
Sunstroke M.	18	15	12	2			1	10		1	4	1	8
Sunstroke F.	12	11	6					3		1	3		3
Surgical operations M.	10	7		1									8
Surgical operations F.	16	9	6	3	3			1					6
Wounds M.	11	12	12	3	2	1		1		1	4	1	16
Wounds F.	3	1	3	1							1	1	2
Others of this class M.	532	376	243	58	38	36	15	80	11	4	60	55	262
Others of this class F.	235	111	54	25	9	3	8	18	2		18	15	81

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
All causes	3,040	1,970	116	634	1,011	163	181	278	122	3	65	167	189
Males	1,517	948	68	329	511	79	88	162	72	3	34	96	114
Females	1,523	1,022	48	305	500	84	93	116	50		31	71	75
Unknown cause	26	15		3	4		2					4	5
Males	19	7			2		2					2	
Females	7	8		3	2							2	5
1. General diseases. General diseases—A	605	362	16	124	330	39	32	104	42		18	53	22
Males	296	173	8	62	154	21	10	57	21		8	30	6
Females	309	189	8	62	176	18	22	47	21		10	23	16
Measles M	32	13		9	15	2	1	16	1		3	4	
Measles F	34	12	1	6	22	3	2	13			1	6	2
Scarlet fever M	12	2		2	2	1	1	2					
Scarlet fever F	6	2			2							1	
Diphtheria M	16	8			4	1		3			1	1	
Diphtheria F	13	8		4	8	2		3	1				
Whooping cough M	11	6	1	2		3		4	2			3	2
Whooping cough F	33	9	3	7	9	3	2	5	2			1	
Malarial fever M	4	2		2	2		1						
Malarial fever F	2	6		3	1				1				
Influenza M	57	44	1	13	7	2		1	1			3	
Influenza F	80	76		4	10	1	6	1				3	7
Typhoid fever M	21	14		5	8	4	2	2				3	
Typhoid fever F	13	9	1	4	3		1	3	1		3	1	1
Cholera morbus M	2	4		1				1					
Cholera morbus F	6	1		1	2			3					
Colitis M		2											
Colitis F	2												
Diarrhea M	14	11	1	3	9			3				2	1
Diarrhea F	12	10		4	12			2					
Dysentery M	6	3		3	5								
Dysentery F	11	7		2	5	1	2						1
Enteritis M	32	19	1	10	15	2		4	1		1	5	2
Enteritis F	29	14	2	8	17	5	3	5	2		1	4	2
Cholera infantum M	66	30	4	10	81	2	4	19	16		3	8	1
Cholera infantum F	49	22		14	75	1	3	11	14		4	5	1
Fever M							1						
Fever F													
Cerebro-spinal fever M	4	6			3	2							
Cerebro-spinal fever F	4	4		2	3	2	2					1	
Smallpox M													
Smallpox F		1		1									
Erysipelas M	6	2		1	1			1					
Erysipelas F	3	1	1		4			1			1		
Septicemia M	2	4			1							1	
Septicemia F		2		1	1								
Venereal diseases M	4	2				1		1					
Venereal diseases F	5	1		1	1								
Others of this group M	7	1		1	1	1							
Others of this group F	7	4			1		1					1	2
General diseases—B	25	25	3	6	13	3	1	2	2		1	4	3
Males	14	20	3	2	9	1	1		1		1	2	2
Females	11	5		4	4	2		2	1			2	1
Alcoholism M	4	14	2	1	6		1						2
Alcoholism F	3	5		2	2								1
Parasitic diseases M					1								
Parasitic diseases F													
Lead poison M				1	1				1				
Lead poison F													
Other poisons M	6	4			1	1					1		
Other poisons F	4			2	1	1			1			1	
Inanition M	4	2	1									2	
Inanition F	4				1	1		2				1	
General diseases—C	278	95	1	47	88	9	11	20	12	1	4	11	11
Males	132	47	1	27	53	5	5	12	6	1	4	6	6
Females	146	48		20	35	4	6	8	6			5	5
Old age M	44	23		3	5								3
Old age F	55	28		7	9	1	3					1	2
Premature birth M	32	7		7	18	1	3	7	1		1	1	
Premature birth F	36	8		6	7	1	1	2	1			3	
Malformation M	7	3		2	5	1		1	1		1	1	
Malformation F	9	3		1		1		1					
Debility and atrophy M	45	13	1	15	22	3	2	3	4	1	1	4	3
Debility and atrophy F	41	7		5	17	1	2	4	5			1	3
Others of this group M	4	1			3			1			1		
Others of this group F	5	2		1	2			1					

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.		BIRTHPLACES OF MOTHERS (WHITE).												
		United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
1. General diseases—Continued. General diseases—D		447	414	27	110	153	41	38	20	14		10	21	34
Males		190	203	15	55	61	13	17	13	5		7	13	21
Females		257	211	12	55	92	28	21	7	9		3	8	13
Anemia	M	5	1			1			1					1
	F	7	3	1	1	4								
Diabetes	M	13	3		1		1							
	F	12	5		1	3		1						
Rheumatism	M	4	3		1	1			1					1
	F	9	7		4	1						1		
Scrofula and tabes	M	4	2		1	3	1			1				
	F	2	2			1	1							
Hydrocephalus	M	14	9	1	7	5	2	1				1		1
	F	20	9	1	4	8	2		1					
Tuberculosis, general	M	9	3		2		1		5				1	2
	F	10	2	2	3	2	1	1						
Consumption	M	108	164	11	29	42	7	12	5	4		5	10	15
	F	102	134	7	26	58	16	11	5	8		2	6	6
Cancer	M	30	17	2	14	7	1	3				1	2	1
	F	85	45	1	15	14	7	6	1	1			2	6
Tumor	M	2		1		1		1	1					
	F	6	4			1		2						
Dropsy	M	1												
	F	3												1
Others of this group	M		1			1								
	F	1			1		1							
2. Diseases of the nervous system		385	178	7	54	87	12	20	17	13	1	4	10	22
Males		198	78	5	28	56	8	9	9	8	1	3	4	14
Females		187	100	2	26	31	4	11	8	5		1	6	8
Inflammation of the brain.	M	2				1								
	F	1				2								
Meningitis	M	34	15		5	16	2	1	2	4		1	1	
	F	23	12	1	5	14	2	3	5	5		1	2	
Apoplexy	M	96	33	3	15	8	4	6	5	3				4
	F	87	55	1	12	3		5	1				3	5
Paralysis	M	18	6	1		8						1		2
	F	20	12		2	6		1	1					
Paralysis, general (of insane).	M	1	1	1	2	4	2							3
	F	5						1						
Tetanus and trismus nascentium.	M	2	2			1								1
	F	1	1				1							
Chorea	M													
	F	1												
Epilepsy	M	5	3		1	1		1					1	
	F	3	3		2	1								
Convulsions	M	12	3		2	6			1	1	1	1	2	
	F	8	4		1	1	1		1				1	
Mental diseases	M	5	2					1						2
	F	7	3											1
Diseases of the brain	M	16	6		2	10			1					1
	F	21	8		1	3		1						1
Diseases of the spinal cord.	M	1	2		1	1								
	F	3	2		1									
Locomotor ataxia	M	3	3											1
	F	2												
Others of this class	M	3	2											
	F	5			2	1								1
3. Diseases of the circulatory system		277	189	14	55	52	1	13	12			4	5	11
Males		146	81	7	30	22	1	4	5			2	3	8
Females		131	108	7	25	30		9	7			2	2	3
Pericarditis	M	1				1								
	F	1	2			1								
Diseases of the heart	M	131	72	6	28	15	1	4	4			2	1	6
	F	115	99	6	19	26		8	7			2	2	2
Angina pectoris	M	6	3			2			1				2	1
	F	9	3	1	2	1		1						
Diseases of the arteries.	M	4	3			2								1
	F	1	2		1									
Aneurism	M	1	1											
	F	2												1
Embolism	M													
	F	1	2		1									
Others of this class	M	3	2	1	2	2								
	F	2			2	2								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
4. Diseases of the respiratory system	484	308	22	99	169	28	18	69	24	1	14	33	19
Males	212	166	16	47	97	12	12	40	17	1	6	20	14
Females	272	142	6	52	72	16	6	29	7		8	13	5
Croup M	11	5		2	9			2				1	
Croup F	10	2		1	6	2		2				1	
Pneumonia M	142	119	11	32	60	7	9	28	5	1	4	13	11
Pneumonia F	190	95	5	40	45	11	3	19	2		3	6	4
Laryngitis M	2	2		2					1		1		
Laryngitis F	3				1	1					1		1
Bronchitis M	45	31	5	10	21	5	2	5	10		1	5	2
Bronchitis F	54	35		8	16	1	1	7	5		4	5	
Pleurisy M	4	2			3			1				1	1
Pleurisy F		3		1									
Asthma M	1	2			1		1	1					
Asthma F	2	3		1	1								
Others of this class M	7	5		1	3			3	1				
Others of this class F	13	4	1	1	3	1	2	1				1	
5. Diseases of the digestive system	125	103	7	42	39	11	12	16	9		3	10	5
Males	68	44	3	23	22	6	7	14	8			8	1
Females	57	59	4	19	17	5	5	2	1		3	2	4
Dentition M	1											1	
Dentition F	4			1									
Angina M	1												
Angina F					1								
Gastritis M	7	4	1	1	2	1							
Gastritis F	4	11	1	2	4	1	1	1					
Diseases of the stomach M	2	3		1				1					1
Diseases of the stomach F	3	2			2		1						
Obstruction of the bowels M	4	2		1	1	1		1	2			1	
Obstruction of the bowels F	7	5		4					1				
Appendicitis M	9	5	1	3	1		3	1				1	
Appendicitis F	4	4				1							
Hernia M	6	1		2			1						
Hernia F	3	4	1	1							1		
Other diseases of the bowels M	4				1	1							
Other diseases of the bowels F	2			2									
Jaundice M	4	1			4			2				1	
Jaundice F	6	2		1	1						1		1
Inflammation and abscess of the liver M	2	4		1		1						2	
Inflammation and abscess of the liver F	4			1									
Other diseases of the liver M	7	14	1	3	4	1	3	3					
Other diseases of the liver F	2	11		5	2	1	2						
Peritonitis M	2	3			4			2	1			1	
Peritonitis F	2	4	1		5	1	1						3
Ascites M													
Ascites F													
Others of this class M	19	7		11	5	1		4	5			1	
Others of this class F	16	16	1	2	2	1		1			1	2	
6. Diseases of the urinary system and male organs of generation.	239	159	5	44	26	5	19	6	3		3	5	19
Males	157	66	2	28	9	3	12	5	3		2	3	14
Females	82	93	3	16	17	2	7	1			1	2	5
Bright's disease M	112	56	2	21	8	2	9	2	1		2	2	13
Bright's disease F	70	88	3	16	12	2	7	1			1	1	5
Calculus, urinary M	3			1									
Calculus, urinary F	1												
Diseases of the kidney M	15	2		1		1		2					
Diseases of the kidney F	5				4							1	
Diseases of the bladder M	14	4		1								1	1
Diseases of the bladder F	1	2											
Others of this class M	18	4		4	1		3	1	2				
Others of this class F	5	3			1								
7. Diseases of the female organs of generation.	14	9	3	3	3		1	1			1		1
Ovarian tumors	1	2						1			1		
Ovarian diseases		1											
Diseases of the tubes	3	1											
Uterine tumors	6	1		3	1		1						1
Uterine diseases	1		1										
Others of this class	3	4	2		2								

TABLE 12.—DEATHS IN REGISTRATION STATES, BY BIRTHPLACES OF MOTHERS: CENSUS YEAR 1900—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.	BIRTHPLACES OF MOTHERS (WHITE).												
	United States.	Ireland.	Germany.	England and Wales.	Canada.	Scandinavia.	Scotland.	Italy.	France.	Hungary and Bohemia.	Russia and Poland.	Other foreign.	Unknown.
8. Affections connected with pregnancy.	14	21	1	18	14	1	1	2				4	1
Abortion		1	1		1								
Childbirth	3	4		2	2		1	1					
Puerperal septicemia	6	9		5	9	1						4	
Extra-uterine pregnancy	1			1									1
Others of this class	4	7		5	2			1					
9. Diseases of the bones and joints	5	7	2	1	3	2		1				1	
Males	3	3	1		1							1	
Females	2	4	1	1	2	2		1					
Diseases of the spine M	1	1			1								
Diseases of the spine F		1			1	1		1					
Abscess, lumbar and psoas M													
Abscess, lumbar and psoas F													
Diseases of the bones M	1	1										1	
Diseases of the bones F	1	2		1	1								
Diseases of the hip-joint M	1	1	1										
Diseases of the hip-joint F			1										
Others of this class M													
Others of this class F	1	1				1							
10. Diseases of the skin	6	3		3				1				1	
Males	5	2		2				1					
Females	1	1		1								1	
Abscess M	3	1		1				1					
Abscess F	1												
Carbuncle M	1												
Carbuncle F													
Others of this class M	1	1		1									
Others of this class F		1		1								1	
11. Diseases of the absorbent system	3				1			1					
Males	3				1			1					
Females													
Addison's disease M													
Addison's disease F													
Diseases of the spleen M													
Diseases of the spleen F													
Others of this class M	3				1			1					
Others of this class F													
12. Accidents and injuries	107	82	8	30	29	11	13	6	3		3	5	36
Males	74	58	7	25	24	9	9	5	3		1	4	28
Females	33	24	1	5	5	2	4	1			2	1	8
Burns and scalds M	6	5		2	1	1	1	1					1
Burns and scalds F	6	8		1	1			1			1		
Drowning M	9	7	1	2	8		3					1	10
Drowning F				2			1						
Exposure and neglect M		1	1	1									
Exposure and neglect F	1												
Gunshot wounds M		1				1							1
Gunshot wounds F													
Homicide M	1	1						1					1
Homicide F	1										1		
Infanticide M	1												1
Infanticide F													2
Injuries by machinery M					2	1							
Injuries by machinery F													
Railroad accidents M	9	5		3	5	1	1		1		1	2	8
Railroad accidents F	2	2										1	
Suffocation M	5	6	1	1	1	1							
Suffocation F	6	2					1						1
Suicide by shooting M	2	1	2					1					
Suicide by shooting F	1				1								1
Suicide by drowning M	1												
Suicide by drowning F													
Suicide by poison M	2						1						1
Suicide by poison F													1
Other suicides M	6	5	2	2		2							
Other suicides F	1	3		1		1							1
Sunstroke M	2												
Sunstroke F													
Surgical operations M													
Surgical operations F		1											
Wounds M		2											
Wounds F													
Others of this class M	30	24		14	7	2	3	2	2			1	5
Others of this class F	15	8	1	1	3	1	2						2