MORTALITY STATISTICS.

INTRODUCTION, COMMENTARY, AND COMPILATION FROM TABULAR PORTION OF MORTALITY, EIGHTH CENSUS.

By EDWARD JARVIS, M. D., DORCHESTER, MASS.

The following refers to the authorities and other data, considered by the compiler of Mortality Statistics, in connexion with that subject:

The compiler of the Mortality Statistics reports, January 1, 1866, in connexion with that branch of the statistics, that in preparing the compilation he has availed himself of information from published works and private correspondence; that the facts furnished in the schedules of marshals were arranged and digested in the Census Office; that the facts in regard to sex, age, month, and disease, were then submitted to the compiler as the basis for his report, with instructions to use other pertinent collateral facts; that he has made use of the Preliminary Report of the Eighth Census, quoting therefrom some whole tables, in respect to immigration and the distribution of the population in the United States, referring in this connexion to the fourth, fifth, sixth, and seventh censuses, and to the Mortality Statistics of the seventh; also to 5-years annual report of Vermont; 22, Massachusetts; 11, Rhode Island; 17, Connecticut; 14, New Jersey; 3, Virginia; 4, South Carolina; 8, Kentucky; 40, Boston; 24, Providence; 60, New York; 11, Brooklyn; 7, Buffalo; 42, Philadelphia; 38, Baltimore; 30, Charleston, South Carolina; 12, Washington; 5, New Orleans; 3, Memphis, Tennessee; Shattuck's Census of Boston, 1845; Medical Statistics United States Army, 1839, 1854, 1855, 1859; Blodgett's Climatology; Reports of Smithsonian Institute; of Registrar General of England, 26 years; Scotland, 8 years; Census of England, 1841, 1851, and 1861; Scotland, 1851 and 1861; Ireland, 1841, 1851, and 1861; Statisque de la France, Annual, 1851 to 1860; Denmark, 1863; Austria, 1862; Statistics of Sweden, Frankfort, Brussels, London Society; Annales de l'Hygiene; Traite de Geographie et de Statisque Medicales, par J. Ch. M. Bondin; Dictionaire de l'Economie Politique, par Maurice Block; Farr's Life Table; British Parliamentary report; Population of Portugal report; Sickness and Mortality of British army in West Indies, and Medical Report of British army; Quetelet sur l'Homme; McCulloch's Statistics of British Empire; Porter's Progress British Empire; Transactions of the British Association for the Promotion of Social Science, 7 years; Price on Annuities; Transactions of the International Statistical Congress, London, 1860, and Berlin, 1863. He acknowledges credit due to friends and correspondents, here and abroad, as being of great value, and regrets the law did not include the health, sickness, and disability of every individual, according to plan published in the Transactions of the International Statistical Congress at London, 1860, so as to show the amount of human power and weakness in the nation; the number that are in good health, and of those suffering from each kind of disease or impaired by any kind of disability, among all the people, as in some of the censuses of Europe.

Regrets that in the abstract of the facts gathered by the marshals, the whites and the colored, and also the natives and foreigners, were not discriminated, so far as known, (the liability of these races, and of these classes, to disease and death, differs,) and hopes that in future censuses all these facts will be ascertained in the original inquiry, and the distinctions made in all the stages of analysis and abstract, and the precise amount of health and power of life, and mortality, of both races and both classes, be shown in the reports.

MORTALITY STATISTICS.

YEAR ENDING JUNE 1, 1860.

MORTALITY OF THE UNITED STATES.

TABLE I.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, IN STATES, BY DISTRICTS.

STATES AND DISTRICTS.	DEATHS.		
	Males.	Females.	Total.
Maine	3,785	3,829	7,614
New Hampshire	2,186	2,283	4,469
Vermont	1,647	1,708	3,355
Massachusetts	10,683	10,621	21,304
Rhode Island	1,272	1,207	2,479
Connecticut	3,168	2,971	6,139
New York	25,128	21,813	46,941
Total 1st district	47,869	44,432	92,301
Michigan	3,921	3,480	7,401
Wisconsin	3,893	3,248	7,141
Minnesota	594	515	1,109
Nebraska	201	180	381
Total 2d district	8,609	7,423	16,032
New Jersey	4,024	3,501	7,525
Pennsylvania	16,249	13,992	30,241
Total 3d district	20,273	17,493	37,766
Ohio	12,890	11,836	24,726
Indiana	7,855	7,471	15,326
Illinois	10,368	8,932	19,300
Iowa	3,875	3,384	7,259
Kansas	870	697	1,567
Total 4th district	35,858	32,320	68,178
Delaware	618	628	1,246
Maryland	3,831	3,543	7,374
District of Columbia	695	590	1,285
Virginia	11,472	11,002	22,474
North Carolina	6,275	6,342	12,617
Total 5th district	22,891	22,105	44,996
Kentucky	8,611	7,856	16,467
Tennessee	7,758	7,398	15,156
Missouri	9,585	8,069	17,654
Total 6th district	25,954	23,323	49,277
South Carolina	4,961	4,788	9,749
Georgia	6,654	6,162	12,816
Florida	979	790	1,769
Alabama	6,753	6,007	12,760
Total 7th district	19,347	17,747	37,094
Mississippi	6,425	5,789	12,214
Louisiana	7,250	5,074	12,324
Arkansas	4,735	4,121	8,856
Texas	5,122	4,255	9,377
Total 8th district	23,532	19,239	42,771
Oregon	156	144	300
California	2,473	1,232	3,705
Dakota	3	1	
New Mexico	736	569	1,305
Utah	215	159	374
Washington	27	23	59
Total 9th district	3,610	2,128	5,738
Total United States	207,943	186,210	394,153

TABLE II.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, ACCORDING TO SEX AND DISEASE.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	349	219	568
Anæmia	21	18	39
Aneurism	33	11	44
Angina pectoris	4	2	6
Apoplexy	1,779	1,304	3,083
Asthma	358	311	669
Bowels, disease of	901	709	1,610
Brain, disease of	3,344	2,382	5,726
Bronchitis	1,052	867	1,919
Cancer	1,230	2,062	3,292
Carbuncle	63	35	98
Cephalitis	5,772	4,577	10,349
Child-birth	.....	4,066	4,066
Cholera	599	397	996
Cholera infantum	2,582	2,226	4,808
Chorea	21	34	55
Cold water	5	.....	5
Consumption	23,036	26,046	49,082
Convulsions	5,018	4,059	9,077
Croup	8,250	6,961	15,211
Cyanosis	9	20	29
Cystitis	151	31	182
Debility	1,077	1,064	2,141
Delirium tremens	518	57	575
Diabetes	289	96	385
Diarrhœa	4,339	3,511	7,850
Diphtheria	788	875	1,663
Dropsy	6,161	6,496	12,657
Dysentery	5,630	4,838	10,468
Dyspepsia	513	319	832
Enteritis	3,556	2,748	6,304
Epilepsy	284	217	501
Erysipelas	1,451	1,295	2,746
Fever, intermittent	2,390	2,160	4,550
Fever, remittent	5,768	5,352	11,120
Fever, typhoid	10,339	8,897	19,236
Fistula	30	7	37
Gastritis	479	540	1,019
Gout	33	8	41
Heart, disease of	3,452	2,954	6,406
Heat	299	61	360
Hemorrhage	743	578	1,321
Hepatitis	119	81	200
Hernia	260	100	360
Hydrocephalus	1,880	1,534	3,414
Hydrophobia	26	12	38
Ileus	31	13	44
Infantile	3,374	2,860	6,234
Inflammation	730	596	1,326
Influenza	192	193	385
Insanity	251	201	452
Intemperance	842	89	931
Ischuria	47	8	55
Jaundice	365	316	681
Joints, disease of	82	49	131
Kidney, disease of	644	172	816
Laryngitis	48	26	74
Liver, disease of	1,466	1,167	2,633
Lungs, disease of	1,999	1,577	3,576
Malformation	73	54	127
Marasmus	470	439	909
Measles	1,937	1,962	3,899
Mortification	184	96	280
Necrosis	124	60	184
Neuralgia	411	492	903
Old age	4,899	5,988	10,887
Ovarian dropsy	.....	9	9
Paralysis	2,318	2,319	4,637

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Paramenia	.....	157	157
Parotitis	76	47	123
Pericarditis	27	22	49
Peritonitis	49	64	113
Phlebitis	11	14	25
Pleurisy	728	532	1,260
Pneumonia	15,816	11,278	27,094
Prostate, disease of	4	.....	4
Puerperal fever	.....	1,202	1,202
Purpura and scurvy	52	27	79
Quinsy	369	361	730
Rheumatism	1,106	775	1,881
Scarlatina	13,221	13,181	26,402
Scrofula	1,401	1,302	2,703
Skin, disease of	983	773	1,756
Small-pox	736	535	1,271
Spine, disease of	616	462	1,078
Splenitis	47	29	76
Still-born	891	649	1,540
Stomach, disease of	137	137	274
Stone	607	67	674
Sudden death	469	347	816
Syphilis	139	94	233
Teething	2,563	2,346	4,909
Tetanus	995	626	1,621
Throat, disease of	1,710	1,916	3,626
Thrush	511	501	1,012
Tumor	256	352	608
Ulcer	199	181	380
Unknown	19,181	17,526	36,707
Uterus, disease of	.....	244	244
Whooping cough	3,832	4,576	8,408
Worms	1,041	955	1,996
Yellow fever	504	156	660
Aggregates	193,765	180,257	374,022
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	3,513	665	4,178
Burns and scalds	1,797	2,469	4,266
Drowning	2,664	457	3,121
Fall	1,019	304	1,323
Fire-arms	694	47	741
Freezing	126	13	139
Lightning	133	58	191
Neglect and exposure	102	60	162
Poison	557	393	950
Railroad	542	57	599
Strangulation	189	102	291
Suffocation	1,091	1,038	2,129
Total accidents	12,427	5,663	18,090
II. Suicide:			
Cutting throat	71	11	82
Drowning	40	31	71
Fire-arms	109	3	112
Hanging	250	56	306
Poison	93	44	137
Strangulation	2	.....	2
Suicide, not specified	224	59	283
Total suicides	789	204	993
III. Homicide	428	33	461
IV Murder	479	49	528
V Executed	55	4	59
Total violent deaths	14,178	5,953	20,131
Grand totals	207,943	186,210	394,153

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860.

MAINE.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	8	8	16
Apoplexy	33	13	46
Asthma	5	4	9
Bowels, disease of	31	28	59
Brain, &c., disease of	87	72	159
Bronchitis	6	7	13
Cancer	50	62	112
Carbuncle	3	.....	3
Cephalitis	69	44	113
Child-birth	.....	58	58
Cholera	20	16	36
Cholera infantum	20	16	36
Chorea	.....	1	1
Consumption	871	1,298	2,169
Convulsions	52	53	105
Croup	68	51	119
Cystitis	3	.....	3
Debility	14	19	33
Delirium tremens	3	.....	3
Diabetes	13	7	20
Diarrhœa	52	49	101
Diphtheria	.....	1	1
Dropsy	111	141	252
Dysentery	66	71	137
Dyspepsia	8	6	14
Enteritis	51	40	91
Epilepsy	6	1	7
Erysipelas	33	20	53
Fever, intermittent	1	1	2
Fever, remittent	85	95	180
Fever, typhoid	212	222	434
Fistula	1	.....	1
Gastritis	2	1	3
Gout	1	.....	1
Heart, &c., disease of	139	107	246
Heat	1	.....	1
Hemorrhage	17	7	24
Hepatitis	.....	2	2
Hernia	11	5	16
Hydrocephalus	63	73	136
Ileus	.....	1	1
Infantile	26	18	44
Inflammation	12	10	22
Influenza	10	13	23
Insanity	6	5	11
Intemperance	5	.....	5
Jaundice	4	4	8
Joints, &c., disease of	2	3	5
Kidney, &c., disease of	29	3	32
Liver, disease of	41	21	62
Lungs, disease of	65	55	120
Malformation	1	.....	1
Measles	15	16	31
Mortification	6	1	7
Neuralgia	3	7	10
Old age	196	235	431
Ovarian dropsy	.....	1	1
Paralysis	88	82	170
Parotitis	1	1	2
Pericarditis	1	.....	1
Peritonitis	.....	1	1
Phlebitis	1	.....	1
Pleurisy	10	7	17
Pneumonia	160	133	293
Prostate, disease of	1	.....	1
Puerperal fever	.....	4	4
Quinsy	2	1	3
Rheumatism	18	12	30
Scarlatina	182	165	347
Scrofula	29	10	39
Skin, disease of	5	5	10
Small-pox	35	21	56
Spine, disease of	11	14	25
Still-born	1	.....	1
Stomach, disease of	6	3	9
Stone	19	4	23
Sudden death	6	8	14
Syphilis	1	3	4
Teething	23	13	36
Tetanus	2	1	3
Throat, disease of	25	39	64
Thrush	35	33	68
Tumor	9	23	32
Ulcer	1	2	3
Unknown	139	137	276
Uterus, &c., disease of	.....	1	1
Whooping cough	33	39	72
Worms	7	5	12
Aggregates	3,488	3,759	7,247
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	45	4	49
Burns and scalds	26	25	51
Drowning	139	13	152
Falls	33	10	43
Fire-arms	5	1	6
Freezing	2	1	3
Lightning	.....	2	2
Neglect and exposure	2	2	4
Poison	5	2	7
Railroad	8	1	9
Strangulation	3	.....	3
Total accidents	268	61	329
II. Suicide:			
Cutting throat	3	.....	3
Drowning	4	3	7
Hanging	12	4	16
Poison	3	1	4
Suicide not specified	2	1	3
Total suicides	24	9	33
III. Homicide	4	.....	4
IV. Murder	1	.....	1
Total violent deaths	297	70	367
Grand totals	3,785	3,829	7,614

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEW HAMPSHIRE.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	6	6	12
Apoplexy	22	17	39
Asthma	2	1	3
Bowels, disease of	15	11	26
Brain	41	28	69
Bronchitis	3	5	8
Cancer	36	66	102
Carbuncle		1	1
Cephalitis	23	23	46
Child-birth		20	20
Cholera	5	4	9
Cholera infantum	39	40	79
Consumption	508	655	1,163
Convulsions	45	21	66
Croup	39	33	72
Cystitis	2		2
Debility	15	10	25
Delirium tremens	8		8
Diabetes	9	5	14
Diarrhœa	13	14	27
Dropsy	79	75	154
Dysentery	46	39	85
Dyspepsia	3	2	5
Enteritis	25	25	50
Epilepsy	3		3
Erysipelas	23	21	44
Fever, intermittent	1		1
Fever, remittent	39	61	100
Fever, typhoid	121	118	239
Gastritis	5	8	13
Heart	85	73	158
Heat		1	1
Hemorrhage	9	5	14
Hernia	3		3
Hydrocephalus	22	15	37
Infantile	56	30	86
Inflammation	13	9	22
Influenza	6	8	14
Insanity	4	3	7
Intemperance	8		8
Jaundice	1	1	2
Joints, &c., disease of		2	2
Kidney, &c., disease of	15	3	18
Liver, disease of	21	28	49
Lungs, disease of	35	24	59
Malformation	1		1
Measles	3	2	5
Mortification	9	6	15
Necrosis	1		1
Neuralgia		5	5
Old age	122	168	290
Paralysis	48	88	136
Peritonitis		1	1
Pleurisy	5	10	15
Pneumonia	107	117	224
Puerperal fever		7	7
Purpura and scurvy	1	1	2
Rheumatism	11	7	18
Scarlatina	82	87	169
Scrofula	18	22	40
Skin, disease of	4		4
Small-pox	16	6	22
Spine, disease of	5	10	15
Still-born	2		2
Stomach, disease of		3	3
Stone	13	1	14
Sudden death	6	4	10
Syphilis		1	1
Teething	6	14	20
Tetanus	1	1	2
Throat, disease of	11	16	27
Thrush	12	18	30
Tumor	4	11	15
Ulcer	2		2
Unknown	96	101	197
Uterus, &c., disease of		1	1
Whooping cough	20	28	48
Worms	1	4	5
Aggregates	2,061	2,251	4,312
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	30	7	37
Burns and scalds	6	10	16
Drowning	34	2	36
Falls	10	4	14
Fire-arms	4	1	5
Freezing	1		1
Lightning	1	1	2
Neglect and exposure	3		3
Poison	3		3
Railroad	4		4
Strangulation	1	1	2
Suffocation	1		1
Total accidents	98	26	124
II. Suicide:			
Cutting throat	5		5
Drowning	3	1	4
Fire-arms	2		2
Hanging	12	1	13
Poison	2	1	3
Suicide not specified	3	1	4
Total suicides	27	4	31
IV. Murder		2	2
Total violent deaths	125	32	157
Grand totals	2,186	2,283	4,469

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

VERMONT.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	7	2	9
Apoplexy	21	25	46
Asthma	3	1	4
Bowels, disease of	2	6	8
Brain, &c., disease of	32	26	58
Bronchitis	3	1	4
Cancer	30	52	82
Cephalitis	23	20	43
Child-birth		27	27
Cholera	5	3	8
Cholera infantum	10	7	17
Chorea	1	1	2
Consumption	314	465	779
Convulsions	22	25	47
Croup	40	38	78
Cystitis	1		1
Debility	8	10	18
Delirium tremens	1		1
Diabetes	14	3	17
Diarrhœa	7	9	16
Diphtheria	4	2	6
Dropsy	55	78	133
Dysentery	25	23	48
Dyspepsia	1	3	4
Enteritis	46	30	76
Epilepsy	1	1	2
Erysipelas	20	10	30
Fever, intermittent	1	3	4
Fever, remittent	20	19	39
Fever, typhoid	111	99	210
Gastritis	6	6	12
Heart, &c., disease of	79	71	150
Hemorrhage	7	3	10
Hepatitis		1	1
Hernia		2	2
Hydrocephalus	13	15	28
Infantile	6	5	11
Inflammation	2	3	5
Influenza	1	2	3
Insanity	1	2	3
Intemperance	3		3
Jaundice	2	2	4
Joints, &c., disease of	2	1	3
Kidney, &c., disease of	8	2	10
Laryngitis		1	1
Liver, disease of	12	14	26
Lungs, disease of	31	39	70
Malformation		1	1
Measles	5	5	10
Mortification	5		5
Neuralgia	4	5	9
Old age	122	132	254
Paralysis	33	40	73
Peritonitis	1	1	2
Pleurisy	2	6	8
Pneumonia	94	66	160
Puerperal fever		3	3
Purpura and scurvy		1	1
Rheumatism	5	5	10
Scarlatina	134	110	244
Scrofula	6	9	15
Skin, disease of	1	3	4
Small-pox	4	7	11
Spine, disease of	5	6	11
Splenitis	2		2
Still-born	2	2	4
Stone	14		14
Sudden death	1		1
Teething	3	1	4
Tetanus		3	3
Throat, disease of	4	3	7
Thrush	5	1	6
Tumor	6	9	15
Ulcer	2	1	3
Unknown	88	75	163
Uterus, &c., disease of		2	2
Whooping cough	15	17	32
Worms	3	1	4
Aggregates	1,567	1,673	3,240
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	21	2	23
Burns and scalds	11	14	25
Drowning	18	5	23
Fall	6	3	9
Fire-arms	1		1
Freezing		1	1
Lightning	1		1
Poison	2	4	6
Railroad	2		2
Strangulation	1		1
Suffocation	1	2	3
Total accidents	64	31	95
II. Suicide:			
Cutting throat	1		1
Drowning		1	1
Hanging	7	3	10
Poison	5		5
Suicide not specified	3		3
Total suicides	16	4	20
Total violent deaths	80	35	115
Grand totals	1,647	1,708	3,355

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MASSACHUSETTS.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	21	12	33
Anæmia	1	6	7
Aneurism	6	1	7
Angina pectoris	2		2
Apoplexy	110	84	194
Asthma	26	19	45
Bowels, disease of	150	121	271
Brain, &c., disease of	268	194	462
Bronchitis	32	21	53
Cancer	95	199	294
Carbuncle	2	1	3
Cephalitis	92	84	176
Child-birth		251	251
Cholera	43	33	76
Cholera infantum	436	367	803
Chorea	1		1
Consumption	2,168	2,677	4,845
Convulsions	253	192	445
Croup	307	294	601
Cyanosis	2	3	5
Cystitis	1		1
Debility	70	80	150
Delirium tremens	27	3	30
Diabetes	21	8	29
Diarrhœa	86	60	146
Diphtheria	13	14	27
Dropsy	261	312	573
Dysentery	278	290	568
Dyspepsia	14	2	16
Enteritis	100	128	228
Epilepsy	27	12	39
Erysipelas	83	70	153
Fever, intermittent	2	3	5
Fever, remittent	136	124	260
Fever, typhoid	363	337	700
Fistula	2	3	5
Gastritis	26	22	48
Gout	2		2
Heart, &c., disease of	389	316	705
Heat	7	1	8
Hemorrhage	44	40	84
Hepatitis	2		2
Hernia	6	4	10
Hydrocephalus	241	237	478
Hydrophobia	2		2
Ileus	3	1	4
Infantile	337	283	620
Inflammation	28	26	54
Influenza	19	26	45
Insanity	34	28	62
Intemperance	38	20	58
Ischuria	1		1
Jaundice	11	13	24
Joints, &c., disease of	19	9	28
Kidney, &c., disease of	51	14	65
Laryngitis	3	2	5
Liver, disease of	72	83	155
Lungs, disease of	171	143	314
Malformation	1		1
Marasmus	22	26	48
Measles	81	60	141
Mortification	9	14	23
Neuralgia	7	20	27
Old age	361	535	896
Ovarian dropsy		2	2
Paralysis	170	206	376
Paramenia		1	1
Parotitis	4		4
Pericarditis	1	2	3
Peritonitis	7	8	15
Phlebitis	1	2	3
Pleurisy	51	50	101
Pneumonia	534	467	1,001
Puerperal fever		26	26
Purpura and scurvy	1	2	3
Quinsy	1		1
Rheumatism	37	36	73
Scarlatina	382	427	809
Scrofula	55	55	110
Skin, disease of	10	5	15
Small-pox	297	174	471
Spine, disease of	35	33	68
Splenitis	1		1
Still-born	70	28	98
Stomach, disease of	2	2	4
Stone	30	7	37
Sudden death	23	9	32
Syphilis	15	11	26
Teething	167	126	293
Tetanus	16	4	20
Throat, disease of	57	71	128
Thrush	85	87	172
Tumor	26	50	76
Ulcer	9	3	12
Unknown	303	320	623
Uterus, &c., disease of		8	8
Whooping cough	139	213	352
Worms	10	5	15
Aggregate	10,025	10,368	20,393
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	140	88	228
Burns and scalds	48	62	110
Drowning	218	27	245
Fall	69	15	84
Fire-arms	8		8
Freezing	1		1
Lightning	1		1
Neglect and exposure	6	11	17
Poison	6	7	13
Railroad	44	8	52
Strangulation	4	2	6
Suffocation	12	5	17
Total accidents	557	225	782
II. Suicide:			
Cutting throat	7	1	8
Drowning	4	4	8
Fire-arms	7		7
Hanging	19	2	21
Poison	8	5	13
Strangulation	2		2
Suicide not specified	43	8	51
Total suicides	90	20	110
III. Homicide	6	8	14
IV. Murder	5		5
Total violent deaths	658	253	911
Grand totals	10,683	10,621	21,304

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

RHODE ISLAND.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	3	2	5
Aneurism		1	1
Apoplexy	15	24	39
Asthma	1	3	4
Bowels, disease of	9	3	12
Brain, &c., disease of	22	13	35
Bronchitis	4	6	10
Cancer	14	31	45
Cephalitis	27	17	44
Child-birth		16	16
Cholera	3	2	5
Cholera infantum	39	30	69
Consumption	254	313	567
Convulsions	48	30	78
Croup	43	25	68
Cyanosis		1	1
Debility	16	12	28
Delirium tremens	5	1	6
Diabetes	3	2	5
Diarrhœa	25	16	41
Diphtheria	12	11	23
Dropsy	30	37	67
Dysentery	32	28	60
Dyspepsia	1	1	2
Enteritis	21	7	28
Epilepsy	6		6
Erysipelas	5	17	22
Fever, remittent	9	6	15
Fever, typhoid	37	29	66
Fistula	1		1
Gastritis	2	2	4
Heart, &c., disease of	36	32	68
Hemorrhage	9	7	16
Hepatitis	2	1	3
Hernia		1	1
Hydrocephalus	34	17	51
Ileus	1		1
Infantile	6	14	20
Inflammation	5	1	6
Insanity	3	2	5
Intemperance	10	4	14
Jaundice	1	2	3
Kidney, &c., disease of	4	4	8
Laryngitis	1		1
Liver, disease of	12	9	21
Lungs, disease of	8	7	15
Malformation	7	5	12
Marasmus	8	13	21
Measles		3	3
Mortification	1	4	5
Neuralgia	1	1	2
Old age	42	64	106
Paralysis	21	11	32
Paramenia		1	1
Peritonitis	3	5	8
Phlebitis		1	1
Pleurisy	1	5	6
Pneumonia	64	72	136
Puerperal fever		3	3
Purpura and scurvy	1	1	2
Quinsy		1	1
Rheumatism	6	5	11
Scarlatina	48	42	90
Scrofula	5	6	11
Skin, disease of	1		1
Small-pox	7	1	8
Spine, disease of	6	4	10
Still-born	3	1	4
Stomach, disease of		1	1
Sudden death	5	1	6
Syphilis	2	2	4
Teething	21	16	37
Tetanus	2	1	3
Throat, disease of	2	5	7
Thrush	7	4	11
Tumor	1	3	4
Unknown	56	66	122
Uterus, &c., disease of		1	1
Whooping cough	33	27	60
Worms	1	4	5
Aggregates	1,174	1,167	2,341
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	26	1	27
Burns and scalds	8	16	24
Drowning	28	7	35
Fall	10	2	12
Fire-arms	1		1
Freezing	2		2
Neglect and exposure	2	2	4
Poison	4	5	9
Railroad	4	1	5
Strangulation	1	1	2
Total accidents	86	35	121
II. Suicide:			
Drowning	2	1	3
Fire-arms	2		2
Hanging	1		1
Poison	2	3	5
Suicide not specified	2	1	3
Total suicides	9	5	14
IV. Murder	3		3
Total violent deaths	98	40	138
Grand totals	1,272	1,207	2,479

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

CONNECTICUT.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	9	7	16
Anæmia		1	1
Apoplexy	57	39	96
Asthma	1		1
Bowels, disease of	15	10	25
Brain, &c., disease of	43	30	73
Bronchitis	11	3	14
Cancer	25	48	73
Carbuncle	1		1
Cephalitis	79	51	130
Child-birth		53	53
Cholera	14	5	19
Cholera infantum	71	52	123
Chorea	1	1	2
Consumption	596	673	1,269
Convulsions	99	88	187
Croup	83	81	164
Cyanosis		1	1
Cystitis	2	1	3
Debility	13	28	41
Delirium tremens	18	2	20
Diabetes	5	1	6
Diarrhœa	13	7	20
Diphtheria	13	12	25
Dropsy	82	127	209
Dysentery	65	58	123
Dyspepsia		2	2
Enteritis	56	34	90
Epilepsy	5	3	8
Erysipelas	34	35	69
Fever, intermittent	1	1	2
Fever, remittent	65	58	123
Fever, typhoid	125	91	216
Fistula	1		1
Gastritis	4	7	11
Gout	1		1
Heart, &c., disease of	103	72	175
Heat	2		2
Hemorrhage	20	22	42
Hepatitis	3	3	6
Hernia	3	4	7
Hydrocephalus	42	45	87
Infantile	15	16	31
Inflammation	11	8	19
Influenza	3	4	7
Insanity	6	7	13
Intemperance	16	1	17
Jaundice	5	6	11
Joints, &c., disease of	5	2	7
Kidney, &c., disease of	14	3	17
Laryngitis		1	1
Liver, disease of	32	31	63
Lungs, disease of	33	31	64
Malformation	3		3
Marasmus	15	9	24
Measles	48	37	85
Mortification	6	2	8
Neuralgia	6	7	13
Old age	183	211	394
Paralysis	57	55	112
Paramenia		1	1
Peritonitis		2	2
Pleurisy	13	8	21
Pneumonia	155	147	302
Puerperal fever		12	12
Quinsy	1	2	3
Rheumatism	18	17	35
Scarlatina	188	201	389
Scrofula	19	19	38
Skin, disease of	1	2	3
Small-pox	5	8	13
Spine, disease of	8	5	13
Splenitis		1	1
Still-born	17	9	26
Stomach, disease of	1	2	3
Stone	13	1	14
Sudden death	13	7	20
Syphilis	1	1	2
Teething	31	21	52
Tetanus	13	3	16
Throat, disease of	22	25	47
Thrush	4	8	12
Tumor	1	18	19
Ulcer	3	1	4
Unknown	168	127	295
Uterus, &c., disease of		2	2
Whooping cough	40	57	97
Worms	2	3	5
Aggregates	2,976	2,897	5,873
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	61	9	70
Burns and scalds	13	34	47
Drowning	47	6	53
Fall	10	5	15
Fire-arms	7	1	8
Lightning	2		2
Neglect and exposure	2		2
Poison	8	3	11
Railroad	9	3	12
Strangulation	1	3	4
Suffocation	5	3	8
Total accidents	165	67	232
II. Suicide:			
Cutting throat	2		2
Drowning	2	3	5
Fire-arms	2		2
Hanging	5		5
Poison	3	2	5
Suicide not specified	9		9
Total suicides	23	5	28
III. Homicide	1		1
IV. Murder	3	2	5
Total violent deaths	192	74	266
Grand totals	3,168	2,971	6,139

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEW YORK.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	67	51	118
Anæmia	8	2	10
Aneurism	7	4	11
Angina pectoris	.....	1	1
Apoplexy	307	198	505
Asthma	49	36	85
Bowels, disease of	55	62	117
Brain, &c., disease of	563	389	952
Bronchitis	99	74	173
Cancer	216	306	522
Carbuncle	8	2	10
Cephalitis	524	424	948
Child-birth	.....	426	426
Cholera	88	74	162
Cholera infantum	370	325	695
Chorea	3	6	9
Consumption	4,014	4,185	8,199
Convulsions	835	730	1,565
Croup	972	825	1,797
Cyanosis	1	4	5
Cystitis	18	5	23
Debility	179	178	357
Delirium tremens	91	13	104
Diabetes	64	19	83
Diarrhœa	411	375	786
Diphtheria	150	187	337
Dropsy	630	741	1,371
Dysentery	560	471	1,031
Dyspepsia	50	26	76
Enteritis	485	419	904
Epilepsy	49	36	85
Erysipelas	198	165	363
Fever, intermittent	48	39	87
Fever, remittent	329	226	555
Fever, typhoid	592	429	1,021
Fistula	1	.....	1
Gastritis	46	46	92
Gout	3	1	4
Heart, &c., disease of	732	575	1,307
Heat	30	7	37
Hemorrhage	111	59	170
Hepatitis	15	11	26
Hernia	22	13	35
Hydrocephalus	591	479	1,070
Hydrophobia	4	.....	4
Ileus	1	1	2
Infantile	303	219	522
Inflammation	148	141	289
Influenza	24	21	45
Insanity	37	26	63
Intemperance	88	14	102
Ischuria	6	.....	6
Jaundice	41	43	84
Joints, &c., disease of	14	12	26
Kidney, &c., disease of	130	40	170
Laryngitis	3	1	4
Liver, disease of	194	144	338
Lungs, disease of	431	324	755
Malformation	4	4	8
Marasmus	178	192	370
Measles	379	367	746
Mortification	32	14	46
Necrosis	7	.....	7
Neuralgia	42	67	109
Old age	687	857	1,544
Ovarian dropsy	.....	2	2
Paralysis	349	311	660
Paramenia	.....	4	4
Parotitis	15	6	21
Pericarditis	5	3	8
Peritonitis	10	9	19
Pleurisy	76	51	127
Pneumonia	1,242	845	2,087
Puerperal fever	.....	53	53
Purpura and scurvy	4	.....	4
Quinsy	9	13	22
Rheumatism	144	85	229
Scarlatina	2,350	2,330	4,680
Scrofula	116	100	216
Skin, disease of	9	6	15
Small-pox	171	132	303
Spine, disease of	84	44	128
Splenitis	4	2	6
Still-born	85	70	155
Stomach, disease of	24	12	36
Stone	82	4	86
Sudden death	38	33	71
Syphilis	16	12	28
Teething	263	230	493
Tetanus	52	39	91
Throat, disease of	222	225	447
Thrush	22	28	50
Tumor	50	61	111
Ulcer	12	10	22
Unknown	1,465	1,069	2,534
Uterus, &c., disease of	.....	8	8
Whooping cough	312	396	708
Worms	39	43	82
Yellow fever	2	1	3
Aggregates	23,616	21,368	44,984
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	467	72	539
Burns and scalds	155	185	340
Drowning	352	41	393
Fall	166	37	203
Fire-arms	40	2	42
Freezing	11	1	12
Lightning	7	1	8
Neglect and exposure	15	7	22
Poison	34	31	65
Railroad	95	12	107
Strangulation	16	6	22
Suffocation	21	12	33
Total accidents	1,379	407	1,786
II. Suicide:			
Cutting throat	9	1	10
Drowning	2	5	7
Fire-arms	8	1	9
Hanging	36	7	43
Poison	10	10	20
Suicide not specified	31	11	42
Total suicides	96	35	131
III. Homicide	20	3	23
IV. Murder	14	.....	14
V. Executed	3	.....	3
Total violent deaths	1,512	445	1,957
Grand totals	25,128	21,813	46,941

Table III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MICHIGAN.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	6	6	12
Apoplexy	24	21	45
Asthma	6	4	10
Bowels, disease of	12	12	24
Brain, &c., disease of	105	81	186
Bronchitis	8	6	14
Cancer	29	30	59
Cephalitis	116	77	193
Child-birth		97	97
Cholera	15	5	20
Cholera infantum	17	15	32
Chorea		1	1
Consumption	553	634	1,187
Convulsions	133	111	244
Croup	140	111	251
Cystitis	8	1	9
Debility	11	15	26
Delirium tremens	5		5
Diabetes	5	1	6
Diarrhœa	61	47	108
Diphtheria	2		2
Dropsy	98	130	228
Dysentery	114	117	231
Dyspepsia	10	4	14
Enteritis	75	66	141
Epilepsy	8	4	12
Erysipelas	37	35	72
Fever, intermittent	50	43	93
Fever, remittent	112	104	216
Fever, typhoid	164	163	327
Gastritis	8	5	13
Heart, &c., disease of	59	58	117
Heat	4		4
Hemorrhage	12	10	22
Hepatitis	1	1	2
Hernia	8	1	9
Hydrocephalus	55	39	94
Ileus	1	1	2
Infantile	34	24	58
Inflammation	35	23	58
Influenza	1	1	2
Insanity	4		4
Intemperance	19	1	20
Jaundice	13	5	18
Joints, &c., disease of	1	1	2
Kidney, &c., disease of	11	6	17
Laryngitis	1	1	2
Liver, disease of	36	30	66
Lungs, disease of	68	22	90
Malformation	2	1	3
Marasmus		3	3
Measles	20	33	53
Mortification	7	2	9
Necrosis	3		3
Neuralgia	10	3	13
Old age	87	104	191
Paralysis	34	24	58
Paramenia		3	3
Parotitis	2		2
Pericarditis	1		1
Peritonitis		2	2
Pleurisy	15	6	21
Pneumonia	320	246	566
Puerperal fever		17	17
Quinsy	6	3	9
Rheumatism	11	12	23
Scarlatina	336	321	657
Scrofula	28	12	40
Skin, disease of	2	2	4
Small-pox	6	2	8
Spine, disease of	12	12	24
Splenitis	1	3	4
Still-born	5	5	10
Stomach, disease of	2	4	6
Stone	13		13
Sudden death	4	8	12
Syphilis	3		3
Teething	22	29	51
Tetanus	5	5	10
Throat, disease of	16	19	35
Thrush	9	18	27
Tumor	5	7	12
Ulcer	2	4	6
Unknown	237	218	455
Uterus, &c., disease of		1	1
Whooping cough	52	66	118
Worms	12	10	22
Aggregates	3,585	3,375	6,960
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	96	12	108
Burns and scalds	32	46	78
Drowning	84	18	102
Fall	26	11	37
Fire-arms	20	2	22
Freezing	12		12
Lightning	2	2	4
Neglect and exposure	2		2
Poison	9	3	12
Railroad	11		11
Strangulation	4	2	6
Suffocation	2		2
Total accidents	300	96	396
II. Suicide:			
Cutting throat		2	2
Fire-arms	2		2
Hanging	14	2	16
Poison	5	1	6
Suicide not specified	8	2	10
Total suicides	29	7	36
III. Homicide	5		5
IV. Murder	2	2	4
Total violent deaths	336	105	441
Grand totals	3,921	3,480	7,401

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

WISCONSIN.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	3	3	6
Apoplexy	41	29	70
Asthma	9	5	14
Bowels, disease of	10	4	14
Brain, &c., disease of	30	27	57
Bronchitis	6	5	11
Cancer	28	24	52
Carbuncle	1	.....	1
Cephalitis	93	73	166
Child-birth	.....	131	131
Cholera	4	5	9
Cholera infantum	19	16	35
Cold water	1	.....	1
Consumption	417	493	910
Convulsions	171	148	319
Croup	136	123	259
Cyanosis	1	.....	1
Cystitis	2	.....	2
Debility	30	21	51
Delirium tremens	7	.....	7
Diabetes	6	4	10
Diarrhœa	78	53	131
Diphtheria	1	1	2
Dropsy	80	82	162
Dysentery	139	103	242
Dyspepsia	8	1	9
Enteritis	88	45	133
Epilepsy	9	13	22
Erysipelas	33	25	58
Fever, intermittent	25	14	39
Fever, remittent	86	97	183
Fever, typhoid	152	110	262
Fistula	1	.....	1
Gastritis	9	7	16
Gout	1	1	2
Heart, &c., disease of	39	32	71
Heat	8	.....	8
Hemorrhage	12	8	20
Hepatitis	4	3	7
Hernia	6	3	9
Hydrocephalus	38	29	67
Hydrophobia	1	1	2
Infantile	81	65	146
Inflammation	22	12	34
Influenza	3	5	8
Insanity	5	4	9
Intemperance	10	.....	10
Jaundice	3	7	10
Kidney, &c., disease of	5	2	7
Liver, disease of	41	36	77
Lungs, disease of	52	37	89
Malformation	1	2	3
Marasmus	2	2	4
Measles	29	26	55
Mortification	7	3	10
Necrosis	.....	1	1
Neuralgia	14	17	31
Old age	83	80	163
Paralysis	22	23	45
Paramenia	.....	2	2
Parotitis	2	.....	2
Pericarditis	.....	1	1
Peritonitis	1	.....	1
Pleurisy	10	5	15
Pneumonia	244	186	430
Puerperal fever	.....	14	14
Quinsy	5	3	8
Rheumatism	27	14	41
Scarlatina	480	417	897
Scrofula	20	15	35
Skin, disease of	6	1	7
Small-pox	8	7	15
Spine, disease of	13	3	16
Still-born	15	6	21
Stomach, disease of	3	2	5
Stone	11	2	13
Sudden death	5	6	11
Teething	50	39	89
Tetanus	25	32	57
Throat, disease of	20	27	47
Thrush	7	11	18
Tumor	2	3	5
Ulcer	3	6	9
Unknown	327	237	564
Uterus, &c., disease of	.....	3	3
Whooping cough	63	49	112
Worms	13	6	19
Aggregates	3,573	3,158	6,731
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	76	10	86
Burns and scalds	41	41	82
Drowning	89	11	100
Fall	25	1	26
Fire-arms	9	1	10
Freezing	6	1	7
Lightning	3	2	5
Poison	21	14	35
Railroad	28	.....	28
Strangulation	3	1	4
Suffocation	2	3	5
Total accidents	303	85	388
II. Suicide:			
Cutting throat	1	.....	1
Drowning	.....	2	2
Fire-arms	1	.....	1
Hanging	6	1	7
Poison	1	.....	1
Suicide not specified	5	1	6
Total suicides	14	4	18
III. Homicide	2	.....	2
IV. Murder	1	1	2
Total violent deaths	320	90	410
Grand totals	3,893	3,248	7,141

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MINNESOTA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess		1	1
Apoplexy	3	4	7
Bowels, disease of	2	5	7
Brain, &c., disease of	15	8	23
Bronchitis	1		1
Cancer	1	6	7
Carbuncle		1	1
Cephalitis	17	24	41
Child-birth		33	33
Cholera	3	1	4
Cholera infantum	22	24	46
Consumption	67	84	151
Convulsions	24	14	38
Croup	27	18	45
Cystitis		1	1
Debility	3	5	8
Delirium tremens	1		1
Diarrhœa	6	5	11
Dropsy	12	15	27
Dysentery	9	8	17
Dyspepsia	1		1
Enteritis	6	6	12
Erysipelas	4	3	7
Fever, intermittent	5	3	8
Fever, remittent	19	19	38
Fever, typhoid	24	13	37
Gastritis	2		2
Gout		1	1
Heart, &c., disease of	4	7	11
Heat	2		2
Hemorrhage	2	4	6
Hepatitis	1		1
Hernia	1	1	2
Hydrocephalus	5	3	8
Infantile	5	2	7
Inflammation	2	3	5
Insanity		1	1
Intemperance	3		3
Jaundice		1	1
Kidney, &c., disease of	1		1
Liver, disease of	6	9	15
Lungs, disease of	11	2	13
Malformation		1	1
Marasmus		2	2
Measles		3	3
Neuralgia	2	1	3
Old age	6	12	18
Paralysis	2	5	7
Parotitis	1		1
Pneumonia	42	25	67
Puerperal fever		3	3
Quinsy		1	1
Rheumatism	2	2	4
Scarlatina	38	18	56
Scrofula	4	7	11
Spine, disease of	2		2
Splenitis	1		1
Stomach, disease of		1	1
Stone		1	1
Teething	7	1	8
Tetanus	7	1	8
Thrush	3	1	4
Tumor	1		1
Ulcer	3		3
Unknown	66	53	119
Whooping cough	13	15	28
Worms	3	1	4
Aggregates	520	489	1,009
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	16	1	17
Burns and scalds	8	10	18
Drowning	32	9	41
Fall	1		1
Fire-arms	2	1	3
Freezing	2		2
Lightning	1	1	2
Poison	2	1	3
Strangulation		1	1
Suffocation	1		1
Total accidents	65	24	89
II. Suicide:			
Hanging	3		3
Suicide not specified	1		1
Total suicides	4		4
III. Homicide	3	1	4
IV. Murder	2		2
V. Executed		1	1
Total violent deaths	74	26	100
Grand totals	594	515	1,109

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEBRASKA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	1		1
Apoplexy		3	3
Asthma	1		1
Brain, &c., disease of	2	2	4
Bronchitis	1		1
Cancer	1	2	3
Cephalitis	8	13	21
Child-birth		3	3
Cholera infantum		2	2
Consumption	13	15	28
Convulsions	9	5	14
Croup	2	1	3
Debility		1	1
Delirium tremens	1		1
Diarrhœa	3	2	5
Diphtheria	1	2	3
Dropsy	4	3	7
Dysentery	6	6	12
Dyspepsia	1		1
Enteritis	5	3	8
Erysipelas	1	2	3
Fever, intermittent	12	15	27
Fever, remittent	13	8	21
Fever, typhoid	10	8	18
Gastritis		1	1
Heart, &c., disease of	1	1	2
Heat	1		1
Hemorrhage	1	1	2
Hydrocephalus	1	1	2
Infantile	9	6	15
Inflammation		1	1
Influenza		1	1
Intemperance	1		1
Jaundice		1	1
Liver, disease of		1	1
Lungs, disease of	2		2
Measles	1	2	3
Mortification	1		1
Neuralgia	1		1
Old age	2	1	3
Paralysis	2		2
Pneumonia	20	13	33
Puerperal fever		2	2
Scarlatina	3	7	10
Scrofula	1	1	2
Small-pox		1	1
Skin, disease of	1	1	2
Teething	2		2
Throat, disease of	1		1
Thrush	2	1	3
Unknown	23	18	41
Whooping cough	9	12	21
Worms		1	1
Aggregates	180	170	350
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	5		5
Burns and scalds	1	3	4
Drowning	2	3	5
Fall		1	1
Fire-arms	6	1	7
Freezing		1	1
Lightning	1		1
Neglect and exposure	1		1
Poison	3	1	4
Total accidents	19	10	29
III. Homicide	2		2
Total violent deaths	21	10	31
Grand totals	201	180	381

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NEW JERSEY.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	11	9	20
Anæmia	1	1	2
Aneurism		1	1
Apoplexy	57	35	92
Asthma	8	7	15
Bowels, disease of	7	5	12
Brain, &c., disease of	91	39	130
Bronchitis	60	39	99
Cancer	36	39	75
Carbuncle	2		2
Cephalitis	100	100	200
Child-birth		87	87
Cholera	16	8	24
Cholera infantum	77	56	133
Chorea		1	1
Consumption	667	683	1,350
Convulsions	148	108	256
Croup	158	160	318
Cystitis	1		1
Debility	37	30	67
Delirium tremens	9		9
Diabetes	6	2	8
Diarrhœa	67	57	124
Diphtheria	8	8	16
Dropsy	131	129	260
Dysentery	64	75	139
Dyspepsia	7	8	15
Enteritis	95	69	164
Epilepsy	10	4	14
Erysipelas	31	25	56
Fever, intermittent	18	10	28
Fever, remittent	75	52	127
Fever, typhoid	90	69	159
Gastritis	1	2	3
Gout	2		2
Heart, &c., disease of	106	84	190
Heat	2		2
Hemorrhage	17	12	29
Hepatitis	4	3	7
Hernia	9	4	13
Hydrocephalus	53	49	102
Hydrophobia	3	1	4
Infantile	49	39	88
Inflammation	18	17	35
Influenza		1	1
Insanity	3	3	6
Intemperance	20	2	22
Ischuria	2		2
Jaundice	6	9	15
Joints, &c., disease of	3	4	7
Kidney, &c., disease of	13	5	18
Liver, disease of	21	25	46
Lungs, disease of	39	26	65
Marasmus	24	14	38
Measles	30	46	76
Mortification	4	2	6
Necrosis	1	2	3
Neuralgia	4	5	9
Old age	114	158	272
Paralysis	75	67	142
Pleurisy	18	15	33
Pneumonia	159	120	279
Puerperal fever		17	17
Purpura and scurvy	1		1
Quinsy	3	3	6
Rheumatism	20	15	35
Scarlatina	365	329	694
Scrofula	19	21	40
Skin, disease of	2	1	3
Small-pox	7	1	8
Spine, disease of	16	7	23
Still-born	7	2	9
Stomach, disease of		1	1
Stone	9	1	10
Sudden death	11	12	23
Syphilis	1		1
Teething	42	41	83
Tetanus	14	3	17
Throat, disease of	49	51	100
Thrush	4	4	8
Tumor	12	12	24
Ulcer	5	3	8
Unknown	205	168	373
Uterus, &c., disease of		1	1
Whooping cough	84	88	172
Worms	4	3	7
Aggregates	3,768	3,415	7,183
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	63	7	70
Burns and scalds	34	40	74
Drowning	71	8	79
Fall	22	5	27
Fire arms	4	1	5
Freezing	3		3
Lightning	1		1
Neglect and exposure	1		1
Poison	5	3	8
Railroad	24	6	30
Strangulation	1	3	4
Suffocation	3	6	9
Total accidents	232	79	311
II. Suicide:			
Cutting throat		2	2
Drowning	1		1
Fire-arms	2		2
Hanging	8	1	9
Poison	1	2	3
Suicide not specified	5	2	7
Total suicides	17	7	24
III. Homicide	2		2
IV. Murder	3		3
V. Executed	2		2
Total violent deaths	256	86	342
Grand totals	4,024	3,501	7,525

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

PENNSYLVANIA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	27	15	42
Anæmia	1	1	2
Aneurism	2	.....	2
Apoplexy	235	176	411
Asthma	44	32	76
Bowels, disease of	38	25	63
Brain, &c., disease of	242	164	406
Bronchitis	169	142	311
Cancer	99	206	305
Carbuncle	9	6	15
Cephalitis	439	334	773
Child-birth	.....	323	323
Cholera	30	34	64
Cholera infantum	194	184	378
Chorea	.....	4	4
Consumption	2,567	2,444	5,011
Convulsions	537	457	994
Croup	743	583	1,326
Cyanosis	1	4	5
Cystitis	11	2	13
Debility	173	152	325
Delirium tremens	56	10	66
Diabetes	17	4	21
Diarrhœa	217	178	395
Diphtheria	117	128	245
Dropsy	517	533	1,050
Dysentery	390	332	722
Dyspepsia	52	36	88
Enteritis	317	200	517
Epilepsy	27	24	51
Erysipelas	134	116	250
Fever, intermittent	40	33	73
Fever, remittent	280	235	515
Fever, typhoid	765	579	1,344
Fistula	3	.....	3
Gastritis	37	24	61
Gout	5	.....	5
Heart, &c., disease of	322	327	649
Heat	19	.....	19
Hemorrhage	67	58	125
Hepatitis	14	11	25
Hernia	22	6	28
Hydrocephalus	172	129	301
Hydrophobia	3	.....	3
Infantile	256	184	440
Inflammation	68	57	125
Influenza	3	11	14
Insanity	32	21	53
Intemperance	54	3	57
Ischuria	3	.....	3
Jaundice	32	28	60
Joints, &c., disease of	8	2	10
Kidney, &c., disease of	52	12	64
Laryngitis	5	1	6
Liver, disease of	120	99	219
Lungs, disease of	151	115	266
Malformation	6	4	10
Marasmus	64	64	128
Measles	96	121	217
Mortification	21	12	33
Necrosis	11	4	15
Neuralgia	50	34	84
Old age	398	500	898
Ovarian dropsy	.....	1	1
Paralysis	279	268	547
Paramenia	.....	3	3
Parotitis	3	1	4
Pericarditis	3	3	6
Peritonitis	1	5	6
Phlebitis	1	1	2
Pleurisy	72	49	121
Pneumonia	626	494	1,120
Puerperal fever	.....	53	53
Purpura and scurvy	4	3	7
Quinsy	15	10	25
Rheumatism	85	66	151
Scarlatina	1,595	1,561	3,156
Scrofula	84	74	158
Skin, disease of	19	17	36
Small-pox	41	46	87
Spine, disease of	56	48	104
Still-born	59	44	103
Stomach, disease of	18	11	29
Stone	60	3	63
Sudden death	44	21	65
Syphilis	8	3	11
Teething	74	70	144
Tetanus	40	23	63
Throat, disease of	107	150	257
Thrush	14	13	27
Tumor	26	31	57
Ulcer	11	13	24
Unknown	982	833	1,815
Uterus, &c., disease of	.....	3	3
Whooping cough	224	253	477
Worms	19	19	38
Aggregates	15,154	13,716	28,870
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	342	34	376
Burns and scalds	149	125	274
Drowning	225	45	270
Fall	101	14	115
Fire-arms	33	.....	33
Freezing	7	.....	7
Lightning	5	3	8
Neglect and exposure	6	5	11
Poison	22	8	30
Railroad	96	8	104
Strangulation	9	11	20
Suffocation	7	5	12
Total accidents	1,002	258	1,260
II. Suicide:			
Cutting throat	7	3	10
Drowning	4	1	5
Fire-arms	5	.....	5
Hanging	26	7	33
Poison	11	4	15
Suicide not specified	15	1	16
Total suicides	68	16	84
III. Homicide	17	.....	17
IV. Murder	8	2	10
Total violent deaths	1,095	276	1,371
Grand totals	16,249	13,992	30,241

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

OHIO.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	24	12	36
Anæmia		1	1
Aneurism	2		2
Apoplexy	99	77	176
Asthma	22	27	49
Bowels, disease of	31	13	44
Brain, &c., disease of	195	137	332
Bronchitis	48	48	96
Cancer	98	131	229
Carbuncle	3	1	4
Cephalitis	434	341	775
Child-birth		228	228
Cholera	34	33	67
Cholera infantum	143	117	260
Chorea	3	2	5
Cold water	1		1
Consumption	1,669	1,826	3,495
Convulsions	388	279	667
Croup	476	401	877
Cyanosis	1	1	2
Cystitis	14		14
Debility	35	47	82
Delirium tremens	26	2	28
Diabetes	24	10	34
Diarrhœa	237	241	478
Diphtheria	27	27	54
Dropsy	309	348	657
Dysentery	303	227	530
Dyspepsia	43	29	72
Enteritis	268	190	458
Epilepsy	17	19	36
Erysipelas	109	89	198
Fever, intermittent	110	89	199
Fever, remittent	219	194	413
Fever, typhoid	553	485	1,038
Fistula	1		1
Gastritis	20	38	58
Gout	1		1
Heart, &c., disease of	202	185	387
Heat	37	4	41
Hemorrhage	46	37	83
Hepatitis	9	4	13
Hernia	15	6	21
Hydrocephalus	103	71	174
Ileus	1	1	2
Infantile	159	143	302
Inflammation	33	29	62
Influenza	10	5	15
Insanity	10	9	19
Intemperance	31	5	36
Ischuria		1	1
Jaundice	36	25	61
Joints, &c., disease of	3	2	5
Kidney, &c., disease of	40	8	48
Laryngitis	3	2	5
Liver, disease of	88	68	156
Lungs, disease of	143	113	256
Malformation	3	3	6
Marasmus	12	6	18
Measles	216	232	448
Mortification	7	4	11
Necrosis	14	6	20
Neuralgia	26	37	63
Old age	374	356	730
Ovarian dropsy		1	1
Paralysis	156	175	331
Paramenia		13	13
Parotitis	1	2	3
Pericarditis	7	5	12
Peritonitis	7	5	12
Phlebitis		1	1
Pleurisy	28	16	44
Pneumonia	717	594	1,311
Puerperal fever		71	71
Purpura and scurvy	7	1	8
Quinsy	14	15	29
Rheumatism	55	59	114
Scarlatina	1,636	1,781	3,417
Scrofula	84	94	178
Skin, disease of	24	10	34
Small-pox	59	76	135
Spine, disease of	47	30	77
Splenitis	3	2	5
Still-born	58	55	113
Stomach, disease of	14	14	28
Stone	51	3	54
Sudden death	32	21	53
Syphilis	5	3	8
Teething	69	67	136
Tetanus	32	17	49
Throat, disease of	236	246	482
Thrush	15	11	26
Tumor	19	15	34
Ulcer	8	5	13
Unknown	959	824	1,783
Uterus, &c., disease of		6	6
Whooping cough	169	239	408
Worms	13	26	39
Yellow fever	3	1	4
Aggregates	12,136	11,576	23,712
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	216	39	255
Burns and scalds	105	121	226
Drowning	140	28	168
Fall	81	23	104
Fire-arms	38	1	39
Freezing	4		4
Lightning	7	1	8
Neglect and exposure	6	3	9
Poison	23	22	45
Railroad	53	1	54
Strangulation	9	7	16
Suffocation	6	2	8
Total accidents	688	248	936
II. Suicide:			
Cutting throat	3	1	4
Drowning	4		4
Fire-arms	3	1	4
Hanging	9	3	12
Poison	4	1	5
Suicide not specified	15	2	17
Total suicides	38	8	46
III. Homicide	18	3	21
IV. Murder	10	1	11
Total violent deaths	754	260	1,014
Grand totals	12,890	11,836	24,726

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

INDIANA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	6	2	8
Anæmia	1	1	2
Aneurism	1		1
Apoplexy	42	31	73
Asthma	10	6	16
Bowels, disease of	23	12	35
Brain, &c., disease of	118	110	228
Bronchitis	39	30	69
Cancer	31	56	87
Carbuncle	6	2	8
Cephalitis	345	297	642
Child-birth		151	151
Cholera	24	11	35
Cholera infantum	81	75	156
Chorea	2	2	4
Consumption	849	956	1,805
Convulsions	165	139	304
Croup	401	378	779
Cyanosis	1	1	2
Cystitis	3	1	4
Debility	21	21	42
Delirium tremens	15		15
Diabetes	12	2	14
Diarrhœa	153	127	280
Diphtheria	21	31	52
Dropsy	177	169	346
Dysentery	293	291	584
Dyspepsia	25	13	38
Enteritis	161	98	259
Epilepsy	12	8	20
Erysipelas	77	74	151
Fever, intermittent	185	180	365
Fever, remittent	221	215	436
Fever, typhoid	491	472	963
Fistula	1		1
Gastritis	17	34	51
Gout	1		1
Heart, &c., disease of	61	76	137
Heat	10	1	11
Hemorrhage	16	23	39
Hepatitis	5	5	10
Hernia	9	4	13
Hydrocephalus	32	28	60
Ileus	2		2
Infantile	102	92	194
Inflammation	15	12	27
Influenza	4	4	8
Insanity	4	2	6
Intemperance	26		26
Jaundice	17	13	30
Joints, &c., disease of	2	1	3
Kidney, &c., disease of	19	3	22
Laryngitis	3		3
Liver, disease of	59	46	105
Lungs, disease of	43	33	76
Malformation		2	2
Marasmus	2	4	6
Measles	92	104	196
Mortification	4	2	6
Necrosis	7	4	11
Neuralgia	21	31	52
Old age	115	128	243
Paralysis	61	70	131
Paramenia		2	2
Parotitis	2	3	5
Pericarditis		1	1
Peritonitis	2	1	3
Phlebitis		1	1
Pleurisy	10	15	25
Pneumonia	694	465	1,159
Prostate, disease of	1		1
Puerperal fever		52	52
Purpura and scurvy		1	1
Quinsy	20	23	43
Rheumatism	40	30	70
Scarlatina	679	758	1,437
Scrofula	90	63	153
Skin, disease of	28	18	46
Small-pox	6		6
Spine, disease of	21	30	51
Splenitis	4	2	6
Still-born	25	21	46
Stomach, disease of	4	5	9
Stone	24	2	26
Sudden death	13	6	19
Syphilis	3	1	4
Teething	29	29	58
Tetanus	10	9	19
Throat, disease of	117	169	286
Thrush	23	25	48
Tumor	8	8	16
Ulcer	7	4	11
Unknown	650	649	1,299
Uterus, &c., disease of		3	3
Whooping cough	139	184	323
Worms	25	22	47
Aggregates	7,436	7,286	14,722
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	129	24	153
Burns and scalds	64	87	151
Drowning	74	10	84
Fall	23	14	37
Fire-arms	11	3	14
Freezing	2		2
Lightning	1	3	4
Neglect and exposure	1		1
Poison	37	27	64
Railroad	27	2	29
Strangulation	10	4	14
Suffocation	4	6	10
Total accidents	383	180	563
II. Suicide:			
Cutting throat	1		1
Fire-arms	4		4
Hanging	6	1	7
Poison	3		3
Suicide not specified	7	3	10
Total suicides	21	4	25
III. Homicide	8		8
IV. Murder	7	1	8
Total violent deaths	419	185	604
Grand totals	7,855	7,471	15,326

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

ILLINOIS.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	14	4	18
Anæmia		1	1
Aneurism	2		2
Angina pectoris	1		1
Apoplexy	54	35	89
Asthma	9	10	19
Bowels, disease of	15	11	26
Brain, &c., disease of	162	126	288
Bronchitis	42	33	75
Cancer	50	68	118
Cephalitis	380	321	701
Child-birth		223	223
Cholera	52	18	70
Cholera infantum	167	148	315
Chorea	2	3	5
Consumption	986	962	1,948
Convulsions	221	154	375
Croup	622	536	1,158
Cyanosis		1	1
Cystitis	6		6
Debility	32	39	71
Delirium tremens	27	3	30
Diabetes	12	5	17
Diarrhœa	313	294	607
Diphtheria	22	19	41
Dropsy	209	203	412
Dysentery	457	388	845
Dyspepsia	24	7	31
Enteritis	180	149	329
Epilepsy	14	7	21
Erysipelas	85	96	181
Fever, intermittent	259	205	464
Fever, remittent	361	321	682
Fever, typhoid	654	529	1,183
Fistula	1		1
Gastritis	15	15	30
Heart, &c., disease of	106	86	192
Heat	20	1	21
Hemorrhage	23	16	39
Hepatitis	3	7	10
Hernia	9	7	16
Hydrocephalus	104	52	156
Hydrophobia	1	3	4
Ileus	3		3
Infantile	189	184	373
Inflammation	38	25	63
Influenza	9	5	14
Insanity	11	6	17
Intemperance	22	2	24
Ischuria	1		1
Jaundice	18	15	33
Joints, &c., disease of	3	1	4
Kidney, &c., disease of	19	6	25
Laryngitis	4	3	7
Liver, disease of	81	62	143
Lungs, disease of	79	63	142
Malformation	2	1	3
Marasmus	4	4	8
Measles	56	53	109
Mortification	2	3	5
Necrosis	2	2	4
Neuralgia	30	25	55
Old age	124	138	262
Paralysis	64	63	127
Paramenia		7	7
Parotitis	7	5	12
Pericarditis	4	3	7
Peritonitis	4	5	9
Phlebitis		1	1
Pleurisy	23	23	46
Pneumonia	772	585	1,357
Puerperal fever		53	53
Purpura and scurvy	1		1
Quinsy	19	16	35
Rheumatism	56	22	78
Scarlatina	855	843	1,698
Scrofula	68	60	128
Skin, disease of	42	38	80
Small-pox	4	4	8
Spine, disease of	27	26	53
Splenitis	6	1	7
Still-born	59	36	95
Stomach, disease of	3	8	11
Stone	23	2	25
Sudden death	9	10	19
Syphilis	4	1	5
Teething	96	102	198
Tetanus	29	28	57
Throat, disease of	80	86	166
Thrush	35	39	74
Tumor	11	14	25
Ulcer	14	9	23
Unknown	843	723	1,566
Uterus, &c., disease of		3	3
Whooping cough	183	199	382
Worms	18	26	44
Yellow fever	1		1
Aggregates	9,773	8,745	18,518
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	168	23	191
Burns and scalds	79	69	148
Drowning	104	17	121
Fall	42	13	55
Fire-arms	30	3	33
Freezing	3		3
Lightning	16	2	18
Neglect and exposure	2	2	4
Poison	34	33	67
Railroad	33	7	40
Strangulation	11	3	14
Suffocation	5	3	8
Total accidents	527	175	702
II. Suicide:			
Cutting throat	2		2
Drowning		2	2
Fire-arms	8		8
Hanging	11	3	14
Poison	4		4
Suicide not specified	9	5	14
Total suicides	34	10	44
III. Homicide	12	1	13
IV. Murder	22	1	23
Total violent deaths	595	187	782
Grand totals	10,368	8,932	19,300

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

IOWA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	3	2	5
Apoplexy	22	20	42
Asthma	3	7	10
Bowels, disease of	6	5	11
Brain, &c., disease of	58	59	117
Bronchitis	17	28	45
Cancer	18	38	56
Carbuncle	.....	1	1
Cephalitis	173	141	314
Child-birth	.....	61	61
Cholera	11	4	15
Cholera infantum	50	49	99
Chorea	.....	1	1
Consumption	317	431	748
Convulsions	92	70	162
Croup	235	225	460
Cystitis	3	2	5
Debility	11	6	17
Delirium tremens	6	.....	6
Diabetes	5	1	6
Diarrhœa	125	99	224
Diphtheria	26	17	43
Dropsy	74	90	164
Dysentery	152	112	264
Dyspepsia	10	1	11
Enteritis	75	64	139
Epilepsy	6	8	14
Erysipelas	41	24	65
Fever, intermittent	122	108	230
Fever, remittent	124	111	235
Fever, typhoid	225	188	413
Gastritis	8	8	16
Heart, &c., disease of	34	37	71
Heat	12	.....	12
Hemorrhage	9	4	13
Hepatitis	3	.....	3
Hernia	5	5	10
Hydrocephalus	29	20	49
Hydrophobia	1	1	2
Infantile	91	56	147
Inflammation	9	9	18
Influenza	2	3	5
Insanity	3	1	4
Intemperance	6	.....	6
Jaundice	8	8	16
Kidney, &c., disease of	10	2	12
Laryngitis	.....	1	1
Liver, disease of	32	18	50
Lungs, disease of	56	30	86
Malformation	1	.....	1
Marasmus	.....	3	3
Measles	20	24	44
Mortification	1	1	2
Necrosis	4	2	6
Neuralgia	12	12	24
Old age	64	46	110
Paralysis	27	22	49
Paramenia	.....	3	3
Parotitis	4	.....	4
Phlebitis	.....	1	1
Pleurisy	7	8	15
Pneumonia	343	238	581
Puerperal fever	.....	17	17
Purpura and scurvy	1	.....	1
Quinsy	4	3	7
Rheumatism	9	8	17
Scarlatina	177	160	337
Scrofula	30	27	57
Skin, disease of	6	6	12
Small-pox	.....	5	5
Spine, disease of	7	7	14
Still-born	20	12	32
Stomach, disease of	2	.....	2
Stone	8	.....	8
Sudden death	5	2	7
Syphilis	1	1	2
Teething	29	18	47
Tetanus	4	2	6
Throat, disease of	68	58	126
Thrush	17	6	23
Tumor	3	2	5
Ulcer	3	5	8
Unknown	349	291	640
Uterus, &c., disease of	.....	1	1
Whooping cough	84	128	212
Worms	6	3	9
Aggregates	3,644	3,298	6,942
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	70	9	79
Burns and scalds	25	41	66
Drowning	47	8	55
Fall	15	6	21
Fire-arms	11	2	13
Freezing	6	.....	6
Lightning	7	1	8
Poison	15	9	24
Railroad	2	.....	2
Strangulation	7	4	11
Suffocation	2	2	4
Total accidents	207	82	289
II. Suicide:			
Drowning	1	.....	1
Fire-arms	3	.....	3
Hanging	5	1	6
Poison	5	1	6
Suicide not specified	.....	2	2
Total suicides	14	4	18
III. Homicide	5	.....	5
IV. Murder	4	.....	4
V. Executed	1	.....	1
Total violent deaths	231	86	317
Grand totals	3,875	3,384	7,259

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

KANSAS.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Apoplexy	3	1	4
Bowels, disease of	3	2	5
Brain, &c., disease of	16	18	34
Bronchitis	3	1	4
Cancer	4	5	9
Cephalitis	34	27	61
Child-birth		11	11
Cholera	6	1	7
Cholera infantum	11	8	19
Consumption	60	57	117
Convulsions	10	7	17
Croup	46	35	81
Cyanosis		1	1
Debility	3	4	7
Delirium tremens	2		2
Diabetes		1	1
Diarrhœa	26	15	41
Diphtheria		1	1
Dropsy	18	15	33
Dysentery	19	24	43
Dyspepsia	3	1	4
Enteritis	18	10	28
Epilepsy	1	1	2
Erysipelas	10	7	17
Fever, intermittent	69	79	148
Fever, remittent	67	46	113
Fever, typhoid	69	43	112
Gastritis	3	1	4
Heart, &c., disease of	2	4	6
Hemorrhage		2	2
Hernia	1		1
Hydrocephalus	1	1	2
Infantile	12	24	36
Inflammation	3	1	4
Influenza		1	1
Intemperance	5		5
Jaundice	2	2	4
Kidney, &c., disease of	1		1
Liver, disease of	7	3	10
Lungs, disease of	10	10	20
Marasmus	3		3
Measles		2	2
Mortification	1	1	2
Neuralgia	2		2
Old age	9	3	12
Paralysis	3	6	9
Parotitis	1		1
Pleurisy	3	2	5
Pneumonia	92	53	145
Puerperal fever		3	3
Purpura and scurvy		1	1
Quinsy	1		1
Rheumatism	7	1	8
Scarlatina	32	29	61
Scrofula	7	3	10
Skin, disease of		2	2
Small-pox		1	1
Spine, disease of		4	4
Splenitis		1	1
Still-born	4	10	14
Stone	1	1	2
Sudden death	2	1	3
Teething	4	3	7
Thrush		3	3
Tumor	1		1
Ulcer	1	2	3
Unknown	64	57	121
Whooping cough	22	17	39
Aggregates	808	676	1,484
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	13	2	15
Burns and scalds	7	11	18
Drowning	8	1	9
Fall	1	1	2
Fire-arms	10	1	11
Lightning	2		2
Poison	3	2	5
Total accidents	44	18	62
II. Suicide:			
Hanging	1		1
Poison	1	2	3
Suicide not specified	1		1
Total suicides	3	2	5
III. Homicide	8	1	9
IV. Murder	7		7
Total violent deaths	62	21	83
Grand totals	870	697	1,567

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

DELAWARE.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	1	1	2
Apoplexy	2	1	3
Asthma	2	1	3
Bowels, disease of	2		2
Brain, &c., disease of	4	1	5
Bronchitis	5	7	12
Cancer	2	9	11
Carbuncle		1	1
Cephalitis	17	18	35
Child-birth		17	17
Cholera	4	1	5
Cholera infantum	13	20	33
Cold water	1		1
Consumption	94	107	201
Convulsions	10	12	22
Croup	36	23	59
Cystitis	1		1
Debility	6	8	14
Delirium tremens	2		2
Diarrhœa	8	20	28
Diphtheria		1	1
Dropsy	16	20	36
Dysentery	23	24	47
Dyspepsia	2	3	5
Enteritis	23	10	33
Erysipelas	5	1	6
Fever, intermittent	1	3	4
Fever, remittent	10	7	17
Fever, typhoid	22	34	56
Gastritis	1	3	4
Heart, &c., disease of	8	15	23
Hemorrhage	2	2	4
Hepatitis		1	1
Hernia	2		2
Hydrocephalus	2	2	4
Hydrophobia	1		1
Infantile	10	7	17
Inflammation	1	2	3
Influenza	1		1
Insanity	4	6	10
Intemperance	10	2	12
Jaundice	3		3
Joints, &c., disease of		1	1
Kidney, &c., disease of	1		1
Liver, disease of	10	3	13
Lungs, disease of	2	5	7
Malformation	1		1
Marasmus	3	2	5
Measles	2	2	4
Mortification	2		2
Old age	6	23	29
Paralysis	18	10	28
Paramenia		1	1
Parotitis	2		2
Pericarditis	1	2	3
Peritonitis		2	2
Pleurisy	3	1	4
Pneumonia	21	19	40
Puerperal fever		2	2
Purpura and scurvy	1		1
Quinsy	1	3	4
Rheumatism	6	6	12
Scarlatina	36	38	74
Scrofula	2	1	3
Skin, disease of	1	3	4
Small-pox	2		2
Spine, disease of	5	1	6
Stone	4	1	5
Sudden death	1		1
Teething	2	4	6
Tetanus	2		2
Throat, disease of	3	7	10
Thrush	1	4	5
Tumor	1	2	3
Unknown	69	64	133
Whooping cough	6	11	17
Worms	3	6	9
Aggregates	575	614	1,189
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	10	2	12
Burns and scalds	3	5	8
Drowning	15	1	16
Fall	5	2	7
Fire-arms	1		1
Freezing		1	1
Poison	1	2	3
Railroad	1		1
Suffocation	1		1
Total accidents	37	13	50
II. Suicide:			
Hanging	1		1
Suicide not specified	1		1
Total suicides	2		2
III. Homicide	2		2
IV. Murder	1	1	2
V. Executed	1		1
Total violent deaths	43	14	57
Grand totals	618	628	1,246

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MARYLAND.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	2	7	9
Anæmia	1		1
Apoplexy	34	20	54
Asthma	8	8	16
Bowels, disease of	12	10	22
Brain, &c., disease of	54	42	96
Bronchitis	21	7	28
Cancer	21	41	62
Carbuncle		1	1
Cephalitis	99	89	188
Child-birth		84	84
Cholera	13	8	21
Cholera infantum	39	42	81
Chorea	1		1
Consumption	541	656	1,197
Convulsions	79	85	164
Croup	150	149	299
Cystitis	2		2
Debility	14	19	33
Delirium tremens	4		4
Diabetes	2		2
Diarrhœa	106	76	182
Diphtheria	4	10	14
Dropsy	129	124	253
Dysentery	132	109	241
Dyspepsia	10	15	25
Enteritis	49	49	98
Epilepsy	5	3	8
Erysipelas	17	9	26
Fever, intermittent	3	6	9
Fever, remittent	64	65	129
Fever, typhoid	132	123	255
Fistula	1		1
Gastritis	13	18	31
Gout	4		4
Heart, &c., disease of	99	82	181
Heat	5		5
Hemorrhage	15	11	26
Hepatitis	4		4
Hernia	2	2	4
Hydrocephalus	34	25	59
Infantile	37	64	101
Inflammation	1	7	8
Influenza		1	1
Insanity	6	1	7
Intemperance	22	1	23
Ischuria	1		1
Jaundice	4	9	13
Kidney, &c., disease of	10	2	12
Liver, disease of	27	23	50
Lungs, disease of	25	15	40
Marasmus	5	4	9
Measles	61	59	120
Mortification	1		1
Necrosis	3		3
Neuralgia	3	7	10
Old age	104	159	263
Ovarian dropsy		1	1
Paralysis	66	68	134
Parotitis		1	1
Phlebitis	2		2
Pleurisy	38	16	54
Pneumonia	200	117	317
Puerperal fever		16	16
Purpura and scurvy	1	1	2
Quinsy	4	2	6
Rheumatism	34	15	49
Scarlatina	182	159	341
Scrofula	27	21	48
Skin, disease of	2	1	3
Small-pox	5	2	7
Spine, disease of	15	13	28
Still-born	10	5	15
Stomach, disease of	7	5	12
Stone	8	2	10
Sudden death	22	15	37
Syphilis		1	1
Teething	61	54	115
Tetanus	14	1	15
Throat, disease of	23	18	41
Thrush	12	10	22
Tumor	7	6	13
Ulcer		2	2
Unknown	512	444	956
Uterus, &c., disease of		1	1
Whooping cough	104	102	206
Worms	12	12	24
Yellow fever	14	6	20
Aggregates	3,617	3,464	7,081
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	51	10	61
Burns and scalds	29	43	72
Drowning	48	8	56
Fall	14	3	17
Fire-arms	10	1	11
Freezing	2		2
Lightning	5		5
Neglect and exposure	2		2
Poison	8	2	10
Railroad	13		13
Strangulation	5	1	6
Suffocation	9	6	15
Total accidents	196	74	270
II. Suicide:			
Cutting throat	1		1
Drowning	1		1
Fire-arms	1		1
Hanging	2	2	4
Suicide not specified	5	2	7
Total suicides	10	4	14
III. Homicide	4		4
IV. Murder	4	1	5
Total violent deaths	214	79	293
Grand totals	3,831	3,543	7,374

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

DISTRICT OF COLUMBIA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	1	2	3
Apoplexy	6	1	7
Asthma	2	1	3
Bowels, disease of	1	.....	1
Brain, &c., disease of	12	7	19
Bronchitis	2	4	6
Cancer	6	5	11
Carbuncle	1	.....	1
Cephalitis	17	8	25
Child-birth	.....	6	6
Cholera	1	1	2
Cholera infantum	15	15	30
Consumption	132	123	255
Convulsions	30	16	46
Croup	17	14	31
Cyanosis	.....	1	1
Cystitis	1	.....	1
Debility	3	3	6
Delirium tremens	2	.....	2
Diarrhœa	26	19	45
Diphtheria	2	.....	2
Dropsy	13	10	23
Dysentery	14	6	20
Enteritis	11	10	21
Epilepsy	1	.....	1
Erysipelas	4	2	6
Fever, intermittent	6	5	11
Fever, remittent	2	4	6
Fever, typhoid	16	27	43
Gastritis	.....	3	3
Gout	1	.....	1
Heart, &c., disease of	17	15	32
Heat	2	.....	2
Hemorrhage	10	3	13
Hernia	1	1	2
Hydrocephalus	13	20	33
Infantile	28	29	57
Inflammation	1	1	2
Influenza	1	.....	1
Insanity	9	6	15
Intemperance	4	.....	4
Jaundice	4	3	7
Joints, &c., disease of	.....	2	2
Kidney, &c., disease of	2	.....	2
Liver, disease of	1	3	4
Lungs, disease of	8	2	10
Marasmus	2	1	3
Measles	2	.....	2
Mortification	.....	1	1
Necrosis	.....	1	1
Old age	7	17	24
Paralysis	13	6	19
Parotitis	.....	1	1
Pleurisy	3	2	5
Pneumonia	33	45	78
Puerperal fever	.....	2	2
Rheumatism	8	2	10
Scarlatina	34	27	61
Scrofula	1	1	2
Spine, disease of	1	3	4
Stomach, disease of	1	2	3
Stone	1	.....	1
Sudden death	3	3	6
Syphilis	.....	1	1
Teething	16	10	26
Tetanus	2	2	4
Throat, disease of	1	.....	1
Thrush	3	2	5
Tumor	1	1	2
Ulcer	.....	1	1
Unknown	68	61	129
Whooping cough	18	15	33
Worms	1	.....	1
Aggregates	665	585	1,250
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	6	.....	6
Burns and scalds	2	3	5
Drowning	7	.....	7
Fall	3	1	4
Fire-arms	6	.....	6
Poison	3	1	4
Suffocation	1	.....	1
Total accidents	28	5	33
II. Suicide:			
Fire-arms	1	.....	1
Suicide not specified	1	.....	1
Total suicides	2	.....	2
Total violent deaths	30	5	35
Grand totals	695	590	1,285

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

VIRGINIA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	18	7	25
Anæmia	2		2
Aneurism		1	1
Apoplexy	80	66	146
Asthma	22	28	50
Bowels, disease of	62	49	111
Brain, &c., disease of	148	74	222
Bronchitis	65	68	133
Cancer	66	102	168
Carbuncle	2	1	3
Cephalitis	231	183	414
Child birth		238	238
Cholera	26	19	45
Cholera infantum	97	69	166
Chorea	1	1	2
Consumption	855	1,254	2,109
Convulsions	292	191	483
Croup	339	279	618
Cyanosis		1	1
Cystitis	16	4	20
Debility	36	33	69
Delirium tremens	15	1	16
Diabetes	3	5	8
Diarrhœa	191	177	368
Diphtheria	115	155	270
Dropsy	504	469	973
Dysentery	388	340	728
Dyspepsia	40	33	73
Enteritis	166	123	289
Epilepsy	5	9	14
Erysipelas	48	43	91
Fever, intermittent	44	24	68
Fever, remittent	174	155	329
Fever, typhoid	565	491	1,056
Fistula	1	1	2
Gastritis	16	24	40
Gout	4	1	5
Heart, &c., disease of	129	142	271
Heat	9	4	13
Hemorrhage	46	51	97
Hepatitis		1	1
Hernia	25	7	32
Hydrocephalus	39	32	71
Ileus	3	2	5
Infantile	252	257	509
Inflammation	21	12	33
Influenza	9	8	17
Insanity	4	8	12
Intemperance	73	6	79
Ischuria	7	1	8
Jaundice	24	21	45
Joints, &c., disease of	5	1	6
Kidney, &c., disease of	29	13	42
Laryngitis	2		2
Liver, disease of	65	58	123
Lungs, disease of	61	58	119
Malformation	3	4	7
Marasmus	13	5	18
Measles	80	60	140
Mortification	7	7	14
Necrosis	7	4	11
Neuralgia	14	28	42
Old age	379	494	873
Paralysis	163	209	372
Paramenia		6	6
Parotitis	8	3	11
Peritonitis	2	2	4
Phlebitis		1	1
Pleurisy	60	34	94
Pneumonia	956	649	1,605
Puerperal fever		109	109
Purpura and scurvy	5	3	8
Quinsy	13	14	27
Rheumatism	78	64	142
Scarlatina	294	307	601
Scrofula	172	163	335
Skin, disease of	44	22	66
Small-pox	15	9	24
Spine, disease of	45	26	71
Splenitis		3	3
Still-born	79	40	119
Stomach, disease of	4	11	15
Stone	34	6	40
Sudden death	43	38	81
Syphilis	1	8	9
Teething	92	112	204
Tetanus	62	32	94
Throat, disease of	166	196	362
Thrush	38	30	68
Tumor	6	10	16
Ulcer	10	7	17
Unknown	1,881	1,786	3,667
Uterus, &c., disease of		7	7
Whooping cough	412	509	921
Worms	71	93	164
Yellow fever	2		2
Aggregates	10,699	10,512	21,211
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	164	42	206
Burns and scalds	142	231	373
Drowning	108	20	128
Fall	41	22	63
Fire-arms	33	1	34
Freezing	7		7
Lightning	11	6	17
Neglect and exposure	2	1	3
Poison	35	22	57
Railroad	15		15
Strangulation	21	5	26
Suffocation	139	122	261
Total accidents	718	472	1,190
II. Suicide:			
Cutting throat	2		2
Drowning		2	2
Fire-arms	6		6
Hanging	5	6	11
Poison	2		2
Suicide not specified	5	2	7
Total suicides	20	10	30
III. Homicide	9	3	12
IV. Murder	19	3	22
V. Executed	7	2	9
Total violent deaths	773	490	1,263
Grand totals	11,472	11,002	22,474

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

NORTH CAROLINA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	1	2	3
Anæmia		1	1
Apoplexy	42	45	87
Asthma	16	13	29
Bowels, disease of	28	28	56
Brain, &c., disease of	37	43	80
Bronchitis	26	23	49
Cancer	28	80	108
Carbuncle	1		1
Cephalitis	127	100	227
Child-birth		154	154
Cholera	6	8	14
Cholera infantum	47	39	86
Chorea		3	3
Consumption	308	453	761
Convulsions	75	54	129
Croup	235	192	427
Cyanosis	1	1	2
Cystitis	6	3	9
Debility	24	25	49
Delirium tremens	5		5
Diabetes	4	4	8
Diarrhœa	229	235	464
Diphtheria	11	11	22
Dropsy	277	358	635
Dysentery	239	192	431
Dyspepsia	21	14	35
Enteritis	82	83	165
Epilepsy	2	7	9
Erysipelas	24	36	60
Fever, intermittent	46	70	116
Fever, remittent	162	216	378
Fever, typhoid	517	492	1,009
Gastritis	20	9	29
Gout	1	1	2
Heart, &c., disease of	68	47	115
Heat	3	1	4
Hemorrhage	26	16	42
Hepatitis	3	1	4
Hernia	14	1	15
Hydrocephalus	12	6	18
Hydrophobia		1	1
Ileus	1	1	2
Infantile	166	134	300
Inflammation	14	13	27
Influenza	8	6	14
Insanity	2	6	8
Intemperance	31		31
Ischuria	3	2	5
Jaundice	20	12	32
Joints, &c., disease of	1		1
Kidney, &c., disease of	16	3	19
Laryngitis	8	4	12
Liver, disease of	48	41	89
Lungs, disease of	15	18	33
Malformation	2	3	5
Marasmus	15	10	25
Measles	58	68	126
Mortification	5	1	6
Necrosis	5	4	9
Neuralgia	14	13	27
Old age	142	228	370
Paralysis	90	76	166
Paramenia		5	5
Parotitis	1		1
Pericarditis		1	1
Peritonitis	1	6	7
Pleurisy	31	11	42
Pneumonia	499	418	917
Puerperal fever		44	44
Purpura and scurvy	2		2
Quinsy	17	19	36
Rheumatism	43	31	74
Scarlatina	179	184	363
Scrofula	52	49	101
Skin, disease of	55	41	96
Small-pox	1		1
Spine, disease of	14	8	22
Splenitis	2	2	4
Still-born	30	25	55
Stomach, disease of	3	1	4
Stone	33	1	34
Sudden death	22	23	45
Syphilis	3	4	7
Teething	52	45	97
Tetanus	18	9	27
Throat, disease of	29	30	59
Thrush	19	20	39
Tumor	5	12	17
Ulcer	8	12	20
Unknown	1,033	1,049	2,082
Uterus, &c., disease of		15	15
Whooping cough	199	201	400
Worms	78	66	144
Yellow fever	2		2
Aggregates	5,869	6,043	11,912
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	74	15	89
Burns and scalds	80	148	228
Drowning	51	8	59
Fall	20	7	27
Fire-arms	15	2	17
Freezing	5		5
Lightning	6	2	8
Neglect and exposure	5		5
Poison	15	8	23
Railroad	2	2	4
Strangulation	10	7	17
Suffocation	88	95	183
Total accidents	371	294	665
II. Suicide:			
Cutting throat	2	1	3
Fire-arms	2		2
Hanging	2	1	3
Poison	3		3
Suicide not specified	3	1	4
Total suicides	12	3	15
III. Homicide	6	1	7
IV. Murder	15	1	16
V. Executed	2		2
Total violent deaths	406	299	705
Grand totals	6,275	6,342	12,617

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

KENTUCKY.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	12	4	16
Anæmia	1		1
Apoplexy	47	37	84
Asthma	5	9	14
Bowels, disease of	19	14	33
Brain, &c., disease of	96	57	153
Bronchitis	46	38	84
Cancer	26	66	92
Carbuncle	5	1	6
Cephalitis	284	214	498
Child-birth		135	135
Cholera	21	15	36
Cholera infantum	81	68	149
Chorea	1		1
Consumption	722	1,020	1,742
Convulsions	139	110	249
Croup	441	346	787
Cystitis	9	1	10
Debility	26	23	49
Delirium tremens	22	1	23
Diabetes	14		14
Diarrhœa	106	84	190
Diphtheria	45	36	81
Dropsy	248	231	479
Dysentery	126	103	229
Dyspepsia	21	15	36
Enteritis	140	101	241
Epilepsy	9	13	22
Erysipelas	60	62	122
Fever, intermittent	116	123	239
Fever, remittent	260	274	534
Fever, typhoid	473	423	896
Fistula	5	1	6
Gastritis	33	44	77
Gout	1		1
Heart, &c., disease of	85	77	162
Heat	13	1	14
Hemorrhage	26	22	48
Hepatitis	6	2	8
Hernia	9	5	14
Hydrocephalus	30	23	53
Hydrophobia	1	1	2
Ileus	1		1
Infantile	215	172	387
Inflammation	11	12	23
Influenza	7	8	15
Insanity	3	9	12
Intemperance	48	4	52
Ischuria	2	1	3
Jaundice	14	9	23
Joints, &c., disease of	2	2	4
Kidney, &c., disease of	23	5	28
Laryngitis	2	1	3
Liver, disease of	44	38	82
Lungs, disease of	64	64	128
Malformation	3	2	5
Marasmus	11	10	21
Measles	73	80	153
Mortification	8	2	10
Necrosis	8	3	11
Neuralgia	19	25	44
Old age	185	217	402
Paralysis	88	80	168
Paramenia		9	9
Parotitis		1	1
Pericarditis	1		1
Peritonitis	2	1	3
Pleurisy	17	15	32
Pneumonia	589	430	1,019
Puerperal fever		60	60
Purpura and scurvy	1	3	4
Quinsy	19	19	38
Rheumatism	41	35	76
Scarlatina	772	733	1,505
Scrofula	102	99	201
Skin, disease of	79	70	149
Small-pox	8	7	15
Spine, disease of	18	23	41
Splenitis	4	1	5
Still-born	71	49	120
Stomach, disease of	1	3	4
Stone	29	2	31
Sudden death	15	12	27
Syphilis	9	4	13
Teething	37	27	64
Tetanus	41	20	61
Throat, disease of	65	61	126
Thrush	8	13	21
Tumor	6	9	15
Ulcer	10	11	21
Unknown	1,178	1,071	2,249
Uterus, &c., disease of		21	21
Whooping cough	197	239	436
Worms	40	29	69
Yellow fever	6	1	7
Aggregates	8,027	7,622	15,649
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	130	23	153
Burns and scalds	72	84	156
Drowning	82	15	97
Fall	42	18	60
Fire-arms	35	1	36
Freezing	4		4
Lightning	4	1	5
Neglect and exposure	1	2	3
Poison	37	28	65
Railroad	9	2	11
Strangulation	7	3	10
Suffocation	79	51	130
Total accidents	502	228	730
II. Suicide:			
Drowning	1	2	3
Fire-arms	5		5
Hanging	14	2	16
Poison	1		1
Suicide not specified	6	1	7
Total suicides	27	5	32
III. Homicide	30		30
IV. Murder	23	1	24
V. Executed	2		2
Total violent deaths	584	234	818
Grand totals	8,611	7,856	16,467

TABLE III—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

TENNESSEE.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	11	3	14
Apoplexy	40	35	75
Asthma	8	11	19
Bowels, disease of	32	19	51
Brain, &c., disease of	71	62	133
Bronchitis	37	45	82
Cancer	25	62	87
Carbuncle	3	4	7
Cephalitis	330	250	580
Child-birth		122	122
Cholera	16	7	23
Cholera infantum	64	60	124
Chorea	2	2	4
Consumption	593	847	1,440
Convulsions	133	95	228
Croup	489	415	904
Cystitis	3		3
Debility	30	17	47
Delirium tremens	4	1	5
Diabetes	6	1	7
Diarrhœa	118	96	214
Diphtheria	2	2	4
Dropsy	224	235	459
Dysentery	137	158	295
Dyspepsia	20	18	38
Enteritis	127	101	228
Epilepsy	9	5	14
Erysipelas	48	40	88
Fever, intermittent	107	116	223
Fever, remittent	284	320	604
Fever, typhoid	482	436	918
Gastritis	24	33	57
Heart, &c., disease of	66	45	111
Heat	8	5	13
Hemorrhage	30	22	52
Hepatitis	4	4	8
Hernia	12	2	14
Hydrocephalus	20	11	31
Hydrophobia		1	1
Ileus	2		2
Infantile	103	103	206
Inflammation	18	16	34
Influenza	6	5	11
Insanity	8	3	11
Intemperance	45	1	46
Jaundice	9	12	21
Kidney, &c., disease of	19	7	26
Laryngitis	1	1	2
Liver, disease of	46	39	85
Lungs, disease of	45	47	92
Malformation	6	4	10
Marasmus	3	2	5
Measles	63	58	121
Mortification	3	1	4
Necrosis	6	4	10
Neuralgia	19	35	54
Old age	154	199	353
Paralysis	64	65	129
Paramenia		11	11
Parotitis		1	1
Pleurisy	12	6	18
Pneumonia	690	475	1,165
Prostate, disease of	2		2
Puerperal fever		99	99
Purpura and scurvy	3		3
Quinsy	23	11	34
Rheumatism	62	46	108
Scarlatina	452	427	879
Scrofula	88	99	187
Skin, disease of	97	100	197
Small-pox	5	5	10
Spine, disease of	24	17	41
Splenitis	2	1	3
Still-born	55	37	92
Stomach, disease of	6	10	16
Stone	24	6	30
Sudden death	27	24	51
Syphilis	4	5	9
Teething	83	72	155
Tetanus	77	34	111
Throat, disease of	38	46	84
Thrush	17	14	31
Tumor	7	8	15
Ulcer	13	12	25
Unknown	1,018	996	2,014
Uterus, &c., disease of		20	20
Whooping cough	122	169	291
Worms	49	48	97
Yellow fever	1		1
Aggregates	7,240	7,109	14,349
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	112	21	133
Burns and scalds	64	106	170
Drowning	42	14	56
Fall	26	7	33
Fire-arms	33	3	36
Freezing	4	1	5
Lightning	2	1	3
Neglect and exposure	7		7
Poison	29	30	59
Railroad	12		12
Strangulation	8	3	11
Suffocation	110	96	206
Total accidents	449	282	731
II. Suicide:			
Cutting throat	1		1
Drowning	3		3
Fire-arms	8	1	9
Hanging	5		5
Poison	2	2	4
Suicide not specified	6	2	8
Total suicides	25	5	30
III. Homicide	19		19
IV. Murder	20	1	21
V. Executed	5	1	6
Total violent deaths	518	289	807
Grand totals	7,758	7,398	15,156

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MISSOURI.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	14	8	22
Anæmia	1	1	2
Apoplexy	50	27	77
Asthma	4	3	7
Bowels, disease of	27	22	49
Brain, &c., disease of	121	92	213
Bronchitis	62	51	113
Cancer	32	47	79
Carbuncle	4	1	5
Cephalitis	377	297	674
Child-birth	.....	162	162
Cholera	40	21	61
Cholera infantum	97	79	176
Cold water	1	.....	1
Consumption	650	652	1,302
Convulsions	327	223	550
Croup	621	480	1,101
Cystitis	6	3	9
Debility	44	51	95
Delirium tremens	29	2	31
Diabetes	7	.....	7
Diarrhœa	398	309	707
Diphtheria	36	32	68
Dropsy	214	192	406
Dysentery	257	186	443
Dyspepsia	16	4	20
Enteritis	167	139	306
Epilepsy	11	5	16
Erysipelas	71	61	132
Fever, intermittent	300	309	609
Fever, remittent	399	398	797
Fever, typhoid	603	453	1,056
Fistula	4	.....	4
Gastritis	30	26	56
Gout	1	.....	1
Heart, &c., disease of	80	57	137
Heat	20	4	24
Hemorrhage	24	16	40
Hepatitis	7	4	11
Hernia	8	3	11
Hydrocephalus	27	27	54
Hydrophobia	4	.....	4
Ileus	1	.....	1
Infantile	129	95	224
Inflammation	22	17	39
Influenza	1	3	4
Insanity	17	11	28
Intemperance	28	3	31
Ischuria	1	1	2
Jaundice	28	12	40
Joints, &c., disease of	2	.....	2
Kidney, &c., disease of	25	4	29
Laryngitis	5	1	6
Liver, disease of	63	35	98
Lungs, disease of	66	75	141
Malformation	4	3	7
Marasmus	14	4	18
Measles	131	116	247
Mortification	4	2	6
Necrosis	9	1	10
Neuralgia	30	28	58
Old age	89	123	212
Paralysis	44	36	80
Paramenia	.....	11	11
Parotitis	11	10	21
Pericarditis	1	.....	1
Peritonitis	.....	2	2
Phlebitis	.....	1	1
Pleurisy	30	22	52
Pneumonia	831	575	1,406
Puerperal fever	.....	76	76
Purpura and scurvy	4	2	6
Quinsy	32	32	64
Rheumatism	41	28	69
Scarlatina	440	456	896
Scrofula	62	65	127
Skin, disease of	72	62	134
Small-pox	12	6	18
Spine, disease of	21	23	44
Splenitis	6	1	7
Still-born	28	19	47
Stomach, disease of	10	6	16
Stone	12	.....	12
Sudden death	12	5	17
Syphilis	1	.....	1
Teething	111	125	236
Tetanus	53	25	78
Throat, disease of	74	78	152
Thrush	24	23	47
Tumor	6	3	9
Ulcer	6	15	21
Unknown	1,053	932	1,985
Uterus, &c., disease of	.....	8	8
Whooping cough	158	193	351
Worms	41	34	75
Yellow fever	5	2	7
Aggregates	9,061	7,857	16,918
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	128	23	151
Burns and scalds	72	76	148
Drowning	79	15	94
Fall	31	18	49
Fire-arms	32	5	37
Freezing	3	.....	3
Lightning	9	2	11
Neglect and exposure	4	.....	4
Poison	36	21	57
Railroad	10	1	11
Strangulation	11	7	18
Suffocation	37	38	75
Total accidents	452	206	658
II. Suicide:			
Cutting throat	1	.....	1
Drowning	1	1	2
Fire-arms	4	.....	4
Hanging	10	2	12
Poison	3	.....	3
Suicide not specified	5	2	7
Total suicides	24	5	29
III. Homicide	26	.....	26
IV. Murder	22	1	23
Total violent deaths	524	212	736
Grand totals	9,585	8,069	17,654

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

SOUTH CAROLINA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	9	9	18
Apoplexy	50	51	101
Asthma	14	9	23
Bowels, disease of	53	37	90
Brain, &c., disease of	63	51	114
Bronchitis	35	35	70
Cancer	16	48	64
Carbuncle	2	2	4
Cephalitis	93	66	159
Child-birth		113	113
Cholera	11	6	17
Cholera infantum	42	58	100
Chorea		1	1
Consumption	173	217	390
Convulsions	101	82	183
Croup	128	126	254
Cystitis	1	1	2
Debility	29	29	58
Delirium tremens	8		8
Diabetes	3	2	5
Diarrhœa	119	142	261
Dropsy	277	322	599
Dysentery	139	138	277
Dyspepsia	16	19	35
Enteritis	67	43	110
Epilepsy	3	3	6
Erysipelas	13	4	17
Fever, intermittent	28	27	55
Fever, remittent	201	199	400
Fever, typhoid	333	332	665
Gastritis	11	9	20
Heart, &c., disease of	43	53	96
Heat	7	2	9
Hemorrhage	15	10	25
Hepatitis	1	1	2
Hernia	10	2	12
Hydrocephalus	11	13	24
Ileus	2		2
Infantile	79	95	174
Inflammation	18	10	28
Influenza	15	6	21
Insanity	3	5	8
Intemperance	16	4	20
Ischuria	3		3
Jaundice	9	2	11
Joints, &c., disease of	1		1
Kidney, &c., disease of	10	4	14
Liver, disease of	42	30	72
Lungs, disease of	23	30	53
Malformation	5	3	8
Marasmus	13	13	26
Measles	15	34	49
Mortification	2	1	3
Necrosis	7	2	9
Neuralgia	2	5	7
Old age	152	153	305
Paralysis	46	52	98
Paramenia		4	4
Pericarditis		1	1
Peritonitis		1	1
Phlebitis		1	1

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Pleurisy	11	14	25
Pneumonia	621	443	1,064
Puerperal fever		43	43
Purpura and scurvy	2		2
Quinsy	9	6	15
Rheumatism	28	15	43
Scarlatina	84	78	162
Scrofula	28	29	57
Skin, disease of	20	17	37
Spine, disease of	13	5	18
Splenitis		1	1
Still-born	20	29	49
Stomach, disease of	1		1
Stone	16	3	19
Sudden death	20	18	38
Syphilis	6	7	13
Teething	187	173	360
Tetanus	49	57	106
Throat, disease of	29	33	62
Thrush	11	7	18
Tumor	4	1	5
Ulcer	6	4	10
Unknown	608	568	1,176
Uterus, &c., disease of		5	5
Whooping cough	173	165	338
Worms	76	62	138
Yellow fever	2		2
Aggregates	4,612	4,501	9,113
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	80	24	104
Burns and scalds	82	124	206
Drowning	47	24	71
Fall	26	13	39
Fire-arms	11		11
Freezing	1	1	2
Lightning	6	6	12
Neglect and exposure		6	6
Poison	8	7	15
Railroad	7	1	8
Strangulation	7	4	11
Suffocation	58	74	132
Total accidents	333	284	617
II. Suicide:			
Drowning	1		1
Hanging	2		2
Suicide not specified	4	1	5
Total suicides	7	1	8
III. Homicide	3		3
IV. Murder	3	2	5
V. Executed	3		3
Total violent deaths	349	287	636
Grand totals	4,961	4,788	9,749

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

GEORGIA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	9	6	15
Apoplexy	35	27	62
Asthma	17	12	29
Bowels, disease of	68	51	119
Brain, &c., disease of	51	37	88
Bronchitis	41	26	67
Cancer	35	46	81
Carbuncle	1	4	5
Cephalitis	158	112	270
Child-birth	.....	135	135
Cholera	6	5	11
Cholera infantum	65	63	128
Chorea	2	1	3
Consumption	196	295	491
Convulsions	96	90	186
Croup	239	184	423
Cyanosis	1	.....	1
Cystitis	8	.....	8
Debility	27	31	58
Delirium tremens	10	2	12
Diabetes	9	5	14
Diarrhœa	209	158	367
Diphtheria	8	9	17
Dropsy	299	312	611
Dysentery	223	171	394
Dyspepsia	28	15	43
Enteritis	93	71	164
Epilepsy	14	8	22
Erysipelas	35	40	75
Fever, intermittent	82	81	163
Fever, remittent	199	206	405
Fever, typhoid	472	415	887
Gastritis	12	10	22
Gout	.....	1	1
Heart, &c., disease of	59	53	112
Heat	5	4	9
Hemorrhage	21	17	38
Hepatitis	1	1	2
Hernia	5	2	7
Hydrocephalus	13	14	27
Hydrophobia	2	1	3
Ileus	1	1	2
Infantile	105	88	193
Inflammation	37	35	72
Influenza	11	6	17
Insanity	4	5	9
Intemperance	35	.....	35
Ischuria	3	.....	3
Jaundice	10	15	25
Joints, &c., disease of	1	.....	1
Kidney, &c., disease of	12	3	15
Laryngitis	.....	2	2
Liver, disease of	45	35	80
Lungs, disease of	32	37	69
Malformation	1	4	5
Marasmus	6	5	11
Measles	21	26	47
Mortification	2	2	4
Necrosis	10	6	16
Neuralgia	15	14	29
Old age	126	176	302
Paralysis	57	66	123
Paramenia	.....	7	7
Parotitis	1	.....	1
Peritonitis	1	.....	1
Phlebitis	1	.....	1
Pleurisy	11	12	23
Pneumonia	737	531	1,268
Puerperal fever	.....	68	68
Purpura and scurvy	4	.....	4
Quinsy	24	38	62
Rheumatism	35	29	64
Scarlatina	111	106	217
Scrofula	35	24	59
Skin, disease of	113	81	194
Small-pox	7	1	8
Spine, disease of	15	13	28
Splenitis	1	.....	1
Still-born	37	21	58
Stomach, disease of	4	4	8
Stone	26	3	29
Sudden death	18	20	38
Syphilis	4	6	10
Teething	167	151	318
Tetanus	40	39	79
Throat, disease of	25	20	45
Thrush	19	10	29
Tumor	7	12	19
Ulcer	12	11	23
Unknown	984	982	1,966
Uterus, &c., disease of	.....	24	24
Whooping cough	158	176	334
Worms	110	85	195
Yellow fever	3	1	4
Aggregates	6,098	5,722	11,820
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	108	30	138
Burns and scalds	121	192	313
Drowning	41	15	56
Fall	32	14	46
Fire-arms	23	.....	23
Freezing	6	1	7
Lightning	4	1	5
Neglect and exposure	8	5	13
Poison	18	18	36
Railroad	11	.....	11
Strangulation	10	5	15
Suffocation	126	145	271
Total accidents	508	426	934
II. Suicide:			
Cutting throat	1	.....	1
Fire-arms	3	.....	3
Hanging	3	3	6
Poison	1	1	2
Suicide not specified	7	3	10
Total suicides	15	7	22
III. Homicide	15	5	20
IV. Murder	17	2	19
V. Executed	1	.....	1
Total violent deaths	556	440	996
Grand totals	6,654	6,162	12,816

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

FLORIDA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	5		5
Apoplexy	2	5	7
Asthma	3	4	7
Bowels, disease of	6		6
Brain, &c., disease of	16	17	33
Cancer	5	6	11
Cephalitis	25	28	53
Child-birth		30	30
Cholera	3		3
Cholera infantum	3	3	6
Chorea		1	1
Consumption	53	44	97
Convulsions	10	13	23
Croup	12	11	23
Debility	1	1	2
Delirium tremens	1		1
Diabetes	1		1
Diarrhœa	40	31	71
Dropsy	66	49	115
Dysentery	26	21	47
Dyspepsia	4	3	7
Enteritis	17	13	30
Erysipelas	4	5	9
Fever, intermittent	26	16	42
Fever, remittent	56	49	105
Fever, typhoid	50	38	88
Gastritis		2	2
Heart, &c., disease of	11	4	15
Heat		1	1
Hemorrhage	9	3	12
Hernia	2		2
Hydrocephalus	1	2	3
Infantile	23	22	45
Inflammation	2	4	6
Influenza	1		1
Intemperance	5	1	6
Jaundice		1	1
Kidney, &c., disease of	3	2	5
Liver, disease of	12	4	16
Lungs, disease of	1	5	6
Malformation	1	1	2
Marasmus	3	1	4
Measles		1	1
Mortification		1	1
Necrosis	2		2
Neuralgia	1		1
Old age	17	11	28
Paralysis	8	6	14
Paramenia		1	1
Pleurisy	3	3	6
Pneumonia	117	73	190
Puerperal fever		5	5
Purpura and scurvy		1	1
Quinsy	3	1	4
Rheumatism	5	2	7
Scarlatina	3		3
Scrofula	1	2	3
Skin, disease of	6	7	13
Spine, disease of	4		4
Still-born	3	4	7
Stomach, disease of	1		1
Stone	3	1	4
Sudden death	3	1	4
Teething	27	22	49
Tetanus	11	11	22
Throat, disease of	3		3
Thrush	1	2	3
Tumor	2		2
Ulcer	2	2	4
Unknown	118	108	226
Uterus, &c., disease of		5	5
Whooping cough	4	10	14
Worms	22	17	39
Yellow fever	11	2	13
Aggregates	890	740	1,630
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	10	5	15
Burns and scalds	18	28	46
Drowning	14	2	16
Fall	3	1	4
Fire-arms	8		8
Freezing		1	1
Lightning		2	2
Poison	3	4	7
Railroad	5		5
Strangulation	1	2	3
Suffocation	7	5	12
Total accidents	69	50	119
II. Suicide:			
Cutting throat	1		1
Hanging	1		1
Poison	2		2
Total suicides	4		4
III. Homicide	4		4
IV. Murder	5		5
V. Executed	7		7
Total violent deaths	89	50	139
Grand totals	979	790	1,769

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

ALABAMA

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	7	3	10
Apoplexy	57	50	107
Asthma	15	21	36
Bowels, disease of	67	63	130
Brain, &c., disease of	89	58	147
Bronchitis	36	28	64
Cancer	24	49	73
Carbuncle	1	1	2
Cephalitis	221	145	366
Child-birth	.....	123	123
Cholera	18	7	25
Cholera infantum	67	33	100
Chorea	.....	1	1
Consumption	252	344	596
Convulsions	83	90	173
Croup	222	203	425
Cystitis	4	1	5
Debility	28	29	57
Delirium tremens	5	.....	5
Diabetes	7	1	8
Diarrhœa	202	126	328
Diphtheria	16	31	47
Dropsy	298	299	597
Dysentery	167	146	313
Dyspepsia	22	11	33
Enteritis	103	78	181
Epilepsy	9	3	12
Erysipelas	23	34	57
Fever, intermittent	106	83	189
Fever, remittent	233	208	441
Fever, typhoid	450	386	836
Fistula	.....	1	1
Gastritis	15	28	43
Gout	1	1	2
Heart, &c., disease of	33	51	84
Heat	8	3	11
Hemorrhage	23	20	43
Hepatitis	1	3	4
Hernia	5	.....	5
Hydrocephalus	15	12	27
Hydrophobia	1	.....	1
Ileus	1	1	2
Infantile	144	120	264
Inflammation	14	10	24
Influenza	9	9	18
Insanity	2	7	9
Intemperance	32	2	34
Ischuria	2	1	3
Jaundice	13	6	19
Joints, &c., disease of	2	1	3
Kidney, &c., disease of	14	2	16
Laryngitis	3	1	4
Liver, disease of	40	31	71
Lungs, disease of	40	34	74
Malformation	5	2	7
Marasmus	7	8	15
Measles	31	31	62
Mortification	2	3	5
Necrosis	6	3	9
Neuralgia	18	18	36
Old age	122	141	263
Paralysis	45	38	83
Paramenia	.....	24	24
Parotitis	2	2	4
Phlebitis	2	.....	2
Pleurisy	11	10	21
Pneumonia	837	540	1,377
Puerperal fever	.....	54	54
Purpura and scurvy	1	3	4
Quinsy	28	28	56
Rheumatism	53	33	86
Scarlatina	118	133	251
Scrofula	39	41	80
Skin, disease of	88	82	170
Small-pox	.....	2	2
Spine, disease of	26	14	40
Splenitis	2	1	3
Still-born	33	27	60
Stomach, disease of	3	5	8
Stone	16	5	21
Sudden death	28	10	38
Syphilis	9	5	14
Teething	230	177	407
Tetanus	91	60	151
Throat, disease of	33	33	66
Thrush	15	17	32
Tumor	3	4	7
Ulcer	12	12	24
Unknown	808	800	1,608
Uterus, &c., disease of	.....	17	17
Whooping cough	153	181	334
Worms	75	88	163
Yellow fever	2	.....	2
Aggregates	6,204	5,651	11,855
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	103	35	138
Burns and scalds	90	152	242
Drowning	61	12	73
Fall	27	7	34
Fire-arms	36	2	38
Freezing	2	.....	2
Lightning	3	6	9
Neglect and exposure	1	.....	1
Poison	20	14	34
Railroad	7	.....	7
Strangulation	10	4	14
Suffocation	135	121	256
Total accidents	495	353	848
II. Suicide:			
Drowning	.....	1	1
Fire-arms	3	.....	3
Hanging	10	1	11
Poison	2	.....	2
Suicide not specified	3	1	4
Total suicides	18	3	21
III. Homicide	17	.....	17
IV. Murder	18	.....	18
V. Executed	1	.....	1
Total violent deaths	549	356	905
Grand totals	6,753	6,007	12,760

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

MISSISSIPPI.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	2	1	3
Aneurism	1		1
Apoplexy	36	21	57
Asthma	3	12	15
Bowels, disease of	38	26	64
Brain, &c., disease of	111	64	175
Bronchitis	26	14	40
Cancer	17	44	61
Carbuncle	1	1	2
Cephalitis	206	169	375
Child-birth		112	112
Cholera	14	10	24
Cholera infantum	69	54	123
Chorea	1		1
Consumption	239	315	554
Convulsions	97	108	205
Croup	224	204	428
Cystitis	3		3
Debility	26	25	51
Delirium tremens	7		7
Diabetes	4		4
Diarrhœa	167	96	263
Diphtheria	48	51	99
Dropsy	216	196	412
Dysentery	139	132	271
Dyspepsia	18	15	33
Enteritis	81	76	157
Epilepsy	2	6	8
Erysipelas	29	30	59
Fever, intermittent	142	116	258
Fever, remittent	335	309	644
Fever, typhoid	414	394	808
Fistula		1	1
Gastritis	28	22	50
Heart, &c., disease of	50	45	95
Heat	11	6	17
Hemorrhage	19	15	34
Hepatitis	6	1	7
Hernia	9	3	12
Hydrocephalus	17	10	27
Ileus	2		2
Infantile	100	106	206
Inflammation	19	14	33
Influenza	5	10	15
Insanity	3	1	4
Intemperance	19		19
Ischuria	3	1	4
Jaundice	6	4	10
Joints, &c., disease of	1	2	3
Kidney, &c., disease of	13	3	16
Liver, disease of	33	24	57
Lungs, disease of	39	35	74
Malformation	4	1	5
Marasmus	8	3	11
Measles	98	82	180
Mortification	3	1	4
Necrosis	5	4	9
Neuralgia	10	8	18
Old age	98	108	206
Paralysis	19	29	48
Paramenia		10	10
Parotitis	6	5	11
Peritonitis		1	1
Pleurisy	12	9	21
Pneumonia	940	600	1,540
Puerperal fever		60	60
Purpura and scurvy	1	1	2
Quinsy	22	23	45
Rheumatism	23	19	42
Scarlatina	149	199	348
Scrofula	42	40	82
Skin, disease of	52	49	101
Spine, disease of	17	17	34
Splenitis	1	2	3
Still-born	33	30	63
Stomach, disease of	3	6	9
Stone	13		13
Sudden death	5	3	8
Syphilis	6	3	9
Teething	150	142	292
Tetanus	57	32	89
Throat, disease of	37	39	76
Thrush	10	8	18
Tumor	3	3	6
Ulcer	9	4	13
Unknown	754	727	1,481
Uterus, &c., disease of		34	34
Whooping cough	172	196	368
Worms	73	56	129
Yellow fever	3	3	6
Aggregates	5,937	5,461	11,398
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	113	36	149
Burns and scalds	65	108	173
Drowning	45	12	57
Fall	15	6	21
Fire-arms	28	6	34
Freezing	9	1	10
Lightning	8	4	12
Neglect and exposure	8	6	14
Poison	22	16	38
Railroad	7	1	8
Strangulation	9	3	12
Suffocation	116	123	239
Total accidents	445	322	767
II. Suicide:			
Drowning	2	1	3
Fire-arms	3		3
Hanging	2	1	3
Suicide not specified	8	3	11
Total suicides	15	5	20
III. Homicide	21	1	22
IV. Murder	5		5
V. Executed	2		2
Total violent deaths	488	328	816
Grand totals	6,425	5,789	12,214

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

LOUISIANA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	9	10	19
Anæmia	4	2	6
Aneurism	6	2	8
Angina pectoris	1	1	2
Apoplexy	79	25	104
Asthma	17	5	22
Bowels, disease of	20	13	33
Brain, &c., disease of	134	77	211
Bronchitis	38	25	63
Cancer	18	36	54
Carbuncle	2	.....	2
Cephalitis	157	131	288
Child-birth	.....	148	148
Cholera	29	20	49
Cholera infantum	53	40	93
Consumption	547	296	843
Convulsions	109	109	218
Croup	91	80	171
Cystitis	7	2	9
Debility	66	61	127
Delirium tremens	70	15	85
Diabetes	1	1	2
Diarrhœa	326	143	469
Diphtheria	43	44	87
Dropsy	203	158	361
Dysentery	265	166	431
Dyspepsia	12	4	16
Enteritis	110	77	187
Epilepsy	5	6	11
Erysipelas	24	24	48
Fever, intermittent	116	72	188
Fever, remittent	384	254	638
Fever, typhoid	317	241	558
Fistula	3	.....	3
Gastritis	17	18	35
Gout	2	1	3
Heart, &c., disease of	78	56	134
Heat	34	9	43
Hemorrhage	13	18	31
Hepatitis	13	7	20
Hernia	9	4	13
Hydrocephalus	12	8	20
Ileus	2	.....	2
Infantile	92	62	154
Inflammation	25	14	39
Influenza	14	5	19
Insanity	11	5	16
Intemperance	48	9	57
Ischuria	4	.....	4
Jaundice	8	8	16
Joints, &c., disease of	2	.....	2
Kidney, &c., disease of	22	3	25
Laryngitis	1	.....	1
Liver, disease of	29	16	45
Lungs, disease of	36	23	59
Malformation	2	2	4
Marasmus	22	20	42
Measles	121	95	216
Mortification	14	1	15
Necrosis	2	6	8
Neuralgia	2	5	7
Old age	128	94	222
Paralysis	33	17	50
Paramenia	.....	5	5
Parotitis	1	2	3
Pericarditis	1	.....	1
Peritonitis	6	3	9
Phlebitis	1	.....	1
Pleurisy	75	35	110
Pneumonia	774	449	1,223
Puerperal fever	.....	39	39
Purpura and scurvy	1	.....	1
Quinsy	7	5	12
Rheumatism	39	17	56
Scarlatina	211	196	407
Scrofula	20	15	35
Skin, disease of	25	16	41
Small-pox	7	9	16
Spine, disease of	15	4	19
Splenitis	.....	1	1
Still-born	14	7	21
Stomach, disease of	4	7	11
Stone	2	1	3
Sudden death	12	5	17
Syphilis	12	6	18
Teething	238	251	489
Tetanus	148	96	244
Throat, disease of	77	99	176
Thrush	9	9	18
Tumor	3	7	10
Ulcer	9	2	11
Unknown	598	494	1,092
Uterus, &c., disease of	.....	16	16
Whooping cough	143	177	320
Worms	115	82	197
Yellow fever	118	36	154
Aggregates	6,747	4,885	11,632
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	134	23	157
Burns and scalds	52	82	134
Drowning	103	12	115
Fall	31	5	36
Fire-arms	46	1	47
Freezing	2	1	3
Lightning	2	2	4
Neglect and exposure	3	.....	3
Poison	30	13	43
Railroad	1	.....	1
Strangulation	1	3	4
Suffocation	34	39	73
Total accidents	439	181	620
II. Suicide:			
Cutting throat	2	.....	2
Drowning	3	1	4
Fire-arms	5	.....	5
Hanging	3	.....	3
Poison	.....	1	1
Suicide not specified	4	1	5
Total suicides	17	3	20
III. Homicide	15	2	17
IV. Murder	29	3	32
V. Executed	3	.....	3
Total violent deaths	503	189	692
Grand totals	7,250	5,074	12,324

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

ARKANSAS.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	4	5	9
Aneurism	1	.....	1
Apoplexy	13	16	29
Asthma	3	1	4
Bowels, disease of	9	13	22
Brain, &c., disease of	111	86	197
Bronchitis	20	12	32
Cancer	14	18	32
Carbuncle	3	.....	3
Cephalitis	197	181	378
Child-birth	.....	86	86
Cholera	6	4	10
Cholera infantum	24	17	41
Consumption	160	169	329
Convulsions	75	58	133
Croup	218	159	377
Cystitis	.....	1	1
Debility	4	2	6
Delirium tremens	3	.....	3
Diabetes	.....	1	1
Diarrhœa	40	50	90
Diphtheria	4	6	10
Dropsy	116	129	245
Dysentery	101	77	178
Dyspepsia	8	2	10
Enteritis	78	54	132
Epilepsy	.....	4	4
Erysipelas	50	26	76
Fever, intermittent	207	187	394
Fever, remittent	302	297	599
Fever, typhoid	288	229	517
Gastritis	17	29	46
Heart, &c., disease of	19	13	32
Heat	7	3	10
Hemorrhage	10	10	20
Hepatitis	3	2	5
Hernia	2	.....	2
Hydrocephalus	3	3	6
Ileus	1	2	3
Infantile	27	13	40
Inflammation	11	13	24
Influenza	3	6	9
Insanity	4	.....	4
Intemperance	11	.....	11
Ischuria	1	.....	1
Jaundice	7	11	18
Kidney, &c., disease of	3	2	5
Liver, disease of	24	17	41
Lungs, disease of	32	15	47
Malformation	3	.....	3
Marasmus	5	5	10
Measles	20	31	51
Mortification	1	1	2
Necrosis	2	.....	2
Neuralgia	9	12	21
Old age	33	35	68
Paralysis	21	16	37
Paramenia	.....	11	11
Parotitis	1	.....	1

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Pleurisy	18	11	29
Pneumonia	932	593	1,525
Puerperal fever	.....	68	68
Quinsy	28	30	58
Rheumatism	13	9	22
Scarlatina	222	215	437
Scrofula	15	25	40
Skin, disease of	102	55	157
Small-pox	4	.....	4
Spine, disease of	8	4	12
Splenitis	4	3	7
Still-born	9	11	20
Stomach, disease of	3	1	4
Stone	5	2	7
Sudden death	6	10	16
Syphilis	.....	1	1
Teething	33	33	66
Tetanus	12	3	15
Throat, disease of	20	21	41
Thrush	7	9	16
Tumor	1	1	2
Ulcer	7	12	19
Unknown	532	575	1,107
Uterus, &c., disease of	.....	9	9
Whooping cough	87	100	187
Worms	64	69	133
Yellow fever	2	.....	2
Aggregates	4,473	4,010	8,483
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	79	9	88
Burns and scalds	26	34	60
Drowning	38	9	47
Fall	13	4	17
Fire-arms	22	1	23
Freezing	4	.....	4
Lightning	1	2	3
Neglect and exposure	2	2	4
Poison	14	9	23
Strangulation	1	2	3
Suffocation	33	35	68
Total accidents	233	107	340
II. Suicide:			
Drowning	1	.....	1
Poison	1	1	2
Total suicides	2	1	3
III. Homicide	8	.....	8
IV. Murder	17	3	20
V. Executed	2	.....	2
Total violent deaths	262	111	373
Grand totals	4,735	4,121	8,856

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

TEXAS.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	9	2	11
Apoplexy	22	28	50
Asthma	7	5	12
Bowels, disease of	18	17	35
Brain, &c., disease of	84	57	141
Bronchitis	25	24	49
Cancer	19	25	44
Carbuncle	2	2	4
Cephalitis	178	110	288
Child-birth		100	100
Cholera	6	5	11
Cholera infantum	18	25	43
Chorea		1	1
Cold water	1		1
Consumption	221	199	420
Convulsions	82	56	138
Croup	172	126	298
Cystitis		1	1
Debility	21	14	35
Delirium tremens	10		10
Diabetes	7	1	8
Diarrhœa	125	79	204
Diphtheria	2	2	4
Dropsy	100	126	226
Dysentery	170	165	335
Dyspepsia	8	1	9
Enteritis	97	81	178
Epilepsy	2	2	4
Erysipelas	23	32	55
Fever, intermittent	61	72	133
Fever, remittent	253	258	511
Fever, typhoid	352	350	702
Gastritis	22	23	45
Heart, &c., disease of	30	25	55
Heat	5	3	8
Hemorrhage	12	14	26
Hepatitis	1	1	2
Hernia	6	1	7
Hydrocephalus	9	7	16
Hydrophobia	2	1	3
Ileus		1	1
Infantile	65	50	115
Inflammation	24	19	43
Influenza	5	6	11
Insanity	3	7	10
Intemperance	17		17
Ischuria	1		1
Jaundice	4	4	8
Kidney, &c., disease of	14	4	18
Laryngitis	1	3	4
Liver, disease of	29	24	53
Lungs, disease of	42	25	67
Malformation	1	1	2
Marasmus	1	1	2
Measles	59	76	135
Mortification	1		1
Necrosis	1		1
Neuralgia	17	11	28
Old age	47	61	108
Paralysis	16	18	34
Paramenia		7	7
Parotitis		3	3
Peritonitis		1	1

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Pleurisy	6	8	14
Pneumonia	552	412	964
Puerperal fever		42	42
Purpura and scurvy	2	1	3
Quinsy	35	34	69
Rheumatism	28	16	44
Scarlatina	109	112	221
Scrofula	24	22	46
Skin, disease of	62	48	110
Small-pox		1	1
Spine, disease of	13	7	20
Splenitis	2	1	3
Still-born	15	20	35
Stomach, disease of	2		2
Stone	7	1	8
Sudden death	8	4	12
Syphilis	1	1	2
Teething	105	94	199
Tetanus	56	31	87
Throat, disease of	16	23	39
Thrush	5	6	11
Tumor	1	2	3
Ulcer	1	1	2
Unknown	619	593	1,212
Uterus, &c., disease of		16	16
Whooping cough	77	77	154
Worms	31	24	55
Yellow fever	327	103	430
Aggregates	4,634	4,063	8,697
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	80	19	99
Burns and scalds	36	74	110
Drowning	60	12	72
Fall	30	6	36
Fire-arms	49	2	51
Freezing	9	1	10
Lightning	7	1	8
Neglect and exposure	4	6	10
Poison	26	19	45
Railroad	1	1	2
Strangulation	5	4	9
Suffocation	39	38	77
Total accidents	346	183	529
II. Suicide:			
Cutting throat	14		14
Fire-arms	6		6
Hanging	4	1	5
Poison	2	2	4
Total suicides	26	3	29
III. Homicide	53	3	56
IV. Murder	62	3	65
V. Executed	1		1
Total violent deaths	488	192	680
Grand totals	5,122	4,255	9,377

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

OREGON.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess		1	1	Rheumatism		1	1
Apoplexy	2	1	3	Scarlatina	20	20	40
Bowels, disease of		1	1	Scrofula	2		2
Brain, &c., disease of	2	2	4	Spine disease of		1	1
Bronchitis		1	1	Stone	1		1
Cancer	2		2	Sudden death	2	1	3
Cephalitis	6	2	8	Teething	2		2
Child-birth		3	3	Throat, disease of	7	10	17
Consumption	15	15	30	Ulcer	1		1
Convulsions	1	5	6	Unknown	13	17	30
Croup	12	7	19	Whooping cough	3	2	5
Diabetes	1		1	Worms	1		1
Diarrhœa	1		1				
Diphtheria	1		1	Aggregates	134	140	274
Dropsy		2	2				
Dysentery	2	1	3	VIOLENT DEATHS.			
Enteritis	2	3	5	I. Accidental:			
Erysipelas	3	4	7	Accident not specified	2		2
Fever, intermittent	1	1	2	Burns and scalds	4	1	5
Fever, remittent	3	5	8	Drowning	3	2	5
Fever, typhoid	6	10	16	Fire-arms	1		1
Gastritis		1	1	Poison		1	1
Heart, &c., disease of		1	1	Total accidents	10	4	14
Heat	1		1				
Hemorrhage	1	1	2	II. Suicide:			
Hydrocephalus	2		2	Suicide not specified	1		1
Infantile	1		1				
Inflammation	2	2	4	Total suicides	1		1
Intemperance	1		1				
Jaundice		1	1	III. Homicide	6		6
Liver, disease of	1	5	6	IV. Murder	2		2
Lungs, disease of	3	1	4	V. Executed	3		3
Measles	1		1				
Paralysis		1	1	Total violent deaths	22	4	26
Pneumonia	9	10	19				
Puerperal fever		1	1	Grand totals	156	144	300

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

CALIFORNIA.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Abscess	19	4	23
Aneurism	5	1	6
Apoplexy	30	11	41
Asthma	6	1	7
Bowels, disease of	13	6	19
Brain, &c., disease of	43	27	70
Bronchitis	11	9	20
Cancer	11	7	18
Carbuncle		1	1
Cephalitis	63	58	121
Child-birth		49	49
Cholera	1	1	2
Cholera infantum	16	10	26
Consumption	367	157	524
Convulsions	21	25	46
Croup	43	30	73
Cystitis	3		3
Debility	18	12	30
Delirium tremens	13	1	14
Diabetes	3		3
Diarrhœa	24	15	39
Diphtheria	34	24	58
Dropsy	63	11	74
Dysentery	48	22	70
Dyspepsia	2	2	4
Enteritis	45	39	84
Epilepsy	4	1	5
Erysipelas	7	5	12
Fever, intermittent	41	22	63
Fever, remittent	85	39	124
Fever, typhoid	84	30	114
Fistula	3		3
Gastritis	2	7	9
Gout	1		1
Heart, &c., disease of	67	23	90
Heat	4		4
Hemorrhage	17	7	24
Hepatitis	3		3
Hernia	9	1	10
Hydrocephalus	18	16	34
Ileus	2		2
Infantile	17	14	31
Inflammation	10	1	11
Influenza		2	2
Insanity	5	1	6
Intemperance	25	4	29
Ischuria	2		2
Jaundice	2		2
Joints, &c., disease of	3		3
Kidney, &c., disease of	5	1	6
Laryngitis	2		2
Liver, disease of	17	10	27
Lungs, disease of	28	12	40
Marasmus	5	2	7
Measles	9	7	16
Mortification	5		5
Necrosis	1		1
Neuralgia	2	2	4
Old age	7	6	13
Ovarian dropsy		1	1
Paralysis	32	8	40
Pericarditis	1		1
Peritonitis	1		1
Phlebitis	2	3	5
Pleurisy	5		5
Pneumonia	88	29	117
Puerperal fever		3	3
Purpura and scurvy	1	1	2
Quinsy		2	2
Rheumatism	8	3	11
Scarlatina	239	202	441
Scrofula	6	7	13
Skin, disease of	1		1
Small-pox	4		4
Spine, disease of	6		6
Splenitis	1		1
Still-born	20	22	42
Stomach, disease of	1	1	2
Stone	1		1
Sudden death	4	6	10
Syphilis	23	1	24
Teething	26	28	54
Tetanus	9	1	10
Throat, disease of	16	9	25
Thrush	2	1	3
Tumor	4	2	6
Ulcer	6	2	8
Unknown	145	103	248
Uterus, &c., disease of		1	1
Whooping cough	7	16	23
Worms	1	1	2
Aggregates	2,054	1,189	3,243
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	126	2	128
Burns and scalds	16	17	33
Drowning	87	8	95
Fall	15	4	19
Fire-arms	43		43
Freezing	2		2
Neglect and exposure	2		2
Poison	12	3	15
Railroad	1		1
Strangulation	1		1
Suffocation	5	1	6
Total accidents	310	35	345
II. Suicide:			
Cutting throat	5		5
Fire-arms	12		12
Hanging	5	1	6
Poison	6	3	9
Suicide not specified	6		6
Total suicides	34	4	38
III. Homicide	40	1	41
IV. Murder	31	3	34
V. Executed	4		4
Total violent deaths	419	43	462
Grand totals	2,473	1,232	3,705

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

DAKOTA.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Cholera	1		1	Unknown	1	1	2
Cholera infantum	1			Aggregates	3	1	4
				Grand totals	3	1	4

WASHINGTON.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Brain, &c., disease of		1	1	Unknown		1	1
Cephalitis	1	1	2	Worms	1		1
Child-birth		3	3				
Consumption	2	6	8	Aggregates	18	23	41
Convulsions		2	2				
Croup	3	3	6	VIOLENT DEATHS.			
Debility		1	1	I. Accidental:			
Dropsy		2	2	Drowning	5		5
Dysentery	1		1	Fall	1		1
Enteritis	2		2	Fire-arms	1		1
Epilepsy	1		1	Neglect and exposure	1		1
Heart, &c., disease of	1		1				
Liver, disease of	1		1	Total accidents	8		8
Mortification	1		1				
Old age	1		1	III. Homicide	1		1
Paralysis	1		1				
Pneumonia	1		1	Total violent deaths	9		9
Scarlatina	1	2	3				
Teething		1	1	Grand totals	27	23	50

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued

NEW MEXICO.

DISEASE.	DEATHS.			DISEASE.	DEATHS.		
	Males.	Females.	Totals.		Males.	Females.	Totals.
Abscess		2	2	Scrofula		1	1
Apoplexy	7	4	11	Skin, disease of	2	1	3
Asthma	7	5	12	Small-pox		1	1
Bowels, disease of	2	3	5	Spine, disease of	1		1
Brain, &c., disease of	6	3	9	Still-born	2	2	4
Bronchitis	4	1	5	Stomach, disease of	4	6	10
Cancer	2	2	4	Stone	1	1	2
Cephalitis	3	2	5	Sudden death	1		1
Child-birth		40	40	Syphilis		2	2
Cholera	4	2	6	Tetanus	1	1	2
Cholera infantum	1		1	Throat, disease of	11	2	13
Consumption	18	16	34	Tumor	4	2	6
Convulsions	1	1	2	Ulcer	1	3	4
Croup	7	2	9	Unknown	151	157	308
Cystitis	6	1	7	Uterus, &c., disease of		1	1
Debility	2	1	3	Whooping cough	5	10	15
Diarrhœa	6	2	8	Worms	1		1
Dropsy	21	20	41				
Dysentery	12	13	25	Aggregates	551	531	1,082
Dyspepsia	4	2	6				
Enteritis	6	7	13				
Epilepsy	1	1	2	VIOLENT DEATHS.			
Erysipelas	3	2	5	I. Accidental:			
Fever, intermittent	8	1	9	Accident not specified	12	2	14
Fever, remittent	98	94	192	Burns and scalds	7	16	23
Fever, typhoid	3	3	6	Drowning	7	4	11
Gastritis	7	4	11	Fall	2	1	3
Heart, &c., disease of	9	6	15	Fire-arms	15		15
Heat	2		2	Freezing	4		4
Hemorrhage	2	2	4	Lightning	5	3	8
Hydrophobia		1	1	Neglect and exposure	3		3
Infantile	8	5	13	Poison	4		4
Inflammation	14		14	Strangulation	1		1
Influenza		1	1	Suffocation	2		2
Intemperance	7		7				
Ischuria	1		1	Total accidents	62	26	88
Jaundice		1	1				
Kidney, &c., disease of	1	1	2	II. Suicide:			
Liver, disease of	11	3	14	Fire-arms	1		1
Lungs, disease of	7	2	9				
Marasmus		1	1	Total suicides	1		1
Mortification		1	1				
Necrosis		1	1				
Neuralgia	1	4	5	III. Homicide	23		23
Old age	11	14	25	IV. Murder	94	12	106
Paralysis	1	2	3	V. Executed	5		5
Paramenia		5	5				
Pleurisy	38	46	84	Total violent deaths	185	38	223
Pneumonia		2	2				
Puerperal fever		1	1				
Purpura and scurvy	2		2	Grand totals	736	569	1,305
Quinsy	1		1				
Rheumatism	10	7	17				
Scarlatina	1	1	2				

TABLE III.—DEATHS IN THE YEAR ENDING JUNE 1, 1860—Continued.

UTAH.

DISEASE.	DEATHS.		
	Males.	Females.	Totals.
Apoplexy		1	1
Bowels, disease of		2	2
Brain, &c., disease of	1	1	2
Cephalitis	6	2	8
Child-birth		7	7
Cholera infantum	4		4
Consumption	8	10	18
Convulsions	5	3	8
Croup	13	10	23
Debility	1	1	2
Diabetes	1		1
Diarrhœa	5	5	10
Dropsy		3	3
Dysentery	3	5	8
Dyspepsia		1	1
Enteritis	18	7	25
Erysipelas	2	1	3
Fever, remittent	4	4	8
Fever, typhoid	2	6	8
Heart, &c., disease of	1	1	2
Hydrocephalus	3		3
Infantile	37	20	57
Inflammation	3	7	10
Influenza	1		1
Liver, disease of	3	1	4
Lungs, disease of	2		2
Measles	1		1
Old age	2	1	3
Paralysis	2		2
Pleurisy		1	1
Pneumonia	4	2	6
Quinsy	3		3
Rheumatism		1	1
Scarlatina	2		2
Skin, disease of	1	1	2
Teething	6	5	11
Throat, disease of		1	1
Thrush	11	5	16
Unknown	18	31	49
Worms		1	1
Aggregates	173	147	320
VIOLENT DEATHS.			
I. Accidental:			
Accident not specified	7		7
Burns and scalds	4	5	9
Drowning	9	5	14
Fall	1		1
Fire-arms	6	1	7
Lightning	2		2
Total accidents	29	11	40
II. Suicide:			
Poison		1	1
Total suicides		1	1
III. Homicide	13		13
Total violent deaths	42	12	54
Grand totals	215	159	374

TABLE IV.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, ACCORDING TO SEXES AND AGES.

STATES.	UNDER 1 YEAR.			1 TO 2 YEARS.			2 TO 3 YEARS.			3 TO 4 YEARS.			4 TO 5 YEARS.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
Maine	496	427	923	222	196	418	156	142	298	81	80	161	72	63	135
New Hampshire	343	275	618	108	100	208	71	68	139	33	37	70	31	31	62
Vermont	190	157	347	82	73	155	62	51	113	47	45	92	38	21	59
Massachusetts	2,250	1,920	4,170	909	744	1,653	464	440	904	247	300	547	224	211	435
Rhode Island	237	183	420	121	101	222	57	51	108	33	35	68	29	15	44
Connecticut	492	399	891	207	168	375	134	130	264	101	80	181	77	74	151
New York	4,446	3,542	7,988	2,318	2,048	4,366	1,588	1,425	3,013	1,110	1,024	2,134	717	682	1,399
Total 1st district	8,454	6,903	15,357	3,967	3,430	7,397	2,532	2,307	4,839	1,652	1,601	3,253	1,188	1,097	2,285
Michigan	753	672	1,425	353	300	653	231	229	460	148	151	299	117	94	211
Wisconsin	981	675	1,656	433	347	780	300	229	529	169	153	322	108	95	203
Minnesota	154	129	283	65	44	109	35	38	73	17	17	34	19	10	29
Nebraska	64	60	124	15	17	32	9	11	20	4	9	13	3	9	12
Total 2d district	1,952	1,536	3,488	866	708	1,574	575	507	1,082	338	330	668	247	208	455
New Jersey	809	689	1,498	366	318	684	242	192	434	168	176	344	119	113	232
Pennsylvania	3,197	2,469	5,666	1,441	1,203	2,644	981	895	1,876	663	612	1,275	442	443	885
Total 3d district	4,006	3,158	7,164	1,807	1,521	3,328	1,223	1,087	2,310	831	788	1,619	561	556	1,117
Ohio	2,603	2,060	4,663	1,219	1,147	2,366	896	875	1,771	610	564	1,174	464	458	922
Indiana	1,705	1,443	3,148	880	839	1,719	565	533	1,098	342	350	692	247	231	478
Illinois	2,430	1,977	4,407	1,384	1,177	2,561	825	672	1,497	460	431	891	297	275	572
Iowa	971	805	1,776	546	412	958	277	272	549	153	157	310	107	100	207
Kansas	174	198	372	83	76	159	61	39	100	34	34	68	21	22	43
Total 4th district	7,883	6,483	14,366	4,112	3,651	7,763	2,624	2,391	5,015	1,599	1,536	3,135	1,136	1,086	2,222
Delaware	120	112	232	55	59	114	38	40	78	18	19	37	17	9	26
Maryland	805	716	1,521	367	320	687	236	242	478	127	121	248	96	75	171
District of Columbia	176	150	326	75	45	120	19	32	51	22	18	40	13	15	28
Virginia	2,864	2,376	5,240	1,093	976	2,069	626	502	1,128	370	330	700	228	256	484
North Carolina	1,631	1,388	3,019	715	614	1,329	400	331	731	171	203	374	141	140	281
Total 5th district	5,596	4,742	10,338	2,305	2,014	4,319	1,319	1,147	2,466	708	691	1,399	495	495	990
Kentucky	2,123	1,677	3,800	898	735	1,633	501	456	957	334	265	599	218	228	446
Tennessee	1,988	1,677	3,665	790	708	1,498	429	377	806	279	210	489	193	163	356
Missouri	2,239	1,767	4,006	1,189	1,053	2,242	690	585	1,275	370	315	685	235	260	495
Total 6th district	6,350	5,121	11,471	2,877	2,496	5,373	1,620	1,418	3,038	983	790	1,773	646	651	1,297
South Carolina	1,281	1,191	2,472	520	467	987	285	272	557	155	134	289	105	104	209
Georgia	1,889	1,584	3,473	799	650	1,449	381	323	704	182	200	382	143	130	273
Florida	164	155	319	84	77	161	57	40	97	36	31	67	29	37	66
Alabama	1,787	1,506	3,293	825	614	1,439	388	331	719	194	181	375	141	147	288
Total 7th district	5,121	4,436	9,557	2,228	1,808	4,036	1,111	966	2,077	567	546	1,113	418	418	836
Mississippi	1,581	1,411	2,992	745	613	1,358	382	334	716	237	200	437	154	162	316
Louisiana	1,127	1,000	2,127	591	529	1,120	406	370	776	220	197	417	158	141	299
Arkansas	914	772	1,686	402	336	738	273	241	514	162	177	339	139	157	296
Texas	1,115	930	2,045	508	435	943	284	260	544	165	146	311	117	107	224
Total 8th district	4,737	4,113	8,850	2,246	1,913	4,159	1,345	1,205	2,550	784	720	1,504	568	567	1,135
Oregon	37	34	71	16	11	27	10	11	21	9	4	13	9	4	13
California	340	252	592	146	156	302	127	99	226	94	75	169	71	57	128
Dakota	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Mexico	140	112	252	44	63	107	44	28	72	13	11	24	12	16	28
Utah	82	45	127	39	31	70	14	9	23	4	4	8	1	6	7
Washington	2	3	5	1	1	2	2	1	3	.....	3	3	.....	.....	.....
Total 9th district	601	446	1,047	247	262	509	197	148	345	120	97	217	93	83	176
Total United States	44,700	36,938	81,638	20,655	17,803	38,458	12,546	11,176	23,722	7,582	7,099	14,681	5,352	5,161	10,513

TABLE IV.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, ACCORDING TO SEXES AND AGES.

Total under 5 years.			5 to 10 years.			10 to 15 years.			15 to 20 years.			20 to 25 years.			25 to 30 years.			30 to 40 years.		
Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
1,027	908	1,935	179	172	351	89	147	236	211	304	515	261	283	544	224	260	484	278	350	628
586	511	1,097	91	80	171	53	67	120	94	119	213	110	144	254	103	174	277	159	190	349
419	347	766	87	67	154	55	60	115	64	109	173	87	104	191	62	88	150	104	146	250
4,094	3,615	7,709	506	492	998	215	235	450	348	492	840	425	564	989	669	767	1,436	965	1,039	2,004
477	385	862	76	53	129	25	33	58	38	51	89	61	64	125	52	65	117	109	119	228
1,011	851	1,862	181	163	344	55	84	139	116	118	234	112	154	266	149	162	311	269	280	549
10,179	8,721	18,900	1,782	1,710	3,492	640	634	1,274	820	879	1,699	1,042	1,040	2,082	1,164	1,138	2,302	2,182	1,877	4,059
17,793	15,338	33,131	2,902	2,737	5,639	1,132	1,260	2,392	1,691	2,072	3,763	2,098	2,353	4,451	2,423	2,654	5,077	4,066	4,001	8,067
1,602	1,446	3,048	262	274	536	126	95	221	151	177	328	209	221	430	170	187	357	283	298	581
1,991	1,499	3,490	284	286	570	121	107	228	133	114	247	124	163	287	140	166	306	261	284	545
290	238	528	30	31	61	14	14	28	13	22	35	24	30	54	37	35	72	63	47	110
95	106	201	14	12	26	7	7	14	7	6	13	12	6	18	11	8	19	18	13	31
3,978	3,289	7,267	590	603	1,193	268	223	491	304	319	623	369	420	789	358	396	754	625	642	1,267
1,704	1,488	3,192	295	264	559	107	105	212	125	119	244	160	182	342	157	167	324	287	298	585
6,724	5,622	12,346	1,161	1,106	2,267	485	483	968	546	631	1,177	760	769	1,529	662	689	1,351	1,262	1,069	2,331
8,428	7,110	15,538	1,456	1,370	2,826	592	588	1,180	671	750	1,421	920	951	1,871	819	856	1,675	1,549	1,367	2,916
5,792	5,104	10,896	1,074	1,125	2,199	375	444	819	458	584	1,042	586	612	1,198	477	556	1,033	858	895	1,753
3,739	3,396	7,135	641	716	1,357	240	298	538	344	379	723	383	416	799	309	333	642	550	608	1,158
5,396	4,532	9,928	735	765	1,500	304	305	609	385	389	774	483	469	952	413	409	822	691	660	1,351
2,054	1,746	3,800	260	259	519	116	104	220	142	150	292	143	156	299	165	138	303	229	301	530
373	369	742	55	57	112	40	27	67	33	25	58	50	35	85	56	38	94	95	62	157
17,354	15,147	32,501	2,765	2,922	5,687	1,075	1,178	2,253	1,362	1,527	2,889	1,645	1,688	3,333	1,420	1,474	2,894	2,423	2,526	4,949
248	239	487	41	48	89	27	24	51	27	39	66	35	40	75	25	37	62	54	43	97
1,631	1,474	3,105	229	194	423	109	98	207	138	170	308	195	204	399	146	183	329	288	282	570
305	260	565	37	35	72	12	21	33	30	33	63	21	35	56	36	42	78	71	45	116
5,181	4,440	9,621	696	729	1,425	374	429	803	462	548	1,010	543	608	1,151	385	496	881	672	898	1,570
3,058	2,676	5,734	353	374	727	217	254	471	254	304	558	307	347	654	231	327	558	382	481	863
10,423	9,089	19,512	1,356	1,380	2,736	739	826	1,565	911	1,094	2,005	1,101	1,234	2,335	823	1,085	1,908	1,467	1,749	3,216
4,074	3,361	7,435	683	635	1,318	326	367	693	349	493	842	433	533	966	346	358	704	550	592	1,142
3,679	3,135	6,814	509	477	986	295	303	598	373	448	821	428	516	944	315	429	744	524	609	1,133
4,723	3,980	8,703	661	680	1,341	281	312	593	397	393	790	542	468	1,010	454	390	844	777	621	1,398
12,476	10,476	22,952	1,853	1,792	3,645	902	982	1,884	1,119	1,334	2,453	1,403	1,517	2,920	1,115	1,177	2,292	1,851	1,822	3,673
2,346	2,168	4,514	346	305	651	173	218	391	219	251	470	236	242	478	185	157	342	305	367	672
3,394	2,887	6,281	296	358	654	229	239	468	285	306	591	336	361	697	235	290	525	433	451	884
370	340	710	82	59	141	48	35	83	32	37	69	65	53	118	43	52	95	80	64	144
3,335	2,779	6,114	376	369	745	233	246	479	321	300	621	426	376	802	267	267	534	436	477	913
9,445	8,174	17,619	1,100	1,091	2,191	683	738	1,421	857	894	1,751	1,063	1,032	2,095	730	766	1,496	1,254	1,359	2,613
3,099	2,720	5,819	441	439	880	263	275	538	295	325	620	371	372	743	286	283	569	472	449	921
2,502	2,237	4,739	437	429	866	213	214	427	288	292	580	516	288	804	558	305	863	981	480	1,461
1,890	1,683	3,573	410	385	795	277	244	521	304	310	614	370	316	686	239	231	470	419	421	840
2,189	1,878	4,067	315	325	640	186	187	373	267	282	549	357	295	652	343	231	574	491	394	885
9,680	8,518	18,198	1,603	1,578	3,181	939	920	1,859	1,154	1,209	2,363	1,614	1,271	2,885	1,426	1,050	2,476	2,363	1,744	4,107
81	64	145	15	18	33	4	8	12	5	11	16	4	9	13	16	9	25	12	16	28
778	639	1,417	127	121	248	30	30	60	47	40	87	139	70	209	289	82	371	565	130	695
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
253	230	483	32	29	61	24	20	44	25	38	63	55	38	93	56	39	95	99	65	164
140	95	235	7	10	17	5	.....	5	4	6	10	14	7	21	14	5	19	12	13	25
5	8	13	2	3	5	.....	1	1	.....	3	3	2	2	4	5	1	6	7	4	11
1,258	1,036	2,294	183	181	364	63	59	122	81	98	179	214	126	340	380	136	516	695	229	924
90,835	78,177	169,012	13,808	13,654	27,462	6,393	6,774	13,167	8,150	9,297	17,447	10,427	10,592	21,019	9,494	9,594	19,088	16,293	15,439	31,732

TABLE IV.—DEATHS IN THE YEAR ENDING JUNE 1, 1860, &c.—Continued.

STATES.	40 TO 50 YEARS.			50 TO 60 YEARS.			60 TO 70 YEARS.			70 TO 80 YEARS.			80 TO 90 YEARS.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
Maine	242	244	486	264	221	485	337	306	643	368	335	703	258	230	488
New Hampshire	149	140	289	183	156	339	191	180	371	252	250	502	169	231	400
Vermont	101	138	239	118	138	256	152	146	298	214	180	394	148	143	291
Massachusetts	834	763	1,597	764	627	1,391	738	682	1,420	686	732	1,418	363	477	840
Rhode Island	85	82	167	84	75	159	102	84	186	76	98	174	53	60	113
Connecticut	252	182	434	233	183	416	286	245	531	276	269	545	177	209	386
New York	1,814	1,333	3,147	1,599	1,088	2,687	1,576	1,216	2,792	1,358	1,202	2,560	749	740	1,489
Total 1st district	3,477	2,882	6,359	3,245	2,488	5,733	3,382	2,859	6,241	3,230	3,066	6,296	1,917	2,090	4,007
Michigan	262	227	489	312	168	480	258	168	426	192	134	326	70	55	125
Wisconsin	226	190	416	209	165	374	194	126	320	139	93	232	58	46	104
Minnesota	49	44	93	35	26	61	18	13	31	13	9	22	7	5	12
Nebraska	18	8	26	10	10	20	6	2	8	1	.....	1	1	1	2
Total 2d district	555	469	1,024	566	369	935	476	309	785	345	236	581	136	107	243
New Jersey	294	172	466	232	172	404	260	160	420	233	210	443	121	129	250
Pennsylvania	1,075	783	1,858	1,009	644	1,653	1,048	783	1,831	925	819	1,744	465	470	935
Total 3d district	1,369	955	2,324	1,241	816	2,057	1,308	943	2,251	1,158	1,029	2,187	586	599	1,185
Ohio	776	604	1,380	676	489	1,165	703	541	1,244	631	504	1,135	370	275	645
Indiana	455	376	831	422	314	736	389	282	671	245	219	464	108	102	210
Illinois	578	399	977	526	338	864	425	295	720	243	204	447	100	86	186
Iowa	218	148	366	206	140	346	178	123	301	100	86	186	48	23	71
Kansas	55	38	93	59	22	81	31	13	44	18	9	27	4	2	6
Total 4th district	2,082	1,565	3,647	1,889	1,303	3,192	1,726	1,254	2,980	1,237	1,022	2,259	630	488	1,118
Delaware	42	40	82	37	27	64	32	37	69	36	32	68	10	17	27
Maryland	287	233	520	249	193	442	240	207	447	201	161	362	97	96	193
District of Columbia	54	30	84	48	27	75	39	25	64	28	21	49	12	10	22
Virginia	657	634	1,291	645	555	1,200	741	625	1,366	612	508	1,120	326	354	680
North Carolina	332	348	680	322	307	629	300	358	658	291	272	563	162	188	350
Total 5th district	1,372	1,285	2,657	1,301	1,109	2,410	1,352	1,252	2,604	1,168	994	2,162	607	665	1,272
Kentucky	450	406	856	434	345	779	398	271	669	310	250	560	184	166	350
Tennessee	423	411	834	370	297	667	365	288	653	254	270	524	162	144	306
Missouri	604	382	986	485	308	793	344	248	592	188	174	362	71	78	149
Total 6th district	1,477	1,199	2,676	1,289	950	2,239	1,107	807	1,914	752	694	1,446	417	388	805
South Carolina	257	264	521	239	223	462	272	245	517	215	165	380	98	112	210
Georgia	344	335	679	286	257	543	363	277	640	222	191	413	121	120	241
Florida	56	50	106	73	31	104	49	27	76	29	19	48	13	10	23
Alabama	386	351	737	319	239	558	328	251	579	190	196	386	74	83	157
Total 7th district	1,043	1,000	2,043	917	750	1,667	1,012	800	1,812	656	571	1,227	306	325	631
Mississippi	391	306	697	285	208	493	271	199	470	128	106	234	60	57	117
Louisiana	751	316	1,067	483	183	666	261	159	420	133	75	208	55	49	104
Arkansas	318	216	534	216	138	354	163	97	260	87	49	136	29	20	49
Texas	355	256	611	262	152	414	170	115	285	82	63	145	33	29	62
Total 8th district	1,815	1,094	2,909	1,246	681	1,927	865	570	1,435	430	293	723	177	155	332
Oregon	9	2	11	6	3	9	3	2	5	1	1	2	.....	1	1
California	259	48	307	148	31	179	48	21	69	19	5	24	5	3	8
Dakota	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Mexico	69	35	104	49	28	77	33	21	54	11	9	20	7	11	18
Utah	2	8	10	10	9	19	4	3	7	1	1	2	2	2	4
Washington	3	.....	3	3	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....
Total 9th district	342	93	435	218	71	289	88	48	136	32	16	48	14	17	31
Total United States	13,532	10,542	24,074	11,912	8,537	20,449	11,316	8,842	20,158	9,008	7,921	16,929	4,790	4,834	9,624