TABLE XII.

DEATHS IN CERTAIN GRAND GROUPS

(BY AGE AND SEX),

WITH

DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE.

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE AND SEX, WITH DISTINCTION OF IRISH AND GERMAN PARENTAGE, AND SPECIFICATION OF CAUSE.

GRAND GROUP 1.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9901	1624	611	328	278	194	3035	437	199	430	660	596	521	509	455	423	447	390	459	394	332	248	213	90	36	26	1
Total: Irish parents	M.	4550	804	288	146	137	84	1459	206	96	149	292	257	244	235	213	205	209	179	218	184	147	111	96	33	14	3	..
	F.	4697	676	270	162	115	89	1312	196	96	258	339	312	251	241	222	185	201	184	206	195	168	121	113	53	21	22	1
German parents	M.	386	81	26	14	19	12	152	10	3	11	16	18	13	21	13	18	28	17	22	8	11	11	1	3	....	1	....
	F.	268	63	27	6	7	9	112	16	4	12	13	9	13	12	7	15	9	10	13	7	6	5	3	1	1	....	....
Unknown causes.																												
Total		87	24	5	2	1	2	34	6	1	3	4	7	....	2	2	4	8	4	2	2	1	4	1	1	....	1	....
Irish parents	M.	50	13	3	2	1	2	21	2	1	2	2	4	....	1	1	3	4	1	1	2	1	2	....	1	....	1	....
	F.	32	8	2	....	....	....	10	4	....	1	2	1	....	1	1	1	4	3	1	....	....	2	1	....	....	....	....
German parents	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1985	510	292	156	141	109	1208	234	67	41	65	69	41	30	25	25	28	24	39	23	33	19	11	2	1	....	....
Irish parents	M.	869	239	141	63	66	48	557	97	26	11	30	30	18	12	7	10	10	10	15	6	16	11	1	2	....	....	....
	F.	944	217	125	83	61	50	536	117	39	27	32	34	21	17	16	7	15	13	23	15	16	6	9	....	1	....	....
German parents	M.	94	27	12	9	8	7	63	9	1	2	2	4	1	1	1	4	1	1	1	1	1	1	....	....	....	....	....
	F.	78	27	14	1	6	4	52	11	1	1	1	1	1	....	1	4	2	....	....	1	....	1	1	....	....	....	....
1. Small-pox:																												
Irish parents	M.	2	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	8	....	2	1	2	2	7	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	5	2	2	1	....	10	2	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	155	16	28	16	30	19	109	35	5	1	3	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	158	7	26	25	23	22	103	37	10	2	1	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....
German parents	M.	13	....	1	4	2	4	11	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	1	1	....	1	....	3	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	179	5	36	35	25	21	122	42	7	1	4	2	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	217	8	30	34	30	26	128	65	16	5	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	25	2	3	5	4	3	17	6	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	23	1	4	1	5	4	15	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	30	10	11	5	1	2	29	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	49	27	11	6	2	....	46	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	5	2	....	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	10	4	3	....	....	....	7	2	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	9	1	2	1	1	....	5	....	1	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	81	....	1	....	....	....	1	6	6	6	13	16	10	7	2	2	4	1	3	....	1	2	....	1	....	....	....
	F.	63	2	....	1	....	1	4	2	6	9	14	8	2	2	1	1	3	2	4	2	2	1	....	....	....	....	....
German parents	M.	7	....	....	....	....	....	....	1	....	1	....	2	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	57	26	6	....	2	1	35	....	....	....	2	....	....	2	....	3	2	1	5	1	3	2	....	1	....	....	....
	F.	52	25	11	2	....	..	38	....	....	....	....	....	....	1	1	1	3	....	1	4	2	....	1	....	....	....	....
German parents	M.	7	4	1	..	....	....	5	....	....	....	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	12	7	2	....	....	....	9	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....
10. Dysentery:																												
Irish parents	M.	47	7	5	2	2	....	16	4	1	....	1	3	4	....	3	2	1	....	3	2	4	3	....	....	....	....	....
	F.	59	7	5	3	1	....	16	5	2	....	1	1	1	2	2	3	4	2	5	4	3	4	3	....	1	....	....
German parents	M.	5	1	1	....	....	....	2	....	....	....	....	1	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	4	1	2	....	....	....	3	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	46	14	2	1	2	1	20	2	3	2	2	5	1	1	....	2	....	3	2	....	2	1	....	....	....	....	....
	F.	34	9	1	2	....	....	12	1	2	2	1	1	1	....	1	1	2	2	2	3	1	....	2	....	....	....	....
German parents	M.	3	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	12	2	1	....	....	....	3	1	....	....	....	....	2	....	....	....	1	2	....	1	1	1	....	....	....	....	....
	F.	28	1	1	....	....	1	3	....	1	1	1	2	3	1	1	1	....	1	8	....	4	....	1	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	191	143	44	2	....	2	191	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	163	119	36	6	2	....	163	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	19	14	5	....	....	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	9	3	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	17	3	....	....	2	....	5	2	....	....	3	1	....	....	....	1	....	1	....	1	2	....	1	....	....	....	....
	F.	15	....	....	....	....	....	....	1	....	2	2	2	....	....	2	....	1	2	1	....	1	1	....	....	....	....	....
German parents	M.	4	1	....	....	....	....	1	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	13	5		1			6					1	1				2		1	1		1					
	F.	19	4			1		5	1	1		2		2	1	3		1	1	1		1						
German parents	M.	2				1		1									1											
	F.	2	1					1				1																
16. Septicæmia:																												
Irish parents	M.	8								2		1	1		2	2												
	F.	10									2	2	2	1		2			1									
German parents	M.																											
	F.																											
17. Puerperal septicæmia:																												
Irish parents	F.	37									1	8	8	8	8	3			1									
German parents	F.	3											1	1			1											
18. Venereal diseases:																												
Irish parents	M.	3	2					2				1																
	F.	5											3	1				1										
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.	9	2	1				3		1	1		1						1			1	1					
	F.	11	2		1			3			1		1						1	1	2	1		1				
German parents	M.	2	1					1			1																	
	F.	1																			1							
General diseases—B.																												
Total		128	56	3	2	2	1	64			1	3	6	7	10	6	10	10	4	4	1	1			1			
Irish parents	M.	65	24	2	2			28				2	4	4	6	2	6	6	3	2	1	1						
	F.	55	26	1		2	1	30				1	2	3	4	4	4	4	1	1					1			
German parents	M.	5	4					4												1								
	F.	3	2					2			1																	
1. Worms:																												
Irish parents	M.	2			2			2																				
	F.	1					1	1																				
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	35										2	4	4	6	2	6	4	3	2	1	1						
	F.	21										1	2	2	4	3	4	3	1	1								
German parents	M.																											
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	2																2										
	F.	1				1		1																				
German parents	M.	1																		1								
	F.																											
6. Inanition:																												
Irish parents	M.	26	24	2				26																				
	F.	32	26	1		1		28						1		1		1							1			
German parents	M.	4	4					4																				
	F.	3	2					2			1																	
General diseases—C.																												
Total		893	426	16	5	2	1	450	5	5	2	3	7	1	1	3	8	4	11	17	31	66	78	106	48	24	23	
Irish parents	M.	399	230	8	3	1		242	2	1		1	3		1	2	5		4	3	9	32	31	40	15	6	2	
	F.	452	167	8	2	1	1	179	2	4	2	2	4	1		1	3	4	6	12	22	32	45	64	32	17	20	
German parents	M.	20	15					15	1											1		1	1				1	
	F.	22	14					14											1	1		1	1	2	1	1		
1. Premature birth:																												
Irish parents	M.	57	57					57																				
	F.	29	29					29																				
German parents	M.	2	2					2																				
	F.	5	5					5																				
2. Stillborn:																												
Irish parents	M.	106	106					106																				
	F.	57	57					57																				
German parents	M.	5	5					5																				
	F.	5	5					5																				
3. Malformation:																												
Irish parents	M.	5	5					5																				
	F.	6	6					6																				
German parents	M.	3	3					3																				
	F.																											
4. Debility:																												
Irish parents	M.	122	62	3	3	1		74	2	1		1	3		1	2	5		4	3	7	7	4	6	1		1	
	F.	154	75	3	2	1	1	87	2	4	2	2	4	1		1	3	4	6	5	9	8	6	4	3	2	1	
German parents	M.	6	5					5	1																			
	F.	6	4					4														1	1					
5. Old age:																					2	25	27	34	14	6	1	
Irish parents	M.	109																										
	F.	206																		7	13	24	39	60	29	15	19	
German parents	M.	4																		1		1	1				1	
	F.	6																	1	1				2	1	1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		2791	91	49	26	19	8	193	31	41	281	409	324	259	226	200	167	181	113	130	102	68	31	23	6	4	1	1
Irish parents	M.	1194	45	22	13	11	2	94	12	17	90	172	131	126	92	82	70	81	57	69	43	25	12	15	2	3		
	F.	1452	40	21	11	8	6	86	17	23	178	221	187	122	116	113	84	85	50	48	52	41	15	8	3	1	1	1
German parents	M.	82	5	4	2			11	2		5	7	3	4	10	3	8	14	2	7	2	1	2		1			
	F.	63	1	1				2		1	8	9	3	7	8	2	5	1	4	6	5	1	1					
1. Rheumatism:																												
Irish parents	M.	19				1		1		1		2	2	1	1	2		2	1	2	1	2			1			
	F.	27								3	2	1	2	1		2	1	1	2	2	3	5		1			1	
German parents	M.	2													1	1												
	F.	1								1																		
2. Scrofula and tabes:																												
Irish parents	M.	14	5	1	2			8	1			1	1					1	2									
	F.	13	2		1		1	4		1	2		1	1	3				1									
German parents	M.	1	1					1																				
	F.	1																	1									
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	976	15	9	4	1	1	30	5	12	88	166	125	119	86	75	62	59	42	48	29	13	7	9	1			
	F.	1141	10	9	3	5		27	9	18	168	216	178	113	101	79	52	57	27	26	31	22	11	3	2	1		
German parents	M.	49	2	1				3			4	7	3	3	6	2	6	8	1	3	1	1	1					
	F.	42									8	9	3	6	5	1	4			2	3		1					
5. Hydrocephalus:																												
Irish parents	M.	54	20	12	6	9		47	3	2					1							1						
	F.	53	24	11	6	3	4	48	3				1															1
German parents	M.	7	1	3	2			6	1																			
	F.	1		1				1																				
6. Cancer:																												
Irish parents	M.	74	2					2	1	1		1	1	3	3	2	6	10	6	11	11	7	2	5		2		
	F.	134	2					2					2	2	9	20	27	21	16	10	11	8	2	4				
German parents	M.	13												1	2		2	4		2	1				1			
	F.	13												1	3	1	1	1	2	2	1	1						
7. Tumor:																												
Irish parents	M.	8									1		1			1		1	1	2		1						
	F.	19							1		2			1	2	3	2	3	1	1	1	1			1			
German parents	M.	2	1					1										1										
	F.	3	1					1											1		1							
8. Anæmia:																												
Irish parents	M.	8	1		1		1	3						1			1	1					1			1		
	F.	10	1	1	1			3	1		1	1		1	1	1					1							
German parents	M.	2																		1			1					
	F.																											
9. Dropsy:																												
Irish parents	M.	36	2					2	2	1		2	1	2	1	1	1	6	4	6	2	1	3	1				
	F.	40							3	1	1	2	1	3		6	1	2	3	6	5	4	2					
German parents	M.	6							1		1				1			1	1	1								
	F.	2																		2								
10. Glycosuria:																												
Irish parents	M.	4									1					1		1	1									
	F.	11					1	1			2	1	2			2		1		2								
German parents	M.																											
	F.																											
11. Others of this group:																												
Irish parents	M.	1		1				1																				
	F.	4	1					1									1			1		1						
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		939	194	93	39	32	15	373	47	25	17	23	22	39	38	36	36	33	44	55	51	43	28	18	11			
Irish parents	M.	455	98	40	16	18	5	177	27	15	9	10	9	13	20	19	20	17	19	28	27	20	9	13	3			
	F.	419	77	47	21	12	7	164	18	9	8	10	11	22	15	16	14	12	21	24	24	21	17	5	8			
German parents	M.	39	10	2	1	2	2	17	1			2	1	2	2			4	4	2		2	2					
	F.	26	9	4	1		1	15	1	1		1	1	2	1	1	2			1								
1. Inflammation of the brain:																												
Irish parents	M.	35	6	3	1	5	1	16	6	3	1		1		3	1	1	1	1		1							
	F.	21	1	9				10	4	1	1			2			1				1		1					
German parents	M.	3				1	1	2						1														
	F.	3	1				1	2							1													
2. Meningitis:																												
Irish parents	M.	62	17	16	5	4	2	44	7	4	2	1	1	1	1			1										
	F.	73	16	14	9	6	5	50	3	3	1	5	1	2	2	1	1	1			3							
German parents	M.	3		2			1	3																				
	F.	4	1	1				2					1	1														
3. Apoplexy:																												
Irish parents	M.	70	1	1		1		3				2	1	3	1	7	8	6	6	5	9	9	5	5				
	F.	78					1	1			1		1	5	4	4	6	7	8	14	9	10	5		9			
German parents	M.	11											1	1				4	3	1		1						
	F.	2												1						1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	77	1					1		1		2	1	4	4	6	3	3	7	15	9	9	3	6	3			
	F.	69		1			1	2					1	4	1	3	5	3	11	7	8	9	7	3	5			
German parents	M.	5	1					1				1							1	1		1						
	F.																											
5. Tetanus and trismus nascentium:																												
Irish parents	M.	7	3					3	1			1			1		1											
	F.	7	4					4	2						1													
German parents	M.	1										1																
	F.																											
6. Epilepsy:																												
Irish parents	M.	13								1	2	1	1	1	2	2	1		1					1				
	F.	13							1	3	1	3	1	1	1								1	1				
German parents	M.	2													1								1					
	F.	1															1											
7. Convulsions:																												
Irish parents	M.	103	62	11	8	5	2	88	5	2	1	2		1	3	1												
	F.	98	49	16	9	6		80	4		1	1	2	3	3	2						1	1					
German parents	M.	12	9		1	1		11	1																			
	F.	10	5	3	1			9	1																			
8. Mental diseases:																												
Irish parents	M.	11									1		1	1	1		1	2		2	2							
	F.	12								1	1			3	1	1	1		2				1	1				
German parents	M.																											
	F.	1								1																		
9. Diseases of the brain:																												
Irish parents	M.	72	8	9	2	3		22	8	4	1	1	3	2	4	2	5	3	3	5	6	1	1	1				
	F.	44	7	7	2			16	4	1	1		4	2	1	5	1	1		3	3	1	1					
German parents	M.	1													1													
	F.	4	2					2								1	1											
10. Diseases of the spinal cord:																												
Irish parents	M.	4									1							1	1	1								
	F.	3			1			1			1				1													
German parents	M.	1																					1					
	F.	1										1																
11. Others of this group:																												
Irish parents	M.	1																				1						
	F.	1											1															
German parents	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		506	17	2		1	1	21	12	11	14	31	29	26	45	44	37	35	43	49	46	26	22	10	4	1		
Irish parents	M.	226	8	1		1		10	6	2	9	15	15	11	24	18	20	11	16	20	22	14	8	5				
	F.	245	9				1	10	6	9	5	15	11	15	19	23	13	21	22	23	23	10	11	5	3	1		
German parents	M.	20		1				1				1	3			2	1	1	2	4	1	2	1		1			
	F.	15													2	1	3	2	3	2			2					
1. Angina pectoris:																												
Irish parents	M.	2											1			1												
	F.	1										1																
German parents	M.																											
	F.																											
2. Aneurism:																												
Irish parents	M.	8													2	1	4			1								
	F.	1																		1								
German parents	M.	1														1												
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	211	3	1		1		5	6	2	9	15	14	11	22	16	16	11	16	19	22	14	8	5				
	F.	236	6				1	7	6	9	5	14	11	14	19	22	13	21	20	22	25	10	13	5	3	1		
German parents	M.	18										1	3			1	1	1	2	4	1	2	1		1			
	F.	15													2	1	3	2	3	2			2					
4. Others of this group:																												
Irish parents	M.	5	5					5																				
	F.	7	3					3						1		1			2									
German parents	M.	1		1				1																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1431	233	117	73	61	44	528	54	15	30	45	44	54	69	61	70	67	85	88	77	61	40	27	10	5	1	
Irish parents	M.	678	109	53	33	30	17	242	29	7	7	20	20	29	42	30	38	35	41	36	38	22	20	14	4	4		
	F.	655	105	53	35	24	21	238	20	6	22	23	18	22	24	27	30	28	39	47	37	36	18	13	5	1	1	
German parents	M.	57	10	3	2	6	2	23	2	1		1	5	2	3	3	1	2	5	3	2	1	2		1			
	F.	41	9	8	3	1	4	25	3	1	1	1	1	1		1	1	2		2		2						
1. Croup:																												
Irish parents	M.	76	15	13	10	16	8	62	13	1																		
	F.	65	8	12	15	12	10	57	8																			
German parents	M.	10	3		1	3	2	9	1																			
	F.	9	2	1	1		4	8	1																			
2. Laryngitis:																												
Irish parents	M.	6			1	1		2							1		1	1			1							
	F.	4		1	1	1		3						1														
German parents	M.																											
	F.	1								1																		
3. Bronchitis:																												
Irish parents	M.	129	48	10	6	3	4	71	2	1				4	1		4	6	6	4	6	12	3	5	3	1		
	F.	128	40	11	3	2	1	57	2		3	2		3	2	1	1	6	8	8	8	12	7	5	3			
German parents	M.	8	4	1		1		6						1									1					
	F.	8	5	1	1			7	1																			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	409	39	28	14	9	5	95	10	3	7	18	15	22	35	26	29	28	31	27	27	9	16	7	1	3		
	F.	387	50	27	15	6	8	106	8	4	17	19	14	15	19	24	24	20	25	27	24	20	10	7	2	1	1	
German parents	M.	33	3	2	1	1		7	1	1		1	5	1	1	3		1	5	3	2	1			1			
	F.	18	2	6		1		9	1		1		1	1		1		1		2		1						
5. Pleurisy:																												
Irish parents	M.	16			1			1		1		2	2	1	2	2	2		3									
	F.	16							1			1	2	1	2		1		2	5		1						
German parents	M.																											
	F.	1										1																
6. Asthma:																												
Irish parents	M.	7											1			1			1	1	2			1				
	F.	17	1					1						1		2	3		2	4		2	1	1				
German parents	M.	2													1			1										
	F.	1																1										
7. Others of this group:																												
Irish parents	M.	35	7	2	1	1		11	4	1			2	2	3	1	2			4	2	1	1	1				
	F.	38	6	2	1	3	2	14	1	2	2	1	2	1	1		1	2	2	3	5	1						
German parents	M.	4				1		1							1		1						1					
	F.	3			1			1									1					1						
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		366	52	24	8	4	2	90	5	3	6	19	23	16	23	18	29	30	25	25	28	10	8	6	2			
Irish parents	M.	179	29	10	2	1	1	43	3	2	4	8	13	5	10	9	12	15	15	12	15	2	6	3	2			
	F.	104	17	10	5	3		35	1		2	11	9	10	11	8	16	14	9	12	13	8	2	3				
German parents	M.	21	6	4			1	11	1	1			1	1	2	1	1	1	1									
	F.	2			1			1												1								
1. Dentition:																												
Irish parents	M.	18	10	7		1		18																				
	F.	15	9	5	1			15																				
German parents	M.	5	1	4				5																				
	F.																											
2. Angina:																												
Irish parents	M.	1			1			1																				
	F.	4		2	1			3														1						
German parents	M.																											
	F.																											
3. Gastritis:																												
Irish parents	M.	12		1				1			2	1				1	2	1		2	1	1						
	F.	19		1				1				1		1	1	1	3	2	2	1	1	5						
German parents	M.	1	1					1																				
	F.																											
4. Other diseases of the stomach:																												
Irish parents	M.	10											2				1	1	3	1	1		1					
	F.	12	1	1				2						2	1	1		2		1	2	1						
German parents	M.	3	1				1	2										1										
	F.	1			1			1																				
5. Obstruction of the bowels:																												
Irish parents	M.	13	3					3				1	1	1	1		1		2	1	1		1					
	F.	9	1					1						1				2		1	2	1		1				
German parents	M.																											
	F.																											
6. Hernia:																												
Irish parents	M.	11	2					2				1					1	1			2		1	2	1			
	F.	5												1	2	1				1								
German parents	M.																											
	F.																											
7. Other diseases of the bowels:																												
Irish parents	M.	5	2	1				3	1							1												
	F.	4				1		1			1	1								1								
German parents	M.	1	1					1																				
	F.																											
8. Jaundice:																												
Irish parents	M.	4	2					2							1						1							
	F.	3				1		1				1											1					
German parents	M.																											
	F.																											
9. Inflammation and abscess of the liver:																												
Irish parents	M.	6										1			1				1	2	1							
	F.	11							1			1	1	1		2	2	2		1								
German parents	M.	2															1		1									
	F.	1																		1								
10. Other diseases of the liver:																												
Irish parents	M.	36		1				1		1			5	2	1	2	6	5	4	4	4		1					
	F.	40	1					1				2	5		2	2	8	3	5	4	8							
German parents	M.	3											1		1	1												
	F.																											
11. Peritonitis:																												
Irish parents	M.	41	4				1	5	2	1	2	4	3	2	6	4	1	4	4	1	2							
	F.	30	3		2	1		6			1	5	3	4	4	1		2	1	2			1					
German parents	M.	4							1	1				1	1													
	F.																											
12. Ascites:																												
Irish parents	M.	7														1			1	1			2	1	1			
	F.	6													1		3	1	1									
German parents	M.																											
	F.																											
13. Others of this group:																												
Irish parents	M.	15	6		1			7					2					3			2	1						
	F.	6	2	1	1			4																2				
German parents	M.	2	2					2																				
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	221	1	2	1	4	1	9	6	2	7	12	12	20	13	13	12	19	17	21	22	12	13	6	4	1		
Irish parents M.	120	1	2		1		4	2	2	2	6	5	11	6	10	6	8	5	13	15	7	9	4	4	1		
Irish parents F.	84			1	3	1	5	3		5	6	7	8	6	2	5	9	9	8	5	2	3	1				
German parents M.	11							1					1	1	1	1	1	1		1	1	1	1				
German parents F.	6																1	2		1	2						
1. Bright's disease:																											
Irish parents M.	65								1	2	5	4	8	5	3	3	6	3	7	9	4	3	2				
Irish parents F.	57				1	1	2	2		3	3	5	6	4	2	3	7	8	5	3	2	2					
German parents M.	3															1	1						1				
German parents F.	5																1	2		1	1						
2. Calculus, urinary:																											
Irish parents M.	2								1															1			
Irish parents F.	1																			1							
German parents M.																											
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	24		2		1		3	2			1		2		6	2			3	1	2	1		1			
Irish parents F.	18				1		1	1		2	3	1	2	1			1	1	3	1		1					
German parents M.	6							1					1	1	1					1		1					
German parents F.	1																				1						
4. Diseases of the bladder:																											
Irish parents M.	21	1					1								1	1	2	1	3	4	1	3	2	1	1		
Irish parents F.	2															1							1				
German parents M.	2																	1			1						
German parents F.																											
5. Others of this group:																											
Irish parents M.	8											1	1	1				1		1		2		1			
Irish parents F.	6			1	1		2					1		1		1	1										
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	16			1			1				2		4	3	1	2		2	1								
Irish parents F.	15			1			1				2		3	3	1	2		2	1								
German parents F.	1												1														
1. Ovarian tumors:																											
Irish parents F.	2													1		1											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.	1			1			1																				
German parents F.																											
3. Uterine tumors:																											
Irish parents F.	4													1		1		1	1								
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	4										1		1	1				1									
German parents F.																											
5. Others of this group:																											
Irish parents F.	4										1		2		1												
German parents F.	1												1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	76							1		2	6	24	21	14	6	2											
Irish parents F.	72							1		2	5	23	20	14	5	2											
German parents F.	4										1	1	1		1												
1. Abortion:																											
Irish parents F.	3												1	2													
German parents F.	1														1												
2. Child-birth:																											
Irish parents F.	58									2	4	20	15	10	5	2											
German parents F.	3										1	1	1														
3. Others of this group:																											
Irish parents F.	11							1			1	3	4	2													
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	31			1	3		4	2	4		5	4	1	3	2	1		4			1						
Irish parents M.	19			1	3		4	1	3		2	2	1		2	1		3									
Irish parents F.	11								1		3	2		3				1			1						
German parents M.	1							1																			
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.	11			1	1		2				2	1	1		2			3									
Irish parents F.	6										2			3				1									
German parents M.	1							1																			
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 1—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.	4				1		1	1	1							1											
	F.	4										1	2									1						
German parents	M.																											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.	4				1		1		2			1															
	F.	1								1																		
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		25	3				1	4		1	2	3	1	2	1	2	2	2	2	3								
Irish parents	M.	9	1				1	2				1		2		1	1	1		1								
	F.	16	2					2		1	2	2	1		1	1	1	1	2	2								
German parents	M.																											
	F.																											
1. Abscess:																												
Irish parents	M.	7	1				1	2				1		1			1	1		1								
	F.	13	2					2		1	2	2	1		1		1	1	1	1								
German parents	M.																											
	F.																											
2. Carbuncle:																												
Irish parents	M.	1														1												
	F.	1																		1								
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.	1												1														
	F.	2														1			1									
German parents	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		2															1					1						
Irish parents	M.	1															1											
	F.																											
German parents	M.	1																				1						
	F.																											
1. Addison's disease:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.	1																				1						
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		404	17	8	14	8	9	56	34	24	24	30	24	30	31	36	17	30	12	25	11	9	5	5	1			
Irish parents	M.	286	7	5	11	4	8	35	25	20	15	23	21	24	21	30	12	21	5	18	6	7	2	1				
	F.	81	8	3	3	1	1	16	7	4	4	4	2	4	7	4	3	4	6	4	4	1	2	4	1			
German parents	M.	32	1			3		4	1		4	3	1	2	2	2	2	4	1	3	1	1	1					
	F.	5	1					1	1		1				1			1										
1. Burns and scalds:																												
Irish parents	M.	17		3	4	2		9	2	2		1		1	1							1						
	F.	20	1	1	2	1		5	2	2	3		1	1	1	1		1	2	1								
German parents	M.	5				2		2					1				2											
	F.																											
2. Drowned:																												
Irish parents	M.	53		1	2		3	6	10	6	4	3	5	2	2	4	2	3	2		3	1						
	F.	7		1	1			2	1								3	1										
German parents	M.	6				1		1			1			2						1	1							
	F.																											
3. Exposure and neglect:																												
Irish parents	M.	6			1			1								1		1		2		1						
	F.	2	1					1								1												
German parents	M.																											
	F.																											
4. Gunshot wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.	1										1																
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP I—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	2									1					1												
	F.	1											1															
German parents	M.																											
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.	1														1												
	F.																											
8. Railroad accidents:																												
Irish parents	M.	41							4	1	3	6	4	6	4	4	2	2		1	1	2	1					
	F.	5							1			1						1	1						1			
German parents	M.	2													1				1									
	F.																											
9. Suffocation:																												
Irish parents	M.	11	2				2	4		1			1	2		1		1					1					
	F.	6	4					4							1	1												
German parents	M.	1																1										
	F.	3							1		1							1										
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	1									1																	
	F.																											
11. Suicide by drowning:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Other suicides:																												
Irish parents	M.	9									1	1	1	1	1	1	1	1						1				
	F.	4										2		2														
German parents	M.	5										1			1			1		1		1						
	F.																											
14. Sunstroke:																												
Irish parents	M.	4								1		1				1				1								
	F.	1	1					1																				
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.	2							1							1												
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.	4								1							2			1								
	F.	1							1																			
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	136	5	1	4	2	3	15	8	8	6	11	10	12	13	16	5	12	3	13	2	2						
	F.	34	1	1			1	3	2	2	1	1		1	5	1		1	3	3	4	1	2	4				
German parents	M.	10	1					1	1		2	1				1		2		1			1					
	F.	2	1					1							1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		27043	5841	1894	920	626	473	9754	950	366	622	1167	1348	1340	1596	1484	1497	1428	1230	1076	1011	836	623	409	195	63	38	10
Total: Irish parents	M.	7803	1627	519	231	192	130	2699	289	115	184	327	411	390	521	465	454	401	366	340	275	240	183	78	34	16	9	6
	F.	8035	1279	492	235	184	122	2312	208	110	213	395	487	482	547	487	468	395	334	329	324	297	198	199	112	28	17	3
German parents	M.	6235	1597	469	231	123	124	2544	209	75	109	227	244	248	316	316	369	387	333	237	239	163	123	64	21	7	4	....
	F.	4970	1338	414	223	127	97	2199	154	66	116	218	206	220	212	216	266	245	197	170	173	136	119	68	28	12	8	1
Unknown causes.																												
Total		98	28	5	2	2	....	37	5	....	....	4	....	2	4	4	9	5	3	6	9	5	....	....	1	1	....	3
Irish parents	M.	23	5	2	....	2	....	9	2	....	....	1	....	....	1	1	1	2	....	....	2	2	....	....	....	....	....	2
	F.	22	6	2	....	....	....	8	2	....	....	....	....	1	1	....	2	1	1	1	3	2	....	....	....	....	....	....
German parents	M.	30	13	1	2	....	....	16	....	....	....	....	....	....	2	1	3	2	2	1	3	....	....	....	....	....	....	....
	F.	23	4	....	....	....	....	4	1	....	....	3	....	1	....	2	3	....	....	4	1	1	....	....	1	1	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		5357	1644	765	389	311	240	3349	445	92	96	148	158	134	147	111	112	90	107	81	105	72	57	31	13	6	3	....
Irish parents	M.	1406	422	212	111	97	64	906	126	33	23	28	23	31	29	30	28	21	28	18	31	17	19	9	3	1	2	....
	F.	1514	342	208	104	91	69	814	150	22	24	50	74	60	53	35	39	24	32	23	34	30	21	16	8	5	....	....
German parents	M.	1204	449	172	88	56	53	818	91	18	25	25	24	10	23	21	29	25	25	24	23	9	10	3	1	....	....	....
	F.	1233	431	173	86	67	54	811	78	19	24	45	37	33	42	25	16	20	22	16	17	16	7	3	1	....	1	....
1. Small-pox:																												
Irish parents	M.	2	....	....	1	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	4	1	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	1	1	....	....	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	52	18	17	8	4	1	48	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	7	20	5	5	5	42	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	33	9	10	8	4	1	32	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	27	7	9	4	1	3	24	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	140	9	24	29	22	20	104	24	10	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	143	5	21	25	25	14	90	41	7	1	1	1	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....
German parents	M.	115	7	11	18	22	17	75	33	4	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	100	7	18	14	17	17	73	21	4	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	243	19	36	40	49	28	172	62	4	1	....	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	256	12	35	49	44	32	172	71	6	....	1	2	1	....	1	1	1	....	....	....	....	....	....	....	....	....	....
German parents	M.	147	4	21	32	20	25	102	37	4	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....
	F.	179	8	24	37	37	25	131	38	5	1	....	....	....	1	1	1	....	....	....	....	....	....	1	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	44	23	11	5	2	2	43	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	61	25	23	4	2	4	58	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	27	16	6	3	....	2	27	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	36	16	13	5	1	....	35	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	26	5	5	2	2	....	14	5	3	....	2	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....
	F.	20	4	2	1	3	2	12	1	2	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	27	5	6	2	2	2	17	2	....	1	1	....	....	2	....	....	1	....	1	1	....	1	....	....	....	....	....
	F.	20	5	2	1	....	1	9	5	1	....	....	1	....	2	....	2	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	58	....	....	....	1	1	2	....	3	6	11	7	7	4	4	5	3	1	....	2	2	1	....	....	....	....	....
	F.	47	....	2	....	....	....	2	1	2	3	6	4	5	3	3	5	2	6	....	....	3	1	1	....	....	....	....
German parents	M.	76	....	1	....	1	....	2	4	5	12	10	10	5	4	3	9	4	2	3	2	....	1	....	....	....	....	....
	F.	74	....	....	2	....	1	3	3	5	8	11	6	9	8	2	3	6	3	1	3	3	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	136	49	31	2	3	....	85	1	....	2	2	2	3	1	4	4	1	5	6	5	9	2	3	....	....	1	....
	F.	122	44	9	5	1	....	59	3	....	....	....	5	3	1	4	7	2	4	5	9	8	6	4	2	....	....	....
German parents	M.	174	109	25	3	1	3	141	....	....	....	....	1	....	2	4	1	3	1	7	9	3	....	1	1	....	....	....
	F.	153	103	23	6	1	1	134	....	....	....	....	3	1	1	1	....	1	2	2	2	4	....	....	1	....	1	....
10. Dysentery:																												
Irish parents	M.	94	25	12	4	8	3	52	8	1	2	2	2	1	2	4	3	1	5	1	5	2	2	1	....	....	....	....
	F.	112	24	16	3	3	1	47	5	2	2	3	5	3	5	2	4	4	4	9	3	5	3	3	1	2	....	....
German parents	M.	83	26	20	4	1	1	52	4	3	2	1	2	1	2	....	2	5	3	1	1	2	2	....	....	....	....	....
	F.	74	28	17	3	2	....	50	2	....	....	2	....	1	2	2	3	1	2	2	1	4	1	1	....	....	....	....
11. Enteritis:																												
Irish parents	M.	66	22	11	1	1	....	35	3	4	1	2	....	2	4	3	2	2	3	2	2	1	....	....	....	....	....	....
	F.	78	28	4	1	1	2	36	3	1	4	3	3	2	2	2	6	2	4	....	2	5	1	....	2	....	....	....
German parents	M.	84	36	18	1	....	....	55	1	1	2	2	3	....	1	1	5	1	4	3	3	1	1	....	....	....	....	....
	F.	68	24	9	1	1	2	37	1	....	4	1	....	4	2	2	2	3	4	2	2	1	3	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	34	....	....	....	....	....	....	4	....	1	1	2	2	3	3	2	1	2	4	4	....	2	1	2	....	....	....
	F.	40	1	....	1	....	....	2	1	1	....	2	2	....	1	1	4	6	5	4	6	1	....	3	1	....	....	....
German parents	M.	23	1	....	....	1	....	2	2	....	1	1	....	....	2	6	1	2	2	2	....	....	2	....	....	....	....	....
	F.	22	....	....	....	....	....	....	....	....	....	1	2	1	....	2	1	2	3	3	6	....	1	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	286	220	55	8	1	2	286	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	253	175	68	5	1	4	253	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	274	214	49	8	2	1	274	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	270	215	48	6	1	....	270	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Malarial fever:																												
Irish parents	M.	133	13	7	9	3	6	38	13	8	6	5	5	6	7	6	7	8	7	1	7	1	6	1	....	....	1	....
	F.	123	7	1	3	3	4	18	18	1	6	4	8	7	9	12	7	4	5	4	9	6	3	1	....	1	....	....
German parents	M.	70	10	3	7	2	1	23	5	....	3	4	3	1	2	3	3	2	9	2	4	1	3	2	....	....	....	....
	F.	74	2	3	5	2	3	15	3	4	6	5	8	3	7	6	1	4	4	5	1	1	1	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	37	8	1	1			10			1	2	1	4	3	3	1	2	2	3	3			1	1			
	F.	36	5	1	1			7	1		1	4	1		3	2	1	3	1		3	2	3	2	2			
German parents	M.	26	7	1	1			9	1		1	1	1		2	2	4	2		2	1							
	F.	24	9	2			1	12				2	2			3	1	1	1		2							
16. Septicæmia:																												
Irish parents	M.	13	3	1	1		1	6				1			1	1			1				3					
	F.	16		4		1		5			1		5	1		1			1				2					
German parents	M.	17	2		1			3	1			3	3	1			2	3	1									
	F.	11	1	1				2				1	1		4	2				1								
17. Puerperal septicæmia:																												
Irish parents	F.	137									4	23	37	37	29	7												
German parents	F.	67									2	21	14	13	14	3												
18. Venereal diseases:																												
Irish parents	M.	24	8					8	1		2			2	2		2	2	1	1	1	1	1					
	F.	14	3		1	2		6	1			1	1				1				1		1	1		1		
German parents	M.	12	1	1				2				1		1	3			1	1	1	1	1						
	F.	20	6	1	1	2		10			1	1				1	1	1	2			1	1	1				
19. Others of this group:																												
Irish parents	M.	18		1				1			1			2	2	2	1		1		2	1	2	2		1		
	F.	10	2				1	3				1					2				1		1	1		1		
German parents	M.	11								1					2		2	1	1	2	1	1						
	F.	9		2		2		4							1		1	1	1			1						
General diseases—B.																												
Total		269	100	4	1	3		108	1		1	7	16	21	22	21	21	10	20	10	5	3	2	1				
Irish parents	M.	111	33	1		1		35				3	7	10	11	9	10	5	11	3	2	3	1	1				
	F.	72	28	1				29			1	2	3	9	3	6	7	4	4	2	2							
German parents	M.	55	22	1				23				2	5	2	8	4	2	1	3	4	1							
	F.	31	17	1	1	2		21	1				1			2	2		2	1			1					
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1														1												
3. Alcoholism:																												
Irish parents	M.	65										2	6	9	11	7	9	4	10	3	2	2						
	F.	37										2	3	8	3	4	7	4	3	1	2							
German parents	M.	22										1	2	2	5	2	2	1	3	4								
	F.	5											1				2		1	1								
4. Lead poison:																												
Irish parents	M.	1										1																
	F.																											
German parents	M.																											
	F.	1														1												
5. Other poisons:																												
Irish parents	M.	10	1			1		2					1	1		2	1	1	1			1						
	F.	2												1		1												
German parents	M.	12	1	1				2				1	3		3	2					1							
	F.	3			1	1		2															1					
6. Inanition:																												
Irish parents	M.	35	32	1				33															1	1				
	F.	33	28	1				29			1					1			1	1								
German parents	M.	21	21					21																				
	F.	21	17	1		1		19	1										1									
General diseases—C.																												
Total		2805	1994	78	26	8	3	2109	5	4	2	5	8	6	9	14	16	11	20	16	52	107	140	143	89	25	24	
Irish parents	M.	743	565	16	7		1	589	1	1	1	3	2		1	3	7	4	3	3	11	25	36	27	15	8	3	
	F.	766	439	31	4	3	1	478	2	1	1	1	3	2	3	4	5		7	4	24	43	45	67	52	10	14	
German parents	M.	704	547	17	9	3	1	577	2	1				1	3	3	3	7	7	2	12	23	27	20	9	3	4	
	F.	592	443	14	6	2		465		1		1	3	3	2	4	1		3	7	5	16	32	29	13	4	3	
1. Premature birth:																												
Irish parents	M.	96	96					96																				
	F.	77	77					77																				
German parents	M.	55	55					55																				
	F.	51	51					51																				
2. Stillborn:																												
Irish parents	M.	346	346					346																				
	F.	276	276					276																				
German parents	M.	376	376					376																				
	F.	285	285					285																				
3. Malformation:																												
Irish parents	M.	11	10	1				11																				
	F.	4	4					4																				
German parents	M.	6	6					6																				
	F.	6	6					6																				
4. Debility:																												
Irish parents	M.	226	110	15	7		1	133	1	1	1	3	2		1	3	7	4	3	3	8	13	23	12	4	3	1	
	F.	253	81	30	4	3	1	119	2	1	1	1	3	2	3	4	5		7	4	12	23	21	24	13	2	6	
German parents	M.	204	105	16	8	3	1	133	2	1				1	3	3	3	7	7	2	9	12	11	7	1		2	
	F.	175	92	13	5	2		112		1		1	3	3	2	4	1		2	7	3	7	10	15	4			
5. Old age:																												
Irish parents	M.	61																			3	12	13	15	11	5	2	
	F.	154																			12	20	24	43	39	8	8	
German parents	M.	56																			3	11	16	13	8	3	2	
	F.	64																	1		2	9	22	14	9	4	3	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.	3	3					3																				
	F.	2	1	1				2																				
German parents	M.	7	5	1	1			7																				
	F.	11	9	1	1			11																				
General diseases—D.																												
Total		6428	223	153	66	33	32	507	60	73	309	648	711	644	680	603	553	451	369	310	231	146	72	38	12	6	1	4
Irish parents	M.	1872	68	43	15	11	15	152	24	13	89	190	225	191	217	161	156	111	95	103	64	44	19	9	6		1	2
	F.	2218	52	33	25	9	4	123	20	33	129	247	260	231	261	226	183	137	95	100	74	47	23	16	6	5		2
German parents	M.	1304	58	46	11	7	10	132	8	12	35	119	125	120	117	121	126	110	111	59	50	32	12	8		1		
	F.	1034	45	31	15	6	3	100	8	15	56	92	101	102	85	95	88	87	68	48	43	23	18	5				
1. Rheumatism:																												
Irish parents	M.	23					1	1	1					4		1	3	1	1	3	5	3						
	F.	38							3	2			2	2	6	2		4	2	3	4	3	2	1	1	1		
German parents	M.	18							2	1				4		1	3	1	1	2	1		1	1				
	F.	13									2		2	2		2	2	1		1	1							
2. Scrofula and tabes:																												
Irish parents	M.	17	5	2			2	9	1			1	1					1	1	2	1							
	F.	21	7	4	3			14		1							2	1			1	1	1					
German parents	M.	22	7	4	1	1		13			1				2		1	1	2			1	1					
	F.	16	9	1	1			11	1						2			1	1									
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	1570	17	15	4	4	4	44	12	11	88	188	221	180	207	147	130	92	76	77	43	32	10	5	5		1	1
	F.	1787	11	7	6	4	1	29	10	27	127	243	252	213	230	189	136	91	68	70	44	26	13	11	3	3		2
German parents	M.	965	6	8	3	4	3	24	2	5	31	118	122	106	112	101	99	91	68	34	30	16	2	3		1		
	F.	678	6	8	4	1	1	20	3	11	51	89	95	86	70	70	46	45	33	22	19	8	10					
5. Hydrocephalus:																												
Irish parents	M.	96	39	23	9	5	7	83	7							2	1	1				1	1					
	F.	74	27	20	18	3	2	65	4	1		1			1			1		1								
German parents	M.	91	35	29	7	1	4	76	3	5	1			2	1				2				1					
	F.	70	25	21	7	4	1	58	4	3	1		1				1			2								
6. Cancer:																												
Irish parents	M.	111				1		1		1		1	2	4	4	8	16	13	13	18	12	8	5	4	1			
	F.	226			1	1		2	1		1	2	2	13	19	27	39	35	22	23	21	10	5	2	2			
German parents	M.	146				1	1	2						6	1	16	19	18	34	17	15	10	4	4				
	F.	199				1	1	2		1		1	3	11	11	18	33	34	27	21	16	14	3	4				
7. Tumor:																												
Irish parents	M.	8	1			1		2						2	1				1		1		1					
	F.	13				1		1						2	1	3		2	1	1		1	1					
German parents	M.	8	2	1				3			1		1	1			1					1						
	F.	16	1		2			3			2	2			1	1		1	2	1	1		2					
8. Anæmia:																												
Irish parents	M.	17	4	1	1			6	2					1	1	1	1	1	2	1			1					
	F.	11	3	1				4	1		1		1			1		1					1			1		
German parents	M.	13	4	2			1	7							1	1				1	1	1	1					
	F.	9	2		1			3						1			1	1			2	1						
9. Dropsy:																												
Irish parents	M.	22		1	1		1	3	1	1			1		4	2	5	1	1		1		1					1
	F.	37	1	1	1			3		1		1	2		3	3	6	2	2	2	4	6		2				
German parents	M.	27							1	1		1	2			2	1	5	4	3	3	2	2					
	F.	25												1	1	2	5	2	5	1	4		3	1				
10. Glycosuria:																												
Irish parents	M.	3																1		1	1							
	F.	5								1			1	1	1	1												
German parents	M.	5												1			2			1		1						
	F.	5												1		2		2										
11. Others of this group:																												
Irish parents	M.	5	2	1				3			1									1								
	F.	6	3		1		1	5	1																			
German parents	M.	9	4	2			1	7			1									1								
	F.	3	2	1				3																				
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		2638	756	237	97	64	48	1202	84	31	31	37	43	60	95	106	126	143	140	133	132	114	85	47	19	8	2	
Irish parents	M.	745	197	68	17	22	11	315	33	11	8	9	13	13	32	35	36	40	46	40	39	34	32	5		3	1	
	F.	695	150	56	28	19	12	271	20	7	8	14	12	19	30	39	34	31	29	39	42	44	21	21	12	2		
German parents	M.	602	219	73	27	14	11	344	22	6	9	6	11	18	22	22	31	38	46	35	30	17	18	13	3	1		
	F.	506	184	40	25	9	14	272	9	7	6	8	7	10	11	10	25	34	19	19	21	19	14	8	4	2	1	
1. Inflammation of the brain:																												
Irish parents	M.	38	9	3			2	14	4	1					3	1	4	3	1	3	2	1	1					
	F.	24	7	3		1	1	12	1			1		1	1		3			1	2				2			
German parents	M.	27	7	3	3		2	15		1			1	3	1	1	1	1	1	1			1					
	F.	17	4	2			1	7	1		1		1	1	1			3		1					1			
2. Meningitis:																												
Irish parents	M.	108	31	11	4	9	3	58	15	4	3	2	3	2	3	4	5	2	3	2	1	1						
	F.	102	21	13	8	8	3	53	6	4	1	5	5	1	4	6	2	1	2	2	4	1		2	2	1		
German parents	M.	118	37	23	13	6	5	84	10	2		2		1	3	3	1	1	4	3	2	1	1					
	F.	74	28	7	10	5	8	58	5	1	1	2		1	1		2		2		1							
3. Apoplexy:																												
Irish parents	M.	141	1	3	2	1		7	1	1	1	1	3	6	13	11	8	14	15	13	17	13	12	2		2	1	
	F.	168		1	1			2	1		2	1	1	7	9	16	14	15	17	21	21	16	9	12	4			
German parents	M.	138	3		1			4	1	1	2		2	3	6	7	15	17	20	13	17	10	9	8	3			
	F.	111	4					4		1			2	3	5	6	13	18	11	9	14	11	6	4	3		1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	86	3	1	1			5		1		2	1	2	4	5	7	6	12	12	7	8	12	1		1		
	F.	83	1	2	1	1		5	1	1			1	2	3	4	4	5	7	4	11	21	4	5	4	1		
German parents	M.	64	1					1			1	1	2	2	3	6	4	6	10	10	4	2	6	5		1		
	F.	43	2					2				1			1		4	5	3	5	3	8	5	4		2		
5. Tetanus and trismus nascentium:																												
Irish parents	M.	25	12			1	1	14	1		1	2			1	2	1	1	1			1						
	F.	11	7			2		9								1					1							
German parents	M.	22	13					13	1		1		1	1	2	1			1	1								
	F.	10	7					7		1				1		1												
6. Epilepsy:																												
Irish parents	M.	16	1			1		2			1		1		1		2	4	2		1	1	1					
	F.	15	1					1	1		1	3		1	2	1	1			2	1		1					
German parents	M.	10				1	1	2	1		2	1			1		1		1	1								
	F.	7	2			1		3		1		1	1										1					
7. Convulsions:																												
Irish parents	M.	174	114	29	4	9	2	158	6	1		1	1	1	1			1	2	1	1							
	F.	157	93	25	12	4	3	137	6	1	1	1	1	1	3	1	1	2		1		1						
German parents	M.	203	145	33	8	5	2	193	4				1	2	1			1	1									
	F.	178	123	26	12	3	3	167	2		2	2	1	2			2											
8. Mental diseases:																												
Irish parents	M.	8											1	1			1			1	3	1						
	F.	4										1						1				1	1					
German parents	M.	13										1		1	1		3		3	1	2	1						
	F.	7											1	1	1		1	2		1								
9. Diseases of the brain:																												
Irish parents	M.	119	19	17	4		3	43	4	2	2		2	1	4	10	7	7	9	8	7	7	5	1				
	F.	87	19	10	5	3	3	40	3	1	2		3	3	6	5	4	3		4	2	4	5	2				
German parents	M.	65	9	10	2	2	1	24	3	1	2		2	2	3	2	5	7	3	4	3	3	1					
	F.	44	10	4	3		2	19	1	3	1	2			2	2	2	5	3	1	2		1					
10. Diseases of the spinal cord:																												
Irish parents	M.	26	5	4	2	1		12	2	1		1	1		2	2	1	1	1			1		1				
	F.	41	7	2	1		2	12	1		1	2	1	3	2	4	4	4	3	3			1					
German parents	M.	29	4	3				7	2	1	1	1	2	3	1	1	1	5	2	1	1							
	F.	12	4					4					1	1		1	1	1		2	1							
11. Others of this group:																												
Irish parents	M.	4	2					2										1					1					
	F.	3														1	1			1								
German parents	M.	3		1				1								1					1							
	F.	3		1				1			1												1					
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		1476	64	9	3	3	4	83	31	37	34	57	68	82	102	124	138	147	150	125	113	102	53	22	4	3	1	
Irish parents	M.	382	25	3	1			29	6	11	9	13	13	20	31	33	43	34	28	35	22	30	14	4	2			
	F.	488	13	3		2	2	20	19	11	13	14	20	31	28	40	47	40	54	50	35	31	22	10	2		1	
German parents	M.	344	15	1	1	1	2	20	2	4	6	18	19	14	28	30	32	46	42	22	27	20	6	6		2		
	F.	262	11	2	1			14	4	11	6	12	11	17	15	21	16	27	26	18	29	21	11	2		1		
1. Angina pectoris:																												
Irish parents	M.	11												1	2	1	1	1	3		1	1						
	F.	10											2	4		1		1			1	1	4	1	1			
German parents	M.	4													1				1	2								
	F.	7											1		1			1	2	1				1				
2. Aneurism:																												
Irish parents	M.	13									1		1		2	2	1	1	2	1	1	1						
	F.	3													2	1												
German parents	M.	12												2		1	4	2	2			1						
	F.	3												1			1				1							
3. Diseases of the heart:																												
Irish parents	M.	329	11	2				13	5	11	8	12	15	18	26	28	40	32	22	32	20	27	14	4	2			
	F.	449	2	1		2	1	6	18	11	13	13	17	27	26	38	47	38	52	50	34	30	18	9	1		1	
German parents	M.	306	3		1	1	2	7	2	4	6	18	18	11	26	28	28	42	39	19	27	18	6	6		1		
	F.	237	4	1	1			6	4	10	6	11	10	16	12	21	15	25	24	16	27	21	11	1		1		
4. Others of this group:																												
Irish parents	M.	29	14	1	1			16	1			1	2	1	1	2	1		1	2		1						
	F.	20	11	2			1	14	1			1	1					1	2									
German parents	M.	22	12	1				13					1	1	1	1		2		1		1				1		
	F.	15	7	1				8		1		1			2			1		1	1							
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		4213	736	496	271	158	107	1768	198	34	60	91	115	128	195	198	202	249	178	172	206	163	117	80	39	12	7	1
Irish parents	M.	1243	221	129	61	46	24	481	52	5	20	27	42	40	66	83	75	77	66	57	63	41	25	12	6	2	2	1
	F.	1218	165	117	57	43	25	407	53	14	16	31	38	44	67	57	64	84	48	54	70	61	38	42	22	6	2	
German parents	M.	1009	204	128	77	37	35	481	55	6	12	21	20	32	37	40	43	61	40	36	43	35	32	10	5			
	F.	743	146	122	76	32	23	399	38	9	12	12	15	12	25	18	20	27	24	25	30	26	22	16	6	4	3	
1. Croup:																												
Irish parents	M.	115	14	34	20	19	12	99	16																			
	F.	107	5	26	23	23	14	91	16																			
German parents	M.	124	12	26	29	14	17	98	25	1																		
	F.	116	14	26	33	14	15	102	14																			
2. Laryngitis:																												
Irish parents	M.	12	1	2			1	4						1		3		2	1				1					
	F.	16	2	1				3	2				1		3		2	2	1			1		1				
German parents	M.	18	1	2	1	1		5	1		1			4			2	1	1		2		1					
	F.	10	3	1	3		2	9									1											
3. Bronchitis:																												
Irish parents	M.	254	89	32	12	5	2	140	8	1	1	3	4	7	5	4	6	11	14	9	17	11	5	4	1	1	2	
	F.	312	70	29	12	6	2	119	11	1	1	3	6	7	12	7	8	14	6	18	20	20	20	21	13	3	2	
German parents	M.	191	67	25	11	8	4	115	9	1	1	4	1	3	5	1	3	3	4	7	7	10	14	3				
	F.	170	65	23	9	4	3	104	7			1	2	1	2	2		4	3	5	8	7	11	9	2	2		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	728	94	54	28	21	8	205	24	4	15	21	30	29	48	68	58	55	42	40	39	26	15	5	2	1	....	1
	F.	642	67	55	19	12	9	162	19	12	11	20	28	31	41	43	44	57	35	26	43	35	12	14	7	2	....	....
German parents	M.	545	92	68	33	14	14	221	17	2	10	16	18	17	23	33	29	46	29	23	20	21	11	6	3	....	....	....
	F.	365	59	64	29	10	3	165	15	8	9	10	10	7	16	13	17	13	14	17	18	15	6	5	3	2	2	....
5. Pleurisy:																												
Irish parents	M.	18	....	....	....	....	....	....	1	....	2	....	2	....	4	....	....	3	2	1	1	1	1	....	....	....	....	....
	F.	26	1	....	1	1	....	3	2	....	....	3	....	1	4	1	3	1	2	1	1	....	3	1	....	....	....	....
German parents	M.	21	2	....	1	....	....	3	2	....	....	....	....	3	2	1	4	1	....	2	3	....	....	....	....	....	....	....
	F.	18	....	3	1	2	....	6	....	1	1	....	2	2	....	....	1	3	1	....	....	1	....	....	....	....	....	....
6. Asthma:																												
Irish parents	M.	14	....	....	....	....	....	....	1	....	1	....	1	....	....	4	3	....	....	1	3	2	....	1	1	....	....	....
	F.	20	2	1	....	....	....	3	....	....	1	....	....	....	1	1	1	....	3	1	3	2	2	1	1	....	....	....
German parents	M.	17	2	....	....	....	....	2	....	....	....	....	....	2	....	....	1	4	....	2	4	....	2	....	....	....	....	....
	F.	9	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	1	1	1	2	1	1	....	....	....	....	....
7. Others of this group:																												
Irish parents	M.	102	23	7	1	1	1	33	2	....	1	3	5	3	9	8	8	6	7	6	3	1	3	2	2	....	....	....
	F.	95	18	5	2	1	....	26	3	1	3	5	3	5	6	5	6	10	1	8	3	3	1	4	1	1	....	....
German parents	M.	93	28	7	2	....	....	37	1	2	....	1	1	3	7	5	4	6	6	2	7	4	4	1	2	....	....	....
	F.	55	5	4	1	2	....	12	2	....	2	1	1	1	7	3	1	6	5	2	2	2	4	2	1	....	1	....
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		1144	171	91	30	15	8	315	22	28	21	44	40	47	70	67	88	85	79	71	62	49	33	17	6	....	....	....
Irish parents	M.	356	51	28	8	4	3	94	8	11	6	12	10	14	21	26	25	32	27	25	11	23	8	3	....	....	....	....
	F.	331	43	20	9	6	3	87	8	5	5	11	12	18	26	14	26	18	25	16	25	10	13	8	4	....	....	....
German parents	M.	275	42	22	8	2	2	76	2	10	6	10	11	7	13	18	32	20	15	16	13	13	8	3	2	....	....	....
	F.	182	35	15	5	3	....	58	4	2	4	11	7	8	10	9	5	15	12	14	13	3	4	3	....	....	....	....
1. Dentition:																												
Irish parents	M.	33	14	15	3	....	1	33	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	18	14	2	....	....	34	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	29	14	11	4	....	....	29	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	21	7	2	....	....	30	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Angina:																												
Irish parents	M.	16	3	1	1	....	....	5	2	....	....	1	1	....	....	....	....	2	....	3	1	....	1	....	....	....	....	....
	F.	17	1	4	....	2	....	7	2	....	....	1	....	2	....	1	....	....	1	1	....	1	1	....	....	....	....	....
German parents	M.	16	6	2	1	1	....	10	....	....	1	1	....	....	....	1	....	1	1	....	....	1	....	....	....	....	....	....
	F.	6	2	1	....	....	....	3	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....	....	....	....
3. Gastritis:																												
Irish parents	M.	29	1	1	2	....	....	4	....	....	....	....	....	....	2	3	2	5	4	3	1	3	1	1	....	....	....	....
	F.	43	6	1	....	1	1	9	1	....	1	1	1	2	4	....	3	2	5	2	7	1	4	....	....	....	....	....
German parents	M.	16	2	....	....	....	....	2	....	2	....	1	....	1	....	....	4	1	1	....	....	1	3	....	....	....	....	....
	F.	19	1	2	....	1	....	4	2	....	....	....	....	1	3	1	1	1	2	1	1	....	2	....	....	....	....	....
4. Other diseases of the stomach:																												
Irish parents	M.	27	5	4	....	....	....	9	2	1	....	....	1	1	3	3	....	1	3	1	....	1	1	....	....	....	....	....
	F.	19	1	1	1	....	1	4	....	1	1	1	1	1	2	....	2	2	1	....	....	....	3	....	....	....	....	....
German parents	M.	14	2	1	....	....	....	3	....	....	1	1	2	....	....	2	....	3	1	....	1	....	....	....	....	....	....	....
	F.	9	1	1	....	....	....	2	....	....	....	....	....	1	1	....	1	....	....	2	....	2	....	....	....	....	....	....
5. Obstruction of the bowels:																												
Irish parents	M.	13	3	....	1	....	....	4	....	1	1	1	1	....	1	....	....	....	1	1	1	1	....	....	....	....	....	....
	F.	10	1	....	....	....	....	1	....	....	....	1	....	....	1	....	2	....	1	3	....	....	1	....	....	....	....	....
German parents	M.	7	2	....	....	....	....	2	....	....	....	....	2	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....
6. Hernia:																												
Irish parents	M.	14	....	....	....	....	....	....	....	....	....	3	....	....	1	....	2	1	2	1	1	1	1	1	....	....	....	....
	F.	10	2	....	....	....	....	2	....	....	....	....	....	....	1	....	1	1	1	....	3	1	....	....	....	....	....	....
German parents	M.	14	....	....	....	....	....	....	....	....	....	....	....	....	....	2	3	1	3	1	3	1	1	....	1	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	....	....	....	1	2	....	....	1	1	2	....	1	....	....	....	....	....
7. Other diseases of the bowels:																												
Irish parents	M.	24	1	1	....	1	....	3	1	1	....	2	1	....	3	4	1	....	2	1	1	3	1	....	....	....	....	....
	F.	21	1	2	1	....	....	4	....	....	....	....	....	....	3	....	3	3	....	....	4	1	1	....	2	....	....	....
German parents	M.	10	4	1	1	....	1	7	....	....	1	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....
	F.	11	2	....	1	2	....	5	....	....	....	....	1	....	1	1	....	....	....	1	1	1	....	....	....	....	....	....
8. Jaundice:																												
Irish parents	M.	19	7	1	....	....	....	8	....	1	....	....	....	....	....	1	3	3	1	1	....	1	....	....	....	....	....	....
	F.	9	2	....	1	....	....	3	....	....	....	....	....	1	1	....	1	....	1	....	1	1	....	....	1	....	....	....
German parents	M.	11	3	2	1	....	....	6	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....
	F.	6	1	1	....	....	....	2	....	....	....	....	....	....	....	1	....	1	1	....	1	....	....	....	....	....	....	....
9. Inflammation and abscess of the liver:																												
Irish parents	M.	15	1	....	....	....	....	1	....	1	....	....	1	1	2	1	2	2	....	1	1	1	....	1	....	....	....	....
	F.	19	1	....	....	....	....	1	1	1	....	....	1	2	....	3	4	....	2	....	4	....	....	....	....	....	....	....
German parents	M.	19	1	....	1	....	....	2	....	1	1	....	....	2	2	3	1	1	....	1	2	3	....	....	....	....	....	....
	F.	11	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	3	1	....	2	....	1	1	....	....	....	....
10. Other diseases of the liver:																												
Irish parents	M.	92	4	1	....	2	....	7	1	2	1	3	3	10	6	6	8	15	10	9	4	5	2	....	....	....	....	....
	F.	70	5	1	....	1	1	8	2	....	1	3	3	2	6	6	5	6	8	8	4	3	....	4	1	....	....	....
German parents	M.	69	1	2	....	....	1	4	1	1	....	2	4	1	4	7	16	8	5	8	4	2	1	....	1	....	....	....
	F.	30	1	1	1	....	....	3	1	....	1	....	3	2	1	2	1	5	3	0	2	....	....	....	....	....	....	....
11. Peritonitis:																												
Irish parents	M.	55	4	2	....	1	2	9	2	4	3	1	1	2	3	8	6	3	2	3	1	6	1	....	....	....	....	....
	F.	57	1	2	1	1	....	5	1	3	2	4	6	8	8	4	2	3	4	....	2	1	2	2	....	....	....	....
German parents	M.	53	3	2	....	1	....	6	1	6	2	5	2	3	7	3	5	1	3	3	....	2	2	2	....	....	....	....
	F.	36	2	1	1	....	....	4	....	1	2	9	2	2	3	1	2	3	1	2	2	....	....	2	....	....	....	....
12. Ascites:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Others of this group:																												
Irish parents	M.	19	8	2	1	....	....	11	....	....	....	1	1	1	....	....	....	1	....	2	1	....	1	....	....	....	....	....
	F.	10	4	1	3	1	....	9	1	....	....	....	....	....	....	....	....	1	1	1	2	....	1	1	2	....	....	....
German parents	M.	14	4	1	....	....	....	5	....	....	....	....	....	1	....	....	1	3	1	....	1	1	....	....	1	....	....	....
	F.	7	3	1	....	....	....	4	....	1	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	1056	26	17	9	7	11	70	24	15	19	34	54	70	103	100	108	132	84	82	56	45	39	15	6			
Irish parents M.	324	6	4		1	3	14	6	3	6	12	17	25	34	26	27	36	27	33	18	12	22	5	1			
Irish parents F.	348	8	6	2	3	3	22	6	6	7	10	21	28	41	36	41	41	23	23	9	16	7	8	3			
German parents M.	233	5	4	3	2	4	18	9	5	3	6	6	9	17	25	30	31	23	15	22	8	5	1				
German parents F.	151	7	3	4	1	1	16	3	1	3	6	10	8	11	13	10	24	11	11	7	9	5	1	2			
1. Bright's disease:																											
Irish parents M.	233	2	2			3	7	4	3	4	10	12	18	25	19	21	27	20	26	11	6	16	3	1			
Irish parents F.	247	1	3		1	1	6	4	6	6	7	14	15	30	28	28	30	21	23	6	12	3	7	1			
German parents M.	148	2	2	1		3	8	5	3	2	5	5	4	10	17	19	19	18	12	15	3	3					
German parents F.	99	1		1			2	2	1	3	3	8	5	6	12	8	16	10	7	6	5	2	1	2			
2. Calculus, urinary:																											
Irish parents M.	1		1				1																				
Irish parents F.																											
German parents M.	2															1		1									
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	53	2	1				3	2		2	2	1	6	6	6	5	3	4	5	3	2	2	1				
Irish parents F.	62	4	2	2	1	2	11	1		1	2	1	6	10	6	6	8	1		1	2	4	1	1			
German parents M.	56	2	1	2	2	1	8	4	2			1	3	4	4	7	10	3	2	4	2	1	1				
German parents F.	34	3	3	2	1	1	10				2	2	2	3	1	1	5	1	2		3	2					
4. Diseases of the bladder:																											
Irish parents M.	22	2					2					3		2		1	3	2		4	2	2	1				
Irish parents F.	13	1	1		1		3	1			1		1		1	4	1				1						
German parents M.	11	1	1				2							1	2			1	1	2	2						
German parents F.	7	2					2						1	1			1		1		1						
5. Others of this group:																											
Irish parents M.	15				1		1					1	1	1	1		3	1	2		2	2					
Irish parents F.	26	2					2					6	6	1	1	3	2	1		2	1			1			
German parents M.	16									1	1		2	2	2	3	2			1	1	1					
German parents F.	11	1		1			2	1			1			1		1	2		1	1		1					
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	29											6	3	6	2	4			3	1	2	1	1				
Irish parents F.	16											3	1	5	1	1			2		1	1	1				
German parents F.	13											3	2	1	1	3			1	1	1						
1. Ovarian tumors:																											
Irish parents F.	7													1		1			2		1	1	1				
German parents F.	5												1		1	1			1	1							
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.	1															1											
3. Uterine tumors:																											
Irish parents F.	1													1													
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	3											1	1		1												
German parents F.	3													1		1					1						
5. Others of this group:																											
Irish parents F.	5											2		3													
German parents F.	4											3	1														
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	125									1	26	29	32	18	17	2											
Irish parents F.	73										7	21	22	14	8	1											
German parents F.	52									1	19	8	10	4	9	1											
1. Abortion:																											
Irish parents F.	11										1	1	5	4													
German parents F.	13										3	3	3	2	2												
2. Child-birth:																											
Irish parents F.	58										3	19	17	10	8	1											
German parents F.	32									1	11	3	7	2	7	1											
3. Others of this group:																											
Irish parents F.	4										3	1															
German parents F.	7										5	2															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	105	14	5	5	1	1	26	7	12	7	2	5	4	10	3	6	6	5	2	3	4	2	1				
Irish parents M.	35	5	1	1	1		8	1	4	5	1		1	5	1	1	2	1			4	1					
Irish parents F.	35	3	2	3		1	9	3	5	1		3	1	1	2	3	1	4	1				1				
German parents M.	20	2		1			3	1	2			2	2	3		2	2		1	2							
German parents F.	15	4	2				6	2	1	1	1			1			1			1		1					
1. Diseases of the spine:																											
Irish parents M.	20	4		1	1		6	1	2	3	1		1	1	1		1				2	1					
Irish parents F.	21	3	2	2		1	8	2	1			1	1	1	1	2	1	1	1				1				
German parents M.	12	2					2	1	1			1	1	1		2	1			2							
German parents F.	11	4	2				6	2		1	1			1													

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.	8		1				1		1	1				1		1	1				2						
	F.	6								3			1						2									
German parents	M.	6			1			1		1			1	1	1					1								
	F.	2								1											1							
3. Diseases of the hip-joint:																												
Irish parents	M.	2									1				1													
	F.	2			1			1		1																		
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.	5	1					1		1					2				1									
	F.	6							1		1		1			1	1		1									
German parents	M.	2													1			1										
	F.	2																1					1					
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		91	21	6	2	3	1	33	3	4	1	7	3	4	2	4	6	11	5	1		2	3		1	1		
Irish parents	M.	29	6	3	1	1		11	1	1		3	2		1	2		2	2	1		1	1			1		
	F.	33	9	2		2		13	1	2	1	3	1	2	1	1	2	4				1	1					
German parents	M.	18	5					5	1	1				2		1	3	3	1				1					
	F.	11	1	1	1		1	4				1					1	2	2						1			
1. Abscess:																												
Irish parents	M.	22	6	2	1	1		10	1	1		2	1		1	2		1	1	1		1						
	F.	26	8	1		2		11	1	2		2	1	2	1	1	1	3				1						
German parents	M.	14	5					5	1	1				1		1	2	1	1				1					
	F.	7	1	1	1			3				1					1	1							1			
2. Carbuncle:																												
Irish parents	M.	3										1	1						1									
	F.	2															1	1										
German parents	M.	3															1	2										
	F.	1																	1									
3. Others of this group:																												
Irish parents	M.	4		1				1										1					1			1		
	F.	5	1	1				2			1	1											1					
German parents	M.	1												1														
	F.	3					1	1										1	1									
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		3	1					1											1		1							
Irish parents	M.																											
	F.	1																	1									
German parents	M.	1	1					1																				
	F.	1																			1							
1. Addison's disease:																												
Irish parents	M.																											
	F.	1																	1									
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.	1	1					1																				
	F.	1																			1							
XII.—ACCIDENTS AND INJURIES.																												
Total		1206	63	28	19	18	18	146	65	36	40	57	92	103	133	110	106	88	69	64	35	22	19	13	5	1		2
Irish parents	M.	534	23	9	9	6	9	56	29	22	17	25	52	45	72	55	45	35	32	22	12	4	5	3	1	1		1
	F.	205	15	5	3	6	2	31	14	4	7	5	16	13	13	18	13	10	11	14	6	11	6	9	3			1
German parents	M.	346	15	4	4	1	6	30	16	10	13	20	21	31	43	30	33	35	18	22	13	6	4		1			
	F.	121	10	10	3	5	1	29	6		3	7	3	14	5	7	15	8	8	6	4	1	4	1				
1. Burns and scalds:																												
Irish parents	M.	24	2	3	2	2	2	11	1	2			1	1	3	2	2			1								
	F.	31	1	1		1	1	4	4	1	2	1	4	5	1	2	1	2	1	2	1							
German parents	M.	16	1	1	3		1	6		1	1	2		1	3	1		1										
	F.	22	2	4	1	1		8	3		2	1	1	2	1		1	1	1					1				
2. Drowned:																												
Irish parents	M.	70	1	1			2	4	11	2	4	3	6	8	10	8	4	7	3	1	3	1						
	F.	15				1		1	2		1	2	1		1	2	1	1			2	1						
German parents	M.	59					1	1	6	4	7	7	2	8	6	6	4	4		3	1							
	F.	4		1				1	2							1												
3. Exposure and neglect:																												
Irish parents	M.	2			1			1											1									
	F.																											
German parents	M.	1														1												
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	11				1		1		3	1	1		4					1									
	F.	1								1																		
German parents	M.	6	1			1		2	1				1		1			1										
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 2—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	19										2	4	1	6	4	1					1						
	F.	5									1			2		1			1									
German parents	M.	3											2				1											
	F.	2												1				1										
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.	3											1	1		1												
	F.	1																			1							
8. Railroad accidents:																												
Irish parents	M.	52	1				1	2	3	3	2	1	6	4	9	4	4	4	4	1	2		1		1			1
	F.	13	1					1	1	1		1		1	1		1	1				1	1	2				1
German parents	M.	18	1	1				2			1	1			3		3	2	3	2	1							
	F.	2																	1	1								
9. Suffocation:																												
Irish parents	M.	14	8		1			9							2		1	1				1						
	F.	6	2					2	1		1									2								
German parents	M.	7	4					4							1			1			1							
	F.	8	2	1				3						3		1							1					
10. Suicide by shooting:																												
Irish parents	M.	7									1		1	2	1				2									
	F.																											
German parents	M.	12									1	1	1		2	1	2	3	1									
	F.	1																	1									
11. Suicide by drowning:																												
Irish parents	M.																											
	F.	2															1			1								
German parents	M.	3													1							2						
	F.	1																1										
12. Suicide by poison:																												
Irish parents	M.	3												2						1								
	F.	3											1	1	1													
German parents	M.	5											1	1			2	1										
	F.	6												1		1	2	1	1									
13. Other suicides:																												
Irish parents	M.	13										1	1		2	3	1	2	3									
	F.	5							1						2		1			1								
German parents	M.	34										1	1	2	7	6	3	3	1	5	3	2						
	F.	9									1	1		1			4	1		1								
14. Sunstroke:																												
Irish parents	M.	34	1		1			2	2		1	3	5	4	5	4	2	2	2	1		1						
	F.	8	2	1				3					1		1			1	1			1						
German parents	M.	17										1		5	5	2	1		1	1			1					
	F.	3	1					1											1	1								
15. Surgical operations:																												
Irish parents	M.	5					1	1								1				3								
	F.	4											3		1													
German parents	M.	2	1					1													1							
	F.	2												1				1										
16. Wounds:																												
Irish parents	M.	10		1		1		2		1			2				2	2	1									
	F.	2				1		1																1				
German parents	M.	4											1						1	2								
	F.	1												1														
17. Others of this group:																												
Irish parents	M.	269	10	4	4	2	3	23	12	11	8	14	26	24	33	29	28	17	15	14	7		4	3		1		
	F.	110	9	3	3	3	1	19	5	1	2	1	6	4	5	13	8	5	8	8	3	8	5	6	3			
German parents	M.	150	7	2	1		4	14	9	5	3	7	11	13	14	12	17	19	11	9	6	2	3		1			
	F.	59	5	4	2	4	1	16	1			5	2	4	4	4	8	2	3	3	3	1	3					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5.

Cause of death.		Total.	Under 1.			3.	4	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		3126	448	133	92	62	45	780	115	89	157	239	166	128	167	135	136	143	129	146	161	129	103	106	52	16	21	8
Total: Irish parents	M.	1511	236	66	49	22	20	393	64	40	64	106	75	54	87	55	61	74	58	74	90	72	51	55	26	5	7	3
	F.	1420	170	57	39	35	21	322	41	41	83	122	85	66	76	68	66	63	58	62	63	53	46	48	28	10	14	5
German parents	M.	97	20	3	3	2	1	29	6	3	2	8	4	5	3	8	2	5	5	3	5	3	3	1	1	1	....	....
	F.	98	22	7	1	3	3	36	4	5	8	3	2	3	1	4	7	1	8	7	3	1	3	2	....	....	....	....
Unknown causes.																												
Total		64	21	3	....	....	....	24	3	....	1	....	4	1	4	3	2	3	2	2	4	2	2	2	3	2	....	....
Irish parents	M.	28	10	1	....	....	....	11	3	....	....	....	....	1	....	1	2	2	1	2	1	....	1	....	2	1	....	....
	F.	35	10	2	....	....	....	12	....	....	1	....	4	....	4	2	....	1	1	....	3	2	1	2	1	1	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		604	156	56	49	30	32	323	58	30	19	24	16	16	15	16	13	8	10	10	10	10	6	5	3	1	1	1
Irish parents	M.	264	72	22	23	10	15	142	29	18	11	10	6	3	4	2	8	3	5	7	5	4	3	3	1	....	....	....
	F.	290	66	30	22	17	14	149	23	18	6	12	9	13	11	12	4	5	4	3	5	6	3	2	2	1	1	1
German parents	M.	21	7	3	3	....	1	14	2	1	....	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	29	11	1	1	3	2	18	4	2	2	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....
1. Small-pox:																												
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	8	4	....	2	....	....	6	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	5	....	....	....	5	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	26	4	1	6	2	2	15	8	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	31	2	6	7	3	4	22	5	1	1	....	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	6	....	2	1	....	1	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	1	....	1	1	2	5	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	64	3	9	10	6	12	40	16	6	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	74	6	8	11	12	9	46	15	7	1	1	1	1	1	....	....	....	....	....	....	....	....	....	....	....	1	....
German parents	M.	3	1	....	1	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	1	1	....	2	....	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	7	5	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	6	1	1	....	....	....	2	1	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	34	1	1	1	1	....	4	3	2	7	4	3	....	....	1	4	....	2	1	2	1	....	....	....	....	....	....
	F.	23	1	....	....	....	....	1	1	3	1	4	1	3	3	1	1	1	....	....	2	1	....	....	....	....	....	....
German parents	M.	3	1	....	....	....	....	1	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	15	8	1	1	....	....	10	....	....	....	....	....	....	....	....	1	....	....	2	....	....	1	1	....	....	....	....
	F.	9	4	....	....	1	....	5	....	....	....	....	....	....	....	1	....	....	....	....	1	1	1	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	10	4	1	1	....	....	6	....	....	....	1	....	....	....	....	....	....	....	....	1	....	1	....	1	....	....	....
	F.	9	3	....	1	....	....	4	....	....	....	1	....	....	....	1	1	....	....	1	....	....	1	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	20	5	1	....	....	....	6	1	4	....	1	1	....	2	....	....	....	....	1	1	1	1	1	....	....	....	....
	F.	22	4	1	....	....	....	5	1	2	....	2	1	1	1	2	1	1	3	1	1	....	....	....	....	....	....	....
German parents	M.	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	2	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	1	....	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	46	36	7	2	1	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	45	37	4	3	1	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	5	1	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	6	....	....	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	15	1	....	....	....	1	2	....	2	1	....	....	2	....	....	2	1	3	1	1	....	....	....	....	....	....	....
	F.	14	....	....	....	....	....	....	1	1	....	....	3	1	....	1	....	2	....	1	....	....	1	1	1	1	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15 Erysipelas:																												
Irish parents	M.	7											1	1	1	1		2				1						
	F.	8	2					2							1				1			1		1	1			1
German parents	M.																											
	F.																											
16. Septicæmia:																												
Irish parents	M.	1																		1								
	F.	4										1				2		1										
German parents	M.																											
	F.																											
17. Puerperal septicæmia:																												
Irish parents	F.	14										1	2	5	5	1												
German parents	F.																											
18. Venereal diseases:																												
Irish parents	M.	1													1													
	F.	2										1				1												
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.	3	1					1												1				1				
	F.	5		1			1	2					1									2						
German parents	M.																											
	F.																											
General diseases—B.																												
Total		24	2	1	2			5					1	4	4	4		2				2	1					
Irish parents	M.	15	1	1	1			3					1	1	3	4		1				1						1
	F.	7	1		1			2						2	1			1				1						
German parents	M.	2												1									1					
	F.																											
1. Worms:																												
Irish parents	M.	1		1				1																				
	F.	1			1			1																				
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	9											1	1	3	3		1										
	F.	1													1													
German parents	M.	2												1									1					
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	3														1						1						1
	F.	3												1				1				1						
German parents	M.																											
	F.																											
6. Inanition:																												
Irish parents	M.	2	1		1			2																				
	F.	2	1					1						1														
German parents	M.																											
	F.																											
General diseases—C.																												
Total		319	124	2	2		1	129			2				2	1		3	1	2	10	26	35	56	29	10	13	
Irish parents	M.	151	70	1			1	72			1							1		1	6	11	15	27	12	4	1	
	F.	152	43	1	2			46			1				2	1		2	1	1	4	15	18	28	16	5	12	
German parents	M.	12	8					8															1	1	1	1		
	F.	4	3					3															1					
1. Premature birth:																												
Irish parents	M.	4	4					4																				
	F.	5	5					5																				
German parents	M.	1	1					1																				
	F.																											
2. Stillborn:																												
Irish parents	M.	47	47					47																				
	F.	21	21					21																				
German parents	M.	4	4					4																				
	F.	3	3					3																				
3. Malformation:																												
Irish parents	M.	2	2					2																				
	F.	2	2					2																				
German parents	M.																											
	F.																											
4. Debility:																												
Irish parents	M.	31	17	1			1	19			1							1			1	1	4	3			1	
	F.	32	15	1	2			18			1				2	1		2	1	1	1	1	3	1				
German parents	M.	3	3					3																				
	F.																											
5. Old age:																												
Irish parents	M.	67																		1	5	10	11	24	12	4		
	F.	92																			3	14	15	27	16	5	12	
German parents	M.	4																					1	1	1	1		
	F.	1																					1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		875	16	9	4	6	2	37	8	12	89	154	97	69	69	55	49	58	39	38	34	34	17	9	2		3	2
Irish parents	M.	396	10	6	1	1	2	20	6	3	26	63	45	28	39	20	18	26	20	16	22	23	10	7			3	1
	F.	447	5	2	3	5		15	2	7	59	86	49	37	30	32	27	31	18	21	11	11	7	1	2			1
German parents	M.	12								1		4	2	1		2		1	1									
	F.	20	1	1				2		1	4	1	1	3		1	4			1	1			1				
1. Rheumatism:																												
Irish parents	M.	11								2	1		1	1	1		1					2	2					
	F.	6													1			1	1	1		2						
German parents	M.																											
	F.	1															1											
2. Scrofula and tabes:																												
Irish parents	M.	4	1	1				2						1							1							
	F.	3									2							1										
German parents	M.																											
	F.																											
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	306	1	1			1	3	1	1	24	61	43	26	37	17	9	19	16	8	15	14	3	6			2	1
	F.	362	1	1	1	5		8	2	5	56	82	48	34	24	21	20	17	12	11	9	5	5		2			1
German parents	M.	9								1		4	2	1				1										
	F.	13	1	1				2		1	3	1	1	3		1	1											
5. Hydrocephalus:																												
Irish parents	M.	13	7	4				11	2																			
	F.	6	4		1			5			1																	
German parents	M.																											
	F.																											
6. Cancer:																												
Irish parents	M.	38	1					1	1							1	6	7	3	7	3	4	4	1				
	F.	37										1	1	2	3	7	5	6	3	5	1	2	1					
German parents	M.	1														1												
	F.	3															1				1			1				
7. Tumor:																												
Irish parents	M.	2										1										1						
	F.	7										2				1		2	1				1					
German parents	M.																											
	F.																											
8. Anæmia:																												
Irish parents	M.	1										1																
	F.	3								2						1												
German parents	M.																											
	F.																											
9. Dropsy:																												
Irish parents	M.	17				1	1	2	2		1				1	1	2		1	1	3	2	1					
	F.	21		1				1						1	2	2	2	4	1	4	1	2		1				
German parents	M.	1														1												
	F.	1									1																	
10. Glycosuria:																												
Irish parents	M.	3											1			1											1	
	F.	1			1			1																				
German parents	M.	1																	1									
	F.	1																		1								
11. Others of this group:																												
Irish parents	M.	1			1			1																				
	F.	1										1																
German parents	M.																											
	F.	1															1											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		299	43	28	12	3	2	88	16	10	8	13	7	6	12	14	19	12	17	21	15	11	11	10	4		1	4
Irish parents	M.	145	22	15	8	1	1	47	9	1	4	7	3	4	9	9	6	8	7	11	6	3	4	4	1		1	1
	F.	123	16	12	4	2	1	35	6	8	4	5	4	2	1	1	10	4	5	6	7	7	7	5	3			3
German parents	M.	14	1					1	1						2	2	1		3	2	1	1						
	F.	17	4	1				5		1		1				2	2		2	2	1			1				
1. Inflammation of the brain:																												
Irish parents	M.	6	1	1				2	2				1			1												
	F.	6		1				1	1	2	1						1											
German parents	M.	1							1																			
	F.	2	1					1		1																		
2. Meningitis:																												
Irish parents	M.	16	2	5	1			8	3			1				1	1	1	1									
	F.	13	2	3		1		6	1	3	1						1			1								
German parents	M.																											
	F.	1										1																
3 Apoplexy:																												
Irish parents	M.	20											1		2	1	2	5	1	4	1	1	1	1				
	F.	23	1					1				2	2		1	1	3	3		2	2	2	3		1			
German parents	M.	5													2		1		1	1								
	F.	5														1	1		1		1			1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	28									1	1	1	1	2	2	1	1	3	4	3	1	3	3	1			
	F.	21								1							1		3	2	4	3	2	4	1			
German parents	M.	6														2			2	1		1						
	F.	2																	1	1								
5. Tetanus and trismus nascentium:																												
Irish parents	M.	3									1				1					1								
	F.	1											1															
German parents	M.																											
	F.																											
6. Epilepsy:																												
Irish parents	M.	9	1		1			2			2	2		2		1						1						
	F.	2										1																
German parents	M.																											
	F.																											
7. Convulsions:																												
Irish parents	M.	38	16	8	5	1	1	31	2	1		1				2			1									
	F.	26	10	7	3	1	1	22	1	1			1				1											
German parents	M.	1	1					1																				
	F.	4	2	1				3									1											
8. Mental diseases:																												
Irish parents	M.	4										1			1		1											1
	F.	9												1			2			1	1	1						3
German parents	M.																											
	F.																											
9. Diseases of the brain:																												
Irish parents	M.	19	2	1	1			4	2			1		1	2	1	1	1	1	2	2						1	
	F.	15	3	1	1			5	2			2						1	2				2		1			
German parents	M.	1																			1							
	F.	3	1					1								1				1								
10. Diseases of the spinal cord:																												
Irish parents	M.	1													1													
	F.	3									2			1														
German parents	M.																											
	F.																											
11. Others of this group:																												
Irish parents	M.	1																				1						
	F.	4							1	1							1							1				
German parents	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		178	4	1			1	6	5	2	11	11	6	3	7	6	13	11	15	22	23	15	12	8	2			
Irish parents	M.	85	3	1				4	2		5	5	2	3	4	1	5	6	5	10	11	8	9	4	1			
	F.	76	1				1	2	3	2	5	6	4		2	4	8	3	7	8	10	5	2	4	1			
German parents	M.	8														1		2		1	2	1	1					
	F.	9									1				1				3	3		1						
1. Angina pectoris:																												
Irish parents	M.																											
	F.	1																			1							
German parents	M.																											
	F.																											
2. Aneurism:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	84	2	1				3	2		5	5	2	3	4	1	5	6	5	10	11	8	9	4	1			
	F.	75	1				1	2	3	2	5	6	4		2	4	8	3	7	8	9	5	2	4	1			
German parents	M.	8														1		2		1	2	1	1					
	F.	9									1				1				3	3		1						
4. Others of this group:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		421	63	26	19	18	7	133	12	2	7	14	15	13	24	15	15	24	29	28	38	19	15	10	2	3	3	
Irish parents	M.	223	37	15	13	8	1	74	6		4	8	9	8	15	7	8	13	12	13	20	12	6	5	1		2	
	F.	175	22	8	6	8	5	49	4	2	2	5	6	4	8	8	7	9	15	15	18	6	7	5	1	3	1	
German parents	M.	13	2			2		4	2		1	1		1	1			1	1			1						
	F.	10	2	3			1	6										1	1				2					
1. Croup:																												
Irish parents	M.	27	6	6	5	6	1	24	3																			
	F.	19	3		6	5	3	17	2																			
German parents	M.	2				1		1	1																			
	F.	3		2			1	3																				
2. Laryngitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Bronchitis:																												
Irish parents	M.	25	9	1	2	1		13				1		1	1					2	4	2		1				
	F.	18	7	2				9											3	2			2		1	1		
German parents	M.	3	1					1	1													1						
	F.	2	1	1				2																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	141	15	6	5	1		27	2		3	6	8	7	11	7	8	11	10	9	16	4	6	4	1		1	
	F.	117	12	6		2	2	22	1	1	2	2	6	3	5	8	7	6	15	10	14	6	3	4		2		
German parents	M.	5	1			1		2			1			1	1													
	F.	5	1					1										1	1				2					
5. Pleurisy:																												
Irish parents	M.	7		1				1				1			1			1		1		2						
	F.	2													1									1				
German parents	M.																											
	F.																											
6. Asthma:																												
Irish parents	M.	2											1									1						
	F.	4																			3		1					
German parents	M.																											
	F.																											
7. Others of this group:																												
Irish parents	M.	21	7	1	1			9	1		1				2			1	2	1		3					1	
	F.	15				1		1	1	1		3		1	2					3	1		1				1	
German parents	M.	3										1						1	1									
	F.																											
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		98	15	2		2		19	2	2	4	1	3	3	7	3	10	10	6	9	15	2	2					
Irish parents	M.	47	8	1		1		10	2	2	1				4	1	3	3	2	4	11	2	2					
	F.	47	6	1		1		8			3	1	1	2	3	2	7	7	4	5	4							
German parents	M.	2											1	1														
	F.	2	1					1					1															
1. Dentition:																												
Irish parents	M.	1	1					1																				
	F.	2	1	1				2																				
German parents	M.																											
	F.																											
2. Angina:																												
Irish parents	M.	1															1											
	F.	1	1					1																				
German parents	M.																											
	F.																											
3. Gastritis:																												
Irish parents	M.	4							1	1										1	1							
	F.																											
German parents	M.																											
	F.	1											1															
4. Other diseases of the stomach:																												
Irish parents	M.	6				1		1	1								1			1	2							
	F.	5															1	3		1								
German parents	M.																											
	F.																											
5. Obstruction of the bowels:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Hernia:																												
Irish parents	M.	3									1										2							
	F.	1													1													
German parents	M.																											
	F.																											
7. Other diseases of the bowels:																												
Irish parents	M.	3	1					1												1	1							
	F.	4	3			1		4																				
German parents	M.																											
	F.																											
8. Jaundice:																												
Irish parents	M.	5	3					3												1	1							
	F.	4									1						1			1	1							
German parents	M.																											
	F.																											
9. Inflammation and abscess of the liver:																												
Irish parents	M.	2													1				1									
	F.	1														1												
German parents	M.	1											1															
	F.																											
10. Other diseases of the liver:																												
Irish parents	M.	10													1	1	1	1			4	2						
	F.	11												1		1	1	4	2	1	1							
German parents	M.																											
	F.																											
11. Peritonitis:																												
Irish parents	M.	3		1				1										1					1					
	F.	12									2	1	1	1	2		2			2	1							
German parents	M.	1												1														
	F.																											
12. Ascites:																												
Irish parents	M.																											
	F.	3															2		1									
German parents	M.																											
	F.																											
13. Others of this group:																												
Irish parents	M.	3	3					3		1					2			1	1				1					
	F.	3	1					1											1		1							
German parents	M.																											
	F.	1	1					1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.	Total.	Under 1.		2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	57			2			2	4	2	2	2	3		4	6	3	2	4	5	3	4	2	5	4			
Irish parents M.	33			2			2	2		1	1	1		1	3	1	2	2	3	1	4	1	4	4			
Irish parents F.	16							1	1		1	2		3	3	1		1	1			1	1				
German parents M.	3							1								1				1							
German parents F.	5								1	1								1	1	1							
1. Bright's disease:																											
Irish parents M.	14							2			1	1		1	1	1	1	1	2		1		1	1			
Irish parents F.	12							1	1		1	2		1	3				1			1	1				
German parents M.	1															1											
German parents F.	4								1	1									1	1							
2. Calculus, urinary:																											
Irish parents M.	4																1	1		1				1			
Irish parents F.	1													1													
German parents M.																											
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	9			2			2			1					1						2	1	1	1			
Irish parents F.	2															1		1									
German parents M.	1							1																			
German parents F.	1																	1									
4. Diseases of the bladder:																											
Irish parents M.	5														1						1		2	1			
Irish parents F.																											
German parents M.	1																			1							
German parents F.																											
5. Others of this group:																											
Irish parents M.	1																		1								
Irish parents F.	1													1													
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	3											1		2													
Irish parents F.	3											1		2													
German parents F.																											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1													1													
German parents F.																											
5. Others of this group:																											
Irish parents F.	2											1		1													
German parents F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	20										4	4	3	7	1	1											
Irish parents F.	19										3	4	3	7	1	1											
German parents F.	1										1																
1. Abortion:																											
Irish parents F.	1												1														
German parents F.																											
2. Child-birth:																											
Irish parents F.	14										1	4	2	6		1											
German parents F.	1										1																
3. Others of this group:																											
Irish parents F.	4										2			1	1												
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	4									1	1		1					1									
Irish parents M.	2									1								1									
Irish parents F.	2										1		1														
German parents M.																											
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.	2									1								1									
Irish parents F.																											
German parents M.																											
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.																											
	F.	1										1																
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.																											
	F.	1												1														
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		4									1						1			1	1							
Irish parents	M.	4									1						1			1	1							
	F.																											
German parents	M.																											
	F.																											
1. Abscess:																												
Irish parents	M.	4									1						1			1	1							
	F.																											
German parents	M.																											
	F.																											
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1															1											
Irish parents	M.																											
	F.	1															1											
German parents	M.																											
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.	1															1											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		155	4	5	2	3		14	7	20	12	15	9	9	10	11	9	10	5	8	8	4		1	3			
Irish parents	M.	118	3	3	1	1		8	5	16	9	12	8	6	8	7	9	9	3	6	6	4		1	1			
	F.	27		1	1	2		4	2	3	2	2	1	2	2	2			2	2	1				2			
German parents	M.	9	1					1		1	1	1		1		2		1			1							
	F.	1		1				1																				
1. Burns and scalds:																												
Irish parents	M.	5	2	1		1		4				1																
	F.	4				1		1	1		1	1																
German parents	M.																											
	F.																											
2. Drowned:																												
Irish parents	M.	33		1	1			2	2	11	1	3			2	2	3	3		3		1						
	F.	7		1				1	1	1	1			2		1												
German parents	M.	3								1		1						1										
	F.																											
3. Exposure and neglect:																												
Irish parents	M.																			1								
	F.	1																										
German parents	M.																											
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.	1															1											
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 5—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	1										1																
	F.																											
German parents	M.																											
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.	3								1	1	1																
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	22								3	1	4	3	3	2	1				2	1	2						
	F.	4								1			1		1					1								
German parents	M.																											
	F.																											
9. Suffocation:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.																											
	F.																											
10. Suicide by shooting:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.																											
	F.																											
11. Suicide by drowning:																												
Irish parents	M.	1																						1				
	F.																											
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Other suicides:																												
Irish parents	M.	6											1			1	1	1			2							
	F.	1																	1									
German parents	M.	2												1							1							
	F.																											
14. Sunstroke:																												
Irish parents	M.	3									1								1		1							
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	41	1	1				2	3	1	5	2	3	3	3	3	4	5	2	1	2	1			1			
	F.	10			1	1		2		1		1			1	1			1		1				2			
German parents	M.	2	1					1			1					1												
	F.	1		1				1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6.

Cause of death.		Total.	Under 1.	1.	2.	3.		Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4448	494	207	160	121	115	1097	262	141	180	248	240	209	242	176	201	205	223	197	205	203	168	139	63	22	18	9
Total: Irish parents	M.	1656	179	78	63	51	37	408	81	52	67	99	88	75	99	72	89	91	87	64	72	75	56	49	16	8	5	3
	F.	1351	134	54	40	36	37	301	85	41	64	89	79	78	72	60	58	58	56	63	57	52	50	50	21	8	6	3
German parents	M.	824	99	43	35	17	20	214	49	26	24	34	43	34	38	25	34	30	59	43	46	51	35	19	9	3	5	3
	F.	617	82	32	22	17	21	174	47	22	25	26	30	22	33	19	20	26	21	27	30	25	27	21	17	3	2	....
Unknown causes.																												
Total		97	37	2	2	2	....	43	2	1	1	1	....	1	3	1	6	4	3	6	6	9	8	1	1	....	....	....
Irish parents	M.	26	11	....	1	....	....	12	1	....	....	1	....	....	....	....	3	....	1	2	1	3	2	....	....	....	....	....
	F.	19	10	1	....	1	....	12	....	1	....	....	....	....	....	....	....	1	1	1	....	2	1	....	....	....	....	....
German parents	M.	31	10	....	1	....	....	11	....	....	1	....	....	1	2	1	1	2	1	2	3	3	2	1	....	....	....	....
	F.	21	6	1	....	1	....	8	1	....	....	....	....	....	1	....	2	1	....	1	2	1	3	....	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1007	150	109	95	74	77	505	181	54	38	33	19	21	18	14	14	17	20	21	16	17	11	4	1	2	....	1
Irish parents	M.	320	50	41	35	30	19	175	48	12	8	7	9	5	7	4	4	6	6	9	5	6	4	3	....	2	....	....
	F.	315	42	32	25	21	27	147	64	19	11	12	3	11	6	9	6	5	5	5	3	5	3	....	....	....	....	1
German parents	M.	185	31	19	18	11	16	95	32	8	6	7	6	1	3	1	3	3	7	4	4	2	2	....	1	....	....	....
	F.	187	27	17	17	12	15	88	37	15	13	7	1	4	2	....	1	3	2	3	4	4	2	1	....	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	13	2	3	3	2	1	11	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	12	4	2	....	....	2	8	3	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	1	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	66	7	12	11	11	9	50	13	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	56	5	4	9	8	7	33	18	1	....	1	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	21	....	3	5	4	....	12	6	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	28	3	5	1	2	6	17	8	2	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	93	6	13	14	10	8	51	29	8	3	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....
	F.	107	11	6	12	13	14	56	33	11	3	3	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	77	3	4	10	7	15	39	25	7	3	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	83	4	5	11	8	8	36	28	11	5	1	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	5	4	....	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	....	2	....	....	3	5	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	2	1	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	3	1	....	....	1	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	....	....	....	....	....	....	3	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	20	....	....	1	....	....	1	....	1	....	5	5	1	....	....	1	2	3	1	....	....	....	....	....	....	....	....
	F.	17	....	....	....	....	....	....	....	4	3	2	....	1	....	1	2	2	1	....	1	....	....	....	....	....	....	....
German parents	M.	13	....	....	....	....	....	....	....	....	3	3	1	....	1	....	1	1	....	1	1	1	....	....	....	....	....	....
	F.	19	....	....	....	....	....	....	1	2	6	3	....	2	....	....	1	1	....	1	....	2	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	17	4	4	1	1	....	10	....	....	1	....	....	....	....	....	....	1	....	....	....	4	....	....	....	1	....	....
	F.	11	3	3	....	....	....	6	1	....	1	....	....	....	....	....	1	1	....	....	....	1	....	....	....	....	....	....
German parents	M.	7	....	1	....	....	1	2	....	....	....	....	....	....	2	....	....	....	1	....	....	....	1	....	1	....	....	....
	F.	9	5	....	1	....	....	6	....	....	....	....	....	....	....	....	....	....	....	....	2	....	1	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	17	5	1	....	....	....	6	1	....	1	....	1	1	1	1	....	1	....	2	2	....	....	....	....	....	....	....
	F.	10	1	2	....	....	....	3	2	....	1	....	....	....	....	....	1	....	....	1	1	....	1	....	....	....	....	....
German parents	M.	6	2	1	....	....	....	3	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	15	1	2	....	1	....	4	2	....	....	1	1	1	....	....	1	....	....	2	....	1	....	1	....	....	1	....
	F.	12	4	....	1	....	....	5	1	1	2	....	....	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....
German parents	M.	9	1	3	....	....	....	4	....	....	....	....	1	....	....	....	....	....	....	2	1	1	....	....	....	....	....	....
	F.	10	....	3	1	1	....	5	....	....	....	....	....	....	....	....	....	1	....	....	2	....	1	1	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	11	....	1	....	....	....	1	....	1	....	1	....	....	1	1	1	....	1	2	1	....	....	1	....	....	....	....
	F.	10	1	1	....	....	....	2	....	1	....	1	....	1	....	1	....	....	1	2	1	....	....	....	....	....	....	....
German parents	M.	6	3	....	....	....	....	3	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	23	18	5	4	1	....	28	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	22	12	10	....	....	....	22	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	25	20	3	2	....	....	25	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	14	9	3	2	....	....	14	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	20	2	....	....	2	1	5	2	....	1	....	....	....	2	1	....	1	....	4	1	....	2	1	....	....	....	....
	F.	16	1	1	2	....	1	5	....	1	....	2	....	1	....	1	....	1	2	1	....	1	1	....	....	....	....	....
German parents	M.	6	1	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15. Erysipelas:																												
Irish parents	M.	3											1		1								1					
	F.	3			1			1														2						
German parents	M.	5												1		1		1	1			1						
	F.	3	2					2										1										
16. Septicæmia:																												
Irish parents	M.	5									1		1		2	1												
	F.	6		1				1	1			1		2														1
German parents	M.	2															1	1										
	F.	1										1																
17. Puerperal septicæmia:																												
Irish parents	F.	18										1	1	6	5	5												
German parents	F.	2									1		1															
18. Venereal diseases:																												
Irish parents	M.	1																				1						
	F.																											
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.	2				1		1																1				
	F.	4															2					1	1					
German parents	M.	2							1								1											
	F.	3			1			1											1					1				
General diseases—B.																												
Total		37	12	1		1		14	3					2	3	1	3		3	3		2	2				1	
Irish parents	M.	10	2	1		1		4						1	1				2	1			1					
	F.	14	4					4	2					1	1	1	2		1			1	1					
German parents	M.	9	4					4							1		1			1		1					1	
	F.	4	2					2	1											1								
1. Worms:																												
Irish parents	M.	1		1				1																				
	F.	1							1																			
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	5												1	1				2	1								
	F.	4															1		1			1	1					
German parents	M.	3													1		1			1								
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.																											
	F.	5							1					1	1	1	1											
German parents	M.	1																				1						
	F.	1							1																			
6. Inanition:																												
Irish parents	M.	4	2			1		3															1					
	F.	4	4					4																				
German parents	M.	5	4					4																			1	
	F.	3	2					2												1								
General diseases—C.																												
Total		298	83	5				88			2			1	2		3	2	2	9	7	29	48	57	26	9	13	
Irish parents	M.	99	36	1				37									1	1		4	2	8	17	19	4	2	4	
	F.	111	27	1				28			2			1	2			1	1	3	5	11	17	21	11	4	4	
German parents	M.	43	10	2				12												1		7	8	7	4	1	3	
	F.	45	10	1				11									2		1	1		3	6	10	7	2	2	
1. Premature birth:																												
Irish parents	M.	8	8					8																				
	F.	8	8					8																				
German parents	M.																											
	F.	2	2					2																				
2. Stillborn:																												
Irish parents	M.	18	18					18																				
	F.	13	13					13																				
German parents	M.	4	4					4																				
	F.	3	3					3																				
3. Malformation:																												
Irish parents	M.																											
	F.	2	2					2																				
German parents	M.	1	1					1																				
	F.																											
4. Debility:																												
Irish parents	M.	25	10	1				11									1	1		2	1	1	4	3		1		
	F.	21	3	1				4			2			1	2			1	1	2	5	1	1		1			
German parents	M.	17	5	2				7												1		3	4	1	1			
	F.	13	5	1				6									2		1	1			1	1			1	
5. Old age:																												
Irish parents	M.	48																		2	1	7	13	16	4	1	4	
	F.	66																		1		10	16	21	10	4	4	
German parents	M.	21																				4	4	6	3	1	3	
	F.	27																				3	5	9	7	2	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 0.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.																											
	F.																											
General diseases—D.																												
Total		1011	20	12	9	3	2	46	9	28	68	125	141	100	93	58	52	56	56	48	47	36	22	15	6	1		4
Irish parents	M.	296	7	4	6	1	1	19	4	10	20	37	35	29	29	18	17	17	19	9	14	8	5	3		1		2
	F.	409	4	1		2		7	3	10	35	63	59	40	31	25	23	26	22	23	12	10	8	7	4			1
German parents	M.	160	3	5	1		1	10	1	4	4	11	24	19	16	8	7	3	12	8	11	11	6	3	1			1
	F.	146	6	2	2			10	1	4	9	14	23	12	17	7	5	10	3	8	10	7	3	2	1			
1. Rheumatism:																												
Irish parents	M.																											
	F.	8							1		1							1	1	3			1					
German parents	M.	2															1		1									
	F.	3														1					1			1				
2. Scrofula and tabes:																												
Irish parents	M.	4								2											1	1						
	F.	3									1	1			1													
German parents	M.	3																	2	1								
	F.	1	1					1																				
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	226	1	2	2	1	1	7	3	6	20	35	34	28	25	17	8	10	14	5	8	3	1					2
	F.	318	2	1		1		4	2	8	30	60	59	38	24	20	15	14	13	11	7	6	3	1	2			1
German parents	M.	103	1	2				3	1	4	3	11	22	18	14	6	4		6	2	4	3	1					1
	F.	96	1		1			2	1	3	8	13	23	12	15	4	3	3	1	3	2	3						
5. Hydrocephalus:																												
Irish parents	M.	12	5	2	3			10		1		1																
	F.	2	1					1		1																		
German parents	M.	4	1	2				3			1																	
	F.	4	1	2	1			4																				
6. Cancer:																												
Irish parents	M.	25													2		6	4	4		4	2		2		1		
	F.	48										1		1	3	3	6	8	6	7	4	2	2	4	1			
German parents	M.	10												1		2		2		1	1	2	1					
	F.	20										1			2	2	1	5	2	1	3	2			1			
7. Tumor:																												
Irish parents	M.	4													1		1				1		1					
	F.	1									1																	
German parents	M.	3											1				1				1							
	F.	2																		1		1						
8. Anæmia:																												
Irish parents	M.	1	1					1																				
	F.																							1				
German parents	M.	2	1					1																				
	F.	1	1					1																				
9. Dropsy:																												
Irish parents	M.	20			1			1	1			1	1		1	1	2	2	1	3		2	3	1				
	F.	20	1			1		2		1	2	1		1	3	2	2	3	2	2	1	2	2	2	1			
German parents	M.	27			1		1	2					1		1		1	1	3	4	5	4	3	1	1			
	F.	16	2					2									1	2		2	4	1	3	1				
10. Glycosuria:																												
Irish parents	M.	4								1				1				1		1								
	F.																											
German parents	M.	5													1							2	1	1				
	F.	2								1	1																	
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.	1		1				1												1								
	F.	1																										
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		425	85	17	14	12	6	134	14	5	8	9	10	12	13	11	17	14	22	27	29	36	29	17	13	1	3	1
Irish parents	M.	155	25	6	5	4	4	44	6	1	2	5	6	3	9	6	5	5	10	8	9	15	8	7	5		1	
	F.	120	23	3	4	6	2	38	4	1	4		3	4	1	3	4	6	5	9	14	8	6	7	2		1	
German parents	M.	88	21	4	4	1		30	3	2	1	3	1	3	2	2	3	1	6	9	2	9	7		2		1	1
	F.	62	16	4	1	1		22	1	1	1	1		2	1		5	2	1	1	4	4	8	3	4	1		
1. Inflammation of the brain:																												
Irish parents	M.	10	2		2			4	1		1				2			1	1									
	F.	9	2		1	1	1	5	1				1	1				1										
German parents	M.	8		1	1			2			1																	
	F.	3	1			1		2														1						
2. Meningitis:																												
Irish parents	M.	9	3	2				5	2							1			1									
	F.	10	4	1				5	2	1	1					1												
German parents	M.	1		1				1																				
	F.	2															1				1							
3. Apoplexy:																												
Irish parents	M.	35									1			1	1		4	2	2	4	6	5	3	4	2			
	F.	15											1		1	1	1	2	1	2	3	1		2			1	
German parents	M.	22																1	2	5	1	0	7		2			1
	F.	18															1		1		1	3	4	2	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	31										1	2	1	3	2		1	4	1	1	7	1	3	3		1	
	F.	36															3	2	2	6	6	5	6	4	2			
German parents	M.	14			1			1					1		1				1	1	1	3	4				1	
	F.	11															1	1		1	1		3	1	3			
5. Tetanus and trismus nascentium:																												
Irish parents	M.	2								1			1															
	F.																											
German parents	M.	3								1		1				1												
	F.																											
6. Epilepsy:																												
Irish parents	M.	3	1			1		2	1																			
	F.	2									1			1														
German parents	M.	3								1									2									
	F.	3									1			1				1										
7. Convulsions:																												
Irish parents	M.	33	17	4	2	3	3	29	1			3																
	F.	28	16	2	3	5	1	27													1							
German parents	M.	24	20	1	1	1		23	1																			
	F.	17	12	2	1			15	1	1																		
8. Mental diseases:																												
Irish parents	M.	11											1	1	1	2		1		2	2	1						
	F.	8											1	2		1		1			1	1		1				
German parents	M.	6							1			1		1		1			1	1								
	F.	3													1		1				1							
9. Diseases of the brain:																												
Irish parents	M.	18	2		1		1	4	1			1	2		2	1	1			1		1	4					
	F.	8	1					1			1				1					1	3	1						
German parents	M.	9	1	1	1			3	1					1			2			1			1					
	F.	10	3	2				5				1		1			1						1			1		
10. Diseases of the spinal cord:																												
Irish parents	M.	2																	1			1						
	F.	3							1		1								1									
German parents	M.	2										1								1								
	F.																											
11. Others of this group:																												
Irish parents	M.	1																	1									
	F.	1																	1									
German parents	M.	1															1											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		225	7			3		10	5	9	7	9	5	13	17	12	19	20	21	19	23	7	16	10	1	1		1
Irish parents	M.	69				1		1	1	3	2	5		4	3	8	5	6	6	4	9	2	5	4		1		
	F.	75	2			1		3	1	4	3	2	2	5	11	2	10	8	3	7	4	2	4	3	1			
German parents	M.	54	3			1		4	3	1	2	1	1	3	2	1	2	4	8	3	8	3	6	1				1
	F.	27	2					2		1		1	2	1	1	1	2	2	4	5	2		1	2				
1. Angina pectoris:																												
Irish parents	M.																											
	F.	1																			1							
German parents	M.																											
	F.	1																	1									
2. Aneurism:																												
Irish parents	M.	2																1		1								
	F.																											
German parents	M.	1																			1							
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	66				1		1	1	3	2	4		4	3	8	5	5	6	3	9	2	5	4		1		
	F.	73	1			1		2	1	4	3	2	2	5	11	2	10	8	3	7	3	2	4	3	1			
German parents	M.	48	1			1		2	3	1	2	1	1	3	2	1	2	3	8	3	7	2	5	1				1
	F.	23	1					1		1		1	1	1	1	1	2	2	2	5	2		1	2				
4. Others of this group:																												
Irish parents	M.	1										1																
	F.	1	1					1																				
German parents	M.	5	2					2										1				1	1					
	F.	3	1					1					1						1									
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		551	68	45	27	19	20	185	18	10	12	9	13	13	21	20	26	35	41	38	35	34	16	20	3			2
Irish parents	M.	246	35	16	9	8	11	79	4	7	4	2	7	7	10	10	15	19	15	17	19	16	5	8	1			1
	F.	133	14	13	7	4	7	45	5	2	5	2	2	4	5	4	5	4	10	11	5	9	5	8	1			1
German parents	M.	101	11	10	10	4	3	38	5	1	3	5	2	2	1	4	3	7	9	6	6	5	3	1				
	F.	71	8	6	1	3	5	23	4				2		5	2	3	5	7	4	5	4	3	3	1			
1. Croup:																												
Irish parents	M.	35	10	8	2	3	8	31	2	2																		
	F.	23	4	5	3	2	5	19	4																			
German parents	M.	18	1	5	4	4	2	16	2																			
	F.	13	2	3	1		3	9	4																			
2. Laryngitis:																												
Irish parents	M.	2				1		1														1						
	F.																											
German parents	M.																											
	F.																											
3. Bronchitis:																												
Irish parents	M.	25	8	2	2	1		13		1					1			1			3	5	1					
	F.	12	4	1	1	1		7							1			1	1	1		1						
German parents	M.	9	2				1	3											4	1		1						
	F.	4		1		1		2									1				1							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	149	14	6	4	2	1	27	2	3	3	2	7	6	7	8	13	14	13	13	12	8	3	6	1			1
	F.	80	5	6	3		2	16	1	2	4	2	2	3	3	4	4	2	7	8	5	6	2	7	1			1
German parents	M.	62	7	4	6			17	3	1	3	5	2	2	1	2	2	4	5	4	6	4	1					
	F.	40	4	2		2	1	9					1		5	2	2	5	4	3	2	2	2	3				
5. Pleurisy:																												
Irish parents	M.	3				1		1							1							1						
	F.	2												1						1								
German parents	M.	2														2												
	F.	3					1	1													1	1						
6. Asthma:																												
Irish parents	M.	10												1				1	1	3	2	1	1					
	F.	4																	1			1	1	1				
German parents	M.	2																					1	1				
	F.	2																	1			1						
7. Others of this group:																												
Irish parents	M.	22	3		1		2	6		1	1				1	2	2	3	1	1	2			2				
	F.	12	1	1		1		3			1				1		1	1	1	1		1	2					
German parents	M.	8	1	1				2									1	3		1			1					
	F.	9	2					2					1						2	1	1		1		1			
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		163	16	6	2	4	1	29	2	3	5	7	6	6	3	13	14	13	14	9	16	11	6	2	2	2		
Irish parents	M.	64	5	1	2	3	1	12	1	1	2	4	2	3	1	2	3	6	6	3	5	4	2	1		1		
	F.	45	5	3		1		9	1	1	1	1	3	1	1	7	1	5	1	2	6	3	2					
German parents	M.	42	5	2				7		1	1	1	1	1	1	4	5	2	5	3	3	3	1	1	1	1		
	F.	12	1					1			1	1		1					2	1	2	1	1		1			
1. Dentition:																												
Irish parents	M.	2	1		1			2																				
	F.	3	2	1				3																				
German parents	M.	1	1					1																				
	F.	1	1					1																				
2. Angina:																												
Irish parents	M.	4		1	1	1		3														1						
	F.																											
German parents	M.																											
	F.																											
3. Gastritis:																												
Irish parents	M.	3																1			1					1		
	F.	9									1	1	1		1				1		2	1	1					
German parents	M.	3														1						1			1			
	F.	1																	1									
4. Other diseases of the stomach:																												
Irish parents	M.	10				2		2				1			1			2	1	1		1	1					
	F.	7														2	1	1		2	1							
German parents	M.	5												1			2		1							1		
	F.																											
5. Obstruction of the bowels:																												
Irish parents	M.	4										1						1			2							
	F.																											
German parents	M.	2																	2									
	F.																											
6. Hernia:																												
Irish parents	M.	4										1					1		1			1						
	F.																											
German parents	M.	3														1	1				1							
	F.	1																	1									
7. Other diseases of the bowels:																												
Irish parents	M.	2																			1			1				
	F.	1																				1						
German parents	M.																											
	F.																											
8. Jaundice:																												
Irish parents	M.	2	1					1									1											
	F.	2				1		1															1					
German parents	M.	1																		1								
	F.																											
9. Inflammation and abscess of the liver:																												
Irish parents	M.	0					1	1	1								1		3									
	F.	1							1																			
German parents	M.	5														1	1				1	1	1					
	F.	1																			1							
10. Other diseases of the liver:																												
Irish parents	M.	7											1			1		1	1	1	1	1						
	F.	8		1				1						1		2		2			1	1						
German parents	M.	8	1					1								1		2	2	2								
	F.																											
11. Peritonitis:																												
Irish parents	M.	7									2	1		2			1	1										
	F.	7								1			2			3		1										
German parents	M.	5								1	1	1			1		1											
	F.	3									1	1		1														
12. Ascites:																												
Irish parents	M.	2															1			1								
	F.	1																			1							
German parents	M.	1																				1						
	F.	2																			1		1					
13. Others of this group:																												
Irish parents	M.	11	3					3		1			1	1		1	3					1						
	F.	6	3	1				4										1				1		1				
German parents	M.	8	3	2				5					1							1			1			1		
	F.	3																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	87		1	2		1	4	1		2	2	2	2	5	2	6	7	9	7	7	15	5	6	4	1		
Irish parents M.	41									1	1		1	1	1	3	6	3	3	1	8	4	4	4			
Irish parents F.	13			2			2						1	1		1	1	1	2	3		1					
German parents M.	24							1		1		1		1		2		5	1	2	7		2		1		
German parents F.	9		1			1	2				1	1		2	1				1	1							
1. Bright's disease:																											
Irish parents M.	15									1	1		1	1	1	2	3		2		2		1				
Irish parents F.	3																1	1	1								
German parents M.	13											1		1				4		2	3		2				
German parents F.	4											1		1	1				1								
2. Calculus, urinary:																											
Irish parents M.	3																1					1	1				
Irish parents F.																											
German parents M.	3									1											2						
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	10															1	1	1		1	2	1		3			
Irish parents F.	5			2			2							1						2							
German parents M.	4															2		1			1						
German parents F.	2					1	1													1							
4. Diseases of the bladder:																											
Irish parents M.	9																	2	1		2	1	2	1			
Irish parents F.	4												1			1			1	1							
German parents M.	1																		1								
German parents F.	1													1													
5. Others of this group:																											
Irish parents M.	4																1				2	1					
Irish parents F.	1																					1					
German parents M.	3							1													1				1		
German parents F.	2		1				1				1																
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	10										2				3	2	1	1	1								
Irish parents F.	7										2				2	2		1									
German parents F.	3														1		1		1								
1. Ovarian tumors:																											
Irish parents F.	2										1							1									
German parents F.	2														1				1								
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.	2														1	1											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	2										1					1											
German parents F.																											
5. Others of this group:																											
Irish parents F.	1														1												
German parents F.	1																1										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	47									2	6	6	10	14	9												
Irish parents F.	37									1	5	6	8	11	6												
German parents F.	10									1	1		2	3	3												
1. Abortion:																											
Irish parents F.	2												2														
German parents F.																											
2. Child-birth:																											
Irish parents F.	29									1	3	6	5	10	4												
German parents F.	9									1			2	3	3												
3. Others of this group:																											
Irish parents F.	6										2		1	1	2												
German parents F.	1										1																
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	5							2								1				1			1				
Irish parents M.	1							1																			
Irish parents F.	1															1											
German parents M.	3							1												1			1				
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1							1																			
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.	1																										
German parents	M.	2															1											
	F.																				1			1				
3. Diseases of the hip-joint:																												
Irish parents	M.	1							1																			
	F.																											
German parents	M.																											
	F.																											
4. *Others of this group:*																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		15	2	1				3	1	2				1	2		1	1	1			1			1	1		
Irish parents	M.	6	1	1				2	1					1	1		1											
	F.	3								1									1							1		
German parents	M.	2								1					1													
	F.	4	1					1										1				1			1			
1. Abscess:																												
Irish parents	M.	5		1				1	1					1	1		1											
	F.	2								1									1									
German parents	M.	2								1					1													
	F.	2																1				1						
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.	1	1					1																				
	F.	1																								1		
German parents	M.																											
	F.	2	1					1																	1			
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
1. *Addison's disease:*																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		470	14	8	9	3	2	36	24	29	35	45	38	27	48	32	37	35	30	9	18	6	5	6	5	4	1	
Irish parents	M.	323	7	7	5	3	1	23	14	18	28	37	29	21	37	23	27	25	19	4	7	5	3		2	1		
	F.	49	3		2		1	6	5	2	2	2	1	2	2	1	3	1	4		5	1	2	4	2	3	1	
German parents	M.	82	1	1	1			3	3	8	5	6	7	4	8	4	7	8	6	5	6			2				
	F.	16	3		1			4	2	1			1		1	4		1	1						1			
1. Burns and scalds:																												
Irish parents	M.	10		2	1	1		4		1		1		1			2	1										
	F.	9					1	1	3	1	1			1									1				1	
German parents	M.	2			1			1			1																	
	F.	3								1								1	1									
2. Drowned:																												
Irish parents	M.	17							4	2	2	1	2		1	1	1		2							1		
	F.	4									1	1				1			1									
German parents	M.	8							1	3			1		1		1							1				
	F.	1			1			1																				
3. Exposure and neglect:																												
Irish parents	M.	5	2	1				3		1													1					
	F.	2	1					1									1											
German parents	M.																											
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	4							1	1		2																
	F.																											
German parents	M.	1													1													
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 6—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.																											
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.	1									1																	
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	48							3	4	4	7	6	3	4	5	3	3	2	1	1	2						
	F.	7							1					1					1		2		1			1		
German parents	M.	13							1	3		1		1	2		1		1	1	1			1				
	F.	1													1													
9. Suffocation:																												
Irish parents	M.	4	3				1	4																				
	F.	1	1					1																				
German parents	M.	2	1					1									1											
	F.	1	1					1																				
10. Suicide by shooting:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.	2									1				1													
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.																											
German parents	M.	1															1											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.	1																1										
German parents	M.	1														1												
	F.																											
13. Other suicides:																												
Irish parents	M.	2													1	1												
	F.	1													1													
German parents	M.	6								1				1	1			2			1							
	F.	1														1												
14. Sunstroke:																												
Irish parents	M.	5										2							2				1					
	F.																											
German parents	M.																											
	F.	2							2																			
15. Surgical operations:																												
Irish parents	M.	2														1	1											
	F.																											
German parents	M.	1															1											
	F.																											
16. Wounds:																												
Irish parents	M.	2												1	1													
	F.																											
German parents	M.	2																		1	1							
	F.																											
17. Others of this group:																												
Irish parents	M.	221	2	4	4	2		12	6	9	21	24	20	16	29	15	20	21	13	3	6	3	1		2			
	F.	24	1		2			3	1	1		1	1		1		2		2		3	1		4	2	2		
German parents	M.	43		1				1	1	1	3	5	6	2	2	3	2	6	5	3	3							
	F.	7	2					2					1			3									1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9272	1771	487	319	276	214	3067	636	303	359	500	391	344	359	332	367	380	407	415	375	344	335	208	81	20	27	13
Total: Irish parents	M.	1490	150	42	25	21	14	252	60	36	58	84	83	90	67	72	72	92	96	97	87	76	80	55	13	9	8	3
	F.	1188	104	32	30	18	19	203	50	32	73	83	82	52	61	64	72	56	53	67	64	52	46	42	23	2	11	....
German parents	M.	3542	851	212	134	127	103	1427	254	130	95	158	97	105	112	109	131	134	165	151	130	130	104	64	25	9	4	8
	F.	3052	666	201	130	110	78	1185	272	105	133	175	129	97	119	87	92	98	93	100	94	86	105	47	20	9	4	2
Unknown causes.																												
Total		144	51	3	3	1	1	59	4	1	3	4	6	....	4	7	7	6	4	8	12	5	10	3	....	....	....	1
Irish parents	M.	17	4	....	....	....	....	4	....	....	....	....	1	....	....	1	2	2	1	2	3	....	1	....	....	....	....	....
	F.	19	1	1	2	....	....	4	1	....	....	....	2	....	1	3	3	....	....	....	1	1	3	....	....	....	....	....
German parents	M.	62	29	1	....	1	1	32	1	1	1	3	1	....	1	2	1	2	....	1	5	2	5	3	....	....	....	1
	F.	46	17	1	1	....	....	19	2	....	2	1	2	....	2	1	1	2	3	5	3	2	1	....	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2406	458	242	181	171	132	1184	422	158	104	105	59	51	56	32	30	36	43	46	74	18	28	7	2	1	....	....
Irish parents	M.	245	38	15	13	12	6	84	40	12	11	12	8	9	4	5	7	8	12	11	5	4	9	1	2	1	....	....
	F.	208	30	17	15	10	15	87	24	12	13	9	8	11	7	9	2	7	2	10	2	2	2	1	....	....	....	....
German parents	M.	959	205	110	76	77	60	528	159	67	41	31	11	12	13	11	14	9	20	11	11	8	8	5	....	....	....	....
	F.	994	185	100	77	72	51	485	199	67	39	53	32	19	32	7	7	12	9	14	6	4	9	....	....	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	9	1	....	1	2	1	5	1	....	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	1	2	....	1	4	1	1	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	30	10	7	2	1	....	20	6	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	37	6	11	5	5	1	28	4	1	1	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	35	....	4	5	6	2	17	16	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	33	2	6	3	5	8	24	7	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	120	13	12	12	16	16	69	40	9	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	134	9	11	16	18	20	74	36	11	4	5	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	43	2	4	4	3	3	16	16	7	2	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	41	2	3	4	5	5	19	13	6	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	342	24	33	43	49	39	188	96	37	13	5	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....
	F.	359	25	33	44	43	24	169	130	41	13	2	1	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	5	3	....	....	....	....	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	2	1	2	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	21	11	6	2	....	....	19	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	17	8	5	4	....	....	17	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	3	....	1	....	....	....	1	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	3	....	1	....	....	....	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	4	1	....	....	....	....	1	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	16	1	3	1	....	1	6	1	....	4	1	1	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	7	....	2	....	....	1	3	2	....	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	37	2	....	....	....	....	2	3	2	5	9	5	2	1	1	1	2	3	1	....	....	....	....	....	....	....	....
	F.	24	....	....	....	....	....	....	1	2	4	4	2	3	1	2	....	....	....	3	....	1	1	....	....	....	....	....
German parents	M.	78	....	....	1	2	1	4	3	10	14	14	7	2	4	2	5	1	5	2	2	1	2	....	....	....	....	....
	F.	95	3	1	2	1	2	9	12	10	13	17	5	4	4	1	4	6	4	4	1	1	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	11	1	....	....	....	....	1	....	....	....	....	....	....	1	....	2	....	....	....	1	1	4	1	....	....	....	....
	F.	8	2	1	....	....	....	3	....	....	....	....	1	1	....	1	....	1	....	....	....	1	....	....	....	....	....	....
German parents	M.	92	54	18	3	1	....	76	....	1	....	1	....	1	2	1	2	2	2	....	2	1	....	1	....	....	....	....
	F.	59	37	11	1	2	....	51	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	18	5	1	1	....	....	7	....	....	....	2	....	....	....	1	....	1	1	2	....	1	2	....	1	....	....	....
	F.	8	3	....	1	....	....	4	....	....	....	....	....	....	....	1	....	1	....	1	1	....	....	....	....	....	....	....
German parents	M.	41	17	6	2	4	....	29	1	2	1	....	....	2	....	....	....	....	....	2	2	2	....	....	....	....	....	....
	F.	26	9	3	....	....	1	13	....	....	2	1	2	1	....	....	....	....	1	3	....	1	2	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	19	1	1	1	1	....	4	....	1	3	....	....	1	....	2	....	3	2	1	1	....	....	....	1	....	....	....
	F.	11	2	....	....	....	1	3	....	1	2	1	....	....	....	....	....	....	....	2	....	....	1	1	....	....	....	....
German parents	M.	70	16	5	1	2	1	25	5	4	6	3	1	3	3	3	3	2	5	2	....	2	2	1	....	....	....	....
	F.	48	18	2	....	1	1	22	6	2	1	4	3	1	2	....	....	3	....	1	....	....	3	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	14	3	....	....	....	1	4	....	....	....	....	....	....	....	2	....	3	2	....	2	....	....	1	....	....	....	....
	F.	7	1	2	....	....	....	3	....	....	....	....	....	....	....	....	....	1	....	2	1	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	23	19	4	....	....	....	23	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	21	15	5	1	....	....	21	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	70	45	18	6	....	1	70	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	83	59	18	4	2	....	83	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	13	1	....	1	....	....	2	....	....	....	....	....	....	1	....	....	3	....	3	1	....	1	1	....	....	1	....
	F.	13	1	....	2	....	....	3	1	....	2	2	....	....	....	1	....	1	2	....	1	....	....	....	....	....	....	....
German parents	M.	25	2	....	1	1	....	4	2	....	....	4	1	1	2	....	....	2	....	2	4	....	1	1	1	....	....	....
	F.	17	1	....	1	....	1	3	1	1	....	3	2	....	....	....	....	....	1	1	2	2	1	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15. Erysipelas:																												
Irish parents	M.	10	2					2					1		1	1				2	1	1	1					
	F.	8	1					1					1	2		1	1	1		1								
German parents	M.	15	5		2			7			1			1					2		2		1	1				
	F.	18	6					6	1	1	1	3			2		1		1	1	1							
16. Septicæmia:																												
Irish parents	M.	3																1	1	1								
	F.	4									1				1	1		1										
German parents	M.	6		1				1			1					1		1			2							
	F.	9		1				1	2			2	1		1			1	1									
17. Puerperal septicæmia:																												
Irish parents	F	13									1	1	4	3	3	1												
German parents	F.	66									2	13	16	10	19	4	2											
18. Venereal diseases:																												
Irish parents	M.	2										1					1											
	F.	1														1												
German parents	M.	4	3					3								1												
	F.	3	1					1						1		1												
19. Others of this group:																												
Irish parents	M.	6												2					1	1	1		1					
	F.	5													1			1	1	1	1							
German parents	M.	12	1			1		2	2			1	1		1	1			1	1	1		1					
	F.	7	1					1	2		1				1				1				1					
General diseases—B.																												
Total		88	34	7	5	1	1	48	1		2	1	3	2	5	2	5	9	1	3	3	1	1					1
Irish parents	M.	26	3	3	2			8				1	2	2	3	1	1	4			1	1	1					1
	F.	13	8					8									1	1		1	2							
German parents	M.	34	18		1		1	20			2		1		2	1	3	3	1	1								
	F.	15	5	4	2	1		12	1									1		1								
1. Worms:																												
Irish parents	M.	1			1			1																				
	F.																											
German parents	M.	1	1					1																				
	F.	6		2	2	1		5	1																			
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	15											2	2	3	1	1	4				1						1
	F.	1																1										
German parents	M.	6														1	3	1		1								
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.	2											1					1										
	F.																											
5. Other poisons:																												
Irish parents	M.	3			1			1				1									1							
	F.	2															1				1							
German parents	M.	6			1			1			1				2			1	1									
	F.																											
6. Inanition:																												
Irish parents	M.	7	3	3				6															1					
	F.	10	8					8												1	1							
German parents	M.	19	17				1	18			1																	
	F.	9	5	2				7										1		1								
General diseases—C.																												
Total		856	458	3	2	3		466	3		3	4	1	1	2	5	2	6	7	10	20	57	87	96	46	18	20	2
Irish parents	M.	127	44					44									1	2	2	2	5	10	18	26	5	4	7	1
	F.	104	25					25			1	2		1	1	1		1		2	4	15	7	17	17	2	8	
German parents	M.	348	229	2	2	1		234	3		2	1	1		1	2	1	2	3	2	5	15	25	29	12	5	4	1
	F.	277	160	1		2		163				1				2		1	2	4	6	17	37	24	12	7	1	
1. Premature birth:																												
Irish parents	M.	8	8					8																				
	F.	2	2					2																				
German parents	M.	29	29					29																				
	F.	21	21					21																				
2. Stillborn:																												
Irish parents	M.	27	27					27																				
	F.	18	18					18																				
German parents	M.	136	136					136																				
	F.	101	101					101																				
3. Malformation:																												
Irish parents	M.																											
	F.																											
German parents	M.	4	3					3								1												
	F.	2	2					2																				
4. Debility:																												
Irish parents	M.	28	9					9									1	2	2	1	3	2	4	1	3			
	F.	22	5					5			1	2		1	1	1				1	2	2	2	1	2		1	
German parents	M.	98	53	2	2	1		58	3		2	1	1		1	1	1	2	3	2	3	6	8	3	2			1
	F.	66	33	1		2		36				1				2		1	2	4	2	3	6	1	1	1		
5. Old age:																												
Irish parents	M.	64																		1	2	8	14	25	2	4	7	1
	F.	62																1		1	2	13	5	16	15	2	7	
German parents	M.	73																			2	9	17	26	10	5	4	
	F.	90																			4	14	31	23	11	6	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.	8	8					8																				
	F.	3	3					3																				
General diseases—D.																												
Total		1009	49	22	12	8	8	99	24	48	125	218	171	124	120	115	135	147	146	144	110	75	60	34	10	1	2	1
Irish parents	M.	362	4	5		1	1	11	2	4	19	38	36	34	23	28	21	28	30	31	21	18	9	7	2			
	F.	370	5	3	3	1		12	3	9	39	49	46	22	23	26	34	24	24	17	23	8	12	5	2		1	
German parents	M.	621	23	6	5	4	6	44	11	21	20	67	41	36	40	26	42	53	55	58	41	33	16	18	3			1
	F.	547	17	8	4	2	1	32	8	14	47	64	48	32	34	35	38	42	37	38	25	16	23	9	3	1	1	
1. Rheumatism:																												
Irish parents	M.	13				1		1				1	1	4			1		1	1		1		1	1			
	F.	9									2		1		1			1	1	1	1		1					
German parents	M.	10								2	1	1		2	3		1	1	3				3	1	1			
	F.	12	1				1	2	1	1	1		1							1		1	2	2				
2. Scrofula and tabes:																												
Irish parents	M.	5		1				1										1	1	1		1						
	F.	7							1	1	2	1		1			1											
German parents	M.	8	4	1				5			1	1									1							
	F.	8	3	2		1		6			1									1								
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	267	2				1	3	1	1	18	34	35	28	21	21	16	22	17	20	12	9	4	4	1			
	F.	265	3	2	1	1		7	1	8	33	47	43	20	16	16	19	12	11	11	12	1	5	3				
German parents	M.	414	9	1	4	1	2	17	5	11	18	61	36	30	33	17	32	30	30	34	29	19	4	7				1
	F.	339	7	2	3	1		13	3	11	42	62	40	28	24	23	18	18	11	17	9	6	8	2	2	1	1	
5. Hydrocephalus:																												
Irish parents	M.	6	2	3				5										1										
	F.	7	2	1	2			5			1					1												
German parents	M.	16	4	4	1	2	3	14		1			1															
	F.	9	4	2				6	2											1								
6. Cancer:																												
Irish parents	M.	31													1	2	1	3	5	5	5	5	3	1				
	F.	47											1	1	4	4	7	7	7	3	6	4	2		1			
German parents	M.	76								1		2		2	1	5	7	10	14	16	6	8	4					
	F.	67										1	4		3	8	13	14	14	3	5	2						
7. Tumor:																												
Irish parents	M.	7										1		2		1	1			2								
	F.	11										1			1	2	2	2	1	1		1						
German parents	M.	8	2					2	1	1						1		2			1							
	F.	11									1	1	1	2			2			3		1						
8. Anæmia:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.	1																1										
	F.	4			1			1							1			1					1					
9. Dropsy:																												
Irish parents	M.	28		1				1	1	3	1	1			1	4	2	1	4	2	2	2	2	1				
	F.	31							1		1		1		1	3	5	1	3	1	4	2	4	2	1		1	
German parents	M.	67	2			1	1	4	4	3		1	4	1	2	3	2	9	7	8	4	5	3	5	2			
	F.	91	2					2	1	2	2		2	2	5	4	5	8	12	12	11	6	11	5	1			
10. Glycosuria:																					2							
Irish parents	M.	2																1	1									
	F.	2								1		1		1	1				1			1	2					
German parents	M.	8																1					1					
	F.	4		1				1	1																			
11. Others of this group:																												
Irish parents	M.	2										1							1									
	F.																											
German parents	M.	4	2					2	1	1																		
	F.	2		1				1							1													
12. Others of this class:																												
Irish parents	M.																											
	F.	1															1											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		1027	377	72	30	13	15	507	47	18	22	29	30	21	26	17	39	27	42	43	35	43	48	29	5	2	3	3
Irish parents	M.	144	23	5	4	2	1	35	2	6	3	4	12	3	7	5	11	4	9	9	6	9	14	2	1	1	1	
	F.	107	16	3	1	1	1	22	5	3	5	3	2	3	2	2	6	6	8	9	6	9	9	5	1		1	
German parents	M.	434	194	33	10	7	3	247	21	6	4	11	11	10	11	5	12	6	17	19	16	12	13	7	3	1		2
	F.	342	144	31	15	3	10	203	10	3	10	11	5	5	6	5	10	11	8	6	7	13	12	6			1	1
1. Inflammation of the brain:																												
Irish parents	M.	18	3	1				4		2	1	2	2	2		1	1	1				1	1				1	
	F.	8	1	2			1	4		2							1											
German parents	M.	38	7	5	1	3		16	5	2		4	2	1	1		2	1	1	2		1						
	F.	39	11	5			2	18	9	2	3	1	2				1	1	2									
2. Meningitis:																												
Irish parents	M.	14	4	1	3	1		9	2						1	1											1	
	F.	4	1	1				2	1		1																	
German parents	M.	28	14	7			1	22	5					1														
	F.	26	5	3	5		1	14	4	1	4		1		1		1											
3. Apoplexy:																												
Irish parents	M.	19										1	1			1	2		2	2	2	3	3	1	1			
	F.	20										1		1		2	1	1	4	2	1	5	2					
German parents	M.	54	2					2				1	2	2	2	1	5	3	9	6	8	6	4		2	1		
	F.	36	1				2	3			1			2	2	2	2	1	3	3	2	6	5	1			1	1

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—*Continued.*

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	39									1		3	1	1	2	3	2	4	5	2	5	8	1		1		
	F.	36	1					1		1		1	1	1			2	3	3	6	4	4	5	4				
German parents	M.	43				1		1	2		2	1	1			1	1	1	2	6	6	5	6	7	1			
	F.	33									1	1		1	1		2	4	2	1	3	5	7	5				
5. Tetanus and trismus nascentium:																												
Irish parents	M.	1									1																	
	F.	2	1					1										1										
German parents	M.	12	6					6	1			1			3								1					
	F.	5	3					3				1					1											
6. Epilepsy:																												
Irish parents	M.	7	1					1				1	2				1		2									
	F.	2									1									1								
German parents	M.	16	3					3	1	1	1	1	2	2	2	1			1				1					
	F.	8	2	1				3				1		2			1		1									
7. Convulsions:																												
Irish parents	M.	18	15	2			1	18																				
	F.	16	12		1	1		14	2																			
German parents	M.	192	156	17	8	3	2	186	2	2		2																
	F.	158	118	18	8	2	4	150	3		1	2						1			1							
8. Mental diseases:																												
Irish parents	M.	7											3		1				1	1			1					
	F.	4										1	1	1										1				
German parents	M.	10												2	2		1		3	2								
	F.	8										2			1	1	1	2			1							
9. Diseases of the brain:																												
Irish parents	M.	14		1	1	1		3		2			1		2		2			1	2		1					
	F.	11							2		2			1	1		1	1			1		2					
German parents	M.	32	5	4	1			10	3		1	1	3		1	2	3	1	1	2	1		1					2
	F.	23	3	4	2		1	10	2				2		1	2	1	1		2		2						
10. Diseases of the spinal cord:																												
Irish parents	M.	3								2								1										
	F.	2									1								1									
German parents	M.	8	1					1	2	1			1	1						1	1							
	F.	5	1			1		2	1			1						1										
11. Others of this group:																												
Irish parents	M.	4													2		2											
	F.	2															1								1			
German parents	M.	1												1														
	F.	2										2																
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		375	8	6		1	1	16	15	11	12	15	17	22	17	22	25	31	37	31	42	31	21	7	2		1	
Irish parents	M.	78	2	1				3	2	1	3	3	3	7	2	2	3	10	5	5	10	10	5	3	1			
	F.	65							2	2	2	4	4	2	3	8	6	3	4	10	6	4	2	2	1			
German parents	M.	120	4	2		1	1	8	7	4	1	2	4	9	9	5	11	11	13	11	9	10	6					
	F.	112	2	3				5	4	4	6	6	6	4	3	7	5	7	15	5	17	7	8	2			1	
1. Angina pectoris:																												
Irish parents	M.	1														1												
	F.	1												1														
German parents	M.	2													1								1					
	F.																											
2. Aneurism:																												
Irish parents	M.	2														1							1					
	F.	1																			1							
German parents	M.																											
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	73		1				1	2	1	3	3	3	7	2		3	10	5	5	10	10	4	3	1			
	F.	63							2	2	2	4	4	1	3	8	6	3	4	10	5	4	2	2	1			
German parents	M.	115	2	2		1	1	6	7	4	1	2	4	9	8	5	10	11	13	11	9	10	5					
	F.	111	2	3				5	4	4	5	6	6	4	3	7	5	7	15	5	17	7	8	2			1	
4. Others of this group:																												
Irish parents	M.	2	2					2																				
	F.																											
German parents	M.	3	2					2									1											
	F.	1									1																	
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1167	188	96	62	54	48	448	83	22	27	42	29	28	35	49	46	39	54	63	58	60	49	20	10	3	1	1
Irish parents	M.	190	15	9	5	3	5	37	6	3	4	6	7	11	9	7	10	11	12	13	16	12	15	8	1	2		
	F.	140	9	5	3	4	2	29	10	1	6	9	6	3	5	6	6	7	8	9	9	8	9	6	2		1	
German parents	M.	466	85	43	24	24	26	202	35	9	6	17	10	9	12	25	18	13	26	26	15	21	16	2	3	1		
	F.	371	79	39	24	23	15	180	32	9	11	10	6	5	9	11	12	8	8	15	18	19	9	4	4			1
1. Croup:																												
Irish parents	M.	20	3	3	2	1	4	13	5			1								1								
	F.	20	4	5	2	2	2	15	4	1																		
German parents	M.	106	23	16	10	16	18	83	20	1					1	1												
	F.	93	2[illegible]	15	11	15	11	74	16	1										1		1						
2. Laryngitis:																												
Irish parents	M.																											
	F.	1																1										
German parents	M.	4	1		1		1	3	1																			
	F.	7	1	1		2	1	5	1													1						
3. Bronchitis:																												
Irish parents	M.	14	3	1				4								1	2			2	1		2	2				
	F.	15			2	1		3			1	2		1	1			1					5		1			
German parents	M.	28	9	2	1	1	1	14	1			3					2		1		3	1	3					
	F.	25	5	2	1			8	4		1					2				1	2		2	4				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	115	5	4	3	1		13	1	3	3	5	5	9	7	6	6	7	9	5	13	10	7	4	1	1		
	F.	71	4		4	1		9	5		3	6	5	1		4	6	4	5	5	5	5	3	3	1		1	
German parents	M.	253	37	23	11	6	5	82	12	6	5	11	8	8	11	20	14	11	17	18	6	10	10	2	1	1		
	F.	198	41	19	10	6	3	79	10	7	8	7	6	4	8	6	10	7	6	11	7	14	5		2			1
5. Pleurisy:																												
Irish parents	M.	8	1					1						1			1	1	1	2	1							
	F.	1																			1							
German parents	M.	7							1			1								2		2			1			
	F.	6	3					3				2				1												
6. Asthma:																												
Irish parents	M.	9															1		1	1		2	2	2				
	F.	14													3	1		1	2	3	1	1	1	1				
German parents	M.	17			1			1								2			2	2	3	6	1					
	F.	11														1		1			5	3			1			
7. Others of this group:																												
Irish parents	M.	24	3	1		1	1	6			1		2	1	2			3	1	2	1		4			1		
	F.	18	1		1			2	1		2	1	1	1	1	1			1	1	2	2		2				
German parents	M.	51	15	2		1	1	19		2	1	2	2	1		2	2	2	6	4	3	2	2		1			
	F.	31	7	2	2			11	1	1	2	1		1	1	1	2		2	2	4		1		1			
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		440	121	28	8	6	1	164	4	6	11	11	10	17	19	18	23	25	23	28	33	23	15	8	1	1		
Irish parents	M.	69	14	3		2		19		2	2	1	1	2	5	5	4	4	4	8	5	3	2	1		1		
	F.	54	4	3		1		8	1	2	1	2	1	2	2	2	4	4	5	5	8	3	1	3				
German parents	M.	179	55	11	4	1	1	72	1	2	4	5	3	9	5	8	10	9	11	8	12	10	7	2	1			
	F.	138	48	11	4	2		65	2		4	3	5	4	7	3	5	8	3	7	8	7	5	2				
1. Dentition:																												
Irish parents	M.	6	4	2				6																				
	F.	3		3				3																				
German parents	M.	15	5	8	1	1		15																				
	F.	19	11	7	1			19																				
2. Angina:																												
Irish parents	M.	1	1					1																				
	F.	2	1					1		1																		
German parents	M.	7	5		1		1	7																				
	F.	4	2					2	2																			
3. Gastritis:																												
Irish parents	M.	2																	1			1						
	F.	2				1		1							1													
German parents	M.	5	1					1											2		1	1						
	F.	5	1			1		2								1				1			1					
4. Other diseases of the stomach:																												
Irish parents	M.	7	3					3					1			1				2								
	F.	4																		3				1				
German parents	M.	10	1	1				2		1						1				1	2	1	1	1				
	F.	11	1	1	1			3					1		2			1		3				1				
5. Obstruction of the bowels:																												
Irish parents	M.	2	1					1		1																		
	F.	2								1		1				1												
German parents	M.	1																					1					
	F.	1																										
6. Hernia:																												
Irish parents	M.	4	1					1								1		1	1									
	F.	2														1			1						1			
German parents	M.	4												1				1	1									
	F.	8																2	2	1		2		1				
7. Other diseases of the bowels:																												
Irish parents	M.	2															1						1					
	F.	1																			1							
German parents	M.	6	1					1				1		1				1					2					
	F.	4	1					1						1							1	1						
8. Jaundice:																			1	1								
Irish parents	M.	2																	1		1	1		1				
	F.	4													1						1		2					
German parents	M.	5	1					1														2						
	F.	7	2	1				3				1				1												
9. Inflammation and abscess of the liver:																												
Irish parents	M.	5										1				2		1				1						
	F.	6													1		1		1			2	1					
German parents	M.	14													2	1	2	3		2		1	2	1				
	F.	1																					1					
10. Other diseases of the liver:																												
Irish parents	M.	13	1			1		2								1	1	1	1		3	3	1					
	F.	9								1							4	2	4	2	1	7	4	2	1			
German parents	M.	37								1					1			1	2	1	1	3		2				
	F.	13													2	1		1	2	1	1							
11. Peritonitis:																												
Irish parents	M.	15		1		1		2		1	1	1		2	2	1	1	1	1	2				1	1			
	F.	10	1					1			1	1		1	1		1	2										
German parents	M.	21	2					2		1	4	3	3	2	2		3	1										
	F.	26	2			1		3			3	2	4	1	3	2	4	2			1	1						
12. Ascites:																												
Irish parents	M.	2																1					1					
	F.	2														1												
German parents	M.	1																	1			1						
	F.	2																										
13. Others of this group:																	1					1	1	1	1			
Irish parents	M.	8	3					3						1				2		2								
	F.	7	2					2							1	1		2	2		1	1		1				
German parents	M.	53	39	2	2			43					1								1		2	1				
	F.	37	28	2	2			32																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—*Continued.*

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	135	2	3	1		1	7	2	4	6	5	3	8	10	6	12	8	6	13	11	17	6	8	1	1		1
Irish parents, M.	37	1					1				1		3	3		2	1	1	6	6	4	3	5				1
Irish parents, F.	19							1		1			2	4	2	3	2		2	1	1						
German parents, M.	53		2			1	3	1	3	1	2	2	2	1	2	3	4	1	4	4	12	3	3	1	1		
German parents, F.	26	1	1	1			3		1	4	2	1	1	2	2	4	1	4	1								
1. Bright's disease:																											
Irish parents, M.	8										1		2						1	1	1	1					1
Irish parents, F.	8									1			2	1	1	1	1		1								
German parents, M.	23								2	1	2	2	1	1	1	3	2	1	2	2	2	1					
German parents, F.	10			1			1		1	3			1	1	1		1	1									
2. Calculus, urinary:																											
Irish parents, M.	4																	1		1	1		1				
Irish parents, F.																											
German parents, M.	3																		1		1		1				
German parents, F.																											
3. Diseases of the kidney:																											
Irish parents, M.	15													3		2	1		3	1	2		3				
Irish parents, F.	7							1						2	1	1	1			1							
German parents, M.	18		2				2		1				1		1		2		1	1	5	2	2				
German parents, F.	12	1	1				2			1	2	1			1	2		2	1								
4. Diseases of the bladder:																											
Irish parents, M.	7												1						2	2		1	1				
Irish parents, F.	1																		1								
German parents, M.	8					1	1	1												1	3			1	1		
German parents, F.	2															2											
5. Others of this group:																											
Irish parents, M.	3	1					1													1		1					
Irish parents, F.	3													1		1					1						
German parents, M.	1																				1						
German parents, F.	2													1				1									
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	24									2	2	1	3	6	1	3	2	1	2		1						
Irish parents, F.	1													1													
German parents, F.	23									2	2	1	3	5	1	3	2	1	2		1						
1. Ovarian tumors:																											
Irish parents, F.																											
German parents, F.	3																1	1			1						
2. Ovarian diseases:																											
Irish parents, F.																											
German parents, F.	1																		1								
3. Uterine tumors:																											
Irish parents, F.																											
German parents, F.	3													1			1		1								
4. Uterine diseases:																											
Irish parents, F.																											
German parents, F.	6									1	1		2	1		1											
5. Others of this group:																											
Irish parents, F.	1													1													
German parents, F.	10									1	1	1	1	3	1	2											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	127									5	18	30	27	27	13	7											
Irish parents, F.	36									1	3	9	6	10	4	3											
German parents, F.	91									4	15	21	21	17	9	4											
1. Abortion:																											
Irish parents, F.	4									1				2	1												
German parents, F.	7											3	2	1	1												
2. Child-birth:																											
Irish parents, F.	31										3	9	6	7	3	3											
German parents, F.	83									4	15	17	19	16	8	4											
3. Others of this group:																											
Irish parents, F.	1													1													
German parents, F.	1											1															
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	19							6	3	1	2	1	1			2	1	1			1						
Irish parents, M.	4							1			1		1			1											
Irish parents, F.	2							1	1																		
German parents, M.	7							2	2							1		1			1						
German parents, F.	6							2		1	1	1					1										
1. Diseases of the spine:																											
Irish parents, M.	3										1		1			1											
Irish parents, F.	1								1																		
German parents, M.	3							1	1							1											
German parents, F.	1										1																

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.																											
German parents	M.	2																1			1							
	F.	1							1																			
3. Diseases of the hip-joint:																												
Irish parents	M.	1							1																			
	F.	1							1																			
German parents	M.	2							1	1																		
	F.	4							1		1		1				1											
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		28	6					6		1	1	3		1	1	2	2	4	3		1		2	1				
Irish parents	M.	3									1							1					1					
	F.	7	1					1		1		1			1	1			1					1				
German parents	M.	12	2					2				1		1		1	1	3	1		1		1					
	F.	6	3					3				1					1		1									
1. Abscess:																												
Irish parents	M.	2									1							1										
	F.	6								1		1			1	1			1					1				
German parents	M.	10	1					1				1		1		1	1	3			1		1					
	F.	2										1							1									
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																	1									
	F.	1	1					1																				
3. Others of this group:																												
Irish parents	M.	1																					1					
	F.	1	1					1																				
German parents	M.	1	1					1																				
	F.	3	2					2									1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		5										2	1		1			1										
Irish parents	M.	1										1																
	F.																											
German parents	M.	4										1	1		1			1										
	F.																											
1. Addison's disease:																												
Irish parents	M.	1										1																
	F.																											
German parents	M.	2													1			1										
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.	2										1	1															
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		521	19	5	15	18	6	63	25	31	35	39	29	38	30	43	28	38	39	24	26	12	8	4	4	2		3
Irish parents	M.	187	2	1	1	1	1	6	7	8	15	16	13	18	11	18	9	17	20	10	9	5	2	2	1			
	F.	33	5			1	1	7	2	1	4	1	4		1		3	1	1	2	2	1	1	2				
German parents	M.	243	7	2	12	11	3	35	13	15	13	17	11	17	16	21	14	18	16	10	11	6	4		2	1		3
	F.	58	5	2	2	5	1	15	3	7	3	5	1	3	2	4	2	2	2	2	4		1		1	1		
1. Burns and scalds:																												
Irish parents	M.	6									1			1			2		1						1			
	F.	10	1				1	2	1		2	1			1		1			1				1				
German parents	M.	16	1	1	7	4		13				1		1							1							
	F.	7				3	1	4	1	2																		
2. Drowned:																												
Irish parents	M.	50			1	1	1	3	6	2	5	2	4	6	4	6	1	4	4	1	1			1				
	F.																											
German parents	M.	50		1	2	5	2	10	10	6	3	4	2	2	1	4	2	1	2		2	1						
	F.	6		2	1	2		5			1																	
3. Exposure and neglect:																												
Irish parents	M.	1		1				1												1								
	F.	6	3			1		4					1			1					1	1						
German parents	M.	6	1		1			2					1															
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	5								1		1		1				1			1							
	F.	1											1															
German parents	M.	8									3	1	1		2	1					1							
	F.	2								1																		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 7—Continued.

Cause of death.*		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	4									1	1	1							1								
	F.																											
German parents	M.	7							1				1				1	2	1	1								
	F.	3								1				1					1									
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.	1												1														
	F.																											
8. Railroad accidents:																												
Irish parents	M.	44							1	4	3	7	4	3	1	3		4	8	2	2	1		1				
	F.	6							1				1				1	1	1		1							
German parents	M.	26			1			1		2	2	2	3	2	4	3		1	2				1					3
	F.	5								3		1			1													
9. Suffocation:																												
Irish parents	M.	5	2					2				1		1					1									
	F.	2															1				1							
German parents	M.	9	4		1	1		6	1							2												
	F.	5	3					3				1				1												
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	6										1		1	1	1	1	1										
	F.																											
11. Suicide by drowning:																												
Irish parents	M.	1																			1							
	F.																											
German parents	M.	3												1			1						1					
	F.	1														1												
12. Suicide by poison:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.	2														2												
	F.																											
13. Other suicides:																												
Irish parents	M.	6												1		1	1			2	1							
	F.	1											1															
German parents	M.	18											1	1	2	1	2	3	2	4	2							
	F.	3														1	1				1							
14. Sunstroke:																												
Irish parents	M.	1									1																	
	F.																											
German parents	M.	7										1	1	1				2		1					1			
	F.	1															1											
15. Surgical operations:																												
Irish parents	M.	2														1		1										
	F.																											
German parents	M.	3												1					1		1							
	F.																											
16. Wounds:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.	2																1	1									
	F.	1												1														
17. Others of this group:																												
Irish parents	M.	60								1	4	4	4	5	6	7	5	6	5	4	3	4	2					
	F.	7	1					1		1	2											1	1	1				
German parents	M.	79	1			1	1	3	1	7	5	7	1	6	6	6	7	7	7	4	4	4	2		1	1		
	F.	24	2		1			3	2		2	3	1	1	1	1		2	1	2	2		1		1	1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		7289	780	236	162	135	110	1423	307	153	257	379	348	310	345	327	336	403	360	443	423	499	445	294	131	50	30	26
Total: Irish parents	M.	2710	284	77	55	39	32	487	111	56	82	133	130	112	120	137	120	138	144	190	181	181	168	122	49	19	9	12
	F.	2140	196	64	38	38	34	370	87	37	102	124	120	107	102	90	95	120	81	116	99	161	147	98	46	20	14	4
German parents	M.	1361	158	55	37	33	21	304	50	35	39	54	49	50	67	69	72	87	79	74	74	97	76	52	18	5	3	7
	F.	1078	142	40	32	25	23	262	59	25	34	68	49	41	56	31	40	58	56	63	69	60	54	22	18	6	4	3
Unknown causes.																												
Total		117	20	1	....	1	1	29	2	1	2	7	2	3	3	4	3	9	4	4	6	16	13	5	3	....	1	....
Irish parents	M.	40	8	1	....	....	....	9	1	....	1	1	1	....	1	1	1	2	2	2	2	7	4	4	1	....	....	....
	F.	38	5	....	....	....	1	6	....	....	....	4	....	2	....	3	2	3	....	1	1	7	7	1	1	....	....	....
German parents	M.	18	7	....	....	....	....	7	....	....	1	1	1	....	1	....	....	1	2	1	1	....	2	....	....	....	....	....
	F.	21	6	....	....	1	....	7	1	1	....	1	....	1	1	....	....	3	....	....	2	2	....	....	1	....	1	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1460	238	98	87	70	71	564	195	81	60	77	49	41	45	35	31	33	44	47	42	37	34	29	7	....	....	9
Irish parents	M.	402	77	29	30	21	20	177	63	23	10	22	16	16	17	12	10	12	19	22	22	15	11	10	4	....	....	5
	F.	422	73	22	23	14	22	154	61	21	22	22	19	11	12	10	7	10	8	14	11	11	11	15	1	....	....	2
German parents	M.	281	38	28	15	20	14	115	32	23	11	13	9	7	8	9	7	5	8	8	8	7	6	4	....	....	....	1
	F.	265	50	19	19	15	15	118	39	14	11	20	5	7	8	4	7	6	9	3	1	4	6	....	2	....	....	1
1. Small-pox:																												
Irish parents	M.	2	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	1	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	10	3	2	1	....	....	6	2	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	10	3	1	2	1	....	7	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	1	3	1	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	6	....	1	2	1	....	4	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	54	6	5	8	8	7	34	10	5	1	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	2
	F.	44	5	3	6	3	11	28	14	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	31	1	8	4	5	3	21	7	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
	F.	24	1	....	4	2	2	9	12	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	105	13	4	13	9	9	48	41	7	3	3	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	98	12	4	10	8	8	42	34	11	5	2	2	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
German parents	M.	87	7	8	7	9	11	42	24	12	4	2	1	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	89	10	7	9	12	13	51	23	11	1	....	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	7	3	2	2	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	4	2	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	3	2	....	....	....	....	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	6	1	1	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	4	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	6	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	1	2	....	....	....	....
German parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	5	1	....	1	1	....	3	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
	F.	10	3	....	....	....	....	3	1	1	1	....	....	2	....	....	....	....	....	1	1	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	85	1	1	....	1	2	5	1	3	7	14	4	10	6	3	3	5	6	5	8	....	3	....	....	....	....	2
	F.	60	....	....	....	....	1	1	5	5	11	10	7	3	4	4	2	3	1	2	1	4	1	3	....	....	....	2
German parents	M.	53	....	2	1	1	....	4	....	5	4	8	8	4	2	2	1	2	4	3	1	1	2	2	....	....	....	....
	F.	45	....	....	....	....	....	....	....	1	6	13	2	3	3	....	4	2	5	....	....	2	4	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	28	2	....	....	1	....	3	2	....	....	....	2	....	1	3	2	....	2	1	4	5	1	2	....	....	....	....
	F.	10	5	1	1	....	....	7	....	....	1	....	....	1	....	....	1	2	....	....	3	....	....	1	....	....	....	....
German parents	M.	14	4	1	....	1	....	6	....	....	....	....	....	1	1	....	....	....	....	1	3	1	1	....	....	....	....	....
	F.	13	6	1	1	....	....	8	....	....	....	....	....	....	....	....	1	1	....	....	1	1	....	....	1	....	....	....
10. Dysentery:																												
Irish parents	M.	15	2	1	1	....	....	4	....	....	....	....	....	....	1	....	1	....	1	1	2	1	3	1	....	....	....	....
	F.	21	....	1	....	....	....	1	....	....	1	....	....	....	....	1	....	2	2	3	2	4	1	3	1	....	....	....
German parents	M.	12	3	....	1	2	....	6	1	1	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....
	F.	9	3	....	....	....	....	3	....	....	....	....	....	1	1	....	....	1	....	2	....	....	....	....	1	....	....	....
11. Enteritis:																												
Irish parents	M.	55	4	3	....	....	....	7	2	4	2	1	4	1	3	2	2	4	2	8	6	1	1	4	1	....	....	....
	F.	30	6	1	....	1	....	8	1	1	....	1	1	....	1	2	1	2	3	1	2	2	2	2	....	....	....	....
German parents	M.	22	4	....	....	....	....	4	....	1	2	2	....	....	....	3	3	2	....	3	1	....	1	....	....	....	....	....
	F.	18	1	....	2	....	....	3	....	1	1	2	....	....	3	3	....	2	1	1	....	1	....	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	8	1	1	....	....	....	2	1	....	....	....	....	....	1	....	....	....	....	1	....	....	2	....	....	....	....	1
	F.	6	1	1	....	....	....	2	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	2	....	....	....	....
German parents	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	2	....	1	....	1	1	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	50	37	9	3	....	1	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	42	32	7	2	....	1	42	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	19	12	5	1	1	....	19	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	19	7	....	....	....	26	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	23	1	....	....	....	1	2	3	1	....	2	1	....	4	....	1	1	....	3	....	....	3	1	1	....	....	....
	F.	20	....	....	1	....	....	1	3	1	1	2	1	....	....	1	....	....	....	....	....	1	1	4	1	....	....	....
German parents	M.	7	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	1	....	....	1	....	3	....	1	....	....	....
	F.	7	1	1	....	....	....	2	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	18	1	1		1		3		2				1	1	2	1		4	1		2			1			
	F.	11	2	1		1		4				1							1	2	1		1	1				
German parents	M.	6	2			1		3						1	1								1					
	F.	4	1					1	2											1								
16. Septicæmia:																												
Irish parents	M.	6			1			1			2							2							1			
	F.	6							1				1	1	1		1			1								
German parents	M.	6	1					1		1						2			1			1						
	F.	3									1					1												1
17. Puerperal septicæmia:																												
Irish parents	F.	18										1	4	4	6	2	1											
German parents	F.	7										2	1	1	1													
18. Venereal diseases:																												
Irish parents	M.	6	1					1				1		1		2					1							
	F.	2										1											1					
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.	11											1		1				2	2	1	1		2	1			
	F.	2					1	1				1																
German parents	M.	1																				1						
	F.																											
General diseases—B.																												
Total		58	12		2	1		15	3	1	1	3	2	2	4	7	3	1	5	6	2	1	2					
Irish parents	M.	32	4					4	2		1	3	2		3	5	1	1	3	3	1	1	2					
	F.	9	3					3		1				1		1			2	1								
German parents	M.	14	4		2			6	1					1	1	1	2			1	1							
	F.	3	1			1		2												1								
1. Worms:																												
Irish parents	M.	1									1																	
	F.																											
German parents	M.	1	1					1																				
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	19							1			1	2		2	4	1	1	3	2	1		1					
	F.	2												1						1								
German parents	M.	5												1	1	1	2											
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	5							1			1			1	1						1						
	F.	1																	1									
German parents	M.	3							1											1	1							
	F.	2				1		1												1								
6. Inanition:																												
Irish parents	M.	7	4					4				1								1			1					
	F.	6	3					3		1						1			1									
German parents	M.	5	3		2			5																				
	F.	1	1					1																				
General diseases—C.																												
Total		501	134	1		1		136	1		1	3	3	1	1	1	3	9	6	15	24	46	73	83	47	20	19	
Irish parents	M.	194	64	1				65			1		1					3	3	5	17	16	22	31	18	9	3	
	F.	162	23			1		24				3	2	1	1	1	2	5	1	7	3	20	28	26	13	14	11	
German parents	M.	78	26					26									1	1	2	2	1	5	11	17	8	2	2	
	F.	67	21					21	1											1	3	5	12	9	8	4	3	
1. Premature birth:																												
Irish parents	M.	7	7					7																				
	F.	4	4					4																				
German parents	M.	5	5					5																				
	F.	1	1					1																				
2. Stillborn:																												
Irish parents	M.	43	43					43																				
	F.	12	12					12																				
German parents	M.	16	16					16																				
	F.	17	17					17																				
3. Malformation:																												
Irish parents	M.	1									1																	
	F.	1	1					1																				
German parents	M.	2	2					2																				
	F.																											
4. Debility:																												
Irish parents	M.	62	14	1				15					1					3	2	5	9	7	8	9	3			
	F.	52	6			1		7				3	2	1	1	1	2	4		4	3	6	8	5	4		1	
German parents	M.	23	3					3									1	1	2	2	1	3	4	4	2			
	F.	15	3					3	1											1	2	1	5	1			1	
5. Old age:																												
Irish parents	M.	81																	1		8	9	14	22	15	9	3	
	F.	93																1	1	3		14	20	21	9	14	10	
German parents	M.	32																				2	7	13	6	2	2	
	F.	34																			1	4	7	8	8	4	2	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		1845	40	20	9	6	6	81	17	25	104	171	160	140	116	124	114	136	112	133	107	117	95	62	18	6	1	6
Irish parents	M.	606	13	5	2	1		21	5	5	27	60	54	48	32	47	44	37	31	47	37	32	34	25	9	4		4
	F.	611	8	7	3	2		20	6	11	48	68	68	52	40	34	33	48	35	37	24	37	25	20	5	1	1	
German parents	M.	341	12	3	4	2	1	22	5	4	14	17	17	20	19	25	24	29	29	26	20	30	25	12	2	1		
	F.	287	7	5		1	5	18	1	5	15	26	21	20	25	18	13	22	16	23	26	18	11	5	2			2
1. Rheumatism:																												
Irish parents	M.	20										1		1	1	1	2	3	2	2		2	3	1	1			
	F.	9							1	1										1	1	2		3				
German parents	M.	11															2	2	1	3	1	1	1					
	F.	6									1					1			1	1			2					
2. Scrofula and tabes:																												
Irish parents	M.	7	1					1		1		1		1	1				1		1							
	F.	9	3	1				4			1	1	1	1					1									
German parents	M.	5									1							1	2					1				
	F.	6	1	1				2							1		1				1	1						
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	406	3	1	1	1		6	2	2	24	50	53	45	29	35	27	20	17	31	18	19	12	8	1			1
	F.	410	1	2				3	2	9	46	63	64	46	36	26	22	20	13	21	10	19	12	2	1		1	
German parents	M.	219	6	1	2		1	10	2	1	13	17	15	20	18	21	17	10	19	9	7	14	11	5		1		
	F.	177	5	2			2	9	1	5	13	25	21	18	19	14	7	7	5	9	12	7	3	2				
5. Hydrocephalus:																												
Irish parents	M.	14	8	1	1			10	1							1				2								
	F.	16	2	4	3	2		11	2			1		1											1			
German parents	M.	7	4	2				6					1															
	F.	5	1	2		1		4											1									
6. Cancer:																												
Irish parents	M.	71							1	1						7	11	8	7	6	8	2	7	8	2	2		1
	F.	88	1					1		1		1	2	2	2	6	7	19	14	9	7	9	4	2	2			
German parents	M.	32														1	1	3		9	4	6	5	3				
	F.	45												2	2	1	2	10	5	9	5	5	1	1	1			1
7. Tumor:																												
Irish parents	M.	6		1				1										2		1		1	1					
	F.	9										1				1	1	4		1			1					
German parents	M.	4	1					1								1		1			1							
	F.	7													1	2	1	1	1				1					
8. Anæmia:																												
Irish parents	M.	4												1							1	1			1			
	F.	1													1													
German parents	M.																1											
	F.	1																										
9. Dropsy:																												
Irish parents	M.	70		2				2	1		3	1	1		1	2	4	4	7	5	9	5	10	8	3	2		2
	F.	64	1					1			1	1		2	1	1	1	5	5	5	6	13	7	13	1	1		
German parents	M.	57	1		1	2		4	3	3			1		1	2	4	2	6	5	7	8	7	3	1			
	F.	39					3	3			1	1			2			4	3	4	8	5	4	2	1			1
10. Glycosuria:																												
Irish parents	M.	7	1					1		1		1				1						2	1					
	F.	5							1				1				2						1					
German parents	M.	5																1	1	1		1	1		1			
	F.	1															1											
11. Others of this group:																												
Irish parents	M.	1																							1			
	F.																											
German parents	M.	1			1			1																				
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		809	149	42	23	14	6	234	21	10	10	20	15	19	23	20	34	45	35	44	50	81	64	38	27	5	4	1
Irish parents	M.	302	43	16	8	2		69	7	5	3	10	8	7	10	13	12	12	16	22	23	32	20	13	9		2	
	F.	207	36	10	4	5	3	58	5	2	5	4	3	6	4	8	12	11	6	10	10	19	17	13	11	2	1	
German parents	M.	163	34	10	6	4	1	55	3			2	2	5	6	5	6	11	5	9	10	17	8	11	4	2	1	1
	F.	137	36	6	5	3	2	52	6	3	2	4	2	1	3	3	4	11	8	3	7	13	10	1	3	1		
1. Inflammation of the brain:																												
Irish parents	M.	29	6	2		1		9			2	2		2		2		3	1		3	1	2	1	1			
	F.	23	7	1	1	1	1	11	1	1	1					1		2	1	3		1		1				
German parents	M.	17	2	3	2			7	2			1				1	1	1	1		1	1					1	
	F.	21	7	4		2	1	14	2	2	1						1				1							
2. Meningitis:																												
Irish parents	M.	20	4	3	2			9	2			1	1		1	1	1		2		1	1						
	F.	13	7	1		2		10			1	1						1										
German parents	M.	7	4		1			5				1	1															
	F.	9	3					3	2	1		2						1										
3. Apoplexy:																												
Irish parents	M.	53		1				1				1	2		2	1	4	2	4	11	4	6	6	6	1		2	
	F.	31									1		2				4	2	1	3	2	3	4	4	4	1		
German parents	M.	32							1					1	1	4	2	4		5	4	5	2	2	2			
	F.	17														1		2	3	1	2	4	1		2			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	77			1			1		1		1	2		1	5	2	2	6	8	8	14	17	5	4			
	F.	54	1					1	1					3	1	5	3	3	1	2	4	10	9	4	5	1	1	
German parents	M.	37											1	1	2		2	2	1	4	4	7	4	5	2	1	1	
	F.	37	1					1				1				1	2	6	3	2	4	6	8	1	1	1		
5. Tetanus and trismus nascentium:																												
Irish parents	M.	5	2	1				3					1		1													
	F.	2		1				1							1													
German parents	M.	3		1				1										2										
	F.	2	2					2																				
6. Epilepsy:																												
Irish parents	M.	2								1				1														
	F.	2													1		1											
German parents	M.	1													1													
	F.	1													1													
7. Convulsions:																												
Irish parents	M.	46	26	6	3	1		36	2		1	3		1	1				1		1							
	F.	23	14	4	2	2		22					1															
German parents	M.	40	27	3	2	4	1	37											1					1				
	F.	31	21	2	5			28				1		1								1						1
8. Mental diseases:																												
Irish parents	M.	11												2			2	2	1	1	1	1			1			
	F.	9										1		1		2			1	1		1	1	1				
German parents	M.	3												1				1				1						
	F.	2											1				1											
9. Diseases of the brain:																												
Irish parents	M.	47	5	3	2			10	2	2		1	2	1	4	3	3	1	1	2	5	5	4	1				
	F.	27	4	3			1	8	3	1		1		1	1		3		2		1	1	3		2			
German parents	M.	22	1	3	1			5	1					2	1		1	2	2		1	3	2	2				
	F.	12	2				1	3	1		1				2			2	1			1	1					
10. Diseases of the spinal cord:																												
Irish parents	M.	5							1	1								1				2						
	F.	7	2				1	3			1	1						1						1				
German parents	M.																											
	F.	2				1		1														1						
11. Others of this group:																												
Irish parents	M.	7										1				1		1				2			2			
	F.	16	1		1			2			1			1			1	2		1	3	3		2				
German parents	M.	1																						1				
	F.	3											1			1			1									
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		385	13	2	1	3		19	4	5	11	9	15	15	21	19	25	25	27	35	46	41	41	14	10	2		1
Irish parents	M.	144	8		1	1		10		3	3	3	7	8	10	10	8	3	11	17	14	11	17	5	2	2		
	F.	113				1		1	2		6	1	4	5	8	4	8	11	8	10	18	11	7	5	4			
German parents	M.	75	4	1		1		6	1	2	1	3	3	1	1	5	5	8	2	4	4	10	11	3	4			1
	F.	53	1	1				2	1		1	2	1	1	2		4	3	6	4	10	9	6	1				
1. Angina pectoris:																												
Irish parents	M.	5										1					1				1	1		1				
	F.	2											1											1				
German parents	M.	4														2	1							1				
	F.																											
2. *Aneurism:*																												
Irish parents	M.	5													1			1			2	1						
	F.																											
German parents	M.	1																		1								
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	130	6		1	1		8		3	3	2	7	8	9	10	7	2	11	16	11	9	10	4	2	2		
	F.	110				1		1	2		5	1	3	5	8	4	8	11	8	10	18	11	7	4	4			
German parents	M.	68	2	1		1		4	1	2	1	3	3	1	1	3	4	8	2	3	4	10	11	2	4			1
	F.	53	1	1				2	1		1	2	1	1	2		4	3	6	4	10	9	6	1				
4. Others of this group:																												
Irish parents	M.	4	2					2												1			1					
	F.	1									1																	
German parents	M.	2	2					2																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		971	104	52	32	28	22	238	38	7	26	29	24	26	47	31	48	58	51	67	77	84	65	30	13	6	2	4
Irish parents	M.	363	42	17	10	9	9	87	17	3	10	12	7	10	19	17	17	23	17	30	26	29	17	11	4	4	1	2
	F.	309	32	18	7	12	8	77	8	1	12	6	5	7	12	7	14	17	13	13	22	36	36	12	7	2	1	1
German parents	M.	178	17	12	8	6	4	47	6	2	2	7	4	4	10	6	12	14	13	11	17	13	7	2				1
	F.	121	13	5	7	1	1	27	7	1	2	4	8	5	6	1	5	4	8	13	12	6	5	5	2			
1. Croup:																												
Irish parents	M.	54	14	11	7	7	7	46	8																			
	F.	38	7	7	3	9	6	32	6																			
German parents	M.	19	2	3	3	2	3	13	5	1																		
	F.	16	6	2	2		1	11	4					1														
2. Laryngitis:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.	1																										
	F.																					1						
3. Bronchitis:																												
Irish parents	M.	31	7					7				1		2		1		2	1	3	2	1	6	2	1	2		
	F.	31	6	5				11			1							1	2		3	4	4	3	1			
German parents	M.	14	1	1	1			3	1					1	1		1	1	1			1	3					1
	F.	11	2	1	2			5	1												2	1		1	1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	214	15	5	3	2	2	27	8	2	8	9	5	7	15	13	17	18	11	23	13	19	10	5	2		1	1
	F.	179	14	5	4	1	1	25	2	1	6	4	4	6	10	6	10	11	8	10	12	26	25	6	5	1		1
German parents	M.	104	8	7	3	4	1	23		1	2	7	4	2	8	4	8	7	9	9	10	7	3					
	F.	68	4	2	2			8	2	1	1	3	7	3	5	1	5	3	6	9	5	4	3	2				
5. Pleurisy:																												
Irish parents	M.	10								1			2					1	1	1		3				1		
	F.	7										1	1	1			1	1				1	1					
German parents	M.	6	2					2								1					1	1	1					
	F.	4										1		1							1				1			
6. Asthma:																												
Irish parents	M.	15									1					2			3	1	3	4		1				
	F.	18									1					1	1	3	1	1	2	3	3	1		1		
German parents	M.	11														1	1	1		2	4	2						
	F.	6																	1	3	2							
7. Others of this group:																												
Irish parents	M.	38	6	1				7	1		1	2		1	3	1		2	1	2	8	2	1	3	1	1		1
	F.	36	5	1		2	1	9			4	1			2		1	1	2	2	5	2	3	2	1		1	
German parents	M.	23	4	1	1			6						1	1		2	5	3		2	1		2				
	F.	16	1		1	1		3			1		1		1			1	1	1	2	1	2	2				
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		376	40	12	1	2	2	57	7	1	9	9	15	18	13	12	22	35	24	40	34	30	22	21	3		2	2
Irish parents	M.	160	14	4	1		2	21	4	1	3		8	5	3	5	10	15	8	15	19	11	14	15			2	1
	F.	109	11	4		2		17	1		4	5	4	7	6	2	8	7	4	12	6	12	7	4	3			
German parents	M.	57	10					10	1		1	1	1	2	3	4	2	7	8	4	6	5		1				1
	F.	50	5	4				9	1		1	3	2	4	1	1	2	6	4	9	3	2	1	1				
1. Dentition:																												
Irish parents	M.	8	5	2	1			8																				
	F.	7	3	4				7																				
German parents	M.	3	3					3																				
	F.	3	1	2				3																				
2. Angina:																												
Irish parents	M.	7					1	1					1					2				1		2				
	F.	2													1								1					
German parents	M.																											
	F.	3	2					2										1										
3. Gastritis:																												
Irish parents	M.	18	1					1	1					1	1			3		3	4			4				
	F.	16	3					3			1	1			1		2	2		1		1	1	2	1			
German parents	M.	3																1			1							1
	F.	12		2				2			1	2		2		1				1	1		1	1				
4. Other diseases of the stomach:																												
Irish parents	M.	11							1				1					1	2		4		2					
	F.	10	2			1		3				2		1			2	1	1	3	1	3	1	1				
German parents	M.	2							1										1									
	F.	2																		2								
5. Obstruction of the bowels:																												
Irish parents	M.	9	1					1		1			1		1	1	1					1	1	1				
	F.	6				1		1					1		1				1						1			
German parents	M.	1																				1						
	F.	1																										
6. Hernia:																												
Irish parents	M.	14	2					2					1				1	2		2	3	2		1				
	F.	5																		2		3						
German parents	M.	3																1	1	1								
	F.	3																1		1	1							
7. Other diseases of the bowels:																												
Irish parents	M.	6	1					1										1		1		1	2					
	F.	3									1										1		1					
German parents	M.																			1								
	F.	1																										
8. Jaundice:																												
Irish parents	M.	9	1					1	1									2			1	1	2					1
	F.	4									1									1		1		1				
German parents	M.	4										1				1	1					1						
	F.	2																	1			1						
9. Inflammation and abscess of the liver:																												
Irish parents	M.	9											1				2			2	2	1	1					
	F.	7												1		1	1		1	1	1	1						
German parents	M.	5												1	1	1		1				1						
	F.																											
10. Other diseases of the liver:																												
Irish parents	M.	30	1				1	2	1		1				1	2	4	3	4	3	2		4	3				
	F.	9												1			1	3		1	1	1			1			
German parents	M.	14	1					1						1				1	3	1	4	2		1				
	F.	8										1					1	3	1	1	1							
11. Peritonitis:																												
Irish parents	M.	21		1				1			1		2	3		1	1	1	1	2	1	3		3				1
	F.	23	1					1	1		1	2	2	4	2	1	2	1		2	1		3					
German parents	M.	6									1				2	1	1	1				1						
	F.	10							1				1	2	1		1		1	2								
12. Ascites:																												
Irish parents	M.	1														1						1						
	F.	2																		1								
German parents	M.	1																										
	F.																											
13. Others of this group:																												
Irish parents	M.	17	2	1				3				1		1	1			1		1	2	2	1	2	1			1
	F.	6	2					2						1		1				1			1					
German parents	M.	15	6					6						1			1		2	3	1	1						
	F.	5	2					2						1					1	1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	184	4					4	2	2	1	4	9	7	10	13	12	14	17	24	13	25	20	7				
Irish parents, M.	102	3					3	1	2		2	3	5	4	5	5	7	11	11	8	17	13	5				
Irish parents, F.	36							1				3	1	2	4	3	2	3	7	1	3	5	1				
German parents, M.	34	1					1			1	1	1	1	4	3	2	4	1	4	3	5	2	1				
German parents, F.	12										1	2			1	2	1	2	2	1							
1. Bright's disease:																											
Irish parents, M.	43	1					1	1	1		1		3	2	4	3	4	7	6	3	5	2					
Irish parents, F.	19											2		2	1	1	1		4	1	2	4	1				
German parents, M.	14										1		1	3	2	1			3	2	1						
German parents, F.	7										1	2				1	1	1		1							
2. Calculus, urinary:																											
Irish parents, M.	3													1							1		1				
Irish parents, F.																											
German parents, M.	2											1							1								
German parents, F.																											
3. Diseases of the kidney:																											
Irish parents, M.	37	2					2				1	1		1	1	2	3	2	3	4	8	7	2				
Irish parents, F.	10							1					1		1	1		2	3		1						
German parents, M.	15	1					1			1				1		1	3	1		1	3	2	1				
German parents, F.	4														1	1		1	1								
4. Diseases of the bladder:																											
Irish parents, M.	15								1			2						2	2	1	2	4	1				
Irish parents, F.	4											1			2			1									
German parents, M.	2														1						1						
German parents, F.	1																		1								
5. Others of this group:																											
Irish parents, M.	4												2								1		1				
Irish parents, F.	3															1	1					1					
German parents, M.	1																1										
German parents, F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	13									1		1	1	1	5	3					1						
Irish parents, F.	10									1			1	1	4	2					1						
German parents, F.	3											1			1	1											
1. Ovarian tumors:																											
Irish parents, F.	1														1												
German parents, F.	1														1												
2. Ovarian diseases:																											
Irish parents, F.																											
German parents, F.																											
3. Uterine tumors:																											
Irish parents, F.	2														2												
German parents, F.	1															1											
4. Uterine diseases:																											
Irish parents, F.	2													1							1						
German parents, F.																											
5. Others of this group:																											
Irish parents, F.	5									1			1		1	2											
German parents, F.	1											1															
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	62									1	10	12	10	18	11												
Irish parents, F.	41									1	6	7	8	10	9												
German parents, F.	21										4	5	2	8	2												
1. Abortion:																											
Irish parents, F.	2											2															
German parents, F.	1											1															
2. Child-birth:																											
Irish parents, F.	37									1	4	5	8	10	9												
German parents, F.	18										3	4	2	7	2												
3. Others of this group:																											
Irish parents, F.	2										2																
German parents, F.	2										1			1													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	26	1	1			1	3	1	2	2		1		2	2	3	2	3		4			1				
Irish parents, M.	11		1				1	1				1		1	2	1		2		1			1				
Irish parents, F.	4									2							1			1							
German parents, M.	5	1				1	2		1					1		1											
German parents, F.	6								1							1	1	1		2							
1. Diseases of the spine:																											
Irish parents, M.	8		1				1	1							2	1		1		1			1				
Irish parents, F.	3									1							1			1							
German parents, M.	3	1				1	2									1											
German parents, F.	3																	1		2							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.	2													1				1									
	F.																											
German parents	M.	1													1													
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.	1											1															
	F.	1									1																	
German parents	M.																											
	F.	1								1																		
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.	1								1																		
	F.	2															1	1										
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		23		3				3			1	4	2	2	4			1	2	1	1	1		1				
Irish parents	M.	7		1				1			1		2		2				1									
	F.	6		1				1				1		1	1							1		1				
German parents	M.	7										2		1	1			1	1		1							
	F.	3		1				1				1								1								
1. Abscess:																												
Irish parents	M.	7		1				1			1		2		2				1									
	F.	5		1				1				1		1	1							1						
German parents	M.	6										2		1	1				1		1							
	F.	2										1								1								
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																							1				
	F.	1																1										
German parents	M.	1																										
	F.	1		1				1																				
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		2												1					1									
Irish parents	M.																											
	F.	1												1					1									
German parents	M.	1																										
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.	1												1														
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																			1								
German parents	M.	1																										
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		457		16	7	7	9	1	40	16	18	27	33	38	24	37	34	35	35	29	27	17	19	16	3	3	2	1	3
Irish parents	M.	257		7	3	3	5	1	19	10	14	16	20	20	13	18	20	20	23	17	16	11	10	5	2	2		1	
	F.	62		4	3	1	1		9	3	1	1	4	5	3	5	3	4	5	3	4	2	3	4		1	1		1
German parents	M.	109		4	1	2			7	1	3	8	7	11	8	12	11	10	6	7	4	2	5	4	1				2
	F.	29		1		1	3		5	2		2	2	2		2		1	1	2	3	2	1	3			1		
1. Burns and scalds:																												
Irish parents	M.	17		1	3	3	2	1	10						2	1		1	2			1							
	F.	6								2				1				1		1	1								1
German parents	M.	5		1					1	1								1					1						
	F.	8					1		1	1		2	1	1															
2. Drowned:																												
Irish parents	M.	38					2		2	8	4	2	2	5	1	2	1	4	4		1	1				1		
	F.	6		1			1		2				1	1		1		1					1						
German parents	M.	16		1	1				2		2		1	1			1	2	2	2	2								
	F.																												
3. Exposure and neglect:																				1									
Irish parents	M.	1																	1										
	F.	2		1					1									1											
German parents	M.	1																											
	F.																												
4. Gunshot wounds:																													
Irish parents	M.	4										1			1	1		1					1						
	F.	1																						1					
German parents	M.	7										2			2	1		1											
	F.	1												1															

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 8—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	3										2			1													
	F.	1												1														
German parents	M.																											
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	53								2	4	9	2	3	5	6	4	5	1	9	1	1		1				
	F.	3													1			1			1							
German parents	M.	23								1	3	3	4		4	4	1		1			2						
	F.	1																			1							
9. Suffocation:																												
Irish parents	M.	6	4			1		5												1								
	F.	5	2	1				3	1							1												
German parents	M.	7	3		1			4						2				1										
	F.																											
10. Suicide by shooting:																												
Irish parents	M.	3											1	1				1										
	F.																											
German parents	M.	4											1			1	1			1								
	F.																											
11. Suicide by drowning:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.	1													1													
	F.	2																	1	1								
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.	1															1											
	F.																											
13. Other suicides:																												
Irish parents	M.	12									2		2				4	1	1	1		1						
	F.	4										1					1	1	1									
German parents	M.	10									2	2			1			1	2		1	1						
	F.	2													2													
14. Sunstroke:																												
Irish parents	M.	5								1						2			1		1							
	F.	1								1																		
German parents	M.	1													1													
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.	5									1						1			2	1							
	F.	1												1														
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	109	2					2	2	7	6	7	10	5	8	11	5	10	12	2	6	8	5	1	1		1	
	F.	32	2		1			3			1	2	3	1	3	2	1	2	1	3	1	2	4		1	1		1
German parents	M.	33									1	1	5	4	4	5	2	1	2	1	1	1	3	1				1
	F.	15	1		1	2		4	1			1						1	1	2	1		3			1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		6301	1110	312	228	143	106	1899	315	126	178	252	235	238	296	297	312	359	315	356	313	288	244	154	81	26	11	6
Total; Irish parents	M.	929	106	21	14	14	12	167	40	12	30	37	33	36	46	50	72	64	46	69	49	73	46	31	13	7	5	3
	F.	721	74	25	9	14	8	130	32	10	23	36	28	26	45	35	41	41	22	49	46	40	45	38	21	6	4	3
German parents	M.	2687	515	154	104	63	45	881	113	53	58	95	94	114	121	130	141	167	154	162	141	102	69	57	26	6	1	....
	F.	1964	415	112	101	52	41	721	130	51	67	84	80	62	84	62	58	87	91	76	77	73	84	28	21	7	1	....
Unknown causes.																												
Total		60	13	1	....	....	....	14	3	....	....	2	1	3	3	2	1	4	4	6	4	3	4	3	3	....	....	....
Irish parents	M.	5	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....
	F.	8	....	....	....	....	....	....	....	....	....	1	....	....	1	1	....	....	1	1	1	....	1	....	1	....	....	....
German parents	M.	30	6	1	....	....	....	7	2	....	....	....	....	2	....	1	1	1	3	5	3	1	....	2	2	....	....	....
	F.	17	7	....	....	....	....	7	....	....	....	1	....	1	2	....	....	2	....	....	....	....	3	1	....	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1567	342	153	127	82	69	773	203	66	51	42	31	39	47	45	40	38	43	44	42	21	21	11	8	2	....	....
Irish parents	M.	157	24	9	6	10	7	56	25	3	5	2	3	3	4	6	8	3	8	9	6	4	5	2	4	1	....	....
	F.	157	24	16	7	8	7	62	25	4	7	3	1	8	7	6	3	7	3	5	3	3	4	2	2	....	....	....
German parents	M.	648	150	70	55	33	29	337	71	28	21	15	10	14	17	18	20	17	19	19	23	9	4	4	2	....	....	....
	F.	605	144	58	59	31	26	318	82	31	18	22	17	14	19	15	9	11	13	11	8	5	8	3	....	1	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	2	....	....	1	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	1	1	2	1	1	6	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	33	8	11	8	1	2	30	2	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	8	3	10	2	....	23	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	32	....	3	2	8	3	16	13	1	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	32	4	4	2	3	4	17	13	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	132	10	10	20	23	11	74	45	8	4	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	129	8	8	27	15	18	76	39	11	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	19	3	2	....	1	2	8	7	1	....	....	....	....	1	1	....	....	....	....	....	....	1	....	....	....	....	....
	F.	16	2	2	1	2	1	8	7	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	64	7	8	14	8	10	47	12	4	1	....	....	....	....	....	....	2	....	1	....	....	....	....	....	....	....	....
	F.	73	8	8	9	7	4	36	24	8	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	6	5	....	....	....	....	5	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	1	2	2	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	26	12	7	5	....	1	25	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	32	17	7	4	....	1	29	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	3	....	....	....	1	....	1	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	10	3	1	....	....	....	4	1	2	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	....	1	1	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	22	....	....	....	....	....	....	1	1	4	2	1	....	....	2	5	....	2	2	1	....	1	....	....	....	....	....
	F.	17	....	....	....	....	....	....	1	....	2	2	....	1	....	2	1	1	1	1	1	1	1	1	1	....	....	....
German parents	M.	96	4	....	2	....	1	7	4	8	10	10	7	8	6	9	6	6	2	4	5	1	1	2	....	....	....	....
	F.	72	1	....	1	1	....	3	8	8	10	8	5	2	9	3	3	3	3	2	2	....	3	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	20	4	1	....	1	....	6	....	....	....	....	....	1	....	3	....	2	3	2	1	....	2	....	....	....	....	....
	F.	11	5	1	....	....	....	6	....	....	....	....	....	....	1	....	....	....	....	1	....	1	1	....	1	....	....	....
German parents	M.	63	32	6	2	....	....	40	1	....	....	1	....	....	1	....	1	3	2	5	6	2	....	1	....	....	....	....
	F.	40	26	9	1	....	....	36	....	....	....	....	....	....	....	....	....	....	....	....	1	1	1	1	....	....	....	....
10. Dysentery:																												
Irish parents	M.	9	1	1	....	....	....	2	....	....	....	....	....	....	1	....	....	....	....	3	....	....	1	1	....	1	....	....
	F.	9	1	....	....	....	....	1	....	....	....	....	....	1	2	1	....	2	....	1	....	....	....	1	....	....	....	....
German parents	M.	39	9	4	....	1	....	14	1	2	1	....	1	1	2	2	2	....	5	3	2	2	1	....	....	....	....	....
	F.	32	15	3	....	1	1	20	....	....	....	....	....	....	2	1	2	2	1	2	1	....	....	....	....	1	....	....
11. Enteritis:																												
Irish parents	M.	11	2	....	....	....	....	2	1	....	....	....	1	....	1	....	....	....	....	1	1	2	....	....	2	....	....	....
	F.	11	1	....	....	....	1	2	1	....	1	....	....	1	2	1	....	1	1	....	1	....	....	....	....	....	....	....
German parents	M.	36	9	6	1	....	1	17	2	2	2	....	....	....	2	1	2	....	1	....	4	1	....	1	1	....	....	....
	F.	32	6	5	4	1	....	16	1	1	1	1	....	1	1	....	1	....	2	2	....	1	2	2	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	5	....	....	1	....	....	1	....	....	....	....	....	1	....	....	....	1	1	....	1	....	....	....	....	....	....	....
	F.	8	1	....	....	....	....	1	....	....	1	....	....	1	....	1	2	....	....	....	1	1	....	....	....	....	....	....
German parents	M.	24	....	....	....	....	....	....	2	....	....	....	....	....	1	2	4	3	4	2	3	2	....	....	1	....	....	....
	F.	16	1	....	....	....	....	1	1	....	....	....	1	....	1	3	1	....	3	1	1	1	2	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	13	9	2	2	....	....	13	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	7	5	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	63	47	15	....	....	1	63	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	64	47	13	2	1	1	64	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	8	....	....	....	....	1	1	1	....	....	....	1	....	1	....	2	....	....	....	....	1	....	....	1	....	....	....
	F.	11	....	....	....	1	....	1	1	1	1	....	....	....	....	....	....	2	....	2	2	....	1	....	....	....	....	....
German parents	M.	31	2	2	1	....	2	7	1	1	1	3	....	2	3	1	2	3	3	3	....	....	1	....	....	....	....	....
	F.	30	....	....	1	1	....	2	6	2	1	4	1	1	1	1	1	3	2	1	2	2	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	2																				1		1				
	F.	7	1	1				2		1					1			1	1				1					
German parents	M.	14	4		1			5			1			1			1	1	1	1	2	1						
	F.	12	6	1				7				1	1	2					1									
16. Septicæmia:																												
Irish parents	M.	6							1								1		1		2				1			
	F.																											
German parents	M.	9	1		1			2		1	1		1			2				1			1					
	F.	7									1		1	1	2			1		1								
17. Puerperal septicæmia:																												
Irish parents	F.	6											1	3	1	1												
German parents	F.	27										5	6	7	3	5	1											
18. Venereal diseases:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.	2	1					1							1													
	F.	3	1					1				1				1												
19. Others of this group:																												
Irish parents	M.	1																		1								
	F.																											
German parents	M.	6	1					1								1	2		1		1							
	F.	6				1		1					1			1			1	1	1							
General diseases—B.																												
Total		90	25	2	1			28					3	5	5	4	12	12	7	3	3	4	2			1		1
Irish parents	M.	23	5					5					2		4		5	3	1	2		2	1					
	F.	6	1					1									3	1										1
German parents	M.	46	12	1				13					1	5		3	4	7	6	1	3	2	1					
	F.	13	7	1	1			9							1	1		1								1		
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	17											1		4		5	3	1	2		1						
	F.	4															3	1										
German parents	M.	25											1	5		3	4	5	3		2	1	1					
	F.	2														1		1										
4. Lead poison:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.																											
	F.	1																										1
German parents	M.	7		1				1										2	3		1							
	F.	2		1	1			2																				
6. Inanition:																												
Irish parents	M.	7	5					5														1	1					
	F.	1	1					1																				
German parents	M.	14	12					12													1		1					
	F.	9	7					7							1											1		
General diseases—C.																												
Total		592	273	4	4	2	1	284		1	4	1	4	1	3	6	6	6	9	15	24	48	60	59	38	16	6	1
Irish parents	M.	80	31		2	1	1	35								1	1	1	3	1	1	11	9	8	1	5	2	1
	F.	88	20	1				21				1	1			2	3		2	3	6	11	5	19	8	4	2	
German parents	M.	226	128		2			130		1	1		2	1	2		2	4	1	9	7	9	19	19	15	3	1	
	F.	198	94	3		1		98			3		1		1	3		1	3	2	10	17	27	13	14	4	1	
1. Premature birth:																												
Irish parents	M.	8	8					8																				
	F.	4	4					4																				
German parents	M.	29	29					29																				
	F.	18	18					18																				
2. Stillborn:																												
Irish parents	M.	18	18					18																				
	F.	14	14					14																				
German parents	M.	84	84					84																				
	F.	60	60					60																				
3. Malformation:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.	3	3					3																				
	F.	1	1					1																				
4. Debility:																												
Irish parents	M.	24	4		2	1	1	8								1	1	1	2		1	3	3		1	1	1	1
	F.	30	2	1				3				1	1			2	3		2	2	3	6	3	3	1			
German parents	M.	53	11		2			13		1	1		2	1	2		2	3	1	7	4	5	6	2	3			
	F.	53	15	3		1		19			3		1		1	3		1	3	2	6	4	6	3		1		
5. Old age:																												
Irish parents	M.	29																	1	1		8	6	8		4	1	
	F.	40																		1	3	5	2	16	7	4	2	
German parents	M.	56																1		2	3	4	13	17	12	3	1	
	F.	66																			4	13	21	10	14	3	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.	1	1					1																				
	F.																											
General diseases—D.																												
Total		1295	25	15	10	1	1	52	13	10	55	105	105	98	106	107	98	116	99	95	77	75	48	23	10	1	1	1
Irish parents	M.	219	2	2	1			5	3	2	11	17	12	18	16	20	14	23	14	15	11	13	13	8	3		1	
	F.	172	3	1				4	2	3	9	20	15	11	20	11	15	14	5	13	11	7	7	2	2			1
German parents	M.	538	11	8	8			27	4	2	13	34	43	44	47	43	44	52	44	51	33	32	9	10	3	1		
	F.	366	9	4	1	1	1	16	4	3	22	34	35	25	23	33	25	27	36	16	20	23	19	3	2			
1. Rheumatism:																												
Irish parents	M.	5								1						1				1				2				
	F.	1										1																
German parents	M.	11									2	1	1		1			1	1		2	1	1					
	F.	5											1		1				1		1	1						
2. Scrofula and tabes:																												
Irish parents	M.																											
	F.	2	1					1						1														
German parents	M.	4	1	1				2								1			1									
	F.	4	1	1				2			1										1							
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	164		2	1			3	1		11	17	12	18	12	18	12	16	11	9	7	6	6	2	2		1	
	F.	130	1					1	2	3	8	19	14	9	18	9	11	11	3	6	8	4	2	1	1			
German parents	M.	399	3	3	3			9	1	1	8	32	37	44	43	39	32	34	34	35	21	17	4	6	1	1		
	F.	236	2					2	2	2	19	32	31	25	17	26	15	11	20	7	11	8	6	1	1			
5. Hydrocephalus:																												
Irish parents	M.	2	2					2																				1
	F.	4	1	1				2									1											
German parents	M.	13	3	2	4			9	1				2							1								
	F.	10	6	1	1	1		9				1																
6. Cancer:																												
Irish parents	M.	21							1							3		1	3	2	5	1	2	1	2			
	F.	21											1	1	1	2	3	1	2	4	2	1	3					
German parents	M.	50	2					2	1				1		2	2	7	11	4	6	6	4	2		2			
	F.	61					1	1					2		5	4	8	7	9	7	4	6	8					
7. Tumor:																												
Irish parents	M.	1																					1					
	F.	3																		2			1					
German parents	M.	2																1	1									
	F.	5							1								1	1	1			1						
8. Anæmia:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.	1	1					1												1								
	F.	1																										
9. Dropsy:																												
Irish parents	M.	10							1	1					1	1		3	1		3	2	4	1	1			
	F.	11									1				1			2		1	1	2	1	1	1			
German parents	M.	53	1	2	1			4	1		3	1	1		1	1	5	5	3	7	6	9	2	4				
	F.	44		2				2	1	1	2	1	1			3	1	8	4	2	3	7	5	2	1			
10. Glycosuria:																												
Irish parents	M.	6																1				3	1	1				
	F.																											
German parents	M.	3								1										2								
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.													1								1						
German parents	M.	2																										
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		822	275	66	31	14	10	396	33	12	17	11	17	14	27	18	30	36	32	47	35	32	38	14	7	1	4	1
Irish parents	M.	112	22	6	1	2	2	33	2		3	2	1	5	6	3	6	2	5	10	7	11	8	5		1	2	
	F.	94	16	3		2		21	2		1	2	4	2	3	6	5	3	4	8	3	6	11	5	5		2	1
German parents	M.	365	135	37	16	6	3	197	11	5	4	3	6	5	12	7	12	19	16	21	21	11	12	3				
	F.	251	102	20	14	4	5	145	18	7	9	4	6	2	6	2	7	12	7	8	4	4	7	1	2			
1. Inflammation of the brain:																												
Irish parents	M.	4		1		1		2				1							1									
	F.	7	2			2		4			1			1		1				1	2							
German parents	M.	22	9	5	1	1		16	2	1			2					1	1									
	F.	24	9	3	3			15	4	1																		
2. Meningitis:																												
Irish parents	M.	11	2	3	1		1	7			1			1	1	1		1										
	F.	5	2	1				3					1				1	1			2							
German parents	M.	46	19	9	4	2	3	37	2		2	1																
	F.	31	9	6	5	1	3	24	5	2																		
3. Apoplexy:																												
Irish parents	M.	21	1					1							1	1	1	1	2	1	4	3	3	1	1		1	
	F.	15	1					1				1					4	1			3	1		2			1	1
German parents	M.	53												3	2	5	2	7	1	6	7	7	5	6	2			
	F.	25												1	1			1	6	3	2	3	1	5	1	1		

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	23													2					3	3	6	4	4			1	
	F.	30							1				1			1	2	1		3	1	5	4	5	5		1	
German parents	M.	33							1		1					1		5	5	7	6	4	2	1				
	F.	28							1		2	1	3		2		4	2	4	3		3	2		1			
5. Tetanus and trismus nascentium:																												
Irish parents	M.	1										1																
	F.	1	1					1																				
German parents	M.	9	4	1				5	1		1			1				1										
	F.	4	3					3		1																		
6. Epilepsy:																												
Irish parents	M.	1									1																	
	F.	2													1							1						
German parents	M.	6							1				1	1	1			1			1							
	F.	5	1					1			1		1		1			1										
7. Convulsions:																												
Irish parents	M.	18	15	1		1	1	18																				
	F.	13	10	2				12						1														
German parents	M.	118	89	14	7	1		111	4	1		1								1								
	F.	103	73	9	5	2	2	91	5	1	4	1	1															
8. Mental diseases:																												
Irish parents	M.	2													1					1								
	F.	2																	1				1					
German parents	M.	4															1	1		1		1						
	F.	2													1					1								
9. Diseases of the brain:																												
Irish parents	M.	26	4	1				5	2				1	2	1	2	3		3	2	1		3			1		
	F.	16							1				2		1		2	2	2	2	1		3					
German parents	M.	66	12	8	4	1		25		3		1	2	1	6	3	3	9	3	4	2	1	3					
	F.	25	7	1	1	1		10	2	2	2			1	2	1		2		2	1							
10. Diseases of the spinal cord:																												
Irish parents	M.	3									1			1								1						
	F.																											
German parents	M.	5	2			1		3										1	1									
	F.	4		1				1	1							1	1											
11. Others of this group:																												
Irish parents	M.	2															1					1						
	F.	3										1							1				1					
German parents	M.	3																	1		1		1					
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		292	6	1		1		8	3	6	11	14	10	10	14	14	18	26	25	39	35	29	16	12	2			
Irish parents	M.	55								1		2	1	1	2	4	4	6	4	7	8	11	1	2	1			
	F.	38								1	1	2	1			2	3	3	1	4	6	4	5	4	1			
German parents	M.	102	1	1				2	1		5	4	3	5	7	5	8	8	11	15	10	9	4	5				
	F.	97	5			1		6	2	4	5	6	5	4	5	3	3	9	9	13	11	5	6	1				
1. Angina pectoris:																												
Irish parents	M.																											
	F.	1																						1				
German parents	M.	1																				1						
	F.																											
2. Aneurism:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1														1												
3. Diseases of the heart:																												
Irish parents	M.	55								1		2	1	1	2	4	4	6	4	7	8	11	1	2	1			
	F.	36								1	1	2	1			2	3	3	1	4	5	4	5	3	1			
German parents	M.	98									5	4	3	5	7	5	8	8	11	15	10	8	4	5				
	F.	93	2			1		3	2	4	5	6	5	4	5	2	3	9	9	13	11	5	6	1				
4. Others of this group:																												
Irish parents	M.																											
	F.	1																			1							
German parents	M.	3	1	1				2	1																			
	F.	3	3					3																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		770	107	58	47	29	21	262	36	7	14	30	14	28	30	39	32	49	40	50	42	40	30	19	7			1
Irish parents	M.	101	11	3	1	1		16	3		2	6	1	2	3	7	11	14	3	10	5	9	4	3	1			1
	F.	82	7	3	2	2	1	15	2		2	3		3	5	3	1	7	5	11	7	5	7	4	2			
German parents	M.	342	53	30	21	16	11	131	14	3	3	14	8	17	13	17	15	23	23	13	18	11	9	7	3			
	F.	245	36	22	23	10	9	100	17	4	7	7	5	6	9	12	5	5	9	16	12	15	10	5	1			
1. Croup:																												
Irish parents	M.	2			1			1	1																			
	F.	4	1	1			1	3	1																			
German parents	M.	37	4	4	6	8	6	28	8			1																
	F.	31	4	2	7	6	5	24	6															1				
2. Laryngitis:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.	3	1					1							1					1								
	F.	2	1					1		1																		
3. Bronchitis:																												
Irish parents	M.	16	3	2				5	1								3		1	2	2	1		1				
	F.	16	2		1			3			1																	
German parents	M.	55	22	3	6	2	2	35	1					1		1		1	1	1	1	2	1	3	1			
	F.	34	12	3	4		1	20						1	2		1	1	1	2	1	2	3	1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	63	7	1		1		9	1		1	4		2	3	5	5	12	2	4	3	6	3	1	1			1
	F.	49	3	2	1	2		8	1		1	3		1	3	1	1	5	3	8	4	3	3	3	1			
German parents	M.	197	21	20	8	5	1	55	5	2	3	11	8	13	9	15	12	18	15	8	9	8	3	3				
	F.	143	13	16	11	4	3	47	8	3	7	6	4	4	4	10	3	4	5	10	8	10	7	2	1			
5. Pleurisy:																												
Irish parents	M.	4															2						1	1				
	F.																											
German parents	M.	4					1	1						1		2												
	F.	4	2					2					1		1													
6. Asthma:																												
Irish parents	M.	4																1		1		2						
	F.	8																1	1	2	1	1	1		1			
German parents	M.	12																2	3		4		2	1				
	F.	8												1					1	2	2	1		1				
7. Others of this group:																												
Irish parents	M.	11	1					1			1	2	1			1	1	1		3								
	F.	5	1					1						1	2	1												
German parents	M.	34	5	3	1	1	1	11		1		2		2	1		2	2	2	3	2	1	2	1	2			
	F.	23	4	1	1			6	3			1			2	2	1	1	2	2	1	2						
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		306	36	8	4	2		50	3	5	5	7	12	9	18	20	31	36	27	26	22	19	9	3	2	1		1
Irish parents	M.	62	9	1	1			11	1	2	2		2	1	5	1	11	4	1	5	4	8	2		1			1
	F.	31	3	1				4		1		2	2	1	2	2	2	4	1	2	3	3	1	1				
German parents	M.	133	14	4	1	1		20		2	2	4	5	4	7	13	14	16	15	12	8	6	3	2				
	F.	80	10	2	2	1		15	2		1	1	3	3	4	4	4	12	10	7	7	2	3		1	1		
1. Dentition:																												
Irish parents	M.	6	5	1				6																				
	F.	2	2					2																				
German parents	M.	6	4	2				6																				
	F.	9	7	2				9																				
2. Angina:																												
Irish parents	M.																											
	F.																											
German parents	M.	2										1										1						
	F.	1	1					1																				
3. Gastritis:																												
Irish parents	M.	6	1					1									1			1		3						
	F.	5															1	1			1	1		1				
German parents	M.	15	5	1				6				1					1	1	2	1	1	1	1					
	F.	3													1				1				1					
4. Other diseases of the stomach:																												
Irish parents	M.	3													1							1			1			
	F.	5								1		2										1	1					
German parents	M.	5	1					1							1	1			1		1							
	F.	4											1							1	2							
5. Obstruction of the bowels:																												
Irish parents	M.	7	2					2									1	2			1	1						
	F.	1													1													
German parents	M.	9								1						1	1	3	1	1	1							
	F.	2														1			1									
6. Hernia:																												
Irish parents	M.	3													1		2											
	F.																											
German parents	M.	5													1		1		1		1			1				
	F.	5																3		1	1							
7. Other diseases of the bowels:																												
Irish parents	M.	1															1											
	F.	2																		1	1							
German parents	M.	4				1		1							1			1		1								
	F.																											
8. Jaundice:																												
Irish parents	M.																	2										
	F.	2																	1	2								
German parents	M.	4	1					1										3	1	1								
	F.	6				1		1																				
9. Inflammation and abscess of the liver:																												
Irish parents	M.	8												1		1		1	1		2		1	1				
	F.	2																		1		1						
German parents	M.	17												2	1	2	3	4		1	2	2						
	F.	7			1			1					1		2		1	1				1						
10. Other diseases of the liver:																												1
Irish parents	M.	15									1				1	1	1	4	1		2	1	2					
	F.	6	1					1						1			1	1			1		1					
German parents	M.	38											2	1	3	1	4	6	9	4	3	2	3					
	F.	18												1		1	2	3	2	2	2	2	1	1		1		
11. Peritonitis:																												
Irish parents	M.	5							1	1	1					1		1										
	F.	4												1	1	1	1											
German parents	M.	16			1			1		1	2			1		1	4		2	2	1			1				
	F.	18	1					1	2		1			1	1	2			3	4	2			1				
12. Ascites:																												
Irish parents	M.	1																		1								
	F.																											
German parents	M.	2																	1									
	F.	1																										
13. Others of this group:																												
Irish parents	M.	7	1		1			2			1		1						1			2		1				
	F.	2		1				1										1		2	1			1				
German parents	M.	10	3	1				4						1						1		1	1				1	
	F.	6	1		1			2																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	105			1	1	1	3	3		2	5	2	2	4	9	12	6	8	14	13	6	6	5	3	2		
Irish parents, M.	24			1			1							1	2	3		3	4	3		2	3	2			
Irish parents, F.	13									1	1			1		4	1		2	1		1			1		
German parents, M.	52				1	1	2	2		1	2	1	2	2	5	4	4	4	7	5	5	3	2		1		
German parents, F.	16							1			2	1			2	1	1	1	1	4	1			1			
1. Bright's disease:																											
Irish parents, M.	11			1			1								2	2		2	2			1	1				
Irish parents, F.	7										1			1		2	1		2								
German parents, M.	21							2			1	1		1	4	2	2	1	3	2	2						
German parents, F.	10										1				2	1	1			3	1			1			
2. Calculus, urinary:																											
Irish parents, M.	2																	1					1				
Irish parents, F.																											
German parents, M.	2																			1		1					
German parents, F.																											
3. Diseases of the kidney:																											
Irish parents, M.	5													1						1		1	1	1			
Irish parents, F.	4									1						1				1					1		
German parents, M.	19				1	1	2			1	1		2			2	1	2	2	2	1	2			1		
German parents, F.	4							1										1	1	1							
4. Diseases of the bladder:																											
Irish parents, M.	1																							1			
Irish parents, F.	1																					1					
German parents, M.	3													1					1		1						
German parents, F.	1										1																
5. Others of this group:																											
Irish parents, M.	5															1			2	2							
Irish parents, F.	1															1											
German parents, M.	7														1		1	1	1		1		2				
German parents, F.	1											1															
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	17										1	1		4	5		3	1		1		1					
Irish parents, F.	6													2	2					1		1					
German parents, F.	11										1	1		2	3		3	1									
1. Ovarian tumors:																											
Irish parents, F.	2													1								1					
German parents, F.	1																	1									
2. Ovarian diseases:																											
Irish parents, F.																											
German parents, F.																											
3. Uterine tumors:																											
Irish parents, F.																											
German parents, F.																											
4. Uterine diseases:																											
Irish parents, F.	1													1													
German parents, F.	4													2	1		1										
5. Others of this group:																											
Irish parents, F.	3														2					1							
German parents, F.	6										1	1			2		2										
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	32										5	5	6	12	2	2											
Irish parents, F.	7											2	1	3		1											
German parents, F.	25										5	3	5	9	2	1											
1. Abortion:																											
Irish parents, F.																											
German parents, F.	2													2													
2. Child-birth:																											
Irish parents, F.	7											2	1	3		1											
German parents, F.	21										4	3	4	7	2	1											
3. Others of this group:																											
Irish parents, F.																											
German parents, F.	2										1		1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	6	1			1		2					1				1	1			1							
Irish parents, M.	3	1					1					1								1							
Irish parents, F.																											
German parents, M.	3				1		1									1	1										
German parents, F.																											
1. Diseases of the spine:																											
Irish parents, M.	2	1					1					1															
Irish parents, F.																											
German parents, M.	2				1		1										1										
German parents, F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Diseases of the hip-joint:																											
Irish parents M.	1																			1							
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1															1											
German parents F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	11	2					2					1		1	1		3		1		1	1					
Irish parents M.	1																1										
Irish parents F.																											
German parents M.	6	2					2					1					1				1	1					
German parents F.	4													1	1		1		1								
1. Abscess:																											
Irish parents M.	1																1										
Irish parents F.																											
German parents M.	5	1					1					1					1				1	1					
German parents F.	3													1	1		1										
2. Carbuncle:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.	1																		1								
3. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1	1					1																				
German parents F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																1										
Irish parents M.																											
Irish parents F.																											
German parents M.	1																1										
German parents F.																											
1. Addison's disease:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
2. Diseases of the spleen:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Others of this group:																											
Irish parents M.																											
Irish parents F.																	1										
German parents M.	1																										
German parents F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	335	5	4	3	10	3	25	18	19	19	29	28	23	22	25	29	22	20	16	14	10	8	5	1	2		
Irish parents M.	85	1		1		2	4	5	4	7	8	9	6	5	6	9	6	4	6	3	2	1					
Irish parents F.	19				2		2	1	1	2	1	2		1		1	1			2	1	2	1		1		
German parents M.	195	3	2	1	5	1	12	8	12	8	19	14	15	14	18	16	13	14	9	8	6	4	3	1	1		
German parents F.	36	1	2	1	3		7	4	2	2	1	3	2	2	1	3	2	2	1	1	1	1	1				
1. Burns and scalds:																											
Irish parents M.	1																					1					
Irish parents F.	6				2		2	1			1											1			1		
German parents M.	6			1	3		4	1										1									
German parents F.	12		1	1			2	3		1	1	1			1			2			1						
2. Drowned:																											
Irish parents M.	11					1	1	2	2			1		1	2		1	1									
Irish parents F.																											
German parents M.	36		1				1	4	5	2	6	4	2	2	2	1	1	3	1	1			1				
German parents F.	3							1	1								1										
3. Exposure and neglect:																											
Irish parents M.																				1							
Irish parents F.	1																		1						1		
German parents M.	3	1					1																				
German parents F.																											
4. Gunshot wounds:																											
Irish parents M.																											
Irish parents F.											1																
German parents M.	1																										
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 10—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	4									1	1	1		1													
	F.																											
German parents	M.	12									1	3	1	1		1	1	1	1	2								
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.	1									1																	
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	23							1		1	5	3	3	2	3	1	2		1	1							
	F.	2									1						1											
German parents	M.	20							2	2	1	3	2	1	1	3	1	1	1			1		1				
	F.	2				1		1					1															
9. Suffocation:																												
Irish parents	M.	2	1					1											1									
	F.																											
German parents	M.	3	1	1				2									1											
	F.	5	1	1		1		3			1				1													
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	8													2	2		3	1									
	F.	2												1			1											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.	1																			1							
German parents	M.	5										1		2				1				1						
	F.	1																			1							
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.	4														3							1					
	F.																											
13. Other suicides:																												
Irish parents	M.	1															1											
	F.	2											1		1													
German parents	M.	22										1	2	2	5	1	5	2	1		1	2						
	F.	1											1															
14. Sunstroke:																												
Irish parents	M.																											
	F.																											
German parents	M.	4											2				1			1								
	F.	2															1			1								
15. Surgical operations:																												
Irish parents	M.	3											1	1						1								
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.	3			1			1				1					1											
	F.																											
German parents	M.	1														1												
	F.																											
17. Others of this group:																												
Irish parents	M.	36					1	1	2	2	4	1	3	2	1	1	6	3	2	4	2	2						
	F.	7								1	1		1					1				1	1	1				
German parents	M.	70	1			2	1	4	1	5	4	4	3	7	4	5	6	4	6	4	6	2	3	1	1			
	F.	8				1		1		1				1	1		1	1					1	1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13.

Cause of death.		Total.	Under 1.	1.	2.	3.	4	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		4777	828	258	135	94	72	1387	238	148	229	248	196	178	210	212	216	233	265	236	242	219	153	103	42	10	10	2
Total: Irish parents	M.	694	59	15	9	11	7	101	35	21	40	45	20	21	37	33	37	45	42	52	55	37	35	21	10	3	4	....
	F.	509	50	21	5	7	3	86	29	15	34	38	31	20	18	28	32	32	35	10	22	21	16	18	10	1	4	....
German parents	M.	2047	405	125	68	45	38	681	94	54	83	96	69	66	92	80	96	106	131	98	108	76	62	39	10	3	1	2
	F.	1527	314	97	53	31	24	519	80	58	72	69	76	62	63	71	51	50	57	76	57	85	40	25	12	3	1	....
Unknown causes.																												
Total		109	46	7	1	....	2	56	3	1	2	4	2	2	2	4	3	4	4	4	4	5	5	1	1	....	1	1
Irish parents	M.	14	5	..	1	....	....	6	2	....	....	1	1	....	....	....	....	....	....	1	2	....	1	....	....	....	....	....
	F.	14	4	1	....	....	..	5	....	....	....	....	1	1	....	..	2	1	1	1	1	....	....	1	....	....	....	....
German parents	M.	47	23	1	....	....	1	25	1	1	1	2	....	....	1	2	....	1	2	2	1	3	3	....	....	....	1	1
	F.	34	14	5	....	....	1	20	....	....	1	1	....	1	1	2	1	2	1	....	....	2	1	....	1	....	....	....
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		1359	283	151	70	50	46	600	135	73	104	59	53	40	41	29	30	29	36	46	30	28	15	8	1	2	....	....
Irish parents	M.	139	15	10	3	6	6	40	21	8	11	6	4	3	5	1	3	4	6	9	8	7	2	....	....	1	....	....
	F.	129	18	11	4	5	2	40	17	9	11	8	6	8	4	4	4	5	4	1	2	2	2	1	1	....	....	....
German parents	M.	583	136	69	34	21	22	282	54	24	42	23	23	10	11	17	14	10	21	18	14	11	6	3	....	....	....	....
	F.	508	114	61	29	18	16	238	43	32	40	22	20	19	21	7	9	10	5	18	6	8	5	4	....	1	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	3	2	..	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	21	6	4	3	....	2	15	1	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	18	5	4	1	1	....	11	2	....	2	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	5	....	1	....	1	....	2	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	....	....	1	2	1	4	2	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	27	4	4	4	2	4	18	7	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	26	....	2	2	4	5	14	9	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	32	....	2	2	3	5	12	12	5	1	....	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	22	....	1	1	2	1	5	12	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	105	14	9	10	13	12	58	26	14	5	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....
	F.	102	10	13	11	6	8	48	19	22	8	2	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	5	3	....	1	1	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	18	13	4	....	1	....	18	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	30	17	5	3	1	....	26	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
German parents	M.	6	2	2	1	....	....	5	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	2	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	....	2	....	....	....	2	1	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
	F.	6	1	....	1	....	....	2	..	1	....	....	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	21	....	....	1	1	....	2	1	1	5	1	1	1	2	....	....	1	1	3	1	1	....	....	....	....	....	....
	F.	20	....	....	....	....	....	....	1	3	5	4	2	....	1	....	....	1	2	1	....	....	....	....	....	....	....	....
German parents	M.	99	2	5	....	3	1	11	8	....	20	12	14	5	5	3	2	1	6	4	2	2	4	....	....	....	....	....
	F.	82	2	....	2	....	1	5	6	6	26	5	3	3	7	5	1	3	4	3	....	4	1	....	..	....	....	....
9. Diarrhœa:																												
Irish parents	M.	10	3	2	....	....	1	6	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	1	....	....
	F.	9	3	3	....	....	....	6	....	....	....	....	....	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....
German parents	M.	57	24	11	2	....	....	37	1	....	1	....	1	2	..	3	1	....	2	3	2	3	..	1	....	....	....	....
	F.	37	22	10	1	1	....	34	....	....	....	....	....	....	1	....	....	....	....	....	....	....	1	1	....	....	....	....
10. Dysentery:																												
Irish parents	M.	9	1	1	....	....	....	2	....	....	....	1	1	....	1	....	....	1	....	2	....	1	....	....	....	....	....	....
	F.	10	1	1	....	....	....	2	....	1	....	....	....	....	....	....	1	1	....	..	1	2	1	1	....	....	....	....
German parents	M.	33	7	10	4	..	2	23	....	....	....	1	....	....	....	1	1	....	3	2	....	1	1	....	....	....	....	....
	F.	27	8	8	3	1	1	21	1	....	....	....	....	..	1	....	....	....	....	2	1	....	1	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	10	....	....	....	....	....	....	2	....	1	1	....	....	....	....	....	1	1	1	1	2	....	....	....	....	....	....
	F.	13	1	1	....	....	....	2	2	....	....	1	1	1	..	3	1	....	....	....	1	....	....	....	1	....	....	....
German parents	M.	48	13	3	2	1	1	20	2	1	7	3	1	1	1	2	4	....	1	2	3	....	....	....	....	....	....	....
	F.	28	7	2	1	2	....	12	....	....	....	3	1	1	2	....	2	2	....	3	1	....	....	1	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....
German parents	M.	19	3	....	....	....	....	3	1	1	....	....	....	....	2	....	1	3	2	2	1	2	....	1	....	....	....	....
	F.	13	1	....	....	....	....	1	....	1	....	....	1	1	....	1	2	....	....	3	2	....	....	1	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	9	7	2	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	4	5	....	....	....	9	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	50	37	8	5	....	....	50	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	44	27	15	2	....	....	44	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	21	....	2	....	....	....	2	3	1	....	1	1	....	....	....	1	1	3	2	2	2	2	....	....	....	....	....
	F.	13	3	....	....	....	....	3	....	1	1	....	2	4	....	....	....	....	2	....	....	....	....	....	....	....	....	....
German parents	M.	63	8	7	2	1	....	18	6	5	3	4	4	1	1	3	3	1	4	3	2	3	1	1	....	....	....	....
	F.	50	10	1	1	1	....	13	2	....	4	5	2	4	4	....	1	4	1	3	1	2	2	1	....	1	....	....