TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	8	2			1		3			1	1							1	1	1							
	F.	4	1					1			1			1	1													
German parents	M.	22	3		1			4				1	3			3	2	4		1	4							
	F.	13	3		1	1	1	6				1	1							4		1						
16. Septicæmia:																												
Irish parents	M.	2													1							1						
	F.	3	1					1								1		1										
German parents	M.	4									1			1	1	1												
	F.	1												1														
17. Puerperal septicæmia:																												
Irish parents	F.	7										3	1	1	2													
German parents	F.	27										6	7	8	4	1	1											
18. Venereal diseases:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.	3									1	1					1											
	F.	1															1											
German parents	M.	5							1		2					1			1									
	F.	1												1														
General diseases—B.																												
Total		36	11					11	1		1		2	3	2	1	3	3	3	3	2	1						
Irish parents	M.	10											1	1	1	1	1	1	1	2		1						
	F.	1	1					1																				
German parents	M.	15	7					7			1				1		2	2	2									
	F.	10	3					3	1				1	2						1	2							
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1							1																			
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	9												1	1	1	1	1	1	2		1						
	F.																											
German parents	M.	7									1				1		1	2	2									
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.																											
	F.																											
German parents	M.	2	1					1									1											
	F.	4											1	2							1							
6. Inanition:																												
Irish parents	M.	1											1															
	F.	1	1					1																				
German parents	M.	6	6					6																				
	F.	5	3					3												1	1							
General diseases—C.																												
Total		333	163	1		1		165		1			1	1	1	3	1		2	5	9	27	35	43	23	6	7	
Irish parents	M.	47	15					15								2					3	3	3	11	5	2	3	
	F.	24	5					5								1					1	1	2	7	3	1	3	
German parents	M.	139	80			1		81		1				1	1		1		2	3	2	8	14	17	6	2		
	F.	123	63	1				64					1							2	3	15	16	11	9	1	1	
1. Premature birth:																												
Irish parents	M.																											
	F.																											
German parents	M.	10	10					10																				
	F.	5	5					5																				
2. Stillborn:																												
Irish parents	M.	12	12					12																				
	F.	4	4					4																				
German parents	M.	52	52					52																				
	F.	40	40					40																				
3. Malformation:																												
Irish parents	M.																											
	F.																											
German parents	M.	3	2					2		1																		
	F.	1	1					1																				
4. Debility:																												
Irish parents	M.	9	3					3								2					1	2			1			
	F.	6	1					1								1							1	2	1			
German parents	M.	32	16			1		17						1	1		1		1	1		4	3	2		1		
	F.	24	17	1				18					1							1		2	1	1				
5. Old age:																												
Irish parents	M.	26																			2	1	3	11	4	2	3	
	F.	14																			1	1	1	5	2	1	3	
German parents	M.	42																	1	2	2	4	11	15	6	1		
	F.	53																		1	3	13	15	10	9	1	1	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		835	21	5	4	2		32	14	14	37	71	62	48	65	69	59	71	66	59	55	54	34	17	6	2		
Irish parents	M.	137	2					2	1	2	7	12	5	7	14	9	9	16	9	13	13	10	4	1	3			
	F.	129	2					2	3	2	11	16	13	9	5	11	12	10	12	5	5	4	3	4	2			
German parents	M.	327	11	4	1	2		18	4	6	7	22	20	12	28	25	25	28	30	20	27	20	19	8	1	1		
	F.	242	6	1	3			10	6	4	12	21	24	20	18	24	13	17	15	15	10	20	8	4		1		
1. Rheumatism:																												
Irish parents	M.	4									1		1					1		1								
	F.	4									1											1	1	1				
German parents	M.	12									1					1	2	1	1	1	3			1	1			
	F.	6											1		2	1			1			1						
2. Scrofula and tabes:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.	6	1	1				2		2									1					1				
	F.	1							1																			
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	88	1					1		1	5	12	3	6	13	7	5	10	7	7	8	1	1		1			
	F.	83							1	2	10	14	12	7	5	9	7	4	5	1	1	1	2	1	1			
German parents	M.	201	7		1	1		9	2	1	5	20	16	12	19	19	16	17	17	14	16	9	8	1				
	F.	149	5	1	3			9	3	2	12	18	21	16	11	13	5	6	7	6	2	11	5	2				
5. Hydrocephalus:																												
Irish parents	M.	1	1					1																				
	F.	3	2					2	1																			
German parents	M.	5	2	3				5																				
	F.	1	1					1																				
6. Cancer:																												
Irish parents	M.	22								1	1		1			1	1	3		3	4	4	2		1			
	F.	17														2	3	4	4	1	2			1				
German parents	M.	41	1					1				1	1		6	2	3	7	5	2	4	3	5	1				
	F.	33												1	3	7	5	7	2	4	2	1	1					
7. Tumor:																												
Irish parents	M.	2							1																1			
	F.	5										1		2			2											
German parents	M.	3																	2			1						
	F.	6										1			1	1		1	1		1							
8. Anæmia:																												
Irish parents	M.																								1			
	F.	1																										
German parents	M.																											
	F.	1												1														
9. Dropsy:																												
Irish parents	M.	17												1	1	1	3	1	1	2	1	4	1	1				
	F.	15							1			1	1					2	3	3	2	1		1				
German parents	M.	56				1		1	2	1	1	1	3		3	3	4	2	4	9	4	7	6	4		1		
	F.	45							2	2		2	2	2	1	2	3	3	4	5	5	7	2	2		1		
10 Glycosuria:																												
Irish parents	M.	2																	1			1						
	F.	1																1				1						
German parents	M.	3								2																		
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		431	134	34	11	8	2	189	20	10	7	8	10	12	11	13	14	20	26	20	22	22	12	13	2			
Irish parents	M.	46	10	1		1		12			1	3	2		4	3	1	3	2	4	4	3	3	1				
	F.	41	8	1	1	1		11	1	1	2		1			3	4	2	6	2	1		3	3	1			
German parents	M.	204	70	22	5	3	2	102	10	4	3	2	4	7	5	5	5	9	10	7	11	8	5	6	1			
	F.	140	46	10	5	3		64	9	5	1	3	3	5	2	2	4	6	8	7	6	11	1	3				
1. Inflammation of the brain:																												
Irish parents	M.	7	3					3			1				1			1	1									
	F.	8	1	1	1			3	1	1	1						1		1									
German parents	M.	42	16	9	3	1	1	30	3	2	1		1	3	1	1		1	2									
	F.	21	5	6	1			12	3	3																		
2. Meningitis:																					1							
Irish parents	M.	3	2					2																				
	F.	2	1			1		2											1	1	1	1						
German parents	M.	14	6	1		1		8	1	1																		
	F.	6	3					3			1		1	1														
3. Apoplexy:													1				1		1	1	1	1	1	1				
Irish parents	M.	8																1		3						1		
	F.	5						3					1	1		1	1	2	2	6	1	2	3	3	3			
German parents	M.	29	3					1		1			1				1	1	4	1		2	4		1			
	F.	17	1																									

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	7													1		1			1	1		2	1				
	F.	9																1		1	1		3	3				
German parents	M.	25				1		1							1	1	3	3	2	1	7	3	1	2				
	F.	23							1			1		1	1		2			4	4	7		2				
5. Tetanus and trismus nascentium:																												
Irish parents	M.	1														1												
	F.	1	1					1																				
German parents	M.	3	1	1				2	1																			
	F.	2	2					2																				
6. Epilepsy:																												
Irish parents	M.	1														1				1								
	F.	1																										
German parents	M.	3	2					2												1								
	F.	2											1	1														
7. Convulsions:																												
Irish parents	M.	7	5	1				6				1																
	F.	5	5					5																				
German parents	M.	50	36	10	1		1	48	2																			
	F.	47	33	4	1	2		40	2						1	1	1		1				1					
8. Mental diseases:																												
Irish parents	M.	1										1																
	F.																											
German parents	M.	3											1					1		1								
	F.	2																	1	1								
9. Diseases of the brain:																												
Irish parents	M.	10				1		1					2		2	1				1	1	2						
	F.	7									1		1			1	1		2	1								
German parents	M.	27	6	1	1			8	2				1	4	2	2		2		2	1	1	1		1			
	F.	16	2		2	1		5	2			1	1	2				1	3	1								
10. Diseases of the spinal cord:																												
Irish parents	M.	1																1										
	F.	2														1			1					1				
German parents	M.	6							1	1	1	1																
	F.	2			1			1	1																			
11. Others of this group:																												
Irish parents	M.																1											
	F.	1																1										
German parents	M.	2									1																	
	F.	2								1										1								
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		184	5	1		2	1	9	5	4	7	7	5	5	9	13	17	25	12	17	20	13	10	5			1	
Irish parents	M.	41	1			1		2	1	2	1	3	1	1	1	2	5	4		4	3	2	4	5				
	F.	26		1				1			2	1	1			1	4	5	2		4	3	1				1	
German parents	M.	65	1			1	1	3	3	1	2	3	1	4	4	5	4	11	5	8	7	1	3					
	F.	52	3					3	1	1	2		2		4	5	4	5	5	5	6	7	2					
1. Angina pectoris:																												
Irish parents	M.																											
	F.	1														1												
German parents	M.	1																1										
	F.																											
2. Aneurism:																												
Irish parents	M.																											
	F.	1															1											
German parents	M.	1														1												
	F.	1																			1							
3. Diseases of the heart:																												
Irish parents	M.	41	1			1		2	1	2	1	3	1	1	1	2	5	4		4	3	2	4	5			1	
	F.	23		1				1			2	1	1				2	5	2		4	3	1					
German parents	M.	63	1			1	1	3	3	1	2	3	1	4	4	4	4	10	5	8	7	1	3					
	F.	50	2					2	1	1	2		2		4	5	4	5	5	5	5	7	2					
4. Others of this group:																												
Irish parents	M.																											
	F.	1															1											
German parents	M.																											
	F.	1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		808	89	47	39	25	15	215	38	23	33	44	24	20	34	39	47	42	66	40	64	43	27	5	4			
Irish parents	M.	124	7	4	3	3		17	6	3	7	5		5	6	7	13	9	14	7	8	5	12					
	F.	81	5	6			1	12	7	1	6	7	3	3	1	4	3	5	6	1	7	8	5	1	1			
German parents	M.	358	40	22	21	15	9	107	13	9	11	23	12	9	22	8	20	22	32	17	32	12	5	3	1			
	F.	245	37	15	15	7	5	79	12	10	9	9	9	3	5	20	11	6	14	15	17	18	5	1	2			
1. Croup:																												
Irish parents	M.	10	4		1	3		8	2																			
	F.	12	4	3				7	5																			
German parents	M.	48	18	6	11	4	4	43	4	1																		
	F.	40	11	8	8	5	3	33	7																			
2. Laryngitis:																												
Irish parents	M.	1																					1					
	F.																											
German parents	M.																											
	F.	2	1					1								1												
3. Bronchitis:																												
Irish parents	M.	8	1		1			2			1			1			1			1	1	1						
	F.	3	1					1	1									1										
German parents	M.	23	3	4	1	1	1	10						1				1	3	4	4							
	F.	17	7		1			8				1					2		1	2		3						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—*continued.*																												
4. Pneumonia:																												
Irish parents	M.	89	1	3	1			5	3	3	6	4		4	5	6	10	9	14	6	7	1	6					
	F.	61		3			1	4	1	1	6	7	2	3	1	4	3	4	4	1	6	8	4	1	1			
German parents	M.	249	17	11	9	9	3	49	8	8	10	21	9	8	19	8	17	19	27	8	24	8	3	2	1			
	F.	168	17	8	4	2	2	33	4	10	9	8	7	3	5	18	9	6	11	11	15	14	3	1	1			
5. Pleurisy:																												
Irish parents	M.	2																										
	F.	1													1		1											
German parents	M.	6																	1									
	F.	5							1		1	1			1		1					2						
6. Asthma:													1						1	1		1						
Irish parents	M.	6																										
	F.																1					2	3					
German parents	M.	9																										
	F.	6																1		2	2	1	2	1				
7. Others of this group:																			1	1	2		1		1			
Irish parents	M.	8	1	1				2	1			1				1												
	F.	4											1									1	2					
German parents	M.	23	2	1		1	1	5	1			1	3		2		2	1	2	3	2	1	1					
	F.	7	1	1	2			4					1			1							1					
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		231	59	9	1	2		71	6	3	1	5	9	12	13	12	21	9	20	18	11	10	7	1	2			
Irish parents	M.	33	4					4	1	1		2	3	1	4	1	4	1	2	5		1	2		1			
	F.	20	4					4	1	1				1	1		1	3	4		1	2			1			
German parents	M.	104	28	7	1	1		37	1		1	2	2	6	4	7	11	5	8	6	5	4	4	1				
	F.	74	23	2		1		26	3	1		1	4	4	4	4	5		6	7	5	3	1					
1. Dentition:																												
Irish parents	M.	2	2					2																				
	F.	1	1					1																				
German parents	M.	6	4	2				6																				
	F.	8	6	1				7	1																			
2. Angina:																												
Irish parents	M.																											
	F.	2							1									1										
German parents	M.	3	2		1			3																				
	F.	1							1																			
3. Gastritis:																												
Irish parents	M.	2																1		1								
	F.	1												1														
German parents	M.	7	1	1				2								1	2	1	1									
	F.	1	1					1																				
4. Other diseases of the stomach:																												
Irish parents	M.	7							1			1		1	1					1			1		1			
	F.	4													1			1	1			1						
German parents	M.	7											1	1			1		1	1	1	1						
	F.	4								1			1				1					1						
5. Obstruction of the bowels:																												
Irish parents	M.	1																					1					
	F.																											
German parents	M.	5	1					1					1			1	1						1					
	F.	3											1									1	1					
6. Hernia:																												
Irish parents	M.	2															1		1									
	F.	2	1					1											1									
German parents	M.	7										1		1	1			1				1	1	1				
	F.	3													1		2											
7. Other diseases of the bowels:																												
Irish parents	M.	1																				1						
	F.	1								1																		
German parents	M.	3	1	1				2								1												
	F.	4	2					2	1					1														
8. Jaundice:																												
Irish parents	M.																											
	F.																											
German parents	M.	2	1					1								1												
	F.	2															1					1						
9. Inflammation and abscess of the liver:																												
Irish parents	M.	7	1					1		1					2		2			1								
	F.	2																1			1							
German parents	M.	9		1				1						2		2	1		1	2								
	F.	3														1			1	1								
10. Other diseases of the liver:																												
Irish parents	M.	6											2		1		1		1	1								
	F.	2	1					1																	1			
German parents	M.	16										1				1	4	3	3	2	1		1					
	F.	8												1	1	1	1			2	2							
11. Peritonitis:																												
Irish parents	M.	2											1			1												
	F.																											
German parents	M.	7	1					1						1	1						3		1					
	F.	11										1		1	1	1			4	1	2							
12. Ascites:																												
Irish parents	M.																											
	F.																											
German parents	M.	4												1			1		1			1						
	F.	2												1					1									
13. Others of this group:																												
Irish parents	M.	3	1					1				1								1								
	F.	5	1					1									1		2			1						
German parents	M.	28	17	2		1		20	1		1				2		1		1	1		1						
	F.	24	14	1		1		16					2		1	1				3	1							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	62	1					1		1			2	3	4	1	3	3	8	9	11	9	2	3	1		1	
Irish parents M.	23														1		1	2	2	7	5	2	2			1	
Irish parents F.	4											1		2									1				
German parents M.	27											1	2	2		3	1	5	5	3	4			1			
German parents F.	8	1					1		1				1				1	1	2	1							
1. Bright's disease:																											
Irish parents M.	3														1						1		1				
Irish parents F.	2											1		1													
German parents M.	9												1	1		1		2	1	1	2						
German parents F.	2												1					1									
2. Calculus, urinary:																											
Irish parents M.	4																			2	1	1					
Irish parents F.																											
German parents M.	2																	1	1								
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	4																	1			2	1					
Irish parents F.	2													1										1			
German parents M.	8											1	1			1			1	2	2						
German parents F.	5	1					1		1										2	1							
4. Diseases of the bladder:																											
Irish parents M.	7																1		1	2	1		1			1	
Irish parents F.																											
German parents M.	5															1	1	1	1					1			
German parents F.	1																1										
5. Others of this group:																											
Irish parents M.	5																	1	1	3							
Irish parents F.																											
German parents M.	3													1				1	1								
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	13										2	2	1	2	1	3	1	1									
Irish parents F.	3													1	1	1											
German parents F.	10										2	2	1	1		2	1	1									
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1														1												
German parents F.	2											1		1													
5. Others of this group:																											
Irish parents F.	2														1		1										
German parents F.	8											1	2		1		2	1	1								
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	50										3	11	10	11	7	7	1										
Irish parents F.	21										1	4	4	6	4	1	1										
German parents F.	29										2	7	6	5	3	6											
1. Abortion:																											
Irish parents F.	1														1												
German parents F.	2												1		1												
2. Child-birth:																											
Irish parents F.	18										1	4	3	5	3	1	1										
German parents F.	25										1	7	4	5	2	6											
3. Others of this group:																											
Irish parents F.	2												1	1													
German parents F.	2										1		1														
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	12	1					1	1		1	1	2		1			2				3						
Irish parents M.	2									1	1																
Irish parents F.	3	1					1					1									1						
German parents M.	5							1				1					1				2						
German parents F.	2													1			1										
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.	1	1					1																				
German parents. M.	4												1				1				2						
German parents. F.	1														1												

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.	1										1																
	F.	1											1															
German parents	M.																											
	F.	1																1										
3. Diseases of the hip-joint:																												
Irish parents	M.																											
	F.																											
German parents	M.	1							1																			
	F.																											
4. Others of this group:																												
Irish parents	M.	1									1																	
	F.	1																				1						
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		14	4					4			1		1	1		2	1	1		1	1		1					
Irish parents	M.	2														1					1							
	F.	4	1					1			1					1		1										
German parents	M.	6	3					3					1	1									1					
	F.	2															1			1								
1. Abscess:																												
Irish parents	M.	2														1					1							
	F.	3									1					1		1										
German parents	M.	3	2					2						1														
	F.	1																		1								
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.	3	1					1					1										1					
	F.	1															1											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		1																		1								
Irish parents	M.																											
	F.																											
German parents	M.	1																		1								
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																		1								
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		299	11	3	9	4	6	33	15	18	32	36	11	19	18	18	13	23	21	13	13	4	5	4	2			1
Irish parents	M.	76			2		1	3	3	5	12	12	3	3	2	5	1	6	6	5	6		2	1	1			
	F.	9	1	1		1		3		1		2		1		1									1			
German parents	M.	166	6		6	1	3	16	7	8	15	19	4	14	13	11	11	16	14	5	6	3	2	1				1
	F.	48	4	2	1	2	2	11	5	4	5	3	4	1	3	1	1	1	1	3	1	1	1	2				
1. Burns and scalds:																												
Irish parents	M.	2			1			1			1																	
	F.	2	1	1				2																				
German parents	M.	8			4	1	2	7				1																
	F.	14				1	1	2	5	3	2	1											1					
2. Drowned:																												
Irish parents	M.	10							1	4	2	1		1				1										
	F.	3				1		1				1													1			
German parents	M.	21			2			2	3	5	2	3		2				1	2	1								
	F.	5	1	1				2			1		1							1								
3. Exposure and neglect:																												
Irish parents	M.	3														1					1		1					
	F.																					1						
German parents	M.	1																										
	F.	1		1				1																				
4. Gunshot wounds:																												
Irish parents	M.	2													1				1									
	F.																											
German parents	M.	10							1		1	4	1	2	1													
	F.	1										1																

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 13—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.	5									1			1	1	1			1									
	F.	2											1											1				
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.	1	1					1																				
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																		1								
	F.																											
8. Railroad accidents:																												
Irish parents	M.	18									3	6	1		1	2		2	2				1					
	F.																											
German parents	M.	13										2			1	1	4	5										
	F.																											
9. Suffocation:																												
Irish parents	M.	1								2						1												
	F.																											
German parents	M.	5	3					3						1				1										
	F.	1														1												
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	7											1	1	3		1						1					
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.																											
German parents	M.	2									1										1							
	F.	1																			1							
12. Suicide by poison:																												
Irish parents	M.																											
	F.	1														1												
German parents	M.	7												2	1	1					1	1						1
	F.	2										1			1													
13. Other suicides:																												
Irish parents	M.	1																			1							
	F.																											
German parents	M.	12														2	1	2	5		2							
	F.	2									1									1								
14. Sunstroke:																												
Irish parents	M.	2										1		1														
	F.																											
German parents	M.	4	1					1				1			1			1										
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.	3							1			1								1								
	F.																											
16. Wounds:																												
Irish parents	M.	3									1	1	1															
	F.																											
German parents	M.	1														1												
	F.	1											1															
17. Others of this group:																												
Irish parents	M.	33			1		1	2	2	1	5	3		1		1	1	3	3	5	4			1	1			
	F.	3								1		1		1														
German parents	M.	65	1				1	2	2	3	10	7	2	5	5	5	5	6	6	2	2	1	1	1				
	F.	18	3		1	1	1	6		1	1		1	1	2		1	1	1	1		1		1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		9584	1565	492	300	242	200	2799	708	366	412	506	401	326	348	326	381	456	429	444	472	402	343	280	106	42	25	12
Total: Irish parents	M.	1850	158	54	41	28	33	314	82	55	89	109	75	71	63	83	99	127	128	144	119	102	92	55	31	12	8	1
	F.	1538	146	64	49	32	18	309	96	62	94	113	84	67	70	69	65	71	67	66	78	77	48	60	17	15	10	....
German parents	M.	3329	703	212	113	99	81	1208	265	124	117	141	110	77	102	88	131	162	135	147	145	129	104	93	35	6	4	6
	F.	2858	558	162	97	83	68	968	265	125	112	143	132	111	113	86	86	96	99	87	130	94	99	72	23	9	3	5
Unknown causes.																												
Total		255	118	20	8	4	....	150	5	2	....	3	4	5	4	6	5	5	15	6	12	8	14	5	....	....	2	4
Irish parents	M.	28	6	2	1	1	....	10	....	....	....	....	1	....	....	2	1	1	3	2	1	....	5	....	....	....	2	....
	F.	31	14	1	2	1	....	18	1	....	....	2	1	1	1	2	1	1	....	1	....	1	1	....	....	....	....	....
German parents	M.	111	54	13	2	....	....	69	3	1	....	1	1	3	2	1	3	2	6	1	5	6	4	2	....	....	....	1
	F.	85	44	4	3	2	....	53	1	1	....	....	1	1	1	1	....	1	6	2	6	1	4	3	....	....	....	3
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		2997	548	287	175	170	150	1330	532	244	175	131	76	52	68	48	55	49	53	49	52	35	28	12	6	....	2	....
Irish parents	M.	431	65	30	27	20	24	166	54	34	33	23	9	9	6	7	9	12	14	16	15	10	8	4	1	....	1	....
	F.	455	55	43	31	24	13	166	75	46	35	28	16	10	12	12	9	11	7	7	8	7	4	2	....	....	....	....
German parents	M.	1073	226	114	63	72	66	511	197	72	52	42	19	11	16	9	23	12	24	14	14	11	9	4	2	....	1	....
	F.	1038	202	100	54	54	47	457	206	92	55	38	32	22	34	20	14	14	8	12	15	7	7	2	3	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	14	3	1	....	....	....	4	1	1	6	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	2	1	1	1	....	5	4	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	30	9	4	4	3	1	21	3	....	3	1	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....
	F.	41	14	5	....	1	2	22	4	5	5	3	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	34	5	....	2	4	4	15	11	4	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	54	6	6	6	5	4	27	15	6	4	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	86	11	17	9	11	5	53	24	7	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	73	6	8	7	9	5	35	29	7	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	141	8	9	17	12	20	66	37	25	8	2	1	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....
	F.	126	8	11	8	13	8	48	44	23	6	2	2	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
German parents	M.	410	41	31	31	45	57	205	137	48	16	6	3	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
	F.	410	25	34	32	37	35	163	151	65	20	8	1	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	5	4	1	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	7	3	1	2	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	30	17	6	2	3	....	28	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	35	20	6	1	3	....	30	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	12	7	....	2	....	....	9	....	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....
	F.	6	1	....	....	....	....	1	....	1	....	1	....	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	2	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....
German parents	M.	14	5	2	1	....	1	9	2	1	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	2	1	....	1	1	5	1	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	55	....	....	....	1	....	1	2	....	7	12	3	6	3	2	3	4	4	4	3	....	1	....	....	....	....	....
	F.	59	1	....	1	1	....	3	4	5	10	11	4	3	3	1	3	1	4	2	2	2	1	....	....	....	....	....
German parents	M.	118	5	3	2	2	....	12	15	5	21	21	11	6	6	2	8	1	6	....	3	....	1	....	....	....	....	....
	F.	106	5	2	....	....	2	9	10	5	21	13	6	8	9	8	5	4	2	3	2	....	1	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	21	6	1	....	....	....	7	....	....	....	....	1	....	....	2	....	....	1	1	2	3	2	1	....	....	1	....
	F.	15	5	4	....	....	....	9	....	1	1	....	....	1	....	1	....	....	....	....	....	2	....	....	....	....	....	....
German parents	M.	56	31	10	3	....	....	44	....	....	....	....	1	1	....	1	2	....	2	2	....	1	1	....	....	....	1	....
	F.	40	27	8	2	....	....	37	....	....	....	....	....	....	1	....	....	....	1	....	....	1	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	17	5	3	....	1	....	9	....	1	....	1	....	....	....	1	....	1	1	....	1	....	1	1	....	....	....	....
	F.	13	1	1	....	....	....	2	....	....	2	2	....	....	1	....	2	1	....	3	....	....	....	....	....	....	....	....
German parents	M.	37	15	5	2	4	....	26	....	1	....	....	....	....	....	....	2	1	2	1	2	2	....	....	....	....	....	....
	F.	46	24	6	4	....	1	35	....	....	....	....	1	....	....	....	....	2	1	1	3	2	....	....	1	....	....	....
11. Enteritis:																												
Irish parents	M.	33	6	1	1	....	....	8	....	1	1	4	2	1	1	1	2	2	1	4	....	2	2	1	....	....	....	....
	F.	38	4	1	2	1	1	9	2	3	3	3	2	3	1	3	2	3	....	1	3	....	....	....	....	....	....	....
German parents	M.	70	10	5	2	1	1	19	4	7	5	8	1	....	1	2	4	3	5	6	1	1	2	1	....	....	....	....
	F.	56	14	6	2	1	....	23	2	2	1	....	2	1	1	3	1	3	2	4	2	4	4	1	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	11	1	....	1	....	....	2	....	....	....	....	1	....	....	....	1	1	2	....	2	1	....	....	1	....	....	....
	F.	7	1	....	....	....	....	1	....	....	1	....	....	....	1	....	....	1	....	....	2	1	....	....	....	....	....	....
German parents	M.	22	8	1	....	....	....	9	2	....	....	....	....	....	1	....	....	1	2	1	2	1	2	1	....	....	....	....
	F.	15	6	3	....	....	....	9	....	1	....	....	....	....	....	....	....	1	1	1	2	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	45	25	13	5	2	....	45	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	46	19	16	8	3	....	46	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	82	52	26	4	....	....	82	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	71	48	18	4	1	....	71	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	42	1	1	1	....	....	3	3	....	4	3	1	2	1	....	3	3	3	4	6	3	2	1	....	....	....	....
	F.	36	3	2	1	....	....	6	2	6	4	2	1	1	3	1	....	2	3	....	....	1	2	2	....	....	....	....
German parents	M.	55	7	2	1	3	1	14	5	2	2	4	2	....	4	4	2	4	3	1	3	4	1	....	....	....	....	....
	F.	53	6	3	2	....	....	11	4	3	4	2	4	2	4	2	6	2	1	1	4	....	2	....	1	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15. Erysipelas:																												
Irish parents	M.	6	1					1			1								2	1	1							
	F.	16	2		2			4	3	2	2		1				1	2					1					
German parents	M.	28	6	2				8			4		1	1	2		2	1	3	3				1	2			
	F.	10	3			1	1	5	1				1		1		1			1								
16. Septicæmia:																												
Irish parents	M.	2								1										1								
	F.	3										1			1		1											
German parents	M.	6							2					1			1				1	1						
	F.	6											1	1	3										1			
17. Puerperal septicæmia:																												
Irish parents	F.	17									1	4	4	1	2	5												
German parents	F.	53									3	9	13	7	15	5	1											
18. Venereal diseases:																												
Irish parents	M.																											
	F.	1																		1								
German parents	M.	2	1					1									1											
	F.																											
19. Others of this group:																												
Irish parents	M.	3								1	1											1						
	F.	2											1			1												
German parents	M.	8							2			2			1			1			1	1						
	F.	8	1					1		1	1	1	1							1	1			1				
General diseases—B.																												
Total		108	38	6	2	4	1	51	3	2		3	3	1	4	5	8	11	5	5	2	3	1	1				
Irish parents	M.	29	5				1	6					1	1	2	5	4	4	2	2	1		1					
	F.	14	7					7	1				1					2	1	1		1						
German parents	M.	40	16	3	1	4		24	1	1		3	1		2		4	3	2	2	1	1		1				
	F.	19	10	3	1			14	1	1								2				1						
1. Worms:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.	1	1					1																				
	F.	2	1		1			2																				
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	18											1	1	2	5	3	2	2		1		1					
	F.	4											1						1	1		1						
German parents	M.	8													1		2	1	2	2								
	F.	1																				1						
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	6					1	1									1	2		2								
	F.	4	1					1	1									2										
German parents	M.	22	1	3	1	4		9	1	1		3	1		1		2	2			1			1				
	F.	7	1	2				3	1	1								2										
6. Inanition:																												
Irish parents	M.	5	5					5																				
	F.	5	5					5																				
German parents	M.	15	14					14														1						
	F.	9	8	1				9																				
General diseases—C.																												
Total		694	251	2	1	1		255						2	1	3	1	3	1	16	21	68	84	135	52	35	17	
Irish parents	M.	121	30			1		31							1	1	1	1	1	4	4	12	15	20	16	9	5	
	F.	105	16					16												3	3	15	7	28	11	14	8	
German parents	M.	257	125	2	1			128						1				2		1	3	25	33	43	16	4	1	
	F.	211	80					80						1		2				8	11	16	29	44	9	8	3	
1. Premature birth:																												
Irish parents	M.	2	2					2																				
	F.	2	2					2																				
German parents	M.	30	30					30																				
	F.	14	14					14																				
2. Stillborn:																												
Irish parents	M.	24	24					24																				
	F.	12	12					12																				
German parents	M.	81	81					81																				
	F.	52	52					52																				
3. Malformation:																												
Irish parents	M.	3	2			1		3																				
	F.																											
German parents	M.	2	2					2																				
	F.	4	4					4																				
4. Debility:																												
Irish parents	M.	29	2					2							1	1	1	1	1	4	1	6	3	5	2		1	
	F.	18	2					2												2	1	4	3	5	1			
German parents	M.	46	12	2	1			15						1				2		1	2	8	7	8	2			
	F.	30	10					10						1		2				3	5	2	2	4	1			
5. Old age:																												
Irish parents	M.	62																			3	6	12	14	11	9	4	
	F.	73																			2	11	4	23	10	14	8	
German parents	M.	98																			1	17	26	33	14	4	1	
	F.	111																		5	6	14	27	40	8	8	3	

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.	1																						1				
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		1574	42	8	5	2	1	58	23	33	76	158	148	84	88	83	113	162	122	116	111	87	68	33	11			
Irish parents	M.	351	4					4	3	5	16	29	27	20	14	18	24	39	31	38	30	27	18	6	2			
	F.	342	7	1	3			11	2	4	29	46	38	18	20	20	24	25	21	16	22	17	12	6	2			
German parents	M.	427	14	3		2		19	10	14	12	33	34	18	20	25	32	57	31	35	29	24	17	11	6			
	F.	454	17	4	2		1	24	8	10	19	50	49	28	25	20	33	41	39	27	30	19	21	10	1			
1. Rheumatism:																												
Irish parents	M.	24								2	1	1				2		4	3	3	4		3	1				
	F.	17								1		2	1	1		1	1			2	2	5			1			
German parents	M.	16							1	5	1	1			1	1	1	1		1			2	1				
	F.	17								2	1	1	1				1	1	2	3	2	2		1				
2. Scrofula and tabes:																												
Irish parents	M.	7	2					2			1	2					1							1				
	F.	3																1				1		1				
German parents	M.	9	4	1		1		6		1			1					1										
	F.	6	2	1				3			1							1	1									
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	235	1					1		2	11	22	24	18	12	13	20	26	18	23	16	17	9	2	1			
	F.	233	5		2			7	2	1	26	40	32	16	21	12	8	17	13	7	11	9	7	4				
German parents	M.	244	5	1				6	2	5	8	32	25	15	13	17	21	28	18	21	7	16	7	2	1			
	F.	244	8	2	1		1	12	4	5	13	46	43	20	18	9	16	14	21	5	6	4	8					
5. Hydrocephalus:																												
Irish parents	M.	4	1					1	2											1								
	F.	4	1	1	1			3								1												
German parents	M.	7	3	1				4	1	1						1												
	F.	7	4					4	3																			
6. Cancer:																												
Irish parents	M.	32											1	1	1	2	1	4	6	6	4	3	1	1	1			
	F.	37									1	1	1		4	3	10	3	5	4	3		2					
German parents	M.	74	1			1		2		1			4	2	3	3	9	19	8	3	12	2	2	3	1			
	F.	65	1					1			1	2	1		4	5	8	12	6	9	4	6	3	2	1			
7. Tumor:																												
Irish parents	M.	5								1	1					1				1		1						
	F.	10													2		3	1	1	1	2							
German parents	M.	2													1	1												
	F.	13	1	1				2						1			3	2	1		3	1						
8. Anæmia:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.																											
	F.	2	1					1		1																		
9. Dropsy:																												
Irish parents	M.	35							1		1	3	2		1		1	4	4	2	5	6	4	1				
	F.	30	1					1		2	1	3	3	1		1	2	1	2	2	4	2	3	1	1			
German parents	M.	68	1					1	6	1	2		3	1	2	2	1	8	4	9	10	4	6	4	4			
	F.	97			1			1	1	1	3	1	4	5	3	6	5	11	8	10	15	6	10	7				
10. Glycosuria:																												
Irish parents	M.	8									1	1		1			1			2	1		1					
	F.	8									1		1		2	2		2				2		1				
German parents	M.	7									1		1						1	1								
	F.	2								1				1														
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1												1														
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		801	206	57	22	13	10	308	33	14	22	30	24	22	28	15	26	25	37	39	53	40	44	26	9	4	1	1
Irish parents	M.	153	22	9	5	2	1	39	4	1	3	9	4	3	5	4	6	6	11	13	10	11	12	6	4	2		
	F.	118	14	7	4	1	1	27	1	3	4	6	6	5	4	5	3	7	7	5	13	4	7	9	1	1		
German parents	M.	206	99	29	5	7	5	145	11	7	5	7	5	6	10	4	10	9	9	17	18	11	10	8	1	1	1	1
	F.	234	71	12	8	3	3	97	17	3	10	8	9	8	9	2	7	3	10	4	12	14	15	3	3			
1. Inflammation of the brain:																												
Irish parents	M.	19	5	3	4			12				3	2					1					1					
	F.	18	4	2	2	1		9	1	1	2	1			1			1		1	1							
German parents	M.	62	19	13	4	6	3	45	4	2	2	2		1					2	2	2							
	F.	35	9	4	6	1	2	22	5		3			4					1									
2. Meningitis:																												
Irish parents	M.	9	1	2	1	1		5			1	1		1	1													
	F.	4	2	1				3				1																
German parents	M.	17	8	2				10	2	1				1	1		1	1										
	F.	16	8	1				9	2			1	2		1				1									
3. Apoplexy:																												
Irish parents	M.	18								1			1			1	1		2	2	4	2	1	2	1			
	F.	14								1		1	1	1	3			1	1		2	2			1			
German parents	M.	32	1	1				2		1				1	2	1	3	3	3	3	5	2	3	2	1			
	F.	22	1					1				1		1	2			1	5	1	7	2	1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	41									1				1	1	2	4	4	3	3	6	8	3	3	2		
	F.	20												1		2			3	3	6	2	6	5		1		
German parents	M.	49		2		1		3			1	1			3	1	2	2	3	8	8	7	3	5		1	1	
	F.	46	1					1	1	1	1		2				4	1	3	2	5	10	11	2	2			
5. Tetanus and trismus nascentium:																												
Irish parents	M.	6					1	1	1			1		1	1				1									
	F.																											
German parents	M.	4	1					1		1			1		1													
	F.	2							1						1													
6. Epilepsy:																												
Irish parents	M.	2														1		1										
	F.	5									1		1	1			1	1										
German parents	M.	9	3	1				4			1		1	1								1		1				
	F.	8	2					2	1	1			3		1													
7. Convulsions:																												
Irish parents	M.	20	12	4				16	2		1									1								
	F.	11	7	1	1		1	10		1																		
German parents	M.	75	58	8	1		1	68	2					2					1				1					1
	F.	63	44	5	2	1		52	3		2	2	2	1									1					
8. Mental diseases:																												
Irish parents	M.	6											1	1	2		1			1								
	F.	12									1	1	1	1		2	1		2	1	1			1				
German parents	M.	7										1	3				1			1		1						
	F.	9										1		2	3	1	1	1										
9. Diseases of the brain:																												
Irish parents	M.	21	2			1		3				2				1	2		3	4	2	2	1	1				
	F.	13	1	1	1			3				1	2			1			1		3		1	1				
German parents	M.	29	8	2			1	11	2	1	1	2			1	2	2	2		1	2		2					
	F.	19	5	2				7	4		2					1	1			1		1	1	1				
10. Diseases of the spinal cord:																												
Irish parents	M.	3	2					2	1																			
	F.	4		1				1				1		1										1				
German parents	M.	5							1			1			1		1			1								
	F.	4				1	1	2		1												1						
11. Others of this group:																												
Irish parents	M.	8										2							1	2	1	1	1					
	F.	8		1				1					1				1	4						1				
German parents	M.	7	1					1		1					1			1		1	1		1					
	F.	10	1					1			2	3			1		1						1		1			
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		371	25	2			2	29	2	8	12	16	10	19	14	20	21	34	41	45	33	28	22	10	7			
Irish parents	M.	85	3					3	2	2	1	2	3	7	2	3	5	6	14	7	6	9	6	3	4			
	F.	73	2	1				3		2	3	5	2	3	3	5	4	6	6	10	6	8	6	1				
German parents	M.	119	11	1				12		4	1	3	4	5	6	8	8	11	12	16	14	4	6	3	2			
	F.	94	9				2	11			7	6	1	4	3	4	4	11	9	12	7	7	4	3	1			
1. Angina pectoris:																												
Irish parents	M.																											
	F.	2																	1				1					
German parents	M.	3															1			2								
	F.	1																					1					
2. Aneurism:																												
Irish parents	M.	1																	1									
	F.	1														1												
German parents	M.	2																	1		1							
	F.	1																							1			
3. Diseases of the heart:																												
Irish parents	M.	83	2					2	2	2	1	2	3	7	2	3	5	6	13	7	6	9	6	3	4			
	F.	66	1					1		2	3	5	2	3	2	4	4	6	5	10	6	7	5	1				
German parents	M.	106	3	1				4		4	1	3	4	5	6	8	7	11	11	14	13	4	6	3	2			
	F.	88	5				2	7			7	6	1	4	3	4	4	11	9	12	7	7	3	3				
4. Others of this group:																												
Irish parents	M.	1	1					1																				
	F.	4	1	1				2							1							1						
German parents	M.	8	8					8																				
	F.	4	4					4																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		1296	161	62	56	34	24	337	61	22	48	57	50	43	51	58	71	82	78	79	101	78	33	31	9	1	2	4
Irish parents	M.	304	14	7	7	4	6	38	10	5	14	12	9	8	14	22	27	30	21	27	29	19	8	9	1			1
	F.	222	23	9	6	4	2	44	9	3	11	13	5	8	10	11	12	11	17	15	17	18	6	10			2	
German parents	M.	451	67	26	26	8	8	135	24	6	17	22	21	16	18	15	19	32	23	29	28	22	9	8	5			2
	F.	319	57	20	17	18	8	120	18	8	6	10	15	11	9	10	13	9	17	8	27	19	10	4	3	1		1
1. Croup:																												
Irish parents	M.	29	4	4	5	4	5	22	4	1		1			1													
	F.	20	10	3	1	2	1	17	3																			
German parents	M.	78	30	13	14	4	2	63	15																			
	F.	71	23	11	9	12	3	58	8	3		1											1					
2. Laryngitis:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																					1					
	F.	1								1																		
3. Bronchitis:																												
Irish parents	M.	13	1	1				2				1			2		1	2			3	2						
	F.	14	1		1			2			1	2			1		2		1	1	2	2						
German parents	M.	15	5	3				8					1					2		1	1	2						
	F.	26	4	2	2	2	2	12	1			1	2	1	3				1	1	2	1	1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	215	9	2			1	12	4	3	14	9	9	7	9	21	22	23	14	22	21	8	7	8	1			1
	F.	151	10	6	4	1	1	22	5	3	8	11	5	7	7	9	9	10	13	10	12	11	3	5			1	
German parents	M.	303	28	10	12	3	5	58	8	6	16	20	18	15	17	12	15	27	20	21	23	10	5	7	4			1
	F.	175	25	6	6	4	3	44	8	3	4	6	9	10	5	10	9	8	12	3	18	13	8	2	3			
5. Pleurisy:																												
Irish parents	M.	4															1			1		2						
	F.	4									1						1				1			1				
German parents	M.	3											1				1		1									
	F.	5											2				1			1		1						
6. Asthma:																												
Irish parents	M.	17													1			3	2	3	3	4	1					
	F.	12												1	1				2	2		3	2	1				
German parents	M.	18	1					1							1	1		1		3	4	6		1				
	F.	12							1		1								3	2	3	2						
7. Others of this group:																												
Irish parents	M.	26			2			2	2	1		1		1	1	1	3	2	5	1	2	3		1				
	F.	21	2			1		3	1		1				1	2		1	1	2	2	2	1	3			1	
German parents	M.	33	3			1	1	5	1		1	2	1	1		2	3	2	2	4		4	3		1			1
	F.	29	5	1				6		1	1	2	2		1		3	1	1	1	4	2		2		1		1
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		528	135	26	8	5	5	179	14	10	14	6	19	18	22	20	25	33	31	32	42	27	10	13	4	1		2
Irish parents	M.	99	6	1				7	2	1	4	2	3	6	4	5	6	8	12	12	9	10	6	2				
	F.	66	4	2	1	1	1	9	2	2	4	1	4	2	2	3	5	4	6	5	8	2	2	3	2			
German parents	M.	197	72	15	2	1	1	91	5	4	1	2	9	2	8	7	10	12	7	7	11	8	4	6		1		2
	F.	166	53	8	5	3	3	72	5	3	5	1	3	8	8	5	4	9	6	8	14	7	4	2	2			
1. Dentition:																												
Irish parents	M.	1		1				1																				
	F.	5	2	2	1			5																				
German parents	M.	23	12	10	1			23																				
	F.	12	7	5				12																				
2. Angina:																												
Irish parents	M.	1							1																			
	F.	2									1														1			
German parents	M.	4	1					1		1									1		1							
	F.	7	2			1		3	1					1				1	1									
3. Gastritis:																												
Irish parents	M.	1																			1							
	F.	2															1				1							
German parents	M.	6		1	1			2						1				1		1		1						
	F.	4	2					2							1				1									
4. Other diseases of the stomach:																												
Irish parents	M.	24							1		1		1	3	2		1	2	4	3	1	4	1					
	F.	10							1		1		2			1		1			2				1			
German parents	M.	21	4	1			1	6	1				2		2		3		1	2	1	1				1		1
	F.	21	5		1		1	7	2		1		1	1				2	1	2	3		1					
5. Obstruction of the bowels:																												
Irish parents	M.	7										1		1				1	1	1	1	1						
	F.	1									1																	
German parents	M.	4								1											1	1		1				
	F.	7				1		1		1					1	1			1		2							
6. Hernia:																												
Irish parents	M.	3																1		1	1							
	F.	3								1				1							1							
German parents	M.	9	2					2	1							1		1	2			1		1				
	F.	14	2		1			3			1		1		1	1		1		2		3		1				
7. Other diseases of the bowels:																												
Irish parents	M.	3	1					1						1				1										
	F.	8	1			1		2							1				2		1	1		1				
German parents	M.	13	4					4			1	1	2		1	2		1			1							
	F.	13	4	1	1			6		2							1	1			2				1			
8. Jaundice:																												
Irish parents	M.	6	1					1										1	1		2			1				
	F.	1																1										
German parents	M.	4															1	1		1			1					
	F.	3	1				1	2													1							
9. Inflammation and abscess of the liver:																												
Irish parents	M.	3									1					2												
	F.	7								1							1		2	2				1				
German parents	M.	9							1				1			1	3	1				1						1
	F.	7												1	1	1		1		1		1			1			
10. Other diseases of the liver:																												
Irish parents	M.	30									2			1	2	3	2	1	5	5	3	3	2	1				
	F.	12							1			1	1	1				1	1	1	2		2	1				
German parents	M.	22	2					2						1	2	1	1	4	2	2	5	2						
	F.	12	1		1	1		3				1		1			1	1	1	1	1	2						
11. Peritonitis:																												
Irish parents	M.	5								1		1	1				1	1										
	F.	5					1	1			1				1	1	1											
German parents	M.	11							1	2		1	1		2	1		2						1				
	F.	16									3		1	4	2	1		1			2		1	1				
12. Ascites:																												
Irish parents	M.	3														1	2		1	1	1							
	F.	6															1	1			1							
German parents	M.	3															2	1			2	1	1					
	F.	8							1																			
13. Others of this group:																												
Irish parents	M.	12	4					4						1				2		1	2			2				
	F.	4	1					1										1		1		1						
German parents	M.	68	47	3		1		51	1					3		1		1	1	1	1	1	3	3				
	F.	42	29	2	1		1	33	1							2	1		1	2	1		1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	164	4	1	2			7	4		5	4	5	4	3	6	5	18	13	16	22	15	20	9	7		1	
Irish parents M.	49		1	1			2			2		2		1	1	1	6	3	8	6	2	10	2	3			
Irish parents F.	14							1			1	1			2	2	1	1		1	2	1		1			
German parents M.	76	2					2	2		3	2		3		3	1	9	7	7	10	11	7	6	2		1	
German parents F.	25	2		1			3	1			1	2	1	2		1	2	2	1	5		2	1	1			
1. Bright's disease:																											
Irish parents M.	15									2		1		1	1		4	2	3	1							
Irish parents F.	6										1	1			1	1					2						
German parents M.	21							1		1	1		1		1		5	3	1	5	1	1					
German parents F.	7	1					1	1				2					1			2							
2. Calculus, urinary:																											
Irish parents M.	10																		2	1	1	3	2	1			
Irish parents F.																											
German parents M.	13														2		1	1	2	2	1	2	1	1			
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	14		1				1					1				1	1	1	1	2	1	5					
Irish parents F.	8							1							1	1	1	1		1		1		1			
German parents M.	24							1		2			2				3	3	2	2	4	1	4				
German parents F.	14	1		1			2				1		1			1		2	1	2		2	1	1			
4. Diseases of the bladder:																											
Irish parents M.	5																		1	2		1		1			
Irish parents F.																											
German parents M.	11										1					1			1	1	5	1		1			
German parents F.	3													1			1			1							
5. Others of this group:																											
Irish parents M.	5			1			1										1		1			1		1			
Irish parents F.																											
German parents M.	7	2					2												1			2	1			1	
German parents F.	1													1													
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	35								1	2	9		2	4	7	7	2			1							
Irish parents F.	12									2	2		1	1	1	4	1										
German parents F.	23								1		7		1	3	6	3	1			1							
1. Ovarian tumors:																											
Irish parents F.	1															1											
German parents F.	4										2						1			1							
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.	1														1												
3. Uterine tumors:																											
Irish parents F.	1															1											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.																											
German parents F.	7										2			1	4												
5. Others of this group:																											
Irish parents F.	10									2	2		1	1	1	2	1										
German parents F.	11								1		3		1	2	1	3											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	136									5	23	26	35	24	19	4											
Irish parents F.	40									1	6	8	15	5	5												
German parents F.	96									4	17	18	20	19	14	4											
1. Abortion:																											
Irish parents F.	2												2														
German parents F.	5											2	1	1	1												
2. Child-birth:																											
Irish parents F.	30									1	5	5	10	4	5												
German parents F.	85									4	15	15	18	16	13	4											
3. Others of this group:																											
Irish parents F.	8										1	3	3	1													
German parents F.	6										2	1	1	2													
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	31	5	3	1			9	1	3	3	1	2	2	2	1	2		1		2	2						
Irish parents M.	4												2	1		1											
Irish parents F.	4								1	1	1			1													
German parents M.	13	3	1	1			5		1	1		1			1			1		2	1						
German parents F.	10	2	2				4	1	1	1		1				1					1						
1. Diseases of the spine:																											
Irish parents M.	2													1		1											
Irish parents F.	4								1	1	1			1													
German parents M.	6	3	1	1			5					1															
German parents F.	10	2	2				4	1	1	1		1				1					1						

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents M.	2												2														
Irish parents F.																											
German parents M.	6									1					1			1		2	1						
German parents F.																											
3. Diseases of the hip-joint:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1								1																		
German parents F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	14									1	3		1		2		1	1	2	1	2						
Irish parents M.	2										1							1									
Irish parents F.	6									1			1		1				2		1						
German parents M.	3														1		1				1						
German parents F.	3										2									1							
1. Abscess:																											
Irish parents M.	2										1							1									
Irish parents F.	5									1			1		1				1		1						
German parents M.	3														1		1				1						
German parents F.	2										2																
2. Carbuncle:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.	1																			1							
3. Others of this group:																											
Irish parents M.																											
Irish parents F.	1																		1								
German parents M.																											
German parents F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	4													1	1		1			1							
Irish parents M.	1																			1							
Irish parents F.																											
German parents M.	3													1	1		1										
German parents F.																											
1. Addison's disease:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1																1										
German parents F.																											
2. Diseases of the spleen:																											
Irish parents M.	1																			1							
Irish parents F.																											
German parents M.	2													1	1												
German parents F.																											
3. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	576	32	18	20	9	7	86	30	27	49	62	34	36	34	32	38	30	31	39	18	9	13	5	1	1		1
Irish parents M.	202	3	4			1	8	7	7	16	31	16	15	13	15	14	14	15	15	7	2	3	3		1		
Irish parents F.	36	4		2	1	1	8	4	1	3	2	2	3	2	2	1	2	1	1		1	2	1				
German parents M.	257	14	5	12	5	1	37	12	14	25	26	15	12	19	13	21	11	13	18	10	4	5	1	1			
German parents F.	81	11	9	6	3	4	33	7	5	5	3	1	6		2	2	3	2	5	1	2	3					1
1. Burns and scalds:																											
Irish parents M.	4		2				2						1			1											
Irish parents F.	4			1	1		2	1													1						
German parents M.	20	4	2	5	3	1	15	1			1			1		2											
German parents F.	31	3	7	5	2	4	21	4		1	2		1						1			1					
2. Drowned:																											
Irish parents M.	15		1				1	2	3	3	2				2	2											
Irish parents F.	3			1			1						1	1													
German parents M.	44	1		5	1		7	7	8	5	5	3	2		1	2	1	2		1							
German parents F.	8		1	1			2	2	2	1									1								
3. Exposure and neglect:																											
Irish parents M.	4												1				1		2								
Irish parents F.	4	1					1			1							1						1				
German parents M.	3	1					1														1	1					
German parents F.	4	2					2													1	1						
4. Gunshot wounds:																											
Irish parents M.	15							1		1	2	2	4	3	1		1										
Irish parents F.																											
German parents M.	10							1		1	2	1	1	2	1				1								
German parents F.	4								1	2	1																

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 16—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	2										1							1									
	F.	1														1												
German parents	M.	9										1	1	2	2		1	1		1								
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	21									3	5	4	2	1	1	3		1	1								
	F.	1																					1					
German parents	M.	8									1	3		1		1	1	1										
	F.	2																		1			1					
9. Suffocation:																												
Irish parents	M.	4	1	1				2								1			1									
	F.	4	2					2	1					1														
German parents	M.	9	6	1				7							1		1											
	F.	5	3			1		4																				1
10. Suicide by shooting:																												
Irish parents	M.	3														1	1				1							
	F.																											
German parents	M.	6										1	1	1	1			1	1									
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.	4															1			2	1							
	F.	1													1													
German parents	M.	2																	1	1								
	F.	1															1											
13. Other suicides:																												
Irish parents	M.	2													1			1										
	F.	1										1																
German parents	M.	10										1	1		1	1	2	2	1	4	1		1	1				
	F.	4												1		2			1									
14. Sunstroke:																												
Irish parents	M.	5								1		2				1	1											
	F.	1																1										
German parents	M.	3											2										1					
	F.	1																		1								
15. Surgical operations:																												
Irish parents	M.																											
	F.	1					1	1																				
German parents	M.	2			1			1				1																
	F.	2									1								1									
16. Wounds:																												
Irish parents	M.	5	1					1					1			1	1			1								
	F.	1											1															
German parents	M.	2											1							1								
	F.																											
17. Others of this group:																												
Irish parents	M.	118	1				1	2	4	3	9	19	9	7	8	7	4	11	12	9	5	2	3	3		1		
	F.	14	1					1	2	1	2	1	1	1		1	1		1	1			1					
German parents	M.	123	2	2	1	1		6	3	6	18	11	5	5	11	9	12	5	8	10	8	3	2		1			
	F.	19	3	1				4	1	2			1	4			1	3		1		1	1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1572	248	84	68	46	33	479	113	61	67	80	75	79	74	64	71	76	63	63	60	64	44	27	8	1	1	2
Total: Irish parents	M.	227	28	2	9		1	40	12	11	14	9	13	15	12	16	15	13	5	15	12	12	5	6	2			
	F.	178	21	6	7	4	2	40	21	7	12	9	15	10	6	3	7	9	6	4	9	8	4	6		1		1
German parents	M.	641	111	48	26	16	14	215	44	26	18	34	24	27	26	25	29	34	34	24	22	26	21	9	2			1
	F.	526	88	28	26	26	16	184	36	17	23	28	23	27	30	20	20	20	18	20	17	18	14	6	4		1	
Unknown causes.																												
Total		45	17	2		2		21	1		1	2		1	2		2	1	1	2	2	2	3	2				2
Irish parents	M.	8	4					4							1					2			1					
	F.	6	1					1				1												2				
German parents	M.	21	9			2		11	1					1			1	1	1		1							1
	F.	10	3	2				5			1	1			1		1				1	2	1					1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		516	97	49	31	29	26	232	80	34	24	18	17	11	15	8	11	9	11	15	11	6	10	4				
Irish parents	M.	51	9	2	3			14	9	6	2		1	1		4	3	2	1	3	3	1	1					
	F.	58	6	3	3	3	2	17	15	4	3	1	4	2	1		3	1	1		2	1	3					
German parents	M.	198	43	29	13	8	11	104	31	12	6	7	4	3	3	2	1	4	7	6	2	1	4	1				
	F.	209	39	15	12	18	13	97	25	12	13	10	8	5	11	2	4	2	2	6	4	3	2	3				
1. Small-pox:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Measles:																												
Irish parents	M.																											
	F.	2			1			1					1															
German parents	M.	6	2	1	1	1		5	1																			
	F.	5	2		1			3	1	1																		
3. Scarlet fever:																												
Irish parents	M.	3	1		1			2		1																		
	F.	6				1	1	2	4																			
German parents	M.	11	1	1	1	2		5	4	2																		
	F.	12		2		4	2	8	3	1																		
4. Diphtheria:																												
Irish parents	M.	15		2	1			3	7	4	1																	
	F.	18		1	1	1	1	4	8	3	1				1								1					
German parents	M.	49	2	4	7	3	7	23	19	4	1				1			1										
	F.	56	7	3	6	10	6	32	16	6	1													1				
5. Hooping-cough:																												
Irish parents	M.																											
	F.	3	2					2	1																			
German parents	M.	9	5	2	1		1	9																				
	F.	4	3	1				4																				
6. Fever:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.																											
	F.																											
German parents	M.	2		1				1		1																		
	F.	1															1											
8. Enteric fever:																												
Irish parents	M.	5								1	1		1	1		1												
	F.	4				1		1					1				1						1					
German parents	M.	28	1		1			2	3	3	2	4	4	1	1	2			2	3		1						
	F.	36	1			1	2	4	4	2	8	5	3	1	2		2		2	1		1	1					
9. Diarrhœa:																												
Irish parents	M.	3	2					2								1												
	F.	1			1			1																				
German parents	M.	21	11	3	2	1		17	1									1	1		1							
	F.	20	9	3	2	1	1	16												1	1	2						
10. Dysentery:																												
Irish parents	M.	4	2					2								1	1											
	F.	5	2					2									1				1		1					
German parents	M.	16	8	4				12	1								1			1			1					
	F.	9	4	1	1	1		7							1								1					
11. Enteritis:																												
Irish parents	M.	1	1					1																				
	F.	1												1														
German parents	M.	7	2	1			1	4				1						1						1				
	F.	6	1					1		1		1		1		1					1							
12. Cholera morbus:																												
Irish parents	M.	2							1								1											
	F.	2							1									1										
German parents	M.	4					1	1											1	1	1							
	F.	2	1					1												1								
13. Cholera infantum:																												
Irish parents	M.	2	2					2																				
	F.	3	1	2				3																				
German parents	M.	22	10	12				22																				
	F.	17	11	5	1			17																				
14. Malarial fever:																												
Irish parents	M.	13	1		1			2	1							1	1	1		3	2	1	1					
	F.	8	1					1	1	1	2						1		1		1							
German parents	M.	16	1			1	1	3	1		1	1		2				1	3	1			3					
	F.	22			1	1	2	4	1	1	4	1		1	3		1	1		3	1			1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15. Erysipelas:																												
Irish parents	M.	2																1			1							
	F.																											
German parents	M.	3							1		1				1													
	F.	2													2													
16. Septicæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.	2								1		1												1				
	F.	1																										
17. Puerperal septicæmia:																												
Irish parents	F.	4										1	2	1														
German parents	F.	14										3	5	2	3	1												
18. Venereal diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																	1			1							
	F.	2																										
19. Others of this group:																												
Irish parents	M.	1																	1			1						
	F.	1																										
German parents	M.	2								1	1																	
	F.																											
General diseases—B.																												
Total		25	7	1	2			10	1	1	2		1	2		1	2			2	1		1	1				
Irish parents	M.	4			2			2					1	1														
	F.	2	2					2																				
German parents	M.	13	3	1				4	1		1					1	2			2	1			1				
	F.	6	2					2		1	1			1									1					
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.	1		1				1																				1
	F.	1	1					1																				
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.	2							1								1											
	F.	1								1																		
3. Alcoholism:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.	2																		1	1							
	F.	1																					1					
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																		1								
	F.																											
5. Other poisons:																												
Irish parents	M.	3			2			2						1														
	F.	1	1					1																				
German parents	M.	4										1				1	1							1				
	F.	3	1					1				1		1														
6. Inanition:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.	3	3					3																				
	F.																											
General diseases—C.																												
Total		60	38	1	1			40	1			1								1		9	7	9		1		
Irish parents	M.	14	6		1			7														3	1	3				
	F.	7	3					3														1		2		1		
German parents	M.	29	18	1				19												1		4	3	2				
	F.	19	11					11	1			1										1	3	2				
1. Premature birth:																												
Irish parents	M.	1	1					1																				
	F.	1	1					1																				
German parents	M.	8	8					8																				
	F.	5	5					5																				
2. Stillborn:																												
Irish parents	M.	4	4					4																				
	F.	1	1					1																				
German parents	M.	8	8					8																				
	F.	5	5					5																				
3. Malformation:																												
Irish parents	M.																											
	F.																											
German parents	M.	1	1					1																				
	F.																											
4. Debility:																												
Irish parents	M.	3	1		1			2																1				
	F.	2	1					1																1				
German parents	M.	6	1	1				2														2	1	1				
	F.	5	1					1	1			1											1	1				
5. Old age:																												
Irish parents	M.	6																				3	1	2				
	F.	3																				1		1		1		
German parents	M.	6																		1		2	2	1				
	F.	4																				1	2	1				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																											
6. Atrophy:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
General diseases—D.																											
Total	206	2	1	1	1		5	3	4	16	16	19	16	21	19	9	21	11	12	15	11	5	3				
Irish parents M.	39									4	4	5	4	4	5	2	1	1	4	3	1		1				
Irish parents F.	32	1		1			2			6	4	6	3	2	1		1		1	2	4						
German parents M.	77	1	1				2	2	2	3	5	4	3	10	8	5	10	6	4	4	6	2	1				
German parents F.	58				1		1	1	2	3	3	4	6	5	5	2	9	4	3	6		3	1				
1. Rheumatism:																											
Irish parents M.	2									1					1												
Irish parents F.																											
German parents M.	4									2					1		1										
German parents F.	1																1										
2. Scrofula and tabes:																											
Irish parents M.																											
Irish parents F.	1										1																
German parents M.	1							1																			
German parents F.	2												1				1										
3. Leprosy:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Consumption:																											
Irish parents M.	29									2	4	5	4	3	3	2	1	1	3	1							
Irish parents F.	26	1					1			6	3	6	2	2	1		1		1	1	2						
German parents M.	52									1	5	4	3	9	7	4	6	3	3	3	3	1					
German parents F.	39				1		1		2	2	3	4	4	4	4	1	6	2	2	2		1	1				
5. Hydrocephalus:																											
Irish parents M.																											
Irish parents F.	1			1			1																				
German parents M.	3	1	1				2		1																		
German parents F.																											
6. Cancer:																											
Irish parents M.	4													1	1					1	1						
Irish parents F.	1																			1							
German parents M.	7													1		1	2	2		1							
German parents F.	6														1	1		2		1		1					
7. Tumor:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1																	1									
German parents F.	3							1												1		1					
8. Anæmia:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
9. Dropsy:																											
Irish parents M.	4									1									1	1			1				
Irish parents F.	3												1								2						
German parents M.	4							1													1	1	1				
German parents F.	7									1			1	1			1		1	2							
10. Glycosuria:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	4								1										1		2						
German parents F.																											
11. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1																1										
German parents F.																											
12. Others of this class:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																											
Total	140	43	8	9	4	1	65	5	6	3	4	5	3	2	6	4	6	10	4	1	8	3	2	3			
Irish parents M.	15	2		1			3		3	1			1	1		1	2			1	1		1				
Irish parents F.	12	3			1		4	1	1	1							1	1	2				1				
German parents M.	66	20	7	4	2		33	3	2	1	1	3	1		4	3	1	8	2		2	2					
German parents F.	47	18	1	4	1	1	25	1			3	2	1	1	2		2	1			5	1		3			
1. Inflammation of the brain:																											
Irish parents M.	6	1		1			2		2				1			1											
Irish parents F.	3	1			1		2	1																			
German parents M.	18	4	2	1			7	2				1				1		1			1						
German parents F.	7	4		1			5	1			1																
2. Meningitis:																				1							
Irish parents M.	1																										
Irish parents F.	1	1					1											2									
German parents M.	5	1	1	1			3																				
German parents F.	1	1					1																				
3. Apoplexy:																					1						
Irish parents M.	1																		1								
Irish parents F.	2									1																	
German parents M.	9	1					1					1	1		1	1	1	3			1						
German parents F.	6	1					1					1			1		2										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	2																1						1				
	F.	2																	1					1				
German parents	M.	5	1					1	1								1						2					
	F.	8																	1			4			3			
5. Tetanus and trismus nascentium:																												
Irish parents	M.																											
	F.																											
German parents	M.	3				1		1				1	1															
	F.	3		1				1						1	1													
6. Epilepsy:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.	2																	1	1								
	F.	5	3					3								1							1					
7. Convulsions:																												
Irish parents	M.	2	1					1			1																	
	F.	1								1																		
German parents	M.	17	13	1	1	1		16		1																		
	F.	10	7		1			8				1	1															
8. Mental diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																		1								
	F.																											
9. Diseases of the brain:																												
Irish parents	M.	1																1										
	F.	1	1					1																				
German parents	M.	10		2	1			3		1	1					3			1			1						
	F.	7	2		2	1	1	6				1																
10. Diseases of the spinal cord:																												
Irish parents	M.	1								1																		
	F.																											
German parents	M.	1		1				1																				
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.	2																										
German parents	M.																	1		1								
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		56	4		1			5		1		2	2	4	3	3	5	4	4	4	9	4	5				1	
Irish parents	M.	9	1					1						2		1					3	1	1					
	F.	10								1		1		1			2	3			2							
German parents	M.	21	2		1			3				1	1	1	2		2	1	3		3	1	3					
	F.	16	1					1					1		1	2	1		1	4	1	2	1				1	
1. Angina pectoris:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1																				1						
2. Aneurism:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	8												2		1					3	1	1					
	F.	10								1		1		1			2	3			2							
German parents	M.	19			1			1				1	1	1	2		2	1	3		3	1	3					
	F.	14											1		1	2	1		1	4	1	1	1				1	
4. Others of this group:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.	2	2					2																				
	F.	1	1					1																				
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		325	23	20	15	6	4	68	15	7	16	22	20	24	16	14	26	17	18	18	14	16	7	5	2			
Irish parents	M.	55	1		2		1	4	3		4	3	5	6	6	3	6	4	1	4	1	4		1				
	F.	28	4	3	2			9	2	1	2		3	2	1			1	2	1	2		1	1				
German parents	M.	138	9	8	4	4	1	26	5	4	7	11	7	9	4	5	11	9	6	8	7	9	6	3	1			
	F.	104	9	9	7	2	2	29	5	2	3	8	5	7	5	6	9	3	9	5	4	3			1			
1. Croup:																												
Irish parents	M.	1							1																			
	F.	3	2	1				3																				
German parents	M.	10	1	1	2	2	1	7	3																			
	F.	24	6	6	5	2	2	21	3																			
2. Laryngitis:																												
Irish parents	M.																											
	F.																											
German parents	M.	3		1	1			2										1										
	F.																											
3. Bronchitis:																												
Irish parents	M.	1																										
	F.	2																				1						
German parents	M.	5	2					2													2							
	F.	6	2	1				3	1									1	1			1						
																						1			1			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	48			2		1	3	1		4	3	4	6	5	3	6	4	1	4		3		1				
	F.	21	1	2	2			5	2	1	2		3	2	1			1	1	1			1	1				
German parents	M.	112	6	6	1	1		14	2	4	6	11	6	8	4	5	10	7	4	8	7	8	5	2	1			
	F.	70	1	2	2			5	1	1	2	7	5	7	5	5	9	3	9	5	4	2						
5. Pleurisy:																												
Irish parents	M.	1																										
	F.																				1							
German parents	M.	1												1														
	F.	1										1																
6. Asthma:																												
Irish parents	M.																											
	F.	1																	1									
German parents	M.	2																	1					1				
	F.																											
7. Others of this group:																												
Irish parents	M.	4	1					1	1				1		1													
	F.	1	1					1																				
German parents	M.	5				1		1			1		1				1						1					
	F.	3								1	1					1												
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		56	12	1	3	1		17	1	2		2	1	3	1	2	4	6	4	2	4	5			2			
Irish parents	M.	8	3					3									1	1	1			1			1			
	F.	7	1		1			2	1					1		1		1				1						
German parents	M.	25	4	1	2			7		2		2		2	1	1	2	2	2		2	1			1			
	F.	16	4			1		5					1				1	2	1	2	2	2						
1. Dentition:																												
Irish parents	M.	1	1					1																				
	F.	1			1			1																				
German parents	M.																											
	F.																											
2. Angina:																												
Irish parents	M.																											
	F.	1							1																			
German parents	M.	2													1		1											
	F.																											
3. Gastritis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Other diseases of the stomach:																												
Irish parents	M.																											
	F.																											
German parents	M.	4								1							1		1						1			
	F.	3	1					1											1			1						
5. Obstruction of the bowels:																												
Irish parents	M.																											
	F.																											
German parents	M.	2												1				1										
	F.	1																		1								
6. Hernia:																												
Irish parents	M.																											
	F.	1																				1						
German parents	M.	1																				1						
	F.																											
7. Other diseases of the bowels:																												
Irish parents	M.	3	2					2																	1			
	F.																											
German parents	M.	1		1				1																				
	F.	2				1		1										1										
8. Jaundice:																												
Irish parents	M.																											
	F.	1												1														
German parents	M.	1			1			1																				
	F.	1															1											
9. Inflammation and abscess of the liver:																												
Irish parents	M.	1															1											
	F.	1																1										
German parents	M.	3										1				1					1							
	F.	1																			1							
10. Other diseases of the liver:																												
Irish parents	M.	2																1	1									
	F.																											
German parents	M.	4			1			1		1				1					1									
	F.	2											1								1							
11. Peritonitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1																1										
12. Ascites:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1																				1						
13. Others of this group:																												
Irish parents	M.	1																				1						
	F.	2	1					1								1												
German parents	M.	7	4					4				1						1			1							
	F.	4	3					3												1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	20					1	1	1			1		1		1	2	4	1	1	2	1	2	1	1			
Irish parents M.	3																1					1		1			
Irish parents F.	2															1	1										
German parents M.	9					1	1				1		1				1	1	1	2			1				
German parents F.	6							1							1	1	1				1	1					
1. Bright's disease:																											
Irish parents M.																											
Irish parents F.	1															1											
German parents M.	2												1				1										
German parents F.	4							1								1	1					1					
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1					1	1																				
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	1																1										
Irish parents F.	1																1										
German parents M.	3										1							1		1							
German parents F.	2														1						1						
4. Diseases of the bladder:																											
Irish parents M.	1																					1					
Irish parents F.																											
German parents M.	3																		1	1			1				
German parents F.																											
5. Others of this group:																											
Irish parents M.	1																							1			
Irish parents F.																											
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	7									1			3	2		1											
Irish parents F.																											
German parents F.	7									1			3	2		1											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.	1									1																	
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.																											
German parents F.	1													1													
5. Others of this group:																											
Irish parents F.																											
German parents F.	5												3	1		1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	18									1	2	4	3	6	2												
Irish parents F.	6										1	2		2	1												
German parents F.	12									1	1	2	3	4	1												
1. Abortion:																											
Irish parents F.	1											1															
German parents F.	1												1														
2. Child-birth:																											
Irish parents F.	5										1	1		2	1												
German parents F.	11									1	1	2	2	4	1												
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Diseases of the hip-joint:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	4	1					1				1						1				1						
Irish parents M.	1	1					1																				
Irish parents F.																											
German parents M.	2										1						1										
German parents F.	1																				1						
1. Abscess:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	2										1						1										
German parents F.																											
2. Carbuncle:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Others of this group:																											
Irish parents M.	1	1					1																				
Irish parents F.																											
German parents M.																											
German parents F.	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1														1												
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.	1														1												
1. Addison's disease:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
2. Diseases of the spleen:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.	1														1												
3. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	84	4	1	5	3	1	14	5	6	3	9	6	8	6	7	5	7	3	2	1	1	1					
Irish parents M.	20	1					1		2	3	2	1			3	2	2	1	2	1							
Irish parents F.	8							2			1		1			1		2			1						
German parents M.	42	2		2		1	5	1	4		5	5	6	6	4	2	4					1					
German parents F.	14	1	1	3	3		8	2			1		1				1										
1. Burns and scalds:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	4			1		1	2		2																		
German parents F.	5			2	2		4						1														
2. Drowned:																											
Irish parents M.	1								1																		
Irish parents F.	1												1														
German parents M.	3			1			1	1	1																		
German parents F.	1							1																			
3. Exposure and neglect:																											
Irish parents M.																											
Irish parents F.	1							1																			
German parents M.																											
German parents F.																											
4. Gunshot wounds:																											
Irish parents M.	1											1															
Irish parents F.																											
German parents M.	4											2			2												
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 17—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.																											
	F.																											
German parents	M.	2										1	1															
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	4									2	1						1										
	F.	1																	1									
German parents	M.	3												1		1	1											
	F.																											
9. Suffocation:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.	2	2					2																				
	F.	2			1	1		2																				
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Other suicides:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.	5												1		1		3										
	F.																											
14. Sunstroke:																												
Irish parents	M.																											
	F.																											
German parents	M.	2													1	1												
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1																1										
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	12								1	1		1			3	2	1		2	1							
	F.	5							1			1					1		1			1						
German parents	M.	17								1		2	4	4	3	1	1	1										
	F.	5	1	1				2	1			1											1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		284	85	6	9	6	5	61	20	11	7	10	18	15	20	14	18	6	7	3	8	6	7	3				
Total: Irish parents	M.	60	7		2			9	3	1		2	6	7	8	8	8	1	2			1	1	3				
	F.	22	4			1		5	2	1		1	2	1	2		1	2		1	2	1	1					
German parents	M.	30	11	3	5	2		21	9	3	2	5	3	4	5	4	7	3	2		5	3	4					
	F.	72	13	3	2	3	5	26	6	6	5	2	7	3	5	2	2		3	2	1	1	1					
Unknown causes.																												
Total		15	5				1	6					1		1				3	1	1	1	1					
Irish parents	M.	3	2					2					1															
	F.	2																			1	1						
German parents	M.	4	1					1							1				1				1					
	F.	6	2				1	3											2	1								
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		61	17	5	5	6	4	37	17	9	3	6	2	4	2	3	3	1	1	1		2						
Irish parents	M.	9	2					2	2					3	2													
	F.	6	2			1		3	2				1									1						
German parents	M.	33	4	3	3	2		12	7	3	1	4		1		2	1	1				1						
	F.	43	9	2	2	3	4	20	6	6	2	2	1			1	2		1	1								
1. Small-pox:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.																											
	F.	1	1					1																				
2. Measles:																												
Irish parents	M.																											
	F.																											
German parents	M.	1		1				1																				
	F.	1				1		1																				
3. Scarlet fever:																												
Irish parents	M.	1							1																			
	F.	1				1		1																				
German parents	M.	3				1		1	1	1																		
	F.	5	3					3	1	1																		
4. Diphtheria:																												
Irish parents	M.	1							1																			
	F.	2							2																			
German parents	M.	13	1		3	1		5	6	1						1												
	F.	17	3	1	2	1	4	11	4	2																		
5. Hooping-cough:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Fever:																												
Irish parents	M.													1														
	F.	1																										
German parents	M.												1															
	F.	1																										
7. Cerebro-spinal fever:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Enteric fever:																												
Irish parents	M.	2													1	1												
	F.										1	1	3				1	1			1							
German parents	M.	7									1	1	1	1														
	F.	5																										
9. Diarrhœa:																												
Irish parents	M.																											
	F.								2											1								
German parents	M.	2	1	1																								
	F.	1																										
10. Dysentery:																												
Irish parents	M.																											
	F.								1																			
German parents	M.	1	1																									
	F.																											
11. Enteritis:																												
Irish parents	M.	1	1						1																			
	F.																		1				1					
German parents	M.	1															1											
	F.	2																										
12. Cholera morbus:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Cholera infantum:																												
Irish parents	M.	1	1						1																			
	F.	2	2						2																			
German parents	M.	2	1	1					2																			
	F.	3	2	1					3																			
14. Malarial fever:																2												
Irish parents	M.	2																					1					
	F.												1			1												
German parents	M.	3									1	2	1						2									
	F.	6																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A.—Continued.																												
15. Erysipelas:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Septicæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Puerperal septicæmia:																												
Irish parents	F.																											
German parents	F.																											
18. Venereal diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
19. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1				1		1																				
General diseases—B.																												
Total		2			1			1							1													
Irish parents	M.	1			1			1																				
	F.																											
German parents	M.	1													1													
	F.																											
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.																											
	F.																											
German parents	M.	1													1													
	F.																											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	1			1			1																				
	F.																											
German parents	M.																											
	F.																											
6. Inanition:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—C.																												
Total		9	3					3												1		1	4					
Irish parents	M.	2	2					2																				
	F.	2																		1			1					
German parents	M.	3																				1	2					
	F.	2	1					1															1					
1. Premature birth:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Stillborn:																												
Irish parents	M.	2	2					2																				
	F.																											
German parents	M.																											
	F.	1	1					1																				
3. Malformation:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Debility:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Old age:																												
Irish parents	M.																											
	F.	2																										
German parents	M.	3																		1			1					
	F.	1																				1	2					
																							1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		18			1			1			1		3	2	2	2	3	1			2		1					
Irish parents	M.	5			1			1						1	1	1							1					
	F.	2											1				1											
German parents	M.	8									1		1	1		1	2	1			1							
	F.	3											1		1						1							
1. Rheumatism:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Scrofula and tabes:																												
Irish parents	M.																											
	F.	1											1															
German parents	M.	1																			1							
	F.																											
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	3												1	1	1												
	F.	1															1											
German parents	M.	4											1	1			1	1										
	F.	2											1		1													
5. Hydrocephalus:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Cancer:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Tumor:																												
Irish parents	M.																											
	F.																											
German parents	M.	1															1											
	F.																											
8. Anæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Dropsy:																												
Irish parents	M.	2			1			1															1					
	F.																											
German parents	M.	2									1					1												
	F.	1																			1							
10. Glycosuria:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	2													2													
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		14	2		1			3					2	1	2	3					1			2				
Irish parents	M.	6													1	3								2				
	F.	1	1					1																				
German parents	M.	3	1		1			2													1							
	F.	4											2	1	1													
1. Inflammation of the brain:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.	1			1			1																				
	F.																											
2. Meningitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Apoplexy:																												
Irish parents	M.	3														1								2				
	F.																				1							
German parents	M.	1																										
	F.	1												1														

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Tetanus and trismus nascentium:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Epilepsy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Convulsions:																												
Irish parents	M.																											
	F.																											
German parents	M.	1	1					1																				
	F.	1											1															
8. Mental diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	2											1		1													
9. Diseases of the brain:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.																											
10. Diseases of the spinal cord:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.																											
	F.																											
11. Others of this group:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		5							1					1		1	2											
Irish parents	M.	2														1	1											
	F.																											
German parents	M.	3							1					1			1											
	F.																											
1. Angina pectoris:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Aneurism:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.	3							1					1			1											
	F.																											
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		44	6		1			7	2	1	2	2	5	3	5	1	5	4	1		3	2	1					
Irish parents	M.	16	1					1	1			2	3	1	2	1	3	1				1						
	F.	6	1					1		1				1	1			2										
German parents	M.	17	3		1			4	1				1	1	1		2	1	1		3	1	1					
	F.	5	1					1			2		1		1													
1. Croup:																												
Irish parents	M.	2	1					1	1																			
	F.	1	1					1																				
German parents	M.	3	1		1			2	1																			
	F.	1	1					1																				
2. Laryngitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Bronchitis:																												
Irish parents	M.																											
	F.	1																1										
German parents	M.																											
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	13										2	3	1	2	1	3	1										
	F.	4								1				1	1			1										
German parents	M.	12	2					2					1	1	1		2		1		3	1						
	F.	3									1		1		1													
5. Pleurisy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Asthma:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																					1					
	F.																											
7. Others of this group:																												
Irish parents	M.	1																				1						
	F.																											
German parents	M.	1																1										
	F.	1									1																	
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		6	2					2						1					1		1			1				
Irish parents	M.	2																	1					1				
	F.	1																			1							
German parents	M.	2	2					2																				
	F.	1												1														
1. Dentition:																												
Irish parents	M.																											
	F.																											
German parents	M.	1	1					1																				
	F.																											
2. Angina:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.	1												1														
3. Gastritis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Other diseases of the stomach:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Obstruction of the bowels:																												
Irish parents	M																											
	F.																											
German parents	M.																											
	F.																											
6. Hernia:																												
Irish parents	M.	1																						1				
	F.																											
German parents	M.	1	1					1																				
	F.																											
7. Other diseases of the bowels:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Jaundice:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Inflammation and abscess of the liver:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.																											
	F.																											
10. Other diseases of the liver:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
11. Peritonitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Ascites:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Others of this group:																												
Irish parents	M.																					1						
	F.	1																										
German parents	M.																											
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	2															1		1									
Irish parents M.	2															1		1									
Irish parents F.																											
German parents M.																											
German parents F.																											
1. Bright's disease:																											
Irish parents M.	2															1		1									
Irish parents F.																											
German parents M.																											
German parents F.																											
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Diseases of the bladder:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
5. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total																											
Irish parents F.																											
German parents F.																											
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.																											
German parents F.																											
5. Others of this group:																											
Irish parents F.																											
German parents F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	7										1	1	2	1	1	1											
Irish parents F.	2											1			1												
German parents F.	5										1		2	1		1											
1. Abortion:																											
Irish parents F.																											
German parents F.																											
2. Child-birth:																											
Irish parents F.	2											1			1												
German parents F.	5										1		2	1		1											
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
1. Abscess:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		19		1				1		1		1	3	2	4	3	4											
Irish parents	M.	12								1			2	2	2	2	3											
	F.																					6						
German parents	M.	6										1	1		2	1	1											
	F.	1		1				1																				
1. Burns and scalds:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.	1		1				1																				
2. Drowned:																												
Irish parents	M.	4								1				2	1													
	F.																											
German parents	M.	1											1															
	F.																											
3. Exposure and neglect:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	2											2															
	F.														1													
German parents	M.	1																										
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 18—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	2															2											
	F.																											
German parents	M.	1														1												
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Suffocation:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	1													1													
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Other suicides:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
14. Sunstroke:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.	1															1											
	F.																											
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	3														1	1	1										
	F.																											
German parents	M.	1											1															
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 1	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1517	223	71	53	23	38	408	114	61	61	82	61	53	68	57	61	64	72	69	75	68	58	50	23	8	1	3
Total: Irish parents	M.	316	15	6	6	1	2	30	18	13	12	19	13	8	20	12	13	15	23	21	26	24	19	18	8	3	....	1
	F.	216	14	2	2	2	1	21	11	5	10	19	10	17	11	16	12	14	9	10	7	13	10	12	5	3	1	....
German parents	M.	508	103	37	22	8	20	190	52	14	17	22	20	12	16	9	21	20	18	25	21	18	19	11	2	....	....	1
	F.	477	91	26	23	12	15	167	33	29	22	22	18	16	21	20	15	15	22	13	21	13	10	9	8	2	....	1
Unknown causes.																												
Total		45	25	1	1	....	1	28	1	1	2	....	1	....	....	....	....	1	1	2	....	3	1	1	2	....	....	1
Irish parents	M.	4	1	....	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....
	F.	3	1	....	....	....	1	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
German parents	M.	20	14	1	....	....	....	15	1	....	....	....	....	....	....	....	....	1	1	1	....	1	....	....	....	....	....	....
	F.	18	9	....	....	....	....	9	....	1	2	....	1	....	....	....	....	....	....	....	....	1	1	1	1	....	....	1
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		455	85	40	34	16	28	203	87	37	20	18	9	7	6	10	5	7	10	6	7	7	7	4	2	3	....	....
Irish parents	M.	61	9	2	4	1	1	17	12	6	2	3	1	2	....	3	1	2	4	....	3	1	1	1	1	1	....	....
	F.	46	4	1	2	1	....	8	8	3	4	5	3	1	1	....	2	1	....	1	....	3	2	2	....	2	....	....
German parents	M.	173	30	22	14	4	13	92	42	8	6	3	2	2	3	1	1	1	1	4	2	1	2	1	1	....	....	....
	F.	175	33	15	14	10	14	86	25	20	8	7	3	2	2	6	1	3	5	1	2	2	2	....	....	....	....	....
1. Small-pox:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2. Measles:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	5	3	....	....	....	1	4	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	4	....	1	....	....	....	1	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
3. Scarlet fever:																												
Irish parents	M.	2	....	2	....	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	1	....	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	41	6	5	6	....	6	23	14	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	34	4	5	6	5	3	23	5	4	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4. Diphtheria:																												
Irish parents	M.	23	....	....	4	1	1	6	8	5	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	16	2	....	....	....	....	2	7	3	3	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	57	10	8	7	1	6	32	21	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	60	3	1	6	5	9	24	18	13	2	....	....	....	....	2	....	....	1	....	....	....	....	....	....	....	....	....
5. Hooping-cough:																												
Irish parents	M.	3	3	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	7	4	2	1	....	....	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	9	6	1	1	....	....	8	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6. Fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7. Cerebro-spinal fever:																												
Irish parents	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	2	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8. Enteric fever:																												
Irish parents	M.	4	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....
	F.	9	....	....	....	....	....	....	....	....	1	4	....	1	1	....	....	....	....	....	....	1	....	....	....	1	....	....
German parents	M.	14	....	1	....	1	....	2	2	1	2	2	....	....	2	....	....	....	1	1	....	....	....	1	....	....	....	....
	F.	11	....	....	....	....	1	1	....	....	3	1	....	....	....	3	....	....	2	1	....	....	....	....	....	....	....	....
9. Diarrhœa:																												
Irish parents	M.	3	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	....	....	....	....	....
	F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
German parents	M.	9	3	3	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	8	5	3	....	....	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
10. Dysentery:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	1	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	6	4	2	....	....	....	6	....	....	....	....	....	....	....	....	....	2	....	....	1	1	1	....	....	....	....	....
	F.	10	2	....	1	....	1	4	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
11. Enteritis:																												
Irish parents	M.	10	2	....	....	....	....	2	1	....	....	1	....	....	....	3	....	2	....	....	1	....	....	....	....	....	....	....
	F.	3	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
German parents	M.	15	1	....	....	1	....	2	2	....	1	1	2	1	1	1	....	1	....	1	1	....	1	....	....	....	....	....
	F.	7	....	....	....	....	....	....	....	1	1	1	....	....	....	....	1	....	1	....	1	....	1	....	....	....	....	....
12. Cholera morbus:																												
Irish parents	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....
	F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
German parents	M.	3	2	....	....	....	....	2	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	....	1	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13. Cholera infantum:																												
Irish parents	M.	4	4	....	....	....	....	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	2	1	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
German parents	M.	8	6	1	....	1	....	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	F.	12	9	3	....	....	....	12	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
14. Malarial fever:																												
Irish parents	M.	5	....	....	....	....	....	....	2	....	....	....	....	....	....	....	....	....	1	....	....	1	....	1	....	....	....	....
	F.	4	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	1	....	....	1	....	1	1	....	....	....	....
German parents	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	F.	3	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																													
15. Erysipelas:																													
Irish parents	M.	4							1										2					1					
	F.	4			1			1					1				1						1						
German parents	M.	1												1															
	F.	3	3					3																					
16. Septicæmia:																													
Irish parents	M.	1								1																			
	F.																												
German parents	M.																												
	F.	1														1													
17. Puerperal septicæmia:																													
Irish parents	F.																												
German parents	F.	8									1	4	2		1														
18. Venereal diseases:																													
Irish parents	M.																												
	F.																												
German parents	M.																												
	F.																												
19. Others of this group:																													
Irish parents	M.																												
	F.																												
German parents	M.	1																							1				
	F.																												
General diseases—B.																													
Total		13	3		1	1		5	1					1				1	1	1	1	1	1						
Irish parents	M.	4												1				1	1			1							
	F.																												
German parents	M.	6	1			1		2	1											1	1		1						
	F.	3	2		1			3																					
1. Worms:																													
Irish parents	M.																												
	F.																												
German parents	M.	2	1			1		2																					
	F.																												
2. Other parasitic diseases:																													
Irish parents	M.																												
	F.																												
German parents	M.																												
	F.																												
3. Alcoholism:																													
Irish parents	M.	2																1				1							
	F.																												
German parents	M.	2																			1		1						
	F.																												
4. Lead poison:																													
Irish parents	M.																												
	F.																												
German parents	M.																												
	F.																												
5. Other poisons:																													
Irish parents	M.	2												1					1										
	F.																												
German parents	M.	2							1											1									
	F.	1			1			1																					
6. Inanition:																													
Irish parents	M.																												
	F.																												
German parents	M.																												
	F.	2	2					2																					
General diseases—C.																													
Total		91	24					24												4	6	3	14	23	13	3	1		
Irish parents	M.	23	2					2														1	5	10	5				
	F.	14	2					2												1	1		2	4	2	1	1		
German parents	M.	26	13					13												1	1	2	4	4	1				
	F.	28	7					7												2	4		3	5	5	2			
1. Premature birth:																													
Irish parents	M.																												
	F.																												
German parents	M.	3	3					3																					
	F.	2	2					2																					
2. Stillborn:																													
Irish parents	M.	2	2					2																					
	F.	2	2					2																					
German parents	M.	9	9					9																					
	F.	3	3					3																					
3. Malformation:																													
Irish parents	M.																												
	F.																												
German parents	M.																												
	F.																												
4. Debility:																													
Irish parents	M.	1																						1					
	F.																												
German parents	M.	4	1					1												1	1		1						
	F.	6	2					2												2				1	1				
5. Old age:																													
Irish parents	M.	20																				1	5	9	5				
	F.	12																		1	1		2	4	2	1	1		
German parents	M.	10																				2	3	4	1				
	F.	17																			4		3	4	4	2			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		281	3	5	1		1	10	1	5	18	23	20	15	18	24	21	22	18	21	28	14	15	5	2	1		
Irish parents	M.	64		2				2		2	2	4	2	3	7	5	4	1	5	6	10	6	3	1		1		
	F.	65									4	7	6	7	3	8	7	7	3	3	4	1	3	1	1			
German parents	M.	75	1	3				4	1	1	5	5	5	4	3	4	4	6	6	8	7	3	7	2				
	F.	77	2		1		1	4		2	7	7	7	1	5	7	6	8	4	4	7	4	2	1	1			
1. Rheumatism:																												
Irish parents	M.	2								1										1								
	F.	2																1			1							
German parents	M.	1																		1								
	F.	3								1							1		1									
2. Scrofula and tabes:																												
Irish parents	M.	1																			1							
	F.																											
German parents	M.																											
	F.	1										1																
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	48		2				2			2	4	2	1	7	5	4	1	3	3	8	4	2					
	F.	44									4	7	6	5	3	2	5	3	2	2	2		2		1			
German parents	M.	52	1	1				2	1	1	4	5	4	4	3	3	3	6	3	2	3	3	3	2				
	F.	44			1			1		1	6	5	6		3	5	3	4	2	2	6							
5. Hydrocephalus:																												
Irish parents	M.																											
	F.																											
German parents	M.	1		1				1																				
	F.	2	2					2																				
6. Cancer:																			2	1		1	1					
Irish parents	M.	5												1		2		3	1	1	1	1	1					
	F.	11														1				3	2		3					
German parents	M.	9											1		1	2		2				3		1				
	F.	11					1	1																				
7. Tumor:																												
Irish parents	M.															2	2											
	F.	4																										
German parents	M.																											
	F.	2															1			1								
8. Anæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Dropsy:																				1				1		1		
Irish parents	M.	5												2										1				
	F.	4												1		2												
German parents	M.	11		1				1			1		1						3	2	2		1					
	F.	14									1	1		1	1		1	2	1	1	1	1	2		1			
10. Glycosuria:																												
Irish parents	M.	3								1												1	1					
	F.																											
German parents	M.	1															1											
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		123	36	7	3	1	1	48	3		3	11	6	2	2	3	3	2	10	4	7	15	7	2				
Irish parents	M.	20	1	2				3	1		2	4	4	1			1		3	3	2	3	2					
	F.	17	2	1				3	1			3					2	2	1	1		4	4	2	1			
German parents	M.	46	18	2	2	1	1	24			1	3	1	1	1	2				5	1		5	1				
	F.	36	15	2	1			18	1			1	1															
1. Inflammation of the brain:																						1						
Irish parents	M.	4									1	2																
	F.	1	1					1									1											
German parents	M.	8	4	1	1			6				1			1													
	F.	5	2	1				3	1																			
2. Meningitis:																				1								
Irish parents	M.	1																										
	F.	1		1				1																				
German parents	M.											1																
	F.	1																										
3. Apoplexy:																					1		1					
Irish parents	M.	3										1		1			1			1				1				
	F.	4															2	1				2	1	1	1			
German parents	M.	8																		1			1					
	F.	2																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	10											1	1					1	2	1	2	2					
	F.	4																			1	1	1	1				
German parents	M.	8																1	1		2	3	1					
	F.	0																	2	1		2	1					
5. Tetanus and trismus nascentium:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
6. Epilepsy:																												
Irish parents	M.	1											1															
	F.																											
German parents	M.	2	2					2																				
	F.	2	1					1					1															
7. Convulsions:																												
Irish parents	M.	7	1	2				3	1		1	1	1															
	F.	3							1			2																
German parents	M.	15	10	1	1	1	1	14			1																	
	F.	15	12	1				13											1			1						
8. Mental diseases:																												
Irish parents	M.																											
	F.	1																1										
German parents	M.																											
	F.	1																	1									
9. Diseases of the brain:																												
Irish parents	M.	2										1					1											
	F.	3	1					1														2						
German parents	M.	4	2					2				2																
	F.	1																				1						
10. Diseases of the spinal cord:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.																											
	F.	1													1													
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.	1											1															
	F.	2			1			1							1													
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		73	2					2	1	2		1	5	5	2	4	9	6	6	8	8	6	5	7	1			
Irish parents	M.	27	1					1							1	1	2	3	2	2	4	3	5	2	1			
	F.	17								1		1	1	3		1	1	1	1	2		1		4				
German parents	M.	18	1					1	1				4				4	1	1	2	1	2		1				
	F.	16								1				2	1	2	2	1	2	2	3							
1. Angina pectoris:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Aneurism:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Disease of the heart:																												
Irish parents	M.	27	1					1							1	1	2	3	2	2	4	3	5	2	1			
	F.	16								1		1	1	3			1	1	1	2		1		4				
German parents	M.	17							1				4				4	1	1	2	1	2		1				
	F.	16								1				2	1	2	2	1	2	2	3							
4. Others of this group:																												
Irish parents	M.																											
	F.	1														1												
German parents	M.	1	1					1																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		159	22	9	7	4	5	47	10	6	3	5	5	6	9	6	3	7	13	9	9	15	1	3	2			
Irish parents	M.	42			1		1	2	3	1	1	1	2		4	2		4	5	3	5	7		1	1			
	F.	17	1					1	2	1		2				3			1	1	1	5						
German parents	M.	43	7	4	3	2	4	20	1	1		2	2	3	1	1	3	2	3	2		2						
	F.	57	14	5	3	2		24	4	3	2		1	3	4			1	4	3	3	1	1	2	1			
1. Croup:																												
Irish parents	M.	4			1		1	2	2																			
	F.	3	1					1	1	1																		
German parents	M.	18	4	4	3	2	4	17	1																			
	F.	20	9	3	2	1		15	3		2																	
2. Laryngitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Bronchitis:																												
Irish parents	M.	5													2						1	2						
	F.																											
German parents	M.	2																										
	F.	6	3			1		4		1			1				1			1								

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	25								1	1	1	2		1	2		3	3	2	4	4		1				
	F.	11										2				3					1	5						
German parents	M.	20	3					3		1		1		3	1	1	2	1	3	2		2						
	F.	24	1	1	1			3	1	2			1	3	4			1	1	1	2	1	1	2	1			
5. Pleurisy:																												
Irish parents	M.																											
	F.	1																		1								
German parents	M.																											
	F.	1																		1								
6. Asthma:																												
Irish parents	M.	2																1				1						
	F.																											
German parents	M.																											
	F.	1																			1							
7. Others of this group:																												
Irish parents	M.	6							1						1				2	1					1			
	F.	2							1										1									
German parents	M.	3										1	1					1										
	F.	5	1	1				2											3									
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		74	17	3	1			21	5	1		3	1	2	3	3	8	7	7	4	4	1	2			1		1
Irish parents	M.	13							1							1	3	1	1	1	2		2			1		
	F.	11	3					3				1		1	1	1	1	1	1	1								
German parents	M.	29	7	1				8	2	1		2	1		1		2	3	4	2	1	1						1
	F.	21	7	2	1			10	2					1	1	1	2	2	1		1							
1. Dentition:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.	3	3					3																				
	F.	2	1	1				2																				
2. Angina:																												
Irish parents	M.																											
	F.	1													1													
German parents	M.	1		1				1																				
	F.	2			1			1	1																			
3. Gastritis:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.	2															1		1									
	F.																											
4. Other diseases of the stomach:																												
Irish parents	M.																											
	F.	1														1												1
German parents	M.	4																	2			1						
	F.	1												1														
5. Obstruction of the bowels:																												
Irish parents	M.	1															1											
	F.																											
German parents	M.																											
	F.																											
6. Hernia:																												
Irish parents	M.																											
	F.											1			1													
German parents	M.	2																	1		1							
	F.	2																										
7. Other diseases of the bowels:																												
Irish parents	M.																1											
	F.	1																										
German parents	M.																											
	F.																											
8. Jaundice:																												
Irish parents	M.																											
	F.	1		1					1																			
German parents	M.																											
	F.																											
9. Inflammation and abscess of the liver:																												
Irish parents	M.																											
	F.												1						1	1								
German parents	M.	3																										
	F.																											
10. Other diseases of the liver:																												
Irish parents	M.	5										1		1		1	1	1	1	1	1		1					
	F.	5																2		1	1							
German parents	M.	4														1	2	1										
	F.	4																										
11. Peritonitis:																		1			1							
Irish parents	M.	2																										
	F.									1		1																
German parents	M.	2							1						1													
	F.	2																								1		
12. Ascites:																												
Irish parents	M.	1																										
	F.																											
German parents	M.																	1										
	F.	1																										
13. Others of this group:																												
Irish parents	M.	3							1								1						1					
	F.	1		1				1																				
German parents	M.	8		4				4	2								1	1										
	F.	7		6	1			7																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	27										2	1	2			3	1	2	2	4	3	2	5				
Irish parents M.	10										2		1			1	1		1		1		3				
Irish parents F.	2												1					1									
German parents M.	14											1				2			1	4	2	2	2				
German parents F.	1																	1									
1. Bright's disease:																											
Irish parents M.	4										1					1			1				1				
Irish parents F.																											
German parents M.	5											1				1				2		1					
German parents F.																											
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																					1						
German parents M.	1																										
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	3										1						1						1				
Irish parents F.	2												1					1									
German parents M.	6															1			1	2	1		1				
German parents F.	1																	1									
4. Diseases of the bladder:																											
Irish parents M.	3												1								1		1				
Irish parents F.																											
German parents M.	2																					1	1				
German parents F.																											
5. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	10													3	2	3	2										
Irish parents F.	5													2		1	2										
German parents F.	5													1	2	2											
1. Ovarian tumors:																											
Irish parents F.	3													2			1										
German parents F.	2														1	1											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.																											
4. Uterine diseases:																											
Irish parents F.	1															1											
German parents F.																											
5. Others of this group:																											
Irish parents F.	1																1										
German parents F.	3													1	1	1											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	32										1	7	3	10	7	2	2										
Irish parents F.	7													4	3												
German parents F.	25										1	7	3	6	4	2	2										
1. Abortion:																											
Irish parents F.	1													1													
German parents F.	1												1														
2. Child-birth:																											
Irish parents F.	6													3	3												
German parents F.	24										1	7	2	6	4	2	2										
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	4	1					1		1	2																	
Irish parents M.	1								1																		
Irish parents F.	2									2																	
German parents M.																											
German parents F.	1	1					1																				
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.	1									1																	
German parents M.																											
German parents F.	1	1					1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.																											
	F.	1									1																	
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.	1								1																		
	F.																											
German parents	M.																											
	F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		4										1			1	1							1					
Irish parents	M.																											
	F.	1													1													
German parents	M.	3										1				1							1					
	F.																											
1. Abscess:																												
Irish parents	M.																											
	F.	1													1													
German parents	M.	2										1				1												
	F.																											
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																						1					
German parents	M.	1																										
	F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		116	5	6	5	1	2	19	5	8	12	11	10	3	17	2	4	6	4	8	1		2		1			1
Irish parents	M.	38	1					1	1	3	5	5	4		8		1	2	2	4			1					1
	F.	9	1			1		2								2		1	1	1			1		1			
German parents	M.	55	2	4	3		2	11	3	3	5	6	4	3	8		3	5	1	3								
	F.	14	1	2	2			5	1	2	2		2		1						1							
1. Burns and scalds:																												
Irish parents	M.																						1					
	F.	2				1		1																				
German parents	M.	5		1	2		1	4				1																
	F.	4	1		1			2	1	1																		
2. Drowned:																												
Irish parents	M.	8								1	3	1	1		2													
	F.	1														1												
German parents	M.	17		3				3	3		3	3			2		1			2								
	F.	4		1	1			2		1	1																	
3. Exposure and neglect:																												
Irish parents	M.	1	1					1																				
	F.									1																		
German parents	M.	1																										
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	2										1			1													
	F.											1		1														
German parents	M.	2																										
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 19—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	1																										1
	F.																											
German parents	M.	3										1	1		1													
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	2										1					1											
	F.																											
German parents	M.																											
	F.																											
9. Suffocation:																												
Irish parents	M.																											
	F.																											
German parents	M.	2	2					2																				
	F.																											
10. Suicide by shooting:																												
Irish parents	M.																											
	F.																											
German parents	M.	2											1		1													
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.	1																	1									
German parents	M.																											
	F.																											
12. Suicide by poison:																												
Irish parents	M.																											
	F.	2														1				1								
German parents	M.	2													1			1										
	F.																											
13. Other suicides:																												
Irish parents	M.																											
	F.																											
German parents	M.	3																2		1								
	F.																											
14. Sunstroke:																												
Irish parents	M.	1							1																			
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	23								2	1	3	3		5			2	2	4			1					
	F.	3	1					1										1							1			
German parents	M.	18			1		1	2		2	1	1	1	3	3		2	2	1									
	F.	6		1				1			1		2		1						1							

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		936	75	24	16	12	13	140	27	11	25	44	65	66	92	81	101	99	62	36	36	26	9	6	3			7
Total: Irish parents	M.	459	28	9	6	4	7	54	6	4	10	22	34	29	57	43	55	55	35	16	19	10	3	2	1			4
	F.	185	24	6	4	5	3	42	13	4	10	6	10	12	16	14	10	14	8	5	8	8	2	1	2			
German parents	M.	214	12	4	3	2	3	24	3	1	4	8	16	21	17	19	26	24	15	14	6	8	3	3				2
	F.	78	11	5	3	1		20	5	2	1	8	5	4	2	5	10	6	4	1	3		1					1
Unknown causes.																												
Total		23	7		1			8	1				1		1	2	3	3	1	3								
Irish parents	M.	10	1					1								1	3	3		2								
	F.	4	2					2	1							1												
German parents	M.	6	2					2					1		1				1	1								
	F.	3	2		1			3																				
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		138	10	11	7	7	10	51	13	6	6	0	5	4	8	8	4	13	5	1	4	2			1			1
Irish parents	M.	65	4	5	2	1	5	17	4	2	4	2	4	2	4	5	2	10	5	1	2				1			
	F.	39	8	5	1	4	3	21	5	2		1		1	3	2	1	1			1	1						
German parents	M.	19	1		2	1	2	6	2	1	1		1	1	1	1	1	2			1	1						
	F.	15	3	1	2	1		7	2	1	1	3																1
1. Small-pox:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Measles:																												
Irish parents	M.	2			1			1				1																
	F.	3		1	1			2	1																			
German parents	M.																											
	F.																											
3. Scarlet fever:																												
Irish parents	M.	4	2	1			1	4																				
	F.	2							2																			
German parents	M.	3				1	2	3																				
	F.	1				1		1																				
4. Diphtheria:																												
Irish parents	M.	13		2	1	1	3	7	4	1	1																	
	F.	11		3		2	2	7	2	2																		
German parents	M.	4			1			1	2	1																		
	F.	3			1			1	2																			
5. Hooping-cough:																												
Irish parents	M.	1		1				1																				
	F.	3		1		2		3																				
German parents	M.																											
	F.	1	1					1																				
6. Fever:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.	1																1										
	F.	1													1													
German parents	M.																											
	F.																											
8. Enteric fever:																												
Irish parents	M.	14								1	1		2		1	3		3	1	1	1							
	F.	1														1												
German parents	M.	3									1			1				1										
	F.	3			1			1			1	1																
9. Diarrhœa:																												
Irish parents	M.	1												1								1						
	F.	2	1					1																				
German parents	M.																											
	F.																											
10. Dysentery:																												
Irish parents	M.	1	1					1																				
	F.	3	3					3																				
German parents	M.	2											1			1												
	F.	2	2					2																				
11. Enteritis:																												
Irish parents	M.	5											1					1	1		1				1			
	F.	3													1	1		1										
German parents	M.	1																				1						
	F.	1								1																		
12. Cholera morbus:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Cholera infantum:																												
Irish parents	M.	3	1	1			1	3																				
	F.	4	4					4																				
German parents	M.	1			1			1																				
	F.	1		1				1																				
14. Malarial fever:																												
Irish parents	M.	14										2		1	1	1	1	2	4	2			1					
	F.	2					1	1																				
German parents	M.	1	1																									
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	1													1													
	F.	1												1														
German parents	M.	2													1		1											
	F.																											
16. Septicæmia:																												
Irish parents	M.	2										1							1									
	F.	1													1													
German parents	M.	1																1										
	F.	1																										1
17. Puerperal septicæmia:																												
Irish parents	F.	1										1																
German parents	F.	2										2																
18. Venereal diseases:																												
Irish parents	M.	1														1												
	F.	1															1											
German parents	M.	1																			1							
	F.																											
19. Others of this group:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.																											
	F.																											
General diseases—B.																												
Total		37	1					1	1		1	2	3	2	7	3	5	4	4	2	2							
Irish parents	M.	21	1					1				1	2		7	1	2	1	3	1	2							
	F.	1							1																			
German parents	M.	13									1		1	2		2	2	3	1	1								
	F.	2										1					1											
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	16										1	1		5	1	2	1	2	1	2							
	F.																											
German parents	M.	9											1	1		2	2	2	1									
	F.	1															1											
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	2													1				1									
	F.	1							1																			
German parents	M.	3									1							1		1								
	F.	1										1																
6. Inanition:																												
Irish parents	M.	3	1					1					1		1													
	F.																											
German parents	M.	1												1														
	F.																											
General diseases—C.																												
Total		42	12	1				13								2	3	3	3	2	3	5	3	3	2			
Irish parents	M.	17	5	1				6								2	1	1	1	1	2	2		1				
	F.	12	5					5									1	2	1					1	2			
German parents	M.	12	2					2									1			1	1	3	3	1				
	F.	1																	1									
1. Premature birth:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.																											
	F.																											
2. Stillborn:																												
Irish parents	M.	2	2					2																				
	F.	5	5					5																				
German parents	M.	2	2					2																				
	F.																											
3. Malformation:																												
Irish parents	M.	1	1					1																				
	F.																											
German parents	M.																											
	F.																											
4. Debility:																												
Irish parents	M.	10	1	1				2								2	1	1	1		2	1						
	F.	3															1	1	1									
German parents	M.	6															1			1	1	2	1					
	F.	1																	1									
5. Old age:																				1		1		1				
Irish parents	M.	3																										
	F.	4																1						1	2			
German parents	M.	4																				1	2	1				
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
General diseases—D.																												
Total		153	3		3	1		7			6	8	13	16	18	9	13	23	12	6	10	6	4	1				1
Irish parents	M.	55	2		3	1		6			1	1	4	4	7	4	4	8	3	1	4	3	3	1				1
	F.	40									4	3	4	4	6	2	2	5	3		4	2	1					
German parents	M.	39									1	2	2	7	5	3	4	4	5	4	1	1						
	F.	10	1					1				2	3	1			3	6	1	1	1							
1. Rheumatism:																												
Irish parents	M.	1																										1
	F.	2																1	1									
German parents	M.	1																	1									
	F.																											
2. Scrofula and tabes:																												
Irish parents	M.	2			1			1								1												
	F.																											
German parents	M.																											
	F.																											
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	39			1	1		2			1	1	4	3	7	3	3	7	2		2	3	1					
	F.	29									4	3	4	4	6	1	2	2	1		1	1						
German parents	M.	20									1	2	2	7	4	2	2	4	1	3	1							
	F.	12										2	3				3	3	1									
5. Hydrocephalus:																												
Irish parents	M.	2	2					2																				
	F.																											
German parents	M.																											
	F.																											
6. Cancer:																												
Irish parents	M.	2																1			1							
	F.	6														1		1	1		3							
German parents	M.	4															2		1			1						
	F.	3	1					1						1				1										
7. Tumor:																												
Irish parents	M.	1			1			1																				
	F.																											
German parents	M.																											
	F.	1																1										
8. Anæmia:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Dropsy:																												
Irish parents	M.	8												1			1		1	1	1		2	1				
	F.	3																1				1	1					
German parents	M.	5													1	1			2	1								
	F.	3																1		1	1							
10 Glycosuria:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		102	14	3	3	1		21	3	2	1	3	2	4	8	11	9	11	13	4	4	6						
Irish parents	M.	48	5	2	1	1		9			1	2	1	1	6	4	4	3	9	2	2	4						
	F.	24	2		2			4	2	1			1	1		4	1	3	1	2	2	2						
German parents	M.	20	3					3				1		2	1	3	2	5	3									
	F.	10	4	1				5	1	1						1	2											
1. Inflammation of the brain:																												
Irish parents	M.	4	1			1		2			1	1																
	F.	8			1			1	2							1	1				2	1						
German parents	M.	3	2					2						1														
	F.	4	1					1	1	1					1													
2. Meningitis:																												
Irish parents	M.	3	2	1				3																				
	F.																											
German parents	M.																											
	F.																											
3. Apoplexy:																												
Irish parents	M.	6	1					1					1			1			1		1	1						
	F.	2												1				1		1								
German parents	M.	1																										
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	18		1				1				1			2	1	2	2	5	2	1	1						
	F.	5														2			1	1		1						
German parents	M.	6														1		3	2									
	F.	1															1											
5. Tetanus and trismus nascentium:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.																											
6. Epilepsy:																												
Irish parents	M.	1																	1									
	F.	1											1															
German parents	M.	1										1																
	F.																											
7. Convulsions:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.	1																	1									
	F.	4	3	1				4																				
8. Mental diseases:																												
Irish parents	M.	3													1	1	1											
	F.	1																1										
German parents	M.	1															1											
	F.																											
9. Diseases of the brain:																												
Irish parents	M.	11	1		1			2						1	3		1	1	1			2						
	F.	4								1				1		1		1										
German parents	M.	6	1					1							1	2	1	1										
	F.	1															1											
10. Diseases of the spinal cord:																												
Irish parents	M.	1																	1									
	F.	2	1		1			2																				
German parents	M.	1																1										
	F.																											
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		48	2					2	2		1	4	1	5	5	6	5	4	2	5	1	4						1
Irish parents	M.	23	1					1	1			1		3	4	3	2	3	2	2	1							
	F.	8							1		1			1	1		1	1				2						
German parents	M.	15	1					1				1	1	1		3	2			3		2						1
	F.	2										2																
1. Angina pectoris:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Aneurism:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.	2												1		1												
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	22	1					1	1			1		3	4	3	2	2	2	2	1							
	F.	8							1		1			1	1		1	1				2						
German parents	M.	13	1					1				1	1			2	2			3		2						1
	F.	2										2																
4. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		187	13	4	1	1	3	22	5	2	5	10	17	10	11	20	29	19	15	9	5	3	2	1				2
Irish parents	M.	103	5	1			2	8		1	1	6	11	5	7	12	19	15	8	4	3	1						2
	F.	32	4	1		1		6	3	1	3	2	1	2	3	3	1		2	2	1	1	1					
German parents	M.	39	3	2	1		1	7	1		1	2	4	2	1	2	6	4	3	3	1	1		1				
	F.	13	1					1	1				1	1		3	3		2				1					
1. Croup:																												
Irish parents	M.	2	1				1	2																				
	F.	2	1					1	1																			
German parents	M.	1	1					1																				
	F.	2	1					1	1																			
2. Laryngitis:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Bronchitis:																												
Irish parents	M.	2		1				1		1																		
	F.																											
German parents	M.	3	1	2				3																				
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	93	3				1	4			1	6	10	4	7	10	19	15	8	3	3	1						2
	F.	28	3	1		1		5	2	1	3	2	1	2	2	3	1		2	2	1	1						
German parents	M.	31			1		1	2	1		1	1	4	2	1	2	6	3	3	3		1		1				
	F.	11											1	1		3	3		2				1					
5. Pleurisy:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.																											
6. Asthma:																												
Irish parents	M.																											
	F.	1																					1					
German parents	M.																											
	F.																											
7. Others of this group:																												
Irish parents	M.	5	1					1					1	1		1				1								
	F.	1													1													
German parents	M.	4	1					1				1						1			1							
	F.																											
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		41	3	3	1			7			4	2	1	2	5	6	5	5	2	1	1							
Irish parents	M.	18	2					2			2	2			2	1	4	3	2									
	F.	10	1		1			2			2		1	1	1	1		1		1								
German parents	M.	8		1				1							2	3	1	1			1							
	F.	5		2				2						1		1												
1. Dentition:																												
Irish parents	M.	2	2					2																				
	F.	1	1					1																				
German parents	M.	1		1				1																				
	F.	2		2				2																				
2. Angina:																												
Irish parents	M.																											
	F.	1									1																	
German parents	M.																											
	F.																											
3. Gastritis:																												
Irish parents	M.	3											1			1		1										
	F.	1																		1								
German parents	M.																											
	F.	1															1											
4. Other diseases of the stomach:																												
Irish parents	M.	2																	1	1								
	F.	1			1			1																				
German parents	M.	2													1	1												
	F.																											
5. Obstruction of the bowels:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.																											
6. Hernia:																												
Irish parents	M.	3										1						1	1									
	F.																											
German parents	M.																											
	F.																											
7. Other diseases of the bowels:																												
Irish parents	M.																											
	F.																1											
German parents	M.	1																										
	F.																											
8. Jaundice:																		1										
Irish parents	M.	1																										
	F.																		1									
German parents	M.	1																										
	F.																											
9. Inflammation and abscess of the liver:																		1										
Irish parents	M.	1												1					1									
	F.	2																										
German parents	M.																											
	F.																											
10. Other diseases of the liver:													1				1			1								
Irish parents	M.	3													1		1											
	F.	2														1	1											
German parents	M.	2													1													
	F.	2																	1									
11. Peritonitis:												1																
Irish parents	M.	2										1				1												
	F.	2																										
German parents	M.																											
	F.																											
12. Ascites:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
13. Others of this group:																												
Irish parents	M.																	1										
	F.																											
German parents	M.	1																										
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	8	1					1						1		1		2			2			1				
Irish parents, M.	5	1					1						1				2			1							
Irish parents, F.																											
German parents, M.	3														1					1			1				
German parents, F.																											
1. Bright's disease:																											
Irish parents, M.	1												1														
Irish parents, F.																											
German parents, M.	2														1					1							
German parents, F.																											
2. Calculus, urinary:																											
Irish parents, M.																											
Irish parents, F.																											
German parents, M.	1																						1				
German parents, F.																											
3. Diseases of the kidney:																											
Irish parents, M.	2	1					1													1							
Irish parents, F.																											
German parents, M.																											
German parents, F.																											
4. Diseases of the bladder:																											
Irish parents, M.	1																1										
Irish parents, F.																											
German parents, M.																											
German parents, F.																											
5. Others of this group:																											
Irish parents, M.	1																1										
Irish parents, F.																											
German parents, M.																											
German parents, F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	1															1											
Irish parents, F.	1															1											
German parents, F.																											
1. Ovarian tumors:																											
Irish parents, F.																											
German parents, F.																											
2. Ovarian diseases:																											
Irish parents, F.																											
German parents, F.																											
3. Uterine tumors:																											
Irish parents, F.																											
German parents, F.																											
4. Uterine diseases:																											
Irish parents, F.																											
German parents, F.																											
5. Others of this group:																											
Irish parents, F.	1															1											
German parents, F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	8											2	1	3	1	1											
Irish parents, F.	6											2	1	2		1											
German parents, F.	2													1	1												
1. Abortion:																											
Irish parents, F.																											
German parents, F.	1														1												
2. Child-birth:																											
Irish parents, F.	6											2	1	2		1											
German parents, F.	1													1													
3. Others of this group:																											
Irish parents, F.																											
German parents, F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	1											1															
Irish parents, M.																											
Irish parents, F.																											
German parents, M.	1											1															
German parents, F.																											
1. Diseases of the spine:																											
Irish parents, M.																											
Irish parents, F.																											
German parents, M.	1											1															
German parents, F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																											
2. Diseases of the bones:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Diseases of the hip-joint:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
4. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																											
Total	2	1					1									1											
Irish parents M.	1	1					1																				
Irish parents F.																											
German parents M.	1															1											
German parents F.																											
1. Abscess:																											
Irish parents M.	1	1					1																				
Irish parents F.																											
German parents M.	1															1											
German parents F.																											
2. Carbuncle:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
3. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
XI.—DISEASES OF THE ABSORBENT SYSTEM.																											
Total	1																			1							
Irish parents M.																											
Irish parents F.																											
German parents M.																				1							
German parents F.	1																										
1. Addison's disease:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
2. Diseases of the spleen:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																				1							
German parents F.	1																										
3. Others of this group:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											
XII.—ACCIDENTS AND INJURIES.																											
Total	144	2	2		2		6	2	1	1	9	19	21	26	12	22	12	5	3	3							2
Irish parents M.	93				1		1	1	1	1	7	12	13	20	10	14	6	2	2	2							1
Irish parents F.	8	2					2					1	1		1	1	1	1									
German parents M.	38		1		1		2				2	5	6	6	1	6	5	2	1	1							1
German parents F.	5		1				1	1				1	1			1											
1. Burns and scalds:																											
Irish parents M.	1												1				1										
Irish parents F.	1																										
German parents M.	1				1		1																				
German parents F.	2		1				1	1																			
2. Drowned:																											
Irish parents M.	4												1	1	1	1											
Irish parents F.	1										1		2			1											
German parents M.	4		1				1																				
German parents F.																											
3. Exposure and neglect:																											
Irish parents M.	4				1		1					1						1		2							
Irish parents F.	2	1					1																				
German parents M.																											
German parents F.																											
4. Gunshot wounds:																											
Irish parents M.	20											5	3	1	5	1	5										
Irish parents F.																											
German parents M.	6												2		2			2									
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 20—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	4									1				1	1		1										
	F.																											
German parents	M.	3												1			2											
	F.	1															1											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	3												2														1
	F.																											
German parents	M.																											
	F.																											
9. Suffocation:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.	2										1																1
	F.																											
10. Suicide by shooting:																												
Irish parents	M.	4											1		2		1											
	F.																											
German parents	M.	2													1		1											
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.																											
German parents	M.	1																		1								
	F.																											
12. Suicide by poison:																												
Irish parents	M.	2													1		1											
	F.																											
German parents	M.	1														1												
	F.	1											1															
13. Other suicides:																												
Irish parents	M.	4											1					2	1									
	F.	1														1												
German parents	M.	2												1							1							
	F.	1												1														
14. Sunstroke:																												
Irish parents	M.	1														1												
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.	2												1			1											
	F.	1											1															
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.	4										1		1	1					1								
	F.																											
German parents	M.	3																1	2									
	F.																											
17. Others of this group:																												
Irish parents	M.	40							1	1		1	6	6	9	6	5	3	1	1								
	F.	1												1														
German parents	M.	13											3	2	3		3	2										
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
GRAND TOTAL		1912	386	58	48	33	24	549	71	35	39	47	89	121	164	141	147	152	95	84	56	43	41	26	9	6		3
Total: Irish parents	M.	757	156	22	16	15	12	221	20	19	9	10	18	43	75	55	67	70	42	42	12	16	8	8		1		3
	F.	509	107	14	15	6	5	147	18	6	15	10	30	34	41	42	33	33	19	17	15	13	18	13	4	1		
German parents	M.	452	76	12	9	9	6	112	12	6	11	14	27	30	32	37	34	42	28	21	20	10	6	4	2	4		
	F.	194	47	10	8	8	1	69	12	4	4	4	14	14	16	7	13	7	6	4	3	4	9	1	3			
Unknown causes.																												
Total		18	4			2		6				1		1	4	2	1			2			1					
Irish parents	M.	8	1					1						1	2	2	1			1								
	F.	5	1			1		2							1					1			1					
German parents	M.	5	2			1		3				1			1													
	F.																											
I.—GENERAL DISEASES.																												
General diseases—A.																												
Total		268	64	17	17	10	10	118	28	12	13	13	17	16	11	9	8	6	7	6	2		2					
Irish parents	M.	89	23	5	6	3	4	41	9	4	1	7	3	4	2	5	4	2	3	2			2					
	F.	73	19	4	5	1	3	32	6	4	5	3	5	10	2	3		1		1	1							
German parents	M.	66	15	4	3	4	2	28	6	2	4	2	6	2	3	1	1	3	4	3	1							
	F.	40	7	4	3	2	1	17	7	2	3	1	3		4		3											
1. Small-pox:																												
Irish parents	M.																											
	F.																											
German parents	M.	1									1																	
	F.																											
2. Measles:																												
Irish parents	M.	3			2			2				1																
	F.	3	1	1	1			3																				
German parents	M.	2		1		1		2																				
	F.	1							1																			
3. Scarlet fever:																												
Irish parents	M.	6	3	1		1	1	6																				
	F.	1							1																			
German parents	M.	1		1				1																				
	F.																											
4. Diphtheria:																												
Irish parents	M.	17			2	1	2	5	8	2			1		1													
	F.	7		1	1	1		3	2		1					1												
German parents	M.	12	1	2	2		2	7	5																			
	F.	12			2	1	1	4	5	1		1			1													
5. Hooping-cough:																												
Irish parents	M.	5	2	2	1			5																				
	F.	4	2		1		1	4																				
German parents	M.	3	3					3																				
	F.	1							1																			
6. Fever:																												
Irish parents	M.																											
	F.	1																		1								
German parents	M.																											
	F.																											
7. Cerebro-spinal fever:																												
Irish parents	M.	2														2												
	F.	1			1			1																				
German parents	M.	4	1			2		3	1																			
	F.																											
8. Enteric fever:																												
Irish parents	M.	15								1	1	2	2	2	1	1	1	1	1				2					
	F.	15					1	1	1	3	3	2	2	1	1			1										
German parents	M.	13								1	1	2	4	1		1		1	1	1								
	F.	6		1				1		1	3				1													
9. Diarrhœa:																												
Irish parents	M.	7	6					6						1														
	F.	1	1					1																				
German parents	M.	4	2					2							2													
	F.	1	1					1																				
10. Dysentery:																												
Irish parents	M.	3	1	1				2											1									
	F.	1	1					1																				
German parents	M.	1	1					1																				
	F.																											
11. Enteritis:																												
Irish parents	M.	10	4			1	1	6		1		1					1	1										
	F.	7	1				1	2				1	1	2							1							
German parents	M.	4	1			1		2		1									1									
	F.	6	4					4					1				1											
12. Cholera morbus:																												
Irish parents	M.	3	1					1	1										1									
	F.																											
German parents	M.	1													1													
	F.	1				1		1																				
13. Cholera infantum:																												
Irish parents	M.	8	6	1	1			8																				
	F.	16	13	2	1			16																				
German parents	M.	6	5		1			6																				
	F.	4	2	2				4																				
14. Malarial fever:																												
Irish parents	M.	4											1			2	1											
	F.	3							2					1														
German parents	M.	3									1		1					1										
	F.	1			1			1																				

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—A—Continued.																												
15. Erysipelas:																												
Irish parents	M.	1												1														
	F.																											
German parents	M.																											
	F.																											
16. Septicæmia:																												
Irish parents	M.	4										2					1			1								
	F.	1									1																	
German parents	M.	4	1					1			1			1					1									
	F.	3		1				1									2											
17. Puerperal septicæmia:																												
Irish parents	F.	9											1	5	1	2												
German parents	F.	2											1		1													
18. Venereal diseases:																												
Irish parents	M.	1																		1								
	F.																											
German parents	M.	3											1				1	1										
	F.	1											1															
19. Others of this group:																												
Irish parents	M.																											
	F.	3								1			1	1														
German parents	M.	4																	1	2	1							
	F.	1													1													
General diseases—B.																												
Total		74	36		1			37	1					3	6	8	8	5	2	1		1	2					
Irish parents	M.	27	11					11	1					1	2	3	5	3		1								
	F.	28	13		1			14						1	2	3	2	2	2			1	1					
German parents	M.	12	6					6						1	1	2	1						1					
	F.	7	6					6							1													
1. Worms:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Other parasitic diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Alcoholism:																												
Irish parents	M.	12												1	2	3	4	1		1								
	F.	13												1	2	3	2	2	2				1					
German parents	M.	6												1	1	2	1						1					
	F.	1													1													
4. Lead poison:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
5. Other poisons:																												
Irish parents	M.	4							1								1	2										
	F.																											
German parents	M.																											
	F.																											
6. Inanition:																												
Irish parents	M.	11	11					11																				
	F.	15	13		1			14														1						
German parents	M.	6	6					6																				
	F.	6	6					6																				
General diseases—C.																												
Total		229	148	1				149	1	1				1	2		4	5	1	2	3	14	20	16	5	4		1
Irish parents	M.	86	70					70	1	1					1		2	1		1		4		3		1		1
	F.	75	38					38							1		2	2			2	4	12	10	3	1		
German parents	M.	40	23	1				24										1		1		5	5	2		2		
	F.	28	17					17						1				1	1		1	1	3	1	2			
1. Premature birth:																												
Irish parents	M.	9	9					9																				
	F.	1	1					1																				
German parents	M.	2	2					2																				
	F.	3	3					3																				
2. Stillborn:																												
Irish parents	M.	51	51					51																				
	F.	30	30					30																				
German parents	M	15	15					15																				
	F.	10	10					10																				
3. Malformation:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.																											
	F.																											
4. Debility:																												
Irish parents	M.	21	10					10	1	1					1		2	1		1		2		1				1
	F.	20	5					5							1		2	2			1	2	2	4	1			
German parents	M.	12	7	1				7										1		1		1		2				
	F.	8	4					4							1			1	1				1					
5. Old age:																												
Irish parents	M.	5																				2		2		1		
	F.	22																				2	10	6	2	1		
German parents	M.	11																				4	5			2		
	F.	7																			1	1	2	1	2			

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
General diseases—C—Continued.																												
6. Atrophy:																												
Irish parents	M.																											
	F.	1	1					1																				
German parents	M.																											
	F.																											
General diseases—D.																												
Total		383	11	2	2		1	16	9	4	12	17	30	41	57	40	44	40	27	19	15	6	4	1	1			
Irish parents	M.	133	4		2			6	3	2	2	7	4	18	29	13	22	22	10	9	2	2	1	1				
	F.	108	3	1				4	3	1	6	5	8	7	19	17	9	8	6	5	4	3	2		1			
German parents	M.	83	2				1	3	1	1	3	2	10	9	7	8	8	10	10	3	8							
	F.	39	2	1				3	2		1	3	8	7	2	2	5		1	2	1	1	1					
1. Rheumatism:																												
Irish parents	M.	3									1				1				1									
	F.	1																					1					
German parents	M.																											
	F.																											
2. Scrofula and tabes:																												
Irish parents	M.	1							1																			
	F.	1		1				1																				
German parents	M.	1	1					1																				
	F.																											
3. Leprosy:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
4. Consumption:																												
Irish parents	M.	110	1					1	1	1	1	7	4	18	23	10	16	14	6	3	1	1		1				
	F.	73	2					2	3	1	6	5	7	5	15	11	4	5		3	2	2	1		1			
German parents	M.	50					1	1			3	2	9	7	4	3	7	8	4	1	1							
	F.	23		1				1				3	8	3	2		3		1	1	1							
5. Hydrocephalus:																												
Irish parents	M.	5	3		2			5																				
	F.	1	1					1																				
German parents	M.	1							1																			
	F.	2	1					1	1																			
6. Cancer:																												
Irish parents	M.	22													1	3	4	6	2	4		1	1					
	F.	21													3	5	3	2	5	1	1	1						
German parents	M.	22											1	2	2	3	1	1	6	1	5							
	F.	9							1					3		1	2					1	1					
7. Tumor:																												
Irish parents	M.	1													1			1		1								
	F.	3														1												
German parents	M.	1																										
	F.	1									1																	
8. Anæmia:																				1								
Irish parents	M.	1																										
	F.																											
German parents	M.	1	1					1																				
	F.	1	1					1																				
9. Dropsy:																												
Irish parents	M.	8							1	1					1		1	2	1		1							
	F.	6											1	2			2		1									
German parents	M.	5													1	1				1	2							
	F.	2												1		1												
10. Glycosuria:																												
Irish parents	M.	2													1					1								
	F.	2														1					1							
German parents	M.	2								1								1										
	F.	1																		1								
11. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
12. Others of this class:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
II.—DISEASES OF THE NERVOUS SYSTEM.																												
Total		232	48	14	15	4	4	85	7	3	1	4	4	8	15	15	22	19	17	15	8	2	3	1	2	1		
Irish parents	M.	88	20	4	4	2	3	33	2	2	1	2		3	7	3	10	6	5	9	3		1	1				
	F.	52	8	3	4	2	1	18	5					3	3	4	4	4	4	4	2		1					
German parents	M.	67	13	5	5			23		1		2	2	2	3	5	6	8	7	2	3	1			1	1		
	F.	25	7	2	2			11					2		2	3	2	1	1			1	1		1			
1. Inflammation of the brain:																												
Irish parents	M.	7	1		2		2	5		1						1												
	F.	1															1											
German parents	M.	4	2					2										1	1									
	F.	1		1				1																				
2. Meningitis:																												
Irish parents	M.	10	3	3	1	1	1	9							1													
	F.	9	1	2	1			4	4							1				1		1						
German parents	M.	8	3		2			5						1						1								
	F.	5	3					3																				
3. Apoplexy:																1		4	2	2	7			1				
Irish parents	M.	17													1	2	2	1	1									
	F.	7														2	1	3	2	2	1	1	1					
German parents	M.	14	1					1						1			1	1										
	F.	3																										

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
II.—DISEASES OF THE NERVOUS SYSTEM—continued.																												
4. Paralysis:																												
Irish parents	M.	15									1				2		4	2	2	1	2			1				
	F.	14												1		1	2	2	3	2	2		1					
German parents	M.	11												1	1	1	1	2	2		1				1	1		
	F.	6											1		1	1		1				1			1			
5. Tetanus and trismus nascentium:																												
Irish parents	M.	1													1													
	F.																											
German parents	M.																											
	F.	1															1											
6. Epilepsy:																												
Irish parents	M.																											
	F.	3												1				1	1									
German parents	M.	2														1			1									
	F.																											
7. Convulsions:																												
Irish parents	M.	17	15		1	1		17																				
	F.	11	7	1	1	1		10	1																			
German parents	M.	16	6	4	3			13				1	1	1														
	F.	8	4	1	2			7								1												
8. Mental diseases:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
9. Diseases of the brain:																												
Irish parents	M.	14		1				1	1	1		2		2	2		2		1	1	1							
	F.	4			1	1		2								1				1								
German parents	M.	10	1					1		1		1				2	1	2	1	1								
	F.	1																					1					
10. Diseases of the spinal cord:																												
Irish parents	M.	4	1					1	1							2												
	F.	3			1		1	2												1								
German parents	M.	2		1				1										1										
	F.																											
11. Others of this group:																												
Irish parents	M.	3													1			2										
	F.																											
German parents	M.																											
	F.																											
III.—DISEASES OF THE CIRCULATORY SYSTEM.																												
Total		120	5	1	1		2	9	4	3	3		4	9	11	13	18	12	13	6	7	3	3	1	1			
Irish parents	M.	48	2				1	3	2	2	1		2	2	6	6	10	3	4	1	2	3	1					
	F.	26	1					1	1		2		1	1	1	4	4	8	3	2	1		1	1				
German parents	M.	41	2	1	1		1	5	1	1			1	4	4	3	4	6	4	3	4				1			
	F.	5												2					2				1					
1. Angina pectoris:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Aneurism:																												
Irish parents	M.	8											1	1	2	1	3											
	F.	1														1												
German parents	M.	6								1				1	1		1	2										
	F.																											
3. Diseases of the heart:																												
Irish parents	M.	39	1				1	2	2	2	1		1	1	4	5	7	3	4	1	2	3	1					
	F.	22									2		1	1		3	4	3	3	2	1		1	1				
German parents	M.	32		1			1	2	1				1	3	3	3	3	4	4	3	4				1			
	F.	5												2					2				1					
4. Others of this group:																												
Irish parents	M.	1	1					1																				
	F.	3	1					1	1						1													
German parents	M.	3	2		1			3																				
	F.																											
IV.—DISEASES OF THE RESPIRATORY SYSTEM.																												
Total		249	51	17	9	14	5	96	10	4		3	6	8	10	17	15	31	16	14	7	6	1	5				
Irish parents	M.	117	20	10	2	9	3	44	3	1		1	1	1	7	9	7	15	11	8	4	2		3				
	F.	68	17	5	4	2	1	29	2	1		1	3	4	2	4	4	8	3	2	1	2		2				
German parents	M.	40	8	1		2	1	12	2			1	1	3	1	4	4	5	1	3	1	2						
	F.	24	6	1	3	1		11	3	2			1					3	1	1	1		1					
1. Croup:																												
Irish parents	M.	11	2	1	1	6		10		1																		
	F.	10	4	3	1			8	1	1																		
German parents	M.	4				1	1	2	2																			
	F.	3	1		2			3																				
2. Laryngitis:																												
Irish parents	M.	1							1																			
	F.																											
German parents	M.																											
	F.	1											1															
3. Bronchitis:																												
Irish parents	M.	21	3		1	1	1	6	1						2			2	2	2	3	1		2				
	F.	14	2	2	1			5	1					1		1	1	3			1	1						
German parents	M.	5	3	1				4									1											
	F.	5			1			1	1									1			1		1					

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IV.—DISEASES OF THE RESPIRATORY SYSTEM—continued.																												
4. Pneumonia:																												
Irish parents	M.	68	11	8		2	2	23	1				1	1	5	7	5	11	7	4	1	1		1				
	F.	37	10		1	2	1	14				1	3	2	1	2	3	5	2	1		1		2				
German parents	M.	21	3			1		4				1		2	1	3	2	5	1	1		1						
	F.	13	5	1		1		7	2	1								1	1	1								
5. Pleurisy:																												
Irish parents	M.	3														1	1		1									
	F.	1																		1								
German parents	M.	5	1					1					1	1			1			1								
	F.	1								1																		
6. Asthma:																												
Irish parents	M.	3																2	1									
	F.	3	1					1							1				1									
German parents	M.	2																			1	1						
	F.	1																1										
7. Others of this group:																												
Irish parents	M.	10	4	1				5				1				1	1			2								
	F.	8			1			1						1		1												
German parents	M.	3	1					1								1				1								
	F.																											
V.—DISEASES OF THE DIGESTIVE SYSTEM.																												
Total		102	11	6	1	1		19		1	2	1	3	6	15	12	13	10	3	9	3	3	2					
Irish parents	M.	35	2	3	1	1		7		1				2	4	4	4	4	3	5			1					
	F.	28	4	1				5			2	1	2		5	2	4	3			2	2						
German parents	M.	24	4					4					1	2	3	4	3	2		3	1	1						
	F.	15	1	2				3						2	3	2	2	1		1			1					
1. Dentition:																												
Irish parents	M.	4	1	3				4																				
	F.	2	2					2																				
German parents	M.	1	1					1																				
	F.	2		2				2																				
2. Angina:																												
Irish parents	M.																1											
	F.	1																										
German parents	M.	1	1					1																				
	F.																											
3. Gastritis:																												
Irish parents	M.	3													1	1	1											
	F.	1															1			1								
German parents	M.	2	1					1						1		1												
	F.	2																										
4. Other diseases of the stomach:																												
Irish parents	M.	2			1			1								1												
	F.	2														1	1											
German parents	M.																											
	F.																											
5. Obstruction of the bowels:																		1										
Irish parents	M.	1																										
	F.												1															
German parents	M.	1																										
	F.																											
6. Hernia:																		1										
Irish parents	M.	1																										
	F.																			1								
German parents	M.	1																					1					
	F.	1																										
7. Other diseases of the bowels:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Jaundice:																												
Irish parents	M.	2	1			1		2																				
	F.																											
German parents	M.																	1	1									
	F.	2																										
9. Inflammation and abscess of the liver:																												
Irish parents	M.	2																2										
	F.	5													1	1		1			1	1						
German parents	M.	6													2	2		1	1									
	F.	1															1											
10. Other diseases of the liver:																												
Irish parents	M.	9													1	1	1	1	3	2								
	F.	6	1					1				1				1		1	1			1						
German parents	M.	7															4	2	1									
	F.	3													1	1					1							
11. Peritonitis:																												
Irish parents	M.	6									1				1	1	1		1				1					
	F.	9										1	1	2		3			1			1						
German parents	M.	2														1												
	F.	4	1					1								2		1										
12. Ascites:																												
Irish parents	M.	4													1	1					2							
	F.																				1		1					
German parents	M.	2																										
	F.																				1							
13. Others of this group:																												
Irish parents	M.	1																										
	F.	2	1	1				2																				
German parents	M.	1	1					1																				
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.	Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
VI.—DISEASES OF THE URINARY SYSTEM AND MALE ORGANS OF GENERATION.																											
Total	30					1	1	1		1		1	1	2	4	2	5	1	4	3	3				1		
Irish parents M.	16							1					1	1	1	1	5	1	3		2						
Irish parents F.	3																		1	2							
German parents M.	10					1	1			1		1			3	1				1	1				1		
German parents F.	1													1													
1. Bright's disease:																											
Irish parents M.	7													1		1	3	1	1								
Irish parents F.	2																			2							
German parents M.	6					1	1			1					2	1				1							
German parents F.	1													1													
2. Calculus, urinary:																											
Irish parents M.																											
Irish parents F.																											
German parents M.	1																								1		
German parents F.																											
3. Diseases of the kidney:																											
Irish parents M.	4							1									2		1								
Irish parents F.	1																		1								
German parents M.	1														1												
German parents F.																											
4. Diseases of the bladder:																											
Irish parents M.	4												1		1						2						
Irish parents F.																											
German parents M.	1																				1						
German parents F.																											
5. Others of this group:																											
Irish parents M.	1																		1								
Irish parents F.																											
German parents M.	1											1															
German parents F.																											
VII.—DISEASES OF THE FEMALE ORGANS OF GENERATION.																											
Total	6												2	1	1		2										
Irish parents F.	5												2	1	1		1										
German parents F.	1																1										
1. Ovarian tumors:																											
Irish parents F.																											
German parents F.																											
2. Ovarian diseases:																											
Irish parents F.																											
German parents F.																											
3. Uterine tumors:																											
Irish parents F.																											
German parents F.	1																1										
4. Uterine diseases:																											
Irish parents F.	2												1		1												
German parents F.																											
5. Others of this group:																											
Irish parents F.	3												1	1			1										
German parents F.																											
VIII.—AFFECTIONS CONNECTED WITH PREGNANCY.																											
Total	20											9	6	4	1												
Irish parents F.	17											9	4	3	1												
German parents F.	3												2	1													
1. Abortion:																											
Irish parents F.																											
German parents F.																											
2. Child-birth:																											
Irish parents F.	17											9	4	3	1												
German parents F.	3												2	1													
3. Others of this group:																											
Irish parents F.																											
German parents F.																											
IX.—DISEASES OF THE BONES AND JOINTS.																											
Total	5							1	1							2						1					
Irish parents M.	2							1	1																		
Irish parents F.	1															1											
German parents M.	1															1											
German parents F.	1																					1					
1. Diseases of the spine:																											
Irish parents M.																											
Irish parents F.																											
German parents M.																											
German parents F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
IX.—DISEASES OF THE BONES AND JOINTS—continued.																												
2. Diseases of the bones:																												
Irish parents	M.																											
	F.																											
German parents	M.	1															1											
	F.																											
3. Diseases of the hip-joint:																												
Irish parents	M.	2							1	1																		
	F.																											
German parents	M.																											
	F.																											
4. Others of this group:																												
Irish parents	M.																											
	F.	1															1											
German parents	M.																											
	F.	1																					1					
X.—DISEASES OF THE SKIN AND CELLULAR TISSUE.																												
Total		3												1					1			1						
Irish parents	M.	1																	1									
	F.																											
German parents	M.	1												1														
	F.	1																				1						
1. Abscess:																												
Irish parents	M.																											
	F.																											
German parents	M.	1												1														
	F.																											
2. Carbuncle:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.	1																	1									
	F.																											
German parents	M.																											
	F.	1																				1						
XI.—DISEASES OF THE ABSORBENT SYSTEM.																												
Total		2														2												
Irish parents	M.	1														1												
	F.	1														1												
German parents	M.																											
	F.																											
1. Addison's disease:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
2. Diseases of the spleen:																												
Irish parents	M.	1														1												
	F.	1														1												
German parents	M.																											
	F.																											
3. Others of this group:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
XII.—ACCIDENTS AND INJURIES.																												
Total		171	8		2	2	1	13	9	6	7	8	15	18	26	17	10	17	7	6	2	4	2	2				2
Irish parents	M.	86	3		1		1	5	6	5	4	2	8	10	14	8	1	9	4	2	1	3	2					2
	F.	19	3		1			4	1				2	2	1	2	3	1	1	1		1						
German parents	M.	62	1			2		3	2	1	3	6	5	6	9	7	5	7	2	3	1			2				
	F.	4	1					1							2		1											
1. Burns and scalds:																												
Irish parents	M.	3			1			1		1				1														
	F.	3											1			1	1											
German parents	M.																											
	F.																											
2. Drowned:																												
Irish parents	M.	23					1	1	4	2	3		1	4	2	1	1	2	2									
	F.	1															1											
German parents	M.	10				1		1			2	2	1		1	1		1		1								
	F.																											
3. Exposure and neglect:																						1	1					
Irish parents	M.	2																										
	F.	1	1					1							1									1				
German parents	M.	2																										
	F.																											
4. Gunshot wounds:																												
Irish parents	M.	2													1								1					
	F.																											
German parents	M.	2												1	1													
	F.																											

TABLE XII.—DEATHS IN CERTAIN GRAND GROUPS, BY AGE, SEX, PARENTAGE, ETC.

GRAND GROUP 21—Continued.

Cause of death.		Total.	Under 1.	1.	2.	3.	4.	Total under 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknown.
XII.—ACCIDENTS AND INJURIES—cont'd.																												
5. Homicide:																												
Irish parents	M.	8								1			1	3		2		1										
	F.																											
German parents	M.	1												1														
	F.																											
6. Infanticide:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
7. Injuries by machinery:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
8. Railroad accidents:																												
Irish parents	M.	6								1			1		2	1		1										
	F.																											
German parents	M.	8							1						1	4	1							1				
	F.																											
9. Suffocation:																												1
Irish parents	M.	4	2					2	1							1												
	F.	4	2		1			3																				
German parents	M.	2				1		1							1													
	F.	2	1					1									1											
10. Suicide by shooting:																												1
Irish parents	M.	3											1					1										
	F.																											
German parents	M.	1																1										
	F.																											
11. Suicide by drowning:																												
Irish parents	M.																											
	F.	1											1															
German parents	M.	2													1				1									
	F.																											
12. Suicide by poison:																												
Irish parents	M.	1																1										
	F.																											
German parents	M.	2											1				1											
	F.																											
13. Other suicides:																												
Irish parents	M.	4											1		1			1		1								
	F.	1												1														
German parents	M.	12										1	2	1		1	2	3		1	1							
	F.	2													2													
14. Sunstroke:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
15. Surgical operations:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
16. Wounds:																												
Irish parents	M.																											
	F.																											
German parents	M.																											
	F.																											
17. Others of this group:																												
Irish parents	M.	30	1					1	1		1	2	3	2	3	4		2	2	1	1	2						
	F.	8							1					1	1		1	1	1	1		1						
German parents	M.	20	1					1	1	1	1	3	1	3	3	1	1	2	1	1								
	F.																											

INDEX TO STATISTICS OF MORTALITY.

PART I.

	Table.	Page.
A.		
Age and Sex, Deaths, by States and Territories, with distinction of—1880.	III	9-13
Age and Sex, Deaths for the United States and for each State Group (exclusive of certain cities) from each specified disease and class of diseases, with distinction of—1880.	VII	43-497
Age and Sex, Deaths in certain Grand Groups, by, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651-764
Age and Sex, Deaths in certain Grand Groups, by, with distinction of Race and specification of cause—1880.	XI	569-650
Age and Sex, Deaths in 50 principal cities, by Grand Groups, with distinction of, and specification of cause—1880.	VIII	499-556
Age and Sex, Deaths in the Chinese population of the United States, by, with distinction of cause—1880.	IX	557-562
Age and Sex, Deaths in the Indian population of the United States, by, with distinction of cause—1880.	X	563-568
Age in relation to deaths		xxiv-xxxiii
Age, Race, and Sex, Deaths, by States and Territories, with distinction of—1880.	IV	15-29
Alabama (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	54-65
Appendix, containing counties in alphabetical order forming the State Groups.		xlix-lxiii
Arizona, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	66-69
Arkansas (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	70-77
C.		
California (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	78-85
Chinese population of the United States, Deaths in the, by Age and Sex, with distinction of cause—1880.	IX	557-562
Cities, Deaths in 50 principal, by Grand Groups, with distinction of Age and Sex, and specification of cause—1880.	VIII	499-556
Color, Race, etc., in relation to mortality		xxxiii-xxxix
Colorado (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	86-93
Connecticut (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	94-101
Counties, in alphabetical order, forming the State Groups		li-lxiii
D.		
Dakota (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	102-113
Death rate, General		xviii-xxiii
Death rate per 1000 of population, and Deaths by States and Territories, with distinction of Sex—1880, 1870, 1860.	I	1-3
Death rate per 1000 of population, and Deaths by States and Territories, with distinction of Sex and Race—1880.	II	5-7
Death rate per 1000 of population, by State and Grand Groups—1880.	VI	37-41
Delaware, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	114-117
District of Columbia, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	118-121
E.		
Explanatory and Introductory Remarks		xi-xviii
F.		
Florida, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	122-125
G.		
General death rate		xviii-xxiii
Georgia (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	126-137
German and Irish parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of, and specification of cause—1880.	XII	651-764
Grand and State Groups, Deaths by, with distinction of Race—1880.	V	31-35
Grand and State Groups, Rate of death per 1000 of population, by—1880.	VI	37-41
Grand Groups, Deaths in certain, by Age and Sex, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651-764
Grand Groups, Deaths in certain, by Age and Sex, with distinction of Race and specification of cause—1880.	XI	569-650
Grand Groups, Deaths in 50 principal cities, by, with distinction of Age and Sex, and specification of cause—1880.	VIII	499-556
I.		
Idaho, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	138-141
Illinois (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	142-153
Indian population of the United States, Deaths in the, by Age and Sex, with distinction of cause—1880.	X	563-568
Indiana (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	154-165

	Table.	Page.
Indians, in relation to mortality	.....	xxxiv-xxxvii
Introductory and Explanatory Remarks	.....	xi-xviii
Iowa (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	166-177
Irish and German parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of, and specification of cause—1880.	XII	651-764
K.		
Kansas (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	178-185
Kentucky (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	186-201
L.		
Letter of Transmittal	.....	ix
Louisiana (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	202-213
M.		
Maine (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	214-221
Maryland (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	222-229
Massachusetts (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	230-237
Michigan (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	238-245
Minnesota (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	246-257
Mississippi (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	258-269
Missouri (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	270-285
Montana (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	286-293
Month or season in relation to deaths	.....	xl-xlvii
N.		
Nebraska (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	294-305
Negro, etc., in relation to mortality	.....	xxxiii-xxxix
Nevada, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	306-309
New Hampshire (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	310-317
New Jersey (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	318-325
New Mexico (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	326-333
New York (Groups 1, 2, 3, 4, and 5), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	334-353
North Carolina (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	354-365
O.		
Ohio (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	366-377
Oregon (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	378-385
P.		
Parentage, Deaths in certain Grand Groups, by Age and Sex, with distinction of Irish and German, and specification of cause—1880.	XII	651-764
Pennsylvania (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	386-393
R.		
Race, Age, and Sex, Deaths, by States and Territories, with distinction of—1880.	IV	15-29
Race and Sex, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880.	II	5-7
Race, Color, etc., in relation to mortality	.....	xxxiii-xxxix
Race, Deaths by State and Grand Groups, with distinction of—1880.	V	31-35
Race, Deaths in certain Grand Groups by Age and Sex, with distinction of, and specification of cause—1880.	XI	569-650
Rate of death per 1000 of population, and Deaths, by States and Territories, with distinction of Sex—1880, 1870, 1860.	I	1-3
Rate of death per 1000 of population, and Deaths, by States and Territories, with distinction of Sex and Race—1880.	II	5-7
Rate of death per 1000 of population, by State and Grand Groups—1880.	VI	37-41
Relation of Age to deaths	.....	xxiv-xxxiii
Relation of Color, Race, etc., to mortality	.....	xxxiii-xxxix
Relation of Month or Season to deaths	.....	xl-xlvii
Relation of Sex to deaths	.....	xxiii-xxiv
Remarks, Introductory and Explanatory	.....	xi-xviii
Rhode Island, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	394-397
S.		
Season or month in relation to deaths	.....	xl-xlvii
Sex and Age, Deaths by States and Territories, with distinction of—1880.	III	9-13
Sex and Age, Deaths for the United States and for each State Group (exclusive of certain cities) from each specified disease and class of diseases, with distinction of—1880.	VII	43-497
Sex and Age, Deaths in certain Grand Groups, by, with distinction of Irish and German parentage, and specification of cause—1880.	XII	651-764
Sex and Age, Deaths in certain Grand Groups, by, with distinction of Race and specification of cause—1880.	XI	569-650
Sex and Age, Deaths in 50 principal cities, by Grand Groups, with distinction of, and specification of cause—1880.	VIII	499-556
Sex and Age, Deaths in the Chinese population of the United States, by, with distinction of cause—1880.	IX	557-562
Sex and Age, Deaths in the Indian population of the United States, by, with distinction of cause—1880.	X	563-568
Sex and Race, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880.	II	5-7
Sex, Deaths, by States and Territories, with distinction of, and rate of death per 1000 of population—1880, 1870, 1860.	I	1-3
Sex in relation to deaths	.....	xxiii, xxiv
Sex, Race, and Age, Deaths, by States and Territories, with distinction of—1880.	IV	15-29
South Carolina (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	398-409
State and Grand Groups, Deaths by, with distinction of Race—1880.	V	31-35
State and Grand Groups, Rate of death per 1000 of population, by—1880.	VI	37-41
State Groups, alphabetical list of counties forming	.....	lx-lxiii
State Groups (exclusive of certain cities), Deaths from each specified disease and class of diseases, by, with distinction of Age and Sex—1880.	VII	43-497
States and Territories, Deaths by, with distinction of Age and Sex—1880.	III	9-13
States and Territories, Deaths by, with distinction of Race, Age, and Sex—1880.	IV	15-29
States and Territories, Deaths by, with distinction of Sex, and rate of death per 1000 of population—1880, 1870, 1860.	I	1-3

	Table.	Page.
States and Territories, Deaths by, with distinction of Sex and Race, and rate of death per 1000 of population—1880.	II	5–7
T.		
Tennessee (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	410–425
Texas (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	426–437
Transmittal, Letter of		ix
U.		
Utah, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	438–441
V.		
Vermont, Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	442–445
Virginia (Groups 1, 2, and 3), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	446–457
W.		
Washington (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	458–465
West Virginia (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	466–473
Wisconsin (Groups 1, 2, 3, and 4), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	474–489
Wyoming (Groups 1 and 2), Deaths from each specified disease and class of diseases, with distinction of Age and Sex—1880.	VII	490–497