

INDEX TO STATISTICS OF MORTALITY.

PART II.

	Table.	Page.		Table.	Page.
A.					
Abdomen, Head, Face and Neck, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623	Age, Sex, and Civil Condition, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XL	567-573
Abortion, Child-birth, Puerperal Septicæmia, and Still-birth, as causes of death.	}	{ lxx- lxxvi	Age, Sex, and Color, Population of Grand Groups specified by.	LXII	750-763
Accidents and Injuries as causes of death	}	{ xcii-xciv	Age, Sex, and Month of Death, Deaths reported by the Census enumerators in Massachusetts, exclusive of Boston, with distinction of; also those reported by the registration system of the State.	LII	649-651
After-Life Time, Mean (Expectation of Life), at various ages, based upon the Mortality of England and Wales in 1876-'80, and of Massachusetts and New Jersey during Census year.	LXVI	789-791	Age, Sex, and Month of Death, Deaths reported by the Census enumerators, with distinction of, in New Jersey; also those reported by the registration system of the State.	LIII	653-655
Age and Group of Ages, Deaths at each, in 1000 deaths of each sex from Cancer, of which the ages are known, in the United States and in each Grand Group, with distinction of Color in certain Grand Groups.	XXXVII	547-549	Age, Sex, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Breast in the United States, and in each Grand Group, with distinction of.	XLIII	589-597
Age and Group of Ages, Deaths from Cancer at each, in the United States and in each Grand Group of certain specified Nativities, in 1000 deaths from cancer of which the ages are known.	XXXIX	561-565	Age, Sex, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Liver in the United States, and in each Grand Group, with distinction of.	XLIV	590-607
Age and Sex, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XXXV	537-541	Age, Sex, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Stomach in the United States and in each Grand Group, with distinction of.	XLII	570-587
Age (12), Approximate Table showing numbers surviving at each, for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	789-791	Age, Sex, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United States and in certain Grand Groups, with distinction of.	XLVIII	625-627
Age, Color, and Sex, Deaths from Cancer in certain Grand Groups, with distinction of.	XXXVI	543-545	Age, Sex, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United States and in certain Grand Groups, with distinction of.	XLIX	620-631
Age, Color, Sex, and Month of Death, and, in some cases, of Parentage, Total number of deaths from all causes registered in 31 large cities of the United States during the Census year, with distinction of.	XXII	441-473	Age, Sex, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Stomach of persons of all known ages, Deaths from Cancer of the Stomach in the United States and in certain Grand Groups, with distinction of.	XLVII	625-627
Age, Grand Groups, Sex, Color, Parentage, and Month of Death, Deaths from Diphtheria in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see Introd., Part II, p. cvi), with distinction of.	XXXIII	495-517	Age, Sex, and specification of Occupation, Deaths from Cancer in the United States, with distinction of.	XLI	575-577
Age, Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Uterus in the United States and in each Grand Group, with distinction of.	XLV	609-615	Age, Sex, Color, Parentage, and Month of Death and Grand Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see Introd., Part II, p. cvi), reported during the Census year, with distinction of.	XXXIV	519-535
Age, Nativity, and Sex, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XXXVIII	551-559	Age, Sex, Color, Parentage, and Month of Death, Deaths from certain specified diseases registered in 31 large cities of the United States (for names of cities see p. 441) during the Census year, with distinction of.	XXIII- XXXII	475-498
Age.—Number of deaths for certain Grand Groups, and the sum thereof, with distinction of Sex and Color, at each age and group of ages in 1000 deaths of which the ages are known.	XXI	437-439	Agas, certain groups of, Deaths from certain specified diseases and classes of diseases, with Month of Death, Sex, and.	XIV	185-345
Age.—Number of deaths for certain Grand Groups, and the sum thereof, with distinction of Sex, and Irish and German parentage, at each age and group of ages in 1000 deaths of which the ages are known.	XX	433-435	Agas, known, Deaths in each 1000 deaths at, with distinction of Sex, by States and State Groups.	XVII	375-385
Age, selected Nativities, and Color in 1000 deaths of Cancer of the Uterus of persons of all known ages, Deaths from Cancer of the Uterus in the United States and in certain Grand Groups, with distinction of.	L	629-631	Agas of living population	}	cl-clvii
Age, Sex, and Cause, Deaths in each 1000 deaths at known ages, classified by.	XVI	365-373	Agas specified.—Population, Births, and number of Women from 15 to 49 years of age in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	657-659

	Table.	Page.		Table.	Page.
Ages specified.—Population, Births, and number of Women from 15 to 49 years of age in the United States and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	664-668	Boston, Deaths in Massachusetts, exclusive of, reported by the registration system of the State; also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LII	640-651
Ages, various, Mean After-Life Time (Expectation of Life) at, based upon the Mortality of England and Wales in 1870-'80, and of Massachusetts and New Jersey, during Census year.	LXVI	789-791	Breast, Deaths from Cancer of, in the United States and in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the breast of persons of all known ages.	XLVIII	625-627
Ages, with Sex at each period of life, of the aggregate population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVII	673-689	Breast, Deaths from Cancer of, in the United States, and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLIII	580-597
Ages, with Sex at each period of life, of the Colored population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LXI	743-757	Bronchitis as a cause of death.....	} lxxxiii- lxxxv	771-788
Ages, with Sex at each period of life, of the Foreign-born White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LX	727-741	Brooklyn.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, San Francisco, and Saint Louis.		
Ages, with Sex at each period of life, of the Native White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LIX	709-725	C.		
Ages, with Sex at each period of life, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with the numbers of certain ages and groups of ages in 100,000 of all ages and of each race.	LVI	669-671	Cancer as a cause of death.....	} cviii- cxxxii	547-549
Ages, with Sex at each period of life, of the White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVIII	681-707	Cancer, Deaths from, at each age and group of ages in 1000 deaths of each sex, of which the ages are known, in the United States and in each Grand Group, with distinction of Color in certain Grand Groups.		
Alcoholism and Venereal diseases as causes of death.....	lxxvi, lxxvii		Cancer, Deaths from, in certain Grand Groups, with distinction of Color, Sex, and Age.	XXXVI	543-545
Apoplexy and Paralysis as causes of death.....	lxxviii- lxxx		Cancer, Deaths from, in the United States and in each Grand Group of certain specified Nativities, at each age and group of ages in 1000 deaths from cancer of which the ages are known.	XXXIX	561-565
Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, San Francisco, and Saint Louis.	LXIV	771-788	Cancer, Deaths from, in the United States and in each Grand Group, with distinction of Age and Sex.	XXXV	537-541
Approximate Table showing numbers surviving at each age (1 z), for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's Method, with distinction of Sex.	LXV	789-791	Cancer, Deaths from, in the United States and in each Grand Group, with distinction of Age, Sex, and Civil Condition.	XL	507-573
B.			Cancer, Deaths from, in the United States and in each Grand Group, with distinction of Nativity, Sex, and Age.	XXXVIII	551-559
Baltimore.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Cancer, Deaths from, in the United States, with distinction of Sex, Age, and specification of Occupation.	XLI	575-577
Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647	Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
Births, Birth Rates, and Life Tables.....	cxl-cl		Cancer of the Breast, Deaths from, in the United States and in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the breast of persons of all known ages.	XLVIII	625-627
Births, Deaths, and Population, with statement of Ratios, and Deaths from certain specified causes.	XIII	1-183	Cancer of the Breast, Deaths from, in the United States and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLIII	580-597
Births, Population, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex, and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	657-659	Cancer of the Liver, Deaths from, in the United States and in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the liver of persons of all known ages.	XLIX	629-631
Births, Population, and number of Women from 15 to 49 years of age, in the United States and in each State and State Group, with distinction of Sex, and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-668	Cancer of the Liver, Deaths from, in the United States and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLIV	599-607
Bones and Joints, Diseases of the, as causes of Death.....	xcj, xcii		Cancer of the Stomach, Deaths from, in the United States and in certain Grand Groups, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLVII	625-627
Boston.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Cancer of the Stomach, Deaths from, in the United States and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLII	579-587
			Cancer of the Uterus, Deaths from, in the United States and in certain Grand Groups, with distinction of Age, selected Nativities, and Color, in 1000 deaths of cancer of the uterus of persons of all known ages.	L	629-631
			Cancer of the Uterus, Deaths from, in the United States and in each Grand Group, with distinction of Age and Nativity, and of Color in certain Grand Groups.	XLV	609-615
			Causes of death.....	} xxvii- cxxxvi	xcii- xciv
			Accidents and Injuries.....		

	Table.	Page.		Table.	Page.
Causes of death—continued.					
Alcoholism and Venereal diseases		lxvi, lxvii	Cities and Rural Districts, and Color and Sex, Deaths from Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of.	XLVI	617-623
Apoplexy and Paralysis		{ lxxviii- lxxx			
Bronchitis		{ lxxxlii- lxxxv	Cities and Rural Districts, Mortality in	{ xxii- xxvii	
Cancer		{ cviii- cxxxii	Cities, selected, States and State Groups, number of deaths from each reported cause of death, by.	XVIII	387-427
Child-birth, Abortion, Puerperal Septicæmia, and Still-birth.		{ lxx- lxxvi	Civil Condition, Age, and Sex, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XL	567-573
Consumption		lviii-lxii	Color, Age, and selected Nativities, in 1000 deaths of Cancer of the Uterus of persons of all known ages, Deaths from Cancer of the Uterus in the United States and in certain Grand Groups, with distinction of.	L	629-631
Deaths from certain specified causes		{ cxxxii, cxxxiii	Color, Age, and Sex, and selected Nativities, in 1000 deaths of Cancer of the Stomach of persons of all known ages, Deaths from Cancer of the Stomach in the United States and in certain Grand Groups, with distinction of.	XLVII	625-627
Diarrhœal diseases		xlvi-l	Color, Age, Sex, and Month of Death, and, in some cases, of Parentage, Total number of deaths from all causes registered in 51 large cities of the United States during the Census year, with distinction of.	LXII	759-763
Diphtheria and Croup		{ cxxxviii- xliv	Color, Age, Sex, and selected Nativities, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United States and in certain Grand Groups, with distinction of.	XLIX	629-631
Diseases of the Bones and Joints		xc, xci	Color and Age, Sex, and selected Nativities, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United States and in certain Grand Groups, with distinction of.	XLVI	617-623
Diseases of the Digestive System		{ lxxxvi- lxxxviii	Color in certain Grand Groups, and Age, Sex, and Nativity, Deaths from Cancer of the Breast in the United States and in each Grand Group, with distinction of.	XLIV	599-607
Diseases of the Female Organs of Generation		xc, xci	Color in certain Grand Groups, and Age, Sex, and Nativity, Deaths from Cancer of the Liver in the United States and in each Grand Group, with distinction of.	XLII	579-587
Diseases of the Nervous System		{ lxxvi, lxxvii	Color in certain Grand Groups, and Age, Sex, and Nativity, Deaths from Cancer of the Stomach in the United States and in each Grand Group, with distinction of.	XLV	609-611
Diseases of the Respiratory System		{ lxxxii, lxxxiii	Color in certain Grand Groups, Deaths at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the sum thereof, with distinction of.	XXXVII	547-549
Diseases of the Urinary System and of the Male Organs of Generation.		{ lxxxix, xc	Color.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and to women of the ages specified.	LIV	657-659
Enteric or Typhoid Fever		{ xxxii- xxxv	Color.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-668
Erysipelas		lvii, lviii	Color, Sex, Age, Parentage, and Month of Death, and Grand Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see Introd., Part II, p. cvi), reported during the Census year, with distinction of.	XXXIV	519-535
Heart Disease and Dropsy		{ lxxvii- lxxix			
Hooping-cough		li-liv			
Hydrophobia		{ cxxxiii, cxxxiv			
Lightning		{ cxxxv- cxxxviii			
Malarial fevers		liv-lvi			
Measles		{ lxxvii, lxxviii			
Mental diseases		lvii			
Mumps		li			
Old Age		{ lxxxviii			
Peritonitis		{ lxxxv, lxxxvi			
Pleurisy		lxii-lxv			
Pneumonia		{ xxix- xxxii			
Scarlet Fever		lxv, lxvi			
Scrofula and Tubercles		{ xciv- cviii			
Suicide		{ lxxx- lxxxii			
Tetanus and Trismus Nascentium		771-788			
Charleston.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788			
Chicago.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788			
Child-birth, Abortion, Puerperal Septicæmia, and Still-birth as causes of death.		{ lxx- lxxvi			
Cincinnati.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788			
Cities and Rural.—Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647			

INDEX TO STATISTICS OF MORTALITY.

	Table.	Page.		Table.	Page.
Deaths from each cause in 1000 deaths of which the causes are known, with distinction of Sex.	XV	247-303	Diseases of the Nervous System as causes of death		{ lxxvi, lxxvii
Deaths in each 1000 deaths at known ages, classified by Age, Sex, and Cause.	XVI	365-373	Diseases of the Respiratory System as causes of death.....		{ lxxxii, lxxxliii
Deaths in each 1000 deaths at known ages, with distinction of Sex, by States and State Groups.	XVII	375-385	Diseases of the Urinary System and of the Male Organs of Generation as causes of death.		lxxxix, xc
Deaths in Infancy, and Births, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647	District of Columbia, Massachusetts, and New Jersey (Approximate Life Tables for), and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco,	LXIV	771-788
Deaths in Massachusetts, exclusive of Boston, reported by the registration system of the State, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LII	649-651	Districts, Rural, and Cities, and Color and Sex, Deaths from Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of, Dropsy and Heart Disease as causes of death	XLVI	617-623
Deaths in New Jersey reported by the registration system of the State, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LIII	653-655			lxvii-lxix
Deaths in 100,000 deaths from all causes, and total number of deaths due to certain specified diseases, 1850, 1870, 1880, and 1850.	XIX	429-432	E.		
Deaths in the United States during the Census year from certain specified diseases and classes of diseases, by Grand Groups, with distinction of Month of Death, Sex, and certain groups of ages:	XIV	185-345	England and Wales, Approximate Table showing numbers surviving at each age (1 x) for, and for Massachusetts and New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	789-791
Grand Group 1.—North Atlantic Coast region.....		186-193	England and Wales in 1876-'80, and Massachusetts and New Jersey during Census year, Mean After-Life Time (Expectation of Life) at various ages, based upon the Mortality of.	LXVI	789-791
2.—Middle Atlantic Coast region.....		192-201	Enteric or Typhoid Fever as a cause of death		{ xxxli- xxxv
3.—South Atlantic Coast region.....		200-209	Erysipelas as a cause of death		{ lvii, lviii
4.—Gulf Coast region.....		208-217	Expectation of Life (Mean After-Life Time) at various ages, based upon the Mortality of England and Wales in 1876-'80, and of Massachusetts and New Jersey during Census Year.	LXVI	789-791
5.—Northeastern Hills and Plateaus.....		216-223	Extremities, Upper, Lower Extremities, Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
6.—Central Appalachian region.....		224-231	F.		
7.—Region of the Great Northern Lakes.....		230-239	Face and Neck, Head, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
8.—The Interior Plateau.....		238-247	Female Organs of Generation, Diseases of, as causes of death.		xc, xc1
9.—Southern Central Appalachian region.....		246-255	Fever, Enteric or Typhoid, as a cause of death		{ xxxli- xxxv
10.—The Ohio River Belt.....		254-263	Fever, Scarlet, as a cause of death		{ xxix- xxxii
11.—Southern Interior Plateau.....		262-271	Fever, Malarial, as causes of death.....		{ xxxv- xxxviii
12.—South Mississippi River Belt.....		270-277	Foreign-born White Population of the United States, Ages, with Sex at each period of life of, at Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LX	727-741
13.—North Mississippi River Belt.....		278-285	G.		
14.—Southwest Central region.....		284-293	Generation, Diseases of Female Organs of, as causes of death.		xc, xc1
15.—Central region, plains and prairies.....		292-301	Generation, Diseases of Male Organs of, and of the Urinary System, as causes of death.		{ lxxxix, xc
16.—The Prairie region.....		300-309	German and Irish parentage, at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups and the sum thereof, with distinction of Sex and of.	XX	433-435
17.—Missouri River Belt.....		308-315	Grand Groups, Color in certain, and Age, Sex, and Nativity, Deaths from Cancer in the United States, and in each Grand Group, with distinction of.	XLII	579-587
18.—Region of the Western Plains.....		316-323	Grand Groups, Color in certain, and Age, Sex, and Nativity, Deaths from Cancer of the Breast in the United States, and in each Grand Group, with distinction of.	XLIII	580-597
19.—Heavily-timbered region of the Northwest.		322-329	Grand Groups, Color in certain, and Age, Sex, and Nativity, Deaths from Cancer of the Liver in the United States and in each Grand Group, with distinction of.	XLIV	589-607
20.—Cordilleran region.....		330-337			
21.—Pacific Coast region.....		336-345			
Deaths, Number of, for certain Grand Groups, and the sum thereof, with distinction of Sex and Color, at each age and group of ages in 1000 deaths of which the ages are known.	XXI	437-439			
Deaths, Number of, from each reported cause of death, by States, State Groups, and selected Cities.	XVIII	387-421			
Deaths, Total number of, reported as due to certain specified diseases and classes of diseases, and number of deaths from each cause in 100,000 deaths from all causes at the Censuses of 1880, 1870, 1860, and 1850.	XIX	429-432			
Diarrheal diseases as causes of death.....		xlvi-1			
Digestive System, Diseases of, as causes of death.....		{ lxxxvi- lxxxviii			
Diphtheria and Croup as causes of death.....		{ xxxviii- xlv			
Diphtheria, Deaths from, for 50 selected cities (for names of cities see Introd., Part II, p. cvi) reported during the Census year with distinction of Grand Groups, and of Sex, Age, Color, Parentage, and Month of Death.	XXXIV	519-535			
Diphtheria, Deaths from, in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see Introd., Part II, p. cvi), with distinction of Grand Groups, Sex, Age, Color, Parentage, and Month of Death.	XXXIII	495-517			
Diseases of the Bones and Joints as causes of death.....		xc1, xcii			
Diseases of the Digestive System as causes of death.....		{ lxxxvi- lxxxviii			
Diseases of the Female Organs of Generation as causes of death.		xc, xc1			

	Table.	Page.		Table.	Page.
Grand Groups, Color in certain, and Age and Nativity, Deaths from Cancer of the Uterus in the United States and in each Grand Group, with distinction of.	XLV	609-615	Groups of Ages.—Ages, with Sex at each period of life, of the Foreign-born White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LX	727-741
Grand Groups, Deaths from Cancer in certain, with distinction of Color, Sex, and Age.	XXXVI	543-545	Groups of Ages.—Ages, with Sex at each period of life, of the Native White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LIX	709-725
Grand Groups, Deaths from Cancer in each, and in the United States, with distinction of Age and Sex.	XXXV	537-541	Groups of Ages.—Ages, with Sex, at each period of life, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with the number of certain ages and groups of ages in 100,000 of all ages and of each race.	LVI	680-671
Grand Groups.—Deaths from Cancer in the United States and in each Grand Group of certain specified Nativities at each age and group of ages in 1000 deaths from cancer of which the ages are known.	XXXIX	561-565	Groups of Ages.—Ages, with Sex, at each period of life, of the White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVIII	691-707
Grand Groups.—Deaths from Cancer in the United States and in each Grand Group, with distinction of Age, Sex, and Civil Condition.	XL	567-573	Groups of Ages.—Population of the United States and of each State and Territory by Sex, with the number per 1000 of each sex at certain ages and groups of ages.	LXIII	765-769
Grand Groups.—Deaths from Cancer in the United States and in each Grand Group, with distinction of Nativity, Sex, and Age.	XXXVIII	551-559	II.		
Grand Groups, Deaths from Cancer of the Breast in the United States and in certain, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the breast of persons of all known ages.	XLVIII	625-627	Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
Grand Groups, Deaths from Cancer of the Liver in the United States and in certain, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the liver of persons of all known ages.	XLIX	620-631	Heart Disease and Dropsy as causes of death		lxvii- lxix
Grand Groups, Deaths from Cancer of the Stomach in the United States and in certain, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the stomach of persons of all known ages.	XLVII	625-627	Crouping-cough as a cause of death		li- liiv
Grand Groups, Deaths from Cancer of the Uterus in the United States and in certain, with distinction of Age, selected Nativities, and Color, in 1000 deaths of cancer of the uterus of persons of all known ages.	L	620-631	Humphrey's method, Approximate Table showing numbers surviving at each age (<i>lx</i>) for England and Wales, Massachusetts and New Jersey, as computed by, with distinction of Sex.	LXV	789-791
Grand Groups, Number of deaths for certain, and the sum thereof, with distinction of Sex and Color, at each age and group of ages in 1000 deaths of which the ages are known.	XXI	437-439	Hydrophobia as a cause of death		cxviii, cxvix
Grand Groups, Number of deaths for certain, and the sum thereof, with distinction of Sex, and Irish and German parentage, at each age and group of ages in 1000 deaths of which the ages are known.	XX	433-435	I.		
Grand Groups.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color, ratios of Births to population, and also to women of the ages specified.	LIV	657-659	Infancy, Deaths in, and Births, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647
Grand Groups, Population of, specified by Age, Sex, and Color.	LXII	759-763	Injuries and Accidents as causes of death		xcii- xciv
Grand Groups, ratios in, and in the United States, Births, and Deaths in Infancy, with statement of; also, in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647	Irish and German parentage, at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the sum thereof, with distinction of Sex and of.	XX	433-435
Grand Groups, Sex, Age, Color, Parentage, and Month of Death, Deaths from Diphtheria for 50 selected cities (for names of cities see Introd., Part II, p. cvi) reported during the Census year, with distinction of.	XXXIV	510-535	J.		
Grand Groups, Sex, Age, Color, Parentage, and Month of Death, Deaths from Diphtheria in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see Introd., Part II, p. cvi), with distinction of.	XXXIII	495-517	Joints and Bones, Diseases of the, as causes of death		xcj, xcii
Grand Groups, with distinction of Color in certain, Deaths at each age and group of ages in 1000 deaths of each sex from Cancer, of which the ages are known, in the United States and in each Grand Group.	XXXVII	547-549	L.		
Groups of Ages.—Ages, with Sex at each period of life, of the aggregate population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVII	673-689	Life Tables, Approximate, for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788
Groups of Ages.—Ages, with Sex at each period of life, of the Colored population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LXI	743-757	Life Tables, Births, and Birth Rates		cxl-cl
			Life Tables, Discussion of		cxliii-cl
			Lightning as a cause of death		cxviii, cxvix
			Liver, Deaths from Cancer of, in the United States and in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the liver of persons of all known ages.	XLIX	629-631
			Liver, Deaths from Cancer of, in the United States and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLIV	599-607
			Locality in relation to deaths		xi-xxvii
			Grand Group 1.—North Atlantic Coast region		xi
			2.—Middle Atlantic Coast region		xii
			3.—South Atlantic Coast region		xii
			4.—Gulf Coast region		xiii

	Table.	Page.		Table.	Page.
Locality in relation to deaths—Continued.			Month of Death, Sex, Age, Color, and Parentage, and Grand Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see <i>Introd., Part I, p. cvi</i>) reported during the Census year, with distinction of.	XXXIV	510-535
Grand Group 5.—Northeastern Hills and Plateaus		xiii	Month of Death, Sex, Age, Color, and Parentage, Deaths from certain specified diseases registered in 31 large cities of the United States (for names of cities see p 441) during the Census year, with distinction of.	} XXXIII- XXXII	} 475-403
6.—The Central Appalachian region		xiv			
7.—Region of the Great Northern Lakes		xiv	Morbidity or Sick Rates		} cxxxvi- cxxxix
8.—The Interior Plateau		xiv, xv			
9.—Southern Central Appalachian region		xv, xvi	Mortality of England and Wales in 1876-'80, and of Massachusetts and New Jersey during Census year, Mean After-Life Time (Expectation of Life) at various ages, based upon.	LXVI	789-791
10.—The Ohio River Belt		xvi			
11.—Southern Interior Plateau		xvi, xvii	Mouth, Head, Face and Neck, Abdomen, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex and Cities and Rural Districts.	XLVI	617-623
12.—South Mississippi River Belt		xvii			
13.—North Mississippi River Belt		{ xvii, xviii	Mumps as a cause of death		} lvii
14.—Southwest Central region		xviii			
15.—Central region, plains and prairies		xviii, xix	N.		
16.—The Prairie region		xix	Native White population of the United States, Ages, with Sex at each period of life, of, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LIX	709-725
17.—The Missouri River Belt		xix, xx	Nativities, Deaths from Cancer in the United States and in each Grand Group of certain specified Nativities at each age and group of ages in 1000 deaths from cancer of which the ages are known.	XXXIX	501-505
18.—Region of the Western Plains		xx	Nativities, selected, Age, and Color, in 1000 deaths of Cancer of the Uterus of persons of all known ages, Deaths from Cancer of the Uterus in the United States and in certain Grand Groups, with distinction of.	L	629-631
19.—Heavily timbered region of the Northwest		xxi	Nativities, selected, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United States and in certain Grand Groups, with distinction of.	XLVIII	625-627
20.—The Cordilleran region		xxi, xxii	Nativities, selected, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United States and in certain Grand Groups, with distinction of.	XLIX	629-631
21.—Pacific Coast region		xxii	Nativities, selected, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Stomach of persons of all known ages, Deaths from Cancer of the Stomach in the United States and in certain Grand Groups, with distinction of.	XLVII	625-627
Lower Extremities, Upper Extremities, Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623	Nativity, Age, and of Color in certain Grand Groups, Deaths from Cancer of the Uterus in the United States and in each Grand Group, with distinction of.	XLV	609-615
III.			Nativity, Age, and Sex, and of Color in certain Grand Groups, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XLII	579-585
Malarial Fevers as causes of death		{ xxxv- xxxviii	Nativity, Age, and Sex, and of Color in certain Grand Groups, Deaths from Cancer of the Breast in the United States, and in each Grand Group, with distinction of.	XLIII	589-597
Male Organs of Generation, Diseases of, and of the Urinary System, as causes of death		{ lxxxix, xc	Nativity, Age, and Sex, and of Color in certain Grand Groups, Deaths from Cancer of the Liver in the United States, and in each Grand Group, with distinction of.	XLIV	599-607
Massachusetts and New Jersey, Approximate Table showing numbers surviving at each age (1 x) for, and for England and Wales, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	789-791	Nativity.—Ages, with Sex for each period of life, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with the numbers of certain ages and groups of ages in 100,000 of all ages and of each race.	LVI	609-671
Massachusetts and New Jersey during Census year, and England and Wales in 1876-'80, Mean After-Life Time (Expectation of Life) at various ages, based upon the Mortality of.	LXVI	789-791	Nativity, Sex, and Age, Deaths from Cancer in the United States, and in each Grand Group, with distinction of.	XXXVIII	551-553
Massachusetts, Approximate Life Tables for, for New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Neck and Face, Head, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
Massachusetts, Deaths in, exclusive of Boston, reported by the registration system of the State; also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LII	649-651	Nervous System, Diseases of, as causes of death		{ lxxvi, lxxvii
Mean After-Life Time (Expectation of Life) at various ages, based upon the Mortality of England and Wales in 1876-'80, and of Massachusetts and New Jersey during Census year.	LXVI	789-791	New Jersey, Deaths in, reported by the registration system of the State; also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LIII	653-656
Measles as a cause of death		lv-lvi			
Mental diseases as causes of death		{ lxxvii, lxxviii			
Month of Death, Age, and Sex, Deaths reported by the Census enumerators in Massachusetts, exclusive of Boston, with distinction of; also those reported by the registration system of the State.	LII	649-651			
Month of Death, Age, and Sex, Deaths reported by the Census enumerators, with distinction of, in New Jersey; also those reported by the registration system of the State.	LIII	653-655			
Month of Death, Grand Groups, Sex, Age, Color, and Parentage, Deaths from Diphtheria in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see <i>Introd., Part II, p. cvi</i>), with distinction of.	XXXIII	495-517			
Month of Death, Sex, and certain groups of ages, Deaths from certain specified diseases and classes of diseases, with.	XIV	185-345			
Month of Death, Sex, Age, Color, and, in some cases, of Parentage, Total number of deaths from all causes registered in 31 large cities of the United States during the Census year, with distinction of.	XXII	441-473			

	Table.	Page.		Table.	Page.
New Jersey and Massachusetts, and the District of Columbia, Approximate Life Tables for, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	657-659
New Jersey and Massachusetts, Approximate Table showing numbers surviving at each age (1x) for, and for England and Wales, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	789-791	Population, Births, and number of Women from 15 to 49 years of age in the United States, and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-668
New Jersey and Massachusetts during Census year, and England and Wales in 1870-'80, Mortality of, Mean After-Life Time (Expectation of Life) at various ages, based upon.	LXVI	789-791	Population of Grand Groups specified by Age, Sex, and Color.	LXII	759-763
New Orleans.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Population of the United States and of each State and Territory by Sex, with the number per 1000 of each sex at certain ages and groups of ages.	LXIII	765-769
New York.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Puerperal Septicæmia, Child-birth, Abortion, and Still-birth as causes of death.		lxx-lxxvi
R.					
Number of deaths from each reported cause of death, by States, State Groups, and selected Cities.	XVIII	887-427	Race.—Ages, with Sex for each period of life, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with the numbers of certain ages and groups of ages in 100,000 of all ages and of each race.	LVI	669-671
Numbers surviving, Approximate Table showing, at each age (1x) for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	789-791	Ratios, in the United States and in Grand Groups, Births, and Deaths in Infancy, with statement of; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647
O.					
Occupation, specification of, Age and Sex, Deaths from Cancer in the United States, with distinction of.	XLI	575-577	Ratios of Births to Population.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex, and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	657-659
Old Age as a cause of death		li	Ratios of Births to Population.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-668
Organs of Generation, Diseases of, and of the Urinary System, as causes of death.		lxxxix, xc	Ratios.—Population, Births and Deaths, with statement of ratios and deaths from certain specified causes.	XIII	1-183
Organs of Generation, Diseases of Female, as causes of death.		xc, xci	Recommendations and Conclusions relative to Mortality and Vital Statistics.		clvii-clviii
P.					
Paralysis and Apoplexy as causes of death		lxxviii-lxxx	Rectum, Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
Parentage, Grand Groups, Sex, Age, Color, and Month of Death, Deaths from Diphtheria in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities see Intro., Part II, p. cv), with distinction of.	XXXIII	495-517	Registration system of the State, Deaths reported by, in Massachusetts, exclusive of Boston, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LII	649-651
Parentage, Irish and German, at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the sum thereof, with distinction of Sex and	XX	433-435	Registration system of the State, Deaths reported by, in New Jersey, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LIII	653-655
Parentage, Sex, Age, Color, and Month of Death, and Grand Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see Intro., Part II, p. cv) reported during the Census year, with distinction of.	XXXIV	519-535	Respiratory System, Diseases of, as causes of death		lxxxii, lxxxiii
Parentage, Sex, Age, Color, and Month of Death, Deaths from certain specified diseases registered in 31 large cities of the United States (for names of cities see p. 441) during the Census year, with distinction of.	XXIII-XXII	475-493	Rural and Cities.—Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups, also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647
Parentage.—Total number of deaths from all causes registered in 31 large cities of the United States during the Census year, with distinction of Sex, Age, Color, and Month of Death, and, in some cases, of Parentage.	XXII	441-473	Rural and Urban Mortality		xxii-xxvii
Peritonitis as a cause of death		lxxxviii	Rural Districts and Cities, and Color and Sex, Deaths from Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of.	XLVI	617-623
Philadelphia.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788	Rural Districts and Cities, Mortality in		xxii-xxvii
Plenrisky as a cause of death		lxxxv, lxxxvi	S.		
Pneumonia as a cause of death		lxii-lxy	Saint Louis.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	LXIV	771-788
Population, Births and Deaths, with statement of ratios, and deaths from certain specified causes.	XIII	1-183			

	Table.	Page.		Table.	Page.
San Francisco.—Approximate Life Tables for Massachusetts, New Jersey, the District of Columbia, and for the cities of Baltimore, Boston, Brooklyn, Charleston, Chicago, Cincinnati, New Orleans, New York, Philadelphia, Saint Louis, and San Francisco.	XLIV	771-788	Sex and Color at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the sum thereof, with distinction of.	XXI	437-439
Scarlet Fever as a cause of death		xxix-xxxii	Sex, and Irish and German parentage, at each age and group of ages in 1000 deaths of which the ages are known, Number of deaths for certain Grand Groups, and the sum thereof, with distinction of.	XX	433-435
Scrofula and Tubercles as causes of death		lxv, lxvi	Sex, Approximate Table showing numbers surviving at each age (1x) for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's method, with distinction of.	LXV	789-791
Selected Nativities, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United States and in certain Grand Groups, with distinction of.	XLVIII	625-627	Sex at each period of life, Ages, with, of the Colored population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LXI	743-757
Selected Nativities, Age, and Sex, and of Color, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United States and in certain Grand Groups, with distinction of.	XLIX	629-631	Sex at each period of life, Ages, with, of the Foreign-born White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LX	727-741
Sex, Age, and Cause, Deaths in each 1000 deaths at known ages, classified by.	XVI	865-873	Sex at each period of life, Ages, with, of the Native White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LIX	700-725
Sex, Age, and Civil Condition, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XL	567-573	Sex at each period of life, Ages, with, of the White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVIII	691-707
Sex, Age, and Color, Population of Grand Groups, specified by.	LXII	759-763	Sex, Color, and Age, Deaths from Cancer in certain Grand Groups, with distinction of.	XXXVI	543-545
Sex, Age, and Month of Death, Deaths reported by the Census enumerators in Massachusetts, exclusive of Boston, with distinction of; also those reported by the registration system of the State.	LII	649-651	Sex, Deaths at each age and group of ages in 1000 deaths of each, from Cancer, of which the ages are known, in the United States and in each Grand Group, with distinction of Color in certain Grand Groups.	XXXVII	547-549
Sex, Age, and Month of Death, Deaths reported by the Census enumerators, with distinction of, in New Jersey, also those reported by the registration system of the State.	LIII	653-655	Sex, Deaths from each cause in 1000 deaths of which the causes are known, with distinction of.	XV	347-363
Sex, Age, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Breast in the United States, and in each Grand Group, with distinction of.	XLIII	589-597	Sex, Deaths in each 1000 deaths at known ages, with distinction of, by States and State Groups.	XVII	375-385
Sex, Age, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Liver in the United States and in each Grand Group, with distinction of.	XLIV	599-607	Sex for each period of life, Ages, with, of the aggregate population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVII	678-689
Sex, Age, and Nativity, and of Color in certain Grand Groups, Deaths from Cancer of the Stomach in the United States and in each Grand Group, with distinction of.	XLII	579-587	Sex for each period of life, Ages, with, of the population of the United States, at the Census of 1880, in the aggregate, with Nativity and Race, with numbers of certain ages and groups of ages in 100,000 of all ages and of each race.	LVI	669-671
Sex, Age, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Breast of persons of all known ages, Deaths from Cancer of the Breast in the United States and in certain Grand Groups, with distinction of.	XLVIII	625-627	Sex, Grand Groups, Age, Color, Parentage, and Month of Death, Deaths from Diphtheria in the United States reported during the Census year, with exclusion of 50 selected cities (for names of cities, see Intro., Part II, p. cvi.), with distinction of.	XXXIII	495-517
Sex, Age, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Liver of persons of all known ages, Deaths from Cancer of the Liver in the United States and in certain Grand Groups, with distinction of.	XLIX	629-631	Sex, Month of Death, and certain groups of ages, Deaths from certain specified diseases and classes of diseases, with.	XLV	183-245
Sex, Age, and selected Nativities, and of Color, in 1000 deaths of Cancer of the Stomach of persons of all known ages, Deaths from Cancer of the Stomach in the United States and in certain Grand Groups, with distinction of.	XLVII	625-627	Sex, Nativity, and Age, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XXXVIII	551-559
Sex, Age, and specification of Occupation, Deaths from Cancer in the United States, with distinction of.	XLI	575-577	Sex.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	657-659
Sex, Age, Color, and Month of Death, and, in some cases, of Parentage, Total number of deaths from all causes registered in 31 large cities of the United States during the Census year, with distinction of.	XXII	441-473	Sex.—Population, Births, and number of Women from 15 to 49 years of age, in the United States and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-668
Sex, Age, Color, Parentage, and Month of Death, and Grand Groups, Deaths from Diphtheria for 50 selected cities (for names of cities see Intro., Part II, p. cvi) reported during the Census year, with distinction of.	XXXIV	519-535	Sex, Population of the United States and of each State and Territory by, with the number per 1000 of each sex at certain ages and groups of ages.	LXIII	705-709
Sex, Age, Color, Parentage, and Month of Death, Deaths from certain specified diseases registered in 31 large cities of the United States (for names of cities see p. 441) during the Census year, with distinction of.	XXII-XXXII	475-493	Sick Rates or Morbidity	xxxxvi-xxxxix	575-577
Sex and Age, Deaths from Cancer in the United States and in each Grand Group, with distinction of.	XXXV	537-541	Specification of Occupation, Age, and Sex, Deaths from Cancer in the United States, with distinction of.	XLI	
Sex and Color, and Cities and Rural Districts, Deaths from Cancer of Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, Upper Extremities, Lower Extremities, and other localities, with distinction of.	XLVI	617-623			

	Table.	Page.		Table.	Page.
Specified causes, Death from certain.....		{ cxxxii, cxxxiii	Summary for States, Groups, Cities, etc.—Continued.		
Specified diseases and classes of diseases, with Month of Death, Sex, and certain groups of ages, Deaths from.	XIV	185-345	Connecticut		18-21
Specified diseases, Deaths due to certain, and number of deaths in 100,000 deaths from all causes: 1880, 1870, 1860, and 1850.	XIX	420-432	Dakota		20, 21
State and Territory, Population of the United States and of each, by Sex, with the number per 1000 of each sex at certain ages and groups of ages.	LXIII	705-769	Delaware		20, 21
States and State Groups.—Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups; also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647	District of Columbia.....		22, 23
State and State Groups, Deaths in each 1000 deaths at known ages, with distinction of Sex, by.	XVII	375-385	Florida		24-35
State and State Group, Population, Births, and number of Women from 15 to 40 years of age in the United States and in each, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-668	Georgia		34, 35
States and Territories.—Ages, with Sex at each period of life, of the aggregate population of the United States at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVII	673-689	Idaho		34-41
States and Territories.—Ages, with Sex at each period of life, of the Colored population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LXI	743-757	Illinois		42-47
States and Territories.—Ages, with Sex at each period of life, of the Foreign-born White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LX	727-741	Indiana		48-53
States and Territories.—Ages, with Sex at each period of life, of the Native White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LIX	709-725	Iowa		52-57
States and Territories.—Ages, with Sex at each period of life, of the White population of the United States, at the Census of 1880, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVIII	691-707	Kansas		56-65
States, State Groups, and selected Cities, Number of deaths from each reported cause of death, by:	XVIII	387-427	Kentucky		60-73
Still-birth, Abortion, Child-birth, and Puerperal Septicæmia as causes of death.		lxx-lxxvi	Louisiana		72-75
Stomach, Deaths from Cancer of, in the United States and in certain Grand Groups, with distinction of Age, Sex, and selected Nativities, and of Color, in 1000 deaths of cancer of the stomach of persons of all known ages.	XLVII	625-627	Maine		74-77
Stomach, Deaths from Cancer of, in the United States and in each Grand Group, with distinction of Age, Sex, and Nativity, and of Color in certain Grand Groups.	XLIII	570-587	Maryland		76-79
Suicide as a cause of death		{ xciv- cviii	Massachusetts		78-83
Summary for States, Groups, Cities, and for Counties of 10,000 population and upward, showing, with distinction of Sex and certain Groups of Ages, and of Color in each State Group, City, and County in which the Colored population is 20 per cent. or more of the whole, the living population at the date of the Census, and the Births and Deaths during the Census year, with statement of ratios, and also the number of deaths from certain specified causes, during the Census year:	XIII	1-183	Michigan		82-85
Alabama.....		2-11	Minnesota		84-95
Arizona.....		10, 11	Mississippi		94-101
Arkansas.....		12-17	Missouri.....		100, 101
California.....		16-19	Montana.....		100-103
Colorado.....		18, 19	Nebraska.....		102, 103
			Nevada.....		102, 103
			New Hampshire.....		104, 105
			New Jersey.....		106, 107
			New Mexico.....		106-111
			New York.....		112-121
			North Carolina.....		122-123
			Ohio.....		128, 129
			Oregon.....		128-135
			Pennsylvania.....		134, 135
			Rhode Island.....		134-141
			South Carolina.....		140-149
			Tennessee.....		148-157
			Texas.....		156, 157
			Utah.....		156-159
			Vermont.....		158-166
			Virginia.....		168, 169
			Washington.....		168-171
			West Virginia.....		170-175
			Wisconsin.....		174, 175
			Wyoming.....		174-179
			A.—The States and Territories presented together for comparison.....		180-183
			B.—The Cities presented together for comparison.....		789-791
			Surviving, numbers, at each age (12), Approximat. Table showing, for England and Wales, Massachusetts and New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	
			System, registration, Deaths reported by, in Massachusetts, exclusive of Boston, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LII	640-651
			System, registration, of the State, Deaths reported by, in New Jersey, also those reported by the Census enumerators, with distinction of Sex, Age, and Month of Death.	LIII	653-655
			T.		
			Tubes and Scrofula as causes of death.....		lxxv, lxxvi
			Tetanus and Trismus Nascentium as causes of death.....		{ lxxx- lxxxii
			Throat and Tongue, Head, Face and Neck, Abdomen, Mouth, Rectum, Upper Extremities, Lower Extremities, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623
			Trismus Nascentium and Tetanus as causes of death.....		{ lxxx- lxxxii
			Typhoid or Enteric Fever as a causes of death.....		{ xxxii- xxxv
			U.		
			Upper Extremities, Lower Extremities, Head, Face and Neck, Abdomen, Mouth, Tongue and Throat, Rectum, and other localities, Deaths from Cancer of, with distinction of Color and Sex, and Cities and Rural Districts.	XLVI	617-623

	Table.	Page.		Table.	Page.
Urban and Rural Mortality.....		{ xxii- xxvii	Wales and England in 1876-'80, and Massachusetts and New Jersey during the Census year, Mortality of Mean After-Life Time (Expectation of Life) at various ages, based upon.	LXVI	789-791
Urinary System, Diseases of, and of the Male Organs of Generation, as causes of death.		{ lxxxix, xc			
Uterus, Deaths from Cancer of, in the United States and in certain Grand Groups, with distinction of Age, selected Nativities, and Color, in 1000 deaths of cancer of the uterus of persons of all known ages.	L	629-631	White and Colored.—Births, and Deaths in Infancy, with statement of ratios in the United States and in Grand Groups, also in States and State Groups, with distinction of Rural and Cities, and, in certain Grand Groups, of White and Colored.	LI	633-647
Uterus, Deaths from Cancer of, in the United States and in each Grand Group, with distinction of Age and Nativity, and of Color in certain Grand Groups.	XLV	609-615	White Population of the United States, at the Census of 1880, Ages, with Sex at each period of life, of, with the number of certain ages and groups of ages in 100,000 of all ages, by States and Territories.	LVIII	691-707
V.					
Various ages, Mean After-Life Time (Expectation of Life) at, based upon the Mortality of England and Wales in 1876-'80, and of Massachusetts and New Jersey during Census year.	LXVI	789-791	Women, Number of, from 15 to 49 years of age, Population and Births, in the United States and in each Grand Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LIV	657-659
Venereal diseases and Alcoholism as causes of death		{ lxxvi, lxxvii			
W.					
Wales and England, Approximate Table showing numbers surviving at each age (1 α) for, and for Massachusetts and New Jersey, as computed by Mr. Humphrey's method, with distinction of Sex.	LXV	789-791	Women, Number of, from 15 to 49 years of age, Population, and Births, in the United States and in each State and State Group, with distinction of Sex and, in certain cases, of Color; ratios of Births to population, and also to women of the ages specified.	LV	661-663