TABLE 6.

DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX.

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

AGGREGATE.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes		225,968	70,163	14,553	6,688	4,377	3,183	98,964
2	Males		121,783	39,074	7,538	3,478	2,266	1,631	53,987
3	Females		104,185	31,089	7,015	3,210	2,111	1,552	44,977
4	Unknown causes		935	274	26	20	9	11	340
5	Males		500	137	14	10	3	7	171
6	Females		435	137	12	10	6	4	169
	I.—General diseases.								
7	General diseases—A		44,130	16,677	5,682	2,706	2,010	1,574	28,649
8	Males		22,725	8,780	2,910	1,362	1,037	792	14,881
9	Females		21,405	7,897	2,772	1,344	973	782	13,768
10	1. Smallpox	M.	9	1	1				2
		F.	3	1					1
11	2. Measles	M.	871	231	332	132	69	32	796
		F.	856	243	279	144	70	33	769
12	3. Scarlet fever	M.	788	43	128	137	122	99	529
		F.	874	48	138	155	137	113	591
13	4. Diphtheria	M.	4,014	242	596	669	633	525	2,665
		F.	4,083	195	538	649	581	506	2,469
14	5. Whooping cough	M.	753	432	195	67	28	11	733
		F.	918	466	223	109	45	24	867
15	6. Fever	M.	22	6	1	1	1	1	10
		F.	31	7	3		1	1	12
16	7. Cerebro-spinal fever	M.	372	107	75	33	18	17	250
		F.	320	92	49	22	22	12	197
17	8. Typhoid fever	M.	3,005	35	18	29	26	28	136
		F.	2,159	24	20	15	22	23	104
18	9. Diarrheal diseases	M.	6,355	3,712	770	154	62	36	4,734
		F.	5,963	3,078	760	142	52	39	4,071
19	10. Cholera infantum	M.	4,415	3,552	748	78	24	9	4,411
		F.	4,142	3,374	684	64	9	4	4,135
20	11. Malarial fever	M.	903	87	29	37	31	17	201
		F.	920	46	42	28	26	13	155
21	12. Erysipelas	M.	324	102	3	4	2	1	112
		F.	283	128	9	3	1	3	144
22	13. Septicæmia	M.	342	38	1	9	8	16	72
		F.	409	42	7	9	5	7	70
23	14. Venereal diseases	M.	323	173	7	5	3		188
		F.	235	134	9		1		144
24	15. Others of this group	M.	229	19	6	7	10		42
		F.	209	19	11	4	1	4	39
25	General diseases—B		5,188	3,422	143	39	22	14	3,640
26	Males		3,097	1,886	72	21	15	4	1,998
27	Females		2,091	1,536	71	18	7	10	1,642
28	1. Parasitic diseases	M.	9	2			1	1	4
		F.	10	2	2		1		5
29	2. Alcoholism	M.	850	1	1		1		3
		F.	248		1				1
30	3. Lead poison	M.	44						
		F.	3		1				1
31	4. Other poisons	M.	140	8	8	3	2	1	22
		F.	89	7	5	5	2	4	23
32	5. Inanition	M.	2,054	1,875	63	18	11	2	1,969
		F.	1,741	1,527	62	13	4	6	1,612
33	General diseases—C		33,149	26,255	541	132	42	34	27,004
34	Males		17,725	14,926	272	63	16	18	15,295
35	Females		15,424	11,329	269	69	26	16	11,709
36	1. Premature birth	M.	1,747	1,745	2				1,747
		F.	1,294	1,294					1,294
37	2. Stillborn	M.	9,450	9,450					9,450
		F.	6,865	6,865					6,865
38	3. Malformation	M.	260	254	2			1	257
		F.	198	191	2	1		1	195
39	4. Debility and atrophy	M.	5,079	3,477	268	63	16	17	3,841
		F.	5,107	2,979	267	68	26	15	3,355
40	5. Old age	M.	1,189						
		F.	1,960						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX.

AGGREGATE.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
7,558	3,437	5,746	9,659	11,050	10,284	9,987	8,982	9,037	8,712	7,984	8,360	26,208	1
3,826	1,681	2,794	5,110	5,906	5,759	5,771	5,251	5,356	4,904	4,521	4,506	12,411	2
3,732	1,756	2,952	4,549	5,144	4,525	4,216	3,731	3,681	3,808	3,463	3,854	13,797	3
19	15	18	31	40	48	55	36	39	43	47	49	155	4
11	6	6	15	21	27	38	24	29	26	19	29	78	5
8	9	12	16	19	21	17	12	10	17	28	20	77	6
3,643	1,087	1,259	1,639	1,409	1,026	840	652	614	540	545	531	1,696	7
1,737	479	617	907	767	588	474	369	341	279	281	263	742	8
1,906	608	642	732	642	438	366	283	273	261	264	268	954	9
1		1	2					1	2				10
			1				1						
57	7	2	1	4			1					3	11
60	7	8	3	2	3	2		2					
204	25	11	4	5	3	2	1	1			1	2	12
218	24	12	7	7	7	3	1			2		2	
1,075	151	42	19	6	14	9	11	2	3	6	2	9	13
1,222	238	48	39	18	13	13	6	5	4	2	2	4	
16	2						1					1	14
37	6		2			1		1				4	
	1	1	1					3		3	1	2	15
2		3	2	2	3	2	1	1	1	1		1	
41	17	17	6	12	5	6	4	4	2	3	2	3	16
42	22	15	12	8	7	5	3	4	2			3	
121	163	403	668	487	358	226	137	96	63	44	38	65	17
127	182	389	415	318	170	123	83	72	50	44	17	65	
126	40	48	78	119	85	107	97	127	112	137	137	408	18
120	60	56	112	113	92	101	93	109	121	134	170	611	
												4	19
												7	
64	49	67	78	73	55	51	49	35	38	38	36	69	20
57	50	85	64	77	52	57	49	31	36	46	44	108	
7	1	2	11	12	14	26	20	25	17	17	16	44	21
1		5	5	5	13	6	13	11	14	9	9	48	
16	13	18	24	27	26	22	23	18	26	16	9	32	22
11	9	12	60	70	55	30	21	21	11	12	8	19	
3	2	2	10	17	22	19	21	13	12	4	1	9	23
3		6	7	18	15	16	7	7	6	3	1	2	
6	8	3	5	5	6	6	4	16	4	13	20	91	24
6	1	3	3	4	8	7	5	9	16	11	17	80	
25	8	19	71	167	206	207	203	168	154	93	74	153	25
15	4	6	34	125	147	158	149	134	122	72	52	81	26
10	4	13	37	42	59	49	54	34	32	21	23	72	27
3					1						1		28
1				1			1		1			1	
4	2	1	23	97	117	132	134	108	101	60	36	32	29
		1	16	32	40	38	40	27	19	13	12	9	
		1	3	9	8	8	4	3	7	1			30
								1		1			
2	1	2	6	15	17	12	3	19	13	8	9	6	31
5		7	13	5	9	7	5	2	8	1	2	2	
6	1	2	2	4	4	6	3	4	1	3	6	43	32
4	4	5	8	4	10	4	8	4	4	6	8	60	
56	21	28	31	31	49	45	54	63	96	135	312	5,224	33
22	7	7	20	12	23	21	31	22	43	56	122	2,044	34
34	14	21	11	19	26	24	23	41	53	79	190	3,180	35
													36
													37
2												1	38
2								1					
20	7	7	20	12	23	21	31	22	43	56	91	885	39
32	14	21	11	19	26	24	23	40	53	79	146	1,264	
											31	1,158	40
											44	1,916	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

AGGREGATE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	I.—General diseases—Continued. General diseases—D		36,266	1,820	841	377	214	181	3,433
2	Males		18,967	1,092	437	201	115	93	1,938
3	Females		17,299	728	404	176	99	88	1,495
4	1. Rheumatism	M.	420	10	4	3	3	4	24
		F.	372	11	5	1	2	3	22
5	2. Scrofula and tabes	M.	328	130	28	16	12	11	197
		F.	326	117	34	18	4	9	182
6	3. Leprosy	M.	3						
		F.	2						
7	4. Consumption	M.	14,363	284	139	76	37	30	566
		F.	11,706	203	136	63	43	35	485
8	5. Hydrocephalus	M.	1,110	532	238	89	49	27	935
		F.	810	332	194	75	44	34	679
9	6. Cancer	M.	1,627	4	2	3	2	5	16
		F.	3,004	2	5	2			9
10	7. Tumor	M.	262	8	2	1	5	3	19
		F.	246	2	4	4	1	2	13
11	8. Anæmia	M.	166	51	5	2	2	2	62
		F.	198	32	6	3	1		42
12	9. Dropsy	M.	286	14	5	2	2	4	27
		F.	337	6	5	3	1	2	17
13	10. Diabetes	M.	249	2	2	1		3	8
		F.	204	1	1				2
14	11. Others of this group	M.	148	57	12	8	3	4	84
		F.	92	22	14	2	3	3	44
15	12. Others of this class	M.	5						
		F.	2						
16	II.—Diseases of the nervous system		24,080	9,052	2,171	824	487	323	12,857
17	Males		13,644	5,150	1,116	435	238	170	7,109
18	Females		11,336	3,902	1,055	389	249	153	5,748
19	1. Inflammation of the brain	M.	3,095	1,243	518	206	127	99	2,193
		F.	2,541	902	513	209	132	85	1,841
20	2. Apoplexy	M.	2,436	39	7	5	4	1	56
		F.	2,177	32	10	8	1	4	55
21	3. Paralysis	M.	1,169	15	9	7	4	3	38
		F.	1,217	18	9	4	7	3	41
22	4. Tetanus and trismus nascentium	M.	403	402	2	2			406
		F.	305	277	1			1	279
23	5. Epilepsy	M.	248	12	9	5	2	2	30
		F.	184	14	3	3			20
24	6. Convulsions	M.	3,749	2,909	426	149	72	37	3,593
		F.	3,005	2,247	380	119	73	38	2,857
25	7. Mental diseases	M.	224						
		F.	228						
26	8. Diseases of the brain	M.	1,775	467	122	49	25	25	688
		F.	1,248	348	125	40	27	16	556
27	9. Diseases of the spinal cord	M.	374	60	20	11	4	3	98
		F.	279	61	14	6	9	5	95
28	10. Others of this class	M.	81	3	3	1			7
		F.	152	3				1	4
29	III.—Diseases of the circulatory system		12,696	1,103	56	28	34	32	1,253
30	Males		6,729	621	30	17	18	21	707
31	Females		5,967	482	26	11	16	11	546
32	1. Angina pectoris	M.	178						
		F.	109						
33	2. Aneurism	M.	197						
		F.	55						
34	3. Diseases of the heart	M.	5,829	183	24	15	18	21	261
		F.	5,397	153	22	8	15	11	209
35	4. Others of this class	M.	525	438	6	2			446
		F.	406	329	4	3	1		337

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

AGGREGATE—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
528	568	1,972	3,832	4,316	3,870	3,422	2,847	2,568	2,296	1,839	1,669	3,106	1
250	204	800	1,065	2,253	2,101	1,916	1,543	1,428	1,221	1,004	860	1,484	2
278	364	1,172	1,867	2,063	1,769	1,506	1,304	1,140	1,075	835	809	1,622	3
21	15	23	21	25	22	36	27	32	37	36	30	71	4
16	28	20	14	18	17	23	17	27	21	29	29	91	
14	9	12	15	23	8	8	6	9	7	10	4	6	5
14	9	10	17	28	13	11	13	6	4	7	6	6	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	6
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	
87	136	720	1,879	2,112	1,963	1,710	1,340	1,142	863	631	505	709	7
140	288	1,093	1,767	1,907	1,542	1,198	859	664	501	368	300	585	
94	14	10	8	14	3	12	6	2	2	4	2	4	8
60	14	11	7	6	4	8	4	1	2	1	.....	4	
7	1	2	9	28	42	86	115	168	219	232	240	462	9
4	.....	6	21	58	150	203	328	376	440	343	367	699	
5	8	10	10	21	23	23	17	29	26	24	16	31	10
7	6	7	7	12	16	19	34	20	25	18	24	38	
4	3	8	2	5	5	6	2	10	10	15	12	22	11
6	5	9	14	11	11	19	8	8	20	15	13	17	
6	6	4	5	8	12	14	13	11	23	22	24	111	12
3	5	6	8	9	9	12	27	20	34	27	36	124	
6	9	8	6	10	19	18	14	22	31	22	22	54	13
3	5	6	6	12	4	10	11	16	26	24	29	50	
6	2	3	10	6	4	2	3	2	3	6	5	12	14
7	4	4	5	2	3	2	3	2	2	3	5	6	
.....	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	1	15
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
681	317	323	399	459	537	681	680	858	995	1,019	1,215	3,959	16
367	157	174	213	244	312	403	405	495	558	576	667	1,964	17
314	160	149	186	215	225	278	275	363	437	443	548	1,995	18
218	72	63	57	68	58	62	61	57	51	44	31	60	19
175	86	47	51	49	46	44	31	42	23	25	17	64	
5	5	15	31	46	77	100	134	190	230	261	345	941	20
5	3	15	22	37	55	68	105	143	215	213	295	946	
9	6	15	14	18	29	51	57	80	103	111	116	522	21
11	4	10	14	27	23	31	41	58	95	94	134	634	
12	12	9	7	5	4	9	6	10	4	3	4	2	22
2	2	2	5	1	3	5	2	1	.....	1	.....	2	
11	18	18	21	18	26	26	18	13	11	13	10	15	23
9	13	14	22	9	15	21	10	13	3	7	11	17	
50	12	13	6	7	4	14	2	3	8	3	6	19	24
47	13	11	5	16	9	5	6	4	7	3	2	20	
.....	.....	4	13	11	15	24	18	21	15	14	26	63	25
1	1	3	12	19	16	19	18	24	21	19	13	62	
38	23	26	47	61	70	90	80	87	100	86	100	279	26
40	25	22	33	38	36	50	38	51	52	55	54	198	
14	8	10	15	8	26	20	23	28	30	35	22	37	27
10	8	13	13	10	10	22	13	18	14	16	12	16	
1	1	1	2	2	3	7	6	6	6	6	7	26	28
5	5	12	9	9	12	13	11	9	7	10	10	36	
274	310	372	467	538	606	755	817	952	979	1,034	1,113	3,226	29
115	128	193	220	260	335	433	482	536	532	567	594	1,627	30
159	182	179	247	278	271	322	335	416	447	467	519	1,599	31
.....	1	2	.....	5	4	12	15	18	15	28	24	54	32
2	.....	2	5	7	7	5	4	7	9	13	14	34	
.....	.....	2	7	11	12	27	29	31	21	24	16	17	33
.....	1	2	3	1	3	6	11	9	6	2	3	8	
113	126	186	211	243	318	389	435	484	490	511	546	1,516	34
157	179	174	236	267	258	308	317	396	429	445	494	1,528	
2	1	3	2	1	1	5	3	3	6	4	8	40	35
.....	2	1	3	3	3	3	3	4	3	7	8	29	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

AGGREGATE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system	37,873	8,470	4,270	2,206	1,279	780	17,005
2	Males	20,743	4,748	2,240	1,163	665	388	9,204
3	Females	17,130	3,722	2,030	1,043	614	392	7,801
4	1. Croup M.	1,732	233	397	361	258	187	1,436
	F.	1,474	142	352	312	219	157	1,182
5	2. Laryngitis M.	193	33	43	26	21	6	129
	F.	166	32	30	18	23	12	115
6	3. Bronchitis M.	4,608	1,025	612	234	99	50	2,020
	F.	4,507	1,624	598	222	102	47	2,593
7	4. Pneumonia M.	12,043	2,045	1,099	488	258	124	4,014
	F.	9,301	1,542	982	447	256	105	3,302
8	5. Pleurisy M.	386	25	16	9	3	2	55
	F.	237	19	11	9	1	1	41
9	6. Asthma M.	337	8	2	2	1	2	15
	F.	285	8	1	2	.....	.....	11
10	7. Others of this class M.	1,444	479	71	43	25	17	635
	F.	1,100	355	56	33	13	10	467
11	V.—Diseases of the digestive system	9,802	2,078	577	126	75	51	2,907
12	Males	5,117	1,155	302	76	44	31	1,608
13	Females	4,685	923	275	50	31	20	1,299
14	1. Dentition M.	467	269	182	14	1	1	467
	F.	423	241	172	8	.....	1	422
15	2. Angina M.	94	22	12	11	10	4	59
	F.	78	14	5	8	6	5	38
16	3. Diseases of the stomach M.	927	204	43	16	10	5	278
	F.	973	167	40	18	5	6	236
17	4. Obstruction of the bowels M.	313	72	3	6	5	2	88
	F.	296	37	7	.....	3	1	48
18	5. Hernia M.	201	29	.....	1	.....	.....	30
	F.	168	4	.....	.....	.....	.....	4
19	6. Other diseases of the bowels M.	97	29	6	2	.....	1	38
	F.	74	28	1	.....	1	.....	30
20	7. Jaundice M.	216	135	3	2	3	1	144
	F.	149	80	3	1	.....	.....	84
21	8. Inflammation and abscess of the liver M.	331	10	2	2	.....	.....	14
	F.	246	7	1	.....	2	.....	10
22	9. Other diseases of the liver M.	1,078	15	2	2	3	1	23
	F.	645	14	2	1	2	1	20
23	10. Peritonitis M.	728	58	21	9	5	10	103
	F.	1,047	50	13	3	4	4	74
24	11. Ascites M.	42	3	.....	.....	1	.....	4
	F.	49	1	.....	.....	.....	.....	1
25	12. Others of this class M.	623	309	28	11	6	6	360
	F.	547	280	31	11	8	2	332
26	VI.—Diseases of the urinary system and male organs of generation.	8,083	162	48	56	53	50	369
27	Males	4,660	103	35	29	28	25	220
28	Females	3,423	59	13	27	25	25	149
29	1. Bright's disease M.	2,216	.....	.....	.....	.....	.....	.....
	F.	1,731	.....	.....	.....	.....	.....	.....
30	2. Calculus, urinary M.	32	4	2	.....	1	.....	7
	F.	17	1	.....	.....	.....	.....	1
31	3. Diseases of the kidney M.	1,719	77	29	27	22	25	180
	F.	1,428	47	12	22	24	20	125
32	4. Diseases of the bladder M.	326	2	.....	1	1	.....	4
	F.	64	2	.....	1	.....	.....	3
33	5. Others of this class M.	367	20	4	1	4	.....	29
	F.	183	9	1	4	1	5	20
34	VII.—Diseases of the female organs of generation	598	.....	.....	2	.....	.....	2
35	1. Ovarian tumors	157	.....	.....	.....	.....	.....	.....
36	2. Ovarian diseases	30	.....	.....	.....	.....	.....	.....
37	3. Uterine tumors	111	.....	.....	.....	.....	.....	.....
38	4. Uterine diseases	49	.....	.....	.....	.....	.....	.....
39	5. Others of this class	251	.....	.....	2	.....	.....	2
40	VIII.—Affections connected with pregnancy	1,706	.....	.....	.....	.....	.....	.....
41	1. Abortion	127	.....	.....	.....	.....	.....	.....
42	2. Childbirth	373	.....	.....	.....	.....	.....	.....
43	3. Puerperal septicæmia	879	.....	.....	.....	.....	.....	.....
44	4. Extra-uterine pregnancy	26	.....	.....	.....	.....	.....	.....
45	5. Others of this class	301	.....	.....	.....	.....	.....	.....

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

AGGREGATE—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
1,426	389	695	1,192	1,495	1,537	1,540	1,498	1,601	1,611	1,538	1,621	4,725	1
724	192	348	739	951	964	1,004	942	1,000	911	852	824	2,088	2
702	197	347	453	544	573	536	556	601	700	686	797	2,637	3
260	17	2	4	3	2	2	1	.....	1	.....	1	3	4
253	12	3	3	3	3	.....	.....	.....	2	1	1	11	
18	5	1	3	5	3	6	3	6	5	6	1	2	5
25	4	2	1	4	4	3	1	1	.....	1	1	4	
78	19	27	51	72	62	74	102	113	143	143	162	642	6
74	35	39	57	64	58	58	75	90	130	163	218	913	
324	123	267	621	782	775	816	741	702	650	572	500	1,096	7
311	125	268	345	415	440	418	409	443	475	433	484	1,334	
10	8	21	18	30	33	32	20	24	27	32	31	45	8
13	4	11	13	17	16	20	15	11	10	11	10	45	
2	3	1	1	2	12	16	14	29	33	34	45	130	9
1	.....	1	3	3	4	7	11	18	31	37	35	123	
32	17	29	41	57	77	58	61	66	52	65	84	170	10
25	17	23	31	38	39	30	45	38	52	40	48	207	
221	167	238	363	536	521	567	594	623	615	582	579	1,289	11
124	87	120	162	236	235	265	330	337	318	324	336	635	12
97	80	118	201	300	286	302	264	286	297	258	243	654	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
12	3	.....	1	4	3	2	1	1	2	3	.....	3	15
19	7	3	.....	2	2	2	.....	4	.....	.....	.....	1	
20	5	13	21	36	42	43	58	60	52	77	57	165	16
29	7	19	41	49	55	55	50	51	68	57	64	192	
16	11	9	19	20	20	23	21	9	17	12	15	33	17
8	7	7	9	16	10	22	22	20	27	15	20	65	
1	1	1	7	5	10	8	10	14	19	16	23	56	18
1	1	.....	1	3	1	10	9	25	15	14	22	52	
2	2	5	3	7	6	5	8	.....	.....	4	11	6	19
.....	1	4	2	4	7	4	1	2	9	2	2	6	
1	.....	.....	2	5	4	1	7	8	11	6	4	23	20
1	.....	3	.....	5	4	8	2	6	7	7	8	14	
6	5	4	10	20	19	44	33	35	27	31	34	49	21
2	1	6	6	18	15	15	28	24	29	18	24	50	
4	2	6	9	32	58	84	120	148	139	127	137	180	22
1	2	2	10	31	30	56	58	79	81	75	63	137	
44	42	59	71	81	55	42	44	43	30	29	28	57	23
24	45	62	121	154	145	113	81	58	39	41	21	69	
.....	.....	.....	1	2	1	1	6	2	4	5	6	10	24
1	.....	1	1	1	1	4	3	2	5	9	3	17	
18	16	23	18	24	17	12	13	17	17	14	21	53	25
11	9	11	10	17	16	13	10	15	17	20	16	50	
171	81	132	306	502	538	610	664	732	760	642	701	1,785	26
89	41	68	137	239	290	339	362	430	436	384	401	1,134	27
82	40	61	169	263	248	271	302	302	324	258	300	651	28
25	20	40	67	110	159	199	201	230	254	201	251	450	29
27	16	35	70	127	126	145	169	179	191	138	165	343	
1	.....	1	.....	.....	.....	.....	.....	.....	2	2	4	15	30
.....	.....	1	.....	.....	.....	1	1	1	2	3	3	4	
59	19	25	61	106	116	111	134	149	138	132	154	335	31
48	23	21	83	109	100	116	120	102	120	101	113	247	
1	.....	1	2	5	.....	6	10	11	14	30	44	198	32
.....	.....	2	3	5	1	1	4	7	4	6	7	21	
3	2	1	7	18	15	23	17	31	28	19	38	136	33
7	1	5	13	22	21	8	8	13	7	10	12	36	
1	1	11	57	91	83	86	72	57	45	30	30	32	34
.....	.....	1	6	14	14	25	16	14	20	11	19	17	35
.....	.....	.....	4	3	4	4	3	6	1	.....	2	1	36
1	1	.....	2	6	7	16	13	23	17	15	6	6	37
.....	.....	.....	9	15	9	5	2	4	.....	1	1	1	38
.....	.....	2	8	36	53	49	36	38	10	7	3	2	7	39
.....	.....	111	393	455	341	280	104	15	2	1	1	3	40
.....	.....	7	27	30	37	20	6	.....	.....	.....	.....	.....	41
.....	.....	14	56	95	80	88	33	7	.....	.....	.....	.....	42
.....	.....	61	226	238	174	130	39	7	.....	1	1	2	43
.....	.....	.....	6	9	3	6	1	1	.....	.....	.....	.....	44
.....	.....	29	78	83	47	36	25	.....	2	.....	.....	1	45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

AGGREGATE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints	421	23	8	12	13	9	65
2	Males	253	13	2	8	9	6	38
3	Females	168	10	6	4	4	3	27
4	1. Diseases of the spine M.	137	8	1	8	5	5	27
	F.	92	7	3	2	2	2	16
5	2. Diseases of the bones M.	55	2	1		2	1	6
	F.	23		2	1			3
6	3. Diseases of the hip joint M.	45	1			2		3
	F.	36	2	1	1	2	1	7
7	4. Others of this class M.	16	2					2
	F.	17	1					1
8	X.—Diseases of the skin	452	131	23	8	6	5	173
9	Males	228	67	7	4	3	2	83
10	Females	224	64	16	4	3	3	90
11	1. Abscess M.	127	33	5	3	2	1	44
	F.	120	26	11	3	2	1	43
12	2. Carbuncle M.	40	2					2
	F.	22		3				3
13	3. Others of this class M.	61	32	2	1	1	1	37
	F.	82	38	2	1	1	2	44
14	XI.—Diseases of the absorbent system	93	12	4		1	2	19
15	Males	56	8	2		1	1	12
16	Females	37	4	2			1	7
17	1. Addison's disease M.	22					1	1
	F.	11						
18	2. Diseases of the spleen M.	11	1					1
	F.	4					1	1
19	3. Others of this class M.	23	7	2		1		10
	F.	22	4	2				6
20	XII.—Accidents and injuries	9,596	684	163	152	132	117	1,248
21	Males	7,339	388	99	89	74	73	723
22	Females	2,257	296	64	63	58	44	525
23	1. Burns and scalds M.	264	16	42	35	28	17	138
	F.	350	15	22	32	28	20	117
24	2. Drowned M.	1,120	10	14	4	4	8	40
	F.	89	2	6	2	2	3	15
25	3. Exposure and neglect M.	32	9					9
	F.	31	19	1	1			21
26	4. Gunshot wounds M.	192	1			1	2	4
	F.	17			1			1
27	5. Homicide M.	189	3					3
	F.	53	2		1			3
28	6. Infanticide M.	13	13					13
	F.	9	9					9
29	7. Injuries by machinery M.	33						
	F.	1						
30	8. Railroad accidents M.	1,128	2		3	1	3	9
	F.	99			1		2	3
31	9. Suffocation M.	341	176	11	4	3	4	198
	F.	227	144	7	2	6	1	160
32	10. Suicide by shooting M.	371						
	F.	19						
33	11. Suicide by drowning M.	45						
	F.	17						
34	12. Suicide by poison M.	190						
	F.	124						
35	13. Other suicides M.	362						
	F.	76						
36	14. Sunstroke M.	84	10	1				11
	F.	21	5	2	1			8
37	15. Surgical operations M.	172	18	3	3			24
	F.	285	3	2	2	1	1	9
38	16. Wounds M.	217	3	5	2	1	6	17
	F.	66	6	2	1	3	1	13
39	17. Other accidents and injuries M.	2,586	127	23	38	36	33	257
	F.	773	91	22	19	18	16	166

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

AGGREGATE—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
75	51	24	28	35	28	22	13	14	14	15	10	27	1
42	32	15	21	25	17	13	7	10	7	11	6	9	2
33	19	9	7	10	11	9	6	4	7	4	4	18	3
22	14	9	13	18	10	4	4	4	3	6	1	2	4
20	10	5	5	5	9	7	2	4	.....	1	3	5	
5	6	2	2	3	4	4	3	6	3	4	3	4	5
3	.....	.....	1	3	1	1	2	.....	2	2	.....	5	
15	12	4	4	3	2	2	.....	.....	.....	.....	.....	.....	6
7	9	4	1	2	.....	1	2	.....	1	1	.....	1	
.....	.....	.....	2	1	1	3	.....	.....	1	1	2	3	7
3	.....	.....	.....	.....	1	.....	.....	.....	4	.....	1	7	
9	6	8	15	15	19	20	21	31	24	26	22	63	8
6	5	5	10	8	11	9	9	21	10	10	9	32	9
3	1	3	5	7	8	11	12	10	14	13	13	31	10
4	5	2	8	6	7	8	6	13	4	3	6	11	11
2	1	2	5	6	7	9	9	5	7	6	4	14	
.....	.....	2	1	2	3	1	1	6	5	6	1	10	12
.....	.....	.....	.....	1	.....	.....	1	1	5	4	4	3	
2	.....	1	1	.....	1	.....	2	2	1	1	2	11	13
1	.....	1	.....	.....	1	2	2	4	2	6	5	14	
1	3	4	3	7	5	8	7	9	8	3	3	13	14
1	.....	2	2	2	4	7	4	5	5	2	1	9	15
.....	3	2	1	5	1	1	3	4	3	1	2	4	16
.....	.....	.....	1	.....	1	4	2	3	4	1	.....	5	17
.....	1	1	.....	2	1	1	1	1	2	.....	1	.....	
.....	.....	1	.....	.....	1	2	1	1	.....	1	1	2	18
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	
1	.....	1	1	2	2	1	1	1	1	.....	.....	2	19
.....	2	1	.....	3	.....	.....	2	3	1	1	1	2	
428	413	532	832	954	870	849	720	693	539	435	340	752	20
323	339	433	665	763	705	691	594	568	436	363	252	484	21
105	74	99	167	191	165	158	126	125	94	72	88	258	22
25	6	11	13	14	13	6	13	7	6	4	1	7	23
46	16	13	17	18	24	17	15	14	14	5	9	25	
99	117	95	111	107	93	99	107	84	59	40	24	45	24
3	7	6	10	6	8	6	6	4	5	3	3	7	
.....	2	.....	1	1	2	2	3	2	.....	1	2	7	25
.....	.....	.....	1	.....	.....	2	.....	3	.....	1	.....	3	
5	16	31	32	26	24	22	6	6	6	7	1	6	26
1	1	4	1	2	1	2	1	1	.....	1	1	.....	
.....	2	18	34	43	26	18	15	13	7	4	3	3	27
3	2	6	12	8	4	.....	5	1	3	1	3	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	4	4	6	3	5	2	1	.....	2	2	2	29
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
34	60	77	174	156	117	113	93	92	56	45	28	74	30
2	11	10	10	5	6	6	3	4	8	6	6	19	
5	3	7	15	16	16	14	15	11	9	7	7	18	31
3	2	9	10	8	4	4	3	4	3	4	5	8	
.....	.....	10	33	43	44	40	35	44	36	36	22	28	32
.....	.....	1	3	9	3	.....	.....	1	2	.....	.....	.....	
.....	.....	1	4	4	5	5	2	8	6	2	2	6	33
.....	.....	1	4	2	1	2	1	3	1	1	1	.....	
.....	.....	5	15	20	25	19	18	20	10	13	11	10	34
.....	1	15	22	26	12	12	9	4	8	6	4	5	
.....	.....	3	20	31	28	43	52	39	42	33	22	49	35
.....	.....	4	10	7	10	8	11	8	4	2	4	8	
2	.....	2	11	8	9	8	8	10	7	3	1	4	36
1	.....	.....	2	1	2	1	1	.....	2	1	1	1	
9	4	8	4	18	16	18	11	10	13	14	9	14	37
6	4	7	28	44	37	49	35	29	18	7	4	8	
18	29	24	14	21	13	16	13	12	19	12	6	12	38
8	6	2	4	5	4	2	4	4	2	2	2	8	
125	99	137	180	249	271	263	201	209	160	140	111	193	39
32	23	21	33	50	49	47	32	45	24	32	45	174	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

ALLEGHENY, PA.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	2,122	647	151	64	44	26	932
2	Males	1,108	344	74	30	24	8	480
3	Females	1,014	303	77	34	20	18	452
4	Unknown causes	2	1					1
5	Males	2	1					1
6	Females							
	I.—General diseases.							
7	General diseases—A	569	144	65	31	22	16	278
8	Males	305	77	35	15	14	5	146
9	Females	264	67	30	16	8	11	132
10	1. Smallpox M							
	F							
11	2. Measles M	11	5	3	2			10
	F	11	2	3	2	2		9
12	3. Scarlet fever M	14	1	3	1	5		10
	F	5		2		1	1	4
13	4. Diphtheria M	48	4	3	9	6	4	26
	F	50	4	4	12	4	6	30
14	5. Whooping cough M	7	3	1	1	1	1	7
	F	9	3	3	1		2	9
15	6. Fever M							
	F							
16	7. Cerebro-spinal fever M	6	3	2	1			6
	F	8	2	2		1	1	6
17	8. Typhoid fever M	110	1			2		3
	F	82					1	1
18	9. Diarrheal diseases M	43	20	11				31
	F	43	19	7	1			27
19	10. Cholera infantum M	52	39	12	1			52
	F	42	33	9				42
20	11. Malarial fever M	3						
	F	2						
21	12. Erysipelas M	3	1					1
	F	3	2					2
22	13. Septicæmia M	4						
	F	3	1					1
23	14. Venereal diseases M	2						
	F	3	1					1
24	15. Others of this group M	2						
	F	3						
25	General diseases—B	36	26	1				27
26	Males	18	14					14
27	Females	18	12	1				13
28	1. Parasitic diseases M							
	F							
29	2. Alcoholism M	2						
	F							
30	3. Lead poison M							
	F							
31	4. Other poisons M							
	F							
32	5. Inanition M	16	14					14
	F	18	12	1				13
33	General diseases—C	326	248	8	1	1		258
34	Males	166	127	6	1			134
35	Females	160	121	2		1		124
36	1. Premature birth M	3	3					3
	F	3	3					3
37	2. Stillborn M	108	108					108
	F	101	101					101
38	3. Malformation M	1	1					1
	F							
39	4. Debility and atrophy M	38	15	6	1			22
	F	35	17	2		1		20
40	5. Old age M	16						
	F	21						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

ALLEGHENY, PA.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
114	42	82	88	106	79	69	59	63	63	74	74	277	1
62	17	43	48	56	41	40	31	40	38	40	39	133	2
52	25	39	40	50	38	29	28	23	25	34	35	144	3
											1		4
											1		5
													6
59	22	38	37	41	16	21	9	9	4	10	7	18	7
30	6	22	24	25	10	11	5	7	3	5	3	8	8
29	16	16	13	16	6	10	4	2	1	5	4	10	9
													10
1													11
2													
4													12
1													
15	2	1				1				2	1		13
13	5			1		1							
													14
													15
													16
1	1												
8	3	21	24	24	7	8	2	4	3	1	1	1	17
10	10	14	13	14	4	5	3	1	1	3		3	
1				1	2		2				1	5	18
		2		1		2	1			1	4	5	
													19
1							1			1			20
1												1	
								1				1	21
						1							
					1			2		1			22
					1			1					
						2							23
					1					1			
	1											1	24
1						1						1	
				1		1		1				6	25
								1				3	26
				1		1						3	27
													28
								1				1	29
													30
													31
												2	32
				1		1						3	
		2		1	1				3	2	5	54	33
		1			1				1		1	28	34
		1		1					2	2	4	26	35
													36
													37
													38
		1			1				1		1	12	39
		1		1					2	2	3	6	
												16	40
											1	20	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

ALLEGHENY, PA.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
	I.—General diseases—Continued.								
1	General diseases—D		235	11	5	3	2		21
2	Males		114	4	2	1	1		8
3	Females		121	7	3	2	1		13
4	1. Rheumatism	M	4						
		F	3						
5	2. Scrofula and tabes	M							
		F	2	1			1		2
6	3. Leprosy	M							
		F							
7	4. Consumption	M	85	2		1	1		4
		F	70	1	1	1			3
8	5. Hydrocephalus	M	4	2	2				4
		F	7	5	1	1			7
9	6. Cancer	M	11						
		F	30						
10	7. Tumor	M	1						
		F	2						
11	8. Anæmia	M	2						
		F	2						
12	9. Dropsy	M	4						
		F	3		1				1
13	10. Diabetes	M	2						
		F	1						
14	11. Others of this group	M	1						
		F							
15	12. Others of this class	M							
		F	1						
16	II.—Diseases of the nervous system		279	121	28	10	6	4	169
17	Males		148	74	11	5	4	2	96
18	Females		131	47	17	5	2	2	73
19	1. Inflammation of the brain	M	44	18	6	3	2	1	30
		F	26	11	6	2		1	20
20	2. Apoplexy	M	18						
		F	25						
21	3. Paralysis	M	6						
		F	15						
22	4. Tetanus and trismus nascentium	M	2	1					1
		F	1	1					1
23	5. Epilepsy	M	1						
		F							
24	6. Convulsions	M	55	47	3	2	2		54
		F	49	33	9	2	2	1	47
25	7. Mental diseases	M							
		F							
26	8. Diseases of the brain	M	15	6	2				8
		F	8	2	2				4
27	9. Diseases of the spinal cord	M	4	2				1	3
		F	2			1			1
28	10. Others of this class	M	3						
		F	5						
29	III.—Diseases of the circulatory system		100	13	1				14
30	Males		53	4					4
31	Females		47	9	1				10
32	1. Angina pectoris	M	4						
		F							
33	2. Aneurism	M							
		F							
34	3. Diseases of the heart	M	46	1					1
		F	40	3					3
35	4. Others of this class	M	3	3					3
		F	7	6	1				7

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

ALLEGHENY, PA.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
7	6	20	23	22	33	13	18	13	12	14	12	21	1
4	2	9	9	10	15	10	7	8	6	7	6	13	2
3	4	11	14	12	18	3	11	5	6	7	6	8	3
1		1		1						1			4
	1	1								1			
													5
													6
2	2	8	8	9	14	8	6	8	2	3	6	5	7
2	3	9	13	11	15	2	4	2		2	3	1	
													8
						2	1		2	1		5	9
				1	3		6	3	6	4	2	5	
									1				10
						1						1	
					1							1	11
1											1		
										2		2	12
							1					1	
1									1				13
		1											
			1										14
													15
			1										
13		4	2	5		4		4	6	13	9	50	16
7		3	2	3		4		2	3	7	3	18	17
6		1		2				2	3	6	6	32	18
6		2	1	1		1		1	2				19
4				2									
						1			1	2	2	12	20
								2	1	3	3	16	
			1			1		1		1	1	1	21
											1	14	
						1							22
		1											23
1													24
1									1				
													25
				2						2		3	26
1									1	1	1		
										1			27
										1			
										1		2	28
		1								1	1	2	
2	1	3	2	3	4		3	12	7	2	12	35	29
2		1		2	3		2	6	5	1	7	20	30
	1	2	2	1	1		1	6	2	1	5	15	31
											2	2	32
													33
2		1		2	3		2	6	5	1	5	18	34
	1	2	2	1	1		1	6	2	1	5	15	
													35

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

ALLEGHENY, PA.—Continued.

	CAUSE OF DEATH		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		349	67	40	15	11	5	138
2	Males		174	34	19	5	3	1	62
3	Females		175	33	21	10	8	4	76
4	1. Croup	M	15	3	4	1	1	1	10
		F	15	1	4	3	2	2	12
5	2. Laryngitis	M	2			1	1		2
		F	3					1	1
6	3. Bronchitis	M	28	11	3	1			15
		F	36	12	4	1	1		18
7	4. Pneumonia	M	114	20	12	1	1		34
		F	105	17	13	6	5	1	42
8	5. Pleurisy	M	2						
		F	2						
9	6. Asthma	M	3						
		F	7						
10	7. Others of this class	M	10			1			1
		F	7	3					3
11	V.—Diseases of the digestive system		70	10	2	2	1		15
12	Males		29	4		2	1		7
13	Females		41	6	2				8
14	1. Dentition	M							
		F	1		1				1
15	2. Angina	M							
		F							
16	3. Diseases of the stomach	M	5	1		1			2
		F	14	3					3
17	4. Obstruction of the bowels	M	3						
		F	4						
18	5. Hernia	M	2						
		F	2						
19	6. Other diseases of the bowels	M							
		F	1						
20	7. Jaundice	M	3	2			1		3
		F	1	1					1
21	8. Inflammation and abscess of the liver	M	4			1			1
		F	2						
22	9. Other diseases of the liver	M	7						
		F	4						
23	10. Peritonitis	M	1						
		F	8		1				1
24	11. Ascites	M	1						
		F							
25	12. Others of this class	M	3	1					1
		F	4	2					2
26	VI.—Diseases of the urinary system and male organs of generation.		37	1					1
27	Males		21	1					1
28	Females		16						
29	1. Bright's disease	M	8						
		F	10						
30	2. Calculus, urinary	M							
		F							
31	3. Diseases of the kidney	M	6						
		F	3						
32	4. Diseases of the bladder	M	4						
		F	3						
33	5. Others of this class	M	3	1					1
		F							
34	VII.—Diseases of the female organs of generation		6						
35	1. Ovarian tumors		2						
36	2. Ovarian diseases								
37	3. Uterine tumors		1						
38	4. Uterine diseases								
39	5. Others of this class		3						
40	VIII.—Affections connected with pregnancy		13						
41	1. Abortion		1						
42	2. Childbirth		5						
43	3. Puerperal septicæmia		1						
44	4. Extra-uterine pregnancy		1						
45	5. Others of this class		5						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

ALLEGHENY, PA.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
19	5	3	12	8	7	18	12	8	16	21	20	62	1
13	3		6	4	5	9	8	6	9	12	12	25	2
6	2	3	6	4	2	9	4	2	7	9	8	37	3
5													4
3													
													5
	1					1							
						1			3	1	2	6	6
							1		3	3	2	9	
8	3		6	4	4	7	6	6	4	10	7	15	7
3	1	3	6	4	2	8	2	1	4	4	4	21	
					1				1				8
											1	1	
										1		2	9
										2		5	
						1	2		1		3	2	10
							1	1			1	1	
3	1	1	1	6	5	4	6	2	6	2	5	13	11
1				2	2	2	4		3	1	4	3	12
2	1	1	1	4	3	2	2	2	3	1	1	10	13
													14
													15
				1					1			1	16
1	1	1			1		1		1			5	
1				1	1								17
1				1	1	1							
											1	1	18
								1				1	
													19
							1						
													20
						1				1	1		21
									1			1	
					1		3		2		1		22
				1		1					1	1	
						1							23
				2	1			1	1	1		1	
							1						24
											1	1	25
			1									1	
3			1	3	2	1	4	4	2	2	2	12	26
1			1	2			1	1	2	1	1	19	27
2				1	2	1	3	3		1	1	2	28
			1	1					1	1	1	3	29
1					1	1	3			1	1	2	
													30
1				1			1					3	31
1					1			1					
								1				3	32
				1				2					
									1			1	33
			1	2			2			1			34
				1						1			35
													36
							1						37
													38
			1	1			1						39
			2	5	3	3							40
				1									41
				3	1	1							42
					1								43
			1										44
			1	1	1	2							45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

ALLEGHENY, PA.—Continued.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints	1						
2	Males	1						
3	Females							
4	1. Diseases of the spine M.	1						
	F.							
5	2. Diseases of the bones M.							
	F.							
6	3. Diseases of the hip joint M.							
	F.							
7	4. Others of this class M.							
	F.							
8	X.—Diseases of the skin	2						
9	Males	1						
10	Females	1						
11	1. Abscess M.	1						
	F.	1						
12	2. Carbuncle M.							
	F.							
13	3. Others of this class M.							
	F.							
14	XI.—Diseases of the absorbent system	5	2					2
15	Males	5	2					2
16	Females							
17	1. Addison's disease M.	2	1					1
	F.							
18	2. Diseases of the spleen M.	1						
	F.							
19	3. Others of this class M.	2	1					1
	F.							
20	XII.—Accidents and injuries	92	3	1	2	1	1	8
21	Males	71	2	1	1	1		5
22	Females	21	1		1		1	3
23	1. Burns and scalds M.	4		1	1			2
	F.	8			1		1	2
24	2. Drowned M.	3						
	F.							
25	3. Exposure and neglect M.							
	F.							
26	4. Gunshot wounds M.	5						
	F.							
27	5. Homicide M.							
	F.	1						
28	6. Infanticide M.							
	F.							
29	7. Injuries by machinery M.							
	F.							
30	8. Railroad accidents M.	15						
	F.	1						
31	9. Suffocation M.	2	1					1
	F.	1	1					1
32	10. Suicide by shooting M.	4						
	F.							
33	11. Suicide by drowning M.							
	F.	1						
34	12. Suicide by poison M.	4						
	F.							
35	13. Other suicides M.	9						
	F.	1						
36	14. Sunstroke M.	1						
	F.							
37	15. Surgical operations M.							
	F.	2						
38	16. Wounds M.	1						
	F.							
39	17. Other accidents and injuries M.	23	1			1		2
	F.	6						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

ALLEGHENY, PA.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
		1											1
		1											2
													3
		1											4
													5
													6
													7
								1	1				8
								1					9
									1				10
								1					11
									1				
													12
													13
		1								1		1	14
		1								1		1	15
													16
										1			17
		1											18
												1	19
8	7	9	7	9	8	4	5	9	6	6	1	5	20
4	6	5	6	8	5	4	4	8	6	5	1	4	21
4	1	4	1	1	3		1	1		1		1	22
		2											23
3		1	1							1			
1	1											1	24
													25
		1			3				1				26
1													27
													28
													29
	2	1	3	3		1	1	1	1	2			30
	1												
				1									31
								3		1			32
													33
		1											
					1			2	1				34
			1	3		1			1	2		1	35
					1								
									1				36
													37
		1					1						
1													38
2	3	1	2	1	1	2	3	2	1		1	2	39
		1		1	2			1				1	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BALTIMORE, MD.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	10,752	3,679	702	356	174	121	5,092
2	Males	5,491	2,049	397	186	91	55	2,778
3	Females	5,261	1,630	305	170	83	66	2,314
4	Unknown causes	27	16					16
5	Males	10	6					6
6	Females	17	10					10
7	I.—General diseases. General diseases—A	2,213	968	326	141	53	43	1,531
8	Males	1,143	532	172	75	27	20	826
9	Females	1,070	436	154	66	26	23	705
10	1. Smallpox M							
	F							
11	2. Measles M	113	33	43	18	7	3	104
	F	118	34	37	24	10	2	107
12	3. Scarlet fever M	32	1	5	7	5	4	22
	F	27	2	4	4	4	5	19
13	4. Diphtheria M	62	4	7	13	8	6	38
	F	51	2	5	10	4	9	30
14	5. Whooping cough M	28	15	7	4			26
	F	24	10	6	4		1	21
15	6. Fever M	2	1					1
	F	2						
16	7. Cerebro-spinal fever M	11	2	2	1			5
	F	8	2	1				3
17	8. Typhoid fever M	107	2	2	2		1	7
	F	95	2					2
18	9. Diarrheal diseases M	369	205	40	18	6	4	282
	F	362	145	53	13	6	3	220
19	10. Cholera infantum M	318	256	54	7	1		318
	F	285	228	46	11			285
20	11. Malarial fever M	60	3	2	2		2	9
	F	62	4			2	3	9
21	12. Erysipelas M	15	1					1
	F	14	2					2
22	13. Septicæmia M	2						
	F	8	1					1
23	14. Venereal diseases M	16	9		1			10
	F	11	4	1				5
24	15. Others of this group M	8		1	2			3
	F	3		1				1
25	General diseases—B	319	241	8	2	2		253
26	Males	186	132	6	1	2		141
27	Females	133	109	2	1			112
28	1. Parasitic diseases M							
	F	1		1				1
29	2. Alcoholism M	35				1		1
	F	11						
30	3. Lead poison M	2						
	F	1						
31	4. Other poisons M	5						
	F	6			1			1
32	5. Inanition M	144	132	6	1	1		140
	F	114	109	1				110
33	General diseases—C	1,722	1,364	20	9		4	1,397
34	Males	889	764	11	5		2	782
35	Females	833	600	9	4		2	615
36	1. Premature birth M	120	120					120
	F	95	95					95
37	2. Stillborn M	475	475					475
	F	333	333					333
38	3. Malformation M	18	17					17
	F	8	8					8
39	4. Debility and atrophy M	220	152	11	5		2	170
	F	272	164	9	4		2	179
40	5. Old age M	56						
	F	125						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BALTIMORE, MD.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
289	143	264	388	395	430	368	379	377	358	376	406	1,487	1
158	61	114	182	188	224	183	197	210	195	186	197	618	2
131	82	150	206	207	206	185	182	167	163	190	209	869	3
						1	1	1	1		2	5	4
							1	1	1			1	5
						1					2	4	6
111	39	50	74	58	30	37	36	20	33	35	41	118	7
57	16	22	36	27	20	16	21	8	18	16	20	40	8
54	23	28	38	31	10	21	15	12	15	19	21	78	9
													10
8		1											11
8	1		1			1							
7	2	1											12
7	1												
15	3		1		2	1				2			13
14	3	2	2										
2													14
3													
			1										15
1						1							
	2	1	1	1	1								16
3	2												
4	4	13	27	11	11	6	8	2	3	4	5	2	17
4	11	17	21	14	3	5	4	1	6	3	1	3	
14	1		3	3	3	3	6	3	8	6	11	21	18
10	4	4	11	7	4	7	5	7	6	8	13	56	
													19
6	4	6	2	5		2	6	2	5	2	3	8	20
3	1	3	2	7	2	4	3	2	2	5	5	14	
1				2		1	1	1	1	1	1	5	21
					1		1	1	1	2	2	4	
			1			1							22
		1	1	1		3				1			
					3	2			1				23
1		1		2			1	1					
										1		4	24
							1					1	
1		1	3	5	7	7	11	4	9	5	6	7	25
1		1	2	5	4	4	9	2	5	3	5	4	26
			1		3	3	2	2	4	2	1	3	27
													28
		1	2	4	3	2	9	2	3	2	5	1	29
			1		3	2	2	1	1	1			
						2							30
										1			
					1				2	1		1	31
								1	3		1		
1				1								2	32
						1						3	
3		1	1		3	2		3	5	2	11	294	33
2			1		1	1		1	3	1	5	92	34
1		1			2	1		2	2	1	6	202	35
													36
													37
1													38
1			1		1	1		1	3	1	4	37	39
1		1			2	1		2	2	1	5	78	
											1	55	40
											1	124	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES.

BALTIMORE, MD.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	I.—General diseases—Continued. General diseases—D.		1,827	92	53	28	15	11	199
2	Males		857	58	34	16	7	5	120
3	Females		970	34	19	12	8	6	79
4	1. Rheumatism	M.	30	1	1		1		3
		F.	39	1	2				3
5	2. Scrofula and tabes	M.	22	11	1	1	1	1	15
		F.	18	4	1	1	1	1	8
6	3. Leprosy	M.							
		F.							
7	4. Consumption	M.	627	13	17	5	4	2	41
		F.	646	10	5	6	4	2	27
8	5. Hydrocephalus	M.	53	20	10	9	1	1	41
		F.	42	16	10	5	2	3	36
9	6. Cancer	M.	75	1	1				2
		F.	171						
10	7. Tumor	M.	10						
		F.	13						
11	8. Anæmia	M.	10	6					6
		F.	9	1					1
12	9. Dropsy	M.	8					1	1
		F.	19						
13	10. Diabetes	M.	9						
		F.	7						
14	11. Others of this group	M.	13	6	4	1			11
		F.	6	2	1		1		4
15	12. Others of this class	M.							
		F.							
16	II.—Diseases of the nervous system		1,171	396	76	34	26	14	546
17	Males		597	224	35	19	16	4	298
18	Females		574	172	41	15	10	10	248
19	1. Inflammation of the brain	M.	102	40	20	8	8	1	77
		F.	92	38	21	6	5	4	74
20	2. Apoplexy	M.	124	1					1
		F.	115						
21	3. Paralysis	M.	71				1		1
		F.	107	1	2				3
22	4. Tetanus and trismus nascentium	M.	26	25					25
		F.	12	9					9
23	5. Epilepsy	M.	8				1		1
		F.	9						
24	6. Convulsions	M.	175	146	12	8	4	1	171
		F.	148	112	14	6	4	5	141
25	7. Mental diseases	M.	3						
		F.	6						
26	8. Diseases of the brain	M.	66	11	2	2	2	1	18
		F.	63	10	4	3	1	1	19
27	9. Diseases of the spinal cord	M.	17		1	1		1	3
		F.	7	2					2
28	10. Others of this class	M.	5	1					1
		F.	15						
29	III.—Diseases of the circulatory system		508	39	2	1	1	3	46
30	Males		246	18	1			2	21
31	Females		262	21	1	1	1	1	25
32	1. Angina pectoris	M.	14						
		F.	11						
33	2. Aneurism	M.	7						
		F.	1						
34	3. Diseases of the heart	M.	205	5	1			2	8
		F.	224	4	1	1	1	1	8
35	4. Others of this class	M.	20	13					13
		F.	26	17					17

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BALTIMORE, MD.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
37	31	115	178	169	198	118	118	142	103	113	104	202	1
14	7	48	79	77	103	59	52	71	54	44	44	85	2
23	24	67	99	92	95	59	66	71	49	69	60	117	3
1	1	2	2	2	2	.....	2	2	2	2	2	7	4
3	4	3	1	2	1	1	.....	3	2	4	2	10	
1	.....	2	.....	1	1	.....	.....	1	.....	.....	.....	1	5
1	3	2	.....	2	.....	.....	.....	1	.....	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	4	41	75	70	95	55	45	53	41	35	22	46	7
14	13	60	94	83	89	49	47	37	26	37	27	44	
7	1	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	8
3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	2	1	3	1	11	6	7	17	25	9
.....	.....	.....	3	4	3	7	15	22	21	24	26	46	
1	.....	1	.....	1	2	.....	1	2	2	.....	.....	.....	10
1	2	.....	1	.....	.....	1	2	1	1	.....	2	2	
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	11
.....	1	.....	.....	.....	2	.....	.....	1	.....	1	1	2	
.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	3	12
.....	1	.....	.....	.....	.....	1	1	4	.....	2	1	9	
.....	1	.....	.....	.....	2	1	.....	.....	2	.....	1	2	13
.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	3	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	14
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
18	9	14	10	15	18	22	37	30	42	68	57	285	16
9	4	4	3	7	10	12	21	16	22	38	27	126	17
9	5	10	7	8	8	10	16	14	20	30	30	159	18
6	2	1	.....	2	1	1	.....	2	1	5	2	2	19
3	2	1	2	4	1	.....	1	1	.....	1	1	1	
.....	.....	.....	1	1	2	5	8	9	18	15	12	52	20
.....	.....	2	2	2	3	3	5	5	8	13	9	63	
.....	.....	1	1	.....	.....	.....	6	2	.....	7	11	42	21
1	.....	.....	.....	1	2	1	6	4	3	7	15	64	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	
.....	1	.....	.....	.....	2	.....	.....	1	.....	.....	1	2	23
1	1	1	.....	.....	1	2	.....	1	.....	1	1	.....	
2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	24
3	.....	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	
.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	25
.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	3	
1	1	1	.....	2	5	3	3	.....	1	5	1	25	26
1	2	1	3	.....	.....	2	2	1	6	5	2	19	
.....	.....	.....	.....	1	.....	1	3	1	1	5	.....	2	27
.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	2	
.....	.....	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	28
.....	.....	2	.....	1	.....	1	.....	1	1	2	1	6	
12	6	13	16	18	22	28	33	38	40	35	45	156	29
5	4	6	5	8	14	18	17	21	24	18	22	63	30
7	2	7	11	10	8	10	16	17	16	17	23	93	31
.....	.....	1	.....	.....	.....	4	1	1	.....	1	.....	6	32
.....	.....	.....	1	.....	2	1	.....	.....	2	2	2	1	
.....	.....	.....	.....	1	2	.....	1	.....	2	.....	1	.....	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
5	4	5	4	7	12	13	15	20	21	17	20	54	34
7	2	7	10	10	6	9	16	17	13	14	20	85	
.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	1	3	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	7	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BALTIMORE, MD.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		1,526	344	189	119	65	39	756
2	Males		789	199	92	57	33	20	401
3	Females		737	145	97	62	32	19	355
4	1. Croup	M.	73	9	16	14	10	7	56
		F.	57	5	14	15	9	7	50
5	2. Laryngitis	M.	8	1	3	2			6
		F.	11	2	2		2	1	7
6	3. Bronchitis	M.	158	63	17	7	2	7	96
		F.	175	53	27	13	6	4	103
7	4. Pneumonia	M.	457	108	54	32	19	4	217
		F.	421	71	51	33	15	7	177
8	5. Pleurisy	M.	13	1					1
		F.	9	1		1			2
9	6. Asthma	M.	21					1	1
		F.	16						
10	7. Others of this class	M.	50	17	2	2	2	1	24
		F.	48	13	3				16
11	V.—Diseases of the digestive system		534	156	73	10	3	3	245
12	Males		269	87	37	4	2		130
13	Females		265	69	36	6	1	3	115
14	1. Dentition	M.	76	46	28	2			76
		F.	66	40	24	1		1	66
15	2. Angina	M.	1						
		F.	7	1	1	1		2	5
16	3. Diseases of the stomach	M.	41	10	4				14
		F.	53	9	4	4	1		18
17	4. Obstruction of the bowels	M.	16	3			1		4
		F.	24	2	1				3
18	5. Hernia	M.	12	2					2
		F.	12						
19	6. Other diseases of the bowels	M.	8	2	1				3
		F.	2	1					1
20	7. Jaundice	M.	8	8					8
		F.	8	1					1
21	8. Inflammation and abscess of the liver	M.	9						
		F.	5						
22	9. Other diseases of the liver	M.	38		1				1
		F.	22	1					1
23	10. Peritonitis	M.	23		1				1
		F.	28		1				1
24	11. Ascites	M.	3						
		F.	2						
25	12. Others of this class	M.	34	16	2	2	1		21
		F.	36	14	5				19
26	VI.—Diseases of the urinary system and male organs of generation.		336	8	1	2	2	1	14
27	Males		188	6		2			8
28	Females		148	2	1		2	1	6
29	1. Bright's disease	M.	108						
		F.	96						
30	2. Calculus, urinary	M.							
		F.							
31	3. Diseases of the kidney	M.	44	5		2			7
		F.	41	1	1		2	1	5
32	4. Diseases of the bladder	M.	20						
		F.	3						
33	5. Others of this class	M.	16	1					1
		F.	8	1					1
34	VII.—Diseases of the female organs of generation		38						
35	1. Ovarian tumors		5						
36	2. Ovarian diseases		1						
37	3. Uterine tumors		7						
38	4. Uterine diseases		3						
39	5. Others of this class		22						
40	VIII.—Affections connected with pregnancy		78						
41	1. Abortion		15						
42	2. Childbirth		17						
43	3. Puerperal septicæmia		22						
44	4. Extra-uterine pregnancy		2						
45	5. Others of this class		22						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BALTIMORE, MD.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
64	20	24	39	42	51	45	44	54	48	57	70	212	1
37	5	7	21	21	28	23	23	36	27	30	34	96	2
27	15	17	18	21	23	22	21	18	21	27	36	116	3
16					1								4
7													
1					1								5
1		1		1	1								
1				3	2	3	7	10	4	2	4	26	6
5	4	2	1	1	5	2	2	1	2	2	5	40	
13	5	4	20	15	22	18	15	19	16	22	21	50	7
12	11	13	14	10	13	16	15	16	13	19	22	61	
		1		1		1		1	2	1	2	3	8
1							3					3	
					1		1	3	3	2	2	8	9
			1			2		1	2	2	5	3	
0		2	1	2	1	1		3	2	3	5	9	10
1		1	2		4	2	1		4	4	4	9	
9	5	11	12	17	20	25	27	21	21	18	21	82	11
7	2	9	9	9	7	9	11	11	8	11	9	37	12
2	3	2	3	8	13	16	16	10	13	7	12	45	13
													14
			1										15
2													
1			1	2	1	2	4	3		2	2	9	16
	1			2	5	4	8	1	4	1	3	11	
3	1	1	2				2	1			1	1	17
				2		2	2	2	3	1	3	6	
		1	1			1	1					6	18
						1	1	2		1		7	
1		1			1						1	1	19
									1				
													20
					1	1		1		2		2	
		1		1	2	2				1		2	21
				1		1		1		1	1		
			1	2	1	4	2	4	7	3	2	11	22
					1	2	5	1	4		2	6	
		5	3	3	2		1	3	1	2	2		23
	2	1	3	2	5	3	3	2		1		5	
											1	2	24
							1					1	
2	1			1			1			3		5	25
		1		1	1	2	1		1		3	7	
6	6	7	12	11	23	28	29	29	30	21	33	87	26
3	2	3	3	5	13	14	15	17	17	11	23	54	27
3	4	4	9	6	10	14	14	12	13	10	10	33	28
	2	2	3	2	8	6	10	9	15	9	15	27	29
1	3	2	6	6	9	12	9	10	8	4	4	22	
													30
3				3	2	6	4	7	1	2	4	5	31
2	1	2	2		1	2	5	2	5	5	2	7	
		1									3	16	32
											1	2	
					3	2	1	1	1		1	6	33
			1							1	3	2	
	1		3	10	5	6	6		2		3	2	34
			1	1	1		1		1				35
	1												36
				1	1	2			1		1	1	37
			1	1			1						38
			1	7	3	4	4				2	1	39
		8	13	14	21	15	6	1					40
			4	1	8	2							41
			1	3	6	4	2	1					42
		2	3	7	4	5	1						43
			1	1									44
		6	4	2	3	4	3						45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BALTIMORE, MD.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		22	2					2
2	Males		17	1					1
3	Females		5	1					1
4	1. Diseases of the spine	M	6	1					1
		F	1	1					1
5	2. Diseases of the bones	M	5						
		F	2						
6	3. Diseases of the hip joint	M	5						
		F	2						
7	4. Others of this class	M	1						
		F							
8	X.—Diseases of the skin		26	8	2	1			11
9	Males		13	3	1	1			5
10	Females		13	5	1				6
11	1. Abscess	M	5	1		1			2
		F	6	4	1				5
12	2. Carbuncle	M	3						
		F	1						
13	3. Others of this class	M	5	2	1				3
		F	6	1					1
14	XI.—Diseases of the absorbent system		2						
15	Males		1						
16	Females		1						
17	1. Addison's disease	M	1						
		F							
18	2. Diseases of the spleen	M							
		F							
19	3. Others of this class	M							
		F	1						
20	XII.—Accidents and injuries		403	45	12	9	7	3	76
21	Males		286	19	8	6	4	2	39
22	Females		117	26	4	3	3	1	37
23	1. Burns and scalds	M	12	1	3	2	3		9
		F	16		2	2	2	1	7
24	2. Drowned	M	68		1				1
		F	7						
25	3. Exposure and neglect	M	9	2					2
		F	16	12		1			13
26	4. Gunshot wounds	M	9						
		F	1						
27	5. Homicide	M	11						
		F	5						
28	6. Infanticide	M							
		F							
29	7. Injuries by machinery	M							
		F							
30	8. Railroad accidents	M	25			1			1
		F	3						
31	9. Suffocation	M	13	7	1				8
		F	11	8					8
32	10. Suicide by shooting	M	6						
		F	1						
33	11. Suicide by drowning	M							
		F							
34	12. Suicide by poison	M	10						
		F	2						
35	13. Other suicides	M	6						
		F	2						
36	14. Sunstroke	M	6	2					2
		F	2	1					1
37	15. Surgical operations	M	8	1					1
		F	19						
38	16. Wounds	M	16		1			1	2
		F	4				1		1
39	17. Other accidents and injuries	M	87	6	2	3	1	1	13
		F	28	5	2				7

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BALTIMORE, MD.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
4	1	2	1		1	2		4		3	1	1	1
4	1	1	1		1	2		4		1	1		2
		1								2		1	3
2			1					2					4
					1			2		1	1		5
										1		1	
2	1	1				1							6
		1								1			
						1							7
	1	1	1	1			1	2	1	2	1	4	8
		1	1	1				2			1	2	9
	1						1		1	2		2	10
			1					1				1	11
	1												
		1		1								1	12
										1			
								1			1		13
							1		1	1		2	
								1				1	14
								1					15
												1	16
								1					17
													18
													19
												1	
24	24	17	25	35	31	32	30	27	23	17	11	31	20
19	20	12	21	28	23	25	27	19	16	13	6	18	21
5	4	5	4	7	8	7	3	8	7	4	5	13	22
1		1			1								23
2	2	1			2			2					
11	7	3	5	9	3	8	8	6	4	2	1		24
		1	1	1	2	1				1			
	1					1	1			1		3	25
						1		1		1			
	2		2	1	3			1					26
		1											
				4	2	3		1			1		27
		1	2							1		1	
													28
													29
1		1	5	3	2	1	3	2	2	1		3	30
							1		1		1		
			1		1		1			1	1		31
		1		1							1		
			1		1	1	1		1	1			32
				1									
													33
				2	3		1		1	1		2	34
									2				
							3	1	1			1	35
							1	1					
		1		1			1	1					36
												1	
1					1	1		1	1	1		1	37
1	1		1	3	1	5		3	4				
	3	4		1		1		1	1	3			38
1					1						1		
5	7	2	7	7	6	9	8	5	5	2	3	8	39
1	1			1	2		1	1		1	2	11	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BOSTON, MASS.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes		11,117	2,903	564	299	177	148	4,091
2	Males		5,678	1,607	304	154	90	77	2,232
3	Females		5,439	1,296	260	145	87	71	1,859
4	Unknown causes		47	16		1	1		18
5	Males		21	5		1	1		7
6	Females		26	11					11
	I.—General diseases.								
7	General diseases—A		1,923	781	206	133	95	81	1,296
8	Males		988	407	108	65	56	41	677
9	Females		935	374	98	68	39	40	619
10	1. Smallpox	M.	1						
		F.	1	1					1
11	2. Measles	M.	9	3	2	1		1	7
		F.	7	3	2		1		6
12	3. Scarlet fever	M.	20	3	1	3	1	2	10
		F.	13	2	1	2	1		6
13	4. Diphtheria	M.	274	19	37	43	48	35	182
		F.	269	11	38	44	29	35	157
14	5. Whooping cough	M.	51	28	14	4	4	1	51
		F.	61	26	16	10	6	1	59
15	6. Fever	M.	1						
		F.							
16	7. Cerebro-spinal fever	M.	7	3					3
		F.	6	2	1		1	1	5
17	8. Typhoid fever	M.	113	2				1	3
		F.	61						
18	9. Diarrheal diseases	M.	188	127	12	7			146
		F.	253	134	12	5	1	2	154
19	10. Cholera infantum	M.	243	195	39	7	2		243
		F.	209	177	26	5		1	209
20	11. Malarial fever	M.	8						
		F.	4						
21	12. Erysipelas	M.	17	4					4
		F.	10	5					5
22	13. Septicæmia	M.	13	2				1	3
		F.	11			2			2
23	14. Venereal diseases	M.	22	18	2				20
		F.	17	13	1				14
24	15. Others of this group	M.	21	3	1		1		5
		F.	13		1				1
25	General diseases—B		207	100	4	2	2	1	109
26	Males		122	55	2	1	2		60
27	Females		85	45	2	1		1	49
28	1. Parasitic diseases	M.							
		F.	1		1				1
29	2. Alcoholism	M.	55						
		F.	26						
30	3. Lead poison	M.	3						
		F.							
31	4. Other poisons	M.	4			1	1		2
		F.	7		1				1
32	5. Inanition	M.	60	55	2		1		58
		F.	51	45		1		1	47
33	General diseases—C		1,516	1,174	29	2	4	4	1,213
34	Males		813	675	16		3	3	697
35	Females		703	499	13	2	1	1	516
36	1. Premature birth	M.	106	106					106
		F.	71	71					71
37	2. Stillborn	M.	333	333					333
		F.	271	271					271
38	3. Malformation	M.	16	16					16
		F.	8	7				1	8
39	4. Debility and atrophy	M.	277	220	16		3	3	242
		F.	226	150	13	2	1		166
40	5. Old age	M.	81						
		F.	127						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BOSTON, MASS.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
356	162	292	524	611	555	521	524	480	478	443	459	1,621	1
171	78	138	270	316	281	275	282	259	246	227	204	699	2
185	84	154	254	295	274	246	242	221	232	216	255	922	3
1		1	2	4	4	3	4			4	1	5	4
1			1	1	2	2	2			2		3	5
		1	1	3	2	1	2			2	1	2	6
180	53	33	58	51	35	19	28	24	27	22	22	75	7
81	26	20	33	32	20	11	16	10	18	14	11	19	8
99	27	13	25	19	15	8	12	14	9	8	11	56	9
			1										10
1	1												11
1													
4	3	1			1	1							12
6		1											
70	12	3	3	2			1		1				13
63	18	1	5	2	1	2							
2													14
		1											15
1	1	1		1									16
	1												
2	5	13	26	23	15	5	9	3	5	3	1		17
1	6	9	13	10	6	3	6	2			1	4	
2	3			1	2	3		2	8	7	6	8	18
5	2	2	2	3	6	3	5	9	6	7	10	39	
													19
	1		1	1			3					2	20
1				1								2	
			2	1	1		1	1	2	1	2	2	21
			1					1				3	
		1		2	1		2	1	2	1			22
			2	2	2		1	1	1				
				1		1							23
			1	1				1					
1						1		3		2	2	7	24
			1						2	1		8	
2		1	4	10	17	10	14	9	8	7	6	1	25
1				8	9	14	11	6	6	4	3		26
1		1	4	2	8	5	3	3	2	3	3	1	27
													28
				8	9	13	9	6	4	4	2		29
			1	2	7	4	3	3	1	1	3	1	
						1	1		1				30
							1		1				31
		1	2		1	1			1				
1											1		32
1			1							2			
2	2	1	1		2	3	2	1	4	3	12	270	33
	1				1	1	1	1	1	1	5	104	34
2	1	1	1		1	2	1		3	2	7	166	35
													36
													37
													38
	1				1	1	1	1	1	1	4	24	39
2	1	1	1		1	2	1		3	2	5	41	
											1	80	40
											2	125	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BOSTON, MASS.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	I.—General diseases—Continued. General diseases—D		2,372	123	73	29	18	18	261
2	Males		1,117	74	43	16	5	9	147
3	Females		1,255	49	30	13	13	9	114
4	1. Rheumatism	M	18						
		F	13	1				1	2
5	2. Scrofula and tabes	M	21	10	1			1	12
		F	20	7		1		2	10
6	3. Leprosy	M							
		F							
7	4. Consumption	M	851	21	13	5		3	42
		F	834	10	7	6	3	3	29
8	5. Hydrocephalus	M	97	39	27	11	3	5	85
		F	84	28	22	5	10	3	68
9	6. Cancer	M	84						
		F	230		1				1
10	7. Tumor	M	15	1					1
		F	27			1			1
11	8. Anæmia	M	5		1		1		2
		F	17						
12	9. Dropsy	M	7						
		F	6						
13	10. Diabetes	M	13						
		F	13						
14	11. Others of this group	M	6	3	1		1		5
		F	6	3					3
15	12. Others of this class	M							
		F							
16	II.—Diseases of the nervous system		999	220	67	20	10	12	338
17	Males		513	123	38	14	5	8	188
18	Females		486	97	29	15	5	4	150
19	1. Inflammation of the brain	M	132	53	27	9	5	5	104
		F	98	39	18	8	2	3	70
20	2. Apoplexy	M	155	2					2
		F	161						
21	3. Paralysis	M	68	1				1	2
		F	62	1	1		2		4
22	4. Tetanus and trismus nascentium	M	3						
		F	4	3					3
23	5. Epilepsy	M	13	1					1
		F	8						
24	6. Convulsions	M	61	45	9	4			58
		F	61	44	6	5		1	56
25	7. Mental diseases	M	12						
		F	18						
26	8. Diseases of the brain	M	48	12	2	1		2	17
		F	58	9	2	2	1		14
27	9. Diseases of the spinal cord	M	19	4					4
		F	8	1	2				3
28	10. Others of this class	M	2						
		F	8						
29	III.—Diseases of the circulatory system		806	45	2	1	1		49
30	Males		383	23	2	1			26
31	Females		423	22			1		23
32	1. Angina pectoris	M	3						
		F	6						
33	2. Aneurism	M	15						
		F	1						
34	3. Diseases of the heart	M	349	13	2	1			16
		F	402	10			1		11
35	4. Others of this class	M	16	10					10
		F	14	12					12

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BOSTON, MASS.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
48	38	130	285	293	240	194	178	151	122	101	106	225	1
24	13	48	146	131	122	79	81	73	62	46	48	97	2
24	25	82	139	162	118	115	97	78	60	55	58	128	3
4			1		2			1	1	2	3	4	4
	1	1			1	1		2	2	1	2	5	
2	1		1	3						1	1		5
1			1	1		1	3	1			2		
													6
10	9	47	142	124	116	71	76	66	43	28	28	49	7
10	23	75	135	151	103	90	60	49	24	23	24	38	
6	3			2				1					8
11	1	1		1	1		1						
				1	1	4	4	3	13	13	12	33	9
1		1		5	10	22	24	21	22	25	20	78	
			2		1	1	1	1	2	1	1	4	10
1		1		2	1		5	1	5	3	3	4	
1										1		1	11
		1	2	1	2	1	1	2	5	1	1		
					1	1			2		1	2	12
							2		1		2	1	
1		1		1		2		1	1		2	4	13
		1		1			1	2	1	2	3	2	
					1								14
		1	1								1		
													15
25	12	9	16	21	23	32	43	46	42	51	66	275	16
11	5	5	9	12	12	15	27	26	19	28	28	128	17
14	7	4	7	9	11	17	16	20	23	23	38	147	18
8	2	1		2	1	1	8			3	1	1	19
9	3	1	3	1	1	1	3	1	2			3	
	1		3	1	2	4	9	15	12	11	18	77	20
		1		3	2	9	4	11	5	13	28	85	
1		1	1	4	1	3	4	4	4	6	4	33	21
				1	1	2	2	3	5	6	4	34	
			1		1							1	22
						1							
2	1	2	1	2	1	1				1		1	23
2		1					1				2	2	
		1				1		1					24
		1	1	1		1						1	
			2	1	2			1		1	1	4	25
			2		1		2	1	2	1		9	
	1		1	2	3	4	3	3		3	3	8	26
2	4		1	2	5	2	2	3	8	3	2	10	
						1	2	2	3	3	1	3	27
				1			1	1	1		1		
					1		1						28
1					1	1	1				1	3	
10	14	26	26	31	38	45	50	61	65	74	62	255	29
4	9	9	9	13	15	28	28	37	26	34	30	115	30
6	5	17	17	18	23	17	22	24	39	40	32	140	31
								1				2	32
			1						1			4	
				1		1	3	3	1	3		3	33
					1								
4	9	9	9	12	15	27	25	32	25	30	30	106	34
6	5	17	16	17	22	17	22	24	38	40	32	135	
								1		1		4	35
				1								1	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BOSTON, MASS.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years
1	IV.—Diseases of the respiratory system		1,834	332	153	87	36	27	[illegible]
2	Males		937	181	76	46	13	12	[illegible]
3	Females		897	151	77	41	23	15	[illegible]
4	1. Croup	M	44	4	13	11	5	5	[illegible]
		F	51	2	8	15	9	5	[illegible]
5	2. Laryngitis	M	7	1	2	1	1		[illegible]
		F	2			1			[illegible]
6	3. Bronchitis	M	220	79	29	13	3		[illegible]
		F	252	65	26	9	9	2	[illegible]
7	4. Pneumonia	M	606	82	32	20	3	6	[illegible]
		F	521	60	40	14	5	8	[illegible]
8	5. Pleurisy	M	12						
		F	8						
9	6. Asthma	M	6			1			1
		F	11						
10	7. Others of this class	M	42	15			1	1	[illegible]
		F	52	24	3	2			[illegible]
11	V.—Diseases of the digestive system		401	58	20	4	2		[illegible]
12	Males		195	34	13	3			[illegible]
13	Females		206	24	7	1	2		[illegible]
14	1. Dentition	M	15	5	9	1			[illegible]
		F	8	3	5				[illegible]
15	2. Angina	M	2		1	1			[illegible]
		F	1						
16	3. Diseases of the stomach	M	36	2	1	1			[illegible]
		F	44	4					[illegible]
17	4. Obstruction of the bowels	M	14	2	1				[illegible]
		F	11	1					[illegible]
18	5. Hernia	M	8						
		F	10	1					[illegible]
19	6. Other diseases of the bowels	M	5	2					[illegible]
		F	5	1					[illegible]
20	7. Jaundice	M	10	8					[illegible]
		F	11	4					[illegible]
21	8. Inflammation and abscess of the liver	M	7						
		F	4						
22	9. Other diseases of the liver	M	34						
		F	33	1			1		[illegible]
23	10. Peritonitis	M	27	2					[illegible]
		F	53	1					[illegible]
24	11. Ascites	M	2	1					[illegible]
		F	2						
25	12. Others of this class	M	25	12	1				[illegible]
		F	24	8	2	1	1		[illegible]
26	VI.—Diseases of the urinary system and male organs of generation.		364	5	1	2	1		[illegible]
27	Males		188	3	1	2			[illegible]
28	Females		176	2			1		[illegible]
29	1. Bright's disease	M	72						
		F	74						
30	2. Calculus, urinary	M	3						
		F	1						
31	3. Diseases of the kidney	M	87	2	1	2			[illegible]
		F	88	2			1		[illegible]
32	4. Diseases of the bladder	M	16						
		F	5						
33	5. Others of this class	M	10	1					[illegible]
		F	8						
34	VII.—Diseases of the female organs of generation		29			1			[illegible]
35	1. Ovarian tumors		7						
36	2. Ovarian diseases		2						
37	3. Uterine tumors		5						
38	4. Uterine diseases								
39	5. Others of this class		15			1			[illegible]
40	VIII.—Affections connected with pregnancy		60						
41	1. Abortion		6						
42	2. Childbirth		20						
43	3. Puerperal septicæmia		21						
44	4. Extra-uterine pregnancy								
45	5. Others of this class		13						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BOSTON, MASS.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
55	12	36	56	75	85	86	102	79	110	94	104	305	1
25	4	20	32	55	49	61	58	47	53	45	39	121	2
30	8	16	24	20	36	25	44	32	57	49	65	184	3
5						1							4
10									1			1	
1				1									5
				1									
7	1	4	1	2	2	7	3	2	11	7	7	42	6
4		4	7		2	4	4	2	10	15	15	74	
12	2	15	28	49	45	48	49	44	40	34	28	69	7
16	6	12	16	17	30	15	36	28	42	31	46	99	
	1		2	1		3	2			2	1		8
	1			1		2	2			1		1	
						1			1	1		2	9
						2	1		1	2	3	2	
		1	1	2	2	1	4	1	1	1	3	8	10
	1		1	1	4	2	1	2	3		1	7	
9	8	25	13	26	24	25	29	34	17	23	24	60	11
4	5	14	4	6	6	15	18	14	9	14	11	25	12
5	3	11	9	20	18	10	11	20	8	9	13	35	13
													14
													15
						1							
2		1			1	3	4	5	4	2	2	8	16
2	1	2	3	4	4	1	1	3	2	4	5	8	
						2	1			3		5	17
				1			1	2		1	1	4	
					1		1	1	1	2	1	1	18
								1	1			7	
											3		19
						3				1			
								2					20
		1		1	1						1	3	
	1	1			1	1	1					2	21
		1			1	1		1					
				1	2	3	4	6	4	3	3	8	22
	2			4	1	1	3	6	2	2	4	6	
2	3	9	3	3	1	5	4			3	2		23
3		5	4	9	10	3	5	5	3		1	4	
							1						24
								1			1		
	1	3	1	2		1	2			1		1	25
		2	2	1	1		1	1		1		3	
3	4	6	12	21	24	21	25	25	39	36	38	101	26
2	2	5	7	12	9	7	8	13	20	15	21	61	27
1	2	1	5	9	15	14	17	12	19	21	17	40	28
		4	2	4	4	3	3	7	11	6	9	19	29
	1		3	3	3	8	6	7	10	6	10	17	
												3	30
								1					
2	2	1	5	7	4	3	5	6	8	8	9	22	31
1	1	1	1	4	9	6	11	3	8	14	6	20	
						1			1	1	2	11	32
				1					1	1		2	
				1	1						1	6	33
			1	1	3			1			1	1	
			3	2	2	5	7	5	2		1	1	34
						3	2		1		1		35
								2					36
							2	2	1				37
													38
			3	2	2	2	3	1				1	39
		2	11	14	14	15	3	1					40
			1	2	2	1							41
		1	2	7	2	6	2						42
			5	3	6	6		1					43
													44
		1	3	2	4	2	1						45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BOSTON, MASS.—Continued.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints	40	1		2	1	2	6
2	Males	27	1		1		2	4
3	Females	13			1	1		2
4	1. Diseases of the spine M	17	1		1		2	4
	F	6						
5	2. Diseases of the bones M	4						
	F							
6	3. Diseases of the hip joint M	5						
	F	7			1	1		2
7	4. Others of this class M	1						
	F							
8	X.—Diseases of the skin	27	4	1				5
9	Males	15	4					4
10	Females	12		1				1
11	1. Abscess M	12	3					3
	F	3		1				1
12	2. Carbuncle M	1						
	F	2						
13	3. Others of this class M	2	1					1
	F	7						
14	XI.—Diseases of the absorbent system	3	1					1
15	Males							
16	Females	3	1					1
17	1. Addison's disease M							
	F	1						
18	2. Diseases of the spleen M							
	F							
19	3. Others of this class M							
	F	2	1					1
20	XII.—Accidents and injuries	489	43	8	6	6	3	66
21	Males	359	22	5	4	5	2	38
22	Females	130	21	3	2	1	1	28
23	1. Burns and scalds M	17	1	1	1	2		5
	F	17		1	1		1	3
24	2. Drowned M	35	1	1				2
	F	1						
25	3. Exposure and neglect M							
	F							
26	4. Gunshot wounds M	2						
	F							
27	5. Homicide M	7	1					1
	F	2						
28	6. Infanticide M							
	F							
29	7. Injuries by machinery M							
	F							
30	8. Railroad accidents M	54						
	F	4						
31	9. Suffocation M	10	11	2			1	14
	F	18	15					15
32	10. Suicide by shooting M	14						
	F							
33	11. Suicide by drowning M	3						
	F	3						
34	12. Suicide by poison M	12						
	F	9						
35	13. Other suicides M	12						
	F	1						
36	14. Sunstroke M	2						
	F							
37	15. Surgical operations M	14						
	F	24		1	1			2
38	16. Wounds M	6		1				1
	F							
39	17. Other accidents and injuries M	162	8		3	3	1	15
	F	51	6	1		1		8

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BOSTON, MASS.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
8	5	3	4	4	2	1	2	1	1	1		2	1
5	3	2	4	3		1	1	1	1	1		1	2
3	2	1		1	2		1					1	3
2	1	1	4	2		1		1		1			4
1	1	1			2							1	
1	1						1		1				5
2	1	1		1									6
2	1			1			1						
												1	7
	2		1	1		2	2	4	1	2	3	4	8
	2		1	1			1	2		2		2	9
						2	1	2	1		3	2	10
	2		1	1			1	2		1		1	11
						1	1						
												1	12
								1			1		
										1			13
						1		1	1		2	2	
				1							1		14
													15
				1							1		16
													17
											1		
													18
													19
				1									
13	12	19	32	57	45	51	35	39	40	25	13	42	20
13	8	15	24	42	36	41	30	29	31	21	8	23	21
	4	4	8	15	9	10	5	10	9	4	5	19	22
		1	1	3	2		1	1	1	1		1	23
		1	1	2	3	1		3	2			1	
3	2	1	1	4	4	2	6	4	4	1	1		24
												1	
													25
1		1											26
			3	2			1						27
				1	1								
													28
													29
4	1	1	9	5	7	9	2	7	5	3		1	30
			1					1		1		1	
	1			1			1		1		1		31
			1						1		1		
			1	1		2	2	1	1	1	3	2	32
					1			2					33
				1				1	1				
			1	2	3	1		1	1	1		2	34
		1	2	3	1	1			1				
					2	4	2	1		2		1	35
						1							
				1			1						36
1		2	1	2		1			1	1		5	37
		1	1	4	2	4	4	2	2	1		1	
				2		1	1					1	38
4	4	9	7	19	17	21	13	12	17	11	3	10	39
	4	1	2	4	2	3	1	3	2	2	4	15	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BROOKLYN, N. Y.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes		20,593	6,217	1,375	698	484	326	9,100
2	Males		10,937	3,461	728	364	260	156	4,969
3	Females		9,656	2,756	647	334	224	170	4,131
4	Unknown causes		20	3		1			4
5	Males		8	1					1
6	Females		12	2		1			3
7	I.—General diseases. General diseases—A		3,899	1,493	546	284	233	166	2,722
8	Males		1,986	778	276	129	120	83	1,386
9	Females		1,913	715	270	155	113	83	1,336
10	1. Smallpox	M.							
		F.							
11	2. Measles	M.	31	7	13	3	3	1	27
		F.	29	9	9	4	1	3	26
12	3. Scarlet fever	M.	75	4	14	11	11	6	46
		F.	79	3	13	14	12	15	57
13	4. Diphtheria	M.	532	14	93	92	86	69	354
		F.	488	13	73	93	85	57	321
14	5. Whooping cough	M.	73	35	25	6	5	1	72
		F.	95	43	29	12	6	3	93
15	6. Fever	M.	1						
		F.	3	1	2				3
16	7. Cerebro-spinal fever	M.	12	1	2	3	2	1	9
		F.	6	3	2				5
17	8. Typhoid fever	M.	114				1		1
		F.	80			2		1	3
18	9. Diarrheal diseases	M.	516	314	66	3	3	2	388
		F.	508	270	66	14	4	2	356
19	10. Cholera infantum	M.	439	376	58	3	1	1	439
		F.	427	347	72	7	1		427
20	11. Malarial fever	M.	104	4	3	5	5	2	19
		F.	103	4	3	5	4	1	17
21	12. Erysipelas	M.	31	8			1		9
		F.	33	12	1	1		1	15
22	13. Septicæmia	M.	30	4					4
		F.	30	2					2
23	14. Venereal diseases	M.	15	11					11
		F.	10	7					7
24	15. Others of this group	M.	13		2	3	2		7
		F.	22	1		3			4
25	General diseases—B		208	143	4	2			149
26	Males		128	83	2	1			86
27	Females		80	60	2	1			63
28	1. Parasitic diseases	M.							
		F.							
29	2. Alcoholism	M.	36						
		F.	8						
30	3. Lead poison	M.	2						
		F.							
31	4. Other poisons	M.	3	1					1
		F.	7	1		1			2
32	5. Inanition	M.	87	82	2	1			85
		F.	65	59	2				61
33	General diseases—C		3,017	2,420	82	21	10	3	2,536
34	Males		1,612	1,380	37	9	5	1	1,432
35	Females		1,405	1,040	45	12	5	2	1,104
36	1. Premature birth	M.	125	125					125
		F.	108	108					108
37	2. Stillborn	M.	791	791					791
		F.	542	542					542
38	3. Malformation	M.	36	36					36
		F.	24	24					24
39	4. Debility and atrophy	M.	552	428	37	9	5	1	480
		F.	500	366	45	12	5	2	430
40	5. Old age	M.	108						
		F.	231						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BROOKLYN, N. Y.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
768	292	433	765	953	976	825	822	801	876	828	793	2,361	1
391	151	225	415	501	533	470	455	452	469	469	405	1,032	2
377	141	208	350	452	443	355	367	349	407	359	388	1,329	3
1	.....	1	1	1	4	2	.....	3	.....	.....	.....	3	4
.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	3	5
1	.....	1	1	1	3	.....	.....	2	.....	.....	.....	.....	6
372	74	56	92	80	72	61	51	32	55	49	36	147	7
198	40	27	54	38	41	37	27	19	21	27	18	53	8
174	34	29	38	42	31	24	24	13	34	22	18	94	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
23	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	12
16	2	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	
145	17	7	1	1	1	.....	2	2	1	.....	.....	1	13
141	15	3	3	2	1	1	.....	.....	.....	1	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	12	11	27	18	15	11	9	1	3	1	.....	1	17
2	5	10	17	12	7	8	4	3	4	2	.....	3	
8	1	1	7	8	7	14	11	10	10	14	7	30	18
6	6	3	8	4	6	3	8	7	18	12	10	61	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
10	3	5	14	6	9	5	3	1	3	7	8	11	20
4	5	10	7	11	7	4	7	3	9	5	6	8	
1	.....	1	2	1	3	4	2	1	1	2	2	2	21
.....	.....	.....	.....	.....	5	.....	2	.....	1	1	1	8	
2	1	1	1	2	4	2	.....	2	2	3	1	5	22
1	1	1	1	10	4	4	2	.....	1	.....	.....	3	
.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....	.....	23
.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	3	24
1	.....	.....	.....	2	.....	2	.....	.....	1	1	1	10	
.....	.....	.....	5	7	12	4	3	7	12	1	2	6	25
.....	.....	.....	4	5	8	4	3	5	9	1	.....	3	26
.....	.....	.....	1	2	4	.....	.....	2	3	.....	2	3	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	3	5	7	3	3	5	8	1	.....	1	29
.....	.....	.....	.....	1	2	.....	.....	2	3	.....	.....	.....	
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	31
.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	32
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	2	
5	1	1	5	4	6	8	9	7	5	9	17	404	33
4	1	1	2	2	1	5	6	3	3	6	12	134	34
1	.....	.....	3	2	5	3	3	4	2	3	5	270	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	1	1	2	2	1	5	6	3	3	6	9	29	39
1	.....	.....	3	2	5	3	3	4	2	3	3	41	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	105	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	229	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BROOKLYN, N. Y.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	I.—General diseases—Continued. General diseases—D		3,029	148	52	27	14	7	248
2	Males		1,631	94	33	19	7	3	156
3	Females		1,398	54	19	8	7	4	92
4	1. Rheumatism	M.	42	2	2	1			5
		F.	46		1				1
5	2. Scrofula and tabes	M.	15	8	2	1		1	12
		F.	7	5	1				6
6	3. Leprosy	M.							
		F.							
7	4. Consumption	M.	1,317	21	10	10	4	2	47
		F.	1,008	19	8	3	6	2	38
8	5. Hydrocephalus	M.	86	52	18	6	3		79
		F.	48	27	8	4	1	2	42
9	6. Cancer	M.	114	1					1
		F.	246						
10	7. Tumor	M.	15						
		F.	14			1			1
11	8. Anæmia	M.	13	3		1			4
		F.	5	1					1
12	9. Dropsy	M.	7	1					1
		F.	8						
13	10. Diabetes	M.	13		1				1
		F.	12	1					1
14	11. Others of this group	M.	9	6					6
		F.	4	1	1				2
15	12. Others of this class	M.							
		F.							
16	II.—Diseases of the nervous system		2,382	801	239	95	45	47	1,227
17	Males		1,243	455	115	54	15	25	664
18	Females		1,139	346	124	41	30	22	563
19	1. Inflammation of the brain	M.	376	149	75	30	6	17	277
		F.	353	116	85	29	18	15	263
20	2. Apoplexy	M.	237	1					1
		F.	254	2	2			1	5
21	3. Paralysis	M.	87	2		1		1	4
		F.	128	2	1	1			4
22	4. Tetanus and trismus nascentium	M.	30	22		1			23
		F.	8	8					8
23	5. Epilepsy	M.	11					1	1
		F.	15	1					1
24	6. Convulsions	M.	245	202	25	10	3	3	243
		F.	190	152	21	5	6	3	187
25	7. Mental diseases	M.	14						
		F.	12						
26	8. Diseases of the brain	M.	185	74	9	10	5	2	100
		F.	144	55	13	5	4	2	79
27	9. Diseases of the spinal cord	M.	53	5	6	2	1	1	15
		F.	30	10	2	1	2	1	16
28	10. Others of this class	M.	5						
		F.	5						
29	III.—Diseases of the circulatory system		1,268	173	4		1	4	182
30	Males		647	101	4		1	3	109
31	Females		621	72				1	73
32	1. Angina pectoris	M.	14						
		F.	10						
33	2. Aneurism	M.	5						
		F.	5						
34	3. Diseases of the heart	M.	538	13	4		1	3	21
		F.	544	12				1	13
35	4. Others of this class	M.	90	88					88
		F.	62	60					60

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BROOKLYN, N. Y.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
19	45	170	330	383	361	285	277	202	104	176	122	217	1
8	16	76	179	219	203	154	153	112	107	100	57	91	2
11	29	94	151	164	158	131	124	90	87	76	65	126	3
1	3	1	...	2	3	3	4	1	4	6	1	8	4
2	3	1	2	1	3	5	4	2	2	5	3	12	
1	...	...	...	...	...	...	...	...	...	1	1	...	5
...	...	...	...	...	...	...	1	...	...	...	...	...	
...	...	...	...	...	...	...	...	...	...	...	...	...	6
...	...	...	...	...	...	...	...	...	...	...	...	...	
4	11	72	174	209	194	148	140	95	81	60	41	41	7
5	24	90	144	159	143	112	85	58	44	34	24	48	
2	1	...	...	3	1	...	...	...	...	...	...	...	8
2	2	...	...	...	...	1	...	...	...	...	...	1	
...	...	...	...	2	1	2	7	14	19	24	13	31	9
...	...	...	3	4	10	12	27	28	38	33	35	50	
...	1	...	3	...	2	1	1	1	...	2	1	3	10
1	...	1	1	...	1	...	2	1	1	1	1	3	
...	...	2	...	1	1	...	...	...	2	2	...	1	11
...	...	...	...	...	...	...	1	...	...	1	...	2	
...	...	1	1	...	...	...	1	...	...	1	...	2	12
...	...	2	...	...	...	1	1	...	1	1	1	1	
...	...	...	...	1	...	...	...	1	1	4	...	5	13
1	...	...	...	...	1	...	3	1	1	1	1	2	
...	...	...	1	1	1	...	...	...	...	...	...	...	14
...	...	...	1	...	...	...	...	...	...	...	...	1	
...	...	...	...	...	...	...	...	...	...	...	...	...	15
...	...	...	...	...	...	...	...	...	...	...	...	...	
77	45	33	35	36	37	60	56	75	104	104	110	383	16
37	22	21	22	17	20	39	30	35	52	56	53	175	17
40	23	12	13	19	17	21	26	40	52	48	57	208	18
31	14	11	6	5	4	5	3	5	6	4	1	4	19
27	10	8	3	2	5	2	6	1	3	5	4	5	
...	...	...	2	3	5	10	15	11	22	36	38	94	20
1	1	1	2	5	3	7	9	21	31	30	39	99	
...	...	...	...	1	...	6	2	5	10	9	4	46	21
1	...	...	3	3	1	3	4	8	12	6	5	78	
2	2	2	...	...	...	1	...	...	...	...	...	...	22
...	...	...	...	...	...	...	...	...	...	...	...	...	
...	...	3	4	...	...	...	1	1	1	...	...	...	23
...	1	...	2	...	5	...	1	1	...	2	1	1	
1	1	...	...	...	...	...	...	...	...	...	...	...	24
2	...	...	...	...	...	...	1	...	...	...	...	...	
...	...	...	...	...	1	4	...	1	1	1	3	3	25
...	...	1	1	2	...	...	1	3	1	1	...	2	
1	4	2	6	7	6	9	5	9	9	3	4	20	26
6	1	1	1	5	3	7	2	5	4	3	5	22	
1	1	3	4	1	4	4	4	3	2	2	3	6	27
3	...	...	1	2	...	2	1	...	1	1	2	1	
1	...	...	...	...	...	...	...	...	1	1	...	2	28
...	1	1	...	...	...	...	1	1	...	...	1	...	
37	33	36	44	55	55	63	70	76	97	108	126	286	29
12	13	21	19	28	23	34	33	42	48	61	66	138	30
25	20	15	25	27	32	29	37	34	49	47	60	148	31
...	...	...	...	...	...	1	1	1	2	4	1	4	32
...	...	...	...	1	1	...	2	...	2	...	1	3	
...	...	...	1	...	1	...	...	1	...	...	2	...	33
...	...	...	...	1	...	...	...	2	...	...	...	2	
12	13	21	18	28	22	33	31	40	46	57	63	133	34
25	20	15	25	25	31	29	35	32	47	47	59	141	
...	...	...	...	...	...	...	1	...	...	...	...	1	35
...	...	...	...	...	...	...	...	...	...	...	...	2	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BROOKLYN, N. Y.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		4,080	792	367	238	144	85	1,626
2	Males		2,240	428	213	137	89	34	901
3	Females		1,840	364	154	101	55	51	725
4	1. Croup	M	197	18	57	45	30	21	171
		F	149	11	31	36	19	20	117
5	2. Laryngitis	M	18	6	3	2	3		14
		F	23	6	5	3	4		18
6	3. Bronchitis	M	534	201	60	27	14	2	304
		F	545	194	54	19	13	6	286
7	4. Pneumonia	M	1,284	143	87	60	36	8	334
		F	977	123	58	40	19	25	265
8	5. Pleurisy	M	46	3	1	2		1	7
		F	32		2				2
9	6. Asthma	M	13	3					3
		F	13	3					3
10	7. Others of this class	M	148	54	5	1	6	2	68
		F	107	27	4	3			34
11	V.—Diseases of the digestive system		948	183	66	12	12	3	276
12	Males		499	103	40	7	7	2	159
13	Females		449	80	26	5	5	1	117
14	1. Dentition	M	68	39	27	2			68
		F	60	39	19	2			60
15	2. Angina	M	7	1	1	1	1		4
		F	9	1	2	1	1	1	6
16	3. Diseases of the stomach	M	93	16	9	3	3	2	33
		F	100	11	3	1			15
17	4. Obstruction of the bowels	M	22	2		1			3
		F	21	3					3
18	5. Hernia	M	21	5					5
		F	11						
19	6. Other diseases of the bowels	M	5		1				1
		F	4	4					4
20	7. Jaundice	M	19	10					10
		F	9	5					5
21	8. Inflammation and abscess of the liver	M	33	1					1
		F	34	1			1		2
22	9. Other diseases of the liver	M	114	1			1		2
		F	74	1			1		2
23	10. Peritonitis	M	72	6	1		1		8
		F	98	4	1				5
24	11. Ascites	M	1						
		F	1						
25	12. Others of this class	M	44	22	1		1		24
		F	28	11	1	1	2		15
26	VI.—Diseases of the urinary system and male organs of generation.		977	17	2	8	10	7	44
27	Males		518	13	1	3	7	3	27
28	Females		459	4	1	5	3	4	17
29	1. Bright's disease	M	264						
		F	225						
30	2. Calculus, urinary	M	1						
		F	1						
31	3. Diseases of the kidney	M	200	12	1	3	7	3	26
		F	214	4	1	5	3	4	17
32	4. Diseases of the bladder	M	32						
		F	8						
33	5. Others of this class	M	21	1					1
		F	11						
34	VII.—Diseases of the female organs of generation		37			1			1
35	1. Ovarian tumors		13						
36	2. Ovarian diseases								
37	3. Uterine tumors		12						
38	4. Uterine diseases		1						
39	5. Others of this class		11			1			1
40	VIII.—Affections connected with pregnancy		142						
41	1. Abortion		1						
42	2. Childbirth		32						
43	3. Puerperal septicæmia		80						
44	4. Extra-uterine pregnancy		1						
45	5. Others of this class		28						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BROOKLYN, N. Y.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
166	51	66	112	173	210	169	170	193	211	194	195	550	1
80	29	39	75	99	127	108	101	118	120	107	89	247	2
86	22	27	37	74	83	61	69	75	91	87	106	303	3
22	4												4
30	2												
2		1								1			5
4				1									
7	1	4	11	6	7	5	15	12	17	28	22	95	6
11	5		3	13	11	3	9	12	20	25	36	111	
42	21	30	57	81	104	92	77	92	98	70	53	133	7
35	14	25	28	52	66	51	53	55	65	55	58	155	
3	1	2	4	6	4	7		3		3	5	1	8
3			3	5	2	4	1			1	1	10	
							1	2	1	1		5	9
			1		1		1	1		1	1	4	
4	2	2	3	6	12	4	8	9	4	4	9	13	10
3	1	2	2	3	3	3	5	7	6	5	10	23	
32	15	22	26	52	44	50	58	64	56	72	60	121	11
20	6	10	13	25	25	25	29	32	23	40	30	62	12
12	9	12	13	27	19	25	29	32	33	32	30	59	13
													14
1				1								1	15
1		1		1									
5			2	3	4	2	4	4	1	12	4	19	16
6			2	5	6	7	7	11	7	8	10	16	
1		2	1	2	1	4	1	1	1	1	2	2	17
		2			1		4	1	1	1	1	7	
				2	1		1	1	1	1	3	6	18
							2	4	1		3	1	
					2					1	1		19
				1			2	1		1	1	3	20
								1	1	1		1	
2			1	1	3	4	4	3	2	3	3	6	21
				3	2	3	3	3	2	4	5	7	
		1	1	5	7	9	12	16	16	18	13	14	22
1			2	4	1	3	4	9	14	9	8	17	
8	5	5	7	9	5	5	3	4	2	3	2	6	23
3	7	9	9	13	9	11	9	2	5	7	2	7	
								1					24
				1									
3	1	2	1	1	2	1	2	1			1	5	25
1	2					1		1	2	2	1	3	
26	8	13	35	81	74	68	70	92	103	69	91	197	26
10	6	6	16	39	32	34	42	45	58	40	56	107	27
16	2	7	19	42	42	34	34	47	45	29	35	90	28
3	1	3	4	26	10	20	25	23	39	22	32	56	29
4	1	4	10	20	18	16	16	23	29	20	18	46	
												1	30
												1	
7	4	3	11	11	22	11	15	19	18	12	17	24	31
11	1	3	9	21	19	18	16	23	15	9	16	36	
							1			5	4	22	32
				1					1		1	5	
	1		1	2		3	1	3	1	1	3	4	33
1					5		2	1				2	
		1	1	4	8	1	2	4	3	6	4	2	34
				1	2		2	2	1	2	3		35
													36
					1	1		2	2	3	1	2	37
					1								38
		1	1	3	4					1			39
		5	39	38	29	18	11		1	1			40
			1										41
			6	13	5	2	6						42
		3	22	20	19	11	4			1			43
					1								44
		2	10	5	4	5	1		1				45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BROOKLYN, N. Y.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		27	3			2		5
2	Males		15	1			1		2
3	Females		12	2			1		3
4	1. Diseases of the spine	M	7	1			1		2
		F	7	2			1		3
5	2. Diseases of the bones	M	1						
		F							
6	3. Diseases of the hip joint	M	6						
		F	2						
7	4. Others of this class	M	1						
		F	3						
8	X.—Diseases of the skin		25	9	1	1			11
9	Males		15	7					7
10	Females		10	2	1	1			4
11	1. Abscess	M	13	6					6
		F	5	1	1	1			3
12	2. Carbuncle	M	1						
		F	1						
13	3. Others of this class	M	1	1					1
		F	4	1					1
14	XI.—Diseases of the absorbent system		9						
15	Males		3						
16	Females		6						
17	1. Addison's disease	M	2						
		F	2						
18	2. Diseases of the spleen	M	1						
		F	2						
19	3. Others of this class	M							
		F	2						
20	XII.—Accidents and injuries		519	32	12	8	13	4	69
21	Males		392	17	7	5	8	2	39
22	Females		127	15	5	3	5	2	30
23	1. Burns and scalds	M	17		3	4	2		9
		F	25	1	1	3	4		9
24	2. Drowned	M	95	4	2		1		7
		F	4						
25	3. Exposure and neglect	M							
		F							
26	4. Gunshot wounds	M	8						
		F	2						
27	5. Homicide	M	5						
		F	2						
28	6. Infanticide	M	1	1					1
		F							
29	7. Injuries by machinery	M							
		F							
30	8. Railroad accidents	M	14						
		F	4						
31	9. Suffocation	M	19	8		1	1		10
		F	13	10			1		11
32	10. Suicide by shooting	M	29						
		F							
33	11. Suicide by drowning	M	1						
		F	1						
34	12. Suicide by poison	M	11						
		F	5						
35	13. Other suicides	M	24						
		F	7						
36	14. Sunstroke	M	9						
		F							
37	15. Surgical operations	M	1						
		F	2						
38	16. Wounds	M	7						
		F	2		1				1
39	17. Other accidents and injuries	M	151	4	2		4	2	12
		F	60	4	3			2	9

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BROOKLYN, N. Y.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown	
9	5		3	1	1				1	1		1	1
5	4		2						1	1			2
4	1		1	1	1							1	3
2	1		1						1				4
	1		1	1	1								
1													5
2	3		1										6
2													
										1			7
2												1	
	1	1	1		2		1	1		1		6	8
	1	1	1		2		1					2	9
								1		1		4	10
	1	1	1		1		1					2	11
												2	
					1								12
										1			
													13
								1				2	
				1	1		1	2		1		3	14
							1	1				1	15
				1	1			1		1		2	16
							1					1	17
				1	1								
								1					18
												2	
													19
								1		1			
24	14	28	36	37	60	36	37	43	34	36	30	35	20
17	13	23	28	29	50	28	29	39	27	30	24	16	21
7	1	5	8	8	10	8	8	4	7	6	6	19	22
2		1			1	1		1	2				23
3		1	1	1	1	1	1	1	1		2	3	
6	6	7	9	12	9	8	8	12	1	4	5	1	24
			1		1		1				1		
													25
		2	2	1	1			1		1			26
								1			1		
			2		2		1						27
									1			1	
													28
													29
		1		1	3		1	2	1	3	2		30
1					1				1	1			
2			1		2	1	1				1	1	31
				1								1	
		1	2	3	2	2	2	4	4	4	5		32
										1			33
								1					
			3	1				2	1	2	1	1	34
		1	1		1	1				1			
				2	2	4	1	1	3	5	3	3	35
			2				2		1			2	
			3		2		1	1	2				36
							1						37
			1		1								
	2	1	1		1	1	1						38
									1				
7	5	10	5	9	25	11	12	15	13	10	7	10	39
3	1	3	2	6	5	6	4	1	2	4	2	12	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BUFFALO, N. Y.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes		5,087	1,886	330	126	71	57	2,470
2	Males		2,784	1,069	172	66	27	28	1,362
3	Females		2,303	817	158	60	44	29	1,108
4	Unknown causes		26	3		1		1	5
5	Males		12			1		1	2
6	Females		14	3					3
7	I.—General diseases. General diseases—A		1,041	500	144	55	28	29	756
8	Males		528	263	74	31	10	15	393
9	Females		513	237	70	24	18	14	363
10	1. Smallpox	M.	2						
		F.	1						
11	2. Measles	M.	9	5	3		1		9
		F.	5		1	2	1	1	5
12	3. Scarlet fever	M.	16	2	4	2		4	12
		F.	12		6		3	1	10
13	4. Diphtheria	M.	58	7	7	12	7	10	43
		F.	60	1	6	12	5	9	33
14	5. Whooping cough	M.	27	22	4	1			27
		F.	42	20	8	2	1		40
15	6. Fever	M.	2	1		1			2
		F.	4	3				1	4
16	7. Cerebro-spinal fever	M.	37	12	6	4	1	1	24
		F.	27	9	2	1	3		15
17	8. Typhoid fever	M.	41			2			2
		F.	39	1			1	1	3
18	9. Diarrheal diseases	M.	151	83	21	4			108
		F.	139	60	20	6	4	1	91
19	10. Cholera infantum	M.	155	122	28	5			155
		F.	152	126	25	1			152
20	11. Malarial fever	M.	12	3	1		1		5
		F.	12	1	1				2
21	12. Erysipelas	M.	5	2					2
		F.	4	1	1				2
22	13. Septicæmia	M.	2						
		F.	6	2					2
23	14. Venereal diseases	M.	6	3					3
		F.	4	3					3
24	15. Others of this group	M.	5	1					1
		F.	6	1					1
25	General diseases—B		156	110				1	111
26	Males		98	63					63
27	Females		58	47				1	48
28	1. Parasitic diseases	M.	1	1					1
		F.	1						
29	2. Alcoholism	M.	34						
		F.	9						
30	3. Lead poison	M.							
		F.							
31	4. Other poisons	M.							
		F.	1					1	1
32	5. Inanition	M.	63	62					62
		F.	47	47					47
33	General diseases—C		870	681	4	2			687
34	Males		490	400	1	1			402
35	Females		380	281	3	1			285
36	1. Premature birth	M.	87	87					87
		F.	50	50					50
37	2. Stillborn	M.	229	229					229
		F.	159	159					159
38	3. Malformation	M.	6	6					6
		F.	7	7					7
39	4. Debility and atrophy	M.	138	78	1	1			80
		F.	135	65	3	1			69
40	5. Old age	M.	30						
		F.	29						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BUFFALO, N. Y.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
128	76	104	184	186	210	194	185	174	171	162	177	666	1
66	42	46	97	95	115	114	107	112	96	96	101	335	2
62	34	58	87	91	95	80	78	62	75	66	76	331	3
			1	1	2	3	2	1	1	1	3	6	4
			1		1	2	1				2	3	5
				1	1	1	1	1	1	1	1	3	6
56	23	20	24	23	23	16	11	10	8	17	9	45	7
25	13	10	10	9	14	7	5	5	3	9	5	20	8
31	10	10	14	14	9	9	6	5	5	8	4	25	9
1		1											10
			1										
													11
4													12
2													
10	5												13
23	3				1								
													14
1	1												
													15
4	3	3		1			1					1	16
1	2	2		3	2	1						1	
2	3	5	8	6	8	3		2			1	1	17
1	2	4	9	6	3	3	4	2	2				
4	1	1		2	3	2	2	1	3	7	3	14	18
2	1	4	3	3		2	1	3	3	5	4	17	
													19
			1		1	1	1	1		1		1	20
	1			1	3	1				2		2	
						1	1			1			21
							1					1	
			1									1	22
1				1		2							
	1				2								23
			1										
								1			1	2	24
										1		4	
			4	9	3	6	6	4	5	4	2	2	25
			2	5	2	5	5	4	5	3	2	2	26
			2	4	1	1	1			1			27
													28
				1									
			2	5	2	4	5	4	5	3	2	2	29
			2	3	1	1	1			1			
													30
													31
						1							32
1			2			1			1	2	5	171	33
1			2			1			1	2	2	79	34
											3	92	35
													36
													37
													38
1			2			1			1	2	2	49	39
											3	63	
												30	40
												29	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BUFFALO, N. Y.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	I.—General diseases—Continued. General diseases—D		714	36	10	8	8	5	67
2	Males		367	21	6	3	5	4	39
3	Females		347	15	4	5	3	1	28
4	1. Rheumatism	M.	11					1	1
		F.	9	1					1
5	2. Scrofula and tabes	M.	4	3				1	4
		F.	11	4	1	2			7
6	3. Leprosy	M.							
		F.							
7	4. Consumption	M.	254	6	1		1	1	9
		F.	222	6	2	1			9
8	5. Hydrocephalus	M.	23	11	4	2	4		21
		F.	11	3	1	1	3		8
9	6. Cancer	M.	51						
		F.	67						
10	7. Tumor	M.	6						
		F.	3						
11	8. Anæmia	M.	4	1	1	1			3
		F.	1	1					1
12	9. Dropsy	M.	5						
		F.	10						
13	10. Diabetes	M.	3						
		F.	6						
14	11. Others of this group	M.	1					1	1
		F.	7			1		1	2
15	12. Others of this class	M.							
		F.							
16	II.—Diseases of the nervous system		545	211	43	13	7	5	279
17	Males		303	126	22	9	3	2	162
18	Females		242	85	21	4	4	3	117
19	1. Inflammation of the brain	M.	60	22	12	6	2	2	44
		F.	45	16	12	3	3	1	35
20	2. Apoplexy	M.	44	1			1		2
		F.	51						
21	3. Paralysis	M.	33						
		F.	28						
22	4. Tetanus and trismus nascentium	M.	1						
		F.	3	2					2
23	5. Epilepsy	M.	9		2				2
		F.	7	2	1				3
24	6. Convulsions	M.	110	98	6	2			106
		F.	72	60	7	1		1	69
25	7. Mental diseases	M.	7						
		F.	6						
26	8. Diseases of the brain	M.	31	5	2	1			8
		F.	25	5	1			1	7
27	9. Diseases of the spinal cord	M.	7						
		F.	4				1		1
28	10. Others of this class	M.	1						
		F.	1						
29	III.—Diseases of the circulatory system		257	34	1	2	1	1	39
30	Males		136	16	1				17
31	Females		121	18		2	1	1	22
32	1. Angina pectoris	M.	2						
		F.	5						
33	2. Aneurism	M.	4						
		F.	2						
34	3. Diseases of the heart	M.	116	5	1				6
		F.	94	2		2	1	1	6
35	4. Others of this class	M.	14	11					11
		F.	20	16					16

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BUFFALO, N. Y.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
18	15	39	67	72	77	64	59	48	41	38	33	76	1
10	5	12	29	33	34	35	34	28	20	22	21	45	2
8	10	27	38	39	43	29	25	20	21	16	12	31	3
		1			2	2			1	1		3	4
1		1				1	1	1		1	1	1	
													5
		2		1	1								
													6
2	3	10	29	33	30	33	29	25	11	16	11	13	7
5	8	24	36	32	35	20	12	13	10	7	1	10	
6												1	8
1	1		1										
1		1			1		3	2	7	3	9	24	9
				3	4	6	9	5	10	8	7	15	
							2		1	1		2	10
				1							2		
	1												11
	1				1					1		2	12
				1	1	1	1	1			1	4	
1								1			1		13
	1		1		1	1			1			1	
													14
1				1	1		2						
													15
13	4	9	6	5	13	12	14	19	29	22	29	91	16
9	2	3	4	3	8	8	7	13	15	17	11	41	17
4	2	6	2	2	5	4	7	6	14	5	18	50	18
5	1	1		1			2	3	2			1	19
3	1	2	1					1		1		1	
					1	3	1	3	2	10	5	17	20
				1	3	2	3	1	5	3	8	25	
	1	1			1	1	2	2	4	3	3	15	21
						1		2	5		8	12	
1													22
												1	
			2	1	1	1				1		1	23
		2	1									1	
1			1			1			1				24
1									1			1	
								1		1	1	4	25
					2		2		1			1	
2		1	1	1	2	2	1	3	5	1	2	2	26
	1	2		1		1	2	1		1	2	7	
					3		1	1		1		1	27
								1	2				
									1				28
												1	
2	4	6	12	10	11	10	19	19	15	21	18	71	29
	2	4	7	4	5	6	13	10	7	9	10	42	30
2	2	2	5	6	6	4	6	9	8	12	8	29	31
											1	1	32
						1		1		1		2	
			2									2	33
			1								1		
	2	4	5	4	5	6	13	10	7	9	9	36	34
2	2	2	4	6	6	3	6	7	8	11	6	25	
												3	35
								1			1	2	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BUFFALO, N. Y.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		791	220	110	37	24	12	403
2	Males		451	125	59	19	9	4	216
3	Females		340	95	51	18	15	8	187
4	1. Croup	M	51	15	17	6	6	2	46
		F	51	10	15	9	8	5	47
5	2. Laryngitis	M	6	1		2		1	4
		F	3	2					2
6	3. Bronchitis	M	100	45	14			1	60
		F	89	34	16	3	1		54
7	4. Pneumonia	M	241	55	25	8	3		91
		F	168	40	19	6	6	2	73
8	5. Pleurisy	M	10	1					1
		F	1						
9	6. Asthma	M	4						
		F	4						
10	7. Others of this class	M	39	8	3	3			14
		F	24	9	1			1	11
11	V.—Diseases of the digestive system		204	40	14	2	1		57
12	Males		94	22	7				29
13	Females		110	18	7	2	1		28
14	1. Dentition	M	16	9	7				16
		F	10	6	4				10
15	2. Angina	M	2	1					1
		F	2		1				1
16	3. Diseases of the stomach	M	17	3					3
		F	23	5	2	1			8
17	4. Obstruction of the bowels	M	7	2					2
		F	7				1		1
18	5. Hernia	M	2						
		F	1						
19	6. Other diseases of the bowels	M	3	2					2
		F	1						
20	7. Jaundice	M	2	1					1
		F	4	2					2
21	8. Inflammation and abscess of the liver	M	5						
		F	10						
22	9. Other diseases of the liver	M	17						
		F	13						
23	10. Peritonitis	M	10						
		F	29	3					3
24	11. Ascites	M	1						
		F	2						
25	12. Others of this class	M	12	4					4
		F	8	2		1			3
26	VI.—Diseases of the urinary system and male organs of generation.		125	4		1		1	6
27	Males		67	2				1	3
28	Females		58	2		1			3
29	1. Bright's disease	M	32						
		F	27						
30	2. Calculus, urinary	M	1	1					1
		F	1						
31	3. Diseases of the kidney	M	23	1				1	2
		F	25	2		1			3
32	4. Diseases of the bladder	M	3						
		F	1						
33	5. Others of this class	M	8						
		F	4						
34	VII.—Diseases of the female organs of generation		16						
35	1. Ovarian tumors		5						
36	2. Ovarian diseases		1						
37	3. Uterine tumors		3						
38	4. Uterine diseases		4						
39	5. Others of this class		3						
40	VIII.—Affections connected with pregnancy		35						
41	1. Abortion		1						
42	2. Childbirth		7						
43	3. Puerperal septicæmia		18						
44	4. Extra-uterine pregnancy								
45	5. Others of this class		9						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BUFFALO, N. Y.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
19	9	11	11	26	30	21	26	28	29	23	37	118	1
10	6	4	8	17	20	15	16	21	18	17	21	62	2
9	3	7	3	9	10	6	10	7	11	6	16	56	3
5													4
4													
									1			1	5
	1												
1				2	1	2		3		3	8	20	6
		1		3	2	1		1	2	1	4	20	
3	4	2	8	12	16	12	14	16	17	8	7	31	7
4	2	5	3	5	5	4	10	5	8	5	12	27	
	1	1			1					4	2		8
					1								
												4	9
1									1			2	
1	1	1		3	2	1	2	2		2	4	6	10
		1		1	2	1		1				7	
3	4	5	11	5	13	11	9	11	9	14	14	38	11
	1	2	4	2	5	6	2	5	4	7	11	16	12
3	3	3	7	3	8	5	7	6	5	7	3	22	13
													14
									1				15
	1												
				1	1		2			2	6	2	16
2	1		1	1		1		1	1	1		6	
					2	1			1			1	17
	1			1				1				3	
										1		1	18
												1	
												1	19
					1								
			1										20
									1		1		
						1				1	2	1	21
		1				1	3			1	1	3	
					1	3		3	2	1	1	6	22
						1	2	2	1	4		3	
	1	2	1	1	1			2			1	1	23
1		2	6	1	5	2	1	2	2		1	3	
										1			24
										1		1	
			2			1				1	1	3	25
					2		1					2	
	2	1	6	6	2	14	10	14	15	12	14	23	26
	1		4	4	1	7	5	8	10	6	7	11	27
	1	1	2	2	1	7	5	6	5	6	7	12	28
	1		2		1	6		5	6	5	3	3	29
	1	1	1	1		3	4	3	1	2	6	4	
													30
										1			
			2	2		1	4	1	4		3	4	31
			1	1	1	3		3	3	3	1	6	
											1	2	32
												1	
				2			1	2		1		2	33
						1	1		1			1	
			2	2	1	2	4	1	2	1		1	34
						1	2		1			1	35
					1								36
						1		1	1				37
			2	1						1			38
				1			2						39
		2	8	7	7	9	2						40
					1								41
				3	2	2							42
		2	6	2	8	4	1						43
													44
			2	2	1	3	1						45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

BUFFALO, N. Y.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		4						
2	Males		2						
3	Females		2						
4	1. Diseases of the spine	M							
		F	1						
5	2. Diseases of the bones	M							
		F							
6	3. Diseases of the hip joint	M	1						
		F							
7	4. Others of this class	M	1						
		F	1						
8	X.—Diseases of the skin		10	4					4
9	Males		5	3					3
10	Females		5	1					1
11	1. Abscess	M	3	2					2
		F	3						
12	2. Carbuncle	M	2	1					1
		F							
13	3. Others of this class	M							
		F	2	1					1
14	XI.—Diseases of the absorbent system		3						
15	Males		3						
16	Females								
17	1. Addison's disease	M	2						
		F							
18	2. Diseases of the spleen	M							
		F							
19	3. Others of this class	M	1						
		F							
20	XII.—Accidents and injuries		290	43	4	5	2	2	56
21	Males		228	28	2	2		1	33
22	Females		62	15	2	3	2	1	23
23	1. Burns and scalds	M	6	1	1			1	3
		F	5			1			1
24	2. Drowned	M	38	1					1
		F	6	1		1	1		3
25	3. Exposure and neglect	M	1	1					1
		F	1						
26	4. Gunshot wounds	M	1						
		F							
27	5. Homicide	M	4	1					1
		F	1						
28	6. Infanticide	M							
		F							
29	7. Injuries by machinery	M							
		F							
30	8. Railroad accidents	M	72						
		F	5					1	1
31	9. Suffocation	M	16	15					15
		F	9	7	1	1			9
32	10. Suicide by shooting	M	2						
		F							
33	11. Suicide by drowning	M	2						
		F							
34	12. Suicide by poison	M	3						
		F	4						
35	13. Other suicides	M	7						
		F	2						
36	14. Sunstroke	M	1						
		F							
37	15. Surgical operations	M	8						
		F	6	1					1
38	16. Wounds	M	6						
		F							
39	17. Other accidents and injuries	M	61	9	1	2			12
		F	23	6	1		1		8

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

BUFFALO, N. Y.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
1	1											2	1
	1											1	2
1												1	3
1													4
													5
	1												6
												1	7
												1	
					1			1	1	2		1	8
								1				1	9
					1				1	2			10
												1	11
					1				1	1			
								1					12
													13
										1			
				1		1		1					14
				1		1		1					15
													16
						1		1					17
													18
				1									19
15	14	11	30	19	27	24	23	17	15	5	13	21	20
11	11	11	26	17	25	21	19	16	13	4	9	12	21
4	3		4	2	2	3	4	1	2	1	4	9	22
	1				1		1						23
2						1	1						
6	3	4	8	2	2	2	3	2	3	1		1	24
1			1					1					
													25
			1										
							1						26
		1		1	1								27
									1				
													28
													29
1	2	3	10	6	11	11	7	7	5	2	2	5	30
	1								1		1	1	
1													31
						1					1		32
			1			1							33
				3									34
	1		2								1		
			1	2			1		1		2		35
						1					1		
			1										36
				3	1		1	1			2		37
					1		3			1			
	2		1		2					1			38
3	3	3	4		7	6	5	6	4		2	6	39
1	1			2	1	1					1	8	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CHICAGO, ILL.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	23,162	8,607	1,784	770	494	394	12,049
2	Males	12,693	4,833	904	408	243	208	6,596
3	Females	10,469	3,774	880	362	251	186	5,453
4	Unknown causes	67	7	3	3	1	2	16
5	Males	35	5	1	2			8
6	Females	32	2	2	1	1	2	8
7	I.—General diseases. General diseases—A	5,599	2,256	771	310	242	207	3,786
8	Males	2,889	1,195	381	159	115	103	1,953
9	Females	2,710	1,061	390	151	127	104	1,833
10	1. Smallpox M	1	1					1
	F							
11	2. Measles M	32	10	13	4	1	1	29
	F	27	8	12	2	2		24
12	3. Scarlet fever M	96	9	16	17	13	12	67
	F	106	4	13	21	17	14	69
13	4. Diphtheria M	532	38	73	89	78	68	346
	F	592	32	64	89	87	69	341
14	5. Whooping cough M	64	33	21	7			61
	F	83	45	19	10	4	3	81
15	6. Fever M	3						
	F	7	1					1
16	7. Cerebro-spinal fever M	66	23	17	4	1	3	48
	F	55	19	12	3	4	3	41
17	8. Typhoid fever M	456	8	4	4	3	4	23
	F	338	9	10	5	3	5	32
18	9. Diarrheal diseases M	931	612	133	20	7	5	777
	F	742	451	132	9	6	5	603
19	10. Cholera infantum M	542	428	98	8	6	2	542
	F	582	453	116	10	2	1	532
20	11. Malarial fever M	52	4	4	1	1	2	12
	F	59	2	6	2	1	2	13
21	12. Erysipelas M	26	9	1	1	1	1	13
	F	28	18	2				20
22	13. Septicæmia M	47	7		4	1	5	17
	F	59	9	2		1	2	14
23	14. Venereal diseases M	19	11			1		12
	F	12	6					6
24	15. Others of this group M	22	2	1		2		5
	F	20	4	2				6
25	General diseases—B	714	545	23	5	1		574
26	Males	421	302	9	3	1		315
27	Females	293	243	14	2			259
28	1. Parasitic diseases M							
	F							
29	2. Alcoholism M	79		1				1
	F	16						
30	3. Lead poison M	6						
	F							
31	4. Other poisons M	18		2				2
	F	7	1	1	1			3
32	5. Inanition M	318	302	6	3	1		312
	F	270	242	13	1			256
33	General diseases—C	3,168	2,710	20	3	2	2	2,737
34	Males	1,757	1,550	12	3		2	1,567
35	Females	1,411	1,160	8		2		1,170
36	1. Premature birth M	81	81					81
	F	44	44					44
37	2. Stillborn M	1,258	1,258					1,258
	F	947	947					947
38	3. Malformation M	30	20	1				30
	F	26	25					25
39	4. Debility and atrophy M	266	182	11	3		2	198
	F	224	144	8		2		154
40	5. Old age M	122						
	F	170						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CHICAGO, ILL.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
897	369	586	960	1,087	923	914	813	820	678	652	647	1,767	1
430	178	289	470	554	538	558	517	524	410	372	374	883	2
467	191	297	490	533	385	356	296	296	268	280	273	884	3
4	1	3	1	5	8	2	4	4	.....	8	4	7	4
3	1	1	.....	2	5	2	2	2	.....	3	2	4	5
1	.....	2	1	3	3	.....	2	2	.....	5	2	3	6
485	136	164	223	180	144	95	61	69	52	50	43	111	7
220	63	73	123	88	92	57	41	42	32	33	25	47	8
265	73	91	100	92	52	38	20	27	20	17	18	64	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
17	2	2	2	1	1	1	1	.....	.....	.....	1	1	12
28	2	2	2	2	.....	.....	.....	.....	.....	.....	.....	1	
147	19	6	4	.....	5	2	.....	.....	.....	1	1	1	13
194	35	4	12	1	1	3	.....	1	.....	.....	.....	.....	
2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	15
.....	.....	1	1	1	.....	.....	1	1	.....	1	.....	.....	
7	1	3	.....	.....	2	1	.....	3	.....	1	.....	.....	16
6	3	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	
22	28	50	95	70	64	33	23	17	11	5	6	9	17
14	19	67	65	49	25	15	13	9	6	7	2	15	
15	7	6	15	13	9	10	9	17	13	10	10	20	18
16	6	8	8	17	6	8	3	8	8	6	11	34	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	4	4	3	3	5	2	.....	2	5	2	5	20
3	6	6	4	5	5	2	.....	2	2	3	3	5	
1	.....	.....	.....	.....	2	2	.....	2	.....	3	1	2	21
.....	.....	.....	.....	2	.....	1	1	.....	2	.....	.....	2	
3	1	2	1	1	4	1	3	2	4	4	1	3	22
.....	1	.....	8	12	12	6	2	2	1	.....	.....	1	
.....	.....	.....	1	.....	1	1	2	.....	2	.....	.....	.....	23
1	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	
1	1	.....	1	.....	1	1	1	1	.....	3	2	5	24
1	.....	.....	.....	.....	1	1	.....	3	.....	.....	2	6	
3	2	.....	5	10	16	18	27	18	14	12	7	8	25
1	1	.....	2	9	13	13	24	13	12	10	6	2	26
2	1	.....	3	1	3	5	3	5	2	2	1	6	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	2	5	9	11	18	9	10	9	4	1	29
.....	.....	.....	1	.....	2	5	1	4	1	1	1	.....	
.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	30
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	.....	4	3	.....	3	2	.....	.....	2	.....	31
2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	1	2	.....	.....	1	.....	1	32
.....	1	.....	.....	1	1	.....	2	1	1	1	.....	6	
3	.....	2	.....	2	3	1	1	5	6	13	22	373	33
1	.....	1	.....	.....	3	1	1	2	2	5	8	166	34
2	.....	1	.....	2	.....	.....	.....	3	4	8	14	207	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	.....	3	1	1	2	2	5	5	47	39
1	.....	1	.....	2	.....	.....	.....	3	4	8	9	42	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	119	40
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	165	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CHICAGO, ILL.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
	I.—General diseases—Continued.								
1	General diseases—D.		2,889	160	84	31	19	19	313
2	Males		1,471	94	37	14	12	8	165
3	Females		1,418	66	47	17	7	11	148
4	1. Rheumatism	M.	45	3				2	5
		F.	38	1	1				2
5	2. Scrofula and tabes	M.	26	10	3	2	1		16
		F.	42	14	8	1		1	24
6	3. Leprosy	M.							
		F.							
7	4. Consumption	M.	1,005	21	15	4	4	1	45
		F.	930	23	14	10	4	3	54
8	5. Hydrocephalus	M.	82	45	15	8	2	2	72
		F.	67	21	20	4	3	7	55
9	6. Cancer	M.	175		1		1		2
		F.	218	1					1
10	7. Tumor	M.	39				2	1	3
		F.	31	1	1				2
11	8. Anæmia	M.	18	8	1		1		10
		F.	25	4	1	1			6
12	9. Dropsy	M.	41	2	2		1	1	6
		F.	46	1	1	1			3
13	10. Diabetes	M.	22					1	1
		F.	13						
14	11. Others of this group	M.	16	5					5
		F.	8		1				1
15	12. Others of this class	M.	2						
		F.							
16	II.—Diseases of the nervous system		2,756	1,427	264	96	51	30	1,868
17	Males		1,557	819	138	54	25	22	1,058
18	Females		1,199	608	126	42	26	8	810
19	1. Inflammation of the brain	M.	369	173	54	28	8	14	277
		F.	279	121	58	17	14	7	217
20	2. Apoplexy	M.	173	3		1	1	1	6
		F.	128	3	1	3			7
21	3. Paralysis	M.	96	3					3
		F.	77	2	2	1			5
22	4. Tetanus and trismus nascentium	M.	28	17					17
		F.	14	11					11
23	5. Epilepsy	M.	19	1		1			2
		F.	11	1					1
24	6. Convulsions	M.	678	556	69	19	11	3	658
		F.	512	424	50	14	7	1	496
25	7. Mental diseases	M.	6						
		F.	14						
26	8. Diseases of the brain	M.	139	53	11	3	4	4	75
		F.	107	38	13	5	4		60
27	9. Diseases of the spinal cord	M.	44	13	3	2	1		19
		F.	43	8	2	2	1		13
28	10. Others of this class	M.	5		1				1
		F.	14						
29	III.—Diseases of the circulatory system		883	54	7	4	3	3	71
30	Males		506	40	4	3		1	48
31	Females		377	14	3	1	3	2	23
32	1. Angina pectoris	M.	13						
		F.	7						
33	2. Aneurism	M.	19						
		F.	5						
34	3. Diseases of the heart	M.	451	24	3	2		1	30
		F.	356	8	2	1	3	2	16
35	4. Others of this class	M.	23	16	1	1			18
		F.	9	6	1				7

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CHICAGO, ILL.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
52	47	156	308	351	278	263	228	199	187	149	146	212	1
18	16	59	131	163	145	164	134	117	98	78	82	101	2
34	31	97	177	188	133	99	94	82	89	71	64	111	3
2	1	5	4	2	.....	5	1	2	4	7	4	3	4
1	1	2	1	.....	3	3	4	3	2	5	4	7	
1	1	.....	1	1	1	1	1	.....	2	.....	.....	1	5
1	.....	1	2	3	1	2	2	1	.....	1	1	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	6	49	124	149	132	133	107	74	59	40	36	47	7
18	26	89	163	173	107	76	50	50	44	20	23	28	
6	.....	1	.....	.....	.....	2	.....	.....	.....	1	.....	.....	8
8	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	1	4	7	13	17	27	24	20	31	27	9
1	.....	1	3	8	18	12	25	24	32	26	23	44	
.....	3	.....	1	4	3	5	3	9	2	2	3	1	10
2	1	1	.....	1	2	1	4	3	4	2	1	7	
.....	.....	2	.....	1	.....	.....	.....	1	1	.....	1	2	11
1	.....	.....	2	3	2	2	1	.....	.....	2	1	5	
2	1	.....	.....	1	1	2	2	3	1	4	5	13	12
1	1	1	2	.....	.....	1	6	1	4	3	8	15	
.....	3	1	.....	.....	1	2	3	1	3	2	2	3	13
.....	.....	.....	1	.....	.....	1	2	.....	2	2	3	2	
2	1	.....	.....	.....	.....	1	.....	.....	2	2	.....	3	14
1	2	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
65	30	24	38	49	35	57	66	62	79	77	81	225	16
35	16	14	12	26	21	34	40	41	52	41	38	129	17
30	14	10	26	23	14	23	26	21	27	36	43	96	18
19	8	5	3	12	6	5	11	4	3	6	2	8	19
14	6	1	4	9	3	4	4	5	2	2	.....	8	
1	.....	3	2	2	6	9	10	19	18	22	16	59	20
.....	.....	2	5	1	4	7	12	7	15	13	21	34	
1	2	1	2	1	1	3	3	5	17	6	10	41	21
2	2	1	1	2	.....	1	2	2	4	7	13	35	
1	2	1	.....	.....	.....	1	1	2	2	.....	1	.....	22
1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	1	.....	1	4	3	3	2	1	.....	.....	23
1	1	1	3	.....	1	2	.....	.....	.....	.....	1	.....	
5	1	2	.....	1	1	3	.....	.....	2	.....	2	3	24
7	1	.....	1	4	.....	.....	.....	.....	.....	1	.....	2	
.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	1	2	25
.....	1	.....	.....	3	1	2	2	.....	1	2	2	.....	
3	.....	1	4	8	4	6	7	5	6	5	3	12	26
2	2	.....	4	3	3	3	4	3	4	7	2	10	
4	2	1	.....	.....	2	1	4	3	2	1	1	4	27
3	1	3	3	1	1	2	1	4	1	4	2	4	
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	2	.....	28
.....	.....	2	3	.....	1	2	1	.....	.....	.....	2	3	
22	43	34	34	50	47	58	78	74	64	61	70	177	29
10	18	21	18	21	29	35	52	45	38	38	45	88	30
12	25	13	16	29	18	23	26	29	26	23	25	89	31
.....	.....	.....	.....	.....	1	2	1	.....	1	3	1	4	32
.....	.....	1	.....	.....	.....	1	1	1	.....	.....	1	2	
.....	.....	.....	2	2	1	1	5	5	1	2	.....	.....	33
.....	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	1	
10	18	21	16	19	27	31	46	39	36	33	44	81	34
12	24	12	15	29	18	22	22	28	26	22	24	86	
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	3	35
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CHICAGO, ILL.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		4,077	1,071	531	276	139	111	2,128
2	Males		2,280	620	278	142	67	60	1,167
3	Females		1,797	451	253	134	72	51	961
4	1. Croup	M.	202	29	41	43	28	25	166
		F.	219	16	49	55	34	23	177
5	2. Laryngitis	M.	36	6	15	5	3	3	32
		F.	18	1	2	3	3	4	13
6	3. Bronchitis	M.	631	311	102	41	14	11	479
		F.	563	258	91	37	10	9	405
7	4. Pneumonia	M.	1,202	223	118	45	21	17	424
		F.	830	142	101	37	22	15	317
8	5. Pleurisy	M.	29	3					3
		F.	20	1	2		1		4
9	6. Asthma	M.	47	1					1
		F.	49	3					3
10	7. Others of this class	M.	133	47	2	8	1	4	62
		F.	98	30	8	2	2		42
11	V.—Diseases of the digestive system		1,028	303	55	15	10	7	390
12	Males		547	171	27	10	5	5	218
13	Females		481	132	28	5	5	2	172
14	1. Dentition	M.	36	22	13	1			36
		F.	39	25	13	1			39
15	2. Angina	M.	14	3	1	1	1	1	7
		F.	9	2		1	1	1	5
16	3. Diseases of the stomach	M.	118	41	4	3			48
		F.	104	30	5	1	1		37
17	4. Obstruction of the bowels	M.	31	3		1	2		6
		F.	29	5	2				7
18	5. Hernia	M.	20	2					2
		F.	11						
19	6. Other diseases of the bowels	M.	7	2					2
		F.	6	3					3
20	7. Jaundice	M.	25	18					18
		F.	27	15					15
21	8. Inflammation and abscess of the liver	M.	29	4					4
		F.	20	1					1
22	9. Other diseases of the liver	M.	89	5			1	1	7
		F.	41	1	1				2
23	10. Peritonitis	M.	82	10	3	3	1	2	19
		F.	119	4	2	1	2		9
24	11. Ascites	M.	6						
		F.	3						
25	12. Others of this class	M.	90	61	6	1		1	69
		F.	73	46	5	1	1	1	54
26	VI.—Diseases of the urinary system and male organs of generation.		493	15	3	6	3	2	29
27	Males		302	7	2	3	2	2	16
28	Females		101	8	1	3	1		13
29	1. Bright's disease	M.	132						
		F.	86						
30	2. Calculus, urinary	M.	2						
		F.	2						
31	3. Diseases of the kidney	M.	105	6	1	2	1	2	12
		F.	79	8			1		9
32	4. Diseases of the bladder	M.	20						
		F.	5			1			1
33	5. Others of this class	M.	43	1	1	1	1		4
		F.	19		1	2			3
34	VII.—Diseases of the female organs of generation		57						
35	1. Ovarian tumors		8						
36	2. Ovarian diseases		2						
37	3. Uterine tumors		18						
38	4. Uterine diseases		4						
39	5. Others of this class		25						
40	VIII.—Affections connected with pregnancy		225						
41	1. Abortion		11						
42	2. Childbirth		42						
43	3. Puerperal septicæmia		136						
44	4. Extra-uterine pregnancy		5						
45	5. Others of this class		31						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CHICAGO, ILL.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
162	36	86	116	154	144	156	131	164	137	138	142	383	1
79	16	53	65	103	99	96	83	103	79	75	86	176	2
83	20	33	51	51	45	60	48	61	58	63	56	207	3
36													4
36	1				1					1		3	
2	2												5
3	1			1									
12	4	2	5	5	3	7	7	5	11	14	10	58	6
13	2	4	6	3	2	9	2	10	8	18	11	70	
25	9	45	56	93	86	81	63	85	58	47	51	79	7
30	14	25	38	42	36	42	37	46	39	36	32	96	
2	1	3		1	1	2	2	2	2	1	1	8	8
	1	1	1	1	1	3	3		2			3	
1							3	4	4	9	8	17	9
				1		2	1	3	6	6	8	10	
1		3	4	4	9	6	8	7	4	4	7	14	10
1	1	3	6	3	5	4	5	2	3	2	5	16	
31	19	20	34	60	55	45	66	62	41	55	47	103	11
18	10	7	13	20	23	25	35	40	23	34	30	51	12
13	9	13	21	40	32	20	31	22	18	21	17	52	13
													14
3	1					1	1			1			15
2	2												
2		3		3	5	7	7	11	4	10	6	12	16
4		1	3	7	8	3	6	4	3	4	5	19	
2	1		1	3	3	4	2	2	3	1	1	2	17
1	1	1	1	1		2	1	2	3	2	1	6	
			1		1	2	1	1	3	3	3	3	18
						1	2		1		3	4	
				2	1		1				1		19
					3								
			1	1	1		1	1				2	20
1				2	1	1	1	2		2	1	1	
1				2		2	2	4	1	3	4	6	21
		1			1	3	2	2	2	3	1	4	
	1				4	4	15	15	8	10	14	11	22
			1	3	1		3	5	5	6	4	11	
9	6	3	10	5	5	4	4	3	2	3		9	23
2	4	7	15	25	17	10	14	7	2	2		5	
									2	1		3	24
							1		1	1			
1	1	1		4	3	1	1	3		2	1	3	25
3	2	3	1	2	1		1		1	1	2	2	
17	6	7	23	37	34	37	37	37	30	43	51	96	26
6	1	4	11	23	18	26	25	26	26	20	20	71	27
11	5	3	12	14	16	11	12	11	13	23	22	25	28
3	1	3	4	8	7	13	13	16	13	13	13	25	29
5	1	1	6	5	7	8	6	6	6	8	13	14	
												2	30
											1	1	
3		1	6	12	10	8	11	8	9	5	8	12	31
6	4	1	3	4	7	3	6	5	6	11	6	8	
								1		1	4	14	32
				1					1	1	1		
			1	3	1	5	1	1	4	1	4	13	33
		1	3	4	2					3	1	2	
		1	3	9	7	11	7	7	4	3	1	4	34
			1	1		3	1		1			1	35
							1	1					36
				1		3	3	4	2	3	1	1	37
		1		1	2								38
			2	6	5	5	2	2	1			2	39
		20	56	53	40	38	13	5					40
			4	3	3	1							41
		2	5	10	8	12	3	2					42
		18	32	32	24	23	5	2					43
			1	2		1		1					44
			14	6	5	1	5						45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CHICAGO, ILL.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		32			2	3	1	6
2	Males		22			2	3	1	6
3	Females		10						
4	1. Diseases of the spine	M	14			2	1	1	4
		F	6						
5	2. Diseases of the bones	M	3				1		1
		F	1						
6	3. Diseases of the hip joint	M	5				1		1
		F	2						
7	4 Others of this class	M							
		F	1						
8	X.—Diseases of the skin		40	12		1	2	1	16
9	Males		17	6		1	1		8
10	Females		23	6			1	1	8
11	1. Abscess	M	13	3		1	1		5
		F	15	3					3
12	2. Carbuncle	M	1						
		F	1						
13	3. Others of this class	M	3	3					3
		F	7	3			1	1	5
14	XI.—Diseases of the absorbent system		9	1			1	1	3
15	Males		5				1		1
16	Females		4	1				1	2
17	1. Addison's disease	M							
		F							
18	2. Diseases of the spleen	M	2						
		F	1					1	1
19	3. Others of this class	M	3				1		1
		F	3	1					1
20	XII.—Accidents and injuries		1,125	46	23	18	17	8	112
21	Males		884	24	15	12	11	4	66
22	Females		241	22	8	6	6	4	46
23	1. Burns and scalds	M	20	1	5	4			10
		F	27	4	3	2	2	1	12
24	2. Drowned	M	128	1	4		1		6
		F	5			1			1
25	3. Exposure and neglect	M	5						
		F	2	1					1
26	4. Gunshot wounds	M	12				1	1	2
		F							
27	5. Homicide	M	38	1					1
		F	7						
28	6. Infanticide	M							
		F							
29	7. Injuries by machinery	M	9						
		F							
30	8. Railroad accidents	M	219						
		F	32			1			1
31	9. Suffocation	M	32	7	2		1	2	12
		F	22	7			3		10
32	10. Suicide by shooting	M	62						
		F	7						
33	11. Suicide by drowning	M	3						
		F	4						
34	12. Suicide by poison	M	28						
		F	17						
35	13. Other suicides	M	48						
		F	17						
36	14. Sunstroke	M	7						
		F	4	1	1				2
37	15. Surgical operations	M	27	1	1				2
		F	44					1	1
38	16. Wounds	M	13	1					1
		F	7	2			1		3
39	17. Other accidents and injuries	M	233	12	3	8	8	1	32
		F	46	7	4	2		2	15

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CHICAGO, ILL.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
5	6		1	1	4	3			4	1		1	1
3	3		1		3	2			2	1		1	2
2	3			1	1	1			2				3
	3				3	1			1	1		1	4
2	2				1	1							
						1			1				5
									1				
3			1										6
	1			1									
													7
									1				
1		1	1		5	5	3	1	1			6	8
		1	1		1	2	1		1			2	9
1					4	3	2	1				4	10
			1		1	2	1		1			2	11
1					4	3	2					2	
		1											12
												1	
													13
								1				1	
			1	2		1	1					1	14
			1			1	1					1	15
				2									16
													17
						1	1						18
			1									1	19
				2									
47	43	68	116	124	103	124	90	113	50	42	33	60	20
36	33	55	92	99	86	100	78	93	45	34	23	44	21
11	10	13	24	25	17	24	12	20	5	8	10	16	22
4		1	2	1			1		1				23
4	1			2		1	1		2	1	1	2	
6	9	10	11	9	11	18	13	19	7	2	1	6	24
1				1	1	1							
	1			1	1			1			1		25
												1	
2	1	1		1	1	2	2						26
		4	6	12	4	3	2	3	2			1	27
	1		1	2	1		1				1		
													28
		1	2	1		3				1	1		29
4	13	21	37	29	18	17	20	24	6	12	8	10	30
	5	5	3	1	4	2	1	1	1	2	1	5	
	1	1	4	1	3	1	3	2	2			2	31
		4	2	1		1	1				2	1	
			3	7	4	10	11	7	7	5	2	6	32
			1	2	2			1	1				
				1	1						1		33
			1			2					1		
			4	3	4	8	1	1	2	3	1	1	34
		2	5	5	1	1		1		2			
			2	3	3	5	10	7	5	4	1	8	35
			2	3	2	2	1	3		1	1	2	
			1	1		3	1			1			36
1			1										
1		3	1	1	2	4	2	2	5	1		3	37
	1	1	5	4	6	7	7	8	1	1	1	1	
1	1	1	2		1	1		2	1			2	38
	1		1	1		1							
18	7	12	17	28	33	25	12	25	7	5	7	5	39
5	1	1	2	3		6		6		1	2	4	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CINCINNATI, OHIO.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	6,640	1,743	484	255	195	123	2,800
2	Males	3,616	974	234	127	110	57	1,502
3	Females	3,024	769	250	128	85	66	1,298
4	Unknown causes	71	3					3
5	Males	44	2					2
6	Females	27	1					1
	I.—General diseases.							
7	General diseases—A	1,307	330	192	114	105	81	822
8	Males	662	171	95	54	57	33	410
9	Females	645	159	97	60	48	48	412
10	1. Smallpox M							
	F							
11	2. Measles M	53	10	20	5	9	3	47
	F	50	7	25	10	3	3	48
12	3. Scarlet fever M	14		3	4	2		9
	F	9	1	2	2		1	6
13	4. Diphtheria M	204	6	19	34	40	25	124
	F	199	7	25	33	34	30	138
14	5. Whooping cough M	26	12	11	2	1		26
	F	37	18	6	5	4	1	34
15	6. Fever M							
	F	1		1				1
16	7. Cerebro-spinal fever M	17	7	3	1	2	2	15
	F	17	4	5	2	1	1	13
17	8. Typhoid fever M	82	4	1	1	2		8
	F	69	1	2	3	2	1	9
18	9. Diarrheal diseases M	173	80	33	4		2	119
	F	149	62	24	4	2	1	93
19	10. Cholera infantum M	45	38	5	1	1		45
	F	51	44	6	1			51
20	11. Malarial fever M	12	1		2		1	4
	F	17		1		1		2
21	12. Erysipelas M	10	4					4
	F	14	6					6
22	13. Septicæmia M	9	3					3
	F	10	1			1	1	3
23	14. Venereal diseases M	9	5					5
	F	13	7					7
24	15. Others of this group M	8	1					1
	F	3	1					1
25	General diseases—B	174	111	6	5	2		124
26	Males	104	60	2	3	2		67
27	Females	70	51	4	2			57
28	1. Parasitic diseases M							
	F							
29	2. Alcoholism M	24						
	F	6						
30	3. Lead poison M	5						
	F							
31	4. Other poisons M	3			1			1
	F	2						
32	5. Inanition M	72	60	2	2	2		66
	F	62	51	4	2			57
33	General diseases—C	800	650	7	2	3		662
34	Males	455	389	2	1	2		394
35	Females	345	261	5	1	1		268
36	1. Premature birth M	65	64	1				65
	F	66	66					66
37	2. Stillborn M	257	257					257
	F	149	149					149
38	3. Malformation M	16	16					16
	F	5	5					5
39	4. Debility and atrophy M	96	52	1	1	2		56
	F	87	41	5	1	1		48
40	5. Old age M	21						
	F	38						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CINCINNATI, OHIO.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
291	112	170	259	318	299	307	236	244	244	239	285	836	1
153	55	89	138	179	159	164	142	138	141	143	182	431	2
138	57	81	121	139	140	143	94	106	103	96	103	405	3
1	1	2		2	2	11	4	7	11	6	8	13	4
				2		9	2	6	7	3	6	7	5
1	1	2			2	2	2	1	4	3	2	6	6
163	34	32	37	26	33	25	14	13	10	22	18	58	7
93	13	15	15	14	20	15	7	5	6	13	8	28	8
70	21	17	22	12	13	10	7	8	4	9	10	30	9
													10
6													11
6		1		1									
4	1												12
2		1											
68	5	2	2		1		1					1	13
48	9	1	1								1	1	
													14
3													
													15
2													16
3					1								
7	5	11	10	7	13	5	2	2	2	6		4	17
3	8	12	13	6	7	5	3	1		1		1	
5	1	1	2	3	3	4	1	2	3	5	6	18	18
3	3		5	1	1	2	1	5	3	8	6	18	
													19
1				2		3	1			1			20
1	1	2	1	2		1		1			2	4	
					1	3					1	1	21
				1			2		1		1	3	
	1	1		1				1	1	1			22
1					3	2	1						
				1			2					1	23
			2	1	1			1				1	
			1		2						1	3	24
												2	
			2	7	8	3	6	3	6	3	3	9	25
			2	4	6	2	6	3	3	2	3	6	26
				3	2	1			3	1		3	27
													28
			1	3	3	2	4	3	3	2	1	2	29
				2	1				2	1			
			1		2		2						30
				1	1								31
				1	1								
											2	4	32
						1			1			3	
1	2	1	3	4	2	1		2	1	2	4	115	33
	1		2	2	2	1			1	2	2	48	34
1	1	1	1	2				2			2	67	35
													36
													37
													38
	1		2	2	2	1			1	2	2	27	39
1	1	1	1	2				2			1	30	
												21	40
											1	37	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CINCINNATI, OHIO—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	I.—General diseases—Continued. General diseases—D		1,199	60	29	10	8	11	118
2	Males		614	31	11	5	5	6	58
3	Females		585	29	18	5	3	5	60
4	1. Rheumatism	M	23						
		F	20						
5	2. Scrofula and tabes	M	9	3	1	1	1	1	7
		F	16	4	2				6
6	3. Leprosy	M							
		F							
7	4. Consumption	M	451	9	4	4	2	1	20
		F	381	9	10	3	3	4	29
8	5. Hydrocephalus	M	27	11	6		1	4	22
		F	31	13	6	2			21
9	6. Cancer	M	49	1					1
		F	86						
10	7. Tumor	M	9	1					1
		F	14						
11	8. Anæmia	M	4	1					1
		F	9	3					3
12	9. Dropsy	M	22	1					1
		F	18						
13	10. Diabetes	M	12						
		F	9						
14	11. Others of this group	M	7	4			1		5
		F	1					1	1
15	12. Others of this class	M	1						
		F							
16	II.—Diseases of the nervous system		799	267	80	39	18	11	415
17	Males		457	160	36	21	10	6	233
18	Females		342	107	44	18	8	5	182
19	1. Inflammation of the brain	M	108	38	17	10	7	3	75
		F	97	30	23	12	4	2	71
20	2. Apoplexy	M	77	1					1
		F	50						
21	3. Paralysis	M	52	1	1	2			4
		F	32				1		1
22	4. Tetanus and trismus nascentium	M	9	7					7
		F	7	7					7
23	5. Epilepsy	M	6						
		F	6						
24	6. Convulsions	M	127	103	10	5	3	3	124
		F	90	63	14	4	2	1	84
25	7. Mental diseases	M	1						
		F	6						
26	8. Diseases of the brain	M	57	8	6	2			16
		F	36	5	6	2	1	1	15
27	9. Diseases of the spinal cord	M	13	2	1	1			4
		F	11	2	1				3
28	10. Others of this class	M	7		1	1			2
		F	7					1	1
29	III.—Diseases of the circulatory system		304	15		3			18
30	Males		173	9		2			11
31	Females		131	6		1			7
32	1. Angina pectoris	M	5						
		F	1						
33	2. Aneurism	M	4						
		F	4						
34	3. Diseases of the heart	M	154	1		2			3
		F	120			1			1
35	4. Others of this class	M	10	8					8
		F	6	6					6

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CINCINNATI, OHIO—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
15	23	70	119	140	126	120	86	81	68	61	53	119	1
8	9	33	64	71	60	67	48	42	34	27	34	50	2
7	14	37	55	69	66	53	38	39	34	34	19	60	3
1	2	1	1	2	1	3	2	3	1	1	1	4	4
		2		2	1	1		2	1	2	2	7	
				1				1					5
		1	1	5	1	2							
													6
3	5	30	62	64	54	56	41	32	25	16	21	22	7
4	9	32	51	58	57	37	24	20	15	17	5	23	
3	1		1										8
3	1	1		1	2	2							
				1	2	4	4	4	4	5	9	15	9
			1		4	5	9	12	12	11	10	22	
				2	1		1		1	2		1	10
			1	1		3	3		1	1	1	3	
										1		2	11
	2	1					1	1				1	
1					2	1		1	2	1	3	10	12
	1		1	1	1	1	1	3	3	1	1	4	
	1	1		1		3		1	1			4	13
	1			1		2		1	2	2			
		1										1	14
										1			15
25	10	12	14	10	20	20	21	27	28	32	47	118	16
15	3	8	8	6	13	13	13	13	12	22	30	68	17
10	7	4	6	4	7	7	8	14	16	10	17	50	18
6	2	2	2	4	2	3	1	1	1	3	2	4	19
3	3	3	2		1	2	2	4	1	2	2	1	
		1	2	2	6	4	5	3	3	7	13	30	20
			1		2	1	1	4	7	2	7	25	
			1		1	2	1	4	2	8	6	23	21
2			1	2	1		1			3	7	14	
1		1											22
2	1	1			1		1						23
	2		1	1		1			1				
3													24
3					1		1		1				
									1				25
					1			1				4	
1		1	2		2	3	4	4	4	4	9	7	26
1	1	1		1		1	1	3	5	2	1	4	
2		1	1		1	1		1				2	27
1	1		1			2	1	1	1				
		1					1		1			2	28
					1		1	1		1		2	
6	8	8	11	14	18	16	21	18	35	21	22	88	29
3	4	6	6	7	11	7	15	6	21	12	15	49	30
3	4	2	5	7	7	9	6	12	14	9	7	39	31
										3	1	1	32
								1					
							3					1	33
			1				2	1					
3	4	6	6	7	11	7	12	6	21	9	14	45	34
3	4	2	4	7	7	9	4	10	14	9	7	39	
												2	35

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CINCINNATI, OHIO—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		1,119	215	127	73	53	10	484
2	Males		605	109	64	38	31	9	251
3	Females		514	106	63	35	22	7	233
4	1. Croup	M	46	4	10	8	10	8	40
		F	40	3	11	6	4	1	25
5	2. Laryngitis	M	5	1	1				2
		F	5		1	1	1		3
6	3. Bronchitis	M	143	50	13	8	7	1	79
		F	135	46	18	6	4	1	75
7	4. Pneumonia	M	342	48	35	21	12		116
		F	282	52	30	21	12	5	120
8	5. Pleurisy	M	4						
		F	3						
9	6. Asthma	M	19		1				1
		F	22						
10	7. Others of this class	M	40	6	4	1	2		13
		F	27	5	3	1	1		10
11	V.—Diseases of the digestive system		354	66	32	5	4	4	111
12	Males		184	30	18	1	2	3	54
13	Females		170	36	14	4	2	1	57
14	1. Dentition	M	22	10	12				22
		F	16	7	9				16
15	2. Angina	M	5		1		1		2
		F	8	1		1	1		3
16	3. Diseases of the stomach	M	39	11	3	1	1	1	17
		F	44	8	3	3			14
17	4. Obstruction of the bowels	M	7						
		F	10						
18	5. Hernia	M	1						
		F	10						
19	6. Other diseases of the bowels	M	3	2					2
		F	4	1					1
20	7. Jaundice	M	7	4					4
		F	6	5					5
21	8. Inflammation and abscess of the liver	M	12						
		F	5						
22	9. Other diseases of the liver	M	42						
		F	12						
23	10. Peritonitis	M	28		1			1	2
		F	31	3	1				4
24	11. Ascites	M	4						
		F	1						
25	12. Others of this class	M	14	3	1			1	5
		F	23	11	1		1	1	14
26	VI.—Diseases of the urinary system and male organs of generation.		179	2	2				4
27	Males		122	1	2				3
28	Females		57	1					1
29	1. Bright's disease	M	54						
		F	22						
30	2. Calculus, urinary	M							
		F							
31	3. Diseases of the kidney	M	43	1	2				3
		F	29	1					1
32	4. Diseases of the bladder	M	12						
		F	3						
33	5. Others of this class	M	13						
		F	3						
34	VII.—Diseases of the female organs of generation		12						
35	1. Ovarian tumors		3						
36	2. Ovarian diseases		1						
37	3. Uterine tumors		3						
38	4. Uterine diseases		1						
39	5. Others of this class		4						
40	VIII.—Affections connected with pregnancy		44						
41	1. Abortion		3						
42	2. Childbirth		17						
43	3. Puerperal septicæmia		19						
44	4. Extra-uterine pregnancy		1						
45	5. Others of this class		4						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CINCINNATI, OHIO—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
48	12	15	28	45	35	44	37	43	33	43	66	186	1
15	5	8	19	34	19	25	25	30	22	25	37	90	2
33	7	7	9	11	16	19	12	13	11	18	29	96	3
5	1												4
13	1				1								
				1				1			1		5
1						1							
1			1	1	1	2	1	4	5	5	10	33	6
4	1		2		1	2	1		4	4	7	34	
8	2	6	16	30	14	20	21	22	15	15	18	39	7
12	5	7	5	9	12	16	9	12	5	10	15	45	
		1			2							1	8
1				1					1				
	1				1	1			1	1	4	9	9
					1		2	1	1	2	4	11	
1	1	1	2	2	1	3	3	3	1	4	4	8	10
2			2	1	1					2	3	6	
12	2	9	10	26	16	20	17	14	22	15	23	57	11
5	1	6	5	17	7	8	10	8	13	10	16	24	12
7	1	3	5	9	9	12	7	6	9	5	7	33	13
													14
1				1	1								15
3	1				1								
			1	1		2		1	2	2	4	9	16
2		1		2	2	1	1	1	2	1	2	15	
			2	2	1		1		1				17
1						4	1		1	1		2	
												1	18
							1	2				7	
						1							19
		1			1						1		
							1				1	1	20
						1							
1	1			2	1		1	1	1	1	2	1	21
				1	1			1	1			1	
1		1		4	1	3	2	4	7	6	7	6	22
				1		1			1	2	3	4	
2		4	2	3	2	2	4	1	1	1	1	3	23
1			4	4	3	4	4	2	1	1	1	2	
				2			1					1	24
			1										
		1		2	1			1	1		1	2	25
		1		1	1	1			3			2	
3	3	3	4	10	9	11	10	18	14	14	25	51	26
1	2	3	4	5	5	5	4	13	8	11	18	40	27
2	1			5	4	6	6	5	6	3	7	11	28
1	2	2	2	3	3	3	2	3	4	7	9	13	29
				1	2	1	3	2	3	2	2	6	
													30
		1	2	2	1	2	2	7	2	4	6	11	31
2	1			3	1	4	2	2	3	1	4	5	
									1		3	8	32
						1	1				1		
					1			3	1			8	33
				1	1			1					
		1	3	1		3		3		1			34
		1						1		1			35
						1							36
			1			1		1					37
			1										38
			1	1		1		1					39
		1	9	11	9	12	2						40
			1	1	1								41
			1	5	3	8							42
			5	4	5	3	2						43
			1										44
		1	1	1		1							45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CINCINNATI, OHIO—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		7		1	1			2
2	Males		3			1			1
3	Females		4		1				1
4	1. Diseases of the spine	M.	1			1			1
		F.	3						
5	2. Diseases of the bones	M.	1						
		F.	1		1				1
6	3. Diseases of the hip joint	M.	1						
		F.							
7	4. Others of this class	M.							
		F.							
8	X.—Diseases of the skin		18	3	3				6
9	Males		8		1				1
10	Females		10	3	2				5
11	1. Abscess	M.	4						
		F.	6	2					2
12	2. Carbuncle	M.	2						
		F.	2		1				1
13	3. Others of this class	M.	2		1				1
		F.	2	1	1				2
14	XI.—Diseases of the absorbent system		3						
15	Males		1						
16	Females		2						
17	1. Addison's disease	M.							
		F.	1						
18	2. Diseases of the spleen	M.							
		F.							
19	3. Others of this class	M.	1						
		F.	1						
20	XII.—Accidents and injuries		250	21	5	3	2		31
21	Males		184	12	3	1	1		17
22	Females		66	9	2	2	1		14
23	1. Burns and scalds	M.	6	2	1	1	1		5
		F.	9	1		1			2
24	2. Drowned	M.	24						
		F.							
25	3. Exposure and neglect	M.							
		F.							
26	4. Gunshot wounds	M.	3						
		F.							
27	5. Homicide	M.	5						
		F.	3						
28	6. Infanticide	M.							
		F.							
29	7. Injuries by machinery	M.	3						
		F.							
30	8. Railroad accidents	M.	37						
		F.	6						
31	9. Suffocation	M.	8	6	1				7
		F.	7	5	1				6
32	10. Suicide by shooting	M.	14						
		F.	1						
33	11. Suicide by drowning	M.	1						
		F.	3						
34	12. Suicide by poison	M.	3						
		F.	5						
35	13. Other suicides	M.	7						
		F.	1						
36	14. Sunstroke	M.							
		F.	1						
37	15. Surgical operations	M.	3						
		F.	3						
38	16. Wounds	M.	5						
		F.	1	1					1
39	17. Other accidents and injuries	M.	65	4	1				5
		F.	26	2	1	1	1		5

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CINCINNATI, OHIO—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
	1		1	2	1								1
	1			1									2
			1	1	1								3
			1	1	1								4
	1												5
				1									6
													7
		1	1	1	1	1	1	1		3		2	8
				1	1	1		1		1		2	9
		1	1				1			2			10
				1		1		1		1			11
		1	1				1			1			
												2	12
										1			
					1								13
		1			1	1							14
					1								15
		1				1							16
													17
						1							
													18
					1								19
		1											
17	16	14	17	19	18	19	17	14	16	16	16	20	20
13	16	10	13	15	14	11	12	11	14	15	13	10	21
4		4	4	4	4	8	5	3	2	1	3	10	22
							1						23
1						3	1					2	
4	6	3	1	3	3	1			1		2		24
													25
1					1						1		26
			1	2				1				1	27
		1	1								1		
													28
		1	1				1						29
1	3	3	5	2	3	5		4	4	5	1	1	30
		2				2			2				
						1							31
1													
			1	3		1	1		3	2	1	2	32
				1									
						1							33
			2		1								
							1	2					34
			1	1		2						1	
			1		1	1	1	1	1			1	35
												1	
													36
											1		
					1						1	1	37
					1		1	1					
	2			1		1	1						38
7	5	3	3	4	5		6	3	5	8	7	4	39
2		1		2	2	1	3	2		1	1	6	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CLEVELAND, OHIO.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	5,736	1,990	427	219	145	137	2,918
2	Males	3,152	1,155	231	110	75	69	1,640
3	Females	2,584	835	196	109	70	68	1,278
4	Unknown causes	17	3				1	4
5	Males	13	3				1	4
6	Females	4						
7	I.—General diseases. General diseases—A	1,352	441	176	104	66	76	863
8	Males	683	227	94	45	33	35	434
9	Females	669	214	82	59	33	41	429
10	1. Smallpox M							
	F							
11	2. Measles M	63	12	26	13	6	2	59
	F	79	15	23	18	4	5	65
12	3. Scarlet fever M	26		4	3	4	5	16
	F	30	1	1	4	7	7	20
13	4. Diphtheria M	123	5	8	16	18	21	68
	F	141	5	16	18	17	21	77
14	5. Whooping cough M	37	17	8	7			32
	F	34	18	8	2	3	1	32
15	6. Fever M							
	F	1	1					1
16	7. Cerebro-spinal fever M	3				1		1
	F	2	2					2
17	8. Typhoid fever M	90	1		1		1	3
	F	74		1			1	2
18	9. Diarrheal diseases M	156	83	17	4	4	4	112
	F	138	73	20	9	2	2	106
19	10. Cholera infantum M	131	100	30	1			131
	F	110	92	13	3		1	109
20	11. Malarial fever M	20	1	1				2
	F	21	2		2			4
21	12. Erysipelas M	6	2					2
	F	6	3		1			4
22	13. Septicæmia M	21	5				2	7
	F	28	1		2		2	5
23	14. Venereal diseases M	3	1					1
	F							
24	15. Others of this group M	4						
	F	5	1				1	2
25	General diseases—B	114	82	2	1	2	2	89
26	Males	68	47	1	1		1	50
27	Females	46	35	1		2	1	39
28	1. Parasitic diseases M							
	F							
29	2. Alcoholism M	14						
	F	1						
30	3. Lead poison M	1						
	F							
31	4. Other poisons M	1						
	F	1						
32	5. Inanition M	52	47	1	1		1	50
	F	44	35	1		2	1	39
33	General diseases—C	987	724	14	5	2		745
34	Males	549	439	8	2	1		450
35	Females	438	285	6	3	1		295
36	1. Premature birth M	23	23					23
	F	17	17					17
37	2. Stillborn M	290	290					290
	F	164	164					164
38	3. Malformation M	3	3					3
	F	1	1					1
39	4. Debility and atrophy M	160	123	8	2	1		134
	F	148	103	6	3	1		113
40	5. Old age M	73						
	F	108						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CLEVELAND, OHIO.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
285	92	139	209	226	173	205	198	170	169	162	152	638	1
152	45	89	118	132	86	104	114	108	103	82	82	297	2
133	47	50	91	94	87	101	84	62	66	80	70	341	3
1						2	1	1		2	1	5	4
1						2	1	1			1	3	5
										2		2	6
145	44	45	50	44	26	30	21	11	16	8	14	35	7
74	17	27	31	17	15	14	12	4	8	5	9	16	8
71	27	18	19	27	11	16	9	7	8	3	5	19	9
													10
4													11
12					1	1							
8	2												12
8	1		1										
49	4	2											13
41	18	2		1	1				1				
3	1											1	14
1	1												
													15
		1		1									16
3	4	19	27	10	9	6	2	1	3		2	1	17
4	3	12	13	19	3	5	6	1	2	1		3	
5	1	2	1	2	4	3	5	1	2	3	4	11	18
1	2	2	1	4	4	3		3	2		4	6	
													19
												1	
2	4	1	1	2	2	1	2		1	1	1		20
		1	1	2		5	3			1		4	
						2		1			1		21
			1						1				
	1	1	2	1		2	3	1	1	1		1	22
4	2	1	2	1	2	2		3	2	1	1	2	
		1		1									23
									1		1	2	24
												3	
		1		4	1	4	4	2	3		1	5	25
				4	1	4	2	2	3			2	26
		1					2				1	3	27
													28
				3	1	3	2	1	3			1	29
							1						
				1									30
								1					31
		1											
						1						1	32
							1				1	3	
			1	2	4		2	4	2	4	5	218	33
				1	2		1	1	1	2	1	90	34
			1	1	2		1	3	1	2	4	128	35
													36
													37
													38
				1	2		1	1	1	2	1	17	39
			1	1	2		1	3	1	2	3	21	
												73	40
											1	107	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CLEVELAND, OHIO—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
	I.—General diseases—Continued.								
1	General diseases—D		629	21	9		3	5	38
2	Males		327	12	3		2	4	21
3	Females		302	9	6		1	1	17
4	1. Rheumatism	M	10						
		F	7						
5	2. Scrofula and tabes	M	12	3			1		4
		F	4	2					2
6	3. Leprosy	M							
		F							
7	4. Consumption	M	232	5	2		1	1	9
		F	183	2	4		1		7
8	5. Hydrocephalus	M	6	2	1			1	4
		F	5	4	1				5
9	6. Cancer	M	38						
		F	71						
10	7. Tumor	M	7					1	1
		F	10					1	1
11	8. Anæmia	M	5	1				1	2
		F	5	1					1
12	9. Dropsy	M	10	1					1
		F	13						
13	10. Diabetes	M	5						
		F	4		1				1
14	11. Others of this group	M	2						
		F							
15	12. Others of this class	M							
		F							
16	II.—Diseases of the nervous system		775	358	75	22	15	10	480
17	Males		453	209	44	13	10	6	282
18	Females		322	149	31	9	5	4	198
19	1. Inflammation of the brain	M	70	35	14	2	2	2	55
		F	47	21	7	3	3		34
20	2. Apoplexy	M	36	1			1		2
		F	25						
21	3. Paralysis	M	52	1			1		2
		F	38				1		1
22	4. Tetanus and trismus nascentium	M	8	4		1			5
		F	1	1					1
23	5. Epilepsy	M	8						
		F	4						
24	6. Convulsions	M	194	146	29	7	4	3	189
		F	146	115	20	5	1	2	143
25	7. Mental diseases	M	13						
		F	9						
26	8. Diseases of the brain	M	63	21	1	3	2	1	28
		F	43	11	4	1		1	17
27	9. Diseases of the spinal cord	M	6	1					1
		F	5	1				1	2
28	10. Others of this class	M	3						
		F	4						
29	III.—Diseases of the circulatory system		248	13	1			1	15
30	Males		127	8	1			1	10
31	Females		121	5					5
32	1. Angina pectoris	M	2						
		F							
33	2. Aneurism	M	4						
		F							
34	3. Diseases of the heart	M	115	4	1			1	6
		F	118	3					3
35	4. Others of this class	M	6	4					4
		F	3	2					2

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CLEVELAND, OHIO—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
11	7	32	66	69	56	64	59	40	50	33	33	71	1
2	2	22	38	41	26	28	34	24	25	16	16	32	2
9	5	10	28	28	30	36	25	16	25	17	17	39	3
	1				3	1		1	1	2	1		4
1			2			1					1	2	
		2	1	1	1				1	2			5
			1					1					
													6
2	1	20	35	35	21	23	28	18	11	5	10	14	7
7	5	10	21	28	26	26	16	8	7	7	5	10	
							1					1	8
			1	3		3	5	2	8	5	1	10	9
					4	8	5	6	16	6	7	19	
				2	1	1					1	1	10
			1				3	1	1	1	1	1	
								1	1	1			11
			2						1	1			
								1	2		2	4	12
1			1				1			2	2	6	
			1						1	1	1	1	13
						1					1	1	
								1				1	14
													15
23	9	12	14	15	13	22	19	33	25	22	16	72	16
12	4	10	11	9	10	12	12	21	17	8	9	36	17
11	5	2	3	6	3	10	7	12	8	14	7	36	18
4		2	2	3		1		1	2				19
4	2		1	2		2						2	
		1	1	1	1	3	1	6	7	3	4	6	20
					1	2	3	2	3	4	2	8	
1	1	1	1	1	3	3	1	6	5	5	3	19	21
	1						1	4	2	4	3	22	
	2						1						22
		1	2		4	1							23
	1		1			1						1	
4		1											24
1		2											
		1	1			2	4	2				3	25
					1		1	4		2	1		
2	1	2	2	4	2	2	3	6	1		2	8	26
4	1		1	4	1	4	1	2	3	3	1	1	
1		1	1						2				27
2						1							
			1				2						28
							1			1		2	
7	4	7	6	9	8	24	21	14	19	31	21	62	29
3	1	5	3	7	3	15	13	10	9	11	8	29	30
4	3	2	3	2	5	9	8	4	10	20	13	33	31
							2						32
						2				1		1	33
3	1	5	3	7	3	13	11	10	9	10	7	27	34
4	3	2	3	2	5	8	8	4	10	20	13	33	
											1	1	35
						1							

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CLEVELAND, OHIO—Continued.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system	932	219	123	79	52	36	509
2	Males	538	139	61	45	28	19	292
3	Females	394	80	62	34	24	17	217
4	1. Croup M.	72	12	9	13	8	13	55
	F.	49	4	15	7	7	8	41
5	2. Laryngitis M.	4	1		1			2
	F.	3	1	1	1			3
6	3. Bronchitis M.	104	47	15	5	5	2	74
	F.	79	30	13	8	4	1	56
7	4. Pneumonia M.	285	61	30	22	15	4	132
	F.	207	33	27	17	13	7	97
8	5. Pleurisy M.	11		2				2
	F.	6						
9	6. Asthma M.	8						
	F.	9						
10	7. Others of this class M.	54	18	5	4			27
	F.	41	12	6	1		1	20
11	V.—Diseases of the digestive system	293	112	24	4	1		141
12	Males	157	63	17	1			81
13	Females	136	49	7	3	1		60
14	1. Dentition M.	14	5	9				14
	F.	10	8	2				10
15	2. Angina M.	3			1			1
	F.	4	1					1
16	3. Diseases of the stomach M.	24	3	1				4
	F.	23	2	1				3
17	4. Obstruction of the bowels M.	6	1					1
	F.	5	1					1
18	5. Hernia M.	4	1					1
	F.	2	1					1
19	6. Other diseases of the bowels M.	3	1					1
	F.	3	1					1
20	7. Jaundice M.	4		1				1
	F.	1						
21	8. Inflammation and abscess of the liver M.	3						
	F.	4						
22	9. Other diseases of the liver M.	27	2					2
	F.	17	1					1
23	10. Peritonitis M.	7	1	1				2
	F.	18	1					1
24	11. Ascites M.							
	F.							
25	12. Others of this class M.	62	49	5				54
	F.	49	33	4	3	1		41
26	VI.—Diseases of the urinary system and male organs of generation.	99	3		1	3	2	9
27	Males	62	1		1		1	3
28	Females	37	2			3	1	6
29	1. Bright's disease M.	26						
	F.	18						
30	2. Calculus, urinary M.							
	F.							
31	3. Diseases of the kidney M.	26	1		1		1	3
	F.	13	1			3		4
32	4. Diseases of the bladder M.	4						
	F.	2	1					1
33	5. Others of this class M.	6						
	F.	4					1	1
34	VII.—Diseases of the female organs of generation	17						
35	1. Ovarian tumors	3						
36	2. Ovarian diseases	1						
37	3. Uterine tumors	1						
38	4. Uterine diseases	2						
39	5. Others of this class	10						
40	VIII.—Affections connected with pregnancy	42						
41	1. Abortion	3						
42	2. Childbirth	17						
43	3. Puerperal septicæmia	19						
44	4. Extra-uterine pregnancy	1						
45	5. Others of this class	2						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CLEVELAND, OHIO—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
71	7	15	27	30	21	19	27	31	26	33	22	94	1
41	3	7	15	17	12	14	16	25	19	24	11	42	2
30	4	8	12	13	9	5	11	6	7	9	11	52	3
16			1										4
7	1												
1								1					5
5				1	1		1	4	3	2	2	11	6
2	1						1	2	1	1	4	11	
17	2	5	11	11	9	11	13	10	15	13	5	22	7
18	2	5	10	11	8	5	10	2	5	5	4	25	
		1		1	1	1	1			2		2	8
1		2										3	
										4	2	2	9
								1	1	1	2	4	
2	1	1	3	4	1	2	1	1	1	3	2	5	10
2		1	2	2	1			1		2	1	9	
10	1	5	14	9	10	6	12	10	10	9	15	35	11
6	1	3	6	5	2	1	5	9	7	4	8	10	12
4		2	8	4	8	5	7	7	3	5	7	16	13
													14
1					1								15
1				1	1								
3			1	3		1	2	2		1		7	16
		1	3		2	1	1	1	1	1	1	8	
	1		1	1							1	1	17
			1				1				1	1	
									1		1	1	18
						1							
		1									1		19
					1							1	
									1			2	20
												1	
1		1						1					21
								3			1		
		1	1				3	4	2	3	4	7	22
						2	2	3	1	4	2	2	
			2	1				1	1				23
2		1	4	3	3	1	2		1				
													24
1			1		1			1	2		1	1	25
1					1		1				2	3	
1	1	5	5	5	8	3	8	6	8	5	12	23	26
1	1	3		5	2	3	4	5	5	2	10	18	27
		2	5		6		4	1	3	3	2	5	28
	1	2		3	1	2	1	4	2	1	1	8	29
			3		1		3	1	3	2	1	4	
													30
1		1		2	1	1	2		2		7	6	31
		2	2		3		1				1		
								1	1			2	32
												1	
							1			1	2	2	33
					2					1			
		1	3	3	2	3	1	1		1	1	1	34
						1					1	1	35
								1					36
						1							37
				2									38
		1	3	1	2	1	1			1			39
		3	7	9	8	9	6						40
			1	1			1						41
		2	3	2	3	6	1						42
		1	3	4	5	3	3						43
							1						44
				2									45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

CLEVELAND, OHIO—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		13	1		1		1	3
2	Males		6	1					1
3	Females		7			1		1	2
4	1. Diseases of the spine	M.	6	1					1
		F.	4			1		1	2
5	2. Diseases of the bones	M.							
		F.	1						
6	3. Diseases of the hip joint	M.							
		F.	2						
7	4. Others of this class	M.							
		F.							
8	X.—Diseases of the skin		17	4	2				6
9	Males		8	2	1				3
10	Females		9	2	1				3
11	1. Abscess	M.	5		1				1
		F.	6		1				1
12	2. Carbuncle	M.	1						
		F.							
13	3. Others of this class	M.	2	2					2
		F.	3	2					2
14	XI.—Diseases of the absorbent system		2						
15	Males		1						
16	Females		1						
17	1. Addison's disease	M.							
		F.							
18	2. Diseases of the spleen	M.	1						
		F.							
19	3. Others of this class	M.							
		F.	1						
20	XII.—Accidents and injuries		199	9	1	2	1	3	16
21	Males		160	4	1	2	1	1	9
22	Females		39	5				2	7
23	1. Burns and scalds	M.	6	2	1	2			5
		F.	1						
24	2. Drowned	M.	15				1		1
		F.	2					1	1
25	3. Exposure and neglect	M.							
		F.							
26	4. Gunshot wounds	M.	4						
		F.							
27	5. Homicide	M.	2						
		F.	1						
28	6. Infanticide	M.							
		F.							
29	7. Injuries by machinery	M.	2						
		F.							
30	8. Railroad accidents	M.	35						
		F.	2						
31	9. Suffocation	M.	1	1					1
		F.	2	1					1
32	10. Suicide by shooting	M.	6						
		F.							
33	11. Suicide by drowning	M.	1						
		F.							
34	12. Suicide by poison	M.	1						
		F.	3						
35	13. Other suicides	M.	10						
		F.	1						
36	14. Sunstroke	M.	1						
		F.							
37	15. Surgical operations	M.	2						
		F.	8						
38	16. Wounds	M.	4						
		F.	2						
39	17. Other accidents and injuries	M.	70	1				1	2
		F.	17	4				1	5

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

CLEVELAND, OHIO—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
2	2			2				1		1		2	1
1	2			1						1			2
1				1				1				2	3
1	2			1						1			4
								1				1	
													5
				1									
													6
1												1	
													7
						3	1	1	1	2	1	2	8
						1	1	1		1		1	9
						2			1	1	1	1	10
						1	1	1				1	11
						2			1	1	1		
										1			12
													13
												1	
	1					1							14
						1							15
	1												16
													17
						1							18
	1												19
14	16	13	16	25	16	15	16	9	9	11	10	13	20
11	14	12	14	25	13	9	13	5	9	8	9	9	21
3	2	1	2		3	6	3	4		3	1	4	22
				1									23
											1		
4	4	1		1		1	1	1	1				24
	1												
													25
		2		1		1							26
		1			1								27
1													
													28
	1										1		29
5	4	3	5	7	2	3	3		2	1			30
	1					1							
													31
								1					
			2						2			2	32
									1				33
											1		34
					1		1			1			
				1	2		1	2	1	1		2	35
								1					
					1								36
				2									37
		1	1			3		2		1			
				1		1				1		1	38
1												1	
2	5	5	7	11	7	3	8	2	2	5	7	4	39
1			1		2	2	2			1		3	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DENVER, COLO.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	2,584	662	135	77	69	44	987
2	Males	1,513	343	66	41	35	26	511
3	Females	1,071	319	69	36	34	18	476
4	Unknown causes	21	5	2		2	1	10
5	Males	9				1	1	2
6	Females	12	5	2		1		8
	I.—General diseases.							
7	General diseases—A	725	193	61	36	40	18	348
8	Males	415	88	33	19	18	12	170
9	Females	310	105	28	17	22	6	178
10	1. Smallpox M							
	F							
11	2. Measles M	25	5	7	4			16
	F	19	6	2	3	4		15
12	3. Scarlet fever M	9	1	2	3	1		7
	F	8	1	4	2	1		8
13	4. Diphtheria M	75	4	5	6	15	8	38
	F	70	2	5	8	11	3	29
14	5. Whooping cough M	10	5	3		1		9
	F	6	4	2				6
15	6. Fever M							
	F							
16	7. Cerebro-spinal fever M	4	1					1
	F	8	2	1		2		5
17	8. Typhoid fever M	170	4		2		4	10
	F	62	1			1		2
18	9. Diarrheal diseases M	59	38	6	2			46
	F	57	34	10	2	2	3	51
19	10. Cholera infantum M	40	27	10	2	1		40
	F	61	51	4	2	1		58
20	11. Malarial fever M	2						
	F	2						
21	12. Erysipelas M	10	2					2
	F	4	3					3
22	13. Septicæmia M	6						
	F	11						
23	14. Venereal diseases M	3	1					1
	F	1	1					1
24	15. Others of this group M	2						
	F	1						
25	General diseases—B	69	26			1		27
26	Males	46	12			1		13
27	Females	23	14					14
28	1. Parasitic diseases M							
	F							
29	2. Alcoholism M	19						
	F	4						
30	3. Lead poison M	1						
	F							
31	4. Other poisons M	13				1		1
	F	3						
32	5. Inanition M	13	12					12
	F	16	14					14
33	General diseases—C	284	242	5				247
34	Males	144	128	1				129
35	Females	140	114	4				118
36	1. Premature birth M	18	18					18
	F	14	14					14
37	2. Stillborn M	69	69					69
	F	61	61					61
38	3. Malformation M	3	3					3
	F	2	2					2
39	4. Debility and atrophy M	47	38	1				39
	F	47	37	4				41
40	5. Old age M	7						
	F	16						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DENVER, COLO.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
145	70	72	202	212	185	136	120	105	66	62	58	164	1
75	29	35	132	149	123	97	79	71	45	41	41	85	2
70	41	37	70	63	62	39	41	34	21	21	17	79	3
		1		1	1	1	1	1				5	4
				1	1		1	1				3	5
		1				1						2	6
80	37	26	72	56	39	22	13	10	4	4	3	11	7
40	15	15	50	43	28	18	11	9	4	3	2	7	8
40	22	11	22	13	11	4	2	1		1	1	4	9
													10
5	2			1								1	11
	1	1	1	1									
2													12
25	10	1					1						13
32	8	1											
1													14
													15
1						1				1			16
	2				1								
5	2	13	45	36	28	13	6	4	4		1	3	17
6	8	9	13	11	7	4	1			1			
1	1	1	1	1		2	1			1	1	3	18
2	1		1								1	1	
												3	19
			1	1									20
	1		1										
			2				2	3		1			21
								1					
			1	2		2	1						22
	1		6	1	3								
				1				1					23
				1				1					24
							1						
	1	2	1	6	5	1	8	7	5		2	4	25
		1	1	6	4	1	5	5	5		1	4	26
	1	1			1		3	2			1		27
													28
				2	2	1	5	4	3		1	1	29
							1	2			1		
				1									30
		1	1	3	2			1	2			2	31
		1			1		1						
												1	32
	1						1						
3			2	1			2		1		1	27	33
1			2	1			1		1		1	8	34
2							1					19	35
													36
													37
													38
1			2	1			1		1		1	1	39
2							1					3	
												7	40
												16	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DENVER, COLO.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
	I.—General diseases—Continued.								
1	General diseases—D		324	9	6	1			16
2	Males		208	5	3	1			9
3	Females		116	4	3				7
4	1. Rheumatism	M	2						
		F	2						
5	2. Scrofula and tabes	M	3	2					2
		F							
6	3. Leprosy	M							
		F							
7	4. Consumption	M	176						
		F	81	1					1
8	5. Hydrocephalus	M	8	3	3	1			7
		F	6	3	2				5
9	6. Cancer	M	10						
		F	18						
10	7. Tumor	M	1						
		F	3		1				1
11	8. Anæmia	M	1						
		F	2						
12	9. Dropsy	M	3						
		F	4						
13	10. Diabetes	M	4						
		F							
14	11. Others of this group	M							
		F							
15	12. Others of this class	M							
		F							
16	II.—Diseases of the nervous system		187	66	15	8	4	5	98
17	Males		100	38	7			3	48
18	Females		87	28	8	8	4	2	50
19	1. Inflammation of the brain	M	29	14	4			3	21
		F	23	7	3	6	1		17
20	2. Apoplexy	M	10						
		F	11	1					1
21	3. Paralysis	M	12						
		F	11	1		1		1	3
22	4. Tetanus and trismus nascentium	M	2	1					1
		F	1		1				1
23	5. Epilepsy	M	3						
		F							
24	6. Convulsions	M	24	17	2				19
		F	21	13	2	1	2		18
25	7. Mental diseases	M	2						
		F	1						
26	8. Diseases of the brain	M	12	5	1				6
		F	15	5	2		1	1	9
27	9. Diseases of the spinal cord	M	5	1					1
		F	3	1					1
28	10. Others of this class	M	1						
		F	1						
29	III.—Diseases of the circulatory system		150	22	2	1	2		27
30	Males		86	16	1	1	2		20
31	Females		64	6	1				7
32	1. Angina pectoris	M	2						
		F	1						
33	2. Aneurism	M							
		F							
34	3. Diseases of the heart	M	75	11	1	1	2		15
		F	62	5	1				6
35	4. Others of this class	M	9	5					5
		F	1	1					1

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DENVER, COLO.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
3	7	10	34	54	60	47	27	20	16	14	3	13	1
1	3	5	21	39	41	31	15	13	8	11	3	8	2
2	4	5	13	15	19	16	12	7	8	3		5	3
1				1									4
	1		1										
										1			5
													6
	2	5	21	36	41	27	15	11	5	6	2	5	7
	3	5	10	15	16	14	8	3	2	1		3	
				1									8
1													
						1		2	1	3		3	9
			1		2	1	4	4	4	1		1	
	1												10
					1					1			
										1			11
1						1							
						2					1		12
			1						2			1	
				1		1			2				13
													14
													15
6	4	3	5	8	3	6	8	7	4	7	7	21	16
3	2		3	4	1	6	6	3	1	5	4	14	17
3	2	3	2	4	2		2	4	3	2	3	7	18
	2			2		1	2			1			19
1		1		1	2			1					
1				1	1	2				1	1	3	20
1				1				1	2	2	1	2	
1							2	1		1		7	21
		1	1					1			1	4	
				1									22
						2		1					23
1										1	1	2	24
				1			1					1	
							1	1					25
				1									
							1		1		2	2	26
	1	1	1					1	1		1		
			3							1			27
1	1												
						1							28
							1						
8	3	5	13	6	11	12	14	9	7	10	11	19	29
2		1	4	3	6	7	9	4	6	6	9	9	30
1	3	4	9	3	5	5	5	5	1	4	2	10	31
											1	1	32
						1							
													33
2		1	4	3	6	7	9	4	6	5	7	6	34
1	3	4	9	3	5	4	5	5	1	4	2	10	
										1	1	2	35

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DENVER, COLO.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		450	68	41	26	20	17	172
2	Males		275	37	20	18	13	9	97
3	Females		175	31	21	8	7	8	75
4	1. Croup	M.	30	4	2	4	7	1	18
		F.	15	1	4	1	2	3	11
5	2. Laryngitis	M.	1						
		F.							
6	3. Bronchitis	M.	30	16	3	4	1		24
		F.	24	12	4	2	1	1	20
7	4. Pneumonia	M.	182	14	12	7	5	7	45
		F.	123	16	11	4	4	4	39
8	5. Pleurisy	M.	6			1			1
		F.	1						
9	6. Asthma	M.	8						
		F.	2						
10	7. Others of this class	M.	18	3	3	2		1	9
		F.	10	2	2	1			5
11	V.—Diseases of the digestive system		114	16	2	4			22
12	Males		60	8		2			10
13	Females		54	8	2	2			12
14	1. Dentition	M.							
		F.	1	1					1
15	2. Angina	M.	4			1			1
		F.	4			1			1
16	3. Diseases of the stomach	M.	8	2		1			3
		F.	9		1				1
17	4. Obstruction of the bowels	M.	4						
		F.	3	1					1
18	5. Hernia	M.	1						
		F.	1						
19	6. Other diseases of the bowels	M.	2						
		F.	2	1					1
20	7. Jaundice	M.	4	1					1
		F.	2			1			1
21	8. Inflammation and abscess of the liver	M.	2						
		F.	1						
22	9. Other diseases of the liver	M.	11						
		F.	3						
23	10. Peritonitis	M.	14						
		F.	20		1				1
24	11. Ascites	M.							
		F.	1						
25	12. Others of this class	M.	10	5					5
		F.	7	5					5
26	VI.—Diseases of the urinary system and male organs of generation.		54	2					2
27	Males		38	1					1
28	Females		16	1					1
29	1. Bright's disease	M.	18						
		F.	10						
30	2. Calculus, urinary	M.							
		F.							
31	3. Diseases of the kidney	M.	11	1					1
		F.	5	1					1
32	4. Diseases of the bladder	M.	8						
		F.							
33	5. Others of this class	M.	1						
		F.	1						
34	VII.—Diseases of the female organs of generation		8						
35	1. Ovarian tumors		2						
36	2. Ovarian diseases		1						
37	3. Uterine tumors		3						
38	4. Uterine diseases		1						
39	5. Others of this class		1						
40	VIII.—Affections connected with pregnancy		34						
41	1. Abortion		1						
42	2. Childbirth		1						
43	3. Puerperal septicæmia		23						
44	4. Extra-uterine pregnancy								
45	5. Others of this class		9						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DENVER, COLO.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
34	8	9	31	30	28	16	20	26	14	10	19	33	1
17	2	6	26	21	21	13	13	18	10	4	13	14	2
17	6	3	5	9	7	3	7	8	4	6	6	19	3
10	2												4
3	1												
1													5
		1	1					1			1	2	6
1										1		2	
5		4	23	20	18	11	11	16	7	4	7	11	7
11	5	3	5	8	7	3	7	6	3	5	6	15	
1					1	2			1				8
				1									
									2		5	1	9
									1			1	
		1	2	1	2		2	1					10
2								2				1	
6	4	5	10	11	7	9	8	10	6	4	4	8	11
4	2	3	4	6	4	6	5	6	3	1	4	2	12
2	2	2	6	5	3	3	3	4	3	3		6	13
													14
2	1												15
2								1					
			1		1		1	1			1		16
			3		1	1	1					2	
						2					1	1	17
			1		1								
												1	18
							1						
				2									19
												1	
						1			2				20
												1	
						1	1						21
									1				
					2	2	2	3	1	1			22
								1	1	1			
2		3	1	4			1	2			1		23
	2	2	2	5	1	2		1	1	1		2	
													24
							1						
	1		2		1						1		25
								1		1			
5	1	1	3	7	5	5	4	5	1	4	3	8	26
4	1		3	4	2	4	3	4	1	3	2	6	27
1		1		3	3	1	1	1		1	1	2	28
2	1		3		2	2	1	3	1		1	2	29
1		1		3	2	1		1			1		
													30
2				3		2	1			1		1	31
					1					1		2	
				1			1			2	1	3	32
								1					33
							1						
1			1		1	2	2			1			34
			1			1							35
1													36
							2			1			37
						1							38
					1								39
		3	8	10	8	4						1	40
					1								41
					1								42
		1	6	8	4	3						1	43
													44
		2	2	2	2	1							45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DENVER, COLO.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		3						
2	Males		1						
3	Females		2						
4	1. Diseases of the spine	M.	1						
		F.							
5	2. Diseases of the bones	M.							
		F.	1						
6	3. Diseases of the hip joint	M.							
		F.	1						
7	4. Others of this class	M.							
		F.							
8	X.—Diseases of the skin		2	1					1
9	Males		1	1					1
10	Females		1						
11	1. Abscess	M.							
		F.	1						
12	2. Carbuncle	M.							
		F.							
13	3. Others of this class	M.	1	1					1
		F.							
14	XI.—Diseases of the absorbent system		3						
15	Males		3						
16	Females								
17	1. Addison's disease	M.	1						
		F.							
18	2. Diseases of the spleen	M.	1						
		F.							
19	3. Others of this class	M.	1						
		F.							
20	XII.—Accidents and injuries		156	12	1	1		3	17
21	Males		127	9	1			1	11
22	Females		29	3		1		2	6
23	1. Burns and scalds	M.	3					1	1
		F.	7					1	1
24	2. Drowned	M.	7	1					1
		F.	1					1	1
25	3. Exposure and neglect	M.	1	1					1
		F.							
26	4. Gunshot wounds	M.	11						
		F.	2						
27	5. Homicide	M.							
		F.	1						
28	6. Infanticide	M.							
		F.							
29	7. Injuries by machinery	M.	1						
		F.							
30	8. Railroad accidents	M.	30	1					1
		F.	1						
31	9. Suffocation	M.	1	1					1
		F.							
32	10. Suicide by shooting	M.	8						
		F.							
33	11. Suicide by drowning	M.							
		F.							
34	12. Suicide by poison	M.	4						
		F.	1						
35	13. Other suicides	M.	6						
		F.							
36	14. Sunstroke	M.	1						
		F.							
37	15. Surgical operations	M.							
		F.	1						
38	16. Wounds	M.	1						
		F.	3						
39	17. Other accidents and injuries	M.	53	5	1				6
		F.	12	3		1			4

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DENVER, COLO.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
	1	1					1						1
	1												2
		1					1						3
	1												4
													5
							1						
													6
		1											
													7
									1				8
													9
									1				10
													11
									1				
													12
													13
							1			1		1	14
							1			1		1	15
													16
												1	17
										1			18
							1						19
4	4	6	22	22	17	11	11	10	7	7	5	13	20
3	3	4	18	21	15	11	9	8	6	7	2	9	21
1	1	2	4	1	2		2	2	1		3	4	22
	1			1									23
			1	1	1		1				1	1	
1		2		2						1			24
													25
		1	2	2		2			1	2		1	26
	1		1										
								1					27
													28
				1									29
	2	1	3	9	4	4	2	2			1	1	30
												1	
													31
			4	1	1			1	1				32
													33
			2					1	1				34
							1						
			2				1	2			1		35
					1								36
													37
		1											
							1						38
			1					1			1		
													39
2			5	5	9	5	5	2	3	4		7	
1		1	1		1				1		1	2	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DETROIT, MICH.

	CAUSE OF DEATH.	All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes	4,203	1,515	324	134	105	84	2,162
2	Males	2,181	844	181	64	53	40	1,182
3	Females	2,022	671	143	70	52	44	980
4	Unknown causes	28	4					4
5	Males	12						
6	Females	16	4					4
	I.—General diseases.							
7	General diseases—A	936	387	140	59	45	42	673
8	Males	463	201	77	31	18	15	342
9	Females	473	186	63	28	27	27	331
10	1. Smallpox M							
	F							
11	2. Measles M	17	3	10	1	1	1	16
	F	10	3	4	1	1		9
12	3. Scarlet fever M	15	2	4	2	2	2	12
	F	25	1	3		6	3	13
13	4. Diphtheria M	100	3	13	17	14	11	58
	F	136	4	14	22	19	24	83
14	5. Whooping cough M	16	10	4	2			16
	F	10	5	3	2			10
15	6. Fever M	1						
	F	1						
16	7. Cerebro-spinal fever M	6	1	3	2			6
	F	2	1					1
17	8. Typhoid fever M	28		1				1
	F	12	1	1				2
18	9. Diarrheal diseases M	81	53	10	4			67
	F	106	60	16	2			78
19	10. Cholera infantum M	159	123	32	3	1		159
	F	128	107	20	1			128
20	11. Malarial fever M	12	1					1
	F	23	1	1		1		3
21	12. Erysipelas M	6	2					2
	F	1	1					1
22	13. Septicæmia M	12	1				1	2
	F	12						
23	14. Venereal diseases M	4	2					2
	F	2	2					2
24	15. Others of this group M	6						
	F	5		1				1
25	General diseases—B	58	40	4				44
26	Males	36	23	4				27
27	Females	22	17					17
28	1. Parasitic diseases M	1	1					1
	F							
29	2. Alcoholism M	4						
	F	1						
30	3. Lead poison M							
	F							
31	4. Other poisons M	3						
	F	3						
32	5. Inanition M	28	22	4				26
	F	18	17					17
33	General diseases—C	713	569	15	3		1	588
34	Males	392	336	8	1		1	346
35	Females	321	233	7	2			242
36	1. Premature birth M	30	30					30
	F	28	28					28
37	2. Stillborn M	221	221					221
	F	133	133					133
38	3. Malformation M	4	4					4
	F	7	7					7
39	4. Debility and atrophy M	114	81	8	1		1	91
	F	102	65	7	2			74
40	5. Old age M	23						
	F	51						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DETROIT, MICH.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
175	78	109	153	156	140	150	135	118	105	109	133	480	1
88	26	44	74	67	71	72	67	63	64	58	70	235	2
87	52	65	79	89	69	78	68	55	41	51	63	245	3
	1	2	1	2	2	1	3		1	3	1	7	4
		1	1	2	1		1			1	1	4	5
	1	1			1	1	2		1	2		3	6
98	26	11	25	18	13	10	10	4	4	11	9	24	7
46	8	5	11	7	7	6	7	2	1	6	4	11	8
52	18	6	14	11	6	4	3	2	3	5	5	13	9
													10
1													11
	1												
2			1										12
10	1					1							
37	4			1									13
37	12		2	1	1								
													14
										1			15
		1											
	1												16
1	2	4	6	4	4	2	3	1					17
1	1		2	3	2	1							
3				1	1	2	1			1	1	5	18
2	1	1	2	3		1	2		1	2	3	10	
													19
1	1	1	3	1	2	1		1					20
1	1	4	4	2	1	1			1	2	1	2	
1						1	1					1	21
1	1		1				1		1		3	2	22
			4	2			1	2		1	1	1	
										2			23
							1			2		3	24
1					2				1				
			2	1	1	2		1	3	2	1	1	25
				1		1		1	3	2		1	26
			2		1	1					1		27
													28
						1		1	2				29
											1		
													30
				1					1	1			31
			1		1	1							
										1		1	32
			1										
	2		1			1			1		3	117	33
			1									45	34
	2					1			1		3	72	35
													36
													37
													38
			1									22	39
	2					1			1		2	22	
												23	40
											1	50	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DETROIT, MICH.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
	I.—General diseases—Continued.								
1	General diseases—D		570	41	19	5	2	3	70
2	Males		262	20	10	1	2	1	34
3	Females		308	21	9	4		2	36
4	1. Rheumatism	M	8						
		F	8					1	1
5	2. Scrofula and tabes	M	4	3					3
		F	8	5	1	1			7
6	3. Leprosy	M							
		F							
7	4. Consumption	M	154	3	1		2		6
		F	180	6	2	1			9
8	5. Hydrocephalus	M	21	11	7	1		1	20
		F	17	8	4	1			13
9	6. Cancer	M	35						
		F	54			1			1
10	7. Tumor	M	5	1					1
		F	6		1			1	2
11	8. Anæmia	M	9	1	1				2
		F	6	2					2
12	9. Dropsy	M	17						
		F	25		1				1
13	10. Diabetes	M	6						
		F	3						
14	11. Others of this group	M	3	1	1				2
		F	1						
15	12. Others of this class	M							
		F							
16	II.—Diseases of the nervous system		480	228	43	9	10	7	297
17	Males		268	129	19	5	4	6	163
18	Females		212	99	24	4	6	1	134
19	1. Inflammation of the brain	M	68	28	7	1	3	4	43
		F	39	13	10	3	3		29
20	2. Apoplexy	M	24						
		F	24				1	1	2
21	3. Paralysis	M	31						
		F	26	1					1
22	4. Tetanus and trismus nascentium	M	6	6					6
		F	4	4					4
23	5. Epilepsy	M	3		1	1			2
		F	4	1	1				2
24	6. Convulsions	M	112	92	11	3	1	2	109
		F	94	77	11	1	2		91
25	7. Mental diseases	M	1						
		F	2						
26	8. Diseases of the brain	M	18	3					3
		F	11	3	2				5
27	9. Diseases of the spinal cord	M	4						
		F	3						
28	10. Others of this class	M	1						
		F	5						
29	III.—Diseases of the circulatory system		214	16		1	1		18
30	Males		101	11		1	1		13
31	Females		113	5					5
32	1. Angina pectoris	M							
		F	1						
33	2. Aneurism	M	4						
		F							
34	3. Diseases of the heart	M	90	6		1	1		8
		F	104						
35	4. Others of this class	M	7	5					5
		F	8	5					5

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DETROIT, MICH.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
4	12	51	45	61	51	51	35	34	27	23	33	73	1
2	5	18	25	24	22	24	15	15	15	11	15	37	2
2	7	33	20	37	29	27	20	19	12	12	18	36	3
		1		2				1	2		1	1	4
		1					1				2	3	
										1			5
							1						
													6
1	3	17	22	20	21	21	11	7	7	5	3	10	7
2	6	29	19	34	23	20	10	10	2	4	5	7	
			1										8
	1	1				2							
				1		1	3	5	4	1	7	13	9
				1	3	5	6	6	6	4	7	15	
	1			1							1	1	10
					1			1	1		1		
			1			1				2	1	2	11
							1			2		1	
						1		1	2	2	2	9	12
			1	1	2		1	2	3	2	3	9	
1	1				1		1	1				1	13
		1		1								1	
			1										14
		1											
													15
21	8	4	10	8	8	12	14	10	8	11	18	51	16
15	3	1	6	2	8	8	7	5	5	9	13	23	17
6	5	3	4	6		4	7	5	3	2	5	28	18
14	2		2		1	2	1				3		19
4	2	1					1	1		1			
	1		1	1	1	2	3	2	1	4	3	5	20
		1	1	3		1	1	1	1	1		12	
				1	2	3	2	1	2	4	4	12	21
			1	2		1	2	2			3	14	
													22
1													23
	1		1										
			1			1			1				24
1	1											1	
			1										25
						1					1		
		1	1		3			1	1	1	3	4	26
1			1	1			1		1		1		
					1		1	1				1	27
	1						1		1				
												1	28
		1				1	1	1				1	
7	8	9	6	8	12	17	13	16	8	14	10	68	29
1	3	2	3	4	5	9	6	7	5	5	8	30	30
6	5	7	3	4	7	8	7	9	3	9	2	38	31
													32
												1	
						2		1				1	33
1	3	1	2	4	5	7	6	6	5	5	8	29	34
6	5	7	3	4	7	7	7	9	3	9	2	35	
		1	1										35
						1						2	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DETROIT, MICH.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IV.—Diseases of the respiratory system		650	124	83	51	39	31	328
2	Males		358	69	51	21	22	17	180
3	Females		292	55	32	30	17	14	148
4	1. Croup	M	74	8	20	13	14	13	68
		F	50	4	6	16	9	7	42
5	2. Laryngitis	M	3		1		1		2
		F	4	1				1	2
6	3. Bronchitis	M	72	27	12	2	2	2	45
		F	71	22	15	3	4	1	45
7	4. Pneumonia	M	168	26	15	5	4	1	51
		F	127	21	6	9	2	4	42
8	5. Pleurisy	M	3						
		F	3		1				1
9	6. Asthma	M	9			1			1
		F	7		1				1
10	7. Others of this class	M	29	8	3		1	1	13
		F	30	7	3	2	2	1	15
11	V.—Diseases of the digestive system		237	87	17	2	4		110
12	Males		115	46	9	2	4		61
13	Females		122	41	8				49
14	1. Dentition	M	9	4	5				9
		F	6	2	4				6
15	2. Angina	M	5		3	2			5
		F	1	1					1
16	3. Diseases of the stomach	M	16	5			2		7
		F	27	9	2				11
17	4. Obstruction of the bowels	M	5	2					2
		F	10	1					1
18	5. Hernia	M	4						
		F	2						
19	6. Other diseases of the bowels	M	1	1					1
		F							
20	7. Jaundice	M	6	3					3
		F	5	4					4
21	8. Inflammation and abscess of the liver	M	2						
		F	1						
22	9. Other diseases of the liver	M	10						
		F	12	1					1
23	10. Peritonitis	M	18	3	1				4
		F	26	1	1				2
24	11. Ascites	M	4				1		1
		F	2						
25	12. Others of this class	M	35	28			1		29
		F	30	22	1				23
26	VI.—Diseases of the urinary system and male organs of generation.		76		1	1	1		3
27	Males		47		1	1			2
28	Females		29				1		1
29	1. Bright's disease	M	20						
		F	13						
30	2. Calculus, urinary	M	1						
		F							
31	3. Diseases of the kidney	M	15		1	1			2
		F	13				1		1
32	4. Diseases of the bladder	M	6						
		F							
33	5. Others of this class	M	5						
			8						
34	VII.—Diseases of the female organs of generation		20						
35	1. Ovarian tumors		5						
36	2. Ovarian diseases		1						
37	3. Uterine tumors		3						
38	4. Uterine diseases		3						
39	5. Others of this class		8						
40	VIII.—Affections connected with pregnancy		47						
41	1. Abortion		1						
42	2. Childbirth		11						
43	3. Puerperal septicæmia		26						
44	4. Extra-uterine pregnancy								
45	5. Others of this class		9						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DETROIT, MICH.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
32	9	12	21	17	14	14	25	20	22	21	29	86	1
13	4	6	12	10	7	8	18	14	16	12	14	44	2
19	5	6	9	7	7	6	7	6	6	9	15	42	3
6													4
6	2												
1													5
2													
2		1	1	1		1	2	1	3	2	3	10	6
1	1	1	3			1		1	1	2	5	10	
4	3	3	9	8	6	7	15	10	10	7	9	26	7
8	2	5	3	6	7	5	3	5	3	6	9	23	
		1		1						1			8
			1									1	
									1		1	6	9
				1						1		4	
	1	1	2		1		1	3	2	2	1	2	10
2			2				4		2		1	4	
2	2	3	12	6	11	10	12	14	12	13	12	18	11
2	1	2	2	3	5	2	6	4	5	6	5	11	12
	1	1	10	3	6	8	6	10	7	7	7	7	13
													14
													15
			1	1	1		1			3	1	1	16
			1		1	1	1	3	2	2	3	2	
							2					1	17
						1	1	3	2		2		
						1		1			1	1	18
								1			1		
													19
					1			1		1			20
						1							
							1				1		21
										1			
				1	1				3	1	1	3	22
			1		1	2	1	1	1	1		3	
2	1	2		1	1	1	1	1	1	1		2	23
	1	1	8	2	4	2	3	2	1				
							1				1	1	24
										1	1		
			1		1			1	1			2	25
				1		1			1	2		2	
2		1	3	6	3	6	4	5	7	5	9	22	26
1		1	2	2	2	2	2	4	5	1	5	18	27
1			1	4	1	4	2	1	2	4	4	4	28
1			1		1	1	1	3	3	1	4	4	29
					1	2	1	1	1	2	3	2	
												1	30
		1	1		1				1		1	8	31
1				2		2	1		1	2	1	2	
				1		1			1			3	32
				1			1	1				2	33
			1	2									
			3	3	1	1	6	1	1	1	3		34
				1			2				2		35
			1										36
						1				1	1		37
			1		1			1					38
			1	2			4		1				39
		5	10	11	7	10	4						40
			1										41
			1	2	1	5	2						42
		4	6	6	6	3	1						43
													44
		1	2	3		2	1						45

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

DETROIT, MICH.—Continued.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	IX.—Diseases of the bones and joints		10				1		1
2	Males		7				1		1
3	Females		3						
4	1. Diseases of the spine	M.	3				1		1
		F.	1						
5	2. Diseases of the bones	M.	3						
		F.							
6	3. Diseases of the hip joint	M.	1						
		F.	1						
7	4. Others of this class	M.							
		F.	1						
8	X.—Diseases of the skin		15	7					7
9	Males		4	2					2
10	Females		11	5					5
11	1. Abscess	M.	1	1					1
		F.	9	3					3
12	2. Carbuncle	M.	2						
		F.							
13	3. Others of this class	M.	1	1					1
		F.	2	2					2
14	XI.—Diseases of the absorbent system		2	1					1
15	Males		1	1					1
16	Females		1						
17	1. Addison's disease	M.							
		F.							
18	2. Diseases of the spleen	M.							
		F.							
19	3. Others of this class	M.	1	1					1
		F.	1						
20	XII.—Accidents and injuries		147	11	2	3	2		18
21	Males		115	6	2	1	1		10
22	Females		32	5		2	1		8
23	1. Burns and scalds	M.	6	1			1		2
		F.	10			1			1
24	2. Drowned	M.	18						
		F.							
25	3. Exposure and neglect	M.							
		F.							
26	4. Gunshot wounds	M.	4						
		F.							
27	5. Homicide	M.	2						
		F.							
28	6. Infanticide	M.							
		F.							
29	7. Injuries by machinery	M.							
		F.							
30	8. Railroad accidents	M.	20						
		F.	1						
31	9. Suffocation	M.	2	1					1
		F.	3	3					3
32	10. Suicide by shooting	M.	5						
		F.							
33	11. Suicide by drowning	M.	1						
		F.							
34	12. Suicide by poison	M.							
		F.	2						
35	13. Other suicides	M.	8						
		F.							
36	14. Sunstroke	M.	1						
		F.	1			1			1
37	15. Surgical operations	M.							
		F.	3						
38	16. Wounds	M.	1						
		F.							
39	17. Other accidents and injuries	M.	47	4	2	1			7
		F.	12	2			1		8

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

DETROIT, MICH.—Continued.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
1	1		1	1	3					2			1
1			1	1	1					2			2
	1				2								3
			1		1								4
					1								
				1						2			5
1													6
	1												
													7
					1								
1				2		1	1	1	2				8
								1	1				9
1				2		1	1		1				10
													11
1				2		1	1		1				
								1	1				12
													13
							1						14
													15
							1						16
													17
													18
													19
							1						
7	9	11	13	12	14	14	7	12	9	3	5	13	20
7	2	8	10	11	13	12	5	10	8	3	5	11	21
	7	3	3	1	1	2	2	2	1			2	22
		1	1		1			1					23
	7	2											
3		3	2	3		3	1		2			1	24
													25
	1		1			1			1				26
				2									27
													28
													29
1	1	2		1	6		2	3	3			1	30
												1	
												1	31
			1	2				2					32
												1	33
													34
							1	1					
								1		1	3	3	35
				1									36
													37
				1	1	1							
					1								38
3		2	5	2	5	8	2	3	2	2	2	4	39
		1	3			1	1	1	1			1	

TABLE 6.—DEATHS IN THE CITIES FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES

INDIANAPOLIS, IND.

	CAUSE OF DEATH.		All ages.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total under 5 years.
1	All causes		1,987	525	99	43	34	44	745
2	Males		1,053	310	59	26	19	25	439
3	Females		934	215	40	17	15	19	306
4	Unknown causes		32	9					9
5	Males		22	6					6
6	Females		10	3					3
	I.—General diseases.								
7	General diseases—A		365	96	39	17	17	19	188
8	Males		199	53	22	9	9	10	103
9	Females		166	43	17	8	8	9	85
10	1. Smallpox	M							
		F							
11	2. Measles	M							
		F	2			1	1		2
12	3. Scarlet fever	M	8		2	2	1	1	6
		F	14	2	4	1	2	1	10
13	4. Diphtheria	M	37	2	4	4	4	6	20
		F	22	1	2	2	4	4	13
14	5. Whooping cough	M	7	4	1		1	1	7
		F	4		2	2			4
15	6. Fever	M							
		F	1	1					1
16	7. Cerebro-spinal fever	M	9		1	1	1	1	4
		F	4			1			1
17	8. Typhoid fever	M	34	1	1	1	1	1	5
		F	23	1				2	3
18	9. Diarrheal diseases	M	49	20	6	1			27
		F	42	13	7	1	1	1	23
19	10. Cholera infantum	M	30	22	7		1		30
		F	25	22	2			1	25
20	11. Malarial fever	M	9	1					1
		F	16						
21	12. Erysipelas	M	4	1					1
		F	3						
22	13. Septicæmia	M	3						
		F	6	1					1
23	14. Venereal diseases	M	6	2					2
		F	3	2					2
24	15. Others of this group	M	3						
		F	1						
25	General diseases—B		71	49	2	2	3		56
26	Males		33	20	1	2	2		25
27	Females		38	29	1		1		31
28	1. Parasitic diseases	M							
		F							
29	2. Alcoholism	M	2						
		F	1						
30	3. Lead poison	M	1						
		F							
31	4. Other poisons	M	2						
		F							
32	5. Inanition	M	28	20	1	2	2		25
		F	37	29	1		1		31
33	General diseases—C		294	203	4				207
34	Males		158	126	2				128
35	Females		136	77	2				79
36	1. Premature birth	M	9	9					9
		F	9	9					9
37	2. Stillborn	M	100	100					100
		F	61	61					61
38	3. Malformation	M	5	5					5
		F	1	1					1
39	4. Debility and atrophy	M	29	12	2				14
		F	34	6	2				8
40	5. Old age	M	15						
		F	31						

DURING THE CENSUS YEAR ENDING MAY 31, 1890, WITH DISTINCTION OF AGE AND SEX—Continued.

INDIANAPOLIS, IND.

5 to 10 years.	10 to 15 years.	15 to 20 years.	20 to 25 years.	25 to 30 years.	30 to 35 years.	35 to 40 years.	40 to 45 years.	45 to 50 years.	50 to 55 years.	55 to 60 years.	60 to 65 years.	65 years and over and unknown.	
84	39	86	115	113	104	88	70	76	69	48	51	299	1
40	16	29	51	55	48	41	40	40	40	31	36	147	2
44	23	57	64	58	56	47	30	36	29	17	15	152	3
1	1		2	2	1	2	1		3	1	1	8	4
1	1		1	2	1	1	1		2	1	1	4	5
			1			1			1			4	6
39	8	23	21	17	10	7	7	9	4	5	2	25	7
22	4	7	14	9	7	2	3	5	2	4	2	15	8
17	4	16	7	8	3	5	4	4	2	1		10	9
													10
													11
2													12
4													
15		1										1	13
7	2												
													14
													15
4					1								16
		2						1					
	4	2	9	5	4		1	2	1			1	17
	1	8	4	2		2		1		1		1	
1		1	3	2		1		2	1	2	2	7	18
3			1	2	1	1	2		2			7	
													19
		3	2	1	1							1	20
3	1	4	1	3	1		1	1				1	
					1					1		1	21
					1	1		1					
						1	2						22
		2	1			1	1						
				1						1		2	23
				1									
								1				2	24
												1	
2	1	1	2	1	2			3			1	2	25
1				1	2			3			1		26
1	1	1	2									2	27
													28
					1			1					29
												1	
				1									30
					1			1					31
1								1			1		32
1	1	1	2									1	
					3		2	2	2	1	3	74	33
					1		2		1		1	25	34
					2			2	1	1	2	49	35
													36
													37
													38
					1		2		1		1	10	39
					2			2	1	1	1	19	
												15	40
											1	30	