TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system		841	183	101	46	30	12	372	29	11	12	24	22
2	Males		447	95	57	23	14	3	192	13	6	4	16	16
3	Females		394	88	44	23	16	9	180	16	5	8	8	6
4	1. Croup	M.	27	4	7	7	6		24	1	2			
		F.	20	3	5	2	3	3	16	4				
5	2. Laryngitis	M.												
		F.	5	2	2				4					
6	3. Bronchitis	M.	103	42	15	7	4	1	69	1	1			
		F.	77	27	15	8	2		52		1	1	1	
7	4. Pneumonia	M.	251	37	32	8	4	2	83	9	3	3	16	13
		F.	233	45	21	12	10	6	94	12	3	7	7	4
8	5. Pleurisy	M.	3											
		F.	5	1					1					
9	6. Asthma	M.	6	1					1					
		F.	6											
10	7. Others of this class	M.	57	11	3	1			15	2		1		3
		F.	48	10	1	1	1		13		1			2
11	V.—Diseases of the digestive system		269	67	30	5	2	3	107	7	1	7	11	17
12	Males		136	31	16	1	1	2	51	7		2	4	6
13	Females		133	36	14	4	1	1	56		1	5	7	11
14	1. Dentition	M.	31	16	13	1	1		31					
		F.	30	17	13				30					
15	2. Angina	M.	4					1	1	2				
		F.												
16	3. Diseases of the stomach	M.	23	2	2				4	2			1	1
		F.	32	3		1		1	5			1	3	4
17	4. Obstruction of the bowels	M.	12	3					3	1		1	2	2
		F.	7								1	1	1	2
18	5. Hernia	M.	8	2					2					
		F.	5											
19	6. Other diseases of the bowels	M.	1		1				1					
		F.	2	2					2					
20	7. Jaundice	M.	9	5					5					1
		F.	5	3					3			1		
21	8. Inflammation and abscess of the liver.	M.	5										1	
		F.	5											
22	9. Other diseases of the liver	M.	22											
		F.	10			1			1					
23	10. Peritonitis	M.	8							1				
		F.	17				1		1			2	3	4
24	11. Ascites	M.												
		F.	1											
25	12. Others of this class	M.	13	3				1	4	1		1		2
		F.	19	11	1	2			14					1
26	VI.—Diseases of the urinary system and male organs of generation.		154	1	1	2		2	6	1	2	7	5	7
27	Males		105	1				1	2		1	3	1	1
28	Females		49		1	2		1	4	1	1	4	4	6
29	1. Bright's disease	M.	42								1	2	1	
		F.	19									1	2	1
30	2. Calculus, urinary	M.												
		F.	1											
31	3. Diseases of the kidney	M.	37					1	1			1		1
		F.	25		1	2		1	4	1	1	1	2	4
32	4. Diseases of the bladder	M.	18	1					1					
		F.	2									1		
33	5. Others of this class	M.	8											
		F.	2									1		1
34	VII.—Diseases of the female organs of generation.		12									1	2	1
35	1. Ovarian tumors	F.	3											
36	2. Ovarian diseases	F.												
37	3. Uterine tumors	F.	1											
38	4. Uterine diseases	F.	3											
39	5. Others of this class	F.	5									1	2	1
40	VIII.—Affections connected with pregnancy		45									5	8	10
41	1. Abortion	F.	7										2	1
42	2. Childbirth	F.	11									2	1	1
43	3. Puerperal septicæmia	F.	16									3		4
44	4. Extra-uterine pregnancy	F.	1											1
45	5. Others of this class	F.	10										5	3

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
33	35	38	37	46	39	27	35	33	23	14	7	1	3		1
17	23	25	14	28	21	21	13	17	14	5	1		1		2
16	12	13	23	18	18	6	22	16	9	9	6	1	2		3
															4
															5
			1												
1	4	1	3	3	2	4	3	6	2	3					6
1	1	1	1	2	1	3	5	2	3	1	1				
13	15	23	8	20	13	9	7	4	8	2	1		1		7
15	9	9	14	10	12	3	13	7	4	6	3		1		
			1	1		1									8
				1				1	1	1					
						2	2	1							9
			1	1	1		1	1					1		
3	4	1	2	4	6	5	1	6	4						10
	2	3	6	4	4		3	5	1	1	2	1			
10	9	12	13	17	10	17	10	13	5	3					11
3	6	6	6	8	7	10	7	7	4	2					12
7	3	6	7	9	3	7	3	6	1	1					13
															14
					1										15
1	1	1	1	4	2	1	1	2		1					16
5	1	4	1	3		2	2	1							
	1					1			1						17
						1		1							
			2	1		1	1			1					18
			1	1		1			1	1					
															19
1		1				1									20
			1												
	1		1				1	1							21
	1	2				2									
1	2	3	1	2	3	3	3	1	3						22
			2	3		1	1	2							
			1	1	1	2	1	1							23
1	1		2	1	1			1							
															24
					1										
	1	1				1		2							25
1				1	1			1							
7	9	11	14	18	11	14	14	14	7	3	4				26
4	5	10	9	15	7	9	11	13	7	3	4				27
3	4	1	5	3	4	5	3	1							28
4	3	4	5	7	1	5	4	3	2						29
2	2		3	1	2	4	1								
															30
								1							
	1	5	4	6	4	3	3	6	1	1					31
1	2	1	1	2	2	1	2								
					2	1	3	3	4	2	2				32
			1												
	1	1		2			1	1			2				33
2	1	3				1			1						34
1						1			1						35
															36
		1													37
1	1	1													38
		1													39
13	7	2													40
1	2	1													41
6	1														42
4	4	1													43
															44
2															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DISTRICT OF COLUMBIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	10							1				1
2	Males	5											1
3	Females	5							1				
4	1. Diseases of the spine M	1											1
	F	2							1				
5	2. Diseases of the bones M	2											
	F	1											
6	3. Diseases of the hip joint M	1											
	F	2											
7	4. Others of this class M	1											
	F												
8	X.—Diseases of the skin	12	2					2					2
9	Males	6	1					1					1
10	Females	6	1					1					1
11	1. Abscess M	2											1
	F	2											1
12	2. Carbuncle M	1											
	F	1											
13	3. Others of this class M	3	1					1					
	F	3	1					1					
14	XI.—Diseases of the absorbent system	6									1	1	
15	Males	5									1	1	
16	Females	1											
17	1. Addison's disease M	2										1	
	F	1											
18	2. Diseases of the spleen M	1											
	F												
19	3. Others of this class M	2									1		
	F												
20	XII.—Accidents and injuries	217	37	2	5	4	4	52	7	9	20	20	14
21	Males	168	23	1	3	3	3	33	6	9	18	18	11
22	Females	49	14	1	2	1	1	19	1		2	2	3
23	1. Burns and scalds M	7			3	1	1	5	1				
	F	8					1	1	1		1		2
24	2. Drowned M	23							1	4	5	5	
	F	1											
25	3. Exposure and neglect M	3	3					3					
	F	6	3					3					
26	4. Gunshot wounds M	10								3	2	2	1
	F												
27	5. Homicide M	8									2	3	
	F	1									1		
28	6. Infanticide M	5	5					5					
	F	4	4					4					
29	7. Injuries by machinery M												
	F												
30	8. Railroad accidents M	24							1	1	4	5	4
	F	2											
31	9. Suffocation M	13	11					11			1		
	F	6	3		1			4					
32	10. Suicide by shooting M	7									1		
	F												
33	11. Suicide by drowning M	3											
	F												
34	12. Suicide by poison M	4											
	F												
35	13. Other suicides M	6										1	1
	F	1											
36	14. Sunstroke M												
	F												
37	15. Surgical operations M												
	F	2										1	
38	16. Wounds M	12		1		1		2	1	1	2		3
	F	1											
39	17. Other accidents and injuries M	43	4			1	2	7	2		1	2	2
	F	17	4	1	1	1		7				1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

DISTRICT OF COLUMBIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	1	1	1	2		1		1							1
1			1	2											2
	1	1				1		1							3
															4
						1									
			1	1											5
								1							
1															6
	1	1													
				1											7
			3		1	1			3						8
			2						2						9
			1		1	1			1						10
			1												11
					1										
			1												12
									1						
									2						13
			1			1									
	1			2				1							14
	1			1				1							15
				1											16
	1														17
				1											
								1							18
				1											19
11	15	9	17	11	7	8	7	4	1	2	3				20
9	14	7	13	9	6	5	5	2		1	2				21
2	1	2	4	2	1	3	2	2	1	1	1				22
							1								23
1				1				1							
1	2	1	1	2						1					24
			1												
															25
	1		1								1				
	2														26
1	2														27
															28
															29
1	3		2	2		1									30
						1	1								
			1												31
1		1													
1	2	1	1		1										32
			3												33
1		1		1			1								34
			2	1							1				35
			1												
															36
															37
							1								
	1	1				1									38
		1													
4	2	3	3	3	5	3	3	2			1				39
			1	1	1	2		1	1	1					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	4,145	786	279	142	96	65	1,368	193	147	212	249	231
2	Males	2,221	403	155	72	50	36	716	92	80	98	131	133
3	Females	1,924	383	124	70	46	29	652	101	67	114	118	98
4	Unknown causes	337	116	19	12	5	5	157	15	13	17	8	7
5	Males	173	56	14	11	4	5	90	6	7	7	4	5
6	Females	164	60	5	1	1		67	9	6	10	4	2
	I.—General diseases.												
7	General diseases—A	1,128	218	149	67	47	25	506	83	51	67	70	49
8	Males	611	110	87	31	24	12	264	48	24	29	39	31
9	Females	517	108	62	36	23	13	242	35	27	38	31	18
10	1. Smallpox M												
	F												
11	2. Measles M	33	3	8	2		1	14	7	3	1	3	3
	F	35	6	3	4	4	1	18	3	5	2		
12	3. Scarlet fever M	3					1	1	2				
	F	7			1		2	3	3	1			
13	4. Diphtheria M	8		5	1		1	7	1				
	F	6		1		1	1	3	3				
14	5. Whooping cough M	25	12	4	2	2		20	2	3			
	F	25	12	7	2	1	1	23		1		1	
15	6. Fever M	31	9	1	2	4	1	17	4	1		2	
	F	27	8	3	2	1	1	15	2	2	1	3	1
16	7. Cerebro-spinal fever M	4				1	1	2				1	
	F	4			2	1		3	1				
17	8. Enteric fever M	82	1	4	3	2		10	7	3	11	14	9
	F	81	6	2	4	2		14	7	7	14	10	5
18	9. Diarrheal diseases M	167	35	34	9	7	2	87	7	5	3	5	6
	F	132	32	18	10	8	3	71	2	5	1	5	1
19	10. Cholera infantum M	49	33	13	3			49					
	F	49	27	16	5			48					
20	11. Malarial fever M	169	15	15	7	6	5	48	16	8	12	13	11
	F	118	12	11	6	5	4	38	13	4	17	7	7
21	12. Erysipelas M	12	1	2	1			4		1	2		
	F	8		1				1		1	2		
22	13. Septicæmia M	9			1	1		2					
	F	11	2					2		1	1	2	3
23	14. Venereal diseases M	11		1				1	1				2
	F	8	2					2				1	1
24	15. Others of this group M	8	1			1		2	1			1	
	F	6	1					1	1			2	
25	General diseases—B	77	12	6	6	1	8	33	4	1		4	3
26	Males	52	6	5	2	1	5	19	1	1		2	2
27	Females	25	6	1	4		3	14	3			2	1
28	1. Parasitic diseases M	15	2	5	2	1	4	14	1				
	F	10	2		3		3	8	2				
29	2. Alcoholism M	19								1			1
	F	1											
30	3. Lead poison M												
	F												
31	4. Other poisons M	14	1				1	2				2	1
	F	8	1					1	1			2	
32	5. Inanition M	4	3					3					
	F	6	3	1	1			5					1
33	General diseases—C	243	149	5	3			157			1	2	1
34	Males	126	79	1	1			81				2	1
35	Females	117	70	4	2			76			1		
36	1. Premature birth M	9	9					9					
	F	5	5					5					
37	2. Stillborn M	50	50					50					
	F	38	38					38					
38	3. Malformation M	2	2					2					
	F	3	2	1				3					
39	4. Debility and atrophy M	37	18	1	1			20				2	1
	F	52	25	3	2			30			1		
40	5. Old age M	28											
	F	19											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
212	227	172	171	148	124	160	125	125	69	74	28	12	18	80	1
103	110	98	87	75	77	102	76	79	44	43	20	5	7	45	2
109	117	74	84	73	47	58	49	46	25	31	8	7	11	35	3
19	11	11	6	7	4	9	12	4	3	4	4	1	.....	25	4
6	3	4	2	5	3	4	4	3	3	3	2	.....	.....	12	5
13	8	7	4	2	1	5	8	1	.....	1	2	1	.....	13	6
39	47	32	23	22	26	32	23	19	10	8	4	2	.....	15	7
20	29	24	12	7	16	15	16	15	7	4	2	.....	.....	9	8
19	18	8	11	15	10	17	7	4	3	4	2	2	.....	6	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
1	2	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	2	15
1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	3	3	3	2	3	2	4	.....	1	.....	.....	.....	.....	2	17
4	5	3	2	3	1	3	.....	.....	1	2	.....	.....	.....	.....	
2	8	9	3	2	5	1	6	10	3	2	1	.....	.....	2	18
8	5	2	3	3	5	4	6	4	1	2	1	.....	.....	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
10	13	8	3	2	6	4	5	3	2	1	1	.....	.....	3	20
5	4	2	3	3	4	5	1	.....	1	.....	1	1	.....	2	
1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	22
.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	
1	6	7	5	4	2	4	.....	2	1	.....	.....	.....	.....	.....	25
1	5	6	3	4	1	4	.....	2	1	.....	.....	.....	.....	.....	26
.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	4	3	2	3	1	2	.....	2	.....	.....	.....	.....	.....	.....	29
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	3	1	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....	31
.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	3	2	3	7	5	8	11	16	9	4	8	5	33
.....	.....	.....	1	.....	1	3	2	5	5	10	6	3	2	4	34
.....	1	.....	2	2	2	4	3	3	6	6	3	1	6	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	1	2	2	.....	2	.....	2	1	.....	3	39
.....	1	.....	2	2	2	4	2	2	3	1	1	.....	.....	1	
.....	.....	.....	.....	.....	.....	1	.....	5	3	10	4	2	2	1	40
.....	.....	.....	.....	.....	.....	.....	1	1	3	5	2	1	6	.....	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		618	18	8	5	2	6	39	10	18	33	61	69
2	Males		316	10	5	2	1	4	22	3	12	15	32	39
3	Females		302	8	3	3	1	2	17	7	6	18	29	30
4	1. Rheumatism	M	9										1	
		F	5				1		1				1	
5	2. Scrofula and tabes	M	7	1				1	2			2		
		F	5			1			1	1				1
6	3. Leprosy	M												
		F												
7	4. Consumption	M	196	3	2				5		5	5	28	35
		F	181	3	2	1		1	7	3	2	16	20	25
8	5. Hydrocephalus	M	7	3	1				4	1				
		F	1	1					1					
9	6. Cancer	M	16									1		1
		F	46								1		2	1
10	7. Tumor	M	9		1				1			1	1	1
		F	10	1					1			2		
11	8. Anæmia	M	1											
		F	3	2					2		1			
12	9. Dropsy	M	67	2	1	2	1	3	9	2	7	6	2	2
		F	50	1		1		1	3	3	2		6	3
13	10. Diabetes	M	2											
		F												
14	11. Others of this group	M	2	1					1					
		F	1		1				1					
15	12. Others of this class	M												
		F												
16	II.—Diseases of the nervous system		317	80	24	7	11	5	127	21	13	12	5	11
17	Males		178	43	12	2	5	1	63	8	8	7	3	6
18	Females		139	37	12	5	6	4	64	13	5	5	2	5
19	1. Inflammation of the brain	M	24	9	3	1			13	3	1		1	1
		F	23	5	5	2	1	2	15	2	2	1		
20	2. Apoplexy	M	19											1
		F	10											
21	3. Paralysis	M	27								2	1		1
		F	22	2					2					1
22	4. Tetanus and trismus nascentium	M	20	14					14		1	2	1	
		F	13	13					13					
23	5. Epilepsy	M	4											2
		F	3									1		
24	6. Convulsions	M	24	11	2		1	1	15	1	2	1		
		F	30	12	3	1	1	1	18	2	1	1		2
25	7. Mental diseases	M												
		F												
26	8. Diseases of the brain	M	44	7	6		4		17	3	1	2	1	1
		F	27	4	4	1	2	1	12	7		1	2	2
27	9. Diseases of the spinal cord	M	8	1	1	1			3	1	1	1		
		F	7	1		1	2		4	1	2			
28	10. Others of this class	M	8	1					1					
		F	4							1		1		
29	III.—Diseases of the circulatory system		189	7	2	1	1		11	2	2	3	6	7
30	Males		96	6	2	1			9		1	3	2	
31	Females		93	1			1		2	2	1		4	7
32	1. Angina pectoris	M	1											
		F	2											1
33	2. Aneurism	M	3											
		F	1											1
34	3. Diseases of the heart	M	92	6	2	1			9		1	3	2	
		F	89	1			1		2	2	1		4	4
35	4. Others of this class	M												
		F	1											1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
59	69	36	40	40	29	22	24	26	15	13	1	3	3	8	1
30	30	14	17	19	17	14	13	16	8	7	1		2	5	2
29	39	22	23	21	12	8	11	10	7	6		3	1	3	3
1		1			1	1	1	2			1				4
1							1					1			
				2				1							5
		1		1											
															6
26	28	9	13	12	10	4	4	3	2	1			1	5	7
22	27	13	12	11	5	1	4	6		3		1		3	
	1					1									8
		2	1	1	2	1	2	3	2						9
3	4	5	8	4	3	6	2	3	2	1		1			
					2		1	1		1					10
	3			1	1				1	1					
							1								11
2		2	2	4	2	7	4	6	4	5			1		12
3	5	3	3	4	3	1	4	1	4	1			1		
1	1														13
			1												14
															15
11	16	11	8	12	12	16	12	14	7	4	1		2	2	16
8	8	7	5	7	9	13	10	6	4	3	1		1	1	17
3	8	4	3	5	3	3	2	8	3	1			1	1	18
1	1			1	1		1								19
	1	1						1							
	1	1	2	2	1	5	1	3	1	1					20
	2		2		1	1		2	1	1					
	2	3		3	3		4	3	2	2			1		21
1	2	2	1	5		1	1	4	2						
1														1	22
	1						1								23
					1		1								
3	1						1								24
1	2				1	1							1		
															25
2	2	2	3	1	4	5									26
1		1												1	
1						1									27
		1				2	2		1		1				28
	1							1							
9	10	15	22	14	11	16	19	17	7	12			2	4	29
6	4	6	10	3	7	9	12	9	5	7				3	30
3	6	9	12	11	4	7	7	8	2	5			2	1	31
				1											32
									1						
					1				1					1	33
6	4	6	10	2	6	9	12	9	4	7				2	34
3	6	9	12	11	4	7	7	8	1	5			2	1	
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	457	87	32	18	15	8	160	25	15	22	25	20
2	Males	252	43	16	8	4	4	75	11	7	12	15	15
3	Females	205	44	16	10	11	4	85	14	8	10	10	5
4	1. Croup M	15	9	2	2			13	1				
	F	25	17	2	2		1	22	2				
5	2. Laryngitis M												
	F												
6	3. Bronchitis M	20	6	2				8	1				
	F	16	4	2			1	7	2				
7	4. Pneumonia M	140	17	5	2	1	3	28	6	3	10	13	12
	F	111	13	9	7	5	1	35	8	6	7	6	3
8	5. Pleurisy M	14	1					1	1	1			
	F	9	1			1		2			1	2	1
9	6. Asthma M	10											
	F	6											
10	7. Others of this class M	53	10	7	4	3	1	25	2	3	2	2	3
	F	38	9	3	1	5	1	19	2	2	2	2	1
11	V.—Diseases of the digestive system	237	52	28	15	2	1	98	9	12	5	10	6
12	Males	128	24	11	8	2	1	46	3	6	3	4	4
13	Females	109	28	17	7			52	6	6	2	6	2
14	1. Dentition M	16	3	8	4	1		16					
	F	22	11	9	2			22					
15	2. Angina M	4											1
	F	4	1					1	1				
16	3. Diseases of the stomach M	12	2					2	1	2	1	2	
	F	17		1				1	2		1	3	
17	4. Obstruction of the bowels M	8	1					1	1	1		1	1
	F	5							1	1		1	
18	5. Hernia M	5											
	F	1											
19	6. Other diseases of the bowels M	8	1	1		1		3					
	F	13	3	2	1			6			1	1	
20	7. Jaundice M	10	6					6					
	F	3	2					2					
21	8. Inflammation and abscess of the liver. M	8		1	1			2					1
	F	3											1
22	9. Other diseases of the liver M	13	1					1		1		1	
	F	6								2			1
23	10. Peritonitis M	5											
	F	7	1	1				2		1			
24	11. Ascites M	6			1			1					
	F	2			1			1	1				
25	12. Others of this class M	33	10	1	2		1	14	1	2	2		1
	F	26	10	4	3			17	1	2		1	
26	VI.—Diseases of the urinary system and male organs of generation.	66	2		1			3		2	2	1	2
27	Males	46	2					2			2	1	1
28	Females	20			1			1		2			1
29	1. Bright's disease M	22										1	1
	F	9								1			1
30	2. Calculus, urinary M	6	1					1					
	F	2			1			1					
31	3. Diseases of the kidney M	10	1					1					
	F	5								1			
32	4. Diseases of the bladder M	4											
	F	2											
33	5. Others of this class M	4									2		
	F	2											
34	VII.—Diseases of the female organs of generation.	25								1	2		2
35	1. Ovarian tumors F	2											
36	2. Ovarian diseases F												
37	3. Uterine tumors F	1											
38	4. Uterine diseases F	7									1		1
39	5. Others of this class F	15								1	1		1
40	VIII.—Affections connected with pregnancy	119								2	21	22	23
41	1. Abortion F	7									3	1	1
42	2. Childbirth F	79								1	9	17	15
43	3. Puerperal septicæmia F	29									8	4	7
44	4. Extra-uterine pregnancy F												
45	5. Others of this class F	4								1	1		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
28	21	16	20	17	17	17	11	14	8	9	5	1	1	5	1
16	13	9	15	11	11	12	5	8	6	3	4	1	1	2	2
12	8	7	5	6	6	5	6	6	2	6	1			3	3
1														1	4
															5
2	2	1	2		1	1	1		1						
	1		1		1	2			1	1					6
9	9	7	8	8	5	7	3	6	2	1	1	1	1		
7	5	7	2	5	4	1	3	4	1	4				3	7
1			3		1	2		1	1		2				
							1	1		1					8
		1	1	3	3				1		1				
2						2	1	1							9
4	2		1		1	2	1	1	1	2				1	
2	2		2	1	1		1				1				10
9	4	8	14	13	11	10	6	10	1	3	1	1	1	5	11
6	2	4	6	8	8	9	5	7		1	1	1	1	3	12
3	2	4	8	5	3	1	1	3	1	2				2	13
															14
1	1				1										
	1				1										15
		1			1		1								
1	1	2	3	1				1						1	16
2														1	
		1	1					1							17
				1	1	1				1					
									1					1	18
1			2		2										
				1	2	1				1					19
	1			1		1									
							1					1			20
			1	1	1	1		1							
			1	1											21
			1	4		1	1	3							
				1				1		1					22
1			1		2									1	
2			2												23
		1				1	3								
															24
1		2	1	1		4		2			1		1		
		1	1	1				1						1	25
2	5	4	3	7	4	12	5	3	5	4	1			1	26
1	2	2	3	4	3	9	3	3	5	4	1				27
1	3	2		3	1	3	2							1	28
		1	3	2	2	8	2		2						
	1	1		2	1		1							1	29
				1				1	1	2					
						1									30
1	2	1		1	1		1		1	1					
	1	1				1	1								31
						1		1	1	1					
	1					1									32
								1			1				
1				1											33
	4	3	7	2	1			1	1					1	34
	1							1							35
															36
					1										37
	1	1	2											1	38
	2	2	5	2					1						39
23	18	6	2											2	40
	1	1													41
15	15	5	1												
7	2		1											1	42
															43
															44
1														1	45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		15	1			1		2		2	1	2	
2	Males		10	1					1		2	1	2	
3	Females		5				1		1					
4	1. Diseases of the spine	M.	4	1					1		1		1	
		F.	3				1		1					
5	2. Diseases of the bones	M.	2								1			
		F.												
6	3. Diseases of the hip joint	M.												
		F.												
7	4. Others of this class	M.	4									1	1	
		F.	2											
8	X.—Diseases of the skin		10	4	1				5	1				
9	Males		6	3	1				4					
10	Females		4	1					1	1				
11	1. Abscess	M.												
		F.	4	1					1	1				
12	2. Carbuncle	M.	1											
		F.												
13	3. Others of this class	M.	5	3	1				4					
		F.												
14	XI.—Diseases of the absorbent system		1											
15	Males		1											
16	Females													
17	1. Addison's disease	M.												
		F.												
18	2. Diseases of the spleen	M.	1											
		F.												
19	3. Others of this class	M.												
		F.												
20	XII.—Accidents and injuries		306	40	5	7	11	7	70	23	15	26	33	31
21	Males		226	20	1	6	9	4	40	12	12	19	25	29
22	Females		80	20	4	1	2	3	30	11	3	7	8	2
23	1. Burns and scalds	M.	20	3		5	8	1	17	1				
		F.	24		2	1	2	2	7	7		2	1	1
24	2. Drowned	M.	21							3	2	1	4	5
		F.	9							1	3		3	
25	3. Exposure and neglect	M.	9	6					6					
		F.	8	7	1				8					
26	4. Gunshot wounds	M.	36					1	1		2	6	5	6
		F.	3									2		1
27	5. Homicide	M.	19								1		3	4
		F.	2										1	
28	6. Infanticide	M.												
		F.												
29	7. Injuries by machinery	M.	2									1		1
		F.												
30	8. Railroad accidents	M.	14									2	5	1
		F.												
31	9. Suffocation	M.	7	3		1			4	1				1
		F.	8	7	1				8					
32	10. Suicide by shooting	M.	4											
		F.												
33	11. Suicide by drowning	M.												
		F.												
34	12. Suicide by poison	M.	4											
		F.	2									1		
35	13. Other suicides	M.	5											1
		F.	1									1		
36	14. Sunstroke	M.	5										1	
		F.	2									1		
37	15. Surgical operations	M.	2										1	
		F.												
38	16. Wounds	M.	7								1	2		1
		F.	1										1	
39	17. Other accidents and injuries	M.	71	8	1		1	2	12	7	6	7	6	9
		F.	20	6				1	7	3			2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

FLORIDA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
		1	2			3	1	1							1
			1			1	1	1							2
		1	1			2									3
			1												4
		1	1												
							1								5
															6
						1		1							7
						2									
				1	1	1	1								8
						1	1								9
				1	1										10
															11
				1	1										
						1									12
							1								13
						1									14
						1									15
															16
															17
						1									18
															19
12	15	22	16	7	3	10	6	6		1	2		1	7	20
9	14	22	12	7	1	7	4	4		1	2			6	21
3	1		4		2	3	2	2					1	1	22
				1				1							23
2			2		1								1		
1	2	1												2	24
			1					1							
	1	1				1									25
1	4	3	4	2	1									1	26
4	2	3	2												27
							1								
															28
															29
1	1	2	1				1								30
				1											31
	1	1	1			1									32
															33
	1		1					1						1	34
							1								
1		2	1												35
							2	2							36
1															
		1													37
	1					1								1	38
1	1	8	2	3		4	1			1	2			1	39
	1		1		1	3		1						1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	21,174	4,503	1,802	910	455	318	7,988	832	689	1,136	1,186	1,035
2	Males	10,691	2,395	990	486	224	177	4,272	418	348	502	576	476
3	Females	10,483	2,108	812	424	231	141	3,716	414	341	634	610	559
4	Unknown causes	1,692	773	119	55	45	18	1,010	55	32	42	44	43
5	Males	853	406	71	29	22	10	538	25	19	14	19	6
6	Females	839	367	48	26	23	8	472	30	13	28	25	37
	I.—General diseases.												
7	General diseases—A	5,496	1,051	876	441	217	133	2,718	321	240	317	299	244
8	Males	2,704	555	475	241	110	72	1,453	155	115	145	163	128
9	Females	2,702	496	401	200	107	61	1,265	166	125	172	136	116
10	1. Smallpox M.												
	F.												
11	2. Measles M.	218	52	46	25	18	8	149	13	5	13	16	7
	F.	222	41	31	17	10	9	108	19	15	19	11	11
12	3. Scarlet fever M.	5	2	1	1			4					
	F.	3			2			2					
13	4. Diphtheria M.	60	11	8	9	11	8	47	9	2			
	F.	92	12	11	12	15	11	61	20	3	2	1	
14	5. Whooping cough M.	52	28	13	3	5	2	51		1			
	F.	37	22	7	3	3		35	1	1			
15	6. Fever M.	109	28	12	5	2	2	49	12	8	4	5	4
	F.	117	24	12	4	6	3	49	8	7	7	5	7
16	7. Cerebro-spinal fever M.	21	3	5		1	1	10	2	3	1	1	1
	F.	14	1		4		2	7	4	1			
17	8. Enteric fever M.	493	15	16	24	13	12	80	32	30	58	65	64
	F.	507	14	17	19	10	7	67	31	51	87	53	48
18	9. Diarrheal diseases M.	920	231	211	124	35	25	626	38	29	21	20	13
	F.	874	211	194	81	33	14	533	39	15	19	16	17
19	10. Cholera infantum M.	281	138	115	19	7	1	280					
	F.	278	142	99	29	6	1	277					
20	11. Malarial fever M.	490	24	40	27	17	12	120	43	29	44	49	26
	F.	447	20	27	25	20	11	103	39	26	36	39	26
21	12. Erysipelas M.	28	6	1	2			9			1		3
	F.	30	4	2	3	3	1	13		1	1	1	1
22	13. Septicæmia M.	43	6	2	1			9	2	4		2	3
	F.	45	3		1			4	1	4		7	2
23	14. Venereal diseases M.	42	11	4	1			16			1	3	4
	F.	23	2	1		1		4	1		1	2	3
24	15. Others of this group M.	32		1		1	1	3	4	4	2	2	3
	F.	13					2	2	3	1		1	1
25	General diseases—B	234	55	35	27	10	7	134	14	3	6	4	8
26	Males	143	26	19	11	5	4	65	8	3	4	1	7
27	Females	91	29	16	16	5	3	69	6		2	3	1
28	1. Parasitic diseases M.	33		9	8	5	2	24	7	1	1		
	F.	33	4	10	8	5	2	29	3				
29	2. Alcoholism M.	35			1			1		1			2
	F.	3									1	1	1
30	3. Lead poison M.	2											
	F.												
31	4. Other poisons M.	32	1	5	1		2	9	1		2	1	5
	F.	17	2	1	3		1	7	1		1	2	
32	5. Inanition M.	41	25	5	1			31		1	1		
	F.	38	23	5	5			33	2				
33	General diseases—C	1,480	1,044	22	7	1		1,074	6	3	3	4	
34	Males	778	593	14	2	1		610	2	2	2	1	
35	Females	702	451	8	5			464	4	1	1	3	
36	1. Premature birth M.	76	76					76					
	F.	71	71					71					
37	2. Stillborn M.	433	433					433					
	F.	317	317					317					
38	3. Malformation M.	15	11	1				12	2				
	F.	6	4	1				5	1				
39	4. Debility and atrophy M.	134	73	13	2	1		89		2	2	1	
	F.	147	59	7	5			71	3	1	1	3	
40	5. Old age M.	120											
	F.	161											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,003	984	834	680	695	502	716	681	685	511	387	235	92	76	227	1
464	427	402	314	350	250	392	352	336	282	207	113	44	29	137	2
539	557	432	366	345	252	324	329	349	229	180	122	48	47	90	3
45	26	30	34	47	32	40	32	49	28	25	12	7	9	50	4
21	11	13	15	30	14	20	18	19	11	12	7	3	3	35	5
24	15	17	19	17	18	20	14	30	17	13	5	4	6	15	6
201	181	154	112	116	66	109	113	97	71	60	32	7	7	31	7
97	84	66	46	56	35	51	53	53	34	24	19	2	1	14	8
104	97	88	66	60	31	58	60	44	37	36	13	5	6	17	9
															10
6	3	3		1	1			1							11
8	6	10	1	2	2	3	2	1	1	1	1			1	
									1						12
1															
1														1	13
2		1							2						
															14
8		1	2	1		2	6		3	1	3				15
7	1	4	3	5		4	4	1		3	1		1		
1				1			1								16
	1	1													
42	29	26	11	6	5	13	8	7	8	1	3			5	17
33	35	25	16	10	8	12	12	8	4	6			1		
6	11	9	10	19	15	17	12	30	17	11	9	1		6	18
22	18	18	21	21	11	21	25	25	18	16	7	3	3	6	
														1	19
														1	
27	28	25	13	17	13	13	15	12	3	8	3	1	1		20
19	31	20	21	15	9	14	11	7	11	7	3	2	1	7	
1	3	1	1	1		1	5			1	1				21
			1	3		1	1	2		3	1			1	
2	4	1	5	3	1	1	3	2	1						22
7	5	4	2	2		2	4							1	
1	4		3	5		2	1			1				1	23
4		4	1	2			1								
2	2		1	2		2	2	1	1	1					24
1		1			1	1			1						
7	9	7	6	7	6	7	4	3	5	1				3	25
7	6	6	5	6	4	7	3	3	5	1				2	26
	3	1	1	1	2		1							1	27
														1	28
5	5	3	4	3	3	3	2	2	1						29
				2											30
2	1	2	1	1		4	1		1					1	31
	2		1	1	1		1								
		1			1			1	3	1				1	32
	1	1			1										
1	4	3	5		4	13	22	52	56	93	59	39	33	6	33
1	1		3		1	7	10	21	21	45	21	18	10	2	34
	3	3	2		3	6	12	31	35	48	38	21	23	4	35
															36
															37
														1	38
1	1		3		1	3	5	4	11	5	3	2	1		39
	3	3	2		3	4	3	9	13	11	10	3	3	1	
						4	5	17	10	40	18	16	9	1	40
						2	9	22	22	37	28	18	20	3	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	3,433	73	69	42	29	28	241	88	123	288	349	325
2	Males	1,496	41	44	23	10	16	134	41	49	108	151	134
3	Females	1,937	32	25	19	19	12	107	47	74	180	198	191
4	1. Rheumatism M	64	1	1			2	4	4	4	9	1	1
	F	57	1		1			2	1	4	3	4	2
5	2. Scrofula and tabes M	58	9	8	3	1	1	22	7	5	5	2	1
	F	64	12	4	3	2	1	22	5	7	4	3	4
6	3. Leprosy M	1										1	
	F												
7	4. Consumption M	930	11	14	5	5	6	41	12	22	77	135	122
	F	1,225	5	9	6	7	6	33	19	43	152	175	158
8	5. Hydrocephalus M	13	8	1				9	1				
	F	12	7	1		1	1	10					
9	6. Cancer M	81		1			1	2			1		2
	F	212		1	1	1		3	2	2	3		9
10	7. Tumor M	13	1		1			2	1		1	1	2
	F	34							1	4	1		2
11	8. Anæmia M	11	4		1			5	1			2	
	F	15	2	1	1			4	1	1		2	1
12	9. Dropsy M	295	5	16	12	4	6	43	14	16	14	9	6
	F	299	3	8	7	8	4	30	15	13	17	14	14
13	10. Diabetes M	22	1					1		1	1		
	F	12		1				1	1				
14	11. Others of this group M	5	1		1			2	1	1			
	F	5	2					2	2				1
15	12. Others of this class M	3		3				3					
	F	2											
16	II.—Diseases of the nervous system	1,832	368	121	59	40	28	616	89	62	56	47	45
17	Males	1,000	197	73	30	19	18	337	47	32	28	27	30
18	Females	832	171	48	29	21	10	279	42	30	28	20	15
19	1. Inflammation of the brain M	181	39	28	11	6	9	93	16	12	13	13	9
	F	142	26	30	13	10	4	83	20	9	5	4	2
20	2. Apoplexy M	106	1	2				3			1		2
	F	84			2	1		3			2	3	1
21	3. Paralysis M	249		5	1	1	2	9	1	4	2	5	2
	F	228	3	1	1	1	1	7	2	2	3	2	4
22	4. Tetanus and trismus nascentium M	37	22	1			1	24	5	4			
	F	25	20				1	21			1		1
23	5. Epilepsy M	38	2	2	1		1	6	2	1	3	3	4
	F	29							2	2	4	4	3
24	6. Convulsions M	146	92	18	4	5	2	121	8	2	2		2
	F	130	88	5	7	5	2	107	8	2	3	1	1
25	7. Mental diseases M	29											1
	F	25									1		1
26	8. Diseases of the brain M	189	36	14	13	7	2	72	14	9	7	6	8
	F	143	33	11	6	3	2	55	10	15	7	4	2
27	9. Diseases of the spinal cord M	7	2	1			1	4	1				
	F	7	1	1		1		3					
28	10. Others of this class M	18	3	2				5					2
	F	19									2	2	
29	III.—Diseases of the circulatory system	828	18	9	7		2	36	12	11	28	32	37
30	Males	395	9	3	5			17	8	7	12	11	13
31	Females	433	9	6	2		2	19	4	4	16	21	24
32	1. Angina pectoris M	10								1	1		
	F	6										1	
33	2. Aneurism M	5											
	F	5							1				
34	3. Diseases of the heart M	375	5	3	5			13	8	6	11	11	12
	F	420	8	6	2		2	18	3	4	16	20	24
35	4. Others of this class M	5	4					4					1
	F	2	1					1					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
306	319	239	197	207	125	152	129	128	92	49	21	12	6	37	1
124	117	95	80	87	54	77	64	53	61	26	11	8	4	18	2
182	202	144	117	120	71	75	65	75	31	23	10	4	2	19	3
1	3	1	5	2	2	3	1	7	8	4	1	2	1		4
1	4	1	2	5	3	5	10	3	2	2	2			1	
1	1	1	2	4	3	1	1	2							5
1	9	4	1	1		1	1		1						
															6
109	100	69	59	54	32	39	19	12	9	3	2			14	7
150	138	93	81	61	33	26	19	22	6	2	1	1		12	
			1				1		1						8
1								1							
4	4	8	2	11	3	7	8	5	12	5	3		2	2	9
14	24	23	18	20	20	22	19	17	4	7	2	2		1	
1			2		1				2						10
2	4	1	2	6	2	1	1	3	3					1	
						2						1			11
2	1	2				1									
7	8	15	9	14	12	23	28	23	28	13	5	5	1	2	12
11	20	19	11	24	13	18	14	28	15	12	5	1	2	3	
1	1	1		2	1	2	5	4	1	1					13
	1	1	2	3		1		1						1	
							1								14
															15
	1						1								
40	70	67	54	89	66	115	115	113	83	43	33	5	6	18	16
24	31	44	22	42	34	62	61	65	55	25	18	2	3	11	17
16	39	23	32	47	32	53	54	48	28	18	15	3	3	7	18
1	6	5	3	2	1	3	3				1				19
6	4	1		4	3	1									
3	3	12	6	10	9	15	9	15	8	6	2	1		1	20
1	12	8	5	5	7	12	8	9	2	3	2	1			
3	6	8	6	18	12	32	37	38	34	14	10	1	3	4	21
1	4	5	11	22	14	31	36	30	22	14	11	2	3	2	
1	1	1							1						22
			1	1											
5	5	3	2		1	2								1	23
3	2	2	1	1		1	1				1			2	
1	2	1	1				1		1	1	1			2	24
1	1	1			2		1		1					1	
4	1	5		1	5	2	4	2	1	2				1	25
1	4	2	2	4	1	1	3	2		1				2	
5	7	8	4	8	5	8	7	9	6	1	3			2	26
1	10	3	8	7	4	5	5	4	2		1				
1				1											27
1			1	1	1										
		1		2	1			1	4	1	1				28
1	2	1	3	2		2		3	1						
48	65	52	55	52	56	81	86	70	49	24	15	6	2	11	29
15	29	23	28	22	26	42	50	28	28	16	7	4	1	8	30
33	36	29	27	30	30	39	36	42	21	8	8	2	1	3	31
	1	1				1	2	1	1	1					32
1						2		1	1						
	1	1		1	2										33
					1	1		1	1						
15	27	21	28	21	24	41	48	27	27	15	7	4	1	8	34
32	36	29	27	30	29	35	36	40	19	8	8	2	1	3	
															35
						1									

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,851	656	263	153	72	48	1,192	126	101	164	147	106
2	Males	1,492	336	138	89	35	25	623	66	47	82	83	60
3	Females	1,359	320	125	64	37	23	569	60	54	82	64	46
4	1. Croup M	192	109	26	26	10	10	181	8		1		
	F	209	124	27	22	10	7	190	12	2		1	
5	2. Laryngitis M	1											
	F	1		1				1					
6	3. Bronchitis M	97	31	15	5	3	1	55	3		3	3	1
	F	134	37	12	12	4	2	67		3	4	6	1
7	4. Pneumonia M	947	144	84	52	17	10	307	41	39	68	74	51
	F	791	131	68	27	19	13	258	39	39	65	46	41
8	5. Pleurisy M	48	2		1		2	5	3	1	2	3	
	F	48		1		1		2	3	4	2	2	
9	6. Asthma M	23		1	1	1		3					
	F	38									2		1
10	7. Others of this class M	184	50	12	4	4	2	72	11	7	8	3	8
	F	138	28	16	3	3	1	51	6	6	9	9	3
11	V.—Diseases of the digestive system	1,167	256	215	58	10	17	556	30	32	37	28	36
12	Males	596	126	111	22	5	10	274	18	20	17	11	17
13	Females	571	130	104	36	5	7	282	12	12	20	17	19
14	1. Dentition M	132	49	71	10	1		131					
	F	158	61	77	18	1	1	158					
15	2. Angina M	28	4	4	3	1	4	16	4	1	1		
	F	18	4	1	4	1		10	3	1	1		1
16	3. Diseases of the stomach M	87	11	5	2	1	2	21	5	4	5	1	3
	F	78	5	7	5	1	2	20	3	2	4	5	3
17	4. Obstruction of the bowels M	23	1	2				3	1	3	2	1	1
	F	17	2		1		1	4	2	1	1		
18	5. Hernia M	21		1				1			1	1	2
	F	3											
19	6. Other diseases of the bowels M	41	10	7	3		1	21	1	1	3	1	1
	F	42	13	5	3		2	23		1	2	1	1
20	7. Jaundice M	21	7					7				1	1
	F	27	12	1				13		1	1	1	1
21	8. Inflammation and abscess of the liver. M	18							1	2	2		1
	F	13									1		1
22	9. Other diseases of the liver M	53	4	5	1			10	3	2	1		2
	F	53	7	1	3	1		12		1	1	1	4
23	10. Peritonitis M	24		1			1	2	1	2	2	1	1
	F	43	2	1				3		2	5	4	5
24	11. Ascites M	38	2	1		1		4	2	3		2	3
	F	36		2			1	3	2	1	1	2	
25	12. Others of this class M	110	38	14	3	1	2	58		2		3	2
	F	83	24	9	2	1		36	2	2	3	3	3
26	VI.—Diseases of the urinary system and male organs of generation.	290	9	3	3	5	1	21	5	2	6	12	6
27	Males	208	4	3	1	2	1	11	4	2	2	6	3
28	Females	82	5		2	3		10	1		4	6	3
29	1. Bright's disease M	96							1		1	2	1
	F	40									2	3	1
30	2. Calculus, urinary M	20							2				
	F	4	1					1	1				1
31	3. Diseases of the kidney M	51	2	2		1	1	6	1	2	1	3	
	F	28	2		2	3		7			2	3	1
32	4. Diseases of the bladder M	17										1	1
	F	2											
33	5. Others of this class M	24	2	1	1	1		5					1
	F	8	2					2					
34	VII.—Diseases of the female organs of generation.	112	1					1		3	13	12	10
35	1. Ovarian tumors F	11											3
36	2. Ovarian diseases F	1											
37	3. Uterine tumors F	5											
38	4. Uterine diseases F	50								1	5	8	3
39	5. Others of this class F	45	1					1		2	8	4	4
40	VIII.—Affections connected with pregnancy	426								3	63	90	83
41	1. Abortion F	21									2	4	8
42	2. Childbirth F	236								1	38	46	46
43	3. Puerperal septicæmia F	139								1	14	33	25
44	4. Extra-uterine pregnancy F	1											
45	5. Others of this class F	29								1	9	7	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
115	108	110	93	90	55	82	89	86	59	46	40	11	7	24	1
55	47	63	52	54	28	50	36	47	31	26	15	4	4	19	2
60	61	47	41	36	27	32	53	39	28	20	25	7	3	5	3
								1						1	4
1	1					1								1	
					1										5
	1	6	5	4	3	1	5	1	1	4	1				6
4	4	4	1	2	1	6	7	10	4	4	5			1	
48	42	41	34	40	21	32	20	25	25	13	8	2	2	14	7
42	38	33	30	24	18	20	37	18	14	10	11	5	2	1	
2		3	1	2	1	4	5	7	1	3	3	1		1	8
5	4	2	3	3	3		1	5	2	2	2	2	1		
1	1	2	1	1		6	2	4		1		1			9
1	5	3	4	4	1	4	2	3	6	1	1				
4	3	11	11	7	2	7	4	9	4	5	3		2	3	10
7	9	5	3	3	4	1	6	3	2	3	6			2	
50	34	62	37	40	29	47	42	37	24	18	9	4	2	13	11
32	16	33	19	23	11	28	26	16	7	9	6	3	1	9	12
18	18	29	18	17	18	19	16	21	17	9	3	1	1	4	13
														1	14
1					1		2				1			1	15
1							1								
11	2	6	2	5	2	7	5	3	3	1				1	16
4	5	4	1	5	4	2	3	6	3	3				1	
2	1	2		1			2	1		1				2	17
1	1	1			2	3	1								
2	2	4	1	1	1	1		1			1	2			18
		1				1								1	
2	1	1	2		1	2	1			2	1				19
1		1	2		1		1	2	3	1			1	1	
2		2	1	2	1	1		2						1	20
	1	1	2	2		1		1	1	1					
2	1	2		2	2	2	1								21
1	1	2	1	2		1				1					
4	2	6	1	5	2	4	4		1	2				1	22
1	1	5	3	2	3	5	5	4	4	1					
3	2	3	3		1	1								2	23
6	5	6	2		3						2				
1	1		3	1		3	4	5	2	1	2	1			24
	2	5	4	2	1	1	3	5	4						
2	1	2	6	6		7	7	4	1	2	1		1		25
3		3	3	4	4	5	2	3	2	2	1	1		1	
13	20	21	6	11	26	35	23	23	23	14	6		1	3	26
9	17	17	5	9	20	28	17	18	18	13	6		1	2	27
4	12	6	1	4	6	7	6	5	5	1				1	28
6	10	9	2	6	13	16	5	9	8	3	3			1	29
3	3	3	1	4	6	5	3	2	3	1					
1		1	1	1		2	1	3	5	2	1				30
							1								
	6	3	1	2	4	3	5	4	3	5	1		1		31
1	2	3				2	1	3	2					1	
					2	4	4	1	1	1	1			1	32
	1						1								
2	1	4	1		1	3	2	1	1	2					33
	6														
5	10	9	17	6	5	9	6	5			1				34
			1	1		2	4								35
1															36
1				1	2		1								37
2	7	4	5	2	2	5	1	4			1				38
1	3	5	11	2	1	2		1							39
84	52	28	13	2	1									7	40
															41
2	3	2													42
50	26	15	9		1									4	43
30	18	11	4	1										2	44
1															45
1	5			1										1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	49	6	4	2	2		14	4	5	4	1	2
2	Males	34	3	3	1	1		8	4	4	3	1	
3	Females	15	3	1	1	1		6		1	1		2
4	1. Diseases of the spine M	32	3	3	1	1		8	4	2	3	1	
	F	14	3	1	1	1		6		1	1		2
5	2. Diseases of the bones M												
	F	1											
6	3. Diseases of the hip joint M	1								1			
	F												
7	4. Others of this class M	1								1			
	F												
8	X.—Diseases of the skin	50	12	8	3		2	25	4	1	1	1	1
9	Males	25	6	4	1		1	12	3	1			1
10	Females	25	6	4	2		1	13	1		1	1	
11	1. Abscess M	9	2	1				3	3	1			1
	F	8	2					2			1	1	
12	2. Carbuncle M	7	1					1					
	F	2											
13	3. Others of this class M	9	3	3	1		1	8					
	F	15	4	4	2		1	11	1				
14	XI.—Diseases of the absorbent system	10										1	
15	Males	6										1	
16	Females	4											
17	1. Addison's disease M	3											
	F	1											
18	2. Diseases of the spleen M	1											
	F	1											
19	3. Others of this class M	2										1	
	F	2											
20	XII.—Accidents and injuries	1,224	181	58	53	24	34	350	78	68	108	115	89
21	Males	871	93	32	31	14	20	190	37	47	85	101	77
22	Females	353	88	26	22	10	14	160	41	21	23	14	12
23	1. Burns and scalds M	76	6	9	14	9	14	52	8	1	2	1	2
	F	126	11	16	11	7	12	57	23	12	11	4	2
24	2. Drowned M	62	2		1	1		4	8	14	7	6	3
	F	10	2	1		2		5	2	1			
25	3. Exposure and neglect M	33	18	7	4			29	1	1	1		
	F	34	16	2	2		1	21	4	1	2		1
26	4. Gunshot wounds M	139			1	1	1	3	6	10	21	24	19
	F	13	1					1	3		1	3	2
27	5. Homicide M	80								1	10	12	9
	F	12					1	1			1	1	3
28	6. Infanticide M	1	1					1					
	F	1	1					1					
29	7. Injuries by machinery M	15								2	4	2	1
	F												
30	8. Railroad accidents M	101		1	1			2	2	5	9	22	15
	F	5									1		1
31	9. Suffocation M	50	35	5	4			44	2				
	F	47	36	2	4			42	2				
32	10. Suicide by shooting M	6										1	1
	F												
33	11. Suicide by drowning M												
	F												
34	12. Suicide by poison M	9										2	2
	F	3									1	1	
35	13. Other suicides M	7								1		2	
	F	4											
36	14. Sunstroke M	7									1	1	
	F	3								1		1	
37	15. Surgical operations M	5									1	1	
	F	2											
38	16. Wounds M	25	1					1			4	1	3
	F	2			1			1					
39	17. Other accidents and injuries M	255	30	10	6	3	5	54	10	12	25	26	22
	F	91	21	5	4	1		31	7	6	6	4	3

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

GEORGIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	1	3		2	2	3	2		1		1			2	1
2	1	3		2	1	2	1		1					1	2
					1	1	1				1			1	3
2	1	3		2	1	2	1		1					1	4
					1	1					1			1	
															5
							1								
															6
															7
1	1	1	1	1	3	1	3	4		1					8
1			1		1		2	2		1					9
	1	1		1	2	1	1	2							10
1															11
				1		1		2							
			1		1		2	1		1					12
	1				1										
								1							13
		1			1		1								
2	2		2	1			1	1							14
2	1		1					1							15
	1		1	1			1								16
2	1														17
	1														
								1							18
							1								
			1												19
			1	1											
83	73	46	48	22	26	22	14	17	20	13	6	1	3	22	20
74	66	39	37	19	21	18	11	10	10	9	3		1	16	21
9	7	7	11	3	5	4	3	7	10	4	3	1	2	6	22
2	1		1					3		1				2	23
3	1	3	2		1			1	2		1		2	1	
6	5	3	1	1		1	1		1					1	24
1														1	
	1														25
1	1		1					1	1						
16	13	5	5	3	3	3	4		1					3	26
1	1				1										
15	10	5	9	1	4	1	1		1					1	27
1	1	1	1			1								1	
															28
2	1	1					1			1					29
13	13	6	3	2	2	1	1		1	1				3	30
1	1								1						
1	1				1									1	31
						1			1					1	
1	1		1		1										32
															33
1	1			1		2									34
	1														
1	1	1	1												35
		1		1	1	1									
1	1	1									1			1	36
				1											
1					1	1									37
							1			1					
3	2	1	2	3	2	1		1	1						38
							1								
11	15	16	14	8	7	8	3	6	5	6	2		1	4	39
1	1	2	7	1	2	1	1	5	5	3	2	1		2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	731	123	57	27	22	23	252	56	37	36	35	39
2	Males	429	60	26	11	11	9	117	26	18	19	18	24
3	Females	302	63	31	16	11	14	135	30	19	17	17	15
4	Unknown causes	46	16	2	2	2	1	23	1	1	1		
5	Males	31	8		1	1	1	11	1	1			
6	Females	15	8	2	1	1		12			1		
	I.—General diseases.												
7	General diseases—A	184	30	19	13	12	14	88	25	15	13	9	6
8	Males	93	14	12	5	5	5	41	11	6	9	6	4
9	Females	91	16	7	8	7	9	47	14	9	4	3	2
10	1. Smallpox M.												
	F.												
11	2. Measles M.	3	2					2			1		
	F.	2	1					1		1			
12	3. Scarlet fever M.	11	2	1	2	3	2	10	1				
	F.	22	3	3	3	2	3	14	3	2	1		
13	4. Diphtheria M.	11		2		1	2	5	5	1			
	F.	19	1		2	4	4	11	6				
14	5. Whooping cough M.	2	2					2					
	F.	5	2	1	1		1	5					
15	6. Fever M.	1											
	F.	2								1	1		
16	7. Cerebro-spinal fever M.	1	1					1					
	F.	5							2	1			
17	8. Enteric fever M.	27		2			1	3	3	1	5	5	4
	F.	19	2	1	2	1		6	2	3	2	2	2
18	9. Diarrheal diseases M.	16	2	1	2			5		2	3		
	F.	6	1	2				3	1	1			
19	10. Cholera infantum M.	11	5	4	1	1		11					
	F.	4	4					4					
20	11. Malarial fever M.	6		2				2	1	1		1	
	F.	5	1				1	2				1	
21	12. Erysipelas M.	1											
	F.	2	1					1					
22	13. Septicæmia M.	2							1	1			
	F.												
23	14. Venereal diseases M.	1											
	F.												
24	15. Others of this group M.												
	F.												
25	General diseases—B	10	2		1			3					
26	Males	7	1		1			2					
27	Females	3	1					1					
28	1. Parasitic diseases M.												
	F.												
29	2. Alcoholism M.	4											
	F.	2											
30	3. Lead poison M.												
	F.												
31	4. Other poisons M.	2			1			1					
	F.												
32	5. Inanition M.	1	1					1					
	F.	1	1					1					
33	General diseases—C	37	25					25					
34	Males	21	16					16					
35	Females	16	9					9					
36	1 Premature birth M.	3	3					3					
	F.	3	3					3					
37	2. Stillborn M.	9	9					9					
	F.	3	3					3					
38	3. Malformation M.												
	F.												
39	4. Debility and atrophy M.	6	4					4					
	F.	6	3					3					
40	5. Old age M.	3											
	F.	4											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
32	36	22	30	27	19	23	20	20	9	6	3			29	1
21	25	14	24	23	18	19	15	17	4	3				24	2
11	11	8	6	4	1	4	5	3	5	3	3			5	3
2	1			1	1	1	4	1	2	2	1			4	4
2	1			1	1	1	4	1	1	2				4	5
									1		1				6
5	5	4	1		1	4	1	3	1					3	7
4	2	2	1		1	2		2						2	8
1	3	2				2	1	1	1					1	9
															10
															11
	1	1													12
	1	1													13
															14
						1									15
1							1								16
3	2	1													17
	1					1									
		1	1		1			1						2	18
								1							
															19
1															20
									1					1	
								1							21
						1									
															22
						1									23
															24
	3		1	1		1	1								25
	2		1			1	1								26
	1			1											27
															28
	1		1			1	1								29
	1			1											
															30
	1														31
															32
				1		1		2	2	3	1			2	33
								2	1	1				1	34
				1		1			1	2	1			1	35
															36
															37
															38
										1				1	39
				1		1			1						
								2	1						40
										2	1			1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	72	4	2	2		2	10	4	3	3	7	6
2	Males	36	2	1			1	4	3	1	1	2	2
3	Females	36	2	1	2		1	6	1	2	2	5	4
4	1. Rheumatism M												
	F	1											
5	2. Scrofula and tabes M	4					1	1	2	1			
	F	1	1					1					
6	3. Leprosy M												
	F												
7	4. Consumption M	16										2	2
	F	24			1		1	2		2	2	5	3
8	5. Hydrocephalus M	1	1					1					
	F	2			1			1	1				
9	6. Cancer M	4											
	F	1											
10	7. Tumor M	2							1				
	F												
11	8. Anæmia M												
	F	2	1					1					
12	9. Dropsy M	9	1	1				2			1		
	F	3											1
13	10. Diabetes M												
	F	1											
14	11. Others of this group M												
	F	1		1				1					
15	12. Others of this class M												
	F												
16	II.—Diseases of the nervous system	48	8	8	3		2	21	5	2	3	1	
17	Males	31	5	5	3		1	14	2	1	1		
18	Females	17	3	3			1	7	3	1	2	1	
19	1. Inflammation of the brain M	10	2	2	2		1	7	2	1			
	F	7		2				2	1		1	1	
20	2. Apoplexy M	3											
	F												
21	3. Paralysis M	5											
	F	2					1	1			1		
22	4. Tetanus and trismus nascentium M												
	F												
23	5. Epilepsy M												
	F												
24	6. Convulsions M	3		1				1			1		
	F	4	2					2	1				
25	7. Mental diseases M												
	F												
26	8. Diseases of the brain M	5	1	1				2					
	F	1		1				1					
27	9. Diseases of the spinal cord M	5	2	1	1			4					
	F	3	1					1	1	1			
28	10. Others of this class M												
	F												
29	III.—Diseases of the circulatory system	25	2	1				3	1	2	1		
30	Males	16		1				1		1			
31	Females	9	2					2	1	1	1		
32	1. Angina pectoris M	1											
	F												
33	2. Aneurism M	1											
	F												
34	3. Diseases of the heart M	14		1				1		1			
	F	9	2					2	1	1	1		
35	4. Others of this class M												
	F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
6	5	4	4	5	1	3	5	1	2					3	1
1	2	2	1	4	1	3	4	1	2					2	2
5	3	2	3	1			1							1	3
															4
1															
															5
															6
1	2			1	1	3	1		1					2	7
4	2	1	2	1											
															8
			1	1			1	1							9
							1								
															10
							1								
															11
														1	
		2		2			1		1						12
		1	1												
															13
	1														
															14
															15
1	4		4		1	2	1	2						1	16
	4		3		1	2	1	2							17
1			1											1	18
															19
1			1												
	1		1					1							20
	1		1			2		1							21
															22
															23
	1														24
														1	
															25
			1		1		1								26
	1														27
															28
2	2	1	2	2		3	1	3			1			1	29
2	1	1	2	2		3	1	1						1	30
	1							2			1				31
				1											32
			1												33
2	1	1	1	1		3	1	1						1	34
	1							2			1				
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	126	22	15	5	6	2	50	13	4	5	4	9
2	Males	69	7	4		3	1	15	7	2	2	2	6
3	Females	57	15	11	5	3	1	35	6	2	3	2	3
4	1. Croup M	6	2	1		2		5	1				
	F	10	4	3	1			8	1				
5	2. Laryngitis M												
	F												
6	3. Bronchitis M	2								1			
	F	3	1			1		2				1	
7	4. Pneumonia M	54	2	3		1	1	7	4	1	1	2	6
	F	32	6	7	2		1	16	4	2	2	1	3
8	5. Pleurisy M	1									1		
	F												
9	6. Asthma M												
	F												
10	7. Others of this class M	6	3					3	2				
	F	12	4	1	2	2		9	1		1		
11	V.—Diseases of the digestive system	43	11	6				17	1	4	1	2	3
12	Males	21	5	1				6		2	1	1	1
13	Females	22	6	5				11	1	2		1	2
14	1. Dentition M	1	1					1					
	F	7	2	5				7					
15	2. Angina M	3	1					1			1		
	F	2	2					2					
16	3. Diseases of the stomach M	3		1				1					
	F	3											1
17	4. Obstruction of the bowels M												
	F	1							1				
18	5. Hernia M	1											
	F												
19	6. Other diseases of the bowels M	1	1					1					
	F	1	1					1					
20	7. Jaundice M	1	1					1					
	F												
21	8. Inflammation and abscess of the liver. M	3											1
	F	1											
22	9. Other diseases of the liver M	1											
	F	1											
23	10. Peritonitis M	5								2			
	F	4								1		1	1
24	11. Ascites M	1										1	
	F												
25	12. Others of this class M	1	1					1					
	F	2	1					1		1			
26	VI.—Diseases of the urinary system and male organs of generation.	15	1	1			1	3	2	1		1	
27	Males	9	1	1				2		1			
28	Females	6					1	1	2			1	
29	1. Bright's disease. M	3								1			
	F	4							1			1	
30	2. Calculus, urinary M												
	F												
31	3. Diseases of the kidney M	4	1	1				2					
	F	2					1	1	1				
32	4. Diseases of the bladder M	1											
	F												
33	5. Others of this class M	1											
	F												
34	VII.—Diseases of the female organs of generation.	2											
35	1. Ovarian tumors F												
36	2. Ovarian diseases F												
37	3. Uterine tumors F												
38	4. Uterine diseases F												
39	5. Others of this class F	2											
40	VIII.—Affections connected with pregnancy.	13									2	3	3
41	1. Abortion F	1											
42	2. Childbirth F	6									1	3	1
43	3. Puerperal septicæmia F	6									1		2
44	4. Extra-uterine pregnancy F												
45	5. Others of this class F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	6	5	6	5	6	3	1	1	2	1				2	1
2	6	4	6	5	6	3	1	1						1	2
1		1							2	1				1	3
															4
									1						
															5
1															6
1	6	4	6	5	6	2	1	1						1	7
1									1	1				1	
															8
															9
						1									10
		1													
1		1	1	3	1	4	3							1	11
1				2	1	3	2							1	12
		1	1	1		1	1								13
															14
				1											15
						1	1								16
				1			1								
															17
						1									18
															19
															20
				1										1	21
			1												
						1									22
		1													
1					1		1								23
						1									
															24
															25
	1				2			5							26
					1			5							27
	1				1										28
								2							29
	1				1										
															30
					1			1							31
								1							32
								1							33
		1	1												34
															35
															36
															37
															38
		1	1												39
2	2	1													40
1															41
		1													42
1	2														43
															44
															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		2			1			1	1				
2	Males		1			1			1					
3	Females		1							1				
4	1. Diseases of the spine	M	1			1			1					
		F	1							1				
5	2. Diseases of the bones	M												
		F												
6	3. Diseases of the hip joint	M												
		F												
7	4. Others of this class	M												
		F												
8	X.—Diseases of the skin		2											
9	Males		2											
10	Females													
11	1. Abscess	M												
		F												
12	2. Carbuncle	M	2											
		F												
13	3. Others of this class	M												
		F												
14	XI.—Diseases of the absorbent system													
15	Males													
16	Females													
17	1. Addison's disease	M												
		F												
18	2. Diseases of the spleen	M												
		F												
19	3. Others of this class	M												
		F												
20	XII.—Accidents and injuries		106	2	3		2	1	8	3	5	7	8	12
21	Males		92	1	1		2		4	2	3	5	7	11
22	Females		14	1	2			1	4	1	2	2	1	1
23	1. Burns and scalds	M	1				1		1					
		F	2		1				1					
24	2. Drowned	M	19								2	3	2	4
		F	2		1				1		1			
25	3. Exposure and neglect	M	6	1					1		1			
		F												
26	4. Gunshot wounds	M	7										1	
		F	1										1	
27	5. Homicide	M	1											
		F												
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M	1										1	
		F												
30	8. Railroad accidents	M	5											1
		F												
31	9. Suffocation	M	1											
		F												
32	10. Suicide by shooting	M	2											
		F												
33	11. Suicide by drowning	M	1											
		F												
34	12. Suicide by poison	M	1											1
		F	1											
35	13. Other suicides	M	3											2
		F												
36	14. Sunstroke	M												
		F												
37	15. Surgical operations	M												
		F	1											
38	16. Wounds	M	1											
		F												
39	17. Other accidents and injuries	M	43		1		1		2	2		2	3	3
		F	7	1				1	2	1	1	2		1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IDAHO—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
															2
															3
															4
															5
															6
															7
		1			1										8
		1			1										9
															10
															11
		1			1										12
															13
															14
															15
															16
															17
															18
															19
10	7	4	10	9	5	1	3	2						12	20
9	7	4	10	9	5	1	1	2						12	21
1							2								22
							1								23
		1	3	2										2	24
			1	1	2										25
1	1	1		1	1									1	26
	1														27
															28
															29
			1											3	30
							1								31
1				1											32
														1	33
1															34
1															35
															36
							1								37
														1	38
6	5	2	5	4	2	1		2						4	39

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes		53,123	14,043	3,376	1,659	1,151	906	21,135	2,406	1,228	1,808	2,579	2,512
2	Males		28,836	7,858	1,756	925	586	484	11,609	1,213	581	856	1,285	1,225
3	Females		24,287	6,185	1,620	734	565	422	9,526	1,193	647	952	1,294	1,287
4	Unknown causes		1,219	470	53	28	22	15	588	33	17	23	26	25
5	Males		659	262	25	17	9	8	321	20	8	7	11	8
6	Females		560	208	28	11	13	7	267	13	9	16	15	17
7	I.—General diseases. General diseases—A		12,097	3,589	1,492	742	574	503	6,900	1,330	543	452	503	384
8	Males		6,302	1,857	783	419	287	267	3,613	637	241	208	278	199
9	Females		5,795	1,732	709	323	287	236	3,287	693	302	244	225	185
10	1. Smallpox	M	2	1				1	2					
		F	2										1	
11	2. Measles	M	159	38	55	12	12	4	121	12	4	3	8	2
		F	155	36	37	10	10	4	97	16	6	10	8	1
12	3. Scarlet fever	M	223	24	30	35	38	25	152	50	4	4	3	1
		F	219	9	25	33	36	24	127	63	13	9	2	3
13	4. Diphtheria	M	1,262	70	130	195	159	169	723	377	98	24	12	1
		F	1,342	61	114	160	168	148	651	459	158	29	20	6
14	5. Whooping cough	M	172	91	43	18	5	2	159	9	2	1		
		F	187	107	35	16	10	5	173	9	2		2	
15	6. Fever	M	46	7	6	7		3	23	1	5	1	1	2
		F	39	10	2	2		2	16	2		1	3	3
16	7. Cerebro-spinal fever	M	146	42	26	8	3	7	86	20	8	11	3	2
		F	133	43	21	7	6	4	81	16	10	8	5	3
17	8. Enteric fever	M	960	16	10	12	11	13	62	49	60	113	182	128
		F	740	19	20	12	11	17	79	39	59	139	118	75
18	9. Diarrheal diseases	M	1,725	807	252	71	29	19	1,178	70	29	24	32	27
		F	1,407	654	234	34	26	20	968	51	22	18	28	38
19	10. Cholera infantum	M	924	675	200	33	10	3	921					
		F	914	690	183	33	6	1	913					
20	11. Malarial fever	M	356	28	18	20	12	11	89	35	24	19	28	23
		F	375	33	26	13	11	8	91	35	25	23	24	24
21	12. Erysipelas	M	85	18	5	1	2	2	28	2	1	3		2
		F	68	32	3	2			37			1		4
22	13. Septicæmia	M	128	15	4	4	3	6	32	8	3	5	5	10
		F	140	22	4		3	3	32		4	6	11	21
23	14. Venereal diseases	M	48	19	1		1		21	1	1		2	1
		F	33	11	2				13	1			2	5
24	15. Others of this group	M	66	6	3	3	2	2	16	3	2		2	
		F	41	5	3	1			9	2	3		1	2
25	General diseases—B		992	658	33	14	4	3	712	6	5	2	9	15
26	Males		619	372	16	9	3	2	402	1	4	1	4	11
27	Females		373	286	17	5	1	1	310	5	1	1	5	4
28	1. Parasitic diseases	M	6	1	1	2		2	6					
		F	3							2		1		
29	2. Alcoholism	M	164		1				1				2	6
		F	23										1	
30	3. Lead poison	M	7										1	
		F	1										1	
31	4. Other poisons	M	46	1	7	3	2		13	1	3	1	1	5
		F	26	2	4	4		1	11	3			3	1
32	5. Inanition	M	396	370	7	4	1		382		1			
		F	320	284	13	1	1		299		1			3
33	General diseases—C		5,340	4,024	35	5	3	3	4,070	5	1	5	2	3
34	Males		2,959	2,322	20	4		3	2,349	2		4	2	
35	Females		2,381	1,702	15	1	3		1,721	3	1	1		3
36	1. Premature birth	M	215	214	1				215					
		F	157	157					157					
37	2. Stillborn	M	1,697	1,697					1,697					
		F	1,213	1,213					1,213					
38	3. Malformation	M	75	70	2				72	1		1	1	
		F	66	65					65	1				
39	4. Debility and atrophy	M	557	341	17	4		3	365	1		3	1	
		F	460	267	15	1	3		286	2	1	1		3
40	5. Old age	M	415											
		F	485											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2,152	2,141	1,840	1,935	1,847	1,854	2,003	2,002	1,920	1,544	1,017	528	171	73	428	1
1,106	1,115	1,044	1,153	1,045	1,079	1,185	1,162	1,105	863	520	283	97	38	272	2
1,046	1,026	796	782	802	775	818	840	815	681	497	245	74	35	156	3
34	26	37	22	37	45	54	53	45	40	17	14	7	6	70	4
15	12	18	10	17	25	32	36	25	24	12	8	2	5	43	5
19	14	19	12	20	20	22	17	20	16	5	6	5	1	27	6
302	253	166	197	170	146	162	160	153	108	73	27	7	3	58	7
170	131	96	116	89	90	101	86	79	59	47	18	4		40	8
132	122	70	81	81	56	61	74	74	49	26	9	3	3	18	9
															10
														1	
	2	4	2						1						11
5	7	1	2		1		1								
2	2	1	1			1								2	12
						1								1	
6	5		2	2	1	1				1				9	13
6	4		2	1		1		1						4	
														1	14
														1	
1	2		2	1	2	2	2							1	15
	3	1	2	1	1		2	3		1					
3	3	2	3		2	1	2								16
2	3	3	1			1									
109	62	37	37	25	13	25	13	19	18			1		7	17
51	36	31	30	19	16	10	13	9	7	3	4			2	
24	23	24	40	32	36	43	40	35	20	28	10	1		9	18
19	29	13	21	30	18	32	33	36	29	11	3	1	3	4	
														3	19
														1	
10	18	14	8	13	17	10	12	12	8	7	2			7	20
21	18	10	10	12	13	13	16	18	8	9	1	2		2	
2	6	3	5	5	5	6	3	5	4	4	1				21
1	3	2	3	6	1	1	2	1	3	1	1			1	
8	2	7	9	7	8	9	7		5	1	1			1	22
20	13	8	5	10	5		4							1	
4	3	3	3	4	2		2			1					23
5	4	1	1	1											
1	3	1	4		4	3	5	8	3	5	4	2			24
2	2		4	1	1	2	3	6	2	1					
23	25	48	39	26	24	21	12	10	5	4	1			5	25
19	20	41	33	21	22	18	8	5	3	2				4	26
4	5	7	6	5	2	3	4	5	2	2	1			1	27
															28
13	16	32	28	18	21	15	6	1	1	1				3	29
3	5	3	4	1	1	2	1	2							
	1	1	2	2											30
5	2	6	3	1		3	1	1							31
		2	1	1		1	1	1		1					
1	1	2			1		1	3	2	1				1	32
1		2	1	3	1		2	2	2	1	1			1	
7	2	2	7	12	17	37	80	162	277	292	218	93	39	9	33
6	2	2	3	4	7	12	39	67	141	139	100	53	20	7	34
1			4	8	10	25	41	95	136	153	118	40	19	2	35
															36
															37
															38
6	2	2	3	4	7	8	18	23	43	32	25	8	3	3	39
1			4	8	10	17	13	29	35	24	18	5	2	1	
						4	21	44	98	107	75	45	17	4	40
						8	28	66	101	129	100	35	17	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	8,355	308	160	75	39	39	621	124	143	524	921	917
2	Males	4,038	175	83	37	23	15	333	52	47	193	389	403
3	Females	4,317	133	77	38	16	24	288	72	96	331	532	514
4	1. Rheumatism M.	160	5		1	1	3	10	11	9	12	8	5
	F.	122	2	2	1	1	1	7	5	5	6	5	2
5	2. Scrofula and tabes M.	79	22	10	2	1	1	36	3	3	4	5	4
	F.	106	30	13	2	1	3	49	8	2	4	5	4
6	3. Leprosy M.												
	F.												
7	4. Consumption M.	2,738	55	39	18	7	3	122	16	17	159	358	371
	F.	2,960	49	26	19	7	5	106	31	68	303	494	473
8	5. Hydrocephalus M.	133	68	25	13	4	2	112	10	1	1		2
	F.	113	39	29	10	4	8	90	12	1	2	4	
9	6. Cancer M.	477	3	1		2		6	2	1	4	4	7
	F.	605	3			1	1	5	3	3	2	5	15
10	7. Tumor M.	81	1		2	3	1	7		4	2	4	6
	F.	99	3	2	1		2	8	3	5	4	2	8
11	8. Anæmia M.	29	9	1		1		11			2		1
	F.	37	4	1	1		1	7	1	1	2	3	5
12	9. Dropsy M.	219	3	5	1	1	3	13	5	5	4	6	4
	F.	220	2	2	3	1	2	10	4	7	5	10	6
13	10. Diabetes M.	95		2		2	2	6	2	5	5	4	2
	F.	42				1	1	2	3	1	3	3	1
14	11. Others of this group M.	24	9			1		10	3	2			
	F.	13	1	2	1			4	2	3		1	
15	12. Others of this class M.	3											1
	F.												
16	II.—Diseases of the nervous system	5,690	2,089	464	181	101	56	2,891	170	83	77	102	126
17	Males	3,172	1,200	218	98	49	34	1,599	89	39	39	43	67
18	Females	2,518	889	246	83	52	22	1,292	81	44	38	59	59
19	1. Inflammation of the brain M.	647	278	92	51	15	19	455	37	20	13	8	18
	F.	528	205	108	40	23	13	389	36	14	7	12	12
20	2. Apoplexy M.	399	6	3	1	1	2	13	1	1	3	7	7
	F.	281	5	1	3	1		10	1	1	3	9	4
21	3. Paralysis M.	451	5	1	1	1		8	3	4	5	2	4
	F.	362	7	6	1			14	5	4	1	3	5
22	4. Tetanus and trismus nascentium. M.	57	40					40	3	4	1		2
	F.	43	23	1		1		25	2	2	1	2	2
23	5. Epilepsy M.	76	1		1			2	4	2	5	9	3
	F.	48	3		1	2		6	3	2	3	5	6
24	6. Convulsions M.	897	730	84	28	19	4	865	8	1	4		3
	F.	711	542	85	21	13	4	665	13	6	2	5	8
25	7. Mental diseases M.	49										1	6
	F.	58								1		2	9
26	8. Diseases of the brain M.	415	106	27	7	8	7	155	17	4	5	11	18
	F.	285	83	31	11	7	3	135	9	6	8	10	8
27	9. Diseases of the spinal cord M.	133	32	10	9	5	2	58	15	2	3	4	3
	F.	109	21	14	5	5	2	47	9	7	7	4	3
28	10. Others of this class M.	48	2	1				3	1	1		1	3
	F.	93			1			1	3	1	6	7	2
29	III.—Diseases of the circulatory system	2,379	138	12	7	5	7	169	57	88	76	79	93
30	Males	1,324	87	8	5	1	2	103	29	34	34	40	38
31	Females	1,055	51	4	2	4	5	66	28	54	42	39	55
32	1. Angina pectoris M.	35							2				
	F.	28								1	2	1	1
33	2. Aneurism M.	23										2	2
	F.	9								1			
34	3. Diseases of the heart M.	1,217	52	7	4		2	65	27	34	34	37	36
	F.	986	30	3	2	4	5	44	28	52	39	37	53
35	4. Others of this class M.	49	35	1	1	1		38				1	
	F.	32	21	1				22			1	1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
726	695	562	565	510	473	455	415	311	195	76	32	6	6	78	1
337	347	285	290	257	254	237	215	185	108	30	22	4	1	49	2
389	348	277	275	253	219	218	200	126	87	46	10	2	5	29	3
5	10	6	5	8	13	17	13	12	8	5	1			2	4
5	7	7	9	7	9	11	12	11	5	9					
2	4	3	2	4		6		1	1					1	5
2	4	10	3	4	2	1	2	2	3					1	
															6
307	282	235	199	170	137	101	101	74	33	9	6	2		39	7
335	274	181	176	135	99	100	84	39	30	4	5	1		22	
	3			1	1			1	1						8
					1		2							1	
13	27	27	51	47	58	71	59	53	30	9	4	1		3	9
33	38	53	69	79	74	68	62	44	31	15	2		3	1	
4	7	4	14	3	6	9	4	2	4					1	10
6	5	10	7	10	10	6	7	5	1	1				1	
			2	1	3	1	3	1	2	1	1				11
3	2	1	1		3	2	2	1		2				1	
3	7	7	14	10	26	22	25	29	23	5	10	1			12
2	15	10	8	12	16	27	26	22	17	15	3	1	2	2	
3	6	3	3	10	8	10	8	11	6					3	13
3	2	5	2	5	4	3	3	2							
	1			2	2		2			1			1		14
	1			1	1										
				1				1							15
110	148	141	159	193	221	285	241	267	215	143	65	11	4	38	16
62	68	80	101	122	128	164	154	149	124	75	36	8	3	22	17
48	80	61	58	71	93	121	87	118	91	68	29	3	1	16	18
11	9	15	13	9	11	9	4	4	2	1	1		1	6	19
4	9	4	7	5	2	3	5	5	4	3				6	
12	13	12	32	37	40	45	56	54	33	20	10	2		1	20
6	13	18	11	26	33	37	25	36	19	20	7			2	
5	8	14	20	37	38	57	55	60	66	37	16	6	1	5	21
7	14	7	16	18	28	49	32	52	51	34	16	2	1	3	
	1	1	2	2		1									22
1		1		3	1	3									
8	8	6	7	4	2	8	2		1	2				3	23
4	7	2	2	1	2	3	1							1	
2	4			2	1	2			1	1				3	24
2	1	2	1		2	1		1						2	
4	2	7	4	4	2	6	6	3		2	1			1	25
6	9	6	3	5	2	5	5	2		2	1				
12	16	16	16	21	22	25	19	22	17	10	6		1	2	26
8	11	11	8	7	13	10	9	12	8	6	3	1		2	
6	4	7	6	4	7	5	4	2	2		1				27
5	4	2	7	1	6	2	2	1	2						
2	3	2	1	2	5	6	8	4	2	2	1			1	28
5	12	8	3	5	3	8	8	9	7	3	2				
88	119	134	149	158	177	213	245	212	160	97	32	7	5	21	29
45	60	80	86	80	99	127	139	125	113	52	22	4	5	9	30
43	59	54	63	78	78	86	106	87	47	45	10	3		12	31
2	3	1		3	3	5	4	5	5	1	1				32
	2	2	2	2	2	3	2	5	1					2	
1	2	5	6	1	2	1	1								33
		4			1	1				2					
42	54	74	79	76	94	119	129	120	108	51	21	4	5	8	34
42	56	48	60	75	74	81	104	81	46	43	10	3		10	
	1		1			2	5							1	35
1	1		1	1	1	1		1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	I.—Diseases of the respiratory system	9,486	2,003	901	480	310	218	3,912	404	129	272	328	357
2	Males	5,287	1,153	483	250	160	117	2,163	206	60	154	194	209
3	Females	4,199	850	418	230	150	101	1,749	198	69	118	134	148
4	1. Croup M	507	111	99	85	68	51	414	88	2			
	F	450	80	77	98	65	51	371	72	1			
5	2. Laryngitis M	47	7	16	6	4	3	36	5	3			
	F	32	5	4	3	4	6	22	5	1			2
6	3. Bronchitis M	941	397	131	52	24	15	619	25	5	7	11	11
	F	821	312	123	46	15	13	509	24	9	10	11	11
7	4. Pneumonia M	2,845	437	210	85	49	36	817	68	38	118	152	172
	F	2,067	313	179	64	52	24	632	77	41	88	92	103
8	5. Pleurisy M	58	3					3	2	1	7	2	2
	F	54	3	2		2		7	3	2	2	2	1
9	6. Asthma M	125	3			1		4	1			1	1
	F	101	4	1	1			6	1				3
10	7. Others of this class M	764	195	27	22	14	12	270	17	11	22	28	23
	F	674	133	32	18	12	7	202	16	15	18	29	28
11	V.—Diseases of the digestive system	2,416	557	138	43	26	18	782	85	47	68	97	106
12	Males	1,296	325	67	29	15	11	447	47	26	27	47	36
13	Females	1,120	232	71	14	11	7	335	38	21	41	50	70
14	1. Dentition M	72	45	22	4	1		72					
	F	72	39	31	2			72					
15	2. Angina M	49	13	4	3	2	3	25	11	2		2	
	F	40	7	4	3	2	2	18	9	4	3	1	
16	3. Diseases of the stomach M	333	69	17	10	2	2	100	7	5	8	6	8
	F	303	50	14	5	2	2	73	11	2	13	12	15
17	4. Obstruction of the bowels M	82	8		2	3		13	6	3	1	9	5
	F	50	6	2				8	1	2	4	2	1
18	5. Hernia M	53	3					3				4	
	F	29	1					1					1
19	6. Other diseases of the bowels M	52	13	5	2	1		21	1			3	2
	F	37	10	3			1	14		1	1		7
20	7. Jaundice M	57	30	1			1	32	1	1		2	1
	F	53	23	1		1		25	3			1	2
21	8. Inflammation and abscess of the liver. M	69	4	2	1	1		8	3		1	3	2
	F	60	3		1	1		5	1	1	2	2	3
22	9. Other diseases of the liver M	186	8	3	2	2	2	17	1	2	5	1	5
	F	114	6	4				10		1		3	4
23	10. Peritonitis M	129	13	5	3	1	2	24	15	12	9	13	9
	F	181	4	4	2	3		13	2	7	12	26	34
24	11. Ascites M	14									1	1	
	F	15					1	1	1				
25	12. Others of this class M	200	119	8	2	2	1	132	2	1	2	3	4
	F	166	83	8	1	2	1	95	10	3	6	3	3
26	VI.—Diseases of the urinary system and male organs of generation.	1,209	22	5	12	3	4	46	32	21	27	56	61
27	Males	828	10	3	6	2	3	24	18	13	12	29	33
28	Females	381	12	2	6	1	1	22	14	8	15	27	28
29	1. Bright's disease M	385							9	5	5	13	10
	F	193							6	2	10	13	14
30	2. Calculus, urinary M	17			1			1				1	
	F	6							1				
31	3. Diseases of the kidney M	267	8	2	4	1	3	18	9	8	5	12	17
	F	144	12	1	3	1	1	18	6	6	3	9	8
32	4. Diseases of the bladder M	85	1					1					3
	F	9			1			1			1		1
33	5. Others of this class M	74	1	1	1	1		4			2	3	3
	F	29		1	2			3	1		1	5	5
34	VII.—Diseases of the female organs of generation.	182			1	1		2	1	2	7	14	22
35	1. Ovarian tumors F	35							1		1	3	1
36	2. Ovarian diseases F	10									1		2
37	3. Uterine tumors F	27											3
38	4. Uterine diseases F	25									1	3	5
39	5. Others of this class F	85			1	1		2		2	4	8	11
40	VIII.—Affections connected with pregnancy	676									60	147	136
41	1. Abortion F	46									1	11	8
42	2. Childbirth F	258									17	47	50
43	3. Puerperal septicæmia F	300									37	67	65
44	4. Extra-uterine pregnancy F	6										1	2
45	5. Others of this class F	66									5	21	11

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
346	342	315	367	385	385	404	440	412	298	209	89	23	8	61	1
214	202	189	223	224	225	234	249	221	134	94	46	10	3	33	2
132	140	126	144	161	160	170	191	191	164	115	43	13	5	28	3
	1													2	4
1					1		1							3	
	1			1			1								5
1							1								
10	11	15	11	22	28	38	32	41	23	15	10	2	1	4	6
8	12	8	16	12	26	24	27	38	29	26	12	5	3	1	
167	168	141	175	157	148	140	129	110	65	37	17	3	1	22	7
87	106	97	104	107	95	95	107	84	71	51	12	3	1	14	
4	4	4	4	3	2	5	8	4	2		1				8
2	5	4	1	5	2	1	4	5	2	3	2			1	
1		3	5	11	15	18	22	19	9	13	2				9
1	2	2	3	9	10	13	13	16	13	5	2	1	1		
32	17	26	28	30	32	33	57	47	35	29	16	5	1	5	10
32	15	15	20	28	26	37	38	48	49	30	15	4		9	
95	101	108	109	116	144	135	134	129	83	39	17	3		18	11
39	47	58	63	59	79	91	75	77	37	19	9	2		11	12
56	54	50	46	57	65	44	59	52	46	20	8	1		7	13
															14
	2	1	1	1	1			1	1	1					15
1	1	1			2										
10	12	19	21	11	21	24	20	34	16	4	4	1		2	16
18	11	10	13	18	20	15	18	20	20	7	4	1		2	
4	5	4	3	5	6	7	5	4						2	17
	3	2	4	6	2	1	3	4	3	3	1				
3	6	3	3	4	4	7	5	4	5	1	1				18
	5	2	2	4	1	5	4	1	3						
1	1	2		2	3	1	2	4	1	3	3	1		1	19
5		3	1	2				1		1				1	
1	1	2	2	4	2	1	3	2						2	20
1	2	2	2	1	3	4	3	2	2						
3	3	2	6	4	7	10	6	8	2					1	21
3	4	4	3	4	9	5	7	4	3						
6	12	17	17	18	21	29	13	8	7	5	1			1	22
3	7	5	8	10	14	9	17	7	9	4	1			2	
7	4	6	3	3	4	3	6	6	2	2				1	23
22	17	18	11	5	3	2	1	5		2				1	
1		1	1	2	2		3	1	1						24
2	1	1		2	4		1		1		1				
3	1	1	6	5	8	9	12	5	2	3				1	25
1	3	2	2	5	7	3	5	8	5	3	1			1	
55	56	66	67	84	90	122	117	142	92	39	17	10	1	8	26
29	39	43	48	55	56	84	86	122	74	35	13	8	1	6	27
26	17	23	19	29	34	38	31	20	18	4	4	2		2	28
14	21	27	28	31	36	43	41	51	26	19	1	1		4	29
13	13	15	12	16	14	26	16	15	3	1	2	1		1	
				1	2	5	4	2	1						30
					1	1				2		1			
13	10	13	17	17	14	19	21	31	22	8	9	3	1		31
11	3	7	7	11	14	9	13	4	12	1	1			1	
1	1	1	2	1	3	10	13	25	14	4	3	1		2	32
				1	2	1			1		1				
1	7	2	1	5	1	7	7	13	11	4		3			33
2	1	1		1	3	1	2	1	2						
21	20	24	20	15	13	6	4	6	2	1				2	34
	6	5	2	5	4	3		3	1						35
		2	1		1	1	1	1							36
	4	5	6	3	3	1	1			1					37
5		1	1	4	4			1							38
16	10	11	10	3	1	1	2	1	1					2	39
140	122	53	10	1		1		1						5	40
18	6	2													41
51	52	33	4	1		1		1						1	42
60	50	12	5											4	43
	2		1												44
11	12	6													45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	191	31	15	11	9	4	70	19	19	15	10	4
2	Males	106	15	9	7	7	3	41	12	8	7	8	1
3	Females	85	16	6	4	2	1	29	7	11	8	2	3
4	1. Diseases of the spine M	82	15	8	7	5	3	38	7	8	6	4	1
	F	64	16	6	4	2	1	29	6	10	6	1	1
5	2. Diseases of the bone M	8				1		1					
	F	9										1	
6	3. Diseases of the hip joint M	14		1		1		2	5		1	4	
	F	7							1	1	2		2
7	4. Others of this class M	2											
	F	5											
8	X.—Diseases of the skin	127	26	3	2	3	2	36	5	5	5	7	3
9	Males	63	11	2	2	1		16		2	4	3	2
10	Females	64	15	1		2	2	20	5	3	1	4	1
11	1. Abscess M	42	5	1	2	1		9		2	2	3	2
	F	41	10	1		1	1	13	2	3	1	3	1
12	2. Carbuncle M	7									1		
	F	6											
13	3. Others of this class M	14	6	1				7			1		
	F	17	5			1	1	7	3			1	
14	XI.—Diseases of the absorbent system	22	3	1		2	1	7				1	3
15	Males	11	2			2		4				1	
16	Females	11	1	1			1	3					3
17	1. Addison's disease M	1											
	F												
18	2. Diseases of the spleen M	3	1					1					
	F	6		1			1	2					1
19	3. Others of this class M	7	1			2		3				1	
	F	5	1					1					2
20	XII.—Accidents and injuries	2,742	125	64	58	49	33	329	135	125	195	277	257
21	Males	2,172	67	39	42	27	19	194	100	99	166	236	218
22	Females	570	58	25	16	22	14	135	35	26	29	41	39
23	1. Burns and scalds M	62	3	11	14	6	5	39	6		2	2	2
	F	77	7	6	7	11	5	36	16	1	2	2	4
24	2. Drowned M	270	1	13	9	4	3	30	20	26	30	31	17
	F	27		4	5	1	2	12	3	3	3	1	1
25	3. Exposure and neglect M	23	8	1				9		1	1	1	2
	F	9	6					6			1	1	
26	4. Gunshot wounds M	82				1	1	2	4	5	16	14	11
	F	11		1		1		2	2	4			
27	5. Homicide M	61	1					1			5	10	18
	F	9								1	1	1	2
28	6. Infanticide M												
	F												
29	7. Injuries by machinery M	16								1	1	2	2
	F	1							1				
30	8. Railroad accidents M	470		2	1		1	4	14	28	40	77	63
	F	51			1			1	1	5	6	3	1
31	9. Suffocation M	78	25	3	3	1	2	34	3	1	3	7	3
	F	44	22		1	3		26			4	2	2
32	10. Suicide by shooting M	101									1	13	10
	F	14										2	4
33	11. Suicide by drowning M	7											1
	F	9										2	2
34	12. Suicide by poison M	49									1	5	3
	F	29									4	8	6
35	13. Other suicides M	120									2	7	11
	F	27										2	3
36	14. Sunstroke M	37	2					2	1	1	3	3	3
	F	12	4	1				5	1			1	
37	15. Surgical operations M	40	1	1				2	2	1	3	1	4
	F	56					1	1		1	1	6	6
38	16. Wounds M	37	3					3	2	3	3	4	3
	F	11	2	2		1		5		1	1	1	1
39	17. Other accidents and injuries M	719	23	8	15	15	7	68	48	32	55	59	65
	F	183	17	11	2	5	6	41	11	10	6	9	7

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

ILLINOIS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
7	9	6	4	7	2	7	5	1	3	1				2	1
5	5	2	1	3	2	5	3		2					1	2
2	4	4	3	4		2	2	1	1	1				1	3
5	2	1	1	1	2	3	1		1					1	4
2	3	3	1			1				1					
	2			1		1	2		1						5
	1		1	2		1	1	1						1	
		1		1											6
									1						
	1					1									7
		1	1	2			1								
9	6	6	4	6	4	5	10	5	8	2	1				8
4	3	3	2	3	2	5	7	2	3	2					9
5	3	3	2	3	2		3	3	5		1				10
4	3	3	2	3	1	2	2	2	1	1					11
5	3	3	1	2			1	2	1						
					1	2	3								12
					2		1		2		1				
						1	2		2	1					13
			1	1			1	1	2						
	2	2	2	2		1	1		1						14
	1	2	1	1					1						15
	1		1	1		1	1								16
		1													17
	1	1													18
			1	1		1									
			1	1					1						19
	1						1								
189	215	170	214	125	113	95	85	64	57	24	15	4	1	53	20
161	178	145	176	110	90	75	65	48	40	13	9	2		47	21
28	37	25	38	15	23	20	20	16	17	11	6	2	1	6	22
1	2	1	1	3	1					2					23
1	2	1		2	1	3	2	2	1					1	
19	23	15	20	10	4	5	5	3			1			11	24
2	1				1										
1	1		2	1		1		1			2				25
								1							
5	5	6	4	3	3	2	2								26
	2						1								
5	3	5	6	3	1	1		1		1				1	27
1		1			1	1									
															28
1	4		2		1	2									29
39	40	36	33	16	20	14	11	11	11	1	1			11	30
5	3	5	6	1	3	4	3		2		1	1			
3	2	5	2	4		2	3		1		1			4	31
	2	1	2			2		1						2	
9	13	13	12	10	7	4	7	1						1	32
2			2	2		1	1								
1		1	1	1		1			1						33
	2			1		1			1						
5	11	2	5	4	4	4	1	3						1	34
2	2	2	2		3										
6	10	20	14	10	9	11	6	9	1	2				2	35
3	4	2	3	1	4	1	3							1	
	4	2	4	2	6	1	1	2	1		1				36
1					2			1		1					
2	6	2	3	5	3		2	1	3						37
8	9	8	9	3	2	1			1						
3	1	2	2	5	1	1		2		1				1	38
	1							1							
61	53	35	65	33	30	26	27	14	22	6	3	2		15	39
3	9	5	14	5	6	6	10	10	12	10	5	1	1	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	24,180	4,883	1,281	677	409	365	7,615	1,049	677	1,144	1,396	1,223
2	Males	12,482	2,671	658	332	216	188	4,065	522	345	476	651	540
3	Females	11,698	2,212	623	345	193	177	3,550	527	332	668	745	683
4	Unknown causes	800	344	26	16	2	6	394	10	11	20	26	16
5	Males	416	184	13	8	2	2	209	4	9	5	10	8
6	Females	384	160	13	8	.....	4	185	6	2	15	16	8
	I.—General diseases.												
7	General diseases—A	5,186	1,228	608	296	197	165	2,494	517	235	288	244	185
8	Males	2,650	669	303	141	97	80	1,290	243	104	110	143	99
9	Females	2,536	559	305	155	100	85	1,204	274	131	178	101	86
10	1. Smallpox M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	1. Smallpox F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	2. Measles M	120	27	26	16	4	2	75	14	5	6	8	3
	2. Measles F	137	26	23	15	10	2	76	14	4	9	7	6
12	3. Scarlet fever M	100	12	22	14	10	15	73	21	4	1	.....	1
	3. Scarlet fever F	117	10	15	11	18	16	70	34	4	3	2	1
13	4. Diphtheria M	288	20	23	28	37	39	147	108	19	6	3	.....
	4. Diphtheria F	306	9	25	26	30	40	130	123	33	10	2	2
14	5. Whooping cough M	137	81	28	10	5	2	126	9	.....	.....	1	.....
	5. Whooping cough F	173	88	33	16	8	6	151	15	3	1	1	.....
15	6. Fever M	22	5	1	1	.....	.....	7	1	1	1	3	2
	6. Fever F	23	5	2	.....	1	.....	8	.....	2	2	2	2
16	7. Cerebro-spinal fever M	60	18	9	2	4	3	36	9	5	4	.....	2
	7. Cerebro-spinal fever F	64	12	11	8	4	.....	35	10	4	7	1	2
17	8. Enteric fever M	569	11	7	6	11	7	42	35	43	67	104	50
	8. Enteric fever F	505	9	7	6	6	7	35	33	48	102	57	42
18	9. Diarrheal diseases M	561	152	85	29	11	9	286	28	11	9	7	15
	9. Diarrheal diseases F	528	129	103	34	15	7	288	28	16	12	8	9
19	10. Cholera infantum M	404	285	89	23	4	1	402	.....	.....	.....	.....	.....
	10. Cholera infantum F	330	227	73	26	1	2	329	.....	.....	.....	.....	.....
20	11. Malarial fever M	199	27	10	10	7	2	56	12	8	11	10	14
	11. Malarial fever F	196	20	8	12	4	5	49	12	16	24	5	14
21	12. Erysipelas M	53	8	1	1	1	.....	11	.....	3	2	1	3
	12. Erysipelas F	54	12	1	.....	2	.....	15	2	1	3	3	.....
22	13. Septicæmia M	85	11	1	1	2	.....	15	5	4	1	5	4
	13. Septicæmia F	77	8	3	1	1	.....	13	2	.....	4	12	7
23	14. Venereal diseases M	31	9	.....	.....	.....	.....	9	.....	.....	1	1	2
	14. Venereal diseases F	12	3	.....	.....	.....	.....	3	.....	.....	1	.....	1
24	15. Others of this group M	30	3	1	.....	1	.....	5	1	1	1	.....	3
	15. Others of this group F	14	1	1	.....	.....	.....	2	1	.....	.....	1	.....
25	General diseases—B	307	164	8	6	6	1	185	7	7	4	7	4
26	Males	172	72	4	4	3	.....	83	4	3	1	3	4
27	Females	135	92	4	2	3	1	102	3	4	3	4	.....
28	1. Parasitic diseases M	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
	1. Parasitic diseases F	2	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
29	2. Alcoholism M	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2
	2. Alcoholism F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
30	3. Lead poison M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	3. Lead poison F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	4. Other poisons M	29	2	.....	2	.....	.....	4	1	1	1	.....	1
	4. Other poisons F	18	2	1	.....	1	1	5	1	2	2	2	.....
32	5. Inanition M	94	70	4	2	3	.....	79	2	1	.....	1	.....
	5. Inanition F	114	90	3	1	2	.....	96	1	2	1	2	.....
33	General diseases—C	1,935	1,371	12	1	2	.....	1,386	5	1	2	.....	1
34	Males	1,027	760	9	1	2	.....	772	1	.....	.....	.....	1
35	Females	908	611	3	.....	.....	.....	614	4	1	2	.....	.....
36	1. Premature birth M	106	106	.....	.....	.....	.....	106	.....	.....	.....	.....	.....
	1. Premature birth F	86	86	.....	.....	.....	.....	86	.....	.....	.....	.....	.....
37	2. Stillborn M	501	501	.....	.....	.....	.....	501	.....	.....	.....	.....	.....
	2. Stillborn F	383	383	.....	.....	.....	.....	383	.....	.....	.....	.....	.....
38	3. Malformation M	32	29	.....	1	1	.....	31	.....	.....	.....	.....	.....
	3. Malformation F	25	24	.....	.....	.....	.....	24	.....	.....	.....	.....	.....
39	4. Debility and atrophy M	227	124	9	.....	1	.....	134	1	.....	.....	.....	1
	4. Debility and atrophy F	231	118	3	.....	.....	.....	121	4	1	2	.....	.....
40	5. Old age M	161	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	5. Old age F	183	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,055	971	836	807	921	871	1,006	1,090	1,105	893	672	336	138	37	338	1
466	435	430	411	478	480	579	599	638	521	367	187	72	22	198	2
589	536	406	396	443	391	427	491	467	372	305	149	66	15	140	3
15	18	21	23	30	19	32	30	33	21	19	9	3	1	49	4
7	6	14	11	15	13	14	13	18	12	11	6	2	1	28	5
8	12	7	12	15	6	18	17	15	9	8	3	1		21	6
131	119	133	98	110	105	106	99	106	76	50	26	6	5	53	7
65	59	68	51	60	57	61	52	64	47	21	15	3	2	36	8
66	60	65	47	50	48	45	47	42	29	29	11	3	3	17	9
															10
1	2	2		1	1									2	11
2	2	7	5	1	1	2								1	
	1							1						1	12
	2								1					2	13
			1			1	1			1				2	
1															14
		1												1	
1	1			1		1	1	1						1	15
	1	1	2				1	1	1						
1			1	1										1	16
		2	1				1							1	
34	34	35	18	18	21	22	12	12	7	1				14	17
30	25	25	19	24	19	14	12	7	4	2	4			3	
9	9	11	14	24	18	21	22	28	20	11	9	2	2	5	18
11	14	13	3	17	11	15	20	19	15	17	4	2	3	3	
														2	19
														1	
6	8	9	9	3	7	5	9	8	6	4	2	1		2	20
9	8	4	7	2	6	9	9	7	5	6	3	1			
3	1	4		3	3	2	4	6	6	1					21
4	4	2	4	2	6	2	1	1	2	2					
6	2	3	8	6	2	4	4	8	3	2	2			1	22
10	5	7	3	3	4	1	1	3						2	
1		3			5	3								6	23
		1	2		1	1								2	
2		1	1	3		3		1	4	2	2				24
		2		1			1	3	2	1					
7	8	4	16	6	5	8	16	2	7	2	1	2		9	25
7	7	3	15	6	3	7	11	2	4	1	1	1		6	26
	1	1	1		2	1	5		3	1		1		3	27
															28
6	3	3	11	3	2	3	5	1	1		1			2	29
							1								
				1											30
1	3		3	2	1	2	5	1	2					1	31
		1	1		1		2					1			
	1		1			2	1		1	1		1		3	32
	1				1	1	2		3	1				3	
3	2	5	3	7	5	17	30	61	83	134	101	57	16	16	33
1		3		3	3	9	10	20	34	65	53	25	8	10	34
2	2	2	3	4	2	8	20	32	49	69	48	32	8	6	35
															36
															37
														1	38
	1														
1		3		3	3	8	7	15	12	18	12	2		7	39
2	1	2	3	4	2	4	11	9	20	19	14	6	2	4	
						1	3	14	22	47	41	23	8	2	40
						4	9	23	29	50	34	26	6	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D.		5,019	132	87	42	17	31	309	65	106	366	579	570
2	Males		2,258	70	38	16	11	15	150	30	45	133	223	228
3	Females		2,761	62	49	26	6	16	159	35	61	233	356	342
4	1. Rheumatism	M.	105	1			1	2	4	8	5	8	4	3
		F.	62			1			1	3	6	4	5	7
5	2. Scrofula and tabes	M.	76	14	5	6	3	1	29	5	3	3	5	4
		F.	67	13	10	6		2	31	3	1	2	7	5
6	3. Leprosy	M.												
		F.												
7	4. Consumption	M.	1,537	28	15	5	2	6	56	7	24	107	204	211
		F.	1,967	29	21	12	3	8	73	15	49	216	329	316
8	5. Hydrocephalus	M.	60	18	14	3	2	3	40	6	4	5	2	
		F.	42	14	9	4	2	3	32	6	1			
9	6. Cancer	M.	220	1			1		2		1	2	1	2
		F.	325	1		1			2	1		3	2	4
10	7. Tumor	M.	27	2				1	3				1	1
		F.	64	1	1			1	3				1	4
11	8. Anæmia	M.	19	4		2		1	7		1			1
		F.	20	2	2				4		1		2	1
12	9. Dropsy	M.	138		2				2	3	4	3	1	5
		F.	166	1	2	2		1	6	5	2	4	8	5
13	10. Diabetes	M.	66				1		1	1	3	5	5	1
		F.	36					1	1	2	1	3	2	
14	11. Others of this group	M.	8	2	2		1	1	6					
		F.	12	1	4		1		6			1		
15	12. Others of this class	M.	2											
		F.												
16	II.—Diseases of the nervous system		2,568	586	200	90	52	46	974	129	89	64	55	39
17	Males		1,361	321	113	46	31	26	537	70	47	30	26	19
18	Females		1,207	265	87	44	21	20	437	59	42	34	29	20
19	1. Inflammation of the brain	M.	315	108	62	25	16	16	227	26	20	5	4	1
		F.	286	99	44	30	9	11	193	27	16	8	6	5
20	2. Apoplexy	M.	186	4	2			1	7	3	2	4	3	2
		F.	142	5	1				6	2		2	1	2
21	3. Paralysis	M.	289	3	3	1	2		9	3	3	2	1	2
		F.	271	1	2		1		4	3	1	1	2	2
22	4. Tetanus and trismus nascentium	M.	23	6	1		1		8	4	3		2	2
		F.	11	4	1				5	2	2			1
23	5. Epilepsy	M.	39	2	2				4	1	2	6	6	4
		F.	38	4					4	1	4	5	3	1
24	6. Convulsions	M.	156	121	11	5	2	2	141	5	4		1	1
		F.	129	87	13	1	3	3	107	7	1	3	2	1
25	7. Mental diseases	M.	14											2
		F.	15									2	1	
26	8. Diseases of the brain	M.	225	61	23	8	8	2	102	17	7	5	5	4
		F.	190	51	20	8	5	6	90	9	10	3	6	4
27	9. Diseases of the spinal cord	M.	77	15	7	7	2	5	36	11	3	7	3	1
		F.	66	14	6	5	3		28	7	5	5	5	1
28	10. Others of this class	M.	37	1	2				3		3	1	1	
		F.	59							1	3	5	3	3
29	III.—Diseases of the circulatory system		1,209	77	6	4		3	90	18	36	39	48	38
30	Males		669	38	4	4		3	49	8	19	18	23	14
31	Females		540	39	2				41	10	17	21	25	24
32	1. Angina pectoris	M.	23									1	1	
		F.	12										1	2
33	2. Aneurism	M.	3											
		F.	3									1		
34	3. Diseases of the heart	M.	618	19	4	3		3	29	8	19	17	22	14
		F.	502	22	1				23	10	17	20	24	21
35	4. Others of this class	M.	25	19		1			20					
		F.	23	17	1				18					1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
453	382	292	253	299	261	263	258	207	145	83	41	9	4	74	1
196	147	137	117	122	138	139	147	105	87	49	20	4	3	38	2
257	235	155	136	177	123	124	111	102	58	34	21	5	1	36	3
3	4	3	5	8	11	6	7	11	10	2	3				4
1	3	2	6	4	3	5	6	2		3				1	
5	1	3		1	4	4	3	4	1					1	5
3	5	1		1	2	5			1						
															6
169	123	106	88	86	81	75	77	39	24	19	5	2	2	32	7
227	181	112	76	90	61	58	58	45	16	10	8	1		26	
1					1		1								8
	1		1											1	
8	9	12	17	18	26	25	34	24	18	10	7		1	3	9
14	25	25	35	54	37	29	23	25	22	9	9	1	1	4	
	2	2	2	1	3	4	1	5	1	1					10
3	12	3	6	9	7	6	2	3	3	1				1	
1	1		1			2	3		1	1					11
3		2	1		1	2	1	2							
3	3	5	4	5	8	16	13	18	23	14	5	2		1	12
4	5	3	8	16	10	15	19	23	14	10	3	3		3	
6	3	6		2	4	6	8	3	9	2				1	13
1		7	3	3	2	3	2	2	2	1	1				
	1					1									14
1	3					1									
				1				1							15
62	52	50	57	90	91	137	162	180	152	97	47	15	2	24	16
26	31	23	22	42	44	73	78	97	90	54	28	8	1	15	17
36	21	27	35	48	47	64	84	83	62	43	19	7	1	9	18
3	7	3	4	3	2	2	2		2		1			3	19
7	2	3	3	5		4	2	1	1	1				2	
4	4	6	5	13	17	25	21	27	22	10	4	2		5	20
4	3	4	4	8	12	16	26	24	11	11	3	1		2	
8	2	7	3	15	12	29	41	46	46	33	20	5		2	21
2	6	7	8	22	20	25	37	45	41	23	15	6	1		
1	2					1									22
1															
3	2		1	2	2	2	1	1	1					1	23
4	1	4	3	2	1	1	2	1		1					
	3		1												24
2	2	1						1	1					1	
	2		2		2		1		2	2	1				25
2		1	5			1			2					1	
6	7	5	1	4	8	10	6	15	12	6	1	1	1	2	26
7	4	2	9	4	9	10	9	6	2	3	1			2	
	2	1	3	1		2	1	3	1	1				1	27
1	2	2		1		3	2	1	2					1	
1		1	2	4	1	2	5	5	4	2	1			1	28
6	1	3	3	6	5	4	6	4	2	4					
35	45	52	62	75	90	108	130	136	100	47	27	8		25	29
15	18	33	26	43	47	68	74	89	56	36	15	4		14	30
20	27	19	36	32	43	40	56	47	44	11	12	4		11	31
1	2		1	3	1	1	3	4	3	2					32
1	2		2	1				2	1						
						1	1				1				33
		1					1								
14	16	32	25	40	46	66	69	85	53	34	14	4		11	34
19	25	18	33	31	42	40	55	44	43	11	12	4		10	
		1					1							3	35
			1		1			1						1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,482	630	230	139	79	71	1,149	156	66	147	146	126
2	Males	1,866	353	118	69	42	42	624	87	30	59	86	61
3	Females	1,616	277	112	70	37	29	525	69	36	88	60	65
4	1. Croup M.	162	39	23	24	20	16	122	34	2		2	
	F.	143	34	25	32	8	14	113	25			1	
5	2. Laryngitis M.	10	2	2				4	2				2
	F.	5	1		1	1		3	1				
6	3. Bronchitis M.	217	74	13	5	2	3	97	10	1	4	2	4
	F.	206	67	17	6	3	1	94	4	4	6	3	5
7	4. Pneumonia M.	945	130	57	31	16	20	254	30	19	37	49	42
	F.	756	103	49	19	16	10	197	31	20	51	30	37
8	5. Pleurisy M.	22			1	1		2		2	1	2	2
	F.	12		1		1		2			2		2
9	6. Asthma M.	38	1	1				2					1
	F.	37	1		1			2			1		2
10	7. Others of this class M.	472	107	22	8	3	3	143	11	6	17	31	10
	F.	457	71	20	11	8	4	114	8	12	28	26	19
11	V.—Diseases of the digestive system	1,188	210	55	28	14	16	323	46	30	39	39	46
12	Males	624	131	29	14	7	7	188	22	19	17	16	17
13	Females	564	79	26	14	7	9	135	24	11	22	23	29
14	1. Dentition M.	16	7	7	2			16					
	F.	15	6	8	1			15					
15	2. Angina M.	38	9	2	3	2	4	20	8	1	1		
	F.	26	2	2	1		3	8	8	4		1	
16	3. Diseases of the stomach M.	176	30	4	2	2	2	40	5	4	1	3	7
	F.	191	16	7	5	4	3	35	6	3	12	8	13
17	4. Obstruction of the bowels M.	34	6			1		7	3	6	1	1	
	F.	23	2					2	3		1	1	1
18	5. Hernia M.	24	3	1				4				1	1
	F.	24	1					1					
19	6. Other diseases of the bowels M.	43	15	4			1	20	1	1	1	1	2
	F.	34	10	2	3	1		16	1	1	1	2	1
20	7. Jaundice M.	35	14		1	1		16			1	1	
	F.	20	5		1			6					
21	8. Inflammation and abscess of the liver. M.	30		2	1			3			1	4	1
	F.	24							1			2	
22	9. Other diseases of the liver M.	83	4	1		1		6		3	3	1	1
	F.	60	4	1		1		6	1		1	2	4
23	10. Peritonitis M.	41	4	1	1			6	1	2	4	4	2
	F.	51	2	1				3	3	3	5	5	7
24	11. Ascites M.	8	1					1			1		
	F.	14	2	1		1		4			1		
25	12. Others of this class M.	96	38	7	4			49	4	2	3		3
	F.	82	29	4	3		3	39	1		1	2	3
26	VI.—Diseases of the urinary system and male organs of generation.	582	17	4	4	1	6	32	14	13	19	12	24
27	Males	398	10	3				13	10	6	11	6	13
28	Females	184	7	1	4	1	6	19	4	7	8	6	11
29	1. Bright's disease M.	188							3	3	3	3	8
	F.	97							2	6	7	4	4
30	2. Calculus, urinary M.	18							1		1		
	F.	4											
31	3. Diseases of the kidney M.	109	8	3				11	5	1	6	3	2
	F.	65	5	1	4		5	15	1	1	1	2	6
32	4. Diseases of the bladder M.	43	1					1			1		1
	F.	8							1				
33	5. Others of this class M.	40	1					1	1	2			2
	F.	10	2			1	1	4					1
34	VII.—Diseases of the female organs of generation.	107	1					1		3	7	8	8
35	1. Ovarian tumors F.	21											
36	2. Ovarian diseases F.	3										1	
37	3. Uterine tumors F.	10											
38	4. Uterine diseases F.	19									1	3	3
39	5. Others of this class F.	54	1					1		3	6	4	5
40	VIII.—Affections connected with pregnancy.	344									32	89	72
41	1. Abortion F.	37									2	6	6
42	2. Childbirth F.	153									13	44	30
43	3. Puerperal septicæmia F.	122									12	34	26
44	4. Extra-uterine pregnancy F.												
45	5. Others of this class F.	32									5	5	10

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
120	117	105	120	154	133	142	175	192	160	151	52	24	9	38	1
56	60	55	65	96	71	82	98	106	85	71	30	16	7	21	2
64	57	50	55	58	62	60	77	86	75	80	22	8	2	17	3
									1					1	4
			1					1						2	
	1					1									5
						1									
3	4	4	5	11	3	8	16	10	12	11	5	2		5	6
6	6	2	2	4	3	10	12	10	15	12	4	3		1	
35	38	37	44	61	40	46	53	57	44	25	11	9	4	10	7
40	24	30	30	33	39	32	41	39	33	30	6	1	1	11	
	1		3		2	1	2		2	2					8
1	1		1	1	1			1							
1			3	2	2	3	7	7	4	5				1	9
		1	2		2	4	5	8	4	6					
17	16	14	10	22	24	23	20	32	22	28	14	5	3	4	10
17	26	17	19	20	17	13	19	27	23	32	12	4	1	3	
47	55	49	63	43	65	83	76	74	52	30	10	5		13	11
19	27	20	31	20	34	45	43	45	33	15	4	3		6	12
28	28	29	32	23	31	38	33	29	19	15	6	2		7	13
															14
	1		1	2	1	2				1					15
	1		1		2			1							
9	11	5	8	5	12	9	15	15	16	5	3			3	16
7	14	9	10	6	10	9	12	17	8	7	1	2		2	
2	2	1	1	1		2	3	2	1	1					17
2	2	1	1		2	4	1		1					1	
1	2			1	1	5	3	2	2			1			18
		2	2		6	5	4	1		1	2				
1	1			2	2	1	4	2	3	1					19
	2	2	2	1		1	1	1			2				
	1		1	2	2	1	2	3	4	1					20
1			1	1	2	4	2		3						
1	2	1	3	1	2	4	2	4		1					21
2	2	2	1	2	2	4	3	2	1						
4	3	10	11	4	8	13	4	7	2	1		1		1	22
3	2	4	7	7	3	7	3	3	2	4				1	
1	3	2	4		4	3	2		2	1					23
9	1	6	3	3		1		1						1	
						1	3	1				1			24
		1	1		1		1		3	1				1	
	1	1	2	2	2	4	5	9	3	3	1			2	25
4	4	2	3	3	3	3	6	3	1	2	1			1	
27	24	24	28	36	41	55	55	68	52	36	15	1		6	26
12	13	15	20	23	26	43	38	55	42	34	12	1		5	27
15	11	9	8	13	15	12	17	13	10	2	3			1	28
7	7	12	11	12	15	29	17	26	16	12	1			3	29
9	8	5	4	6	10	9	11	7	3	1	1				
	1			2	1		1	4	2	3	1	1			30
	1				1			1	1						
3	4	2	6	5	7	10	10	11	12	8	3				31
5	2	2	3	7	4	1	4	5	4		1			1	
1	1			1	1	3	10	8	7	5	2			1	32
1		1	1			1	1		2						
1		1	3	3	2	1		6	5	6	5			1	33
		1				1	1			1	1				
12	14	13	12	10	6	3	5	3	1	1					34
2	3	1	3	3	1	1	2	3	1	1					35
	2														36
1	1	3		2	2		1								37
3	3	1	3	1			1								38
6	5	8	6	4	3	2	1								39
66	54	18	8	1	1									3	40
10	7	4	1		1										41
30	21	9	5											1	42
21	21	5	1											2	43
															44
5	5		1	1											45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		146	32	12	10	9	2	65	17	11	14	8	2
2	Males		85	15	6	5	4	2	32	8	8	10	6	2
3	Females		61	17	6	5	5		33	9	3	4	2	
4	1. Diseases of the spine	M	71	15	6	5	4	2	32	6	6	8	3	2
		F	59	17	6	5	5		33	9	3	3	1	
5	2. Diseases of the bones	M	8								1	1	2	
		F												
6	3. Diseases of the hip joint	M	3							2				
		F	2									1	1	
7	4. Others of this class	M	3								1	1	1	
		F												
8	X.—Diseases of the skin		56	9	4	2			15		1	2	2	
9	Males		27	5	2	1			8				2	
10	Females		29	4	2	1			7		1	2		
11	1. Abscess	M	12	2	1	1			4				2	
		F	13	1	2				3			1		
12	2. Carbuncle	M	6											
		F	6								1	1		
13	3. Others of this class	M	9	3	1				4					
		F	10	3		1			4					
14	XI.—Diseases of the absorbent system		16	1		1	1	1	4		2		2	1
15	Males		7	1			1	1	3					
16	Females		9			1			1		2		2	1
17	1. Addison's disease	M	2					1	1					
		F	1										1	
18	2. Diseases of the spleen	M	4	1			1		2					
		F	6			1			1		1		1	1
19	3. Others of this class	M	1											
		F	2								1			
20	XII.—Accidents and injuries		1,235	81	29	38	29	17	194	65	66	101	131	91
21	Males		922	42	16	23	16	10	107	35	55	82	107	74
22	Females		313	39	13	15	13	7	87	30	11	19	24	17
23	1. Burns and scalds	M	52	8	6	12	11	6	43	2	1	3	1	1
		F	59	2	2	10	6	6	26	14	2	1	1	
24	2. Drowned	M	82		3	5			8	7	10	17	14	4
		F	18		4	2			6	3		1		2
25	3. Exposure and neglect	M	10	3					3	1			1	1
		F	9	4	1				5			1		
26	4. Gunshot wounds	M	76				2		2	4	13	18	6	7
		F	4									1		2
27	5. Homicide	M	29	1					1			3	6	5
		F	7									3	1	1
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M	8								1	2		1
		F												
30	8. Railroad accidents	M	183			1			1	6	8	13	32	21
		F	26	2				1	3	4	3	1	4	2
31	9. Suffocation	M	24	11	2		1		14	1	1			3
		F	26	14	1	1	4		20		2			1
32	10. Suicide by shooting	M	28									4	7	3
		F	5									1	3	1
33	11. Suicide by drowning	M	6										1	
		F	1											1
34	12. Suicide by poison	M	19										1	3
		F	19									4	4	2
35	13. Other suicides	M	57									1	3	4
		F	16								1	3	3	
36	14. Sunstroke	M	6									1	1	1
		F	1		1				1					
37	15. Surgical operations	M	7	1					1		1	1		
		F	10										1	1
38	16. Wounds	M	22		1	1			2	1	1	1	2	2
		F	9	2					2	1				
39	17. Other accidents and injuries	M	312	18	4	4	2	4	32	13	19	18	32	18
		F	103	15	4	2	3		24	8	3	3	7	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
5	2	3	5	4	1	5	1	2						1	1
1	2	2	4	2	1	3	1	2						1	2
4		1	1	2		2									3
1	1	1	4	2		2		2						1	4
4		1	1	2		2									
	1	1				1	1								5
					1										6
															7
1	5	2	1	6	2	2	6	3	3	3		1		1	8
	2	1		3	1	1	4	3	2						9
1	3	1	1	3	1	1	2		1	3		1		1	10
	2					1	2	1							11
1	2		1	1		1	1		1			1			
		1		2	1		1	1							12
		1		1	1					1					
				1			1	1	2						13
	1			1			1			2				1	
	1			1	1		3							1	14
	1			1			2								15
					1		1							1	16
	1														17
				1			1								18
							1							1	
							1								19
					1										
71	73	65	58	49	45	45	44	38	41	19	7	7		25	20
61	62	56	49	42	42	34	28	23	29	10	3	5		18	21
10	11	9	9	7	3	11	16	15	12	9	4	2		7	22
					1			1							23
	1	1	1	1	1	2	2	4	2						
5	4	2	5	2	2			1						1	24
						1	2	1						2	
						1	1	1						1	25
							1	1						1	
5	1	4	5	3	4	1	1	1	1						26
		1													
4	3	3		2					2						27
			1	1											
															28
3				1											29
17	14	10	14	10	4	8	5	4	6	1	1	2		6	30
	3	1	1			1	1		1		1				
1		1				2								1	31
1		1						1							
1	3	1	1	2	2	4									32
		1		1		2		1							33
	4	1	2		2		2	2	1	1					34
2	1		1			1	2		1					1	
3	6	8	2	6	6	4	4	3	3					4	35
		1	1	3	1	2			1						
	1				1		1								36
	1			1		1			1						37
1	1	2			1	2	1								
3		1	2		2	2	1	1	1						38
							2	1		2				1	
19	25	24	18	14	18	9	13	8	14	8	2	3		5	39
6	5	2	4	2		2	5	7	7	7	3	2		2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	146	34	10	8	1	3	56	4	8	8	11	10
2	Males	80	18	7	4	1	2	32	2	5	2	4	5
3	Females	66	16	3	4		1	24	2	3	6	7	5
4	Unknown causes	14	6					6			1		1
5	Males	4	1					1					
6	Females	10	5					5			1		1
7	I.—General diseases. General diseases—A	36	9	5	4	1	1	20	1	3	1	2	1
8	Males	25	8	4	2	1	1	16		3			1
9	Females	11	1	1	2			4	1		1	2	
10	1. Smallpox M												
	F												
11	2. Measles M												
	F												
12	3. Scarlet fever M												
	F												
13	4. Diphtheria M	1				1		1					
	F												
14	5. Whooping cough M												
	F	1			1			1					
15	6. Fever M	1											
	F												
16	7. Cerebro-spinal fever M	1		1				1					
	F												
17	8. Enteric fever M	4								1			1
	F	2										1	
18	9. Diarrheal diseases M	4	2					2					
	F	2		1				1	1				
19	10. Cholera infantum M	7	5	1			1	7					
	F	2	1		1			2					
20	11. Malarial fever M	7	1	2	2			5		2			
	F	4									1	1	
21	12. Erysipelas M												
	F												
22	13. Septicæmia M												
	F												
23	14. Venereal diseases M												
	F												
24	15. Others of this group M												
	F												
25	General diseases—B												
26	Males												
27	Females												
28	1. Parasitic diseases M												
	F												
29	2. Alcoholism M												
	F												
30	3. Lead poison M												
	F												
31	4. Other poisons M												
	F												
32	5. Inanition M												
	F												
33	General diseases—C	1	1					1					
34	Males	1	1					1					
35	Females												
36	1. Premature birth M												
	F												
37	2. Stillborn M	1	1					1					
	F												
38	3. Malformation M												
	F												
39	4. Debility and atrophy M												
	F												
40	5. Old age M												
	F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
6	10	2	2	4	4	7	3		4	2	1	1		3	1
2	7	2		4	2	4	2		2	1	1			3	2
4	3		2		2	3	1		2	1		1			3
	1					1			1					3	4
	1					1			1					3	5
															6
1	1	1	1		1	2	1								7
	1	1			1	2									8
1			1				1								9
															10
															11
															12
															13
															14
	1														15
															16
					1	1									17
		1				1									18
															19
1			1												20
															21
															22
															23
															24
															25
															26
															27
															28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
															40

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	28	2	1				3	1	3	4	3	5
2	Males	15	1					1		1	2	3	2
3	Females	13	1	1				2	1	2	2		3
4	1. Rheumatism M												
	F	1									1		
5	2. Scrofula and tabes M	1								1			
	F	2	1					1		1			
6	3. Leprosy M												
	F												
7	4. Consumption M	14	1					1			2	3	2
	F	8		1				1		1	1		3
8	5. Hydrocephalus M												
	F												
9	6. Cancer M												
	F	2							1				
10	7. Tumor M												
	F												
11	8. Anæmia M												
	F												
12	9. Dropsy M												
	F												
13	10. Diabetes M												
	F												
14	11. Others of this group M												
	F												
15	12. Others of this class M												
	F												
16	II.—Diseases of the nervous system	6	2					2					
17	Males	2	1					1					
18	Females	4	1					1					
19	1. Inflammation of the brain M	1											
	F												
20	2. Apoplexy M												
	F												
21	3. Paralysis M												
	F	3											
22	4. Tetanus and trismus nascentium M												
	F												
23	5. Epilepsy M												
	F												
24	6. Convulsions M	1	1					1					
	F												
25	7. Mental diseases M												
	F												
26	8. Diseases of the brain M												
	F												
27	9. Diseases of the spinal cord M												
	F												
28	10. Others of this class M												
	F	1	1					1					
29	III.—Diseases of the circulatory system	3										1	
30	Males	1											
31	Females	2										1	
32	1. Angina pectoris M												
	F												
33	2. Aneurism M												
	F												
34	3. Diseases of the heart M	1											
	F	2										1	
35	4. Others of this class M												
	F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	2	1	1	1	1		1		1						1
	1	1		1	1		1		1						2
1	1		1												3
															4
															5
															6
	1	1		1	1		1		1						7
1	1														
															8
			1												9
															10
															11
															12
															13
															14
															15
					1	1			1	1					16
						1									17
					1				1	1					18
						1									19
															20
															21
					1				1	1					
															22
															23
															24
															25
															26
															27
															28
1											1				29
											1				30
1															31
															32
															33
1											1				34
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	34	9	3	2		1	15		2	2	2	3
2	Males	17	4	2	1			7		1			2
3	Females	17	5	1	1		1	8		1	2	2	1
4	1. Croup M	2	2					2					
	F	2	1		1			2					
5	2. Laryngitis M												
	F												
6	3. Bronchitis M	1											1
	F	1									1		
7	4. Pneumonia M	8		2	1			3					1
	F	11	2	1			1	4		1	1	2	
8	5. Pleurisy M	1											
	F												
9	6. Asthma M												
	F												
10	7. Others of this class M	5	2					2		1			
	F	3	2					2					1
11	V.—Diseases of the digestive system	10	2	1	1		1	5	1			1	
12	Males	6		1	1		1	3	1				
13	Females	4	2					2				1	
14	1. Dentition M												
	F												
15	2. Angina M												
	F												
16	3. Diseases of the stomach M	3					1	1	1				
	F												
17	4. Obstruction of the bowels M												
	F												
18	5. Hernia M												
	F												
19	6. Other diseases of the bowels M	2		1	1			2					
	F	1	1					1					
20	7. Jaundice M												
	F	1	1					1					
21	8. Inflammation and abscess of the liver. M												
	F												
22	9. Other diseases of the liver M												
	F	1										1	
23	10. Peritonitis M												
	F	1											
24	11. Ascites M	1											
	F												
25	12. Others of this class M												
	F												
26	VI.—Diseases of the urinary system and male organs of generation.												
27	Males												
28	Females												
29	1. Bright's disease M												
	F												
30	2. Calculus, urinary M												
	F												
31	3. Diseases of the kidney M												
	F												
32	4. Diseases of the bladder M												
	F												
33	5. Others of this class M												
	F												
34	VII.—Diseases of the female organs of generation.												
35	1. Ovarian tumors F												
36	2. Ovarian diseases F												
37	3. Uterine tumors F												
38	4. Uterine diseases F												
39	5. Others of this class F												
40	VIII.—Affections connected with pregnancy.	3										1	
41	1. Abortion F	1											
42	2. Childbirth F	1										1	
43	3. Puerperal septicæmia F	1											
44	4. Extra-uterine pregnancy F												
45	5. Others of this class F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
	2			1	1	2	1		1	1		1			1
	2			1		1	1		1	1					2
					1	1						1			3
															4
															5
															6
	1					1	1		1						7
					1	1						1			
										1					8
															9
	1			1											10
	1			1		1									11
	1			1											12
						1									13
															14
															15
	1														16
															17
															18
															19
															20
															21
															22
						1									23
				1											24
															25
															26
															27
															28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
															39
1	1														40
1															41
															42
	1														43
															44
															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	2	1		1			2					
2	Males												
3	Females	2	1		1			2					
4	1. Diseases of the spine M.												
	F.	2	1		1			2					
5	2. Diseases of the bones M.												
	F.												
6	3. Diseases of the hip joint M.												
	F.												
7	4. Others of this class M.												
	F.												
8	X.—Diseases of the skin	1											
9	Males	1											
10	Females												
11	1. Abscess M.	1											
	F.												
12	2. Carbuncle M.												
	F.												
13	3. Others of this class M.												
	F.												
14	XI.—Diseases of the absorbent system												
15	Males												
16	Females												
17	1. Addison's disease M.												
	F.												
18	2. Diseases of the spleen M.												
	F.												
19	3. Others of this class M.												
	F.												
20	XII.—Accidents and injuries	8	2					2	1			1	
21	Males	8	2					2	1			1	
22	Females												
23	1. Burns and scalds M.												
	F.												
24	2. Drowned M.												
	F.												
25	3. Exposure and neglect M.	2	2					2					
	F.												
26	4. Gunshot wounds M.	3										1	
	F.												
27	5. Homicide M.												
	F.												
28	6. Infanticide M.												
	F.												
29	7. Injuries by machinery M.												
	F.												
30	8. Railroad accidents M.												
	F.												
31	9. Suffocation M.												
	F.												
32	10. Suicide by shooting M.												
	F.												
33	11. Suicide by drowning M.												
	F.												
34	12. Suicide by poison M.												
	F.												
35	13. Other suicides M.												
	F.												
36	14. Sunstroke M.												
	F.												
37	15. Surgical operations M.												
	F.												
38	16. Wounds M.												
	F.												
39	17. Other accidents and injuries M.	3							1				
	F.												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

INDIAN TERRITORY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
															2
															3
															4
															5
															6
															7
	1														8
	1														9
															10
	1														11
															12
															13
															14
															15
															16
															17
															18
															19
2	1			1											20
2	1			1											21
															22
															23
															24
															25
1	1														26
															27
															28
															29
															30
															31
															32
															33
															34
															35
															36
															37
															38
1				1											39

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	17,539	3,173	842	558	392	288	5,253	1,052	621	774	890	747
2	Males	9,275	1,824	438	282	211	132	2,887	508	312	363	419	340
3	Females	8,264	1,349	404	276	181	156	2,366	544	309	411	471	407
4	Unknown causes	624	259	23	11	4	7	304	13	18	14	19	14
5	Males	337	146	12	5	3	3	169	8	10	4	7	6
6	Females	287	113	11	6	1	4	135	5	8	10	12	8
	I.—General diseases.												
7	General diseases—A	3,861	797	387	272	224	165	1,845	632	267	194	149	94
8	Males	1,939	440	191	127	119	74	951	286	124	91	83	53
9	Females	1,922	357	196	145	105	91	894	346	143	103	66	41
10	1. Smallpox M	3	1					1			1		
	F												
11	2. Measles M	99	36	14	9	5	4	68	11	3	6	6	1
	F	88	16	17	12	4	1	50	9	6	6	4	1
12	3. Scarlet fever M	117	9	14	23	18	13	77	26	7	3	2	
	F	109	6	15	14	14	16	65	33	4	2	2	2
13	4. Diphtheria M	552	19	53	56	70	46	244	201	56	25	7	2
	F	658	24	40	62	65	62	253	251	101	31	8	2
14	5. Whooping cough M	85	58	14	8	3	1	84	1				
	F	100	51	22	9	8	3	93	5	1	1		
15	6. Fever M	13	2	2		1		5		1		2	1
	F	5							1			1	
16	7. Cerebro-spinal fever M	33	9	4	3	2	1	19	3	5	4	1	
	F	32	7	4	4	1	1	17	3	3	3	2	1
17	8. Enteric fever M	197		1	1	4	4	10	15	23	19	22	33
	F	169	3	4	2	1	2	12	13	12	35	25	11
18	9. Diarrheal diseases M	390	123	38	15	8	1	185	15	19	21	20	8
	F	344	101	36	25	4	3	169	19	13	10	9	5
19	10. Cholera infantum M	226	162	48	11	4	1	226					
	F	192	125	53	8	5	1	192					
20	11. Malarial fever M	112	6	1		3	3	13	6	7	6	14	7
	F	105	7	4	5	2	1	19	7	3	11	6	5
21	12. Erysipelas M	26	7	1				8	1		1	3	
	F	35	7	1	3			11	1		2	2	3
22	13. Septicæmia M	56	2	1	1	1		5	7	2	4	4	
	F	59	6				1	7	3		1	6	9
23	14. Venereal diseases M	12	5					5				1	
	F	7	2		1			3			1		1
24	15. Others of this group M	18	1					1		1	1	1	1
	F	19	2			1		3	1			1	1
25	General diseases—B	123	53	5		4		62	2	3	2	2	2
26	Males	77	33	5				38	2	1	1		
27	Females	46	20			4		24		2	1	2	2
28	1. Parasitic diseases M	2	1					1	1				
	F	3				2		2					
29	2. Alcoholism M	23											
	F	3											
30	3. Lead poison M	3									1		
	F												
31	4. Other poisons M	16	1	5				6	1				
	F	13				2		2		1	1	2	2
32	5. Inanition M	33	31					31		1			
	F	27	20					20		1			
33	General diseases—C	1,225	785	5	2			792	2		2		
34	Males	706	480	1	1			482			1		
35	Females	519	305	4	1			310	2		1		
36	1. Premature birth M	99	99					99					
	F	68	68					68					
37	2. Stillborn M	259	259					259					
	F	156	156					156					
38	3. Malformation M	20	20					20					
	F	8	6	1				7			1		
39	4. Debility and atrophy M	170	102	1	1			104			1		
	F	135	75	3	1			79	2				
40	5. Old age M	158											
	F	152											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
726	634	602	564	596	707	833	868	857	709	493	264	95	27	227	1
328	301	289	300	306	405	481	501	518	407	275	141	55	10	129	2
398	333	313	264	290	302	352	367	339	302	218	123	40	17	98	3
10	11	10	13	14	25	20	36	26	19	15	10	1		32	4
4	3	6	6	5	18	8	21	15	12	8	4	1		22	5
6	8	4	7	9	7	12	15	11	7	7	6			10	6
82	85	68	48	46	53	67	58	51	49	23	19	8		23	7
38	45	30	24	25	26	34	34	31	22	12	11	6		13	8
44	40	38	24	21	27	33	24	20	27	11	8	2		10	9
	1														10
3								1							11
2	1	4	1	1	1		1							1	
														2	12
														1	
4	3	2			2	1								5	13
6	4	1	1												
															14
	3	1													15
		1	1			1									
		1													16
			1		1	1									
17	13	11	3	11	4	5	3	2	1	2	1			2	17
9	11	8	7	3	4	5	3	3	5		1			2	
8	13	1	11	8	8	14	19	15	11	5	5	3		1	18
13	9	8	8	10	14	5	13	5	18	6	3	2		5	
															19
1	11	11	4	3	6	7	5	3	3	2	1	1		1	20
7	4	6	3	1	4	13	3	7	1	1	3			1	
1			1	1	2	1		6	1						21
1	2	2	1	2		4		2	1	1					
2	1	2	4	1	2	4	5	3	6	1		1		2	22
6	7	7	1	3	2	2	2	2		1					
2			1	1			1	1							23
	1	1													
		1			2	2	1			2	4	1			24
	1			1	1	2	2	1	2	2	1				
6	7	6	6	8	5	2	4	2	2	1				1	25
2	4	5	6	6	3	1	3	2	2					1	26
4	3	1		2	2	1	1			1					27
															28
										1					
	3	2	5	5	3	1	1	1	1					1	29
	1			1	1										
	1						1								30
2		3	1	1			1	1							31
3	1					1									
									1						32
1	1	1		1	1		1								
2			4	4	4	6	24	44	82	118	86	31	16	8	33
2			1	3	2	3	9	26	45	63	39	18	7	5	34
			3	1	2	3	15	18	37	55	47	13	9	3	35
															36
															37
															38
2			1	3	2	2	8	9	14	15	5	2		2	39
			3	1	2	3	9	7	8	11	10				
						1	1	17	31	48	34	16	7	3	40
							6	11	29	44	37	13	9	3	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	2,965	96	32	13	17	8	166	38	81	214	285	277
2	Males	1,341	48	18	7	9	5	87	23	37	65	109	116
3	Females	1,624	48	14	6	8	3	79	15	44	149	176	161
4	1. Rheumatism M	72	3			1		4	5	14	3	3	6
	F	54	1			1		2	4	5	4	4	2
5	2. Scrofula and tabes M	24	8	3		1		12	2	2		1	
	F	34	4	1		1		6		1	2	9	6
6	3. Leprosy M												
	F												
7	4. Consumption M	792	14	6	2	3	3	28	9	9	53	100	100
	F	1,047	26	7	2	3	2	40	4	32	130	160	142
8	5. Hydrocephalus M	31	15	5	3	2		25	2	1	1	1	1
	F	30	12	4	4		1	21	1	2	1	1	1
9	6. Cancer M	228	1	1		1		3		2	1	2	1
	F	262	1	1		1		3			1		5
10	7. Tumor M	24	1	1				2	1	2	3		
	F	31	1			1		2					1
11	8. Anæmia M	14	1		1			2			1		1
	F	15	1					1	1		2	1	2
12	9. Dropsy M	93	3				1	4	1	2	1	1	4
	F	121	2					2	2	3	5		1
13	10. Diabetes M	58	1	1	1	1	1	5	3	5	1	1	3
	F	27		1		1		2	3	1	3		1
14	11. Others of this group M	5	1	1				2			1		
	F	3									1	1	
15	12. Others of this class M												
	F												
16	II.—Diseases of the nervous system	1,685	341	111	51	21	18	542	64	41	51	48	40
17	Males	927	186	57	32	12	8	295	28	18	27	22	19
18	Females	758	155	54	19	9	10	247	36	23	24	26	21
19	1. Inflammation of the brain M	172	58	28	13	6	3	108	14	5	7	6	4
	F	138	42	21	11	3	3	80	14	6	10	4	5
20	2. Apoplexy M	136	4	1	1			6			3	1	3
	F	112							1	3	2	2	2
21	3. Paralysis M	258	3		2			5	1	2	3	5	2
	F	190	3	2		1	1	7	3		4	4	5
22	4. Tetanus and trismus nascentium M	6	4					4					
	F	9	6					6	1				
23	5. Epilepsy M	31	1					1	3	3	5	3	4
	F	23	1					1	2	3		4	3
24	6. Convulsions M	112	81	13	5	3	1	103		1	1	2	
	F	117	80	15	4	3	1	103	3		3	1	
25	7. Mental diseases M	9											
	F	13										2	
26	8. Diseases of the brain M	142	28	12	6	1		47	7	4	3	3	6
	F	79	13	9	4	1	4	31	4	2	2	4	1
27	9. Diseases of the spinal cord M	45	6	3	5	2	4	20	3	3	3	2	
	F	41	8	6			1	15	6	6	2	4	1
28	10. Others of this class M	16	1					1			2		
	F	36	2	1		1		4	2	3	1	1	4
29	III.—Diseases of the circulatory system	1,058	64	5	4	3	4	80	23	28	32	30	24
30	Males	557	38		2	2	3	45	11	11	13	12	10
31	Females	501	26	5	2	1	1	35	12	17	19	18	14
32	1. Angina pectoris M	21											
	F	16									1		
33	2. Aneurism M	5											1
	F	4											
34	3. Diseases of the heart M	514	29		2	2	3	36	11	11	13	12	9
	F	463	15	5	2	1	1	24	12	17	18	17	13
35	4. Others of this class M	17	9					9					
	F	18	11					11				1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
274	202	183	152	166	190	202	180	145	102	40	18	10	.....	40	1
119	90	79	72	61	93	97	95	71	63	22	13	3	.....	26	2
155	112	104	80	105	97	105	85	74	39	18	5	7	.....	14	3
1	3	2	5	2	3	3	4	5	6	1	1	.....	.....	1	4
3	2	1	.....	4	2	5	8	4	2	2	.....	.....	.....	.....	
.....	2	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	5
1	2	.....	1	.....	1	1	1	1	1	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
104	68	55	44	40	34	45	33	30	16	6	.....	.....	.....	18	7
131	82	69	48	48	39	41	28	23	15	4	.....	3	.....	8	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	10	16	13	10	37	29	35	21	22	6	5	2	.....	4	9
12	18	23	26	34	31	36	26	21	8	8	3	4	.....	3	
1	1	1	1	3	3	.....	1	3	.....	1	.....	.....	.....	1	10
1	3	2	1	3	4	2	5	6	.....	1	.....	.....	.....	.....	
.....	.....	.....	1	1	3	2	1	.....	1	1	.....	.....	.....	.....	11
1	.....	1	.....	1	.....	1	2	2	.....	.....	.....	.....	.....	.....	
4	2	2	2	2	7	12	12	10	15	4	6	1	.....	1	12
3	5	6	4	11	14	16	14	15	13	2	2	.....	.....	3	
.....	3	3	6	3	4	4	8	2	3	3	1	.....	.....	.....	13
2	.....	2	.....	2	5	3	1	2	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
47	41	35	50	47	77	112	122	118	123	75	26	9	2	15	16
19	23	14	26	29	42	69	77	72	71	48	18	5	1	4	17
28	18	21	24	18	35	43	45	46	52	27	8	4	1	11	18
1	5	4	4	3	3	2	3	1	2	.....	.....	.....	.....	.....	19
4	4	3	1	2	1	1	.....	1	1	.....	.....	.....	.....	1	
5	4	2	6	7	9	14	16	20	25	10	4	.....	.....	1	20
6	4	3	7	3	14	13	16	10	16	6	.....	.....	.....	4	
5	6	4	7	7	16	31	43	36	35	31	11	5	1	2	21
1	2	6	13	6	16	20	18	25	31	17	7	2	1	2	
.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
1	1	.....	1	3	2	.....	1	1	2	.....	.....	.....	.....	.....	23
4	1	2	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	
.....	.....	1	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	24
1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3	
3	1	.....	1	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	25
5	.....	2	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	
2	4	2	4	5	6	10	13	9	7	6	3	.....	.....	1	26
2	3	3	2	2	1	3	8	3	2	3	1	2	.....	.....	
2	.....	1	2	2	2	3	.....	2	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	3	1	1	.....	1	.....	.....	.....	.....	.....	1	
.....	1	.....	.....	2	3	5	1	1	.....	.....	.....	.....	.....	.....	28
5	2	1	1	1	2	2	2	3	2	.....	.....	.....	.....	.....	
32	32	49	40	76	86	104	101	127	95	49	27	4	2	17	29
15	15	26	18	35	49	60	63	66	52	32	14	3	.....	7	30
17	17	23	22	41	37	44	38	61	43	17	13	1	2	10	31
.....	1	1	.....	1	2	4	1	6	3	1	1	.....	.....	.....	32
.....	.....	1	3	2	2	2	.....	3	.....	2	.....	.....	.....	.....	
.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	33
.....	.....	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	
14	14	25	18	33	45	55	61	58	48	31	12	1	.....	7	34
17	17	21	19	37	34	40	37	56	43	15	13	1	2	10	
1	.....	.....	.....	.....	1	1	1	.....	1	.....	1	2	.....	.....	35
.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,062	526	200	155	85	63	1,029	172	73	121	120	85
2	Males	1,664	295	112	85	51	31	574	82	39	68	67	42
3	Females	1,398	231	88	70	34	32	455	90	34	53	53	43
4	1. Croup M.	197	24	36	37	29	19	145	45	3	2		
	F.	155	24	27	25	15	18	109	38	6			
5	2. Laryngitis M.	7	2		1	1		4		1			1
	F.	2			2			2					
6	3. Bronchitis M.	161	43	13	6	4		66	4	1	2	5	1
	F.	156	33	16	7	3	1	60	6	2	3	7	3
7	4. Pneumonia M.	775	113	46	29	15	8	211	16	22	47	45	23
	F.	602	88	31	25	12	7	163	29	18	33	26	21
8	5. Pleurisy M.	17	2					2				2	3
	F.	16											2
9	6. Asthma M.	29		1				1	1				
	F.	20											1
10	7. Others of this class M.	478	111	16	12	2	4	145	16	12	17	15	14
	F.	447	86	14	11	4	6	121	17	8	17	20	16
11	V.—Diseases of the digestive system	937	148	37	17	12	8	222	38	28	34	33	40
12	Males	511	95	19	8	6	3	131	24	14	24	17	21
13	Females	426	53	18	9	6	5	91	14	14	10	16	19
14	1. Dentition M.	15	10	5				15					
	F.	13	10	2	1			13					
15	2. Angina M.	17	2	3	1	2	1	9	3	1	2		
	F.	19	2	1	2	1	2	8	6	1			2
16	3. Diseases of the stomach M.	94	12	1	1	1		15	3	1	4	4	1
	F.	118	8	6	3	2	1	20	3	2	3	5	4
17	4. Obstruction of the bowels M.	39	7	1	1			9	5	2	5		3
	F.	21	1					1		2	2	1	
18	5. Hernia M.	28	4					4	1			3	2
	F.	16	2					2					
19	6. Other diseases of the bowels M.	27	12	2		1		15	3		1	1	
	F.	17	6	1				7					
20	7. Jaundice M.	19	7					7	1				
	F.	13	2	1				3					
21	8. Inflammation and abscess of the liver. M.	31								1	2	1	1
	F.	19			2			2		1			2
22	9. Other diseases of the liver M.	92	6	1		1		8	2	1		3	6
	F.	54	1			2		3	1			2	2
23	10. Peritonitis M.	56	6	1	1	1		9	4	6	10	3	4
	F.	69		3	1			4	4	7	3	6	9
24	11. Ascites M.	5							1				
	F.	5											
25	12. Others of this class M.	88	29	5	4		2	40	1	2		2	4
	F.	62	21	4		1	2	28		1	2	2	
26	VI.—Diseases of the urinary system and male organs of generation.	497	8		4	2	2	16	7	4	9	22	23
27	Males	374	7		2	1		10	5	3	7	11	16
28	Females	123	1		2	1	2	6	2	1	2	11	7
29	1. Bright's disease M.	181							4	2	4	6	8
	F.	67							1		2	6	3
30	2. Calculus, urinary M.	6											1
	F.	2											
31	3. Diseases of the kidney M.	108	4		1	1		6	1		3	5	6
	F.	97			2	1	2	5	1	1		3	2
32	4. Diseases of the bladder M.	55			1			1		1			1
	F.	6											
33	5. Others of this class M.	24	3					3					
	F.	11	1					1				2	2
34	VII.—Diseases of the female organs of generation.	65								4	4	8	4
35	1. Ovarian tumors F.	12								1	1		
36	2. Ovarian diseases F.	3											
37	3. Uterine tumors F.	6									1		
38	4. Uterine diseases F.	9										1	1
39	5. Others of this class F.	35								3	2	7	3
40	VIII.—Affections connected with pregnancy	296									16	63	74
41	1. Abortion F.	35									4	7	9
42	2. Childbirth F.	114									5	19	23
43	3. Puerperal septicæmia F.	106									5	28	33
44	4. Extra-uterine pregnancy F.	1											
45	5. Others of this class F.	40									2	9	8

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
100	88	94	99	108	122	152	173	186	129	98	47	24	6	36	1
48	40	51	56	59	74	90	91	115	66	46	23	14	2	17	2
52	48	43	43	49	48	62	82	71	63	52	24	10	4	19	3
						1								1	4
														2	
							1								5
4	3	4	7	6	6	8	7	11	12	5	5	3		1	6
3	5	3	5	5	5	7	11	10	4	7	4	4		2	
29	24	29	32	37	43	44	46	62	30	20	2	3	2	8	7
33	26	27	20	28	27	27	35	30	28	12	8	2	1	8	
1		2		1	1	2	2			1					8
			2		3	1		1	4	3					
1	1	1	1	3	2	3	5	6		3	1				9
			1	1		3	9	1	2	2					
13	12	15	16	12	22	32	30	36	24	17	15	8		7	10
16	17	13	15	15	13	24	27	29	25	28	12	4	3	7	
33	29	36	49	48	61	68	65	64	46	20	9	2		11	11
12	16	22	26	26	36	38	29	36	24	6	3	2		4	12
21	13	14	23	22	25	30	36	28	22	14	6	1		7	13
															14
						1								1	15
1							1								
2	4	9	6	2	8	10	9	8	5	1				2	16
5	4	5	11	8	5	7	11	11	6	4	1	1		2	
1	1	2		1	2	2	1	2	2			1			17
1			2	1	5		2	1	1	1				1	
2	1		2		2	1	2	3	4					1	18
			2		5	1	2	2	2						
			2	1				2		2					19
			1			1	2	3	1	2					
	2		2			2	2	1	1	1					20
					2	1	2	1		3	1				
	1	2	3	5	4	4	2	2	2	1					21
2	2			3		2	1		3	1					
2	1	5	7	9	10	14	8	11	4		1				22
2	2	3	3	5	4	8	9	2	6		1			1	
3	2	3	1	1	5	1	1		2		1				23
8	5	3	3	3	2	4	3	3		2					
		1		1						1	1				24
1				1				1		1				1	
2	4		3	6	5	3	4	7	4			1			25
1		3	1	1	2	6	3	4	3		3			2	
11	24	28	23	31	36	49	57	57	40	35	14	2		9	26
5	15	15	16	20	26	42	43	53	34	30	14	2		7	27
6	9	13	7	11	10	7	14	4	6	5				2	28
2	8	10	11	12	16	21	24	20	11	12	5			5	29
4	8	6	3	8	8	4	8	2	1	2				1	
						1	1		3						30
		1					1								
2	7	2	4	6	6	10	8	16	10	9	7				31
2	1	5	3	2	1	2	4	1	2	2					
1		2	1	1	3	9	6	16	4	8	1				32
						1		1	3	1					
		1		1	1	1	4	1	6	1	1	2		2	33
		1	1	1	1		1							1	
5	5	4	12	4	4	2	4	1	1		1			2	34
3			2		2		2				1				35
	1			1				1							36
			2	1		1			1						37
1	2		1		1		2								38
1	2	4	7	2	1	1								2	39
47	49	35	7											5	40
3	6	5	1												41
23	21	15	3											5	42
15	14	8	3												43
1															44
5	8	7													45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	90	17	3	5		2	27	8	7	6	7	5
2	Males	53	15	3	1		1	20	4	2	2	4	3
3	Females	37	2		4		1	7	4	5	4	3	2
4	1. Diseases of the spine M.	42	15	3	1		1	20	3		2	3	3
	F.	31	2		4		1	7	4	4	4	2	1
5	2. Diseases of the bones M.	4								1		1	
	F.	3											
6	3. Diseases of the hip joint M.	6							1	1			
	F.	2										1	1
7	4. Others of this class M.	1											
	F.	1								1			
8	X.—Diseases of the skin	44	6	2	1		1	10		2	2	1	1
9	Males	21	2	2			1	5		2	1	1	
10	Females	23	4		1			5			1		1
11	1. Abscess M.	15	1	1			1	3		1	1	1	
	F.	17	1		1			2			1		1
12	2. Carbuncle M.												
	F.	1											
13	3. Others of this class M.	6	1	1				2		1			
	F.	5	3					3					
14	XI.—Diseases of the absorbent system	15		1		1		2		1	1	2	1
15	Males	7		1		1		2					1
16	Females	8								1	1	2	
17	1. Addison's disease M.	1											
	F.	1									1		
18	2. Diseases of the spleen M.	4				1		1					1
	F.	2										1	
19	3. Others of this class M.	2		1				1					
	F.	5								1		1	
20	XII.—Accidents and injuries	992	73	31	23	19	10	156	53	64	72	101	63
21	Males	761	39	17	12	7	3	78	35	51	59	86	53
22	Females	231	34	14	11	12	7	78	18	13	13	15	10
23	1. Burns and scalds M.	31	3	7	7	2	2	21	2	1			1
	F.	39	2	4	6	6	5	23	8	2		1	1
24	2. Drowned M.	61	1	1	1			3	6	14	12	6	5
	F.	16	1	2	1	1		5	3	3	2	2	
25	3. Exposure and neglect M.	6	1		1			2					
	F.	8	3					3	1			1	1
26	4. Gunshot wounds M.	45							2	5	8	9	2
	F.	2							1				1
27	5. Homicide M.	23							1	1	1	2	3
	F.	3										2	
28	6. Infanticide M.	1	1					1					
	F.												
29	7. Injuries by machinery M.	6							1	1			
	F.												
30	8. Railroad accidents M.	106							1	7	7	25	14
	F.	11				1		1		1		1	3
31	9. Suffocation M.	27	14					14		4		3	2
	F.	15	10	1		1		12					
32	10. Suicide by shooting M.	23									1	8	2
	F.	2											1
33	11. Suicide by drowning M.	2											
	F.	2											1
34	12. Suicide by poison M.	12											1
	F.	5									1	3	
35	13. Other suicides M.	41									1	2	3
	F.	16									1	2	
36	14. Sunstroke M.	18		1				1			2	1	5
	F.	3	1					1					
37	15. Surgical operations M.	14								1	2	1	2
	F.	6								1	2		
38	16. Wounds M.	32	1	2	1	2	1	7	3	3	1	1	1
	F.	4		1				1		1	1		
39	17. Other accidents and injuries M.	313	18	6	2	3		29	19	14	24	28	12
	F.	99	17	6	4	3	2	32	5	5	6	3	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

IOWA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	3	5	1	1	3	4	4	2	3		1				1
1	1	3	1	1	2	3	3	1	1		1				2
2	2	2			1	1	1	1	2						3
1		3	1		1		2	1	1		1				4
1	1	1			1	1	1	1	2						
				1		1									5
1	1	1													
	1				1	1	1								6
						1									7
5	1	3	5	1	3	2	5	1			1			1	8
4		2			1		4	1							9
1	1	1	5	1	2	2	1				1			1	10
3		2			1		3								11
1	1	1	5		1	1	1				1			1	
															12
					1										
1							1	1							13
				1		1									
1	1		1	2		1	2								14
			1	1		1	1								15
1	1			1			1								16
							1								17
			1			1									18
							1								
				1											19
1	1			1											
68	56	46	54	40	38	42	33	33	18	19	5	3	1	27	20
59	49	36	47	35	33	35	28	29	15	8	1	1		23	21
9	7	10	7	5	5	7	5	4	3	11	4	2	1	4	22
1	1	1			1				1					1	23
		1		1										2	
3	3		3	2	1									3	24
							1								
		1		1	1					1					25
					1				1						
4	3		3	3	3			1	1					1	26
1		4	4	2				1	1					2	27
	1														
															28
2		1			1										29
10	9	7	3	3	3	5	2	3	2					5	30
1				1		1				1				1	
	2	1													31
			1	1	1									1	
1	1	1	3		1	1	2	1		1					32
														1	
						1	1								33
			1												
1	3	2			3	2									34
						1									
7	2	5	5	3	3	4	2	1						3	35
2	2	3	1		2	1		2							
2	1	2		1	1	2									36
		1										1			
3		1			1	1		1	1						37
		1	1			1									
4	3		2	2	1	2		1						1	38
						1									
20	21	10	24	18	13	17	21	20	9	6	1	1		6	39
6	4	4	3	2	1	2	4	2	2	10	4	1	1		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	12,037	2,810	829	433	277	188	4,537	563	348	543	602	530
2	Males	6,385	1,575	438	231	138	97	2,479	269	180	243	293	242
3	Females	5,652	1,235	391	202	139	91	2,058	294	168	300	309	288
4	Unknown causes	500	237	31	13	7	6	294	10	5	11	18	6
5	Males	275	133	18	7	5	3	166	5	2	5	6	4
6	Females	225	104	13	6	2	3	128	5	3	6	12	2
	I.—General diseases.												
7	General diseases—A	2,878	767	384	195	133	81	1,560	274	130	162	109	104
8	Males	1,511	419	206	109	55	46	835	127	65	82	61	59
9	Females	1,367	348	178	86	78	35	725	147	65	80	48	45
10	1. Smallpox M	3	1					1			2		
	F	1	1					1					
11	2. Measles M	94	18	17	17	6	1	59	15	5	8	1	1
	F	113	29	24	10	10	4	77	7	2	5		8
12	3. Scarlet fever M	55	6	12	9	7	5	39	12	1	1	1	
	F	50	6	8	1	9	5	29	18	1	1	1	
13	4. Diphtheria M	164	9	24	31	15	19	98	37	13	4	4	1
	F	221	11	16	27	27	17	98	82	22	8	4	1
14	5. Whooping cough M	98	64	19	5	3	2	93	4	1			
	F	109	61	18	12	9		100	5	1			2
15	6. Fever M	13	3	1				4	1	1		1	2
	F	11	2					2			2	2	
16	7. Cerebro-spinal fever M	37	11	5	3	1	2	22	6	2	1	1	
	F	26	7	7	3		1	18			2	1	2
17	8. Enteric fever M	206	1	5	7		2	15	17	20	38	24	27
	F	169	8		4	6		18	9	16	36	14	14
18	9. Diarrheal diseases M	331	117	56	16	9	7	205	13	4	9	7	8
	F	221	85	39	10	5	3	142	7	4	2	9	6
19	10. Cholera infantum M	222	153	50	16	1	1	221					
	F	174	110	52	8	4		174					
20	11. Malarial fever M	203	17	14	5	11	4	51	21	14	16	18	11
	F	197	17	12	9	7	3	48	16	16	21	9	8
21	12. Erysipelas M	15	4	1		1		6			1		2
	F	20	4	2			1	7		1		1	
22	13. Septicæmia M	51	12	1		1	2	16	1	3	2	3	5
	F	35	1		1	1	1	4	2	1	3	5	3
23	14. Venereal diseases M	9	2				1	3				1	1
	F	5	2					2				2	
24	15. Others of this group M	10	1	1				2		1			1
	F	15	4		1			5	1	1			1
25	General diseases—B	88	30	4	6	3	1	44	5			3	2
26	Males	65	21	2	1	1	1	26	2			3	2
27	Females	23	9	2	5	2		18	3				
28	1. Parasitic diseases M	3				1	1	2				1	
	F	3			1	2		3					
29	2. Alcoholism M	19										1	1
	F												
30	3. Lead poison M	3											
	F												
31	4. Other poisons M	16	1	1	1			3	1			1	1
	F	8		1	4			5	1				
32	5. Inanition M	24	20	1				21	1				
	F	12	9	1				10	2				
33	General diseases—C	844	691	3	1	1		696		1			1
34	Males	468	391	2	1			394		1			
35	Females	376	300	1		1		302					1
36	1. Premature birth M	50	50					50					
	F	58	58					58					
37	2. Stillborn M	239	239					239					
	F	151	151					151					
38	3. Malformation M	11	10	1				11					
	F	19	18					18					
39	4. Debility and atrophy M	120	92	1	1			94		1			
	F	96	73	1		1		75					1
40	5. Old age M	48											
	F	52											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
497	478	454	467	487	447	456	471	392	288	170	105	35	17	150	1
220	204	212	257	276	269	271	286	255	172	97	55	17	7	81	2
277	274	242	210	211	178	185	185	137	116	73	50	18	10	69	3
11	10	9	17	16	11	11	15	13	16	6	6	1	2	12	4
3	3	6	14	9	6	7	12	9	5	4	3	1		5	5
8	7	3	3	7	5	4	3	4	11	2	3		2	7	6
88	64	59	49	51	46	44	39	30	26	14	5	3	2	19	7
44	31	22	23	33	24	22	25	21	15	8	1	1	1	11	8
44	33	37	26	18	22	22	14	9	11	6	4	2	1	8	9
															10
1	1	3													11
5	4	2		2	1										
														1	12
2	1	1					1	1						1	13
1		1			2									2	
															14
	1														
	1		1					1						1	15
	1	1	1					1			1				
	1	1		1			2								16
1							1							1	
19	11	6	1	12	4	5	2	2	1	1				1	17
12	10	12	8	7	5	4	1	1			1			1	
8	4	6	7	9	10	9	10	6	8	3		1		4	18
3	2	4	5	4	2	8	8	2	7	2		1	1	2	
														1	19
11	9	4	8	3	8	5	6	7	5	3	1			2	20
15	11	14	9	3	8	8	1	4	2	2		1		1	
	1	1	2	1				1							21
2	2	1	1	1	1	1			1	1					
2	2		3	5	2	3	3	1							22
4	2	2	2	1		1	2	1		1	1				
1			1					1	1						23
														1	
				2			1	1		1			1		24
1					3		1		1		1				
4	4	6	1	8	3	1	2	3	1					1	25
4	3	6	1	7	3	1	2	3	1					1	26
	1			1											27
															28
3	2	2		5	2			2						1	29
	1	1		1											30
1		3		1		1	2	1	1						31
	1			1											
			1		1										32
1		4	2		3	7	6	13	25	33	25	14	6	7	33
1			1		3	3	3	7	16	16	12	5	4	2	34
		4	1			4	3	6	9	17	13	9	2	5	35
															36
															37
															38
														1	
1			1		3	2	2	4	6	3		2		1	39
		4	1			3	1	2	1	2	2	1		3	
						1	1	3	10	13	12	3	4	1	40
						1	2	4	8	15	11	8	2	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		1,985	63	29	9	13	8	122	39	49	142	214	187
2	Males		875	32	19	6	11	5	73	19	23	33	85	69
3	Females		1,110	31	10	3	2	3	49	20	26	109	129	118
4	1. Rheumatism	M	34		1	1	1		3	3	2	2	2	
		F	30			1			1	2	1	3		
5	2. Scrofula and tabes	M	24	8	1	1	1		11	2	1	1		1
		F	24	8	2				10	1	1	3	2	1
6	3. Leprosy	M												
		F												
7	4. Consumption	M	588	15	6	3	4	3	31	4	16	26	81	64
		F	781	13	6		2	1	22	7	17	99	121	108
8	5. Hydrocephalus	M	20	8	7		1	1	17	1		1		
		F	11	6	1	1		1	9		1			
9	6. Cancer	M	101		1				1					2
		F	138	1		1			2	2	1		1	4
10	7. Tumor	M	18				1		1	1			2	2
		F	29	1					1	1	1		1	1
11	8. Anæmia	M	4							1				
		F	7	1					1		1	1	2	
12	9. Dropsy	M	52			1	3	1	5	4	3			
		F	73		1				1	6	1	1	1	4
13	10. Diabetes	M	27		1				1	2	1	2		
		F	13	1					1	1	2	1		
14	11. Others of this group	M	4		2				2	1		1		
		F	4					1	1			1	1	
15	12. Others of this class	M	3	1					1					
		F												
16	II.—Diseases of the nervous system		1,065	266	90	42	25	16	439	44	35	23	22	25
17	Males		583	140	42	26	16	6	230	23	20	12	14	12
18	Females		482	126	48	16	9	10	209	21	15	11	8	13
19	1. Inflammation of the brain	M	126	58	15	11	6	1	91	12	4	1	4	2
		F	117	48	23	4	5	4	84	5	8	4		1
20	2. Apoplexy	M	100	3	1	2			6		1		2	4
		F	50	1					1		1		1	2
21	3. Paralysis	M	115	2		2	1	1	6	1	1	3		1
		F	104		3				3	2	1			4
22	4. Tetanus and trismus nascentium	M	5	2					2		1			
		F	4	2	1				3					
23	5. Epilepsy	M	21							1	2	3	3	
		F	9					1	1		1	2	2	1
24	6. Convulsions	M	66	41	8	4	1	3	57	2	2		2	
		F	48	32	5	4	1		42	2				
25	7. Mental diseases	M	8											2
		F	8											2
26	8. Diseases of the brain	M	83	22	6	6	6		40	4	4	1	2	2
		F	83	31	7	5	2	4	49	5	2	3	2	
27	9. Diseases of the spinal cord	M	43	11	10	1	2	1	25	3	2	3	1	1
		F	38	10	8	3	1	1	23	7	1	1	3	
28	10. Others of this class	M	16	1	2				3		3	1		
		F	21	2	1				3		1	1		3
29	III.—Diseases of the circulatory system		576	47	3		2	3	55	14	12	20	19	14
30	Males		319	35			1	3	39	6	5	9	10	6
31	Females		257	12	3		1		16	8	7	11	9	8
32	1. Angina pectoris	M	10								1			1
		F	7											
33	2. Aneurism	M	5											
		F	6											
34	3. Diseases of the heart	M	289	23			1	3	27	6	4	9	10	5
		F	237	6	2		1		9	8	7	11	9	8
35	4. Others of this class	M	15	12					12					
		F	7	6	1				7					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
153	152	146	142	138	124	94	104	76	41	16	8	2	2	34	1
64	59	59	56	69	71	41	55	48	23	7	3	1	1	16	2
89	93	87	86	69	53	53	49	28	18	9	5	1	1	18	3
1	1	1	3	4	3	2	2	2	2	1					4
1		3	1	6		4	4		1	1	1			1	
1	1	1		2		1	1	1							5
1			1			2	1							1	
															6
55	51	42	38	49	45	16	25	21	11	1				12	7
80	77	56	52	29	31	30	20	11	6	4	1			10	
								1							8
														1	
2	4	10	7	5	16	12	16	14	4	2	2		1	3	9
3	9	16	20	25	15	8	14	7	5	2	2	1		1	
2		1	2	3	2		2								10
2	2	3	4	4		2	3	2	2						
				1	1		1								11
			1										1		
2	2	1	3	2	2	7	8	6	3	3		1			12
2	4	9	5	3	6	7	7	5	4	2	1			4	
1		3	2	2	2	3		3	3		1			1	13
	1		2	1	1			3							
															14
				1											
			1	1											15
21	31	43	41	44	42	60	44	54	42	25	14	1	4	11	16
12	15	21	29	19	27	35	26	33	23	16	9	1	1	5	17
9	16	22	12	25	15	25	18	21	19	9	5		3	6	18
1		2	1	1	2	3	1							1	19
1	4	4		3	1	1	1								
2	2	8	13	6	9	14	9	11	7	3	3				20
2	1	4	3	7	3	6	1	6	5	3	2			2	
4	3	5	5	9	5	11	9	17	16	11	5	1	1	1	21
2	5	5	6	8	8	13	12	11	13	6	1		3	1	
1					1										22
		1													
1	5	2			2	2									23
	1			1											
	2													1	24
	1	2												1	
			3			2								1	25
1			1	1		2					1				
2	3	2	3	2	7	2	4	3		2					26
2	3	2	2	3	3	1	2	3						1	
1		1	2	1	1			1						1	27
		2		1											
		1	2			1	3	1			1				28
1	1	2		1		2	2	1	1		1			1	
31	21	24	29	54	45	55	66	46	34	17	4			16	29
14	7	7	14	30	25	37	39	32	21	9	2			7	30
17	14	17	15	24	20	18	27	14	13	8	2			9	31
	1	1		1	1	1	1		1	1					32
1	1	1			1	1		2							
1				1		2		1							33
1	1		1	2			1								
13	6	6	14	27	24	34	38	31	19	8	2			6	34
15	12	16	14	22	19	17	26	12	13	8	2			9	
				1					1					1	35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system		2,051	475	198	119	58	50	900	108	41	79	69	53
2	Males		1,090	270	105	57	29	23	484	49	15	44	38	26
3	Females		961	205	93	62	29	27	416	59	26	35	31	27
4	1. Croup	M	131	27	21	29	17	15	109	20				
		F	128	23	20	28	13	16	100	27				
5	2. Laryngitis	M	4			1		1	2			1	1	
		F	2		1				1	1				
6	3. Bronchitis	M	80	25	16	1	3		45	1				1
		F	100	33	12	5	4	1	55	3	1	2	1	4
7	4. Pneumonia	M	522	124	47	14	7	4	196	14	9	33	28	17
		F	426	80	43	17	5	7	152	18	16	23	18	15
8	5. Pleurisy	M	11	1					1	1				1
		F	5										1	
9	6. Asthma	M	28	1					1				1	
		F	14				1		1					
10	7. Others of this class	M	314	92	21	12	2	3	130	13	6	10	8	7
		F	286	69	17	12	6	3	107	10	9	10	11	8
11	V.—Diseases of the digestive system		620	124	48	17	13	12	214	18	12	18	20	18
12	Males		338	69	26	6	6	7	114	8	6	8	10	7
13	Females		282	55	22	11	7	5	100	10	6	10	10	11
14	1. Dentition	M	11	5	5				10					
		F	9	4	5				9					
15	2. Angina	M	21	4	5	1	2	2	14	1	2		1	
		F	19		3	4	1	4	12	4	2			
16	3. Diseases of the stomach	M	80	12	7		3	1	23	1		4	3	1
		F	58	7	6	2	2	1	18	1	1	1	4	4
17	4. Obstruction of the bowels	M	29		1	1	1	2	5	2	1	3	2	3
		F	22	6	1				7	2	1	5		1
18	5. Hernia	M	26	3	1				4				1	2
		F	11	3					3					
19	6. Other diseases of the bowels	M	22	8	2	1			11	1			1	
		F	18	5	1	1	2		9			1		
20	7. Jaundice	M	15	5				1	6					1
		F	12	4					4	1			1	
21	8. Inflammation and abscess of the liver.	M	14		1				1				1	
		F	21										2	1
22	9. Other diseases of the liver	M	40	2		2			4	1				
		F	25	1	1	1	1		4		1			2
23	10. Peritonitis	M	15	2					2	2	3	1		1
		F	29	2	1	1	1		5	1	1	3	3	2
24	11. Ascites	M	6	1					1					
		F	11		1				1					
25	12. Others of this class	M	59	27	4	1		1	33				1	
		F	47	23	3	2			28	1				1
26	VI.—Diseases of the urinary system and male organs of generation.		277	10	1	3	1		15	2	6	5	7	9
27	Males		215	7		2	1		10	1	4	3	3	5
28	Females		62	3	1	1			5	1	2	2	4	4
29	1. Bright's disease	M	98								1	3	2	2
		F	31							1	1	1	1	3
30	2. Calculus, urinary	M	7	1					1					
		F	1											
31	3. Diseases of the kidney	M	74	4		1	1		6	1	3		1	3
		F	25	3	1	1			5		1	1	2	
32	4. Diseases of the bladder	M	28	1		1			2					
		F	2										1	1
33	5. Others of this class	M	8	1					1					
		F	3											
34	VII.—Diseases of the female organs of generation.		55								3	4	5	4
35	1. Ovarian tumors	F	5										1	
36	2. Ovarian diseases	F	5									1		1
37	3. Uterine tumors	F	5										1	2
38	4. Uterine diseases	F	7									1		
39	5. Others of this class	F	33								3	2	3	1
40	VIII.—Affections connected with pregnancy		220									22	42	42
41	1. Abortion	F	22									1	5	1
42	2. Childbirth	F	110									12	20	19
43	3. Puerperal septicæmia	F	66									6	10	16
44	4. Extra-uterine pregnancy	F	2									1		
45	5. Others of this class	F	20									2	7	6

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
60	66	58	90	69	81	71	91	75	60	36	27	9	1	7	1
31	30	31	56	35	40	42	48	44	35	21	12	5		4	2
29	36	27	34	34	41	29	43	31	25	15	15	4	1	3	3
		1							1						4
						1									
															5
2	2	2	6		2	4	6	1	4	2	1	1			6
	3	2	2	4	4		5	3	5	2	4				
21	21	18	29	18	27	22	24	23	9	5	5	2		1	7
18	22	18	21	16	25	15	20	11	5	6	5	1		1	
			3	2		1		1						1	8
				1		2	1								
1		2	2	4	3	3	2	4	4		1				9
		1		1	2	1	3	2	1		1	1			
7	7	8	16	11	8	12	16	15	17	14	5	2		2	10
11	11	6	11	12	10	10	14	15	14	7	5	2	1	2	
22	24	20	31	45	24	45	35	29	19	10	6	2		8	11
6	13	12	18	22	14	29	21	17	13	8	4	1		7	12
16	11	8	13	23	10	16	14	12	6	2	2	1		1	13
														1	14
	1						2								15
				1											
1	2	4	4	4	4	7	7	6	5	3	1				16
2	5	2	1	1	3	5	4	4			2				
1	1			2	2	5	1	1						1	17
	1		1		1		1	2							
	1	1	1	2	2	4	1	3	3	1					18
			1	2		3		1		1					
1		1	1	2		2					2				19
	1			4		1	1	1							
	3			1		2				2					20
1			2		2		1								
	1	1	2	2	2		3	1							21
2	1	1	3	4	1	3	1	2							
1	4	1	4	6	2	3	4	2	4	1		1		2	22
2	1		2	2	2	1	2	2	2	1				1	
2		1	1	1					1						23
6		2	1	5											
		1				2	1							1	24
1	1		1	1	1	2			3						
		2	5	2	2	4	2	4		1	1			2	25
2	1	3	1	3		1	4		1			1			
13	17	11	13	23	28	25	38	33	16	6	6	2		2	26
4	9	6	8	20	26	23	33	31	15	5	6	1		2	27
9	8	5	5	3	2	2	5	2	1	1		1			28
4	5	4	5	11	13	15	14	11	5	1		1		1	29
6	5	4	1	2	2	2	1	1							
		1		2			2				1				30
		1													
	4	1	3	5	10	6	8	11	7	2	2			1	31
1	2		4	1			4	1	1	1		1			
				2	2	2	7	8	3	1	1				32
					1		2	1		1	2				33
2	1														
3	10	6	7	3	4	3	2							1	34
			1		2		1								35
1				1			1								36
1						1									37
	4	1			1										38
1	6	5	6	2	1	2								1	39
44	39	20	5											6	40
2	6	5	1											1	41
26	18	9	3											3	42
13	14	5	1											1	43
1															44
2	1	1												1	45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	64	24	5	1	1	1	32	8	2	6	1	2
2	Males	40	19	2		1		22	5		3		1
3	Females	24	5	3	1		1	10	3	2	3	1	1
4	1. Diseases of the spine M	33	18	2		1		21	4		3		
	F	19	5	3	1		1	10	2	2	2		1
5	2. Diseases of the bones M	3	1					1					
	F	1											
6	3. Diseases of the hip joint M	2											1
	F	3							1			1	
7	4. Others of this class M	2							1				
	F	1									1		
8	X.—Diseases of the skin	26	6	1	1	1	1	10		1	2	2	1
9	Males	14	4	1		1	1	7			1	1	
10	Females	12	2		1			3		1	1	1	1
11	1. Abscess M	8	2	1			1	4			1	1	
	F	7	1		1			2		1	1		1
12	2. Carbuncle M	3	1					1					
	F	1											
13	3. Others of this class M	3	1			1		2					
	F	4	1					1				1	
14	XI.—Diseases of the absorbent system	8	1					1					
15	Males	6	1					1					
16	Females	2											
17	1. Addison's disease M	1											
	F												
18	2. Diseases of the spleen M	4	1					1					
	F	2											
19	3. Others of this class M	1											
	F												
20	XII.—Accidents and injuries	780	69	32	26	19	9	155	41	51	49	71	62
21	Males	586	34	15	16	11	2	78	24	39	43	62	51
22	Females	194	35	17	10	8	7	77	17	12	6	9	11
23	1. Burns and scalds M	22	4	6	4	2		16	1		1	1	
	F	31	1	2	2	4	4	13	8	3		2	
24	2. Drowned M	50		1	3	3		7	4	13	5	7	4
	F	22		2	2	2		6	1	6	1	2	
25	3. Exposure and neglect M	6	2					2					
	F	13	7	1	1			9				1	
26	4. Gunshot wounds M	52	1		1			2	1	7	8	6	4
	F	6							2	2			1
27	5. Homicide M	30								1	3	8	3
	F	4			1			1					2
28	6. Infanticide M												
	F												
29	7. Injuries by machinery M												
	F												
30	8. Railroad accidents M	80		1			1	2		2	3	12	15
	F	6	1		1			2			1		
31	9. Suffocation M	16	11			1		12		1	1		
	F	17	14	1	1		1	17					
32	10. Suicide by shooting M	21									4	6	1
	F	2											1
33	11. Suicide by drowning M	4											
	F	3											
34	12. Suicide by poison M	6											1
	F	2											
35	13. Other suicides M	34										3	2
	F	3										1	
36	14. Sunstroke M	6	1					1					
	F												
37	15. Surgical operations M	6	1	1				2			1		
	F	4											
38	16. Wounds M	20	1					1		1	1	1	3
	F	2	1					1					
39	17. Other accidents and injuries M	233	13	6	8	5	1	33	18	14	16	18	18
	F	79	11	11	2	2	2	28	6	1	4	3	7

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KANSAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	2	2	1	2	1	1	1	1				1			1
1	2	1		2		1		1				1			2
		1	1		1		1								3
	2			2		1									4
			1		1										
								1				1			5
							1								
		1													6
		1													
1															7
1					2		4	1	1					1	8
1					1		1		1					1	9
					1		3	1							10
					1									1	11
							2								
1							1								12
							1								
									1						13
					1			1							
	1		2	2		1	1								14
	1		1	1		1	1								15
			1	1											16
			1												17
	1			1		1									18
			1	1											
							1								19
44	37	46	37	32	33	38	23	18	7	7	4			35	20
35	31	41	36	29	29	29	20	9	4	3	3			30	21
9	6	5	1	3	4	9	3	9	3	4	1			5	22
1		2													23
	1				1		1			1				1	
	1	2	3		1		1							2	24
1					1			1						3	
						1				1	1			1	25
								1	1	1					
4	6	6	3		1	1		1		1				1	26
						1									
3		5		4	1		1							1	27
		1													
															28
															29
9	5	8	7	4	5	4	2	1						1	30
1						1	1								
	1						1								31
1	1	1	3		2	2									32
						1									
	1	1			1		1								33
	2			1											
1	1		2			1									34
1	1														
2	2	3	3	5	2	7	2	1	1					1	35
						1								1	
1	1			1	2										36
					2	1									37
		2				2									
		1	3	2	1	2	1	1						2	38
					1										
13	12	12	12	13	11	10	11	5	3	1	2			11	39
6	2	2	1	2	1	3	1	7	2	2	1				

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	23,877	4,876	1,596	897	566	426	8,361	1,165	780	1,211	1,570	1,276
2	Males	12,584	2,778	863	478	294	220	4,633	586	384	558	783	614
3	Females	11,293	2,098	733	419	272	206	3,728	579	396	653	787	662
4	Unknown causes	1,208	490	73	45	18	24	650	43	25	33	28	27
5	Males	628	281	41	25	11	17	375	19	10	8	15	11
6	Females	580	209	32	20	7	7	275	24	15	25	13	16
	I.—General diseases.												
7	General diseases—A	5,593	1,025	744	385	236	219	2,609	556	282	324	346	221
8	Males	2,909	555	379	202	128	108	1,372	259	124	167	184	117
9	Females	2,684	470	365	183	108	111	1,237	297	158	157	162	104
10	1. Smallpox M	1	1					1					
	1. Smallpox F												
11	2. Measles M	245	59	43	29	12	6	149	21	16	15	18	8
	2. Measles F	268	43	44	29	11	13	140	26	13	20	13	7
12	3. Scarlet fever M	58	7	12	9	5	10	43	11	3	1		
	3. Scarlet fever F	49	2	11	4	7	5	29	15	2	2		
13	4. Diphtheria M	265	28	36	33	32	35	164	73	19	3	1	2
	4. Diphtheria F	279	18	22	37	33	41	151	106	16	1	2	
14	5. Whooping cough M	250	115	48	34	21	7	225	16	3	1		
	5. Whooping cough F	289	135	70	26	20	12	263	16	5	1		
15	6. Fever M	83	10	15	3	4	1	33	9		3	6	7
	6. Fever F	95	14	11	4	2	2	33	5	4	6	12	4
16	7. Cerebro-spinal fever M	84	17	14	4	6	4	45	17	6	7	5	1
	7. Cerebro-spinal fever F	87	16	14	6	4	2	42	16	13	7	5	2
17	8. Enteric fever M	573	12	8	9	11	10	50	21	41	82	110	59
	8. Enteric fever F	473	9	10	6	4	8	37	38	60	73	81	48
18	9. Diarrheal diseases M	750	153	143	57	27	21	401	64	23	20	20	12
	9. Diarrheal diseases F	615	122	115	49	21	15	322	49	20	17	14	12
19	10. Cholera infantum M	161	110	37	7	1	5	160					
	10. Cholera infantum F	145	84	49	10		1	144					
20	11. Malarial fever M	266	23	17	10	7	7	64	18	10	25	11	18
	11. Malarial fever F	248	14	15	7	6	11	53	18	21	22	24	21
21	12. Erysipelas M	55	8	3	3			14	2	2	2		4
	12. Erysipelas F	48	6	1	1		1	9	5		3		
22	13. Septicæmia M	48	4			1	2	7	4		3	5	5
	13. Septicæmia F	45	2	1	2			5	1	1	3	9	8
23	14. Venereal diseases M	41	6		2	1		9			4	5	
	14. Venereal diseases F	16	3		2			5				1	1
24	15. Others of this group M	29	2	3	2			7	3	1	1	3	1
	15. Others of this group F	27	2	2				4	2	3	2	1	1
25	General diseases—B	427	259	30	12	14	6	321	9	3	4	12	9
26	Males	254	142	14	8	7	3	174	4	3	1	7	6
27	Females	173	117	16	4	7	3	147	5		3	5	3
28	1. Parasitic diseases M	14	1	1	4	5	1	12	1	1			
	1. Parasitic diseases F	14	1	2	2	3	1	9	4		1		
29	2. Alcoholism M	44										3	3
	2. Alcoholism F	2											1
30	3. Lead poison M	2								1		1	
	3. Lead poison F												
31	4. Other poisons M	32	3	1	3		2	9	2			3	3
	4. Other poisons F	20	4	1	2	1		8			1	3	2
32	5. Inanition M	162	138	12	1	2		153	1	1	1		
	5. Inanition F	137	112	13		3	2	130	1		1	2	
33	General diseases—C	1,858	1,264	10	2	3	1	1,280	5	6	1	1	1
34	Males	1,024	752	5		1		758		3	1		1
35	Females	834	512	5	2	2	1	522	5	3		1	
36	1. Premature birth M	66	66					66					
	1. Premature birth F	49	49					49					
37	2. Stillborn M	523	523					523					
	2. Stillborn F	335	335					335					
38	3. Malformation M	14	10	2		1		13		1			
	3. Malformation F	16	13	1		1		15	1				
39	4. Debility and atrophy M	234	153	3				156		2	1		1
	4. Debility and atrophy F	208	115	4	2	1	1	123	4	3		1	
40	5. Old age M	187											
	5. Old age F	226											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
983	981	834	747	762	644	838	795	863	686	515	268	95	63	440	1
462	470	396	392	404	366	453	447	512	385	296	144	46	17	236	2
521	511	438	355	358	278	385	348	351	301	219	124	49	46	204	3
29	29	21	26	19	21	38	35	31	24	30	11	5	4	79	4
8	12	10	10	7	9	18	23	20	10	19	5	.....	1	38	5
21	17	11	16	12	12	20	12	11	14	11	6	5	3	41	6
168	166	128	99	107	71	111	94	94	58	48	25	7	.....	79	7
82	92	63	57	56	36	65	47	55	37	28	14	5	.....	49	8
86	74	65	42	51	35	46	47	39	21	20	11	2	.....	30	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
4	3	2	.....	3	1	.....	1	.....	.....	1	.....	1	.....	2	11
12	6	11	2	4	5	.....	3	2	1	.....	.....	.....	.....	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13
.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	3	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	
2	4	1	2	5	2	.....	3	2	1	.....	.....	2	.....	1	15
6	6	4	1	2	.....	.....	5	2	2	.....	2	1	.....	.....	
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	16
.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
36	51	22	17	14	17	19	12	3	5	3	1	.....	.....	10	17
34	26	16	9	20	5	6	5	4	3	2	1	.....	.....	5	
9	8	24	16	13	8	28	17	29	20	14	3	2	.....	19	18
15	19	13	17	11	15	17	23	19	8	8	7	1	.....	8	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
19	17	10	9	12	4	10	7	15	5	4	4	.....	.....	4	20
8	10	9	5	8	8	15	7	7	2	3	1	.....	.....	6	
1	1	.....	3	1	1	6	2	5	3	3	3	.....	.....	2	21
.....	.....	4	3	3	2	6	2	4	2	4	.....	.....	.....	1	
3	5	1	3	2	2	1	2	.....	2	.....	1	.....	.....	2	22
4	5	2	2	.....	.....	1	1	1	1	.....	.....	.....	.....	1	
6	3	1	2	5	1	.....	1	1	.....	.....	.....	.....	.....	3	23
4	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	
1	.....	1	3	1	.....	.....	1	.....	1	3	1	.....	.....	1	24
2	1	4	1	1	.....	.....	1	.....	1	3	.....	.....	.....	.....	
8	9	6	8	5	6	5	6	2	3	3	1	.....	.....	7	25
5	8	6	8	4	6	5	3	2	2	3	1	.....	.....	6	26
3	1	.....	.....	1	.....	.....	3	.....	1	.....	.....	.....	.....	1	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	28
2	6	4	5	4	5	4	2	1	.....	.....	1	.....	.....	4	29
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
3	2	2	3	.....	1	1	1	.....	1	1	.....	.....	.....	.....	31
3	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	2	32
.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	
3	2	2	1	3	9	16	36	71	105	133	96	41	34	12	33
3	1	2	1	2	3	4	14	34	49	63	51	20	9	5	34
.....	1	.....	.....	1	6	12	22	37	56	70	45	21	25	7	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
3	1	2	1	2	3	2	8	12	12	15	6	5	1	1	39
.....	1	.....	.....	1	6	7	12	7	13	15	9	3	1	2	
.....	.....	.....	.....	.....	.....	2	6	22	37	48	45	15	8	4	40
.....	.....	.....	.....	.....	.....	5	10	30	43	55	36	18	24	5	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	4,810	134	95	66	41	38	374	106	157	413	627	534
2	Males	2,089	76	53	36	20	20	205	47	69	125	250	216
3	Females	2,721	58	42	30	21	18	169	59	88	288	377	318
4	1. Rheumatism M	77				1	1	2	1	5	1	2	3
	F	52	1		1			2	2	1	3	6	1
5	2. Scrofula and tabes M	143	13	16	11	7	5	52	8	12	9	15	9
	F	117	8	10	9	4	6	37	10	11	8	8	6
6	3. Leprosy M												
	F												
7	4. Consumption M	1,467	33	21	17	6	7	84	25	45	102	221	192
	F	2,071	29	22	15	11	5	82	35	68	266	350	296
8	5. Hydrocephalus M	62	23	15	4	4	3	49	4	1	4	2	1
	F	39	15	7	3	4	1	30	5				
9	6. Cancer M	134	1		1	1		3	1			2	3
	F	230	1					1			1	4	9
10	7. Tumor M	19								3	1	1	1
	F	29	1					1			1		
11	8. Anæmia M	7	1		1			2					
	F	10										4	1
12	9. Dropsy M	144	3	1	2	1	3	10	6	2	5	7	5
	F	158	1	1	2	1	6	11	6	7	9	5	3
13	10. Diabetes M	26							1	1	3		1
	F	8								1			2
14	11. Others of this group M	9	2				1	3	1				1
	F	7	2	2		1		5	1				
15	12. Others of this class M	1											
	F												
16	II.—Diseases of the nervous system	2,150	586	191	116	53	34	980	116	75	67	66	54
17	Males	1,187	346	114	64	23	17	564	59	38	27	39	29
18	Females	963	240	77	52	30	17	416	57	37	40	27	25
19	1. Inflammation of the brain M	393	149	58	37	13	12	269	34	19	12	16	9
	F	281	81	43	31	17	8	180	23	17	19	11	3
20	2. Apoplexy M	118	6	2				8		1	2	7	2
	F	80									1		1
21	3. Paralysis M	175	2	2	3		1	8				2	2
	F	190	2	4	2	1	1	10	2	1	3	2	3
22	4. Tetanus and trismus nascentium M	41	30					30	1	3	2	1	2
	F	23	19					19			2	1	
23	5. Epilepsy M	49	4	1	1	1		7		4	6	3	7
	F	19	1					1	1	1	2	3	2
24	6. Convulsions M	145	92	24	9	2	2	129	3		2	1	2
	F	123	88	12	1	2	3	106	4	3		1	1
25	7. Mental diseases M	13										1	
	F	16									1		2
26	8. Diseases of the brain M	153	40	21	6		2	69	9	4	1	5	2
	F	117	27	11	7	4	2	51	11	4	9	5	8
27	9. Diseases of the spinal cord M	74	21	6	7	7		41	12	6	2	2	1
	F	84	20	7	11	6	2	46	13	10	2	1	3
28	10. Others of this class M	26	2		1			3		1		1	2
	F	30	2				1	3	3	1	1	3	2
29	III.—Diseases of the circulatory system	983	29	6	4	6	2	47	16	20	24	32	29
30	Males	526	19	4	3	4	2	32	7	12	11	13	9
31	Females	457	10	2	1	2		15	9	8	13	19	20
32	1. Angina pectoris M	9											1
	F	10											
33	2. Aneurism M	6											
	F	5										1	2
34	3. Diseases of the heart M	501	13	4	3	4	2	26	7	11	11	13	8
	F	435	6	2	1	2		11	9	8	13	18	18
35	4. Others of this class M	10	6					6		1			
	F	7	4					4					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
290	361	293	259	250	193	211	177	167	97	69	17	6	8	101	1
168	137	118	101	112	98	108	99	96	49	46	10	3	2	45	2
222	224	175	158	138	95	103	87	71	48	29	7	3	6	56	3
3		4	2	11	4	4	4	16	4	6	1	2		2	4
3	4	2	1	1	3	3	9	1	6	2			1	1	
4	5	1	4	10	4		3	3	2			1		1	5
5	3	6	5	7	1	2	3	2	1	1				1	
															6
148	112	92	81	68	65	67	53	36	24	12	6		1	33	7
201	193	143	106	79	55	49	39	36	21	7		2	3	40	
1	2													1	8
														1	
1	6	10	7	13	13	17	24	19	5	8	1			1	9
6	10	12	28	35	25	30	18	17	10	8	6	1		9	
2	2		3	1	1	2		1	1						10
1	5	4	3	2	3	4	2	2		1					
1	2					1	1								11
1	1			1	2										
6	6	10	4	8	10	14	4	16	9	13	2			7	12
4	6	7	14	12	6	15	16	11	10	10			2	4	
2	4			1	1	2	1	4	4				1		13
		1		1				2			1				
1		1						1		1					14
			1												
															15
						1									
36	43	49	61	69	52	84	93	95	85	50	27	9	4	35	16
22	25	24	33	39	28	41	56	52	44	30	11	5	1	20	17
14	18	25	28	30	24	43	37	43	41	20	16	4	3	15	18
2	3	6	4	7	1	1	1	2	1					6	19
1	2	6	3	1	2	3	1	2	5		1			1	
6	5	10	9	6	10	10	13	10	9	6	2			2	20
4	3	3	8	8	5	7	13	10	6	1	7			3	
1	7	2	8	8	8	19	25	27	24	23	7	2	1	1	21
3	3	7	7	12	10	26	19	27	24	16	6	3	3	3	
1			1												22
	1														
2	3	1	3	3	1	1	1	1	1					5	23
	2	2	1	2	1	1									
2	1		1		1	1								2	24
		1		2		1								4	
1	4	1		1	1	1		3							25
2	2	1	1	1	2			1	1		1			1	
4	1	4	5	8	6	5	13	7	6	1	1			2	26
2	3	1	4	2	3	3	4	1	2		1	1		2	
1			2	3		1	1		1					1	27
1	1	2	1	1	1			1						1	
2	1			3		2	2	2	2		1	3		1	28
1	1	2	3	1		2		1	3	3					
27	55	45	60	83	69	120	97	99	87	37	14	3	3	16	29
11	29	18	37	40	37	63	56	62	45	26	5	1	2	10	30
16	26	27	23	43	32	57	41	37	42	11	9	2	1	6	31
			2	1		1		2		2					32
1		2	1		2		1	1	1	1					
	1		1	1	1	1								1	33
	1						1								
11	28	18	34	38	36	60	56	60	44	23	5	1	2	9	34
15	25	25	22	43	30	57	38	35	41	10	8	2	1	6	
						1			1	1					35
							1	1			1				

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,646	779	326	194	130	74	1,503	194	86	136	161	153
2	Males	2,016	433	185	94	64	40	816	111	37	90	88	88
3	Females	1,630	346	141	100	66	34	687	83	49	46	73	65
4	1. Croup M.	305	151	45	30	23	16	265	34	2		1	
	F.	266	129	34	29	30	14	236	22	2	2		
5	2. Laryngitis M.	10	1	3				4	2				
	F.	2			1			1	1				
6	3. Bronchitis M.	240	69	35	14	6	6	130	10	4	4	4	7
	F.	205	48	15	14	6	2	85	7	3		8	7
7	4. Pneumonia M.	1,116	148	91	42	22	14	317	47	24	76	69	67
	F.	808	118	76	38	26	16	274	39	30	31	49	39
8	5. Pleurisy M.	26	1			1		2	1	1	4	1	1
	F.	20	3					3	1			2	3
9	6. Asthma M.	39		2				2					1
	F.	33	1		1			2					1
10	7. Others of this class M.	280	63	9	8	12	4	96	17	6	6	13	12
	F.	296	47	16	17	4	2	86	13	14	13	14	15
11	V.—Diseases of the digestive system	905	159	62	22	18	9	270	36	20	38	40	39
12	Males	514	89	34	9	6	4	142	25	12	20	26	15
13	Females	391	70	28	13	12	5	128	11	8	18	14	24
14	1. Dentition M.	23	10	13				23					
	F.	22	6	13	1	1		21					
15	2. Angina M.	16	3	3	1			7	3		1	1	1
	F.	28	5	1	4	7	1	18	4	1			
16	3. Diseases of the stomach M.	96	14	10	2	2	2	30	4	3	4	5	
	F.	96	10	4	5	2	1	22		2	5	2	7
17	4. Obstruction of the bowels M.	39	5					5	3	4	6	5	2
	F.	24	3					3	1	2	1	1	1
18	5. Hernia M.	20	2		1		1	4			1	1	
	F.	11	1					1					
19	6. Other diseases of the bowels M.	37	10		1			11	1			3	2
	F.	32	14	1	1		1	17	1		4		1
20	7. Jaundice M.	23	12		1			13	1		1		
	F.	12	5					5					
21	8. Inflammation and abscess of the liver. M.	36	1			1		2					4
	F.	23	2	1				3				2	4
22	9. Other diseases of the liver M.	79	5	2	1			8	2		4	2	1
	F.	47	6	2	1	1		10	3	3	1	1	
23	10. Peritonitis M.	42	2	1		1	1	5	5	3	1	6	2
	F.	38	2	2		1	1	6	1		3	5	11
24	11. Ascites M.	11		1				1	2	1			
	F.	13									2		
25	12. Others of this class M.	92	25	4	2	2		33	4	1	2	3	3
	F.	45	16	4	1		1	22	1		2	3	
26	VI.—Diseases of the urinary system and male organs of generation.	422	9	4	3	3	2	21	12	8	6	14	10
27	Males	307	5	2	2	2	1	12	10	2	3	11	4
28	Females	115	4	2	1	1	1	9	2	6	3	3	6
29	1. Bright's disease M.	140							4	1	2	6	3
	F.	51							1	1	2	2	1
30	2. Calculus, urinary M.	13				1		1				1	
	F.	1								1			
31	3. Diseases of the kidney M.	91	2		2		1	5	5	1	1	3	1
	F.	51	3	2	1	1	1	8	1	3	1	1	4
32	4. Diseases of the bladder M.	27	1					1	1				
	F.	3											1
33	5. Others of this class M.	36	2	2		1		5				1	
	F.	9	1					1		1			
34	VII.—Diseases of the female organs of generation.	84								1	7	8	5
35	1. Ovarian tumors F.	8									1		
36	2. Ovarian diseases F.	5											
37	3. Uterine tumors F.	6											
38	4. Uterine diseases F.	17										3	
39	5. Others of this class F.	48								1	6	5	5
40	VIII.—Affections connected with pregnancy.	298								2	29	61	59
41	1. Abortion F.	25									3	5	6
42	2. Childbirth F.	132								1	12	23	20
43	3. Puerperal septicæmia F.	118									12	29	27
44	4. Extra-uterine pregnancy F.	1											1
45	5. Others of this class F.	22								1	2	4	5

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
125	116	118	108	95	107	129	122	186	128	84	38	11	9	37	1
64	60	60	67	58	70	65	64	108	75	41	25	5	2	22	2
61	56	58	41	37	37	64	58	78	53	43	13	6	7	15	3
1					1									1	4
1	1		1					1							
1		1			2										5
3	7	5	6	4	7	8	8	12	9	9	3				6
7	3	7	3	1	2	16	11	14	13	12	4			2	
43	45	44	45	41	42	41	43	70	50	21	13	1	2	15	7
38	37	34	25	26	23	38	34	40	19	17	3	4		8	
1	1	2	3	3	1		1	1	3						8
	1	3	1	3			1	1			1				
	1	2	3	2	2	6	4	7	3	5	1				9
		1	3	2	4	4	4	4	5		1		1	1	
15	6	6	10	8	15	10	8	18	10	6	8	4		6	10
15	14	13	8	5	8	6	8	18	16	14	4	2	6	4	
34	46	40	35	48	48	50	50	33	34	18	9	5		12	11
16	23	25	20	32	30	26	35	14	25	12	4	4		8	12
18	23	15	15	16	18	24	15	19	9	6	5	1		4	13
															14
														1	
			1		1							1			15
						2	1	1	1						
1	4	5	1	9	7	5	7	2	4	2				3	16
8	7	3	4	5	3	8	7	3	3	4	2			1	
2	1	3	1			2	2		3						17
2		2	1	1	1	2	1	2		1	1	1			
			2	2		2	2	1	1	2	1	1			18
1	1		1	1	2	4									
	4	1			1		3	2	8	1					19
1	2	1	1	1		1			2						
2	1		1	1	1	1			1						20
2			1		1	1		1						1	
1	3	2	6	3	3	2	6	2	2						21
		2	3		2	1	1	3			2				
3	7	7	4	8	9	9	6	1	3	3				2	22
1	5	2	3	1	6	3	3	2	2					1	
4	2	4	2	1	3		1	1		1	1				23
3	3	1		3	1			1							
1			1	1	2									2	24
	3	2		2		1	2	1							
2	1	3	1	7	3	5	8	5	3	3	2	2		1	25
	2	2	1	2	2	1		5	1	1					
16	14	21	17	26	31	38	41	54	39	25	13	1		15	26
11	10	7	11	20	22	31	33	46	33	21	10	1		9	27
5	4	14	6	6	9	7	8	8	6	4	3			6	28
7	5	2	4	11	12	17	19	17	14	7	5	1		3	29
3	2	9	3	3	6	4	4	3	2	2	1			2	
	1			1	1	1	2	4	1						30
3	3	3	6	8	5	5	8	12	10	6	3			3	31
1	2	5	3	2	2	3	3	3	4	1	2			2	
		1	1		3	2	1	11	3	2	1				32
				1	1										
1	1	1			1	6	3	2	5	6	1			3	33
1							1	2		1				2	
5	5	15	10	9	3	2	5	2	2	1				4	34
1		2		1	1		2								35
2		1	1				1								36
1		2	1	1			1								37
		3	2	1	1	2		1	1	1				2	38
1	5	7	6	6	1		1	1	1					2	39
60	43	24	9						1					10	40
6	1	3	1												41
31	22	15	5											3	42
16	17	6	3						1					7	43
															44
7	3														45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		171	50	19	9	12	3	93	15	11	11	8	7
2	Males		100	28	9	7	7	1	52	10	7	6	3	6
3	Females		71	22	10	2	5	2	41	5	4	5	5	1
4	1. Diseases of the spine	M	93	28	9	7	7	1	52	9	6	5	3	5
		F	60	21	10	2	5	2	40	4	3	5	1	
5	2. Diseases of the bones	M	1											
		F	2											1
6	3. Diseases of the hip joint	M	1									1		
		F	8	1					1	1	1		4	
7	4. Others of this class	M	5							1	1			1
		F	1											
8	X.—Diseases of the skin		51	9	7	3			19	2	1	1		
9	Males		33	6	3	3			12	1	1	1		
10	Females		18	3	4				7	1				
11	1. Abscess	M	16	3	2	1			6			1		
		F	10	1	1				2	1				
12	2. Carbuncle	M	6											
		F	3	1	1				2					
13	3. Others of this class	M	11	3	1	2			6	1	1			
		F	5	1	2				3					
14	XI.—Diseases of the absorbent system		9								2			1
15	Males		4											1
16	Females		5								2			
17	1. Addison's disease	M												
		F	1											
18	2. Diseases of the spleen	M	1											1
		F	3								2			
19	3. Others of this class	M	3											
		F	1											
20	XII.—Accidents and injuries		1,262	83	29	36	32	14	194	55	81	117	166	127
21	Males		993	46	20	25	21	7	119	34	66	98	147	111
22	Females		269	37	9	11	11	7	75	21	15	19	19	16
23	1. Burns and scalds	M	54	2	11	8	8	5	34	7			1	3
		F	61	4	4	6	7	4	25	12	7	3	5	
24	2. Drowned	M	106		2	7			9	8	11	14	22	14
		F	11				1	1	2	2		2	3	
25	3. Exposure and neglect	M	22	8	2	2			12		1	1		1
		F	12	3	2	1			6		1	3	1	
26	4. Gunshot wounds	M	136	1	1				2	5	8	27	28	23
		F	4								1			1
27	5. Homicide	M	82								2	3	14	18
		F	6	1					1			1	2	
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M	3									1		
		F												
30	8. Railroad accidents	M	118				1		1	3	5	13	25	21
		F	9							1			1	2
31	9. Suffocation	M	20	11		1	1		13		1		1	2
		F	18	14	1				15					
32	10. Suicide by shooting	M	12									1	2	2
		F	3									1	1	1
33	11. Suicide by drowning	M	5										1	
		F	1										1	
34	12. Suicide by poison	M	3											
		F	7								1	3		1
35	13. Other suicides	M	28										3	1
		F	6									1		1
36	14. Sunstroke	M	7										1	2
		F	2											
37	15. Surgical operations	M	7	1					1				4	
		F	5	1					1					2
38	16. Wounds	M	20	2					2	2	2	4	2	2
		F	7	1					1					
39	17. Other accidents and injuries	M	370	21	4	7	11	2	45	9	36	34	43	22
		F	117	13	2	4	3	2	24	6	5	5	5	8

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

KENTUCKY—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	2	4	1	3	1	3	5	1	1					2	1
2	2	2	1	1	1	2	3	1						1	2
1		2		2		1	2		1					1	3
1	2	2	1		1	1	3	1						1	4
		2		2			1		1					1	
				1											5
1															
															6
						1									
1						1									7
							1								
2	3		2	5	1	3	3	4		2	2			1	8
1	1		2	3		2	2	3		2	1			1	9
1	2			2	1	1	1	1			1				10
1	1		1	1		2		2						1	11
1	1				1	1	1	1			1				
				2			1	1		1	1				12
				1											
			1				1			1					13
	1			1											
		1	2	1		1	1								14
		1	1				1								15
			1	1		1									16
															17
			1												
															18
				1											
		1	1				1								19
						1									
77	87	67	49	39	32	27	30	24	22	15	15	7	1	30	20
69	70	60	43	30	26	23	20	19	16	11	7	2		22	21
8	17	7	6	9	6	4	10	5	6	4	8	5	1	8	22
4	1	1			1				1	1					23
1		1			2	1				2	1	1			
10	4	7	3	1		2	1								24
				1	1										
	1	1			1		1		1	2					25
							1								
12	9	7	4	2	2	1	2		1					3	26
	2														
9	10	7	5	3		1	2	1		1				6	27
				1										1	
															28
	1							1							29
10	9	8	3	1	4	3	1	2	2	2	1			4	30
1	1		1				1	1							
	1						1	1							31
				2										1	
1	1	1	2		1			1							32
		1	1	2											33
			1				1		1						34
	2														
1	2	3	3	4	1	2	2	3	1	1		1			35
	1			2										1	
	1	1					1			1					36
		1							1						
						1	1								37
	2														
	1	1	1	1		2									38
			1			1	1		1	1	1				
22	29	22	20	16	16	11	7	10	9	3	6	1		9	39
6	9	5	4	3	3	2	7	4	4	1	6	4	1	5	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	16,354	3,673	854	579	345	235	5,686	684	494	833	910	774
2	Males	8,885	2,060	461	313	171	131	3,136	353	259	423	507	420
3	Females	7,469	1,613	393	266	174	104	2,550	331	235	410	403	354
4	Unknown causes	981	307	89	50	30	19	495	64	28	32	35	23
5	Males	509	181	48	29	14	12	284	35	12	10	14	9
6	Females	472	126	41	21	16	7	211	29	16	22	21	14
7	I.—General diseases. General diseases—A	3,974	887	366	267	163	118	1,801	328	205	251	217	153
8	Males	2,174	494	202	151	85	61	993	159	94	133	142	84
9	Females	1,800	393	164	116	78	57	808	169	111	118	75	69
10	1. Smallpox M	3											
	F												
11	2. Measles M	136	28	26	12	7	10	83	11	9	8	10	4
	F	103	20	15	11	5	3	54	9	11	7	4	3
12	3. Scarlet fever M	7		1	2	1		4	2				
	F	9		1	2			3			1		
13	4. Diphtheria M	87	7	7	19	14	7	54	23	4	1	1	
	F	100	4	12	10	13	15	54	31	6	4		
14	5. Whooping cough M	62	26	8	11	3	2	50	6	3	1	1	
	F	66	28	10	10	6	2	56	2	3			
15	6. Fever M	115	37	17	3	8	3	68	14	5	6	3	2
	F	104	31	12	7	8	3	61	8	4	4	1	3
16	7. Cerebro-spinal fever M	25	3	3	3	1		10	3	2	3	3	
	F	12	3	1		1		5	2	1	1	1	
17	8. Enteric fever M	170	8	4	5	3	4	24	7	19	28	31	11
	F	149	5	8	6	6		25	12	22	35	10	12
18	9. Diarrheal diseases M	644	162	64	42	16	11	295	20	7	19	37	27
	F	488	115	53	31	16	15	230	29	9	9	13	14
19	10. Cholera infantum M	174	130	29	11	4		174					
	F	147	111	23	9	4		147					
20	11. Malarial fever M	654	79	41	40	25	24	209	69	43	60	50	34
	F	550	60	29	29	19	19	156	73	53	54	42	30
21	12. Erysipelas M	21	5		1			6			1	1	
	F	18	6					6		1	1		1
22	13. Septicæmia M	27			1	3		4	1		3	2	2
	F	26	2		1			3		1	2	3	4
23	14. Venereal diseases M	23	5					5	1		1	2	3
	F	13	6					6				1	1
24	15. Others of this group M	26	4	2	1			7	2	2	2	1	1
	F	15	2					2	3				1
25	General diseases—B	244	82	10	10	11	11	124	11	5	2	6	4
26	Males	147	43	5	2	7	9	66	6	3	2	2	
27	Females	97	39	5	8	4	2	58	5	2		4	4
28	1. Parasitic diseases M	21	2	2	1	5	7	17	4				
	F	20	2	2	5	3	2	14	4	1			
29	2. Alcoholism M	51										1	
	F	10											2
30	3. Lead poison M	3											
	F	1											
31	4. Other poisons M	24	3		1	1	2	7	2	2	2	1	
	F	15	2		1			3	1	1		4	1
32	5. Inanition M	48	38	3		1		42		1			
	F	51	35	3	2	1		41					1
33	General diseases—C	1,893	1,180	25	13	3	1	1,222	4	2	4	4	7
34	Males	964	656	15	6			677	2		1	3	5
35	Females	929	524	10	7	3	1	545	2	2	3	1	2
36	1. Premature birth M	54	54					54					
	F	43	43					43					
37	2. Stillborn M	393	393					393					
	F	327	327					327					
38	3. Malformation M	5	5					5					
	F	4	4					4					
39	4. Debility and atrophy M	421	204	15	6			225	2		1	3	5
	F	424	150	10	7	3	1	171	2	2	3	1	2
40	5. Old age M	91											
	F	131											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.												
1	General diseases—D	2,242	61	21	15	14	7	118	38	48	149	255	211
2	Males	1,136	41	8	8	6	2	65	16	16	67	126	113
3	Females	1,106	20	13	7	8	5	53	22	32	82	129	98
4	1. Rheumatism M	36								1	2	1	2
	F	23							1		2		1
5	2. Scrofula and tabes M	24	5	2	1			8	2	2	1	3	1
	F	17	4		1	2	1	8	1	1	1		1
6	3. Leprosy M	3											
	F	1											
7	4. Consumption M	792	10	3	4	3	1	21	8	7	53	110	100
	F	724	8	6	1	3	3	21	8	26	70	115	86
8	5. Hydrocephalus M	20	13	1	1			15	1			2	
	F	12	3	4	1	2		10					
9	6. Cancer M	84				1		1	1	1	2	2	5
	F	181		1		1	1	3			2	2	5
10	7. Tumor M	16	1					1		2	1	1	1
	F	4			1			1	1				
11	8. Anæmia M	11	5					5	1	1	2		
	F	13	2					2	1		1	1	1
12	9. Dropsy M	127	5	2	1	2	1	11	3	2	5	6	3
	F	125	3	2	3			8	10	5	5	10	4
13	10. Diabetes M	15											
	F	5									1	1	
14	11. Others of this group M	8	2		1			3			1	1	1
	F	1											
15	12. Others of this class M												
	F												
16	II.—Diseases of the nervous system	1,535	540	79	71	33	21	744	66	29	49	32	32
17	Males	865	322	44	39	17	13	435	30	18	23	19	15
18	Females	670	218	35	32	16	8	309	36	11	26	13	17
19	1. Inflammation of the brain M	124	39	16	10	6	4	75	9	6	8	3	4
	F	88	24	8	12	4	1	49	10	3	7	4	5
20	2. Apoplexy M	112		1				1			1	1	1
	F	109	1	1				2			1	2	3
21	3. Paralysis M	78	1	2		1		4	1		2	1	
	F	56			1			1	1		2	1	3
22	4. Tetanus and trismus nascentium M	189	170	3		1	2	176	1	2	2		1
	F	110	98				1	99	2	3	2		
23	5. Epilepsy M	15	1					1		2	1	4	2
	F	17	1					1	1		2	2	1
24	6. Convulsions M	131	79	11	16	7	2	115	5	2	3	1	2
	F	110	66	18	8	8	3	103	3		1		1
25	7. Mental diseases M	12										1	
	F	13									1		
26	8. Diseases of the brain M	173	28	11	10	2	3	54	14	5	6	7	4
	F	138	27	8	8	2	3	49	16	4	6	3	3
27	9. Diseases of the spinal cord M	20	3		3		1	7				1	
	F	19	1		3	1		5	1	1	3	1	
28	10. Others of this class M	11	1				1	2		1			1
	F	10							2		1		1
29	III.—Diseases of the circulatory system	846	28	6	2	1	2	39	6	14	19	22	34
30	Males	419	19	4	1		1	25	3	5	10	7	17
31	Females	427	9	2	1	1	1	14	3	9	9	15	17
32	1. Angina pectoris M	6											1
	F	3										1	
33	2. Aneurism M	10											
	F	8										2	
34	3. Diseases of the heart M	382	4	2	1		1	8	3	5	10	7	15
	F	405	2	1		1	1	5	3	9	8	12	17
35	4. Others of this class M	21	15	2				17					1
	F	11	7	1	1			9			1		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
230	199	164	160	171	128	106	97	69	34	30	4	4	5	22	1
109	103	79	85	98	67	57	53	32	20	13	2	2	3	10	2
121	96	85	75	73	61	49	44	37	14	17	2	2	2	12	3
1	1		3	4	2	3	4	5	3	3		1			4
2	2	2		2		1	2	4		2			2		
	4			2		1									5
	2		1					2							
			1		1		1								6
										1					
100	85	69	59	64	42	26	24	9	3	2	1	1		8	7
99	72	58	41	31	32	20	15	11	5	6				8	
	1						1								8
1						1									
1	2	4	9	12	10	10	8	7	7	2					9
10	11	18	26	30	17	17	14	9	7	4	1	2		3	
1		1	1	4	1	1	1								10
		1								1					
	1			1											11
1	2			1		2	1								
5	6	4	10	8	9	14	14	10	6	6	1		3	1	12
7	7	6	6	9	12	7	11	11	2	3	1			1	
1	3	1	2	3	2	1			1					1	13
			1			1	1								
						1		1							14
1															
															15
34	58	53	64	61	51	68	67	42	40	25	8	5		7	16
19	35	29	41	28	35	39	38	21	19	12	3	3		3	17
15	23	24	23	33	16	29	29	21	21	13	5	2		4	18
3	2	3	3	3	2		1		1	1					19
2	4	2	2												
2	11	6	10	4	13	19	22	5	10	4	1	1			20
3	3	6	7	16	9	15	14	10	10	5	3				
1	8	4	10	4	8	7	7	12	3	3	2	1			21
	1	2	2	9	3	8	8	2	5	5	1	2			
1	2	1	1	1					1						22
1	1		1	1											
3			1											1	23
1	1	4	2	1			1								
	1	1												1	24
			1											1	
	1	1	3	4			1		1						25
	3	2	1	1		1	1	2		1					
5	8	9	10	9	11	13	6	4	2	4		1		1	26
5	8	6	6	5	2	5	4	5	5	2	1			3	
2	2	4		2	1				1						27
2	2		1		2				1						
2			3	1			1								28
1		2					1	2							
37	52	52	67	81	59	100	90	68	53	33	9	1	3	7	29
22	20	27	37	38	31	48	47	28	29	17	5		1	2	30
15	32	25	30	43	28	52	43	40	24	16	4	1	2	5	31
			2	1			2								32
				1	1										
		1	1	4		2	1	1							33
1	1		2			1	1								
22	20	26	34	32	31	46	44	27	28	16	5		1	2	34
14	31	25	28	42	27	51	42	40	24	16	4	1	2	4	
				1					1	1					35
														1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
732	795	652	657	698	541	674	590	485	394	291	126	85	81	172	1
387	427	362	390	416	314	374	321	247	214	133	50	38	25	89	2
345	368	290	267	282	227	300	269	238	180	158	76	47	56	83	3
23	21	28	22	16	18	33	22	14	19	17	11	9	4	47	4
8	10	12	15	7	8	15	9	6	10	10	3	4	1	27	5
15	11	16	7	9	10	18	13	8	9	7	8	5	3	20	6
106	138	100	97	117	90	87	91	70	39	25	13	7	4	35	7
59	75	56	63	69	46	47	48	48	20	11	8	3		16	8
47	63	44	34	48	44	40	43	22	19	14	5	4	4	19	9
		1	1	1											10
1		2				4	1		1					2	11
2	3	3	4	1		1	1								
														1	12
				1	1		1						1	1	
	2					2									13
	2	1					1							1	
														1	14
			1			1								3	
1	3	1	2	1	1		3	2	1	1				1	15
3	3	3	2		4	4	1			1				2	
	1	1	1				1								16
	1							1							
9	10	2	4	5	3	3	8	2		1	1			2	17
7	11	4	1	4	1	2	3								
10	24	27	25	36	26	27	22	23	5	4	3	3		4	18
12	16	13	9	23	21	18	22	13	13	8	3	2	2	9	
															19
34	26	14	24	22	12	9	12	15	8	5	3			5	20
18	22	15	13	14	15	14	11	8	3	4	2	2		1	
	3	1	3	2	3			1							21
2	1	1	2				1		2						
3		3	1	1	1		1	2	3						22
1	3	3	2		2		1							1	
1	4	4	1	1											23
1	1	1		1						1					
	2		1			2		3	2		1				24
1				4			1		1				1	1	
7	16	10	6	14	6	9	4	5	4	4	2		1	4	25
5	12	6	5	13	6	7	3	2	3	3	1			2	26
2	4	4	1	1		2	1	3	1	1	1		1	2	27
															28
														1	
2	9	5	4	12	6	6	1	1	1	1				2	29
	2	3	1	1		1									
1	1			1											30
	1														
2	2	1	1			1	1			1	1				31
2	1					1								1	
							1	1	2	1					32
		1					1	3	1	1	1		1		
6	9	5	10	16	20	58	55	89	116	107	54	45	51	6	33
3	3	2	3	9	6	24	30	35	59	40	18	22	18	4	34
3	6	3	7	7	14	34	25	54	57	67	36	23	36	2	35
															36
															37
															38
3	3	2	3	9	6	19	29	24	35	26	9	8	6	3	39
3	6	3	7	7	14	30	21	30	42	35	20	9	16		
						5	1	11	24	14	9	14	12	1	40
						4	4	24	15	32	16	14	20	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,033	350	136	102	52	33	673	62	60	130	120	98
2	Males	1,161	189	77	47	21	20	354	33	32	62	81	61
3	Females	872	161	59	55	31	13	319	29	28	68	39	37
4	1. Croup M.	96	35	23	18	8	4	88	6			2	
	F.	99	41	18	13	13	5	90	8		1		
5	2. Laryngitis M.	5	2					2				1	
	F.	3			2			2					
6	3. Bronchitis M.	147	57	15	7		2	81	5	2	4	6	3
	F.	125	40	9	11	5	1	66	1	3	4	2	2
7	4. Pneumonia M.	714	64	30	17	10	10	131	15	21	47	62	52
	F.	499	58	28	23	10	7	126	15	18	40	32	30
8	5. Pleurisy M.	47	2	3	1	1		7	2	2	4	4	3
	F.	16	1					1			4		1
9	6. Asthma M.	18											1
	F.	22	1	1				2					
10	7. Others of this class M.	134	29	6	4	2	4	45	5	7	7	6	2
	F.	108	20	3	6	3		32	5	7	10	5	4
11	V.—Diseases of the digestive system	765	145	89	20	14	5	273	20	15	19	24	31
12	Males	423	68	42	10	9	2	131	10	7	10	12	15
13	Females	342	77	47	10	5	3	142	10	8	9	12	16
14	1. Dentition M.	70	33	29	6	1	1	70					
	F.	79	41	33	5			79					
15	2. Angina M.	18	2	2	1	4		9	4	1			
	F.	20	3	4	1	3	2	13	4		1		1
16	3. Diseases of the stomach M.	45	6			1		7	1		1	4	
	F.	45	4	1	1		1	7	4	2	2	1	2
17	4. Obstruction of the bowels M.	25	2			1		3	1	3		2	
	F.	14	3					3		1			
18	5. Hernia M.	21	1					1				1	
	F.	1											
19	6. Other diseases of the bowels M.	23	4	2	1			7	1		1		1
	F.	17	4		1			5	1			1	1
20	7. Jaundice M.	7	1					1				1	
	F.	7	2					2			2		1
21	8. Inflammation and abscess of the liver. M.	67	1	3				4		1	2	1	5
	F.	36		2	1	1		4		1	1	2	4
22	9. Other diseases of the liver M.	70									3	1	5
	F.	51	1	1				2		2	1	2	3
23	10. Peritonitis M.	25		1		1		2		2	1	2	4
	F.	23				1		1		1	2	4	3
24	11. Ascites M.	8	1	1				2	1		1		
	F.	12							1	1		1	
25	12. Others of this class M.	44	17	4	2	1	1	25	2		1		
	F.	37	19	6	1			26				1	1
26	VI.—Diseases of the urinary system and male organs of generation.	373	7	4	1			12	5	3	8	13	27
27	Males	248	4	4	1			9	4	2	6	8	19
28	Females	125	3					3	1	1	2	5	8
29	1. Bright's disease M.	160							2	2	4	6	15
	F.	109							1	1	2	4	7
30	2. Calculus, urinary M.	11		1				1					
	F.	1											
31	3. Diseases of the kidney M.	46	3	3	1			7	1		2	1	3
	F.	10	1					1				1	
32	4. Diseases of the bladder M.	13											
	F.	3	1					1					
33	5. Others of this class M.	18	1					1	1			1	1
	F.	2	1					1					1
34	VII.—Diseases of the female organs of generation.	86									13	8	9
35	1. Ovarian tumors F.	8											
36	2. Ovarian diseases F.	4											
37	3. Uterine tumors F.	4											1
38	4. Uterine diseases F.	24									4		2
39	5. Others of this class F.	46									9	8	6
40	VIII.—Affections connected with pregnancy	270									41	68	47
41	1. Abortion F.	14									1	4	1
42	2. Childbirth F.	147									25	40	26
43	3. Puerperal septicæmia F.	83									8	19	17
44	4. Extra-uterine pregnancy F.												
45	5. Others of this class F.	26									7	5	3

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
90	112	95	87	82	62	106	80	58	49	24	17	11	7	10	1
59	75	64	55	55	39	59	44	28	29	14	7	3	1	6	2
31	37	31	32	27	23	47	36	30	20	10	10	8	6	4	3
															4
	1				1										5
							1								
2	1	6		4	5	2	9	4	7	3	1	1		1	6
2	2	3	3	2	7	7	6	4	4	3	2	1		1	
48	62	46	48	40	23	41	27	18	15	6	5	2	1	4	7
23	29	24	21	18	15	32	22	17	11	5	4	4	2	2	
	7	6	2	2	1	5	1			1					8
2	1		1	1		1		2					2		
1				1	3	5	3		4						9
	1	1	1			2	4	3	2	1	2	1	2		
8	4	6	5	8	6	6	4	6	3	4	1			1	10
4	4	3	6	6	1	5	3	4	3	1	2	2		1	
39	47	38	48	44	36	37	29	30	15	7	3	1		9	11
23	28	28	29	28	21	29	15	17	12	4	1			3	12
16	19	10	19	16	15	8	14	13	3	3	2	1		6	13
															14
	1	1					1							1	15
														1	
3	5	2	4	6	3	1	1	3	2	1				1	16
9	1		2	3		2	2	3	1	1				3	
1	4	4	1		1	1	3	1							17
	1	1		1	1	3	1					1		1	
	1	1	2	3		2	2	2	4	1				1	18
				1											
3	3	1	1	3				2							19
1	2	1	2		1		1			1					
1				1	2				1						20
						1		1							
5	7	9	10	5	5	7	3	1	1		1				21
3	3	2	2	2	3		4	3	1					1	
8	5	8	9	8	7	7	4	5							22
1	5	4	10	6	5		4	4		1	1				
2	2		1	1	1	4	1	1	1						23
2	4	2	2		1				1						
				1	1	2									24
	2		1	1	2		1	1			1				
		2	1		1	5		2	3	2					25
	1			2	2	2	1	1							
29	31	37	36	36	34	35	27	17	11	9	1		1	1	26
16	18	20	20	27	27	28	19	13	6	5			1		27
13	13	17	16	9	7	7	8	4	5	4	1			1	28
13	12	16	15	19	18	17	10	6	2	3					29
12	11	14	16	8	6	6	8	3	5	3				1	
	1				1	3	1	2	2						30
		1													
2	4	2	4	4	3	5	2	3	1	1			1		31
	2	2		1		1				1	1				
		1			1	3	4	2	1	1					32
					1			1							
1	1	1	1	4	4		2								33
14	8	3	10	5	3	5	4	1		2				1	34
1	1			1	1	2	2								35
1		1	2												36
1				1		1									37
2	4		6	2		2	1	1							38
9	3	2	2	1	2		1			2				1	39
41	46	23	3											1	40
4	1	2	1												41
16	26	14													42
15	17	5	1											1	43
															44
6	2	2	1												45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

LOUISIANA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	25	1	1			1	3	2	2		2	2
2	Males	12	1					1		1		1	1
3	Females	13		1			1	2	2	1		1	1
4	1. Diseases of the spine M	6	1					1					
	F	9		1			1	2	2	1			1
5	2. Diseases of the bones M	3								1			1
	F												
6	3. Diseases of the hip joint M	1											
	F	2										1	
7	4. Others of this class M	2										1	
	F	2											
8	X.—Diseases of the skin	38	6				1	7			2	2	4
9	Males	18	3					3			1	2	2
10	Females	20	3				1	4			1		2
11	1. Abscess M	12	1					1			1	1	1
	F	7	1					1			1		1
12	2. Carbuncle M	3										1	
	F	4											1
13	3. Others of this class M	3	2					2					1
	F	9	2				1	3					
14	XI.—Diseases of the absorbent system	3							1				
15	Males												
16	Females	3							1				
17	1. Addison's disease M												
	F												
18	2. Diseases of the spleen M												
	F	2							1				
19	3. Others of this class M												
	F	1											
20	XII.—Accidents and injuries	1,046	79	28	28	24	16	175	77	83	114	102	92
21	Males	809	39	12	19	12	11	93	55	69	98	90	79
22	Females	237	40	16	9	12	5	82	22	14	16	12	13
23	1. Burns and scalds M	42	4	6	12	7	4	33	3	3	1		
	F	56	6	6	3	8	4	27	9	3		3	
24	2. Drowned M	152	1	2	3	3		9	14	23	21	20	16
	F	21	1	3				4	1	5	3	2	1
25	3. Exposure and neglect M	13	7			1	1	9	2				
	F	12	7	1				8					1
26	4. Gunshot wounds M	138	1	1				2	3	11	27	21	23
	F	15			2	1		3	1	2	4		2
27	5. Homicide M	90							2	2	10	20	17
	F	8									1		1
28	6. Infanticide M												
	F												
29	7. Injuries by machinery M	1											1
	F												
30	8. Railroad accidents M	17	1					1	1		1	3	3
	F	3							1				
31	9. Suffocation M	16	12					12		1			
	F	22	16	3				19	1				1
32	10. Suicide by shooting M	25								1	1	3	1
	F	1											1
33	11. Suicide by drowning M	2											
	F												
34	12. Suicide by poison M	10											1
	F	3									1	2	
35	13. Other suicides M	12										1	1
	F	4										1	
36	14. Sunstroke M	19					1	1			1	4	2
	F	8							1			1	1
37	15. Surgical operations M	9	1					1					1
	F	11			1			1					1
38	16. Wounds M	55	1				3	4	12	15	10	4	2
	F	21		1		1		2	5	3	3	1	1
39	17. Other accidents and injuries M	208	11	3	4	1	2	21	18	13	26	17	11
	F	52	10	2	3	2	1	18	3	1	4	2	3