TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		3,094	69	76	47	42	22	256	103	144	276	411	311
2	Males		1,351	32	41	25	26	8	132	47	56	119	169	132
3	Females		1,743	37	35	22	16	14	124	56	88	157	242	179
4	1. Rheumatism	M.	47		1			1	2	2	1	3	4	1
		F.	37					1	1	2	1	1	1	2
5	2. Scrofula and tabes	M.	69	10	12	6	1	2	31	2	3	9	1	4
		F.	71	9	10	2	1	3	25	9	4	6	5	5
6	3. Leprosy	M.												
		F.	1											
7	4. Consumption	M.	906	15	13	6	5	2	41	23	39	87	153	119
		F.	1,206	17	15	12	6	7	57	31	65	135	214	154
8	5. Hydrocephalus	M.	19	4	5	2	1		12		1	1		1
		F.	10	5		1			6		2		2	
9	6. Cancer	M.	50							2			1	2
		F.	121		1				1				3	2
10	7. Tumor	M.	18	2		1			3			4	1	1
		F.	24	1			1		2		1	1	1	2
11	8. Anæmia	M.	5		1				1			1		
		F.	8	1	1				2	1	1	1		2
12	9. Dropsy	M.	224		7	9	19	3	38	18	10	13	8	4
		F.	252	3	7	6	7	2	25	13	14	13	16	11
13	10. Diabetes	M.	10	1					1		2	1	1	
		F.	3											1
14	11. Others of this group	M.	3		2	1			3					
		F.	10	1	1	1	1	1	5					
15	12. Others of this class	M.												
		F.												
16	II.—Diseases of the nervous system		1,229	317	56	37	23	16	449	60	44	50	33	32
17	Males		642	169	25	20	8	10	232	24	22	29	18	21
18	Females		587	148	31	17	15	6	217	36	22	21	15	11
19	1. Inflammation of the brain	M.	95	17	8	8	5	5	43	9	9	12	5	1
		F.	83	17	10	3	5	1	36	13	9	8	3	3
20	2. Apoplexy	M.	77	2					2	1		1	1	1
		F.	62		1				1	1	1		1	2
21	3. Paralysis	M.	126	2	1			1	4	1	3	1		4
		F.	126	2	1	1	1		5	1	2		2	
22	4. Tetanus and trismus nascentium	M.	63	60					60		1			
		F.	51	46		1	1		48	2				
23	5. Epilepsy	M.	28	2	2				4	2		4	3	1
		F.	20	1					1	1		5	2	1
24	6. Convulsions	M.	109	73	9	9	1	1	93	2	2	3	3	3
		F.	127	67	16	9	7	2	101	8	4	5	1	
25	7. Mental diseases	M.	33										2	5
		F.	23								1		1	3
26	8. Diseases of the brain	M.	83	13	3	3	2	2	23	8	3	7	3	6
		F.	72	13	2	3		3	21	8	5	3	4	1
27	9. Diseases of the spinal cord	M.	13		1				1		3	1	1	
		F.	7	2	1		1		4	2				
28	10. Others of this class	M.	15		1			1	2	1	1			
		F.	16										1	1
29	III.—Diseases of the circulatory system		679	18	5	5	4	4	36	10	9	23	32	24
30	Males		311	8	3	1		2	14	5	4	8	17	3
31	Females		368	10	2	4	4	2	22	5	5	15	15	21
32	1. Angina pectoris	M.	4											
		F.	3											
33	2. Aneurism	M.	3											
		F.	2											
34	3. Diseases of the heart	M.	303	7	3	1		2	13	5	4	8	17	3
		F.	357	6	1	3	4	2	16	5	5	15	15	21
35	4. Others of this class	M.	1	1					1					
		F.	6	4	1	1			6					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
214	241	227	170	156	97	114	113	99	59	36	12	12	4	39	1
83	95	83	70	73	42	57	62	53	31	14	6	5	2	20	2
131	146	144	100	83	55	57	51	46	28	22	6	7	2	19	3
2	1	2	5	4	3	2	5	4	2	2				2	4
1	1		3	2	1	6	6	5	1	1	1	1			
	4	3	1	3	1		2	1	2	1				1	5
1	3	5	2	2			2	1						1	
															6
					1										
74	79	65	52	47	22	36	27	16	6	2	4	2	1	11	7
112	106	103	61	43	30	23	20	18	8	8	2	1		15	
	1	1	1						1						8
2	3	2	2	7	4	6	4	6	4	3	1		1		9
2	14	17	12	18	13	10	9	9	7	3				1	
		1	2	3			2		1						10
2	3	2	1	2	2	4	1								
1		1												1	11
			1												
4	5	7	7	9	12	13	21	25	15	6	1	3		5	12
13	18	14	19	16	7	13	13	13	12	10	3	5	2	2	
	2	1					1	1							13
		2													
															14
	1	1	1		1	1									
															15
31	38	38	36	62	45	74	62	58	51	29	19	6	6	6	16
17	17	19	19	32	29	40	29	36	25	15	9	4	2	3	17
14	21	19	17	30	16	34	33	22	26	14	10	2	4	3	18
3	1	1	3	1	1	2		1			1		1	1	19
1	1	1		1	1	4			1					1	
2	4	5	4	14	7	12	8	4	6	3	1			1	20
	2	5	3	9	1	8	14	7	3	2		1	1		
3	4	6	4	8	11	13	11	21	13	9	6	4			21
	6	7	4	9	7	15	17	11	18	10	8	1	3		
		1			1										22
		1													
2	2		3		2	2	1	2							23
3			1	1	1	2			1	1					
1					1									1	24
2	1		2	2										1	
4	1	3	3	4	2	5	1	1	2						25
3	4	1	3	3	1	1	1	1							
2	3	2	2	3	4	3	3	4	4	1	1		1		26
3	2	1	4	4	3	3		3	3	1	2			1	
	1	1		2		1		2							27
							1								
	1					2	5	1		2					28
2	5	3		1	2	1									
31	32	39	48	46	37	80	68	63	43	25	9	5	6	13	29
13	12	11	21	22	16	39	32	37	23	16	5	5	2	6	30
18	20	28	27	24	21	41	36	26	20	9	4		4	7	31
	1					3									32
					1	1	1								
						2					1				33
	1													1	
13	11	11	21	22	16	34	32	37	23	16	4	5	2	6	34
18	19	28	27	24	20	40	35	26	20	9	4		4	6	
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	2,025	407	190	100	53	31	781	164	87	112	134	75
2	Males	1,120	218	106	58	29	23	434	49	33	62	77	41
3	Females	905	189	84	42	24	8	347	55	34	50	57	34
4	1. Croup M.	109	44	24	19	7	6	100	7	1			
	F.	61	30	16	6	2	3	57	4				
5	2. Laryngitis M.	2		1				1					
	F.	2	1	1				2					
6	3. Bronchitis M.	103	39	13	10		1	63	1	1	2	1	3
	F.	102	26	14	5	1	2	48	4	5	3	3	2
7	4. Pneumonia M.	631	70	43	19	14	12	158	30	26	53	61	45
	F.	533	86	37	25	17		165	37	22	41	43	23
8	5. Pleurisy M.	54	1	1		1		3	2	3		4	
	F.	29			1			1	1		3	1	1
9	6. Asthma M.	22		1				1					1
	F.	15	1	1	2			4					
10	7. Others of this class M.	199	64	23	10	7	4	108	9	2	7	11	2
	F.	163	45	15	3	4	3	70	9	7	3	10	8
11	V.—Diseases of the digestive system	832	202	171	64	22	5	464	30	17	19	25	31
12	Males	450	127	88	27	12	2	256	13	8	14	15	3
13	Females	382	75	83	37	10	3	208	17	9	5	10	18
14	1. Dentition M.	119	46	60	11	2		119					
	F.	93	22	57	13	1		93					
15	2. Angina M.	9	2		3			5	1	2			
	F.	22	4	5	5	1		15	3	1			2
16	3. Diseases of the stomach M.	42	10	4	2	3	1	20	2	2	2		
	F.	48	5		1	1	1	8	3	1		3	5
17	4. Obstruction of the bowels M.	9	3	2				5	1	1			1
	F.	9		2	1			3		1			
18	5. Hernia M.	18	2	1				3		1			
	F.	2	1					1					1
19	6. Other diseases of the bowels M.	48	13	9	4	2		28	3		2	2	1
	F.	34	10	6	6	2	1	25	3	2			
20	7. Jaundice M.	13	8	1		1		10			1		
	F.	16	5	1		2		8	1			1	1
21	8. Inflammation and abscess of the liver. M.	33	2	1				3			2	1	1
	F.	14	2	1				3			2	2	1
22	9. Other diseases of the liver M.	36	3	3	1	1		8			3	2	
	F.	28	1	1	1			3				1	1
23	10. Peritonitis M.	10							2			2	
	F.	16							2	1		3	2
24	11. Ascites M.	24					1	1		1	1	3	
	F.	11									1		2
25	12. Others of this class M.	89	38	7	6	3		54	4	1	3	5	
	F.	89	25	10	10	3	1	49	5	3	2		3
26	VI.—Diseases of the urinary system and male organs of generation.	237	6	3	3		3	15	1	7	10	18	8
27	Males	162	5	1	3		3	12		2	4	10	4
28	Females	75	1	2				3	1	5	6	8	4
29	1. Bright's disease M.	66									2	2	3
	F.	35								3	2	5	1
30	2. Calculus, urinary M.	19	2				1	3				1	
	F.	1											
31	3. Diseases of the kidney M.	37		1	3		2	6		1	1	5	1
	F.	28		1				1	1	1	4	3	3
32	4. Diseases of the bladder M.	19	1					1			1		
	F.	6								1			
33	5. Others of this class M.	21	2					2		1		2	
	F.	5	1	1				2					
34	VII.—Diseases of the female organs of generation.	55								1	5	7	5
35	1. Ovarian tumors F.	4											
36	2. Ovarian diseases F.	5								1			1
37	3. Uterine tumors F.	5											
38	4. Uterine diseases F.	25											
39	5. Others of this class F.	16									2	7	2
											3		2
40	VIII.—Affections connected with pregnancy.	278								1	41	69	50
41	1. Abortion F.	19											
42	2. Childbirth F.	161									1	4	2
43	3. Puerperal septicæmia F.	71									22	39	30
44	4. Extra-uterine pregnancy F.										9	18	13
45	5. Others of this class F.	27								1	9	8	5

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
69	66	91	53	69	40	85	59	85	57	33	16	7	5	17	1
41	40	45	23	40	32	48	30	45	33	21	10	3	2	11	2
28	26	46	30	29	8	37	29	40	24	12	6	4	3	6	3
														1	4
						1									5
3	2	1		8	1	1	2	7	4	2	1				6
	1	3	3	4	1	4	4	7	5	1	2	1	1		
32	28	34	20	16	22	32	23	20	16	11	3	2	1	8	7
21	17	31	22	19	7	18	18	21	13	5	2		2	6	
	2	4	1	10	2	2	3	6	5	4	2			1	8
2	1	5				5	3	3	2	1					
2		1		1	1	4		5	3	1	1	1			9
	2			2		3	1		1	1		1			
4	8	5	2	5	6	8	2	7	5	3	3		1	1	10
5	5	7	5	4		7	3	9	3	4	2	2			
19	23	26	18	35	18	29	35	18	13	9	6		1	6	11
9	14	16	8	22	13	14	19	10	4	5	2		1	4	12
10	9	10	10	13	5	15	16	8	9	4	4			2	13
															14
				1											15
			1												
1	2	2		2	2	2	2	3							16
1	2	1	6	2	1	4	3	1	4	1	1			1	
		1													17
1	1					2	1								
1	2		1	3		1	2	1		1	1			1	18
2			1	4	2		2	1							19
1				1				1			1				
				1				1							20
1				2	1			1							
1		4	4	5	1	3	4	2	2						21
		2	1	2	1										
1	2	4	2	3	1	3	2		1	1			1	2	22
	2	1		1	1	4	6	3	2	2	1				
1	1	1				3				1					23
1			2	1		1	1	1	1						
1	1	3		1	2	2	4	1	1	1				1	24
1		3				2	1							1	
1	6	1		2	5	1	3	1		1	1				25
4	4	3		4	1	2	4	1	2	1	1				
12	11	10	11	18	17	30	25	21	10	5	1	1		6	26
6	6	4	7	13	14	25	22	14	9	5	1			4	27
6	5	6	4	5	3	5	3	7	1			1		2	28
3	4	1	3	8	11	11	7	5	3	1	1			1	29
3	3	4	2	1	2	3	2	2	1					1	
2		1	1	1	1	1	2	4	1	1					30
						1									
1	1	1	2	1		5	7	1	3					1	31
2	2	1	1	2	1	1		4						1	
	1		1	3	2	4	2	2		1				1	32
1		1	1	2			1								
		1				4	4	2	2	2				1	33
1								1				1			
6	4	7	8	4	1	2	2	2		1					34
					1	1									35
	1			2			1	1							36
		4						1							37
3	1	2	3	2		1	1			1					38
3	2	1	5												39
43	40	21	4	1					1					4	40
4	3	5													41
26	19	17	4	1											42
12	16	1							1					3	43
1	2	1												1	44
															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	42	1	3	2	3		9	4	3	2	1	6
2	Males	22		2	2	2		6	1		1	1	1
3	Females	20	1	1		1		3	3	3	1		3
4	1. Diseases of the spine M	13		2		2		4	1			1	1
	F	10	1					1	2	1	1		
5	2. Diseases of the bones M	3									1		1
	F	3								1			2
6	3. Diseases of the hip joint M	2			1			1					
	F	1											1
7	4. Others of this class M	4			1			1					1
	F	6		1		1		2	1	1			
8	X.—Diseases of the skin	49	10	2			2	14	4	2	3	1	3
9	Males	26	6	2				8	1	1	2	1	1
10	Females	23	4				2	6	3	1	1		2
11	1. Abscess M	13	3	2				5	1	1	2	1	1
	F	14	1				2	3	2		1		2
12	2. Carbuncle M	5											
	F	4								1			
13	3. Others of this class M	8	3					3					
	F	5	3					3	1				
14	XI.—Diseases of the absorbent system	5					1	1				1	1
15	Males	3										1	
16	Females	2					1	1					1
17	1. Addison's disease M	1										1	
	F												
18	2. Diseases of the spleen M	1											
	F	1					1	1					
19	3. Others of this class M	1											
	F	1											1
20	XII.—Accidents and injuries	852	95	42	37	33	22	229	74	71	71	72	63
21	Males	577	56	23	17	16	12	124	36	49	49	58	49
22	Females	275	39	19	20	17	10	105	38	22	22	14	14
23	1. Burns and scalds M	63	8	8	8	7	6	37	14	2	3		
	F	117	10	8	9	12	9	48	28	10	6	5	5
24	2. Drowned M	49		1		3	2	6	4	8	6	5	6
	F	3							1	1			
25	3. Exposure and neglect M	37	17	7	2		1	27	1	1			1
	F	37	14	4	4	4		26	1	1	2	2	2
26	4. Gunshot wounds M	51			1	2		3	5	7	2	8	4
	F	9							1	1	4	2	1
27	5. Homicide M	83								4	8	18	10
	F	6								1	1	1	1
28	6. Infanticide M												
	F												
29	7. Injuries by machinery M	12								2	2	3	2
	F												
30	8. Railroad accidents M	47			1			1	2	1	8	7	10
	F	3											
31	9. Suffocation M	25	17	4	1	1		23	1	1			
	F	13	7	1	1			9	2		1		
32	10. Suicide by shooting M	5									1		
	F												
33	11. Suicide by drowning M												
	F												
34	12. Suicide by poison M												
	F												
35	13. Other suicides M	7										1	1
	F	1											
36	14. Sunstroke M	13		1				1		2			1
	F	4			1			1			1		
37	15. Surgical operations M	4									2	1	1
	F	3											1
38	16. Wounds M	21		1				1	1	1	4	2	1
	F	3											
39	17. Other accidents and injuries M	160	14	2	4	3	3	26	9	20	13	13	12
	F	76	8	5	5	1	1	20	4	8	7	4	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH CAROLINA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	4	2	1	2	2	2	2								1
1	4	1	1	1	1		1								2
1		1		1	1	2	1								3
1	2		1		1		1								4
		1		1	1	1	1								
	1														5
		1													6
	1			1											7
1						1									
1	1	1	3	2	2	6	1	1	2	1	1				8
1	1	1	1	2	1	3		1		1					9
			2		1	3	1		2		1				10
						1				1					11
			1		1	2			1		1				
1				1	1	2									12
						1	1		1						
	1	1	1	1				1							13
			1												
1										1					14
1										1					15
															16
															17
1															18
										1					19
40	45	33	24	27	14	18	12	15	11	6	6	5	3	13	20
31	38	30	19	20	11	15	9	11	5	4	3	5	2	9	21
9	7	3	5	7	3	3	3	4	6	2	3		1	4	22
			1		2		1	1				1		1	23
1	2	1	1	1		1		2	3		1		1	1	
3	2	2	3	2				1						1	24
1															
1	1				1		1	1		1		1			25
1	1													1	
5	6	6	2		1									2	26
8	12	7	2	2	1	4	5	1	1						27
	1			1											
															28
1	1	1													29
1	4	3	2	1	3	2	1	1							30
1						1	1								
															31
1															
1	1		1			1									32
															33
															34
1		2		1		1									35
					1										
1			1	4	1			1			1				36
		1		1											
															37
		1	1												
1	4		1	2	1	2	1							1	38
								1							
8	7	9	6	8	1	5		5	4	3	2	3	2	4	39
4	3		3	4	2	1	2	1	3	2	2			2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	3,448	709	241	124	125	111	1,310	299	158	193	199	171
2	Males	1,772	403	118	66	66	51	704	147	77	85	87	78
3	Females	1,676	306	123	58	59	60	606	152	81	108	112	93
4	Unknown causes	420	123	56	22	19	26	246	40	16	9	13	8
5	Males	224	82	29	10	8	10	139	26	8	5	4	4
6	Females	196	41	27	12	11	16	107	14	8	4	9	4
7	I.—General diseases. General diseases—A	926	217	102	55	54	47	475	157	63	60	45	24
8	Males	459	117	42	29	26	26	240	70	30	27	25	10
9	Females	467	100	60	26	28	21	235	87	33	33	20	14
10	1. Smallpox M												
	F												
11	2. Measles M	20	5	4	2	1		12	10	5	1	1	
	F	28	4	4		2	2	12	10	2	2		
12	3. Scarlet fever M	27	5	4	6	1	4	20	5	1		1	
	F	23	1	6	1	2		10	7	3	1		
13	4. Diphtheria M	100	5	4	9	9	11	38	38	17	3	3	
	F	129	6	11	14	11	15	57	43	14	9	4	
14	5. Whooping cough M	41	12	5	4	9	4	34	7				
	F	63	22	11	4	9	2	48	12	1	1		
15	6. Fever M	4		1	1	1		3					
	F	1				1		1					
16	7. Cerebro-spinal fever M	6	2	1		1	1	5	1				
	F	4					1	1	1	1			1
17	8. Enteric fever M	70	2	1		2	3	8	4	2	18	11	6
	F	68		1	1			2	5	10	16	10	8
18	9. Diarrheal diseases M	77	32	10	4			46	3	4	4	4	3
	F	65	22	14	2	2	1	41	7	2		1	1
19	10. Cholera infantum M	68	51	11	3	1	1	67					
	F	57	40	13	3	1		57					
20	11. Malarial fever M	11					1	1	1	1	1	3	
	F	8	1					1	1		1	1	3
21	12. Erysipelas M	3	1					1					
	F	5	2		1			3					
22	13. Septicæmia M	14		1		1		2	1				1
	F	11	1					1			2	4	1
23	14. Venereal diseases M	2	1					1					
	F	2	1					1					
24	15. Others of this group M	7	1				1	2				2	
	F	3							1		1		
25	General diseases—B	9	2					2	1				
26	Males	6											
27	Females	3	2					2	1				
28	1. Parasitic diseases M												
	F												
29	2. Alcoholism M	6											
	F												
30	3. Lead poison M												
	F												
31	4. Other poisons M												
	F	1							1				
32	5. Inanition M												
	F	2	2					2					
33	General diseases—C	151	112	3				115				1	
34	Males	87	68	1				69				1	
35	Females	64	44	2				46					
36	1. Premature birth M	11	11					11					
	F	9	9					9					
37	2. Stillborn M	36	36					36					
	F	20	20					20					
38	3. Malformation M	1	1					1					
	F												
39	4. Debility and atrophy M	26	20	1				21					
	F	21	15	2				17				1	
40	5. Old age M	13											
	F	14											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
145	125	108	86	109	91	103	101	81	47	31	17	6	2	66	1
70	61	56	43	57	55	58	53	44	30	18	9	3		37	2
75	64	52	43	52	36	45	48	37	17	13	8	3	2	29	3
7	7	8	4	6	10	7	6	5	3	3				22	4
6	3	3	1		4	4	1	2	2	2				10	5
1	4	5	3	6	6	3	5	3	1	1				12	6
17	25	7	6	12	9	11	3	1		3	2			6	7
10	11	5	1	10	6	4	2			1	1			6	8
7	14	2	5	2	3	7	1	1		2	1				9
															10
															11
1	1														
															12
	2														
														1	13
			1			1									
															14
	1														
														1	15
															16
6	8	1	1	2	1					1				1	17
4	3	2	2	2	1	2	1								
2	1	2		2	1	2	1							2	18
	6		2			3				1	1				
														1	19
		1		2		1									20
										1					
	1				1										21
					1	1									
1				4	2	1	1				1				22
2					1										
					1										23
	1														
1	1	1													24
								1							
	1	2	1	1		1									25
	1	2	1	1		1									26
															27
															28
	1	2	1	1		1									29
															30
															31
															32
1						1	2	6	4	5	7	4	1	4	33
						1	1	1	3	4	3	2		2	34
1							1	5	1	1	4	2	1	2	35
															36
															37
															38
						1			1	1	1				39
							1		1			1			
1							1	1	2	3	2	2		2	40
								5		1	4	1	1		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		526	23	10	5	10	4	52	19	32	57	57	51
2	Males		228	11	5	2	5	1	24	10	13	18	24	16
3	Females		298	12	5	3	5	3	28	9	19	39	33	35
*4	1. Rheumatism	M	10							1	1			
		F	12	1					1		1	2		
5	2. Scrofula and tabes	M	17	1	1		1		3	3	3	3	2	2
		F	21	1	1	2	1	1	6	2	1	4	3	2
6	3. Leprosy	M												
		F												
7	4. Consumption	M	168	9	3	2	4	1	19	5	7	15	21	12
		F	203	7	2	1	4	2	16	7	15	31	30	33
8	5. Hydrocephalus	M	1	1					1					
		F	3	2	1				3					
9	6. Cancer	M	18											1
		F	34									1		
10	7. Tumor	M												
		F	3											
11	8. Anæmia	M												
		F	4		1				1					
12	9. Dropsy	M	8							1				1
		F	14								1			
13	10. Diabetes	M	5								2		1	
		F	3								1	1		
14	11. Others of this group	M	1		1				1					
		F	1	1					1					
15	12. Others of this class	M												
		F												
16	II.—Diseases of the nervous system		198	67	9	6	7	6	95	8	5	1	4	10
17	Males		103	31	3	3	4	2	43	6	2			8
18	Females		95	36	6	3	3	4	52	2	3	1	4	2
19	1. Inflammation of the brain	M	24	4	1	2	3	2	12	3	1			4
		F	15	3	4	2	1	1	11		1	1		1
20	2. Apoplexy	M	7	1					1					
		F	13										1	
21	3. Paralysis	M	27											1
		F	15	1				1	2		1			1
22	4. Tetanus and trismus nascentium	M	1	1					1					
		F	2	2					2					
23	5. Epilepsy	M	5	1					1		1			1
		F	1											
24	6. Convulsions	M	24	20	1	1	1		23	1				
		F	31	23	1	1	1	1	27	2			1	
25	7. Mental diseases	M												
		F												
26	8. Diseases of the brain	M	5		1				1					2
		F	11	6				1	7				2	
27	9. Diseases of the spinal cord	M	9	4					4	2				
		F	5	1	1		1		3		1			
28	10. Others of this class	M	1											
		F	2											
29	III.—Diseases of the circulatory system		124	5	2		2		9	3	1	4	6	6
30	Males		76	5	2		1		8	2	1	3	3	3
31	Females		48				1		1	1		1	3	3
32	1. Angina pectoris	M	2											1
		F												
33	2. Aneurism	M												
		F												
34	3. Diseases of the heart	M	72	3	2		1		6	2	1	3	3	2
		F	48				1		1	1		1	3	3
35	4. Others of this class	M	2	2					2					
		F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
47	27	27	25	25	22	27	18	19	6	2	1	1	1	10	1
26	12	9	12	11	15	14	4	8	3	1	1	1		6	2
2	15	18	13	14	7	13	14	11	3	1			1	4	3
1	2		2	1		1			1						4
				2	1	2	1	2							
								1							5
		1					1	1							
															6
25	7	8	7	7	10	8	3	5	2		1	1		5	7
17	10	10	5	6	5	6	4	4		1				3	
															8
		1	2	3	4	4	1	1		1					9
1	4	3	6	4	1	4	6	2					1	1	
															10
		1	1					1							
															11
1	1	1													
	1		1		1	1		1						1	12
1		2	1	2		1	2	1	3						
	2														13
1															
															14
															15
1	6	7	6	8	7	7	11	10	6		3			3	16
	2	3	4	5	4	3	9	6	4		2			2	17
1	4	4	2	3	3	4	2	4	2		1			1	18
				1	1			1						1	19
		1													
		1	2				1	1	1						20
	2		2	1	1		2	2	1		1				
	2		2	2	3	3	5	4	3		2				21
	1	3		2	1	2		1	1						
															22
							2								23
					1										
															24
														1	
															25
		1		1											26
	1							1							
				1			1							1	27
1															
		1													28
						2									
7	5	5	11	9	13	9	13	10	6	2	1			4	29
2	3	4	6	6	8	6	9	5	5		1			1	30
5	2	1	5	3	5	3	4	5	1	2				3	31
							1								32
															33
2	3	4	6	6	8	6	8	5	5		1			1	34
5	2	1	5	3	5	3	4	5	1	2				3	
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system		592	98	34	29	21	22	204	55	20	26	28	28
2	Males		325	54	23	16	15	9	117	22	8	14	13	20
3	Females		267	44	11	13	6	13	87	33	12	12	15	8
4	1. Croup	M	20	7	3	4	2	2	18	2				
		F	15	6		2	1	2	11	4				
5	2. Laryngitis	M												
		F	2		1			1	2					
6	3. Bronchitis	M	38	6	7	3	3	2	21	2	1	1	1	
		F	27	6	3		2	3	14	4		1		
7	4. Pneumonia	M	180	22	9	7	6	3	47	12	6	11	8	15
		F	129	18	5	8	3	4	38	18	7	9	11	7
8	5. Pleurisy	M												
		F												
9	6. Asthma	M	12											
		F	4											
10	7. Others of this class	M	80	19	4	2	4	2	31	6	1	2	4	5
		F	80	14	2	3		3	22	7	5	2	1	1
11	V.—Diseases of the digestive system		165	46	15	4	4	1	70	6	8	10	2	7
12	Males		88	28	7	3	2	1	41	3	5	4	2	3
13	Females		77	18	8	1	2		29	3	3	6		4
14	1. Dentition	M	6	4	2				6					
		F	9	4	5				9					
15	2. Angina	M	4			1			1	1	1			
		F	4	2					2		1	1		
16	3. Diseases of the stomach	M	7		1				1	1	1	1		
		F	17	3	1		1		5			1		1
17	4. Obstruction of the bowels	M	5	1	1		1		3		1			
		F	3				1		1	1	1			
18	5. Hernia	M	1											
		F	3											
19	6. Other diseases of the bowels	M	8	4		1		1	6			1		
		F	3		1				1	1		1		
20	7. Jaundice	M												
		F												
21	8. Inflammation and abscess of the liver.	M	2											
		F	1											
22	9. Other diseases of the liver	M	8											
		F	8	1					1			1		
23	10. Peritonitis	M	11			1			1	1		1	2	3
		F	12							1	1	2		3
24	11. Ascites	M	1											
		F	1											
25	12. Others of this class	M	35	19	3		1		23		2	1		
		F	16	8	1	1			10					
26	VI.—Diseases of the urinary system and male organs of generation.		58	4				1	5		1	4	1	1
27	Males		36	3					3			1	1	1
28	Females		22	1				1	2		1	3		
29	1. Bright's disease	M	21											
		F	10								1	2		1
30	2. Calculus, urinary	M												
		F												
31	3. Diseases of the kidney	M	12	2					2			1	1	
		F	12	1				1	2			1		
32	4. Diseases of the bladder	M												
		F												
33	5. Others of this class	M	3	1					1					
		F												
34	VII.—Diseases of the female organs of generation.		11										3	3
35	1. Ovarian tumors	F												
36	2. Ovarian diseases	F												
37	3. Uterine tumors	F	1											
38	4. Uterine diseases	F	4										2	1
39	5. Others of this class	F	6										1	2
40	VIII.—Affections connected with pregnancy.		79									9	20	17
41	1. Abortion	F	6											
42	2. Childbirth	F	52									1		3
43	3. Puerperal septicæmia	F	17									6	13	10
44	4. Extra-uterine pregnancy	F											6	3
45	5. Others of this class	F	4									2	1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
28	27	16	18	23	9	19	33	18	14	12	2	1		10	1
15	16	11	10	12	4	10	18	13	8	7	1			6	2
13	11	5	8	11	5	9	15	5	6	5	2	1		4	3
															4
															5
1		2		1	1				1					1	6
1	1			1		2	1		1					1	
10	12	8	6	8	3	3	12	6	4	5	1			3	7
9	4	5	6	4	4	3	6	1	2	2	1			2	
															8
	1		1	2		3	2		1	1				1	9
							3	1							
4	3	1	3	1		4	4	7	2	1				1	10
3	6		2	6	1	4	5	3	3	3	1	1		1	
6	7	7	7	9	6	5	4	5	3	3					11
	3	5	3	4	3	2	3	4	1	2					12
6	4	2	4	5	3	3	1	1	2	1					13
															14
			1												15
		1					1	1							16
	2	1	2	2		1			1	1					
		1													17
		1													18
1						2									
								1							19
															20
	1	1													21
					1										
			1	3	2			1		1					22
		1		2	2		1								
	2		1												23
4			1												
								1							24
								1							
		1		1	1	2	2		1	1					25
1	2		1	1					1						
6		2	2	6	9	7	6	4	3	1					26
3		1	1	3	7	5	3	3	3	1					27
3		1	1	3	2	2	3	1							28
2		1		1	5	4	2	2	2	1					29
2				2	1	1		1							
															30
1			1	1	2	1	1	1							31
1		1	1	1	1	1	3								
															32
				1					1						33
		1		3			1								34
															35
															36
				1											37
				1											38
		1		1			1								39
14	7	7	2											3	40
	1	1													41
11	4	3	2											3	42
3	2	3													43
															44
															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		7								2	1		
2	Males		5								1	1		
3	Females		2								1			
4	1. Diseases of the spine	M	4								1	1		
		F	2								1			
5	2. Diseases of the bones	M												
		F												
6	3. Diseases of the hip joint	M	1											
		F												
7	4. Others of this class	M												
		F												
8	X.—Diseases of the skin		3	1					1				1	1
9	Males		2	1					1				1	
10	Females		1											1
11	1. Abscess	M	2	1					1				1	
		F	1											1
12	2. Carbuncle	M												
		F												
13	3. Others of this class	M												
		F												
14	XI.—Diseases of the absorbent system		2											
15	Males													
16	Females		2											
17	1. Addison's disease	M												
		F	2											
18	2. Diseases of the spleen	M												
		F												
19	3. Others of this class	M												
		F												
20	XII.—Accidents and injuries		177	11	10	3	8	4	36	10	10	12	18	15
21	Males		133	3	6	3	5	2	19	8	9	12	13	13
22	Females		44	8	4		3	2	17	2	1		5	2
23	1. Burns and scalds	M	10		2	2	2	1	7		1		1	
		F	5		1		3	1	5					
24	2. Drowned	M	11		2	1	2		5	1	2	2		
		F	3							1				
25	3. Exposure and neglect	M	2	1					1					
		F	2	2					2					
26	4. Gunshot wounds	M	14									6	2	
		F												
27	5. Homicide	M	6							1				
		F												
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M												
		F												
30	8. Railroad accidents	M	4		1				1				1	
		F												
31	9. Suffocation	M	3								1			1
		F	3	1					1					
32	10. Suicide by shooting	M	11										3	3
		F												
33	11. Suicide by drowning	M												
		F	3										1	2
34	12. Suicide by poison	M	1											
		F	2										1	
35	13. Other suicides	M	6								1		1	
		F	1											
36	14. Sunstroke	M	1											
		F												
37	15. Surgical operations	M	2									1		1
		F												
38	16. Wounds	M	1							1				
		F												
39	17. Other accidents and injuries	M	61	2	1		1	1	5	5	4	3	5	8
		F	25	5	3			1	9	1	1		3	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

SOUTH DAKOTA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1				1			1		1						1
1				1					1						2
							1								3
				1					1						4
							1								
															5
1															6
															7
															8
															9
															10
															11
															12
															13
	1	1													14
															15
	1	1													16
	1	1													17
															18
															19
10	12	18	4	6	6	9	3	3	1					4	20
7	10	13	4	4	4	8	3	2						4	21
3	2	5		2	2	1		1	1						22
			1												23
	1														24
		2													
	1														25
	1	3					1							1	26
1			1			1								2	27
															28
															29
		2													30
						1									31
1					1										
1		1	1		2										32
															33
								1							34
		1													
1		1				2									35
				1											
							1								36
															37
															38
4	7	6	1	4	2	4	1	1						1	39
2	2	2		1	1	1		1	1						

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	23,854	4,831	1,650	818	495	323	8,117	1,085	781	1,375	1,672	1,298
2	Males	12,278	2,664	884	421	270	172	4,411	562	403	628	823	618
3	Females	11,576	2,167	766	397	225	151	3,706	523	378	747	849	676
4	Unknown causes	1,685	705	121	68	33	22	949	66	39	44	44	33
5	Males	869	358	66	39	15	9	487	40	18	17	18	15
6	Females	816	347	55	29	18	13	462	26	21	27	26	18
	I.—General diseases.												
7	General diseases—A	5,642	976	742	328	213	123	2,382	417	286	386	367	337
8	Males	2,997	541	384	160	113	71	1,269	202	155	197	206	135
9	Females	2,645	435	358	168	100	52	1,113	215	131	189	161	102
10	1. Smallpox M.	1											
	F.												
11	2. Measles M.	152	36	24	12	9	5	86	14	9	13	7	4
	F.	154	20	36	10	8		74	19	10	13	8	4
12	3. Scarlet fever M.	42	7	8	7	7	1	30	4	6			1
	F.	29	5	5	3	1	2	16	9	4			
13	4. Diphtheria M.	75	4	13	9	11	10	47	22	1		2	
	F.	94	8	12	11	13	6	50	33	5	3		1
14	5. Whooping cough M.	114	48	28	16	4	7	103	7	2			1
	F.	130	57	29	20	4	5	115	7	2	1	1	
15	6. Fever M.	91	18	7	6	3	4	38	8	9	6	6	6
	F.	90	16	8	7	2		33	4	7	6	8	5
16	7. Cerebro-spinal fever M.	78	26	11	9	5	4	55	2	6	6	2	2
	F.	57	10	13	5	3	2	33	10	7	2	1	
17	8. Enteric fever M.	599	14	7	16	11	11	62	35	48	95	96	63
	F.	484	14	9	8	10	11	52	48	45	80	64	34
18	9. Diarrheal diseases M.	918	186	175	47	33	19	460	60	31	25	20	19
	F.	815	150	139	52	34	17	392	40	15	18	53	23
19	10. Cholera infantum M.	227	126	84	13	2	1	226					
	F.	183	98	63	16	2		179					
20	11. Malarial fever M.	554	49	21	20	23	9	122	45	36	47	65	32
	F.	466	40	37	32	20	8	137	39	32	49	37	24
21	12. Erysipelas M.	52	17	4	1	1		23	2	5	2	1	
	F.	42	8	2	1	2	1	14	1	1	6	1	2
22	13. Septicæmia M.	31	1	1				2	1	1	1	3	2
	F.	57	2	1	1			4	2	1	6	3	8
23	14. Venereal diseases M.	34	3			1		4				4	4
	F.	24	4	1		1		6			3	4	
24	15. Others of this group M.	29	6	1	1	3		11	2	1	2		1
	F.	20	3	3	2			8	3	2	2	1	1
25	General diseases—B	262	98	26	16	10	7	157	22	3	5	9	6
26	Males	156	56	17	10	6	3	92	10		3	3	4
27	Females	106	42	9	6	4	4	65	12	3	2	6	2
28	1. Parasitic diseases M.	31	2	7	6	5	3	23	8				
	F.	20		4	4	2	3	13	6	1			
29	2. Alcoholism M.	27							1		1		2
	F.	2											
30	3. Lead poison M.												
	F.	1										1	
31	4. Other poisons M.	30	2	1	3			6	1		1	3	2
	F.	28	2	2	1	1	1	7	5	2	2	3	2
32	5. Inanition M.	68	52	9	1	1		63			1		
	F.	55	40	3	1	1		45	1			2	
33	General diseases—C	1,673	1,200	19	6	4	1	1,230	2		4	4	1
34	Males	906	705	10	3	2		720	1		2	3	
35	Females	767	495	9	3	2	1	510	1		2	1	1
36	1. Premature birth M.	76	76					76					
	F.	51	50	1				51					
37	2. Stillborn M.	490	490					490					
	F.	304	304					304					
38	3. Malformation M.	16	13	1	1			15			1		
	F.	17	13	3		1		17					
39	4. Debility and atrophy M.	199	126	9	2	2		139	1		1	3	
	F.	212	128	5	3	1	1	138	1		2	1	1
40	5. Old age M.	125											
	F.	183											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,109	1,050	854	796	847	636	763	770	743	557	446	262	123	72	508	1
493	496	387	399	441	337	399	421	417	318	246	121	55	25	278	2
616	554	467	397	406	299	364	349	326	239	200	141	68	47	230	3
42	42	33	36	29	27	43	34	39	36	27	19	8	3	92	4
21	23	13	19	17	19	20	18	18	24	16	7	4	1	54	5
21	19	20	17	12	8	23	16	21	12	11	12	4	2	38	6
203	199	165	127	135	112	118	136	107	68	58	34	12	7	86	7
109	108	83	75	77	58	58	71	61	34	32	14	6	1	46	8
94	91	82	52	58	54	60	65	46	34	26	20	6	6	40	9
				1											10
5	5	1	2	1		1	1	1						2	11
5	6	5	1	3			2	1		1				2	
1															12
	1			1										3	13
1		1				1									14
						1				1					
1	2		1		3	2	1	4			1			3	15
7	3	1	2	1	1	3	4	1	2		1			1	
2															
		1	1											3	16
														2	
40	31	24	19	19	16	12	15	6	4	5	2			7	17
31	25	18	11	16	13	5	15	10	6	3	4	1		3	
26	27	21	25	33	25	29	27	32	12	19	9	5	1	12	18
19	22	29	18	20	29	38	29	21	22	16	12	2	3	14	
														1	19
														4	
27	35	32	21	18	10	8	15	11	11	5	2			12	20
15	21	18	14	15	9	11	14	8	1	4	1	3	2	12	
1	3	2		2	2		5	1	2	1					21
3	3	1	1		1	1		2	2	1	2				
2	2	2	2	1	1	3	2	3	2	1					22
13	8	4	2	1	1	1		2	1						
2	1	1	4		1	1	3	2	3			1		3	23
	2	4	1	1			1							2	
2	2		1	2		1	2	1		1					24
			1					1					1		
5	8	6	8	8	2	6	2	6	2					7	25
4	6	4	7	8	1	3	2	5	1					3	26
1	2	2	1		1	3		1	1					4	27
															28
2	2	2	4	5	1	2	1	3						1	29
		1				1									
															30
2	4	2	3	2		1		1	1					1	31
1	2		1			1			1					1	
				1			1	1						1	32
		1			1	1		1						3	
1	4	5	5	5	7	16	21	50	67	83	70	51	35	12	33
	1	4	2	1	4	6	7	24	29	38	26	20	10	8	34
1	3	1	3	4	3	10	14	26	38	45	44	31	25	4	35
															36
															37
															38
	1	4	2	1	4	3	4	11	7	9	1	1	1	6	39
1	3	1	3	4	3	8	8	8	10	7	8	3	2		
						3	3	13	22	29	25	19	9	2	40
						2	6	18	28	38	36	28	23	4	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		5,024	138	91	65	37	36	367	152	178	437	680	511
2	Males		2,094	70	54	28	23	17	192	70	73	141	274	202
3	Females		2,930	68	37	37	14	19	175	82	105	296	406	309
4	1. Rheumatism	M	85				1		1	4	3	3	4	8
		F	68			1	1	1	3	3	2	5	4	2
5	2. Scrofula and tabes	M	180	23	18	10	10	6	67	20	17	8	13	12
		F	191	14	14	12	7	3	50	26	18	14	15	13
6	3. Leprosy	M												
		F												
7	4. Consumption	M	1,466	30	23	10	9	7	79	35	42	115	248	167
		F	2,171	33	15	20	3	9	80	36	77	266	366	273
8	5. Hydrocephalus	M	26	10	7	2	1	2	22	1		1		1
		F	26	12	4			2	18		1	2		1
9	6. Cancer	M	95	1					1		2	1	3	7
		F	207	1		1			2		1	1	5	6
10	7. Tumor	M	13	2					2	1	1	1	2	
		F	28	3		1	1		5			1	3	4
11	8. Anæmia	M	6	1	1	1			3		1			
		F	5	4					4			1		
12	9. Dropsy	M	185	3	4	4	2	2	15	9	6	16	3	5
		F	214	1	2	1	1	4	9	15	4	4	13	10
13	10. Diabetes	M	31		1				1		1	1	1	1
		F	14			1	1		2	1	2	1		
14	11. Others of this group	M	6			1			1			1		1
		F	3		1				1			1		
15	12. Others of this class	M	1											
		F	3		1				1	1				
16	II.—Diseases of the nervous system		2,040	524	189	88	60	35	896	141	65	81	61	56
17	Males		1,066	280	107	45	40	22	494	81	35	37	29	31
18	Females		974	244	82	43	20	13	402	60	30	44	32	25
19	1. Inflammation of the brain	M	329	91	53	22	22	17	205	43	15	15	12	9
		F	283	76	47	22	10	5	160	28	15	14	14	9
20	2. Apoplexy	M	45	1	1	2			4					2
		F	68	5					5	1	2	3	1	1
21	3. Paralysis	M	172	2	1	3			6	4	2	2	1	3
		F	180	3	2	2	3	1	11	2		2	2	3
22	4. Tetanus and trismus nascentium	M	33	17	1				18	1	2	2	1	2
		F	25	18					18			1	1	1
23	5. Epilepsy	M	34	3	1	1	1		6	2	2	2	1	5
		F	33	1					1	1	3	5	3	4
24	6. Convulsions	M	176	106	27	6	6	2	147	8	3	5	2	
		F	157	104	12	6	1	1	124	6	3	4	4	1
25	7. Mental diseases	M	16											
		F	6											
26	8. Diseases of the brain	M	196	50	17	9	11	1	88	21	8	8	7	8
		F	150	32	16	11	5	4	68	16	5	12	5	3
27	9. Diseases of the spinal cord	M	32	8	5	1		2	16	2	2	2	2	1
		F	27	5	4	2	1	2	14	5	2	2		
28	10. Others of this class	M	33	2	1	1			4		1	1	3	1
		F	45		1				1	1		1	2	3
29	III.—Diseases of the circulatory system		849	42	5		2	2	51	17	11	31	38	35
30	Males		477	24	1		1		26	8	8	20	20	17
31	Females		372	18	4		1	2	25	9	3	11	18	18
32	1. Angina pectoris	M	4									1		
		F	4										2	
33	2. Aneurism	M	6											
		F	3										1	1
34	3. Diseases of the heart	M	453	11	1		1		13	8	8	19	20	17
		F	355	12	2		1	2	17	9	2	11	14	17
35	4. Others of this class	M	14	13					13					
		F	10	6	2				8		1		1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
409	381	297	275	290	189	205	176	154	96	73	27	15	2	110	1
147	144	107	105	118	81	94	89	79	58	45	14	8		53	2
262	237	190	170	172	108	111	87	75	38	28	13	7	2	57	3
	5	5	5	7	5	5	7	11	4	4	1	1		2	4
3	3	3	1	7	3	7	4	7	2	3	3	1	1	1	
2	4	4	6	4	5	1	2	1	7	2		1		4	5
10	5	9	7	4	7	4	1	3	2	1	1			1	
															6
134	121	81	77	86	50	56	52	40	19	19	4	2		39	7
223	199	141	119	112	54	70	46	34	14	8	5	2		46	
						1									8
	1									1				2	
4	4	3	5	7	7	13	9	7	5	8	5	3		1	9
11	12	20	26	24	25	14	16	15	12	8	1	2	1	5	
2		1	1	1			1								10
2		1	1	2	3	2	2			2					
1		1													11
2	9	11	10	10	12	17	12	16	19	10	3	1		5	12
13	16	14	14	23	16	12	17	14	8	5	3	2		2	
2	1	1	1	3	1	1	5	3	4	2	1			1	13
	1	2	1			2	1	1							
					1			1						1	14
								1							
							1								15
			1												
45	51	53	56	49	51	66	84	80	61	45	26	13	6	54	16
21	23	21	22	22	25	32	46	43	32	23	13	5	2	29	17
24	28	32	34	27	26	34	38	37	29	22	13	8	4	25	18
3	6	4	4	1	2	5		1		2				2	19
9	10	4	5	2	6	2	2	1						2	
2	1	4	4	3	7		8	4	2		2	1		1	20
2	2	8	8	4	6	7	4	6	2	1	2		1	2	
5	5	4	8	8	6	18	21	25	23	11	9	1	2	8	21
1	5	6	9	8	7	17	21	22	23	17	7	7	2	8	
3	1	1	1											1	22
	1				1				1		1				
2	4	3	1				2	1		1				2	23
3	4	3		2		2								2	
1				1	1				1	1	1			5	24
4	1	3	2					2	1					2	
1		1			3		2	1		1		1		6	25
1		1		1										3	
4	5	4	2	6	2	5	9	7	3	4	1			4	26
2	4	4	4	8	2	3	6	3						5	
	1		1	1	1	1	2								27
		1	1			1	1								
			1	2	3	3	2	4	3	3		2			28
2	1	2	5	2	4	2	4	3	2	4	3	1	1	1	
29	34	38	53	65	49	74	95	99	53	32	21	1	3	20	29
12	17	7	26	38	25	42	62	63	38	22	14		1	11	30
17	17	31	27	27	24	32	33	36	15	10	7	1	2	9	31
					2	1									32
1	1														
	1	1		1			2							1	33
				1											
12	16	6	26	37	23	41	60	62	38	22	14		1	10	34
16	16	31	27	26	24	32	33	36	15	10	7	1	2	9	
								1							35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,496	818	296	157	93	54	1,418	149	99	174	176	136
2	Males	1,950	452	163	89	52	29	785	81	49	93	117	76
3	Females	1,546	366	133	68	41	25	633	68	50	81	59	60
4	1. Croup M	333	208	40	26	29	5	308	15	3		1	1
	F	265	166	30	21	15	6	238	17	5	1		
5	2. Laryngitis M	3			1			1	1				
	F	5	1			2		3					
6	3. Bronchitis M	209	67	31	11	8		117	9	4	1	6	6
	F	176	46	20	11	3	3	83	5	2	7	6	7
7	4. Pneumonia M	1,080	120	77	43	15	17	272	43	30	80	88	57
	F	812	113	64	27	14	10	228	37	33	63	42	38
8	5. Pleurisy M	22		1				1				3	2
	F	23				1		1	1	1			
9	6. Asthma M	18	1					1					1
	F	18											
10	7. Others of this class M	285	56	14	8		7	85	13	12	12	19	10
	F	247	40	19	9	6	6	80	8	9	10	11	14
11	V.—Diseases of the digestive system	1,050	177	117	40	16	13	363	40	27	34	42	46
12	Males	558	93	60	19	4	8	184	19	16	21	21	27
13	Females	492	84	57	21	12	5	179	21	11	13	21	19
14	1. Dentition M	62	20	35	6		1	62					
	F	61	19	32	7	3		61					
15	2. Angina M	25	6	2	1			9	5		1		2
	F	31	4	1	2	3	1	11	6			3	1
16	3. Diseases of the stomach M	122	18	10	5	2	2	37	3	6	4	3	7
	F	109	13	9	1	1	2	26	7	5	3	4	5
17	4. Obstruction of the bowels M	30	3		1			4	1	4	3	1	1
	F	14	2	1				3		2	1	1	
18	5. Hernia M	21		1			1	2	1			3	
	F	1											
19	6. Other diseases of the bowels M	45	7	6	2		1	16	3	1	1	3	2
	F	46	7	4	5	2	1	19	4	2	1	1	2
20	7. Jaundice M	25	14		1			15	2				1
	F	21	7	1				8	1	1	1		
21	8. Inflammation and abscess of the liver. M	44	2					2		1	2	3	
	F	28	4	1				5			1		1
22	9. Other diseases of the liver M	67	4	3		1		8	1	2		2	3
	F	43	3	3	1	1	1	9			1		3
23	10. Peritonitis M	28	2					2	2	2	7	2	5
	F	38									3	6	5
24	11. Ascites M	15					1	1				1	1
	F	11									1		
25	12. Others of this class M	74	17	3	3	1	2	26	1		3	3	5
	F	89	25	5	5	2		37	3	1	1	6	2
26	VI.—Diseases of the urinary system and male organs of generation.	276	6	1	4	1		12	7	5	5	20	8
27	Males	207	2		3	1		6	5	4	2	12	4
28	Females	69	4	1	1			6	2	1	3	8	4
29	1. Bright's disease M	79							1	2	2	8	2
	F	20								1	1	2	3
30	2. Calculus, urinary M	22							1			1	
	F	4	1					1					
31	3. Diseases of the kidney M	60	2		2	1		5	3	2		1	2
	F	29	3	1	1			5	1		1	3	
32	4. Diseases of the bladder M	21										1	
	F	5											
33	5. Others of this class M	25			1			1				1	
	F	11							1		1	3	1
34	VII.—Diseases of the female organs of generation.	122								1	7	7	17
35	1. Ovarian tumors F	7											
36	2. Ovarian diseases F	7										1	2
37	3. Uterine tumors F	7											1
38	4. Uterine diseases F	34									2	1	2
39	5. Others of this class F	67								1	5	5	12
40	VIII.—Affections connected with pregnancy.	372								1	47	83	81
41	1. Abortion F	36									4	8	8
42	2. Childbirth F	182									22	39	36
43	3. Puerperal septicæmia F	123									12	28	34
44	4. Extra-uterine pregnancy F	4									1		1
45	5. Others of this class F	27								1	8	8	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
145	117	122	111	124	108	122	109	107	94	79	33	12	12	49	1
74	71	72	67	73	89	68	55	57	46	45	14	6	7	25	2
71	46	50	44	51	39	54	54	50	48	34	19	6	5	24	3
														5	4
	1													3	
					1										5
1											1				
4	2	2	6	6	6	7	6	8	9	6	1			3	6
3	4	6	8	1	3	6	5	7	9	7	1	1		2	
61	57	58	50	54	52	49	30	31	21	22	6	1	4	14	7
48	28	35	29	31	31	38	35	33	26	16	6	1	3	11	
1	2		1	1	1	1	2	4	1	1	1				8
1	2	3	1	1		2	3	1	2	1	1	1	1		
	2		1	4	2	1	2	1	1	3					9
2	3	1	1	2	1	1	2	1	2	1					
8	8	12	9	8	7	10	15	13	14	13	6	5	3	3	10
13	8	5	5	16	4	7	9	8	9	9	10	3	1	8	
50	52	32	46	62	28	52	47	34	35	21	17	3		19	11
22	27	21	26	35	13	31	26	18	20	9	8	2		12	12
28	25	11	20	27	15	21	21	16	15	12	9	1		7	13
															14
2			1			2	1	1						1	15
1		1				1	3		1	1	2				
3	7	7	6	5	7	4	8	5	5	3	2				16
6	9	4	4	5	9	5	6	3	1	3	3	1			
4	2		3	5		1			1						17
	1	1		1	2		1			1					
2	1	1		1		3	1	2	2		1			1	18
							1								
1	1	1	2	2	1	1		1	2	2		2		3	19
1	2		1	3		3	1	2	1	1				2	
		1		2		1	1	1		1					20
				3	1	1	1	2	2						
4	6	2	4	4	1	9	5	1							21
1	2	1	4	5	1	2	2	1		1				1	
2	5	6	5	9	2	4	3	4	6	1	1			3	22
6	3		5	3		3	1	6	2					1	
1	1	1		2			1	1						1	23
9	5	1	3	2				1	2					1	
	1	1	1	1		2	2		2		1			1	24
1			1	1	1	1	1			3	1				
3	3	1	4	4	2	4	4	2	2	2	3			2	25
3	3	3	2	4	1	5	4	1	6	2	3			2	
13	10	5	15	18	19	24	33	32	25	10	6	1	1	7	26
4	6	5	14	13	13	18	26	28	24	10	5	1	1	6	27
9	4		1	5	6	6	7	4	1		1			1	28
1	5	1	7	5	9	5	16	6	7	1				1	29
4	3		1	2	1	1	1								
			1	2		2	4	5	2	1	1	1		1	30
								2			1				
2	1	3	4		4	4	4	8	10	2	2		1	2	31
3	1			2	3	4	4	1	1						
			1	4		4	1	4	2	1	2			1	32
				1			2	1						1	
1		1	1	2		3	1	5	3	5				1	33
2					2	1									
13	8	17	16	9	10	4	4	2	3	1				3	34
2		3				1	1								35
	1				1	1								1	36
		4	1		1										37
7	3	4	6	2			2	1	1	1				2	38
4	4	6	9	7	8	2	1	1	2						39
63	62	23	4											8	40
8	7		1												41
32	29	17	2											5	42
18	23	4	1											3	43
1	1														44
4	2	2													45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	119	31	7	7	4	4	53	8	8	[illegible]	10	2
2	Males	71	15	4	4	3	3	29	3	6	5	7	1
3	Females	48	16	3	3	1	1	24	5	2	3	3	1
4	1. Diseases of the spine M.	60	14	4	3	3	3	27	3	4	3	6	1
	F.	38	14	3	3	1	1	22	4	1	1	3	
5	2. Diseases of the bones M.	6	1					1		2	2	1	
	F.	3	2					2					
6	3. Diseases of the hip joint M.	2											
	F.	4								1	1		1
7	4. Others of this class M.	3			1			1					
	F.	3							1		1		
8	X.—Diseases of the skin	60	10	3			1	14	2	2		2	5
9	Males	35	5					5	2	2			3
10	Females	25	5	3			1	9				2	2
11	1. Abscess M.	17	1					1	2				3
	F.	14	2				1	3				2	2
12	2. Carbuncle M.	4											
	F.	2											
13	3. Others of this class M.	14	4					4		2			
	F.	9	3	3				6					
14	XI.—Diseases of the absorbent system	12			1	1		2	1	1		2	
15	Males	7			1	1		2	1	1			
16	Females	5										2	
17	1. Addison's disease M.												
	F.	2										2	
18	2. Diseases of the spleen M.	3				1		1	1				
	F.												
19	3. Others of this class M.	4			1			1		1			
	F.	3											
20	XII.—Accidents and injuries	1,172	106	33	38	21	25	223	61	55	112	127	114
21	Males	885	63	18	20	9	10	120	39	36	90	113	103
22	Females	287	43	15	18	12	15	103	22	19	22	14	11
23	1. Burns and scalds M.	56	4	7	11	7	4	33	6	2	2	1	1
	F.	83	2	3	10	9	10	34	13	12	5	3	4
24	2. Drowned M.	76		3			1	4	2	9	15	8	6
	F.	11		1	1		2	4			4		
25	3. Exposure and neglect M.	26	12	1				13	2		2	1	2
	F.	22	9	3				12		1	5		
26	4. Gunshot wounds M.	84	1	1				2	3	5	11	13	15
	F.	7							1			2	
27	5. Homicide M.	108	1		1		1	3	3	2	10	21	18
	F.	7									3	1	
28	6. Infanticide M.												
	F.	1	1					1					
29	7. Injuries by machinery M.	9									3	1	
	F.												
30	8. Railroad accidents M.	125							2	5	13	27	30
	F.	6									1	1	
31	9. Suffocation M.	32	24	1		1		26					1
	F.	29	18	1	3	2		24					
32	10. Suicide by shooting M.	12										5	1
	F.	1										1	
33	11. Suicide by drowning M.	2											
	F.	1											
34	12. Suicide by poison M.	7										1	2
	F.	10										2	4
35	13. Other suicides M.	14										1	
	F.	6										2	
36	14. Sunstroke M.	12	1					1		2	1		
	F.	3	1					1					1
37	15. Surgical operations M.	4	1					1					
	F.	1											
38	16. Wounds M.	30	1					1	1	1	5	1	5
	F.	6							2		1		
39	17. Other accidents and injuries M.	288	18	5	8	1	4	36	20	10	28	33	22
	F.	93	12	7	4	1	3	27	6	6	3	2	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TENNESSEE—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
3	2			5		5	1	6	5	1	1			1	1
3	2			2		4		2	4	1	1			1	2
				3		1	1	4	1						3
2	1			1		3		2	4	1	1			1	4
				3				4							
															5
						1									
1	1														6
									1						
				1		1									7
							1								
2	2	2	2	2	6	5	3	6	1		2			2	8
2	2		1	1	4	4	1	3	1		2			2	9
		2	1	1	2	1	2	3							10
2	1				3	1		1	1					2	11
		2			2		2	1							
			1	1		2									12
			1			1									
	1				1	1	1	2			2				13
				1				2							
	2	1						2					1		14
		1						2							15
	2												1		16
															17
		1													18
								2							19
	2												1		
86	76	55	42	46	28	23	25	19	11	16	6	7	2	38	20
74	66	49	35	36	25	19	18	14	7	5	3	3	2	28	21
12	10	6	7	10	3	4	7	5	4	11	3	4		10	22
1	1	2	1			2		1	1	1				1	23
	1	4	1	1			2		1					2	
8	8	6			5	1				1				3	24
	2			1											
1	1		1	1										2	25
								1		1				2	
9	7	5	4	2	2	1	1			1				3	26
2	1			1											
5	13	9	6	7	3		1	2						5	27
1						1	1								
															28
2	2					1									29
18	9	4	3	4	2	1	1		2					4	30
1					1		2								
1		1		1				1						1	31
			1									1		3	
2		1		1	1	1									32
		1	1												33
	1														
1			1	1	1										34
1	2		1												
1	1	3	1	2	1	1	2							1	35
1			1	1	1										
3		1		1	1					1			1		36
				1											
	1		1			1									37
1															
1	1	1	3	1	1	2	2	2	1			1			38
2						1									
21	22	15	13	15	8	8	11	8	3	1	3	2	1	8	39
3	3	2	3	5	1	2	2	4	3	10	3	3		3	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	26,478	5,852	1,831	1,095	615	487	9,880	1,491	1,003	1,399	1,583	1,380
2	Males	14,625	3,333	991	625	330	259	5,538	756	542	713	810	701
3	Females	11,853	2,519	840	470	285	228	4,342	735	461	686	773	679
4	Unknown causes	2,283	869	148	103	55	53	1,228	146	80	82	79	71
5	Males	1,225	485	77	57	32	25	676	76	47	33	38	49
6	Females	1,058	384	71	46	23	28	552	70	33	49	41	33
	I.—General diseases.												
7	General diseases—A	7,420	1,488	984	513	272	198	3,455	630	368	402	411	331
8	Males	3,978	810	526	293	138	105	1,872	303	190	209	225	175
9	Females	3,442	678	458	220	134	93	1,583	327	178	193	186	156
10	1. Smallpox M	47	13	3	6	2	1	25	5	5	1	2	1
	F	41	5	3	3	1	3	15	14	7	2		1
11	2. Measles M	230	38	51	27	17	7	140	19	9	10	12	4
	F	238	43	49	15	11	9	127	16	16	15	17	7
12	3. Scarlet fever M	24	12	3	3	3	1	22	2				
	F	21	6	4	3	1	1	15	6				
13	4. Diphtheria M	75	10	17	8	13	3	51	12	2	1		
	F	90	12	7	9	11	9	48	26	2	5	3	1
14	5. Whooping cough M	110	67	23	6	1		97	9		1	2	
	F	150	87	26	11	7	1	132	11	1	2		1
15	6. Fever M	127	39	10	7	7	2	65	13	4	4	8	3
	F	120	30	16	5	6	1	58	15	6	4	6	3
16	7. Cerebro-spinal fever M	124	26	10	8	3	6	53	16	13	12	11	5
	F	94	13	5	5	5	5	33	7	13	8	4	3
17	8. Enteric fever M	589	27	23	21	11	9	91	40	36	58	77	63
	F	437	15	25	11	10	10	71	32	35	58	52	37
18	9. Diarrheal diseases M	1,075	252	217	111	36	23	639	78	24	24	25	29
	F	854	202	152	80	32	15	481	70	18	15	21	21
19	10. Cholera infantum M	269	158	86	20	1	1	266					
	F	236	138	68	22	4	1	233					
20	11. Malarial fever M	1,123	124	76	68	42	51	361	102	89	85	77	61
	F	979	98	93	50	44	37	322	118	77	69	73	63
21	12. Erysipelas M	71	27	1	5			33	2	2	8	3	1
	F	65	18	4	4			26	3	1	2	1	5
22	13. Septicæmia M	63	7	4	2	1		14	3	4	5	4	3
	F	76	5	5		2	1	13	4	2	9	7	9
23	14. Venereal diseases M	25	7	1				8				1	3
	F	10	1		1			2					4
24	15. Others of this group M	26	3	1	1	1	1	7	1	2		3	2
	F	31	5	1	1			7	5		4	2	1
25	General diseases—B	326	128	20	20	7	6	181	6	3	7	7	9
26	Males	214	80	11	11	2	1	105	3	2	5	4	5
27	Females	112	48	9	9	5	5	76	3	1	2	3	4
28	1. Parasitic diseases M	14	3	2	5	2		12					
	F	11	1	3	1	1	3	9	2				
29	2. Alcoholism M	55										1	4
	F	3											
30	3. Lead poison M	1											
	F												
31	4. Other poisons M	50	5	4	3		1	13	1	1	4	2	1
	F	34	5	2	5	2	1	15	1		2	2	4
32	5. Inanition M	94	72	5	3			80	2	1	1	1	
	F	64	42	4	3	2	1	52		1		1	
33	General diseases—C	1,695	1,305	8	4	3	2	1,322	3	1	2	3	4
34	Males	974	775	3	3	2		783	3	1	1	1	2
35	Females	721	530	5	1	1	2	539			1	2	2
36	1. Premature birth M	117	117					117					
	F	111	110	1				111					
37	2. Stillborn M	457	457					457					
	F	301	301					301					
38	3. Malformation M	22	20					20					
	F	15	15					15					
39	4. Debility and atrophy M	250	181	3	3	2		189	3	1	1	1	2
	F	176	104	4	1	1	2	112			1	2	2
40	5. Old age M	128											
	F	118											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1,293	1,288	1,148	983	868	695	837	661	560	430	285	123	37	56	478	1
660	664	655	573	532	417	508	410	326	266	168	72	21	26	267	2
633	624	493	410	336	278	329	251	234	164	117	51	16	30	211	3
59	61	65	39	44	33	63	43	31	27	31	10	3	2	84	4
24	30	32	22	22	20	39	26	18	15	13	6	2		46	5
35	31	33	17	22	13	24	17	13	12	18	4	1	2	38	6
273	255	201	194	143	129	142	120	105	91	38	21	3	5	103	7
152	130	117	106	72	77	73	76	57	53	24	12	1	3	51	8
121	125	84	88	71	52	69	44	48	38	14	9	2	2	52	9
2			1	1		1								3	10
		1					1								
9	5	8	1		2	2	1		2	2	1			3	11
5	11	8	7	2	1	1		1						4	
															12
	1		1		1	1		2			1			2	13
	1					2								2	
1															14
					1									2	
4	3	2	5	3		3	1	1	4		2			2	15
6	4			5	1	5	2	3		1				1	
2	3		4	2	3										16
4	5	2	1	3	5		1			1				4	
46	38	26	31	12	13	11	16	13	8	2	1			7	17
30	28	14	13	14	8	14	6	6	5	2	1	1		10	
23	21	29	20	23	23	23	31	19	19	9	5			11	18
27	14	19	29	22	24	17	18	21	14	7	5			11	
														3	19
														3	
55	50	44	36	22	28	25	21	17	16	9	2	1	2	20	20
33	43	32	27	25	8	27	16	12	15	2	2	1	1	13	
4	4	2		1		1	3	2	2	1			1		21
2	7	3	5		1	3		3	3						
2	2	4	4	5	3	4	1	3	1	1					22
10	10	3	4		2			1		1				1	
2	1	2	2	2	3	1									23
	1	2							1						
2	2		1	1	1	1	2		1						24
4	1		2		1			1			1		1	1	
6	19	17	7	17	10	8	13	4	1	3	1			7	25
5	17	14	5	12	10	6	10	2	1	2	1			5	26
1	2	3	2	5		2	3	2		1				2	27
		1		1											28
3	12	11	2	6	4	3	4	2						3	29
1		2													
				1											30
1	5	2	2	4	5	2	4			2				1	31
			1	4		2	1	2							
1			1		1	1	2		1		1			1	32
	2	1	1	1			2			1				2	
7	5	4	7	9	5	7	28	51	68	65	41	20	31	12	33
3	3	2	3	5	1	6	15	26	24	38	26	12	13	6	34
4	2	2	4	4	4	1	13	25	44	27	15	8	18	6	35
															36
															37
														2	38
3	3	2	3	5	1	4	9	5	8	4	4			2	39
4	2	2	4	4	4	1	3	5	15	3	3	2	3	4	
						2	6	21	16	34	22	12	13	2	40
							10	20	29	24	12	6	15	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		3,107	94	42	38	30	14	218	67	67	188	285	305
2	Males		1,603	58	29	22	17	9	135	35	35	78	127	134
3	Females		1,504	36	13	16	13	5	83	32	32	110	158	171
4	1. Rheumatism	M	73	4	1			3	8	4	2	4	3	3
		F	37	1					1	1	3	3	3	1
5	2. Scrofula and tabes	M	50	10	6	5	2		23	4	3		2	4
		F	40	6	6	5	1	1	19	1	4	4	2	
6	3. Leprosy	M												
		F	1											
7	4. Consumption	M	1,027	18	4	4	6	1	33	11	11	56	114	113
		F	1,032	11	5	3	5	1	25	12	19	92	137	143
8	5. Hydrocephalus	M	43	15	9	4	4	1	33	2	2	1	1	
		F	20	8		3	2	1	14	5				
9	6. Cancer	M	148	2	1		1		4	1		4	1	
		F	165			1	1		2	3	1	2	2	7
10	7. Tumor	M	30		1				1	1	1	1	2	1
		F	26	3					3	2		2	2	1
11	8. Anæmia	M	5	1	1				2					
		F	11	3					3	1				4
12	9. Dropsy	M	190	5	5	8	4	3	25	12	14	9	4	11
		F	152	3	2	4	3	1	13	4	4	5	11	11
13	10. Diabetes	M	27								2	3		1
		F	5					1	1					2
14	11. Others of this group	M	10	3	1	1		1	6					1
		F	12	1					1	2	1	2	1	1
15	12. Others of this class	M												
		F	3				1		1	1				1
16	II.—Diseases of the nervous system		2,248	587	142	112	71	73	985	204	118	114	81	50
17	Males		1,287	346	80	56	36	37	555	102	61	67	51	25
18	Females		961	241	62	56	35	36	430	102	57	47	30	25
19	1. Inflammation of the brain	M	309	71	24	24	12	14	145	32	24	27	19	3
		F	215	48	22	11	10	10	101	46	18	9	10	5
20	2. Apoplexy	M	98	1					1			4	6	2
		F	61					2	2	2	1	1	1	2
21	3. Paralysis	M	138	3	2	1		3	9	2	5	2	1	3
		F	94	1	1		3		5	3	1	3	1	3
22	4. Tetanus and trismus nascentium	M	92	72	3	1			76	3	4		1	
		F	65	54		1	1		56	1	1	3		
23	5. Epilepsy	M	36	4				1	5	3	1	4	6	1
		F	36	1		1	1	1	4		3	3	5	2
24	6. Convulsions	M	154	111	9	6	2		128	6	1	3	2	1
		F	133	76	15	6	3	2	102	6	7	5	1	1
25	7. Mental diseases	M	7											
		F	3										1	
26	8. Diseases of the brain	M	382	71	37	23	19	19	169	49	22	21	13	11
		F	290	58	17	35	12	21	143	35	21	17	9	11
27	9. Diseases of the spinal cord	M	46	11	4	1	3		19	5	4	5	1	2
		F	39	3	7	2	5		17	7	3	4		
28	10. Others of this class	M	25	2	1				3	2		1	2	2
		F	25							2	2	2	2	1
29	III.—Diseases of the circulatory system		784	58	4	6	8	1	72	32	20	42	31	41
30	Males		412	31	3	2	6		42	16	12	20	13	12
31	Females		372	22	1	4	2	1	30	16	8	22	18	29
32	1. Angina pectoris	M	11										1	
		F	10								2	2		
33	2. Aneurism	M	10										1	1
		F	4											
34	3. Diseases of the heart	M	370	15	3	1	6		25	16	12	19	11	11
		F	347	18	1	4	1		24	16	6	20	17	28
35	4. Others of this class	M	21	16		1			17			1		
		F	11	4			1	1	6				1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
334	276	246	236	200	158	177	105	84	49	26	8	1	7	70	1
170	129	134	121	116	86	93	59	47	33	18	4	1	5	43	2
164	147	112	115	84	72	84	46	37	16	8	4		2	27	3
2	7	2	5	5	2	7	2	6	4	3			1	3	4
4	2	1			3	5	1	4	1	2			1	1	
2	2	4	1		2	1	2								5
2	2	1	1	1	1	1			1						
															6
			1												
136	108	97	94	76	46	49	24	16	12	3	2		1	25	7
134	115	86	83	44	34	40	28	13	6	1				20	
1			1			1								1	8
	1														
10	6	12	9	17	19	20	14	11	10	5		1	1	3	9
9	10	14	21	23	20	24	8	8	2	3	3		1	2	
5		3		3	3	1	1		2	1				4	10
1	3	2	2	3	2		2			1					
1	1						1								11
			1											2	
9	5	16	9	13	10	12	13	12	3	5	2		2	4	12
14	12	6	6	13	12	13	6	12	6	1	1			2	
4			2	1	3	2	2	2	2	1				2	13
		1				1									
				1	1									1	14
	2	1					1								
															15
54	72	62	80	65	50	82	56	59	47	31	6	3	1	28	16
29	44	36	49	39	34	50	37	36	31	18	4	1		18	17
25	28	26	31	26	16	32	19	23	16	13	2	2	1	10	18
12	6	9	8	5	6	4	1	1	1					6	19
3	7	2	2	3	1	4	1			2				1	
4	6	3	8	12	8	12	8	11	6	5		1		1	20
5	2		4	5	4	9	7	7	3	4	1	1			
1	5	9	6	5	10	20	13	18	14	11	1			3	21
5	5	1	7	8	6	10	8	11	11	5			1		
	3	2			1						1			1	22
1		1		1				1							
1	4	1	3	1	2		2		1					1	23
2	3	7	3	2			2								
2	1	1	2	1	2				2					2	24
		4	2		1	1								3	
	2	1	1	2		1									25
	1		1												
9	8	10	18	11	3	12	11	3	5	1	2			4	26
5	8	8	7	7	4	4	1	1	1	2		1		5	
	6		2	1			1								27
3	1	1	1			1								1	
	3		1	1	2	1	1	3	2	1					28
1	1	2	4			3		3	1		1				
43	52	53	49	57	39	67	65	54	18	25	6	1	1	16	29
20	21	23	25	29	22	44	39	34	13	17	3			7	30
23	31	30	24	28	17	23	26	20	5	8	3	1	1	9	31
			1		1	1	2	3	1					1	32
		3		1			1	1							
	2		1	3	1	1									33
1		1				1	1								
20	19	23	22	26	20	42	37	31	12	16	3			5	34
22	30	26	24	26	17	22	24	18	5	8	3	1	1	9	
			1							1				1	35
	1			1				1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	4,190	860	293	179	91	65	1,488	175	134	246	264	196
2	Males	2,392	461	154	103	53	36	807	95	65	143	154	115
3	Females	1,798	399	139	76	38	29	681	80	69	103	110	81
4	1. Croup M	264	140	39	37	18	10	244	14		3		
	F	199	108	31	24	12	6	181	13	1		1	
5	2. Laryngitis M	16	2	3	4	1	1	11	3				
	F	7	2	1	1			4	2				
6	3. Bronchitis M	191	60	31	12	4	2	109	4	3	7	4	2
	F	174	56	26	8	6	5	101	7	2	7	6	9
7	4. Pneumonia M	1,468	145	52	40	22	17	276	51	54	111	130	101
	F	1,065	146	56	33	16	13	264	44	50	83	90	61
8	5. Pleurisy M	32	1	1		1		3	3		4	2	
	F	11	1					1			1	2	2
9	6. Asthma M	22	2		1			3					
	F	30	1					1		2	1		1
10	7. Others of this class M	399	111	28	9	7	6	161	20	8	18	18	12
	F	312	85	25	10	4	5	129	14	14	11	11	8
11	V.—Diseases of the digestive system	1,635	268	118	57	42	36	521	116	113	80	78	65
12	Males	971	165	65	36	22	23	311	53	65	54	35	36
13	Females	664	103	53	21	20	13	210	63	48	26	43	29
14	1. Dentition M	54	25	23	5	1		54					
	F	43	19	22	2			43					
15	2. Angina M	47	9	7	4	2	5	27	4	3	2	1	1
	F	36	3	6	2	3	2	16	10	1	1	2	1
16	3. Diseases of the stomach M	178	26	19	14	11	10	80	9	6	7	4	4
	F	158	27	11	10	10	6	64	17	9	3	5	7
17	4. Obstruction of the bowels M	43	6		1		2	9	2	5	5	2	1
	F	22	1	3	1	1		6	2	2			
18	5. Hernia M	29	7	1				8	1				1
	F	12											
19	6. Other diseases of the bowels M	64	19	1	2	2	2	26	2	5	2		3
	F	34	10	1	1		1	13	2	2	4	3	
20	7. Jaundice M	216	20	3	7	2	2	34	21	32	25	14	11
	F	118	10	2		3		15	24	24	12	8	8
21	8. Inflammation and abscess of the liver. M	92	3					3	3	3	2	3	8
	F	48	2	1	1	1	1	6	2	2		6	1
22	9. Other diseases of the liver M	73	6	1	1	3	1	12		3	1	4	2
	F	59	5	2	3	2	2	14	2	4		4	
23	10. Peritonitis M	30	4	1				5	4	1	5	3	1
	F	56		2			1	3	1	2	4	11	11
24	11. Ascites M	24		3	2			5	2		1	2	
	F	9							1			1	
25	12. Others of this class M	121	40	6		1	1	48	5	7	4	2	4
	F	69	26	3	1			30	2	2	2	3	1
26	VI.—Diseases of the urinary system and male organs of generation.	390	8	9	10	2	4	33	24	16	20	19	17
27	Males	282	7	5	7	1	4	24	16	7	9	10	11
28	Females	108	1	4	3	1		9	8	9	11	9	6
29	1. Bright's disease M	107							2	2	5	4	10
	F	50							1	5	3	5	5
30	2. Calculus, urinary M	16	1					1	1				
	F												
31	3. Diseases of the kidney M	106	5	5	6	1	3	20	12	3	3	5	
	F	47	1	4	3			8	6	4	7	3	
32	4. Diseases of the bladder M	26			1		1	2					
	F	6											1
33	5. Others of this class M	27	1					1	1	2	1	1	1
	F	5				1		1	1		1	1	
34	VII.—Diseases of the female organs of generation.	96								3	12	7	10
35	1. Ovarian tumors F	11											
36	2. Ovarian diseases F	1									2		
37	3. Uterine tumors F	4											
38	4. Uterine diseases F	37								1	3	5	6
39	5. Others of this class F	43								2	7	2	4
40	VIII.—Affections connected with pregnancy.	612									85	137	114
41	1. Abortion F	43									4	8	12
42	2. Childbirth F	314									44	66	53
43	3. Puerperal septicæmia F	208									28	50	41
44	4. Extra-uterine pregnancy F	1											
45	5. Others of this class F	46									9	13	8

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
182	226	250	170	165	131	157	109	98	67	40	21	3	5	63	1
101	114	160	104	106	77	100	64	59	52	25	12	1	3	35	2
81	112	90	66	59	54	57	45	39	15	15	9	2	2	28	3
														3	4
1														2	
		1												1	5
									1						
8	5	7	3	4	4	8	3	5	6	4	1		1	3	6
2	5	5	7	4	6	2	2	1	2	1	1	1		3	
80	93	137	83	83	54	68	46	32	29	9	7	1		23	7
60	82	70	47	45	35	42	31	19	9	8	5	1	1	18	
3		1		2	2	4	4	1	3						8
1		1	1	1			1								
			1	2	2	5	1	6	1		1				9
1	2	3	3	1	1	2	5	4			1			2	
10	16	14	17	15	15	15	10	15	13	12	3		2	5	10
16	23	11	8	8	12	11	6	15	3	6	2		1	3	
76	97	70	75	78	68	61	51	25	28	10	4	2	1	16	11
32	71	45	48	55	43	47	33	10	17	4	2	2		8	12
44	26	25	27	23	25	14	18	15	11	6	2		1	8	13
															14
1		1	1	1	1	1	1		1	1					15
1		1	1										1	1	
5	8	11	10	9	6	6	9	2	1	1					16
8	6	2	7	7	7	3	4	3	3	1	1			1	
2	3	1	3	4		4	2								17
3	1	1	2	2	1			2							
1	2	4	1	2		4			2	1		2			18
	1	2	2	2	1		2	1						1	
1	5	2	5	3	2	1	1	1	4		1				19
	1	3		2		1	1		1	1					
13	29	9	5	7	4	5	3							4	20
9	5	2	3		2	2	1	2		1					
1	10	9	13	7	9	7	6	4	1		1			2	21
4	4	6	4	2	3	2	2	1	1					2	
2	5	5	6	10	11	7	2		3						22
5	2	5	2	2	6	4	4	2	2	1					
	3		1	2	1	2	1	1							23
8	2	1	3	2	1	1	2		2					2	
1	2	2		3	1	3	2								24
1	3				1		1							1	
5	4	1	3	7	8	7	6	2	5	1				2	25
5	1	2	3	4	3	1	1	4	2	2	1				
13	22	14	17	22	27	35	45	29	21	8	2			6	26
9	17	10	14	20	23	26	32	23	17	6	2			6	27
4	5	4	3	2	4	9	13	6	4	2					28
5	5	2	7	13	12	11	11	8	6	1	1			2	29
3	3	3	2		3	7	4	3	2	1					
1	1			1		2	5	2	2						30
2	10	5	4	4	7	5	11	7	3	3				2	31
1	1	1	1	2	1	2	7	2	1						
		1	1	1	2	3	1	6	6	2	1				32
							2	1	1	1					
1	1	2	2	1	2	5	4							2	33
	1														
7	11	15	9	5	10	4	2		1						34
	2	1		1	4		1								35
1															36
	1	3													37
4	6	4	4		3	1									38
2	2	7	5	4	3	3	1		1						39
115	88	46	8	2				1						18	40
5	11	1		1										1	41
61	48	28	5											9	42
42	24	11	3	1				1						7	43
		1													44
5	5	5												1	45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		65	18	4	3	2	4	31	5	1	3	5	3
2	Males		42	11	2	1	2	3	19	3	1	3	1	2
3	Females		23	7	2	2		1	12	2			4	1
4	1. Diseases of the spine	M	28	9	1		2	2	14	1	1	1		2
		F	17	6	2	2		1	11	2				
5	2. Diseases of the bones	M	8	1	1				2	2		2	1	
		F	4										3	1
6	3. Diseases of the hip joint	M	1					1	1					
		F												
7	4. Others of this class	M	5	1		1			2					
		F	2	1					1				1	
8	X.—Diseases of the skin		61	15	7	2			24		1	1	1	3
9	Males		35	9	3	1			13		1		1	2
10	Females		26	6	4	1			11			1		1
11	1. Abscess	M	17	1	3				4		1			2
		F	14	3	3				6			1		
12	2. Carbuncle	M	7										1	
		F	3											1
13	3. Others of this class	M	11	8		1			9					
		F	9	3	1	1			5					
14	XI.—Diseases of the absorbent system		24	4	2	2		1	9	1			2	2
15	Males		13	2	1	2			5	1				
16	Females		11	2	1			1	4					2
17	1. Addison's disease	M											2	
		F												
18	2. Diseases of the spleen	M	10	1	1	2			4	1				
		F	9	2	1			1	4					2
19	3. Others of this class	M	3	1					1				2	
		F	2											
20	XII.—Accidents and injuries		1,542	155	50	46	32	30	313	82	78	115	173	157
21	Males		1,197	93	32	31	19	16	191	50	55	91	150	140
22	Females		345	62	18	15	13	14	122	32	23	24	23	17
23	1. Burns and scalds	M	62	11	13	10	8	5	47	5		2		1
		F	108	5	8	6	8	6	33	23	10	10	4	7
24	2. Drowned	M	88		1	3	3	3	10	11	8	9	11	13
		F	14	3	2	1	1		7		2			1
25	3. Exposure and neglect	M	13	10	1				11				1	
		F	11	6					6				1	
26	4. Gunshot wounds	M	150	1		1		1	3	4	6	12	31	23
		F	6					2	2			1	1	
27	5. Homicide	M	166	1					1	2		12	30	33
		F	18	2		1	1		4		1	5	1	1
28	6. Infanticide	M												
		F	1	1					1					
29	7. Injuries by machinery	M	23									3	3	4
		F												
30	8. Railroad accidents	M	119			1			1	1	5	12	18	15
		F	6										1	1
31	9. Suffocation	M	48	31	3				34	2	2	4	1	2
		F	29	23	2	2		1	28					
32	10. Suicide by shooting	M	30									2	3	3
		F	3								1	1	1	
33	11. Suicide by drowning	M												
		F	4										1	1
34	12. Suicide by poison	M	24										1	2
		F	17									2	6	1
35	13. Other suicides	M	32									2	4	1
		F	5										1	1
36	14. Sunstroke	M	19			1			1			1	5	4
		F	11			1		1	2	2			1	
37	15. Surgical operations	M	9									1	3	
		F	3										1	
38	16. Wounds	M	34	3		2	1		6	2	5		6	4
		F	9	2	1				3		1		1	
39	17. Other accidents and injuries	M	380	36	14	13	7	7	77	23	29	31	33	35
		F	100	20	5	4	3	4	36	7	8	5	3	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

TEXAS—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
4	1	1	3	3		1	2	2							1
2	1	1	2	3			2	2							2
2			1			1									3
2		1	1	2			2	1							4
2			1			1									
				1											5
															6
	1		1					1							7
1	4	5	6	1	3	4	1	3	2					1	8
	2	5	4	1	1	2		2	1						9
1	2		2		2	2	1	1	1					1	10
	1	4	2	1		2									11
1	1		1		1	1	1							1	
	1	1	1		1			2							12
						1		1							
			1						1						13
	1		1		1				1						
2	2		2	2	1	1									14
2	1			2											15
	1		2		1	1									16
															17
2	1														18
			1		1	1									
				2											19
	1		1												
119	97	99	81	55	31	28	21	14	10	8	3	1	3	54	20
111	84	76	70	50	23	22	17	10	9	3		1	2	42	21
8	13	23	11	5	8	6	4	4	1	5	3		1	12	22
		1	1	1				2					1	1	23
3	4	4	1	1	2	2	1	1		1	1				
7	4	3	2	2	2	2	1		1			1		1	24
1	1		1				1								
			1												25
										1				3	
20	20	8	9	4	3	2	1	1						3	26
		1												1	
21	18	15	12	5	3	3	2	1	1					7	27
1	1	2			1		1								
															28
4	2	3	2					1						1	29
15	8	10	6	9	5	3	1		1					9	30
		2								1				1	
				2										1	31
				1											
4	5	4		3	1	1	1	1						2	32
															33
			1											1	
1	4	2	6	2	1	1	1							3	34
1	2	2	1											2	
2	4	7	2	2	3	2	1							2	35
1	1			1											
1		2	1	2			1							1	36
	1	2	1	1										1	
1				2		1			1						37
			1											1	
1			3	1	1			1					1	3	38
	1	2												1	
24	19	21	25	15	4	7	8	3	5	3				8	39
1	2	8	5	1	5	4	1	3	1	2	2		1	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	2,156	453	173	82	70	64	842	176	133	95	89	99
2	Males	1,159	249	106	50	33	37	475	90	73	43	36	45
3	Females	997	204	67	32	37	27	367	86	60	52	53	54
4	Unknown causes	108	51	7	5	1	2	66	5	5	2	2	2
5	Males	56	26	6	3	1	1	37	4	2	1	2	1
6	Females	52	25	1	2		1	29	1	3	1		1
	I.—General diseases.												
7	General diseases—A	600	106	73	32	41	33	285	96	72	42	23	19
8	Males	301	55	39	18	18	16	146	44	36	18	9	9
9	Females	299	51	34	14	23	17	139	52	36	24	14	10
10	1. Smallpox M	2											1
	F												
11	2. Measles M	1			1			1					
	F	1	1					1					
12	3. Scarlet fever M	20	2	5	3	4	2	16	4				
	F	20	3	7	1	3	1	15	5				
13	4. Diphtheria M	104	2	8	7	13	13	43	28	25	6	1	
	F	108	7	4	7	12	12	42	35	25	4	2	
14	5. Whooping cough M	4	1	2				3	1				
	F	10	7	3				10					
15	6. Fever M	4	1		1			2			1		
	F	4	1	1		1		3					
16	7. Cerebro-spinal fever M	5	2	2				4	1				
	F	3				1		1	1	1			
17	8. Enteric fever M	47	3	1	4			8	2	8	7	6	6
	F	48	1	1	1			3	4	8	12	7	6
18	9. Diarrheal diseases M	54	19	10	1		1	31	4	2	2	2	1
	F	53	18	9	3	1	1	32	5		3	1	3
19	10. Cholera infantum M	31	19	9	1	1		30					
	F	21	9	9	1	1	1	21					
20	11. Malarial fever M	14	2	2				4	2	1	2		
	F	23	1		1	3	2	7	2	2	3	4	1
21	12. Erysipelas M	3	2					2					
	F	2				1		1					
22	13. Septicæmia M	5											
	F	2	1					1			1		
23	14. Venereal diseases M	2											1
	F												
24	15. Others of this group M	5	2					2	2				
	F	4	2					2			1		
25	General diseases—B	19	1	1			1	3	4				1
26	Males	11		1			1	2	2				
27	Females	8	1					1	2				1
28	1. Parasitic diseases M												
	F	1							1				
29	2. Alcoholism M	3											
	F	1											
30	3. Lead poison M	3											
	F												
31	4. Other poisons M	3					1	1	2				
	F	4							1				1
32	5. Inanition M	2		1				1					
	F	2	1					1					
33	General diseases—C	211	87		1			88	1	1			1
34	Males	101	46		1			47		1			1
35	Females	110	41					41	1				
36	1. Premature birth M	7	7					7					
	F	11	11					11					
37	2. Stillborn M	21	21					21					
	F	17	17					17					
38	3. Malformation M	1	1					1					
	F												
39	4. Debility and atrophy M	41	17		1			18		1			1
	F	39	13					13	1				
40	5. Old age M	31											
	F	43											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
81	61	61	60	49	47	62	61	86	63	41	22	5	4	19	1
43	32	31	44	29	23	38	27	51	34	19	7	4	4	11	2
38	29	30	16	20	24	24	34	35	29	22	15	1		8	3
1	1	4	5	1	3	4	3		2	2					4
		1	3	1	1	2				1					5
1	1	3	2		2	2	3		2	1					6
15	6	4	7	5	4	2	5	8	5		1			1	7
10	4	3	5	3	1	1	1	7	3					1	8
5	2	1	2	2	3	1	4	1	2		1				9
					1										10
															11
															12
									1						13
															14
	1														15
							1								
															16
6	1	1	1					1							17
1		1		2	1	1	1		1						
1	1	1	2	1		1	1	3	1						18
2	2				1		2	1	1						
														1	19
1		1		1				1	1						20
2			1		1										
1															21
											1				
			2	1				2							22
1															23
	1														24
			1												
2	2	2	4		1										25
1	1	1	4												26
1	1	1			1										27
															28
		1	2												29
	1														
1	1		1												30
															31
1					1										
			1												32
		1													
	2	1		1	1	8	11	24	21	27	16	5	2	1	33
	2					3	5	9	10	11	5	4	2	1	34
		1		1	1	5	6	15	11	16	11	1			35
															36
															37
															38
	2					3	3	5	2	4		1		1	39
		1		1	1	3	4	7	3	4	1				
							2	4	8	7	5	3	2		40
						2	2	8	8	12	10	1			

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		163	6	3	2	1	4	16	2	3	4	9	7
2	Males		73	5	2	1		3	11	1	1	2	3	2
3	Females		90	1	1	1	1	1	5	1	2	2	6	5
4	1. Rheumatism	M	7										1	
		F	6											
5	2. Scrofula and tabes	M	5	1	1				2			1	1	
		F	1				1		1					
6	3. Leprosy	M												
		F												
7	4. Consumption	M	34					2	2	1	1		1	1
		F	34	1				1	2		1	1	3	4
8	5. Hydrocephalus	M	4	3	1				4					
		F	1		1				1					
9	6. Cancer	M	6											1
		F	19			1			1				1	
10	7. Tumor	M	2											
		F	4							1				1
11	8. Anæmia	M	1											
		F												
12	9. Dropsy	M	11	1				1	2					
		F	22								1	1	1	
13	10. Diabetes	M	3			1			1			1		
		F	3										1	
14	11. Others of this group	M												
		F												
15	12. Others of this class	M												
		F												
16	II.—Diseases of the nervous system		176	64	24	3	2	4	97	8	5	3	3	4
17	Males		104	42	14	2		3	61	6	1		1	2
18	Females		72	22	10	1	2	1	36	2	4	3	2	2
19	1. Inflammation of the brain	M	20	10	6	1			17	2				
		F	13	6	4	1			11		1	1		
20	2. Apoplexy	M	7											1
		F	8										1	1
21	3. Paralysis	M	18					1	1	1			1	1
		F	12	1					1		1		1	
22	4. Tetanus and trismus nascentium	M	1											
		F												
23	5. Epilepsy	M	2											
		F												
24	6. Convulsions	M	27	24	2				26	1				
		F	21	12	3		1		16	1		1		1
25	7. Mental diseases	M	4											
		F	1											
26	8. Diseases of the brain	M	11	1	3	1		1	6		1			
		F	6	1	1				2			1		
27	9. Diseases of the spinal cord	M	12	7	2			1	10	1				
		F	9	2	2			1	5	1	2			
28	10. Others of this class	M	2		1				1	1				
		F	2				1		1					
29	III.—Diseases of the circulatory system		83	4		1	1		6	7	9	7	2	6
30	Males		37	3			1		4	1	4	2		2
31	Females		46	1		1			2	6	5	5	2	4
32	1. Angina pectoris	M												
		F	1											1
33	2. Aneurism	M												
		F												
34	3. Diseases of the heart	M	34	1			1		2	1	4	2		2
		F	45	1		1			2	6	5	5	2	3
35	4. Others of this class	M	3	2					2					
		F												

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
16	11	11	10	12	8	15	9	12	10	5	1			2	2
9	3	2	6	8	3	8	4	4	2	2	1			1	2
7	8	9	4	4	5	7	5	8	8	3				1	3
1	1		1				3								4
	1			2		1			2						
											1				5
															6
6	2	2	4	7	1	3		1	1	1					7
4	4	2		2	1	1	2	3	3					1	
															8
			1		1			1	1	1					9
	1	3	3		2	2	1	2		3					
1						1									10
1		1													
1															11
					1	4	1	2						1	12
2	1	2	1		2	3	2	3	3						
				1											13
	1	1													
															14
															15
3	8	7	3	2	3	3	3	11	4	4	2		1	2	16
2	3	5	3	1	2	2	2	7	2	2			1	1	17
1	5	2		1	1	1	1	4	2	2	2			1	18
	1														19
					1	1	1	1		1			1		20
								2		2	2				
1	1	1	2		1		1	4	2	1					21
		1		1	1	1	1	2	2						
				1											22
1		1													23
															24
1	1														
		2						2							25
	1														
	1	1	1			1									26
	3														
														1	27
		1													
															28
														1	
3	5	6	3	6	6	4	8	1	2	2					29
2	3	4	1	3	1	3	5			2					30
1	2	2	2	3	5	1	3	1	2						31
															32
															33
2	3	4	1	3	1	3	4			2					34
1	2	2	2	3	5	1	3	1	2						
							1								35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system		427	93	46	30	21	15	205	40	19	17	13	15
2	Males		257	48	33	19	12	9	121	23	13	9	8	10
3	Females		170	45	13	11	9	6	84	17	6	8	5	5
4	1. Croup	M	44	7	10	11	3	6	37	6		1		
		F	36	7	2	6	3	2	20	11	2			
5	2. Laryngitis	M												
		F												
6	3. Bronchitis	M	14	4	2				6	3	1			
		F	9	3	1	1			5					
7	4. Pneumonia	M	154	28	15	8	8	3	62	13	11	5	6	9
		F	89	29	9	4	4	4	50	2	4	5	4	1
8	5. Pleurisy	M												
		F	1											
9	6. Asthma	M	8										1	
		F	2											
10	7. Others of this class	M	37	9	6		1		16	1	1	3	1	1
		F	33	6	1		2		9	4		3	1	4
11	V.—Diseases of the digestive system		93	24	12	4		4	44	4	2	2	4	3
12	Males		57	13	7	2		3	25	1	1	1	3	1
13	Females		36	11	5	2		1	19	3	1	1	1	2
14	1. Dentition	M	9	4	5				9					
		F	13	7	4	1		1	13					
15	2. Angina	M	7	1	1			3	5		1		1	
		F	3							2				
16	3. Diseases of the stomach	M	5			1			1					1
		F	8		1	1			2	1		1		
17	4. Obstruction of the bowels	M	6	3					3				1	
		F	1	1					1					
18	5. Hernia	M	9									1		
		F												
19	6. Other diseases of the bowels	M	2	1					1					
		F												
20	7. Jaundice	M												
		F												
21	8. Inflammation and abscess of the liver.	M												
		F												
22	9. Other diseases of the liver	M	10		1	1			2					
		F	3	1					1					1
23	10. Peritonitis	M												
		F	3	1					1		1			
24	11. Ascites	M												
		F												
25	12. Others of this class	M	9	4					4	1			1	
		F	5	1					1				1	1
26	VI.—Diseases of the urinary system and male organs of generation.		46	5			1		6			1	1	6
27	Males		33	3					3			1		4
28	Females		13	2			1		3				1	2
29	1. Bright's disease	M	15											4
		F	8										1	2
30	2. Calculus, urinary	M	3											
		F												
31	3. Diseases of the kidney	M	10	3					3			1		
		F	5	2			1		3					
32	4. Diseases of the bladder	M	1											
		F												
33	5. Others of this class	M	4											
		F												
34	VII.—Diseases of the female organs of generation.		6									1	2	
35	1. Ovarian tumors	F												
36	2. Ovarian diseases	F												
37	3. Uterine tumors	F												
38	4. Uterine diseases	F	1											
39	5. Others of this class	F	5									1	2	
40	VIII.—Affections connected with pregnancy.		70									6	17	20
41	1. Abortion	F	4										1	1
42	2. Childbirth	F	44									3	14	9
43	3. Puerperal septicæmia	F	17									3	1	8
44	4. Extra-uterine pregnancy	F												
45	5. Others of this class	F	5										1	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
11	8	12	10	11	10	14	11	12	12		2		1	4	1
5	5	8	7	5	7	9	4	9	11		1		1	1	2
6	3	4	3	6	3	5	7	3	1		1			3	3
															4
														3	
															5
		1							3						6
						2		1	1						
3	5	6	4	4	5	6	3	5	5		1		1		7
5	2	4		4	1	1	6								
															8
				1											
					1	2	1	1	2						9
	1						1								
2		1	3	1	1	1		3	1					1	10
1			3	1	2	2		2			1				
2	4	2	3	1	4	2	6	7	2	1					11
1	3	1	3	1	3	2	2	6	2	1					12
1	1	1			1		4	1							13
															14
															15
							1								
					1	1				1					16
1					1		1	1							
			1						1						17
		1	1		1			4	1						18
1															19
															20
															21
	3		1		1	1	1	1							22
	1														
															23
		1													
															24
				1			1	1							25
							2								
3	1	1	2	1	3	6	3	7	4					1	26
2	1		1	1	2	5	3	6	3					1	27
1		1	1		1	1		1	1						28
1					2	2	1	3	2						29
		1	1		1	1		1							
						2		1							30
	1		1			1		1	1					1	31
1									1						
				1											32
1							2	1							33
	1			1	1										34
															35
															36
															37
					1										38
	1			1											39
14	3	5	2											3	40
	1													1	41
10	1	5	1											1	42
2	1		1											1	43
															44
2															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	12	4	2		1		7			1		
2	Males	8	2	2		1		5					
3	Females	4	2					2			1		
4	1. Diseases of the spine M	7	2	2		1		5					
	F	3	2					2			1		
5	2. Diseases of the bones M	1											
	F												
6	3. Diseases of the hip joint M												
	F												
7	4. Others of this class M												
	F	1											
8	X.—Diseases of the skin	8	1					1			1	1	1
9	Males	6									1	1	
10	Females	2	1					1					1
11	1. Abscess M	6									1	1	
	F	2	1					1					1
12	2. Carbuncle M												
	F												
13	3. Others of this class M												
	F												
14	XI.—Diseases of the absorbent system												
15	Males												
16	Females												
17	1. Addison's disease M												
	F												
18	2. Diseases of the spleen M												
	F												
19	3. Others of this class M												
	F												
20	XII.—Accidents and injuries	134	7	5	4	1	1	18	9	17	8	12	14
21	Males	115	6	2	4		1	13	8	14	8	9	13
22	Females	19	1	3		1		5	1	3		3	1
23	1. Burns and scalds M	2	1					1		1			
	F	5		2				2		1			
24	2. Drowned M	18		1	2		1	4	4	3	1	3	1
	F												
25	3. Exposure and neglect M	1											1
	F												
26	4. Gunshot wounds M	3								1	1		
	F	2							1			1	
27	5. Homicide M	9									1		2
	F												
28	6. Infanticide M												
	F												
29	7. Injuries by machinery M												
	F												
30	8. Railroad accidents M	14	1					1	1	2		3	
	F	1	1					1					
31	9. Suffocation M	3	2					2				1	
	F												
32	10. Suicide by shooting M	1											
	F												
33	11. Suicide by drowning M												
	F												
34	12. Suicide by poison M	2											1
	F												
35	13. Other suicides M	5											
	F												
36	14. Sunstroke M	1									1		
	F	2										1	1
37	15. Surgical operations M	1											
	F												
38	16. Wounds M												
	F												
39	17. Other accidents and injuries M	55	2	1	2			5	3	7	4	2	8
	F	9		1		1		2		2		1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

UTAH—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
			2	1	1										1
			2		1										2
				1											3
			1		1										4
			1												5
															6
				1											7
2					1	1									8
2					1	1									9
															10
2					1	1									11
															12
															13
															14
															15
															16
															17
															18
															19
9	9	6	9	7	1	3	2	4	1					5	20
9	7	6	9	6	1	2	1	3	1					5	21
	2			1		1	1	1							22
	2														23
	1	1													24
															25
														1	26
3			1	1										1	27
															28
															29
3		2	2												30
															31
														1	32
															33
				1											34
	2		1		1									1	35
															36
			1												37
															38
3	4	3	4	4		2	1	3	1					1	39
				1		1	1	1							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	5,425	800	160	91	60	46	1,157	190	133	204	195	208
2	Males	2,657	453	69	47	32	22	623	100	61	91	91	76
3	Females	2,768	347	91	44	28	24	534	90	72	113	104	132
4	Unknown causes	169	63	10	6	2	3	84	5	4		1	3
5	Males	83	32	6	1	1	3	43	3	1			1
6	Females	86	31	4	5	1		41	2	3		1	2
	I.—General diseases.												
7	General diseases—A	852	214	71	37	33	27	382	110	61	52	39	20
8	Males	429	124	34	20	17	13	208	55	27	29	22	6
9	Females	423	90	37	17	16	14	174	55	34	23	17	14
10	1. Smallpox M.	1										1	
	F.												
11	2. Measles M.	12	6	1	3	1		11	1				
	F.	8	2	3	2		1	8					
12	3. Scarlet fever M.	6		2				2	4				
	F.	15		1	3	3	1	8	5	2			
13	4. Diphtheria M.	108	4	6	7	11	8	36	42	18	8	2	
	F.	116	8	11	3	7	11	40	43	13	5	3	4
14	5. Whooping cough M.	5	5					5					
	F.	11	7	3		1		11					
15	6. Fever M.	10			3			3	1		1	2	
	F.	6								1	1	1	
16	7. Cerebro-spinal fever M.	5	1	1	1			3		1			
	F.	8	1	2		1		4	1	1			
17	8. Enteric fever M.	59		1				1	2	5	13	10	6
	F.	65	2	1	3			6	1	12	7	9	5
18	9. Diarrheal diseases M.	75	15	9	4		3	31	4	3	5	5	
	F.	82	17	4	3	3	1	28	5	3	2	1	3
19	10. Cholera infantum M.	110	89	14	2	3	2	110					
	F.	64	48	12	3	1		64					
20	11. Malarial fever M.	6							1		1	1	
	F.	8	1					1		1	1		1
21	12. Erysipelas M.	7	2					2			1		
	F.	12	3					3			2	1	
22	13. Septicæmia M.	21	2			2		4				1	
	F.	22	1					1		1	4	2	1
23	14. Venereal diseases M.	1											
	F.	3									1		
24	15. Others of this group M.	3											
	F.	3											
25	General diseases—B	38	20		2			22	1		1		1
26	Males	24	12		1			13	1		1		1
27	Females	14	8		1			9					
28	1. Parasitic diseases M.	2							1				
	F.	1			1			1					
29	2. Alcoholism M.	5											1
	F.	1											
30	3. Lead poison M.												
	F.												
31	4. Other poisons M.	2											
	F.	1									1		
32	5. Inanition M.	15	12		1			13					
	F.	11	8					8					
33	General diseases—C	586	246	3	2			251					1
34	Males	289	141		1			142					
35	Females	297	105	3	1			109					1
36	1. Premature birth M.	15	15					15					
	F.	5	4	1				5					
37	2. Stillborn M.	89	89					89					
	F.	75	75					75					
38	3. Malformation M.	2	2					2					
	F.	5	5					5					
39	4. Debility and atrophy M.	55	35		1			36					
	F.	46	21	2	1			24					1
40	5. Old age M.	128											
	F.	166											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
195	156	152	186	204	227	290	318	386	394	416	233	93	27	61	1
80	61	60	86	94	116	143	174	196	201	213	107	46	9	29	2
115	95	92	100	110	111	147	144	190	193	203	126	47	18	32	3
2	1	3	4	5	7	7	7	12	6	6	2			10	4
1		1	2	1	2	2	4	10	3	4				5	5
1	1	2	2	4	5	5	3	2	3	2	2			5	6
22	16	8	19	14	14	15	12	18	17	18	6	4	2	3	7
10	7	2	8	6	10	6	6	5	9	7	2	2	1	1	8
12	9	6	11	8	4	9	6	13	8	11	4	2	1	2	9
															10
															11
															12
	1		1												13
	2	1	1		1	1	1							1	
															14
1						1			1						15
1						1						1			
			1												16
	1							1							
8	3	1		1	3	2	2		2						17
4	3	3	1	5		1	2	2	2	1	1				
1	1	1	2	2	4		2	4	4	2	2	1	1		18
3	1	1	5		2	3	2	6	4	8	2	1	1	1	
															19
				2				1							20
			2		1				1						
						2			1	1					21
	1			1		1		2	1						
	2		4	1	2		2		1	2		1		1	22
3			2	1		2	1	2		2					
						1									23
1		1													
					1					2					24
	1			1							1				
2	1	2	1	1	1		1	1	1			1		1	25
1		2	1	1	1							1		1	26
1	1						1	1	1						27
		1													28
1		1	1	1											29
	1														
															30
					1										31
								1							
												1		1	32
1							1		1						
	1	1		2	1	3	7	19	37	119	81	46	16	1	33
				1		1	2	10	14	54	39	21	5		34
	1	1		1	1	2	5	9	23	65	42	25	11	1	35
															36
															37
															38
				1			1	2	3	8	2	1	1		39
	1	1		1	1	1	2	3	2	4	3	1	1		
						1	1	8	11	46	37	20	4		40
						1	3	6	21	61	39	24	10	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		1,096	28	9	6	2		45	9	23	74	63	94
2	Males		444	14	1	2	2		19	5	5	22	23	33
3	Females		652	14	8	4			26	4	18	52	40	61
4	1. Rheumatism	M.	13											
		F.	22							1				2
5	2. Scrofula and tabes	M.	11							2	1	2	1	
		F.	7	1					1		2	1		1
6	3. Leprosy	M.												
		F.												
7	4. Consumption	M.	263	9		1	1		11	1	2	16	21	31
		F.	398	8	4	1			13	1	13	47	39	54
8	5. Hydrocephalus	M.	10	4	1	1	1		7	1	1			
		F.	9	3	2	3			8		1			
9	6. Cancer	M.	90											1
		F.	128		1				1			2		2
10	7. Tumor	M.	7									1		1
		F.	27							1		1		
11	8. Anæmia	M.	2											
		F.	5		1				1	1				
12	9. Dropsy	M.	26	1					1			1		
		F.	43	2					2				1	2
13	10. Diabetes	M.	21							1	1	1	1	
		F.	13								2	1		
14	11. Others of this group	M.	1									1		
		F.												
15	12. Others of this class	M.												
		F.												
16	II.—Diseases of the nervous system		611	53	28	8	3	4	96	19	9	9	10	13
17	Males		293	28	14	6	2	1	51	7	6	3	3	3
18	Females		318	25	14	2	1	3	45	12	3	6	7	10
19	1. Inflammation of the brain	M.	23	4	4	1	1	1	11	4		2	1	1
		F.	21	6	3			1	10	4	1		1	1
20	2. Apoplexy	M.	65								1			1
		F.	67										1	
21	3. Paralysis	M.	100							1				
		F.	97	1	1				2	2				2
22	4. Tetanus and trismus nascentium	M.												
		F.												
23	5. Epilepsy	M.	10							1	1			1
		F.	8											
24	6. Convulsions	M.	23	15	4	1	1		21					
		F.	29	13	5			1	19	2	1	1	1	2
25	7. Mental diseases	M.	13											
		F.	18									1	1	
26	8. Diseases of the brain	M.	37	8	3	2			13		2	1	1	
		F.	34	3	1	1			5			1	1	2
27	9. Diseases of the spinal cord	M.	10	1	3	2			6		2		1	
		F.	18	2	4	1	1	1	9	3	1			
28	10. Others of this class	M.	12							1				
		F.	26							1		3	2	3
29	III.—Diseases of the circulatory system		464	26					26	4	4	9	11	13
30	Males		256	16					16	3	2	6	8	3
31	Females		208	10					10	1	2	3	3	10
32	1. Angina pectoris	M.	3											
		F.	4							1				1
33	2. Aneurism	M.	1											
		F.												
34	3. Diseases of the heart	M.	248	14					14	2	2	6	8	3
		F.	198	8					8	1	2	3	2	8
35	4. Others of this class	M.	4	2					2					
		F.	6	2					2				1	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
72	60	60	67	64	68	76	77	82	74	43	20	9		16	1
30	25	21	23	21	33	32	41	40	35	21	9	2		4	2
42	35	39	44	43	35	44	36	42	39	22	11	7		12	3
	3				4		1	4	1						4
	1		3	2	1	1	1	2	4	1	1	1		1	
	1	2					1		1						5
					1	1									
															6
25	19	16	17	11	14	16	18	16	14	8	4			3	7
32	27	28	25	20	14	17	18	19	13	9	2			7	
							1								8
4	1		4	6	11	12	15	14	11	6	2	2		1	9
6	2	7	10	12	11	19	13	11	14	10	4	3		1	
		1	1	1				1			1				10
2	2	2	2	4	4	2		3	2	1				1	
							1				1				11
		1					1					1			
				1	3	3	2	3	7	4	1				12
2	3	1	4	2	2	4	2	5	6	1	3	2		1	
1	1	2	1	2	1	1	2	2	1	3					13
				3	2		1	2			1			1	
															14
															15
13	11	15	10	25	25	42	54	72	72	71	31	4	1	9	16
2	5	6	5	11	12	18	27	35	38	40	15	1	1	4	17
11	6	9	5	14	13	24	27	37	34	31	16	3		5	18
	1		1	1							1				19
1	1	1	1												
		3		1	4	6	12	7	10	11	7		1	1	20
3	1	2		3	6	7	7	11	9	11	4			2	
	1	2	3	5	5	8	11	17	20	19	5	1		2	21
3		1		3	2	9	9	15	18	15	10	3		3	
															22
				3			2	1			1				23
		2		1		2	1	1	1						
			1											1	24
1							1	1							
	1	1			2			5	3	1					25
1		1	1	2	2	1	5	1	1		1				
2	2			1		4	1	2	4	4					26
1		1	1	3	2	2	2	4	4	4	1				
										1					27
	1		2			2									
					1		1	3	1	4	1				28
1	3	1		2	1	1	2	4	1	1					
11	7	14	22	24	31	51	53	60	60	38	20	6			29
4	3	3	14	12	19	33	30	24	35	25	11	5			30
7	4	11	8	12	12	18	23	36	25	13	9	1			31
						1			1						32
								3							
									1						33
4	3	3	13	12	19	32	29	24	33	25	11	5			34
7	4	11	8	12	12	18	23	31	25	13	9	1			
			1				1								35
								2							

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	830	99	24	21	14	7	165	20	15	30	24	15
2	Males	403	62	9	11	8	3	93	11	7	15	11	10
3	Females	427	37	15	10	6	4	72	9	8	15	13	5
4	1. Croup M.	27	12	2	5	2	2	23	4				
	F.	26	3	5	4	6	2	20	4				
5	2. Laryngitis M.												
	F.	1									1		
6	3. Bronchitis M.	34	9		2	2		13			1		
	F.	39	9	3				12	1	4			
7	4. Pneumonia M.	283	26	7	3	3	1	40	6	6	13	8	9
	F.	279	20	4	4		2	30	3	3	10	9	4
8	5. Pleurisy M.	2											
	F.	3									1		1
9	6. Asthma M.	6											
	F.	4											
10	7. Others of this class M.	51	15		1	1		17	1	1	1	3	1
	F.	75	5	3	2			10	1	1	3	4	
11	V.—Diseases of the digestive system	211	28	9	1	1	1	40	5	5	8	8	10
12	Males	93	14	3			1	18	4	3	2	2	4
13	Females	118	14	6	1	1		22	1	2	6	6	6
14	1. Dentition M.	2	2					2					
	F.	5	1	4				5					
15	2. Angina M.	2		1				1					
	F.												
16	3. Diseases of the stomach M.	15	1					1					1
	F.	26	1	1		1		3			1	2	3
17	4. Obstruction of the bowels M.	5	1					1				1	
	F.	10	1					1			1		1
18	5. Hernia M.	8											
	F.	6											
19	6. Other diseases of the bowels M.	7	2	1				3	1				
	F.	6	4					4					
20	7. Jaundice M.	2											
	F.	3	1					1					
21	8. Inflammation and abscess of the liver. M.	4	1					1			1	1	
	F.	5								1			
22	9. Other diseases of the liver M.	15	1					1	1				
	F.	19									1	1	
23	10. Peritonitis M.	18							1	3			1
	F.	20	1		1			2	1	1	3	3	2
24	11. Ascites M.	1											1
	F.	2											
25	12. Others of this class M.	14	6	1			1	8	1		1		1
	F.	16	5	1				6					
26	VI.—Diseases of the urinary system and male organs of generation.	202	3	1	1		2	7	2		5	4	8
27	Males	140	1	1	1			3	1		2	2	3
28	Females	62	2				2	4	1		3	2	5
29	1. Bright's disease M.	68							1		1	1	3
	F.	42									3		2
30	2. Calculus, urinary M.	1											
	F.												
31	3. Diseases of the kidney M.	49	1	1	1			3			1	1	
	F.	18	2				2	4	1			2	2
32	4. Diseases of the bladder M.	16											
	F.	1											
33	5. Others of this class M.	6											
	F.	1											1
34	VII.—Diseases of the female organs of generation.	14									2		2
35	1. Ovarian tumors F.	7											1
36	2. Ovarian diseases F.	2									1		
37	3. Uterine tumors F.	2											
38	4. Uterine diseases F.												
39	5. Others of this class F.	3									1		1
40	VIII.—Affections connected with pregnancy.	55									3	10	14
41	1. Abortion F.	7										1	1
42	2. Childbirth F.	34									1	4	11
43	3. Puerperal septicæmia F.	11									2	5	2
44	4. Extra-uterine pregnancy F.												
45	5. Others of this class F.	3											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
31	22	23	32	29	36	45	40	73	81	82	40	13	6	8	1
14	9	12	14	19	15	19	20	35	33	36	14	8	2	6	2
17	13	11	18	10	21	26	20	38	48	46	26	5	4	2	3
															4
										2					
															5
1	1	2	1	1	1	1	1	5	4		2				6
1	1			2				4	7	3	3	1			
11	7	10	12	17	14	17	16	27	20	26	10	6	2	6	7
13	11	10	15	7	15	23	17	24	34	27	18	2	2	2	
									1	1					8
							1								
	1					1	1		1	2					9
	1			1	2										
2			1	1			2	3	7	7	2	2			10
3		1	3		4	3	2	10	7	14	5	2	2		
8	11	8	6	13	15	18	16	9	14	5	7	3	1	1	11
3	3	4	2	4	7	10	7	5	9	2	1	2		1	12
5	8	4	4	9	8	8	9	4	5	3	6	1	1		13
															14
1															15
1					2	3	4		2	1					16
2	1	3	1	1	1	1	1		3		2		1		
								1	1		1				17
1	2			2	1	1									
			1	1		1	2	1	2						18
			1		1		1	1	1		1				
			1			1			1						19
							2								
									2						20
	1				1										
												1			21
					1	1	1					1			
	1	3		1	1	4		1		1				1	22
1	1	1	1	3	1	1	2	2	1	2	1				
1	2	1		2	2	1	1	1	1			1			23
1	2			1		2		1			1				
															24
				1	1										
					2			1							25
	1		1	1	1	2	2			1	1				
7	3	5	5	8	13	13	33	25	20	22	14	3		5	26
2	1	4	3	4	7	8	25	22	15	19	14	2		3	27
5	2	1	2	4	6	5	8	3	5	3		1		2	28
1		3	1	4	6	3	15	8	9	8	3			1	29
5	2	1	2	3	4	5	6	2	4	2				1	
								1							30
1	1		1		1	4	9	9	3	8	5	1		1	31
				1	2		2	1	1			1		1	
		1				1	1	4	3	1	4	1			32
										1					
			1							2	2			1	33
1	3			1		2			1		2				34
	2			1		1			1		1				35
											1				36
	1					1									37
															38
1															39
11	9	4	2		1									1	40
1	3		1												41
8	4	4	1											1	42
1	1														43
															44
1	1				1										46

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		26	5				2	7	2	1		2	
2	Males		13	3				1	4	1	1		1	
3	Females		13	2				1	3	1			1	
4	1. Diseases of the spine	M	10	3				1	4		1		1	
		F	11	2					2	1			1	
5	2. Diseases of the bones	M	1											
		F												
6	3. Diseases of the hip joint	M	2							1				
		F	1					1	1					
7	4. Others of this class	M												
		F	1											
8	X.—Diseases of the skin		18							1			1	
9	Males		8							1			1	
10	Females		10											
11	1. Abscess	M	3							1			1	
		F	5											
12	2. Carbuncle	M	2											
		F	1											
13	3. Others of this class	M	3											
		F	4											
14	XI.—Diseases of the absorbent system		2											
15	Males		1											
16	Females		1											
17	1. Addison's disease	M	1											
		F	1											
18	2. Diseases of the spleen	M												
		F												
19	3. Others of this class	M												
		F												
20	XII.—Accidents and injuries		251	15	5	7	5		32	12	11	11	22	14
21	Males		181	6	1	4	2		13	8	9	11	18	12
22	Females		70	9	4	3	3		19	4	2		4	2
23	1. Burns and scalds	M												
		F	6		1	1	2		4	1				
24	2. Drowned	M	30			2	1		3	2	6	2	6	
		F	5		1	1			2	1	1			
25	3. Exposure and neglect	M	1	1					1					
		F												
26	4. Gunshot wounds	M	4							1	1			
		F												
27	5. Homicide	M	2											
		F	2											2
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M	3											
		F												
30	8. Railroad accidents	M	32									2	6	3
		F	2										1	
31	9. Suffocation	M	4	2					2					
		F	5	5					5					
32	10. Suicide by shooting	M	4											
		F												
33	11. Suicide by drowning	M	1											
		F	2											
34	12. Suicide by poison	M	2											
		F	1											
35	13. Other suicides	M	14									1	1	
		F	3											
36	14. Sunstroke	M												
		F												
37	15. Surgical operations	M												
		F	1										1	
38	16. Wounds	M	5		1				1	1			1	
		F	3		1				1	1				
39	17. Other accidents and injuries	M	79	3		2	1		6	4	2	6	4	9
		F	40	4	1	1	1		7	1	1		2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VERMONT—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	1		2	3	1	3		1	2						1
	1			1		2		1	1						2
1			2	2	1	1			1						3
	1					2		1							4
1			1	2	1	1			1						
									1						5
				1											6
			1												7
2	1	1	2	1	1	1	2	2		1	2				8
1			1	1			1	2							9
1	1	1	1		1	1	1			1	2				10
				1											11
1	1	1	1				1								
								2							12
						1									
1			1				1								13
					1					1	2				
				1			1								14
				1											15
							1								16
				1											17
							1								
															18
															19
12	9	8	14	13	13	14	15	12	9	11	8	4	1	6	20
12	7	5	13	11	10	12	11	7	9	5	2	2		4	21
	2	3	1	2	3	2	4	5		6	6	2	1	2	22
															23
							1								
5			2	1		1		2							24
								1							
															25
	1					1									26
	1									1					27
															28
2	1														29
2	1	2	3		2	3		2	4					2	30
						1									
							1	1							31
			1	2		1									32
							1								33
		1	1												
			1			1									34
				1											
	1	1	2	2	1		3			1				1	35
		1		1						1					
															36
															37
							1		1						38
					1										
3	2	2	4	6	7	5	5	2	4	3	2	2		1	39
	2	1			2	1	3	4		5	6	2	1	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	23,232	4,644	1,508	896	538	350	7,936	1,060	819	1,351	1,386	1,040
2	Males	11,994	2,543	792	471	277	176	4,259	515	402	612	678	491
3	Females	11,238	2,101	716	425	261	174	3,677	565	417	739	708	549
4	Unknown causes	2,053	830	164	91	46	29	1,160	76	51	60	65	54
5	Males	1,073	448	77	51	29	11	616	48	27	30	30	19
6	Females	980	382	87	40	17	18	544	28	24	30	35	35
	I.—General diseases.												
7	General diseases—A	5,127	1,043	669	384	245	158	2,499	454	303	371	264	178
8	Males	2,569	539	350	199	122	84	1,294	192	133	169	145	104
9	Females	2,558	504	319	185	123	74	1,205	262	170	202	119	74
10	1. Smallpox M												
	F												
11	2. Measles M	162	20	27	18	12	7	84	18	16	18	10	3
	F	182	24	32	20	15	5	96	21	11	17	5	4
12	3. Scarlet fever M	19	2		3	4	4	13	2	1	1		
	F	27	3	3	3	3	1	13	8	1	1		
13	4. Diphtheria M	221	23	17	27	31	27	125	47	24	11	8	1
	F	267	14	20	17	32	26	109	84	34	22	8	2
14	5. Whooping cough M	133	61	30	16	9	6	122	6	3			
	F	166	65	34	23	11	7	140	16	4	4		
15	6. Fever M	41	7	3		2	4	16	1	4	7	4	1
	F	61	7	7	3	2		19	5	7	7	8	2
16	7. Cerebro-spinal fever M	28	5	6	2	4		17		1	5		1
	F	33	7	5	5	1	1	19	6	2	1	2	
17	8. Enteric fever M	426	8	9	13	8	4	42	25	32	75	74	51
	F	331	18	12	11	3	5	49	18	36	76	34	23
18	9. Diarrheal diseases M	827	164	163	77	35	18	457	66	31	23	20	17
	F	798	172	122	73	40	19	426	69	27	19	26	22
19	10. Cholera infantum M	319	218	70	27	2	2	319					
	F	253	162	70	13	4	3	252					
20	11. Malarial fever M	281	20	23	14	13	11	81	21	19	28	23	19
	F	335	16	9	15	12	7	59	34	44	45	29	13
21	12. Erysipelas M	24	3	1	1			5	2	2			
	F	23	4	1				5		1	1		1
22	13. Septicæmia M	28	1			1		2	2			3	2
	F	28	3					3		1	3	4	2
23	14. Venereal diseases M	28	3	1				4			1	1	8
	F	33	6	2				8			5	3	5
24	15. Others of this group M	32	4		1	1	1	7	2			2	1
	F	21	3	2	2			7	1	2	1		
25	General diseases—B	224	76	10	16	7	11	120	17	3	6	6	3
26	Males	116	32	5	6	2	3	48	6	1		2	2
27	Females	108	44	5	10	5	8	72	11	2	6	4	1
28	1. Parasitic diseases M	22	4	5	4	2	2	17	4				
	F	40	5	4	8	4	7	28	9	1	1		
29	2. Alcoholism M	52										1	2
	F	1									1		
30	3. Lead poison M												
	F												
31	4. Other poisons M	11	2		2		1	5	2	1		1	
	F	13				1		1	1	1	2	4	1
32	5. Inanition M	31	26					26					
	F	54	39	1	2		1	43	1		2		
33	General diseases—C	1,870	1,207	32	10	3		1,252	9		3	5	2
34	Males	1,044	721	17	3	3		744	5			2	2
35	Females	826	486	15	7			508	4		3	3	
36	1. Premature birth M	64	62	2				64					
	F	32	32					32					
37	2. Stillborn M	467	467					467					
	F	311	311					311					
38	3. Malformation M	12	9			2		11	1				
	F	12	11	1				12					
39	4. Debility and atrophy M	288	183	15	3	1		202	4			2	2
	F	237	132	14	7			153	4		3	3	
40	5. Old age M	213											
	F	234											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
815	856	781	768	798	594	978	901	921	788	505	330	138	88	269	1
366	368	341	422	426	353	530	531	525	442	304	175	65	29	154	2
449	488	440	346	372	241	442	370	396	346	291	155	73	59	115	3
38	35	45	44	57	30	56	54	56	46	34	28	7	4	53	4
20	16	12	24	27	21	29	34	29	22	21	15	3	.....	30	5
18	19	33	20	30	9	27	20	27	24	13	13	4	4	23	6
121	106	92	92	73	72	124	101	81	86	41	27	5	.....	37	7
63	47	46	47	36	31	65	55	44	42	20	16	4	.....	16	8
58	59	46	45	37	41	59	46	37	44	21	11	1	.....	21	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	3	1	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	11
3	9	4	2	1	3	1	1	.....	3	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	
1	.....	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	13
.....	.....	.....	.....	2	.....	3	.....	.....	.....	1	.....	.....	.....	2	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	
1	.....	.....	1	.....	1	1	1	2	1	.....	.....	.....	.....	.....	15
1	.....	3	1	.....	2	3	.....	1	2	.....	.....	.....	.....	.....	
.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	16
1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
34	16	18	15	4	5	13	7	2	6	1	1	.....	.....	5	17
20	15	13	10	8	6	5	6	3	5	1	.....	.....	.....	3	
9	13	10	18	21	11	27	29	26	23	8	9	3	.....	6	18
11	14	15	17	13	21	30	23	21	22	10	4	1	.....	7	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
12	12	7	6	5	4	16	7	6	7	2	2	.....	.....	4	20
17	12	7	9	7	7	13	10	9	8	6	4	.....	.....	2	
2	1	.....	1	.....	2	1	2	1	.....	3	1	1	.....	.....	21
1	1	.....	.....	2	2	2	4	.....	1	.....	1	.....	.....	1	
.....	1	.....	2	2	2	5	2	2	3	.....	.....	.....	.....	.....	22
1	3	1	2	.....	.....	2	1	.....	.....	2	1	.....	.....	2	
1	1	5	3	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	23
3	4	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	2	2	2	3	1	5	3	.....	.....	.....	24
.....	1	1	.....	2	.....	.....	1	3	1	.....	1	.....	.....	.....	
7	4	9	5	7	6	6	6	2	2	3	2	1	2	7	25
7	4	8	5	5	6	5	5	1	1	2	1	.....	.....	7	26
.....	.....	1	.....	2	.....	1	1	1	1	1	1	1	2	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	28
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	4	7	5	5	5	4	4	1	1	.....	.....	.....	.....	6	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	31
.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	
.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	1	32
.....	.....	1	.....	1	.....	1	1	.....	.....	1	1	1	1	.....	
.....	2	6	5	4	11	24	18	81	87	157	91	56	49	8	33
.....	2	.....	3	3	6	8	10	43	47	75	48	25	14	7	34
.....	.....	6	2	1	5	16	8	38	40	82	43	31	35	1	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	.....	3	3	6	7	5	17	12	12	4	4	.....	3	39
.....	.....	6	2	1	5	12	5	9	10	11	6	2	4	1	
.....	.....	.....	.....	.....	.....	1	5	26	35	63	44	21	14	4	40
.....	.....	.....	.....	.....	.....	4	3	29	30	71	37	29	31	.....	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		4,508	93	78	68	45	30	314	138	181	431	532	407
2	Males		2,028	46	47	33	22	19	167	66	81	166	220	163
3	Females		2,480	47	31	35	23	11	147	72	100	265	312	244
4	1. Rheumatism	M	80			1			1	3	1	1	6	3
		F	70							1	4	3	5	5
5	2. Scrofula and tabes	M	114	6	13	5	8	7	39	14	13	4	10	3
		F	114	10	8	7	3	1	29	19	16	4	11	4
6	3. Leprosy	M	1								1			
		F												
7	4. Consumption	M	1,365	28	18	11	7	9	73	26	50	142	192	146
		F	1,685	23	14	16	12	3	68	34	71	243	279	207
8	5. Hydrocephalus	M	25	8	6		2		16	3		1	2	
		F	17	10	4	1	1		16		1			
9	6. Cancer	M	122				1		1	1	2		2	1
		F	226	1		1			2	1		2	1	2
10	7. Tumor	M	24		1			1	2	2		3	1	1
		F	38					1	1	1			4	3
11	8. Anæmia	M	2									1	1	
		F	10	1			1	1	3		1	2		1
12	9. Dropsy	M	255	4	7	13	3	2	29	17	9	12	5	7
		F	303	1	5	10	2	4	22	14	6	10	10	22
13	10. Diabetes	M	30			1			1		2	2	1	2
		F	11				1		1	1	1	1	2	
14	11. Others of this group	M	8		1	2	1		4		2			
		F	6	1			3	1	5	1				
15	12. Others of this class	M	2		1				1		1			
		F												
16	II.—Diseases of the nervous system		2,093	444	128	62	47	23	704	75	52	76	66	41
17	Males		1,133	234	68	34	23	11	370	38	26	42	41	20
18	Females		960	210	60	28	24	12	334	37	26	34	25	21
19	1. Inflammation of the brain	M	198	44	26	19	9	4	102	17	13	20	16	4
		F	192	49	29	10	13	7	108	23	11	12	6	2
20	2. Apoplexy	M	156	1	1			1	3		1	1	3	1
		F	114	1	1				2	1		1	6	3
21	3. Paralysis	M	306	4	3	2			9	1	1	5	3	9
		F	271	1	1	2		1	5	3	6	1		2
22	4. Tetanus and trismus nascentium	M	36	21	1				22	3	1	2	3	1
		F	29	26					26	1	1			
23	5. Epilepsy	M	32	1	4		1		6	3	2	3	4	2
		F	31	4	1		1		6	3	1	4		2
24	6. Convulsions	M	201	137	24	6	8	3	178	6	2	3	3	1
		F	168	109	20	7	5		141	3	1	3	2	3
25	7. Mental diseases	M	19									1	2	
		F	13								1	2	2	3
26	8. Diseases of the brain	M	134	22	6	3	4	3	38	6	2	2	7	2
		F	95	15	6	6	3	2	32	1	4	8	4	2
27	9. Diseases of the spinal cord	M	26	4	3	4	1		12	2	3	3		
		F	21	5	1	3	2	1	12	1	1	1	1	1
28	10. Others of this class	M	25								1	2		
		F	26		1			1	2	1		2	4	3
29	III.—Diseases of the circulatory system		1,096	33	8	10	2	1	54	15	21	40	40	27
30	Males		597	19	1	5	1		26	12	11	16	19	15
31	Females		499	14	7	5	1	1	28	3	10	24	21	12
32	1. Angina pectoris	M	11								1		2	
		F	9									1		2
33	2. Aneurism	M	6											
		F	4									1	1	
34	3. Diseases of the heart	M	573	17	1	4	1		23	12	10	15	17	14
		F	481	10	7	5	1	1	24	3	10	23	20	10
35	4. Others of this class	M	7	2		1			3					1
		F	5	4					4					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
293	304	284	249	251	154	245	191	191	152	79	43	15	7	47	1
109	117	109	122	128	78	117	112	100	77	39	23	7	2	25	2
184	187	175	127	123	76	128	79	91	75	40	20	8	5	22	3
1	2	3	6	5	6	10	8	7	8	5	1	1	.....	2	4
2	2	2	5	6	3	6	5	7	7	2	2	.....	1	2	
1	5	5	6	5	.....	3	3	.....	2	.....	1	.....	.....	.....	5
4	3	8	.....	4	2	4	1	1	.....	2	.....	.....	.....	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
96	96	81	89	96	47	53	64	46	34	10	4	1	1	18	7
147	141	121	81	74	35	59	39	28	28	9	4	2	.....	15	
.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	5	3	6	7	11	17	15	17	12	7	8	.....	.....	2	9
12	21	18	23	23	19	29	16	23	17	9	4	3	.....	1	
2	1	1	.....	1	.....	4	3	1	1	.....	.....	.....	.....	1	10
4	4	3	4	.....	4	4	1	1	2	1	.....	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	
3	5	15	14	10	10	25	18	27	20	14	8	5	1	1	12
15	16	23	14	15	12	26	15	28	21	17	10	2	3	2	
1	3	1	1	3	2	4	1	2	.....	3	1	.....	.....	.....	13
.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
47	40	44	73	91	76	130	143	134	122	83	49	11	5	31	16
21	18	23	42	55	47	75	76	76	76	41	21	4	1	20	17
26	22	21	31	36	29	55	67	58	46	42	28	7	4	11	18
5	4	2	4	1	1	2	1	3	2	.....	.....	.....	.....	1	19
6	3	3	6	2	1	4	2	2	.....	.....	.....	.....	.....	1	
2	1	6	11	22	17	23	21	15	16	4	3	1	.....	5	20
4	8	4	9	10	9	11	13	8	7	10	4	1	.....	3	
4	6	8	15	22	17	40	35	36	45	31	14	3	.....	2	21
8	3	4	11	16	14	29	39	37	32	31	22	4	3	1	
.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	22
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	.....	1	.....	.....	.....	1	1	1	2	.....	.....	.....	3	23
1	3	2	1	2	1	1	1	.....	1	.....	1	.....	1	.....	
2	.....	1	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	1	24
.....	1	3	2	.....	.....	.....	1	1	2	.....	.....	1	.....	4	
.....	1	.....	2	1	.....	2	3	6	.....	.....	.....	.....	.....	1	25
.....	1	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	1	
6	3	5	6	7	10	4	8	11	9	1	3	.....	1	3	26
5	2	4	1	4	3	7	8	6	4	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	2	27
1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	
.....	1	.....	1	2	2	1	4	4	2	3	1	.....	.....	1	28
1	1	1	1	2	1	2	.....	3	.....	1	.....	1	.....	.....	
41	47	66	74	83	69	114	124	104	77	51	20	6	4	19	29
19	17	28	43	43	43	66	75	66	42	30	10	2	3	11	30
22	30	38	31	40	26	48	49	38	35	21	10	4	1	8	31
.....	.....	.....	.....	.....	.....	2	1	3	1	.....	1	.....	.....	.....	32
.....	.....	1	.....	.....	1	2	1	.....	.....	.....	1	.....	.....	.....	
.....	1	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	33
.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
18	16	28	42	42	42	63	73	63	41	29	9	2	3	11	34
22	29	37	30	40	24	46	48	38	34	21	9	4	1	8	
1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	35
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system		3,245	577	271	160	88	57	1,153	161	91	179	167	116
2	Males		1,778	321	149	79	46	30	625	91	46	90	102	63
3	Females		1,467	256	122	81	42	27	528	70	45	89	65	53
4	1. Croup	M.	159	64	30	16	22	8	140	12	1			
		F.	134	62	24	15	16	8	125	6	2	1		
5	2. Laryngitis	M.	5	1			1	1	3					
		F.	5	3			1		4					
6	3. Bronchitis	M.	168	43	21	11	2	2	79	5	2	1	2	3
		F.	145	36	20	13		2	71	9	3		2	3
7	4. Pneumonia	M.	964	116	74	32	17	13	252	44	32	66	77	47
		F.	746	91	56	35	15	11	208	42	29	61	41	31
8	5. Pleurisy	M.	42	1		2		1	4	1		2	2	
		F.	23	1				1	2			1		1
9	6. Asthma	M.	46	5	1	1	1		8	2				2
		F.	44	1	1				2				1	
10	7. Others of this class	M.	394	91	23	17	3	5	139	27	11	21	21	11
		F.	370	62	21	18	10	5	116	13	11	26	21	18
11	V.—Diseases of the digestive system		972	211	109	47	15	10	392	34	25	27	37	32
12	Males		522	121	59	29	9	5	223	15	17	10	10	16
13	Females		450	90	50	18	6	5	169	19	8	17	27	16
14	1. Dentition	M.	102	49	40	9	3	1	102					
		F.	79	33	37	8	1		79					
15	2. Angina	M.	18	2	1	3	1	2	9	3	2	1	1	1
		F.	21	4	1	2	1	1	9	3		2		2
16	3. Diseases of the stomach	M.	70	12	5	5	1		23	4	1	2	1	2
		F.	79	9		5		1	15	3	2	3	10	4
17	4. Obstruction of the bowels	M.	26	1		1			2	1	1	3		
		F.	25				1	1	2	2	2	1	1	1
18	5. Hernia	M.	23				1		1				2	1
		F.	3											
19	6. Other diseases of the bowels	M.	30	5	3	4			12		1	2		1
		F.	26	6	3	1	2		12	1	1	1	1	
20	7. Jaundice	M.	24	11				1	12		1			
		F.	18	3					3	1			2	
21	8. Inflammation and abscess of the liver.	M.	31	3	1	1		1	6		1			3
		F.	14		2				2				1	1
22	9. Other diseases of the liver	M.	69	7	2	3	2		14	2	1		2	1
		F.	52	5	2			1	8			1	4	2
23	10. Peritonitis	M.	19		1				1	2	3		1	2
		F.	31				1		1	2	2	5	4	1
24	11. Ascites	M.	14			1	1		2		3		1	
		F.	13					1	1	1	1		1	
25	12. Others of this class	M.	96	31	6	2			39	3	3	2	2	5
		F.	89	30	5	2			37	6		4	3	5
26	VI.—Diseases of the urinary system and male organs of generation.		409	4	1	1	1	1	8	3	6	8	18	15
27	Males		297	3				1	4	2	2	4	10	3
28	Females		112	1	1	1	1		4	1	4	4	8	12
29	1. Bright's disease	M.	139							2		1	6	1
		F.	58								2	3	6	7
30	2. Calculus, urinary	M.	23										1	
		F.	2											
31	3. Diseases of the kidney	M.	77	2				1	3		1	3	3	2
		F.	40	1	1	1	1		4	1	2	1	1	4
32	4. Diseases of the bladder	M.	39	1					1					
		F.	3										1	1
33	5. Others of this class	M.	19								1			
		F.	9											
34	VII.—Diseases of the female organs of generation.		75								2	5	9	8
35	1. Ovarian tumors	F.	9										1	1
36	2. Ovarian diseases	F.	5										1	
37	3. Uterine tumors	F.	4											1
38	4. Uterine diseases	F.	31									1	4	3
39	5. Others of this class	F.	26								2	4	3	3
40	VIII.—Affections connected with pregnancy.		330								2	35	68	57
41	1. Abortion	F.	15								1	1	2	4
42	2. Childbirth	F.	226									19	50	37
43	3. Puerperal septicæmia	F.	60								1	8	9	14
44	4. Extra-uterine pregnancy	F.												
45	5. Others of this class	F.	29									7	7	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
104	122	112	99	119	85	146	142	147	119	74	40	28	11	30	1
59	60	57	64	59	51	88	81	82	69	34	20	13	5	19	2
45	62	55	35	60	34	58	61	65	50	40	20	15	6	11	3
1			1		1				1	1	1				4
			1				1								5
							1								
	3	6	2	7	7	12	10	9	9	3	4	1		3	6
2	3	3	2	1	3	8	9	8	6	6	5	1			
43	43	34	38	35	26	46	52	52	36	16	7	8		10	7
34	41	36	23	38	14	27	33	34	20	13	5	7	1	8	
1	1	2	1	1	4	5	3	5	6	3	1				8
1	2	1		2	3	2	2	3		1	1	1			
3		2	4	4	7	6	3	3			2				9
1		5	1	5	5	6	5	4	3	1	2	1	1	1	
11	13	13	17	12	6	19	12	13	17	11	5	4	5	6	10
7	16	10	9	14	9	15	11	16	21	19	7	5	4	2	
29	42	24	38	42	29	48	52	46	31	26	5	3	1	9	11
11	21	10	20	20	20	28	33	28	16	12	3	2	1	6	12
18	21	14	18	22	9	20	19	18	15	14	2	1		3	13
															14
	1														15
1		2				1			1						
1	3	2	4	3	1	6	6	3	4	2	1	1			16
6	5	3	1	2	1	5	5	5	3	6					
	3	1	2	2	4	1	4			1				1	17
	2		2	2		1	2	2	2	1	1			1	
1			2		1	3	2	5	2	1		1		1	18
			1	1			1								
1	1		1		1		1	2	2	2	1		1	1	19
1	2		1	1					2	2				1	
	1				1	1	1	4	1	2					20
			1	1	1	2	3	1	2	1					
2	3	1	1	2	2	2	5	1	2						21
2		1	2	1	1		1	1	1						
	3	3	6	5	3	9	8	6	3	2	1				22
1	4	2	6	5	2	6	3	3	3	1		1			
1	2	1		1		1		2						2	23
2	5	1	1		1	2	2	1						1	
1	2			1	2			1	1						24
1	2	2	1	1				1		1					
4	2	2	4	6	5	5	6	4	1	2				1	25
4	1	3	2	8	3	3	2	4	1	2	1				
10	18	17	25	25	36	44	38	50	39	25	14	3	2	5	26
7	13	10	16	17	31	33	29	41	34	21	13	3	2	2	27
3	5	7	9	8	5	11	9	9	5	4	1			3	28
3	9	7	9	12	17	20	14	16	13	4	4			1	29
2	3	4	5	5	2	4	5	5	2	1				2	
1				2	2	2	2	4	6	1	1		1		30
						1				1					
3	4	3	6	3	7	5	3	8	5	9	5	3	1		31
	1	2	3	3	1	5	4	3	2	2	1				
			1		5	6	5	9	7	4	1				32
								1							
							5	4	3	3	2			1	33
1	1	1	1		2	1			1					1	
7	13	5	4	4	1	5	4	3	1	2				2	34
	1	1		1			2	1		1					35
2	1							1							36
	1		1			1									37
2	8	2	2	2	1	2	2		1					1	38
3	2	2	1	1		2		1		1				1	39
60	60	28	10	1	2	2								5	40
3	1	3													41
47	41	19	8		1	1								3	42
6	14	2	2	1	1	1								1	43
															44
4	4	4												1	45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	87	11	7	4	5		27	5	5	13	5	4
2	Males	43	2	3	3	4		12	2	3	5	3	2
3	Females	44	9	4	1	1		15	3	2	8	2	2
4	1. Diseases of the spine M	29	2	2	3	4		11	2	2	3	2	1
	F	34	7	4	1	1		13	3	1	6	1	2
5	2. Diseases of the bones M	4										1	
	F	5	1					1			1		
6	3. Diseases of the hip joint M	5		1				1		1	1		
	F	2								1		1	
7	4. Others of this class M	5									1		1
	F	3	1					1			1		
8	X.—Diseases of the skin	47	12	2	1	1		16	2	3	2	1	
9	Males	28	6		1	1		8	1	2	2	1	
10	Females	19	6	2				8	1	1			
11	1. Abscess M	7				1		1		1	1	1	
	F	8	2					2	1	1			
12	2. Carbuncle M	9	1					1	1	1	1		
	F												
13	3. Others of this class M	12	5		1			6					
	F	11	4	2				6					
14	XI.—Diseases of the absorbent system	5										1	
15	Males	1											
16	Females	4										1	
17	1. Addison's disease M												
	F												
18	2. Diseases of the spleen M	1											
	F	3										1	
19	3. Others of this class M												
	F	1											
20	XII.—Accidents and injuries	1,091	103	29	42	33	30	237	91	74	95	102	96
21	Males	765	51	16	28	15	12	122	37	53	78	93	82
22	Females	326	52	13	14	18	18	115	54	21	17	9	14
23	1. Burns and scalds M	70	2	7	13	10	10	42	9	1	3	1	3
	F	130	9	5	8	13	14	49	41	10	5	3	2
24	2. Drowned M	102		1	9			10	8	12	16	8	15
	F	27		1	1		2	4	7	4	4	3	2
25	3. Exposure and neglect M	38	13	3	2	2	1	21			2	2	1
	F	30	13	3	1	2		19	1		3		
26	4. Gunshot wounds M	66			1			1	6	8	17	8	5
	F	7								2	3	1	1
27	5. Homicide M	59	3					3	2	1	6	15	9
	F	6											2
28	6. Infanticide M												
	F	2	2					2					
29	7. Injuries by machinery M	2								1			
	F												
30	8. Railroad accidents M	114		1				1	1	3	12	33	19
	F	9			1	1		2		2			
31	9. Suffocation M	22	16	1		1		18		1			
	F	20	15	1				16			1		
32	10. Suicide by shooting M	10										2	1
	F												
33	11. Suicide by drowning M	1											
	F	1											
34	12. Suicide by poison M	1											
	F												
35	13. Other suicides M	11										2	2
	F	4											1
36	14. Sunstroke M	9									1		3
	F	1									1		
37	15. Surgical operations M	3											1
	F	10								2			2
38	16. Wounds M	20	1					1	1	2	1	2	1
	F	4											2
39	17. Other accidents and injuries M	237	16	3	3	2	1	25	10	24	20	20	22
	F	75	13	3	3	2	2	23	5	1		2	2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1	3	5	4	2	1	3	2	1	4		1			1	1
1	2	3		1	1	2		1	4					1	2
	1	2	4	1		1	2				1				3
	1	2		1		1		1	2						4
	1	1	2			1	2				1				
						1			1					1	5
		1	2												
	1	1													6
1					1				1						7
				1											
2	2	1		3	1	4		3	3	2	1		1		8
2	1			1	1	2		2	2	2	1				9
	1	1		2		2		1	1				1		10
				1		1		1							11
	1	1		1				1							
2						1			1		1				12
	1				1			1	1	2					13
				1		2			1				1		
			1	1		2									14
			1												15
				1		2									16
															17
			1												18
				1		1									
															19
						1									
55	58	43	45	35	21	25	26	22	19	18	9	3	2	15	20
47	50	35	35	31	17	18	21	12	10	7	4	2	1	10	21
8	8	8	10	4	4	7	5	10	9	11	5	1	1	5	22
1		1		1	1	2	1	2		2					23
2	3	2	1		1	2	1	4		2	2				
4	13	3	3	4	1	2		1						2	24
2						1									
2	1		2	1		1				3	2				25
						1		2		2	1			1	
2	4	4	1	2	2	2	3							1	26
3	5	3	2	5	2		2	1							27
	2					1		1							
															28
														1	29
13	10	8	3	3		3	1	1	1					2	30
		1	1	1	1	1									
	1	1	1												31
											1			2	
2	2		1	1			1								32
1															33
				1											
										1					34
			1	1	3		2								35
			1						2						
				1		2	1		1						36
1					1										37
	1	1	3	1											
1	1	2	1	1	2	2		1	1						38
		1	1												
17	13	13	20	11	5	4	10	6	7	1	2	2	1	4	39
4	2	3	3	1	2	1	4	3	7	7	1	1	1	2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	2,818	486	152	103	78	55	874	184	131	116	239	190
2	Males	1,624	274	75	47	51	28	475	94	51	56	134	99
3	Females	1,194	212	77	56	27	27	399	90	80	60	105	91
4	Unknown causes	132	37	4	3	5		49	5		5	7	14
5	Males	86	23	1	2	3		29	2		2	5	10
6	Females	46	14	3	1	2		20	3		3	2	4
	I.—General diseases.												
7	General diseases—A	805	175	77	45	30	29	356	97	65	41	7[illegible]	50
8	Males	449	97	37	24	19	17	194	48	22	19	49	33
9	Females	356	78	40	21	11	12	162	49	43	22	21	17
10	1. Smallpox M	1								1			
	F												
11	2. Measles M	29	9	6	3	2	2	22	5		1		
	F	18	6	4	1	1		12	1	2	2		
12	3. Scarlet fever M	26		4	6	3	1	14	5	6			
	F	29	4	5	7		2	18	5	6			
13	4. Diphtheria M	59	4	4	3	6	6	23	28	3	3	1	
	F	70	2	3	5	4	6	20	25	20	2		1
14	5. Whooping cough M	11	6	2	2	1		11					
	F	11	3	5	1		1	10					
15	6. Fever M	5	1	1		1		3				1	
	F	3	2					2					
16	7. Cerebro-spinal fever M	7	3	1		1		5		1	1		
	F	18	3	3		1	1	8	3	4	1	1	
17	8. Enteric fever M	148	4	1	4	3	4	16	5	6	11	37	27
	F	84	1	5	1	1	1	9	12	9	11	15	13
18	9. Diarrheal diseases M	54	26	4	1	2	3	36	4	1		1	
	F	51	19	7	4	1	1	32	1	1	3	2	1
19	10. Cholera infantum M	51	36	10	3		1	50					
	F	43	33	5	1	2		41					
20	11. Malarial fever M	43	8	4	1			13	1	4	2	7	6
	F	19	3	2				5	2	1	2	3	1
21	12. Erysipelas M	3										1	
	F	1	1					1					
22	13. Septicæmia M	7			1			1			1		
	F	7		1	1	1		3			1		1
23	14. Venereal diseases M	3											
	F	1											
24	15. Others of this group M	2										1	
	F	1	1					1					
25	General diseases—B	46	14	1	1	2		18			1		3
26	Males	31	7			1		8					1
27	Females	15	7	1	1	1		10			1		2
28	1. Parasitic diseases M												
	F	2	1			1		2					
29	2. Alcoholism M	15											
	F	2											1
30	3. Lead poison M												
	F												
31	4. Other poisons M	7				1		1					1
	F	5		1	1			2			1		1
32	5. Inanition M	9	7					7					
	F	6	6					6					
33	General diseases—C	132	91	3				94	1				
34	Males	73	54	2				56	1				
35	Females	59	37	1				38					
36	1. Premature birth M	6	6					6					
	F	7	7					7					
37	2. Stillborn M	28	28					28					
	F	22	22					22					
38	3. Malformation M	2	1	1				2					
	F	1	1					1					
39	4. Debility and atrophy M	20	19	1				20	1				
	F	14	7	1				8					
40	5. Old age M	8											
	F	15											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
149	162	123	92	92	76	85	64	55	33	30	11	2	2	108	1
93	103	80	65	50	55	60	44	40	23	16	10		2	65	2
56	59	43	27	33	21	25	20	15	10	14	1	2		43	3
4	4	7	2	5	3	7		3	2	1				14	4
2	2	4	2	4	2	5		2	2	1				12	5
2	2	3		1	1	2		1						2	6
27	28	10	6	12	3	6	8	4	1	3				18	7
20	19	8	6	5	3	3	4	2	1	3				10	8
7	9	2		7		3	4	2						8	9
															10
	1														11
						1									
														1	12
														1	13
1								1							
															14
														1	
1															15
				1											
															16
														1	
14	13	4	6	2	2	1								4	17
4	4	1		3			2							1	
	2	1		1		1	2	1	1	2				1	18
	4	1		2			2	1						1	
														1	19
														2	
2	3	2			1		1			1					20
1				1		2								1	
														2	21
1		1				1	1	1							22
1	1														
1				2											23
														1	
1															24
4	5	3	4	4	1					1				2	25
4	4	3	4	3	1					1				2	26
	1			1											27
															28
1	4	2	4	2	1									1	29
	1														
															30
3				1										1	31
				1											
		1								1					32
					1	3	3	8	4	10	1	1	1	5	33
						2	2	5	3	2	1		1		34
					1	1	1	3	1	8		1		5	35
															36
															37
															38
						1	1	4	1				1		39
					1			1		2				2	
						1	1	1	2	2	1				40
						1	1	2	1	6		1		3	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		444	10	10	4	3	4	31	9	25	29	78	36
2	Males		225	7	3	2	2	2	16	2	6	16	34	17
3	Females		219	3	7	2	1	2	15	7	19	13	44	19
4	1. Rheumatism	M	13					1	1		3	2	1	
		F	8							2	1		1	1
5	2. Scrofula and tabes	M	3		1				1				1	
		F	6		2	1		1	4	1				
6	3. Leprosy	M												
		F												
7	4. Consumption	M	151	3	2	1	2	1	9	2	2	11	30	16
		F	163	1	3	1		1	6	3	14	12	39	17
8	5. Hydrocephalus	M	3	2					2					
		F	5	1	2				3	1	1			
9	6. Cancer	M	19										1	1
		F	20										2	1
10	7. Tumor	M	2											
		F	2	1					1				1	
11	8. Anæmia	M	13	2					2		1		1	
		F	4											
12	9. Dropsy	M	15											
		F	7				1		1		1	1		
13	10. Diabetes	M	5			1			1			2		
		F	4								2		1	
14	11. Others of this group	M	1									1		
		F												
15	12. Others of this class	M												
		F												
16	II.—Diseases of the nervous system		219	47	13	9	12	5	86	10	6	6	5	10
17	Males		128	23	7	4	9	2	45	6		3	3	7
18	Females		91	24	6	5	3	3	41	4	6	3	2	3
19	1. Inflammation of the brain	M	29	9	4	2	4		19	1		1		1
		F	20	6	2	2	1	1	12	3	2	1		1
20	2. Apoplexy	M	16										1	3
		F	8											
21	3. Paralysis	M	23											1
		F	10	1					1		1			
22	4. Tetanus and trismus nascentium	M												
		F												
23	5. Epilepsy	M	5											
		F	1										1	
24	6. Convulsions	M	15	9	1	1			11	2				
		F	20	12	2	2	1	1	18					
25	7. Mental diseases	M	7											1
		F	6											2
26	8. Diseases of the brain	M	11		1		2		3			1		1
		F	9	2			1		3					
27	9. Diseases of the spinal cord	M	19	5	1	1	3	2	12	3			2	
		F	15	3	2	1		1	7	1	3	2		
28	10. Others of this class	M	3									1		
		F	2										1	
29	III.—Diseases of the circulatory system		115	3	1			1	5	3	1	4	3	6
30	Males		75	1					1	1		2		1
31	Females		40	2	1			1	4	2	1	2	3	5
32	1. Angina pectoris	M	1											
		F	1											
33	2. Aneurism	M	2											
		F	1											
34	3. Diseases of the heart	M	72	1					1	1		2		1
		F	36	1	1			1	3	1	1	2	3	5
35	4. Others of this class	M												
		F	2	1					1	1				

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
41	44	25	18	19	24	15	14	16	2	3	3		1	11	1
20	23	10	10	15	16	9	8	13		2	2		1	5	2
21	21	15	8	4	8	6	6	3	2	1	1			6	3
1			1		1			2		1					4
1									1					1	
	1														5
			1												
															6
18	18	7	4	9	11	3	3	4						4	7
20	19	11	5	1	6	4	1			1				4	
		1													8
	1		2	4		4	3	2						1	9
	2	4	1	2	1	2	3	1						1	
	1			1											10
					2		1	3		1	1		1		11
							1	1	1		1				
	2	2	2	1	2	2	1	2			1				12
			1	1			1	1							
1			1												13
					1										
															14
															15
9	13	11	12	7	7	13	5	8	5	1	3			2	16
6	10	5	6	3	7	11	4	4	5		3				17
3	3	6	6	4		2	1	4		1				2	18
3	3								1						19
	1														
	3	1	2	1	1	2	1		1						20
	1	2	1	2			1	1							
1	1	2			1	5	2	4	3		3				21
1	1	1	1			2		2							
															22
		1	2	1	1										23
1			1												24
				1										1	
	1			1	3		1								25
		1	2	1											
	1	1	1			3									26
1		1	2					1						1	
1					1										27
1										1					
	1					1									28
		1													
8	4	8	15	8	6	12	9	9	6	4	1			3	29
5	3	4	12	6	5	9	8	7	5	2	1			3	30
3	1	4	3	2	1	3	1	2	1	2					31
							1								32
			1												
	1		1												33
								1							
5	2	4	11	6	5	9	7	7	5	2	1			3	34
3	1	4	2	2	1	3	1	1	1	2					
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	416	73	26	31	19	12	161	31	11	10	28	19
2	Males	236	46	15	10	13	5	89	16	5	3	17	6
3	Females	180	27	11	21	6	7	72	15	6	7	11	13
4	1. Croup M	27	4	1	2	7	2	16	7				
	F	34	7	3	10	4	3	27	3	2	1		
5	2. Laryngitis M	4	4					4					
	F	1							1				
6	3. Bronchitis M	18	9	1	1	2		13	1				
	F	22	7		6	1		14	2			2	1
7	4. Pneumonia M	142	21	12	5	2	2	42	3	5	3	15	5
	F	92	9	7	5	1	3	25	6	3	3	6	10
8	5. Pleurisy M	3							1			1	1
	F	4								1		1	1
9	6. Asthma M	8											
	F	2											
10	7. Others of this class M	34	8	1	2	2	1	14	4			1	
	F	25	4	1			1	6	3		3	2	1
11	V.—Diseases of the digestive system	117	24	7	5	2	2	40	7	4	1	11	9
12	Males	59	10	2	3	1	1	17	3	1	1	6	4
13	Females	58	14	5	2	1	1	23	4	3		5	5
14	1. Dentition M	5	2	2	1			5					
	F	4	3	1				4					
15	2. Angina M	4			1	1		2	1				
	F	7	1	2	1			4		2			1
16	3. Diseases of the stomach M	9	4					4					
	F	11	2					2	1			1	2
17	4. Obstruction of the bowels M	6										2	2
	F	1	1					1					
18	5. Hernia M	3											
	F	1											
19	6. Other diseases of the bowels M	2	1					1				1	
	F	6	3					3				1	
20	7. Jaundice M												
	F												
21	8. Inflammation and abscess of the liver. M	4											
	F	4	1	1				2					
22	9. Other diseases of the liver M	4			1			1					
	F	3											1
23	10. Peritonitis M	7								1		2	
	F	10							2	1		3	1
24	11. Ascites M	2									1		
	F												
25	12. Others of this class M	13	3				1	4	2			1	2
	F	11	3	1	1	1	1	7	1				
26	VI.—Diseases of the urinary system and male organs of generation.	50	1			1		2	2		1	2	5
27	Males	30	1					1	1				2
28	Females	20				1		1	1		1	2	3
29	1. Bright's disease M	16							1				2
	F	13							1				3
30	2. Calculus, urinary M	1											
	F												
31	3. Diseases of the kidney M	9											
	F	5				1		1			1	1	
32	4. Diseases of the bladder M	2											
	F	1										1	
33	5. Others of this class M	2	1					1					
	F	1											
34	VII.—Diseases of the female organs of generation.	5											1
35	1. Ovarian tumors F												
36	2. Ovarian diseases F												
37	3. Uterine tumors F												
38	4. Uterine diseases F	1											
39	5. Others of this class F	4											1
40	VIII.—Affections connected with pregnancy.	51									2	13	15
41	1. Abortion F	4										1	
42	2. Childbirth F	31									1	8	9
43	3. Puerperal septicæmia F	9									1		6
44	4. Extra-uterine pregnancy F	1										4	
45	5. Others of this class F	6											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
9	20	23	16	16	16	12	12	4	6	1	3	1		17	1
6	12	16	10	9	9	7	9	4	3	1	3			11	2
3	8	7	6	7	7	5	3		3			1		6	3
		1												3	4
														1	
															5
		1				1		1						1	6
1		1		1											
5	10	12	8	8	7	5	6	2			1			5	7
2	4	5	6	3	7	4	3		2					3	
															8
				1											
1					2	1	2	1	1						9
	1	1													
	2	2	2	1			1		2	1	2			2	10
	3			2		1			1			1		2	
1	5	3	3	6	5	4	5	2	4	2				5	11
1		3	4	5	4	3	2	2	2	1				3	12
	5		2	1	1	1	3		2	1				2	13
															14
		1													15
		1			2		1							1	16
	2			1	1		1								
								1		1					17
				1		1		1							18
			1												
															19
							1			1					
															20
				1		1			1					1	21
	1								1						
				1	1		1								22
	1						1								
		1	1	1										1	23
			1											2	
									1						24
1				1	1	1									25
	1					1			1						
2	5	4	4	3	5	5	4	1	1	2				2	26
	3	2	4		4	3	4	1	1	2				2	27
2	2	2		3	1	2									28
	1		4		2	2	2	1		1					29
2		2		2	1	2									
		1													30
	1	1			2	1	1		1					2	31
	1			1											
							1			1					32
	1														33
	1														
1	1	1		1											34
															35
															36
1															37
															38
	1	1		1											39
8	4	2												7	40
2														1	41
4	2	2												5	42
1	1														43
1															44
	1													1	45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		6	1	1	1			3					
2	Males		2		1				1					
3	Females		4	1		1			2					
4	1. Diseases of the spine	M	1		1				1					
		F	3	1		1			2					
5	2. Diseases of the bones	M	1											
		F												
6	3. Diseases of the hip joint	M												
		F												
7	4. Others of this class	M												
		F	1											
8	X.—Diseases of the skin		8	2			1		3		1	1		
9	Males		6	2			1		3		1			
10	Females		2									1		
11	1. Abscess	M	3				1		1					
		F	2									1		
12	2. Carbuncle	M												
		F												
13	3. Others of this class	M	3	2					2		1			
		F												
14	XI.—Diseases of the absorbent system		2											
15	Males		2											
16	Females													
17	1. Addison's disease	M												
		F												
18	2. Diseases of the spleen	M	1											
		F												
19	3. Others of this class	M	1											
		F												
20	XII.—Accidents and injuries		270	8	9	4	3	2	26	19	18	15	22	22
21	Males		222	3	7	2	2	1	15	14	16	10	20	18
22	Females		48	5	2	2	1	1	11	5	2	5	2	4
23	1. Burns and scalds	M	8	1	3	1		1	6					
		F	7		1				1	3	1			
24	2. Drowned	M	45		3		2		5	5	7	1	4	3
		F	9			1	1		2	1	1	3		
25	3. Exposure and neglect	M	1											
		F	1											1
26	4. Gunshot wounds	M	25								3	4	4	3
		F	4					1	1			1		1
27	5. Homicide	M	10											
		F												1
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M	4									1		
		F												
30	8. Railroad accidents	M	23							1		1	3	3
		F												
31	9. Suffocation	M	4	2					2					
		F	2	2					2					
32	10. Suicide by shooting	M	8									1	2	
		F	2											1
33	11. Suicide by drowning	M												
		F	1									1		
34	12. Suicide by poison	M	2											
		F	2											
35	13. Other suicides	M	7											
		F	2											2
36	14. Sunstroke	M												
		F												
37	15. Surgical operations	M	2			1			1					
		F												
38	16. Wounds	M	8							2	1			
		F	2		1				1					
39	17. Other accidents and injuries	M	75		1				1	6	5	2	7	6
		F	16	3		1			4	1			2	1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WASHINGTON—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
1														2	1
														1	2
1														1	3
1															4
														1	5
															6
														1	7
	2		1												8
	2														9
			1												10
	2														11
			1												
															12
															13
				1			1								14
				1			1								15
															16
															17
							1								18
				1											19
34	27	26	11	10	5	8	3		2	2				20	20
29	25	25	10	8	4	8	2		1	1				16	21
5	2	1	1	2	1		1		1	1				4	22
														2	23
										1				1	
3	5	4	1			2								5	24
														2	
	1														25
3		5	1											2	26
		1													
2		1	2	2			1							1	27
															28
1	1	1													29
2	5	2		3		1								2	30
1	1														31
1	2		1						1						32
1															
															33
		2													34
1														1	
1		2			1	1									35
1				1											
															36
	1														37
2	2	1													38
	1														
13	7	7	5	3	3	4	1			1				4	39
2	1		1	1	1		1		1						

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	8,275	1,779	537	287	176	123	2,902	447	252	472	533	355
2	Males	4,296	979	282	138	94	58	1,551	230	128	236	268	159
3	Females	3,979	800	255	149	82	65	1,351	217	124	236	265	196
4	Unknown causes	511	260	29	19	8	7	323	18	10	9	15	9
5	Males	249	135	11	9	4	1	160	5	6	4	5	5
6	Females	262	125	18	10	4	6	163	13	4	5	10	4
	I.—General diseases.												
7	General diseases—A	1,952	444	224	107	84	67	926	222	103	138	135	66
8	Males	1,020	231	119	48	41	28	467	116	54	79	73	41
9	Females	932	213	105	59	43	39	459	106	49	59	62	25
10	1. Smallpox M												
	F												
11	2. Measles M	56	13	11	10	2	2	38	6	3	1	3	2
	F	53	14	14	7	4	1	40	4		2	3	
12	3. Scarlet fever M	14	4	1		1	3	9	4				1
	F	19	1	2	4		1	8	6	1			2
13	4. Diphtheria M	114	6	7	7	13	12	45	41	14	7		
	F	114	6	5	4	14	9	38	47	16	5	4	1
14	5. Whooping cough M	88	43	21	8	5	1	78	6	1		1	
	F	150	68	31	15	8	9	131	10	1	2	2	1
15	6. Fever M	17	1	2			1	4	4	2	2	4	
	F	21	3	2	1	1	2	9	1	1		4	
16	7. Cerebro-spinal fever M	19	1	4	2	2		9	5	2	3		
	F	19	4	4		2	1	11		7			
17	8. Enteric fever M	246	4	3	3	4	1	15	16	13	52	48	29
	F	183	5	1	4		4	14	14	10	36	36	9
18	9. Diarrheal diseases M	244	48	35	10	10	5	108	30	13	8	9	2
	F	210	40	23	16	13	11	103	18	7	9	6	7
19	10. Cholera infantum M	129	90	31	7	1		129					
	F	89	62	22	3	1	1	89					
20	11. Malarial fever M	38	4	4	1	1	2	12	1	4	2	4	4
	F	34	3		2			5	5	3	3	5	1
21	12. Erysipelas M	18	9			1		10	1	1	2		1
	F	13	2	1	2			5	1	1	1		
22	13. Septicæmia M	17	3			1	1	5	2	1			1
	F	12	4					4		1	1	1	1
23	14. Venereal diseases M	4									1		
	F	7											2
24	15. Others of this group M	16	5					5			1	4	1
	F	8	1		1			2		1		1	1
25	General diseases—B	38	9	3	3	2	2	19	2	1	1	1	
26	Males	19	3	2	1		2	8	2		1		
27	Females	19	6	1	2	2		11		1		1	
28	1. Parasitic diseases M	5		1	1		2	4	1				
	F	5		1	2	2		5					
29	2. Alcoholism M	6											
	F	1											
30	3. Lead poison M												
	F												
31	4. Other poisons M	3		1				1			1		
	F	4	2					2		1		1	
32	5. Inanition M	5	3					3	1				
	F	9	4					4					
33	General diseases—C	687	451	5	1			457			2	4	1
34	Males	371	265	5				270			1	1	
35	Females	316	186		1			187			1	3	1
36	1. Premature birth M	29	29					29					
	F	29	29					29					
37	2. Stillborn M	167	167					167					
	F	111	111					111					
38	3. Malformation M	7	5	2				7					
	F	3	3					3					
39	4. Debility and atrophy M	102	64	3				67			1	1	
	F	87	43		1			44			1	3	1
40	5. Old age M	66											
	F	86											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
306	293	247	237	263	229	261	292	360	286	233	124	43	26	114	1
141	124	115	131	129	114	153	173	200	165	128	66	20	10	55	2
165	169	132	106	134	115	108	119	160	121	105	58	23	16	59	3
8	6	8	8	9	11	10	9	16	9	9	2	2	1	19	4
4	3	3	5	5	4	5	6	7	5	4	1	1		11	5
4	3	5	3	4	7	5	3	9	4	5	1	1	1	8	6
59	36	24	24	39	28	21	30	32	30	16	3	2	3	15	7
34	20	14	13	20	10	13	16	16	18	7	1	1	1	6	8
25	16	10	11	19	18	8	14	16	12	9	2	1	2	9	9
															10
						1	1		1						11
1	1	1				1									
			1					1							12
2	1	2	1	1											13
					2									1	
										1				1	14
														3	
	1														15
1	1			1		1		2							
									1						16
20	11	5	5	7	4	7	5	3	2	1				3	17
14	7	7	4	9	6	1	8	5	1					2	
4	5	5	6	10	3	4	8	11	12	2	1	1	1	1	18
4	3	1	4	6	5	4	6	5	9	9	2		1	1	
															19
5		2		1	1				1	1					20
2	2	1	1	1	2			1					1	1	
				1		1		1							21
1					1			1	1			1			
2	1		1		1		1		1	1					22
1				2										1	
1	1				1										23
1	2		1		1										
						1	1		1	1				1	24
					1	1		1							
1	3		1	2	1				2	1			2	1	25
1	2		1	2						1				1	26
	1				1				2				2		27
															28
1	1		1	2						1					29
	1														
															30
	1														31
														1	32
					1				2				2		
2	1	2	1	4	8	3	7	21	35	52	39	16	14	8	33
1		2	1	1	5		3	9	12	27	24	6	6	2	34
1	1			3	3	3	4	12	23	25	25	10	8	6	35
															36
															37
															38
1		2	1	1	5		3	7	3	6	2			2	39
1	1			3	3	1	1	1	9	5	4	3		6	
								2	9	21	22	6	6		40
						2	3	11	14	20	21	7	8		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		1,616	40	36	24	10	7	117	43	35	138	209	160
2	Males		679	20	19	12	4	3	58	23	12	40	83	66
3	Females		937	20	17	12	6	4	59	20	23	98	126	94
4	1. Rheumatism	M	27		1	1			2		1	1	2	1
		F	13				1		1	1	1	2		
5	2. Scrofula and tabes	M	47	9	5	4	1	1	20	5	3	1	3	3
		F	35	2	5	4	1		12	2		1	3	1
6	3. Leprosy	M												
		F												
7	4. Consumption	M	448	6	7	4	2	1	20	8	7	37	75	60
		F	695	8	7	5	4	3	27	9	17	91	121	90
8	5. Hydrocephalus	M	12	2	3	2	1		8	3				
		F	15	7	4	1			12	1				
9	6. Cancer	M	55							3			1	
		F	65											1
10	7. Tumor	M	9	2					2					1
		F	22	2					2	2	1	1		
11	8. Anæmia	M	4	1	1				2					
		F	2							1				
12	9. Dropsy	M	55							3	1	1		1
		F	81			2		1	3	2	3	1	2	2
13	10. Diabetes	M	17										2	
		F	6							2	1	2		
14	11. Others of this group	M	5		2	1		1	4	1				
		F	3	1	1				2					
15	12. Others of this class	M												
		F												
16	II.—Diseases of the nervous system		703	166	57	28	14	10	275	27	16	17	25	13
17	Males		380	89	31	14	9	6	149	15	6	11	16	4
18	Females		323	77	26	14	5	4	126	12	10	6	9	9
19	1. Inflammation of the brain	M	79	30	17	7	5	1	60	4	2	4	2	1
		F	76	31	14	8	1	2	56	6	3	2	1	2
20	2. Apoplexy	M	30									1	1	
		F	23									1		1
21	3. Paralysis	M	105			1			1		1		1	
		F	95	1		2	1	1	5	1				
22	4. Tetanus and trismus nascentium.	M	5	2				1	3	1				
		F	4	2					2					
23	5. Epilepsy	M	17	1	1				2		1		4	1
		F	9	1					1		1	1	2	2
24	6. Convulsions	M	67	45	6	3	3	1	58	2	1	2	2	
		F	47	29	3	3	3		38	1	2		3	1
25	7. Mental diseases	M	4											
		F	3										1	
26	8. Diseases of the brain	M	41	5	5	2		2	14	2		2	5	1
		F	34	8	6	1			15	2	1		2	2
27	9. Diseases of the spinal cord	M	26	6	2	1	1	1	11	6		1		1
		F	18	4	2			1	7	2	2	2		1
28	10. Others of this class	M	6								1	1	1	
		F	14	1	1				2		1			
29	III.—Diseases of the circulatory system		358	21	4				25	7	10	22	12	4
30	Males		188	12	2				14	2	5	9	7	1
31	Females		170	9	2				11	5	5	13	5	3
32	1. Angina pectoris	M	6											
		F	10									1		
33	2. Aneurism	M	1											
		F	1											
34	3. Diseases of the heart	M	178	9	2				11	2	5	9	7	1
		F	154	4	2				6	5	5	12	5	3
35	4. Others of this class	M	3	3					3					
		F	5	5					5					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
121	113	92	86	79	78	58	85	86	49	28	16	2	2	19	1
42	45	29	40	31	28	26	47	46	28	19	8			8	2
79	68	63	46	48	50	32	38	40	21	9	8	2	2	11	3
		2	1	2	3	1	1	4	3		2			1	4
		2		1	1		1	1	2						
	2	2			2	1	2	1	2						5
4	1		1	1	2	1	1	1	1			1		2	
															6
39	40	20	28	22	16	14	22	17	11	7	1			4	7
69	62	44	31	30	27	17	21	16	10	4	2	1		6	
		1													8
	1			1											
3	1	2	7	4	4	5	4	9	6	5	1				9
2	2	9	6	10	7	4	5	9	1	3	4		1	1	
	1						1	3	1						10
1			2	1	6	1	2	1	1	1					
											1			1	11
			1												
		1	4	3	1	4	16	8	2	6	2			2	12
3	2	8	5	4	6	9	7	12	6	1	2		1	2	
	1	1			2	1	1	4	3	1	1				13
							1								
															14
					1										
															15
7	13	21	12	17	19	41	38	63	32	36	17	6	1	7	16
4	7	11	5	8	11	26	24	37	17	18	6	1	1	3	17
3	6	10	7	9	8	15	14	26	15	18	11	5		4	18
	2	1	2							1					19
1		2		1		1					1				
	1	1		1	1	5	4	11	1	3					20
		3	3	2		2	1	4	2	3	1				
1	1	2	1	3	8	14	17	21	15	13	4	1	1		21
	1	1	1	3	5	11	10	20	10	13	9	4		1	
1															22
1		1													
1	2	3												3	23
	1		1												
	1	1													24
				1						1					
		1	1	1		1									25
		1	1												
1		2	1	3	1	1	3	2	1		2				26
1	1		1	1				2	2			1		3	
					1	5		1							27
	1				1	1	1								
								2		1					28
	2	2		1	2		2		1	1					
16	16	13	25	21	20	31	34	43	27	15	11	1		5	29
6	4	6	13	12	12	18	19	27	17	6	6			4	30
10	12	7	12	9	8	13	15	16	10	9	5	1		1	31
					1	1		3	1						32
	1				1	1		2	3	1					
														1	33
								1							
6	4	6	13	12	11	17	19	24	16	6	6			3	34
10	11	7	12	9	7	12	15	18	7	8	5	1		1	
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	1,218	270	120	75	39	19	523	75	31	57	41	29
2	Males	670	154	64	38	24	14	294	36	13	29	29	10
3	Females	548	116	56	37	15	5	229	39	18	28	12	19
4	1. Croup M	109	51	16	18	10	3	98	10	1			
	F	87	44	11	14	4		73	14				
5	2. Laryngitis M	2			1			1					
	F	1							1				
6	3. Bronchitis M	68	20	12	2	1		35	3		1	2	1
	F	51	12	6	2		1	21		3	2	2	1
7	4. Pneumonia M	281	47	23	14	9	8	101	13	7	18	19	7
	F	219	33	27	11	5	1	77	16	9	16	8	12
8	5. Pleurisy M	14					1	1	1		1	1	
	F	10								1			1
9	6. Asthma M	15		1				1					
	F	14	1	2		1	1	5					
10	7. Others of this class M	181	36	12	3	4	2	57	9	5	9	7	2
	F	166	26	10	10	5	2	53	8	5	10	2	5
11	V.—Diseases of the digestive system	275	49	24	7	4	2	86	15	4	8	9	6
12	Males	152	29	9	2	2	1	43	9	3	5	3	3
13	Females	123	20	15	5	2	1	43	6	1	3	6	3
14	1. Dentition M	3	2	1				3					
	F	8	3	5				8					
15	2. Angina M	9		3				3	2				
	F	5	2	1				3					
16	3. Diseases of the stomach M	47	8	1	2			11	1	1	1	1	1
	F	37	3	5		1	1	10	3			3	1
17	4. Obstruction of the bowels M	9	2			1		3				1	
	F	6			1			1					
18	5. Hernia M	9	3					3	1				
	F	3	1					1					
19	6. Other diseases of the bowels M	7	2	1				3					
	F	6	2	1				3				1	
20	7. Jaundice M	7	2					2	1		1	1	
	F	8	4					4	1				
21	8. Inflammation and abscess of the liver. M	6	2					2					
	F	4									2		
22	9. Other diseases of the liver M	16	1	2				3					2
	F	12			1			1	1				
23	10. Peritonitis M	10	1					1		2	2		
	F	11			1			1		1		1	2
24	11. Ascites M	5							1				
	F	3											
25	12. Others of this class M	24	6	1		1	1	9	3		1		
	F	20	5	3	2	1		11	1		1	1	
26	VI.—Diseases of the urinary system and male organs of generation.	187	6	5	2			13	2	1	4	2	3
27	Males	140	4	1	1			6			4	1	3
28	Females	47	2	4	1			7	2	1		1	
29	1. Bright's disease M	54									4	1	2
	F	22								1		1	
30	2. Calculus, urinary M	8											
	F	1											
31	3. Diseases of the kidney M	56	3	1	1			5					1
	F	16	1	4	1			6	1				
32	4. Diseases of the bladder M	16	1					1					
	F	6							1				
33	5. Others of this class M	6											
	F	2	1					1					
34	VII.—Diseases of the female organs of generation.	39									3	3	2
35	1. Ovarian tumors F	4											
36	2. Ovarian diseases F												
37	3. Uterine tumors F	4											
38	4. Uterine diseases F	7										1	
39	5. Others of this class F	24									1		1
											2	2	1
40	VIII.—Affections connected with pregnancy.	115									10	17	30
41	1. Abortion F	11											
42	2. Childbirth F	55										2	
43	3. Puerperal septicæmia F	39									4	7	15
44	4. Extra-uterine pregnancy F	1									4	8	12
45	5. Others of this class F	9											1
											2		2

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
23	32	28	23	34	29	49	45	55	53	40	18	11	1	15	1
11	12	18	22	14	19	31	28	26	31	19	12	8	1	7	2
12	20	10	7	20	10	18	17	29	22	21	6	3		8	3
															4
		1													5
2		1		3	1	1	3	4	1	3	5	2			6
3	1	1		3		2	1	6	2	2	1				
6	12	9	14	7	7	14	13	9	12	7	3	1		2	7
6	11	5	5	7	4	5	9	8	4	9	2	2		4	
			1	1	1	4	1		1		1				8
				1		2	1	2		1	1				
			2		1	1	2	3	2	1	1	1			9
	2			2				1	1	2	1				
3		7	5	3	9	11	9	10	15	8	2	4	1	5	10
3	6	4	2	7	6	9	6	12	15	7	1	1		4	
7	10	12	10	14	15	13	22	17	13	6	3	2		3	11
5	3	9	7	9	7	9	11	10	6	5	3	2			12
2	7	3	3	5	8	4	11	7	7	1				3	13
															14
					1			2				1			15
						1	1								
		5	3	5	2	3	3	3	3	1	2	1			16
	3		2	2	3	2		4	1	1				2	
1	1		1	1					1						17
	1			1	1		2								
2							1			2					18
					1				1						
			1				2	1							19
1				1											
		2													20
		1					1	1							
	1			1		1	1								21
									2						
1		1	1	1	3	2	2								22
	2	1	1	1			3	1	1						
	1	1	1	1					1						23
1	1	1			1				1					1	
						2	1			1					24
					1	1			1						
1					1	1	1	4	1	1	1				25
					1		4	1							
13	2	6	9	12	8	22	17	17	26	22	3	1	1	3	26
8		5	7	6	7	17	16	14	22	17	3	1	1	2	27
5	2	1	2	6	1	5	1	3	4	5				1	28
5		2	2	4	1	8	4	7	4	7			1	2	29
2	1	1		6		3		3	1	3					
			1		1	1	1	2	2						30
						1									
3		3	2	2	5	4	10	3	10	4	3	1			31
1	1		1			1	1		2	1				1	
			2			3	1	1	4	4					32
2			1		1				1						
						1		1	2	2					33
										1					
5	6	5	4	5		2	1			2				1	34
1	1					1	1								35
															36
1	1	1													37
	1	1		2										1	38
3	3	3	4	3		1				2					39
14	19	14	5	1										5	40
2	1	2	1											3	41
6	10	7	4	1										1	42
5	7	3													43
															44
1	1	2												1	45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	69	14	9	10	4	2	39	5	5	3	3	5
2	Males	43	9	6	7	1	1	24	3	4	1	2	5
3	Females	26	5	3	3	3	1	15	2	1	2	1	
4	1. Diseases of the spine M	37	9	6	7	1		23	3	2	1	2	4
	F	25	5	3	3	3	1	15	2	1	1	1	
5	2. Diseases of the bones M	1											1
	F												
6	3. Diseases of the hip joint M	4					1	1		2			
	F												
7	4. Others of this class M	1											
	F	1									1		
8	X.—Diseases of the skin	20	3	4				7	1	1		2	
9	Males	11	1	2				3	1	1		1	
10	Females	9	2	2				4				1	
11	1. Abscess M	5	1	1				2	1	1		1	
	F	7	2					2				1	
12	2. Carbuncle M	3											
	F												
13	3. Others of this class M	3		1				1					
	F	2		2				2					
14	XI.—Diseases of the absorbent system	2										1	
15	Males												
16	Females	2										1	
17	1. Addison's disease M												
	F												
18	2. Diseases of the spleen M												
	F	1											
19	3. Others of this class M												
	F	1										1	
20	XII.—Accidents and injuries	485	46	17	11	11	7	92	30	35	60	54	27
21	Males	374	27	11	6	9	2	55	18	24	52	47	21
22	Females	111	19	6	5	2	5	37	12	11	8	7	6
23	1. Burns and scalds M	27	6	3	2	3		14	2	4	3	2	
	F	25	4			1	2	7	7	4			2
24	2. Drowned M	48	1	1	3	2	1	8	6	4	7	8	4
	F	17	1	2	2	1		6		1	2	1	2
25	3. Exposure and neglect M	10	3	1		1		5			1		
	F	10	4					4		2	1		
26	4. Gunshot wounds M	22				1	1	2	1	2	9	4	1
	F	4								1		2	
27	5. Homicide M	21							1	1	2	3	3
	F												
28	6. Infanticide M												
	F	2	2					2					
29	7. Injuries by machinery M	2							1		1		
	F	1							1				
30	8. Railroad accidents M	73		1				1	3	5	6	12	7
	F	6		1	1			2			1		
31	9. Suffocation M	12	8	1				9			1		
	F	8	6		1			7	1				
32	10. Suicide by shooting M	4											
	F	2										1	
33	11. Suicide by drowning M	2											
	F												
34	12. Suicide by poison M												
	F												
35	13. Other suicides M	7											
	F	2										1	
36	14. Sunstroke M	1											2
	F												
37	15. Surgical operations M	3											
	F	1										2	
38	16. Wounds M	5										1	
	F	1									1	1	
39	17. Other accidents and injuries M	137	9	4	1	2		16	4	8	21	14	6
	F	32	2	3	1		3	9	3	3	4	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WEST VIRGINIA—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
2	1		1	1		1		1	1					1	1
						1		1	1					1	2
2	1		1	1											3
						1			1						4
2	1		1	1											
															5
								1							6
														1	7
	2		1	1	1	2	1			1					8
					1	2	1			1					9
	2		1	1											10
															11
	2		1	1											
					1	1	1								12
						1				1					13
						1									14
															15
						1									16
															17
															18
						1									
															19
28	33	22	21	24	11	7	3	9	9	5	2		1	12	20
25	28	18	17	21	10	5	2	7	8	4	2			10	21
3	5	4	4	3	1	2	1	2	1	1			1	2	22
	1									1					23
1	1					2		1							
4	2	1	1					1						2	24
	2	1	1	1											
1				1					1	1					25
	1				1					1					
	1	1			1										26
														1	
3	2	1		2	2		1								27
															28
															29
8	8	7	6	4		1		2						3	30
		1	1											1	
1														1	31
2		1												1	32
				1											
1								1							33
															34
			2	1	1	1			1						35
	1														36
			1												37
		1		1										1	38
5	13	6	7	12	6	3	1	3	6	2	2			2	39
2	1	2	2	1			1	1	1				1		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	18,752	3,976	939	497	351	297	6,060	823	477	677	827	853
2	Males	10,081	2,258	496	247	181	152	3,334	398	231	304	413	409
3	Females	8,671	1,718	443	250	170	145	2,726	425	246	373	414	444
4	Unknown causes	801	308	33	13	9	7	370	8	8	12	15	22
5	Males	434	175	20	8	3	6	212	4	4	7	6	11
6	Females	367	133	13	5	6	1	158	4	4	5	9	11
	I.—General diseases.												
7	General diseases—A	3,560	968	395	219	174	160	1,916	481	204	174	101	123
8	Males	1,782	505	205	104	99	78	991	209	95	69	58	67
9	Females	1,778	463	190	115	75	82	925	272	109	105	43	56
10	1. Smallpox M	1											1
	1. Smallpox F												
11	2. Measles M	67	19	19	4	3	1	46	6	2	3	3	3
	2. Measles F	61	13	12	5	1	4	35	6	7	4	3	1
12	3. Scarlet fever M	96	9	12	11	14	17	63	17	8	4	1	
	3. Scarlet fever F	120	6	12	20	17	8	63	32	11	6	1	4
13	4. Diphtheria M	462	30	32	46	60	50	218	142	57	27	8	3
	4. Diphtheria F	487	24	33	41	39	45	182	180	61	36	8	10
14	5. Whooping cough M	42	32	6	3			41	1				
	5. Whooping cough F	64	40	16	3	2		61	2	1			
15	6. Fever M	9	2	4			1	7	1				
	6. Fever F	10	2		1		1	4	3				
16	7. Cerebro-spinal fever M	40	13	10	3	1	1	28	8	2			1
	7. Cerebro-spinal fever F	34	12	3	3	1	1	20	7	1	1		2
17	8. Enteric fever M	170	4	3	4	1	3	15	9	8	14	35	30
	8. Enteric fever F	182	4	1	3	2	3	13	11	16	41	25	15
18	9. Diarrheal diseases M	480	204	57	26	15	2	304	19	9	13	3	12
	9. Diarrheal diseases F	459	190	62	25	7	13	297	25	10	9	3	10
19	10. Cholera infantum M	246	176	58	7	3	1	245					
	10. Cholera infantum F	219	156	47	11	2	2	218					
20	11. Malarial fever M	43	2	4				6	2	2	3	4	7
	11. Malarial fever F	33	1		3	1	2	7	2		4	1	1
21	12. Erysipelas M	28	4					4	1	1	1		
	12. Erysipelas F	26	6			1	1	8	1		1	1	1
22	13. Septicæmia M	70	7			2	2	11	2	6	3	2	7
	13. Septicæmia F	58	5	3		2	2	12	1	1	1	1	11
23	14. Venereal diseases M	11										1	3
	14. Venereal diseases F	7	3					3					
24	15. Others of this group M	17	3					3	1		1	1	
	15. Others of this group F	18	1	1				2	2	1	2		1
25	General diseases—B	141	68	3	3	1		75	2		1	1	3
26	Males	108	45	1	3	1		50	2		1		3
27	Females	33	23	2				25				1	
28	1. Parasitic diseases M	1	1					1					
	1. Parasitic diseases F												
29	2. Alcoholism M	38											
	2. Alcoholism F	2											1
30	3. Lead poison M	1											
	3. Lead poison F												
31	4. Other poisons M	16	1	1	2	1		5	1		1		1
	4. Other poisons F	5		1				1				1	
32	5. Inanition M	52	43		1			44	1				1
	5. Inanition F	26	23	1				24					
33	General diseases—C	1,806	992	18	1	2		1,013	2	1		2	4
34	Males	945	539	7		1		547	1			1	4
35	Females	861	453	11	1	1		466	1	1		1	
36	1. Premature birth M	69	69					69					
	1. Premature birth F	52	52					52					
37	2. Stillborn M	214	214					214					
	2. Stillborn F	158	158					158					
38	3. Malformation M	5	5					5					
	3. Malformation F	16	15	1				16					
39	4. Debility and atrophy M	401	251	7		1		259	1			1	4
	4. Debility and atrophy F	372	228	10	1	1		240	1	1		1	
40	5. Old age M	256											
	5. Old age F	263											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
786	687	552	569	599	720	909	1,015	1,035	853	596	316	111	53	234	1
385	330	284	311	349	407	494	589	605	483	356	172	61	21	145	2
401	357	268	258	250	313	415	426	430	370	240	144	50	32	89	3
22	16	18	19	24	35	31	38	39	37	33	16	3	1	34	4
7	6	9	6	10	24	18	16	27	18	20	7	1	1	20	5
15	10	9	13	14	11	13	22	12	19	13	9	2		14	6
86	56	46	46	30	47	57	46	55	31	20	11	2	1	27	7
38	33	21	26	15	21	31	22	35	20	11	5	1	1	13	8
48	23	25	20	15	26	26	24	20	11	9	6	1		14	9
															10
		1			1	1								1	11
1	4														
	2								1						12
						1	1							1	
1		1	1		1		1		1	1					13
4	1	1							1					3	
															14
	1														15
1						1				1					
1															16
2		1													
21	10	8	4	1	4	1	1	4	1		1	1		2	17
18	6	7	5	3	5	4		6	2		1			4	
9	12	3	9	8	11	20	9	19	8	5	2			5	18
8	7	6	7	8	13	11	15	10	6	5	4	1		4	
														1	19
														1	
1	2	2	4	2		1	2	2	1	1	1				20
6	1		3	3	2		1	1						1	
	1	1	1	2	3	4		3	2	3				1	21
	1		1		2	5	2		1	2					
5	3	3	7	2	1	3	7	4	3		1				22
6	3	7	4	1	4	3		2	1						
	1	1					1	1	1	1				1	23
2		1									1				
	1	1				1	1	2	2				1	2	24
		2				1	5	1		1					
8	6	7	11	6	3	4	7	2	3	2					25
6	4	7	11	5	3	4	7	1	2	2					26
2	2			1				1	1						27
															28
4	3	7	8	3	1	4	5	1		1					29
	1							1							
1															30
1	1		3	1	1				1						31
1	1			1											
				1	1		2		1	1					32
1									1						
6	6	6	9	5	9	18	38	120	146	184	130	59	33	15	33
6	2	4	4	4	6	5	19	62	61	98	64	34	13	10	34
	4	2	5	1	3	13	19	58	85	86	66	25	20	5	35
															36
															37
															38
6	2	4	4	4	6	2	9	25	21	24	15	4	3	7	39
	4	2	5	1	3	8	11	21	25	20	17	3	5	4	
						3	10	37	40	74	49	30	10	3	40
						5	8	37	60	66	49	22	15	1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D.		3,280	109	49	26	13	17	214	42	68	203	316	315
2	Males		1,585	68	32	18	10	9	137	25	22	67	129	134
3	Females		1,695	41	17	8	3	8	77	17	46	136	187	181
4	1. Rheumatism	M	70			1			1	6	1	4	2	8
		F	53	1					1	1	4	5	4	1
5	2. Scrofula and tabes	M	31	12	1	2	1	2	18	1	1	3	2	1
		F	19	4	1				5	1	1	3	1	2
6	3. Leprosy	M	1											
		F												
7	4. Consumption	M	974	32	17	9	5	2	65	8	15	55	113	117
		F	1,079	18	7	4	2	6	37	9	36	122	175	168
8	5. Hydrocephalus	M	40	14	11	5	3		33	3	2			
		F	24	9	7	3		1	20	1		1	2	
9	6. Cancer	M	254	1	1		1	2	5		1	1	3	3
		F	304	1					1	2			1	5
10	7. Tumor	M	37	2	1	1		1	5		1	2	2	2
		F	37		1	1			2		2	1		1
11	8. Anæmia	M	15	6	1				7					
		F	15	4			1		5			2	1	2
12	9. Dropsy	M	113	1				1	2	3	1	1	1	
		F	131	2	1				3	2	1	1	1	1
13	10. Diabetes	M	46					1	1	3		1	6	3
		F	30					1	1	1	2	1	1	1
14	11. Others of this group	M	3							1				
		F	3	2					2				1	
15	12. Others of this class	M	1											
		F												
16	II.—Diseases of the nervous system		2,003	654	129	67	33	21	904	61	28	45	30	28
17	Males		1,163	410	58	32	14	10	524	32	8	20	21	15
18	Females		840	244	71	35	19	11	380	29	20	25	9	13
19	1. Inflammation of the brain	M	182	63	20	14	8	3	108	16	1	6	9	5
		F	158	45	28	18	7	6	104	9	10	10	2	3
20	2. Apoplexy	M	178	4		1	1		6	1	2	2	3	3
		F	112			1		1	2	1		2	1	
21	3. Paralysis	M	210	5	1	4	1		11	1		2	1	2
		F	151	1				1	2	3	1	3		1
22	4. Tetanus and trismus nascentium	M	15	9					9	3	1		2	
		F	6	3					3			1		
23	5. Epilepsy	M	32	2	2		1		5			1	2	3
		F	27	2		1	1	1	5	1	3		4	3
24	6. Convulsions	M	361	302	23	10	2	4	341	4	2	1		
		F	250	177	35	12	8	2	234	5		1	1	3
25	7. Mental diseases	M	19										1	1
		F	14										1	1
26	8. Diseases of the brain	M	109	15	5	1		2	23	4	1	6	1	
		F	64	12	5	2	1		20	4	2	3		1
27	9. Diseases of the spinal cord	M	36	10	7	2	1	1	21	3		1	1	
		F	29	4	3		2		9	6	2	2		
28	10. Others of this class	M	21								1	1	1	1
		F	29			1			1		2	3		1
29	III.—Diseases of the circulatory system		1,089	33	5	1	2	2	43	17	19	27	36	23
30	Males		590	17	2		1	1	21	9	9	11	14	12
31	Females		499	16	3	1	1	1	22	8	10	16	22	11
32	1. Angina pectoris	M	15							1				
		F	12										1	
33	2. Aneurism	M	1											
		F	4											
34	3. Diseases of the heart	M	568	13	2		1	1	17	8	9	11	14	12
		F	475	15	3	1	1	1	21	8	10	16	20	11
35	4. Others of this class	M	6	4					4					
		F	8	1					1				1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
274	231	169	163	176	184	231	236	184	131	65	27	9	3	39	1
124	111	77	73	100	93	116	118	96	76	38	16	7		26	2
150	120	92	90	76	91	115	118	88	55	27	11	2	3	13	3
5	1	2	3	3	3	5	6	9	5	2	2	1		1	4
1	1	1	4	4	2	5	7	3	5	4					
	1				1		1	1	1						5
2	1		1						2						
						1									6
110	94	62	49	58	50	46	34	36	31	14	2			15	7
125	91	59	45	27	33	37	43	30	20	6	3		2	11	
	1	1													8
2	9	7	12	26	26	42	50	27	16	12	5	2		5	9
13	18	26	26	29	34	50	44	25	15	9	4	1		1	
1	1	4	1	2	3	5	4	2			1			1	10
4	1	4	2	4	9	2	3	1		1					
2				1		1	3				1				11
1	1			1					1					1	
	2		7	4	10	13	15	17	20	8	4	3		2	12
3	6	2	9	9	11	14	19	25	12	6	4	1	1		
4	2	1	1	6		2	5	4	3	1		1		2	13
1	1		3	2	2	7	2	4		1					
										1	1				14
						1									15
44	38	43	48	52	81	109	130	129	111	63	30	7	2	20	16
27	19	30	25	33	47	64	82	73	64	42	18	6		13	17
17	19	13	23	19	34	45	48	56	47	21	12	1	2	7	18
4	5	4	2	1	3	3	6	3	2	1	1			2	19
4	2	2	3	2		2	1	1			1			2	
7		2	5	12	13	25	24	29	22	14	4	2		2	20
2	2	2	7	7	6	16	14	19	16	12	2	1			
2	4	7	7	10	16	22	38	22	30	18	12	4		1	21
3	2	4	3	6	11	16	26	27	24	7	8		2	2	
															22
1	1														
2	3	2	2	1	6			2	3						23
			6	1	2	1	1								
		4	1			1		4						3	24
	4						1							1	
1	2		3	3	3	1	2	2							25
2	2		1		3	3				1					
10	4	9	4	6	3	9	9	5	5	4	1			5	26
1	2	3		1	7	4	5	5	5					1	
		1	1		1	3	1	3							27
1			1	2	2	1		1	1					1	
1	1	1			2		2	3	2	5					28
3	4	2	2		3	2		3	1	1	1				
36	38	39	52	74	89	113	151	129	98	52	21	6	3	23	29
20	16	14	27	46	52	54	89	79	58	24	14	5	1	15	30
16	22	25	25	28	37	59	62	50	40	28	7	1	2	8	31
		1	2		3	2	3	3							32
1	2		1		2	3	1		1						
				1											33
	1		1	1				1							
20	16	13	25	45	49	52	86	75	58	23	14	5	1	15	34
13	19	25	23	27	34	56	60	49	39	28	7	1	2	6	
								1		1					35
2					1		1							2	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	3,037	499	234	120	86	64	1,003	119	64	89	104	100
2	Males	1,669	290	132	54	43	34	553	67	33	45	68	51
3	Females	1,368	209	102	66	43	30	450	52	31	44	36	49
4	1. Croup M.	153	35	27	23	20	14	119	31	3			
	F.	119	23	18	19	16	12	88	25	3		1	1
5	2. Laryngitis M.	7	1	3	1			5		1			
	F.	4		1	1			2	2				
6	3. Bronchitis M.	187	64	24	4	4	5	101	3	5	1	1	5
	F.	186	47	23	12	2	4	88	4	4	3	3	4
7	4. Pneumonia M.	878	117	62	20	17	11	227	26	15	33	49	31
	F.	674	83	47	28	18	7	183	14	15	33	23	27
8	5. Pleurisy M.	24	2	3				5	1			2	
	F.	16	3		1			4	1	1			1
9	6. Asthma M.	64		1			1	2					
	F.	41	1					1	1				1
10	7. Others of this class M.	356	71	12	6	2	3	94	6	9	11	16	15
	F.	328	52	13	5	7	7	84	5	8	8	9	15
11	V.—Diseases of the digestive system	986	262	45	18	7	6	338	31	21	26	30	26
12	Males	536	160	25	10	3	2	200	10	11	11	21	10
13	Females	450	102	20	8	4	4	138	21	10	15	9	16
14	1. Dentition M.	27	14	11	2			27					
	F.	19	12	6	1			19					
15	2. Angina M.	25	4	4	3			11	3	1	1	2	
	F.	11	2	1			1	4	4	2	1		
16	3. Diseases of the stomach M.	87	11	2	1	1		15		2		3	2
	F.	74	5	2	1		1	9	6		3	3	1
17	4. Obstruction of the bowels M.	26	5					5	1		1	2	2
	F.	16		1	1			2		2	2		1
18	5. Hernia M.	26	3			1		4		1	1		
	F.	17	2	2				4	1				
19	6. Other diseases of the bowels M.	34	10	2				12	1	2		5	
	F.	22	7	2	1	1		11	3				
20	7. Jaundice M.	13	5					5					
	F.	10	1	1				2					1
21	8. Inflammation and abscess of the liver. M.	28	3					3		3	1	2	
	F.	18				1		1	1	1			
22	9. Other diseases of the liver M.	71	3	1				4	2		1	2	
	F.	64	2					2			1		4
23	10. Peritonitis M.	47	3	1			1	5	2	2	4	5	2
	F.	81	5		4	2	1	12	5	5	6	5	9
24	11. Ascites M.	12			1			1			1		
	F.	19										1	
25	12. Others of this class M.	140	99	4	3	1	1	108	1		1		4
	F.	99	66	5			1	72	1		2		
26	VI.—Diseases of the urinary system and male organs of generation.	491	12	3	4	3	4	26	8	5	5	16	17
27	Males	349	9	2	2		3	16	4	4	2	6	11
28	Females	142	3	1	2	3	1	10	4	1	3	10	6
29	1. Bright's disease M.	153							1	3	2	3	6
	F.	71								1	2	4	3
30	2. Calculus, urinary M.	11										1	
	F.	1											
31	3. Diseases of the kidney M.	113	5	2	2		3	12	2	1		2	4
	F.	54	2	1	1	3	1	8	4		1	5	3
32	4. Diseases of the bladder M.	50	1					1	1				1
	F.	4											
33	5. Others of this class M.	22	3					3					
	F.	12	1		1			2				1	
34	VII.—Diseases of the female organs of generation.	39								1	1	3	4
35	1. Ovarian tumors F.	6											
36	2. Ovarian diseases F.	1											
37	3. Uterine tumors F.	6											
38	4. Uterine diseases F.	9										1	
39	5. Others of this class F.	17											2
40	VIII.—Affections connected with pregnancy.	338								1	1	2	2
41	1. Abortion F.	25									15	67	83
42	2. Childbirth F.	200										6	4
43	3. Puerperal septicæmia F.	96									12	34	50
44	4. Extra-uterine pregnancy F.	1									2	22	25
45	5. Others of this class F.	16									1	1	
											1	4	4

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
98	112	76	90	112	126	188	179	199	171	105	47	18	7	30	1
53	59	13	58	58	73	90	102	113	95	62	24	4	2	16	2
45	53	33	32	51	53	98	77	86	76	43	23	14	5	14	3
															4
														1	
	1														5
5	5	5	4	3	5	9	4	8	9	5	6		1	2	6
3	3	3	2	6	5	12	10	11	12	4	4	2	2	1	
37	43	31	37	38	46	52	65	57	42	30	4	2		13	7
29	38	21	22	36	33	51	33	16	32	18	5	5	1	9	
1			2	2	1	3	1	3	1		2				8
1	1	3					2		2						
2	2	2	2	4	4	5	7	17	9	4	3	1			9
	2	1		1	5	9	9	5	5	4		1		1	
8	8	5	13	11	17	21	25	28	34	23	9	1	1	1	10
12	9	5	8	11	10	26	23	21	27	20	14	6	2	2	
38	36	26	37	42	60	61	64	61	44	23	10	3		9	11
18	16	13	18	24	30	36	32	32	24	16	6	1		7	12
20	20	13	19	18	30	25	32	29	20	7	4	2		2	13
															14
	1		1	1	1		1	1						1	15
3	4	1	3	5	9	11	9	6	6	6	1			1	16
2	5	3	3	3	12	5	5	5	4	1	3			1	
1	1	1	1	2	2	3	1	2	1						17
2		1	2	1		1		1						1	
3	1		1	4	1	4	1	2	1	2					18
	1	2	1	2	1	1	1	2	1						
2				1	3	1	2		3	1		1			19
2					1		1	1	1	2					
		1	1	1		2	1			1	1				20
	1			1	1	2	1		1						
1	3	1	1		2	3	4	1	3	1					21
2			4		2	2	2	1	2						
1	2	6	5	4	9	6	10	10	5	1	2			1	22
2	1	3	5	5	9	9	9	9	3	2					
6	2	1	2	2	3			3	3	2	1			2	23
10	11	4	2	3	1	1	2	1	1	1		2			
			1	1		2		2	2		1			1	24
	1			2	3	2	4	3	3	1					
1	2	2	2	3		4	3	5	1	2				1	25
			2	1		2	7	6	5		1				
21	13	22	31	19	33	45	66	64	46	32	11	2	2	7	26
12	3	12	22	11	17	31	56	53	39	38	10	1	2	4	27
9	10	10	9	8	16	11	10	11	7	2	1	1		3	28
6	1	7	12	8	10	15	23	21	18	8	3		1	2	29
5	5	4	5	6	12	9	6	8						7	
						2	3	3	1	1					30
		1													
5	1	5	6	2	7	8	19	14	13	5	5			2	31
2	4	4	4	2	1	2	4	2	4	2		1		7	
	1		2	1		7	8	10	4	11	2		1		32
1					1			1	1						
1			2			2	3	2	3	5		1			33
1	1	1			2				2		1			1	
2	6	6	7	3	2	1	1	1						1	34
	1	2	2	1											35
														1	36
		1	1		1	1		1							37
1	3	1	1	1											38
1	2	2	3	1	1		1								39
71	59	31	6											6	40
7	4	3												1	41
41	35	21	6											1	42
19	18	6												4	43
															44
4	2	1													45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints	56	8	4	1	2		15	3	6	3	5	3
2	Males	26	4	1	1			6	2	1	1	1	1
3	Females	30	4	3		2		9	1	5	2	4	2
4	1. Diseases of the spine M	17	4	1	1			6	1		1		1
	F	22	4	3		2		9	1	2	2	1	2
5	2. Diseases of the bones M	6							1			1	
	F	2											
6	3. Diseases of the hip joint M	2								1			
	F	6								3		3	
7	4. Others of this class M	1											
	F												
8	X.—Diseases of the skin	53	7	1		2		10	1	1	1	3	3
9	Males	31	5			1		6	1		1	3	2
10	Females	22	2	1		1		4		1			1
11	1. Abscess M	14	3					3	1		1	2	2
	F	9		1		1		2		1			1
12	2. Carbuncle M	7	1					1				1	
	F	3											
13	3. Others of this class M	10	1			1		2					
	F	10	2					2					
14	XI.—Diseases of the absorbent system	7											1
15	Males	3											
16	Females	4											1
17	1. Addison's disease M	1											
	F	1											
18	2. Diseases of the spleen M	2											
	F												
19	3. Others of this class M												
	F	3											1
20	XII.—Accidents and injuries	1,065	56	20	24	17	16	133	48	51	75	98	98
21	Males	860	31	11	15	5	9	71	32	44	69	85	88
22	Females	205	25	9	9	12	7	62	16	7	6	13	10
23	1. Burns and scalds M	26	5	3	7	2	1	18		1		2	
	F	36		4	5	6	5	20	5	2			1
24	2. Drowned M	127	2	3	3	1		9	14	17	15	10	15
	F	13			1			1	2	2	1	3	
25	3. Exposure and neglect M	13	5					5					
	F	11	8					8					
26	4. Gunshot wounds M	37							3	2	11	6	4
	F	5	1			1		2	2				
27	5. Homicide M	17									1		8
	F	3									1	1	
28	6. Infanticide M												
	F												
29	7. Injuries by machinery M	9								1		2	
	F												
30	8. Railroad accidents M	104		1			1	2	2	1	10	14	16
	F	11							1			1	
31	9. Suffocation M	34	11	1	1		1	14		1		1	4
	F	14	5	4		2		11					1
32	10. Suicide by shooting M	26									2	5	3
	F	2										1	1
33	11. Suicide by drowning M	11										2	1
	F	4											
34	12. Suicide by poison M	14										1	
	F	6									2	1	1
35	13. Other suicides M	55											
	F	7									1	1	4
36	14. Sunstroke M	14			1		1	2				1	3
	F	3							1				
37	15. Surgical operations M	8	1	1				2					
	F	7	1					1					3
38	16. Wounds M	18		2	1			3			3	4	
	F	1	1					1					
39	17. Other accidents and injuries M	347	7		2	2	5	16	13	21	26	36	30
	F	82	9	1	3	3	2	18	5	3	2	6	3

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WISCONSIN—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
	3	2	2	2	3	5	2	1	1						1
	1	1	2	2	1	4	1	1	1						2
	2	1			2	1	1								3
		1			1	3	1	1	1						4
	1	1			2		1								
			2	1		1									5
	1					1									
	1														6
				1											7
1	2		1	6	2	2	5	5	5		3	1		1	8
1	2			2	1	2	2	4	4						9
			1	4	1		3	1	1		3	1		1	10
	2			1		1		1							11
			1				1				2			1	
1					1	1	1		1						12
				2					1						
				1			1	3	3						13
				2	1		2	1			1	1			
			1		1		3	1							14
							2	1							15
			1		1		1								16
							1								17
					1										
							1	1							18
															19
			1				1								
79	65	61	46	48	45	44	49	45	29	17	10	1	1	22	20
73	58	53	39	39	39	36	41	28	21	13	8	1	1	21	21
6	7	8	7	9	6	8	8	17	8	4	2			1	22
	1		1			1			2						23
	2	1			2		1	1			1				
10	6	9	7	5	1	1	3	1		1				3	24
1				1				2							
	1		1	1		1		2	1		1				25
			1	1					1						
2	3	2	1		1	1	1								26
	1														
2	2		2						1	1					27
			1												
															28
1	3	1	1												29
10	7	9	4	4	4	3	7	2	1			1		7	30
1				1		1	1	3	2						
2		2					1	5	1	1	1			1	31
									1					1	
5		1	3		1		4	1						1	32
1		1	1	3		1			1						33
1		1					1	1							
1				4	2	1	3		2						34
			1					1							
3	6	4	4	3	7	10	8	3	1						35
1	2		1	1	1		1								
2	1					1	1	1		1				1	36
								1	1						
1	2				1	2									37
			1				1	1							
	1	1	1	1		1	1	1		1					38
33	25	23	13	18	22	13	12	12	11	8	6		1	8	39
2	2	6	2	5	3	7	3	7	3	4	1				

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	All causes	490	75	22	17	10	5	129	27	13	27	36	30
2	Males	313	43	12	11	4	3	73	16	5	12	27	28
3	Females	177	32	10	6	6	2	56	11	8	15	9	12
4	Unknown causes	54	13		1			14		1			
5	Males	27	5					5					
6	Females	27	8		1			9		1			
	I.—General diseases.												
7	General diseases—A	113	22	7	10	6	1	46	18	6	7	6	7
8	Males	60	12	3	5	2		22	7	1	4	5	6
9	Females	53	10	4	5	4	1	24	11	5	3	1	1
10	1. Smallpox M.												
	F.												
11	2. Measles M.	1			1			1					
	F.	1		1				1					
12	3. Scarlet fever M.	10			2	2		4	4		1		
	F.	6	1		1	1		3	1	1			
13	4. Diphtheria M.	9	1		1			2	3		1		
	F.	18		1	3	2	1	7	9	2			
14	5. Whooping cough M.												
	F.												
15	6. Fever M.	3	1					1				1	1
	F.	2										1	
16	7. Cerebro-spinal fever M.	1	1					1					
	F.	1									1		
17	8. Enteric fever M.	17								1	1	3	4
	F.	10	1			1		2		2	2		1
18	9. Diarrheal diseases M.	6	4					4			1	1	
	F.	7	5					5	1				
19	10. Cholera infantum M.	8	5	2	1			8					
	F.	6	3	2	1			6					
20	11. Malarial fever M.	1		1				1					
	F.												
21	12. Erysipelas M.	1											
	F.	1											
22	13. Septicæmia M.	2											
	F.	1											
23	14. Venereal diseases M.	1											1
	F.												
24	15. Others of this group M.												
	F.												
25	General diseases—B	9	1					1					1
26	Males	8	1					1					1
27	Females	1											
28	1. Parasitic diseases M.												
	F.												
29	2. Alcoholism M.	7											1
	F.												
30	3. Lead poison M.												
	F.												
31	4. Other poisons M.												
	F.	1											
32	5. Inanition M.	1	1					1					
	F.												
33	General diseases—C	25	15					15					1
34	Males	15	9					9					
35	Females	10	6					6					1
36	1. Premature birth M.	4	4					4					
	F.	1	1					1					
37	2. Stillborn M.	4	4					4					
	F.	3	3					3					
38	3. Malformation M.												
	F.												
39	4. Debility and atrophy M.	2	1					1					1
	F.	3	2					2					
40	5. Old age M.	5											
	F.	3											

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
40	22	20	12	17	11	5	5	7	5	6	3		1	64	1
27	15	17	12	14	10	4	3	3	2	4	2			39	2
13	7	3		3	1	1	2	4	3	2	1		1	25	3
1	1			1										36	4
				1										21	5
1	1													15	6
9	2	2	2		3					1			1	3	7
5	2	2	2		2									2	8
4					1					1			1	1	9
															10
															11
1															12
														1	
2	1														13
															14
1															15
															16
2		2	2		1									1	17
2					1										
													1		18
															19
															20
														1	21
										1					
	1				1										22
1															
															23
															24
	2		1	1	1	1	1								25
	1		1	1	1	1	1								26
	1														27
															28
	1		1	1	1	1	1								29
															30
															31
	1														
															32
								1	4	2	1			1	33
								1	2	2					34
									2		1			1	35
															36
															37
															38
									1						39
								1	2	2					40
									1		1			1	

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
	I.—General diseases—Continued.													
1	General diseases—D		55		1				1	3	1	9	7	4
2	Males		30							3		3	2	3
3	Females		25		1				1		1	6	5	1
4	1. Rheumatism	M	3									1		
		F												
5	2. Scrofula and tabes	M	2							1				
		F	1											
6	3. Leprosy	M												
		F												
7	4. Consumption	M	22							1		2	2	3
		F	19		1				1		1	6	3	1
8	5. Hydrocephalus	M												
		F												
9	6. Cancer	M	1											
		F	1											
10	7. Tumor	M												
		F												
11	8. Anæmia	M												
		F	2										1	
12	9. Dropsy	M												
		F	2										1	
13	10. Diabetes	M	2							1				
		F												
14	11. Others of this group	M												
		F												
15	12. Others of this class	M												
		F												
16	II.—Diseases of the nervous system		27	7	2		1	3	13	1		1	2	
17	Males		16	4	1		1	2	8	1		1	1	
18	Females		11	3	1			1	5				1	
19	1. Inflammation of the brain	M	3	1	1			1	3					
		F	3					1	1				1	
20	2. Apoplexy	M	1											
		F	1											
21	3. Paralysis	M	2										1	
		F												
22	4. Tetanus and trismus nascentium.	M												
		F												
23	5. Epilepsy	M	1					1	1					
		F												
24	6. Convulsions	M	2	2					2					
		F	2	2					2					
25	7. Mental diseases	M												
		F												
26	8. Diseases of the brain	M	2											
		F	1											
27	9. Diseases of the spinal cord	M	4	1			1		2	1				
		F	2	1	1				2					
28	10. Others of this class	M	1											
		F	2									1		
29	III.—Diseases of the circulatory system		11	2					2	2				
30	Males		9	1					1	2				
31	Females		2	1					1					
32	1. Angina pectoris	M												
		F												
33	2. Aneurism	M	1							1				
		F												
34	3. Diseases of the heart	M	7							1				
		F	1											
35	4. Others of this class	M	1	1					1					
		F	1	1					1					

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
6	2	2	1	1	2			3						13	1
4	1	2	1		2			2						7	2
2	1			1				1						6	3
					1			1							4
														1	5
														1	
															6
4	1	2	1											6	7
1	1													5	
															8
					1										9
				1											
															10
1															11
								1							12
								1							13
															14
															15
1	3		1	2				1			1			1	16
	1		1	1							1			1	17
1	2			1				1							18
	1														19
											1				20
				1											
				1											21
															22
															23
															24
															25
	1		1												26
	1														
														1	27
1								1							28
1		1		3		1	1								29
1		1		3		1									30
							1								31
															32
															33
1		1		3		1									34
							1								
															35

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

	CAUSE OF DEATH.	All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IV.—Diseases of the respiratory system	79	9	11	5	3	1	29	1	1	1	3	8
2	Males	61	7	8	5	1	1	22	1	1	1	3	5
3	Females	18	2	3		2		7					3
4	1. Croup M	4	1		2			3	1				
	F	2		1		1		2					
5	2. Laryngitis M												
	F												
6	3. Bronchitis M	7	2	4	1			7					
	F	2		1				1					
7	4. Pneumonia M	35		1	1	1	1	4		1	1	3	5
	F	10	1			1		2					3
8	5. Pleurisy M	1											
	F												
9	6. Asthma M	1											
	F												
10	7. Others of this class M	13	4	3	1			8					
	F	4	1	1				2					
11	V.—Diseases of the digestive system	12	2	1				3				2	
12	Males	6	1					1				1	
13	Females	6	1	1				2				1	
14	1. Dentition M	1	1					1					
	F	1		1				1					
15	2. Angina M												
	F												
16	3. Diseases of the stomach M	2											
	F	1											
17	4. Obstruction of the bowels M												
	F												
18	5. Hernia M												
	F												
19	6. Other diseases of the bowels M												
	F	1											
20	7. Jaundice M												
	F												
21	8. Inflammation and abscess of the liver. M												
	F												
22	9. Other diseases of the liver M												
	F												
23	10. Peritonitis M	3										1	
	F	2										1	
24	11. Ascites M												
	F												
25	12. Others of this class M												
	F	1	1					1					
26	VI.—Diseases of the urinary system and male organs of generation.	11									2	4	
27	Males	7									1	3	
28	Females	4									1	1	
29	1. Bright's disease M	4										2	
	F	3										1	
30	2. Calculus, urinary M												
	F												
31	3. Diseases of the kidney M	1									1		
	F	1									1		
32	4. Diseases of the bladder M												
	F												
33	5. Others of this class M	2											
	F											1	
34	VII.—Diseases of the female organs of generation.												
35	1. Ovarian tumors F												
36	2. Ovarian diseases F												
37	3. Uterine tumors F												
38	4. Uterine diseases F												
39	5. Others of this class F												
40	VIII.—Affections connected with pregnancy	10									2		4
41	1. Abortion F												
42	2. Childbirth F	4											
43	3. Puerperal septicæmia F	5									1		1
44	4. Extra-uterine pregnancy F										1		2
45	5. Others of this class F	1											1

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
7	5	6	1	4		2	2	1	1	2	1			4	1
6	5	5	1	3		1	1			1	1			4	2
1		1		1		1	1	1	1	1					3
															4
															5
						1									6
5	5	4	1	2		1	1			1				1	7
1		1		1				1	1						
		1													8
				1											9
1											1			3	10
							1			1					
	2			1	2		1							1	11
				1	2		1								12
	2													1	13
															14
															15
	1				1		1								16
															17
															18
														1	19
															20
															21
															22
	1			1	1										23
															24
															25
1				2		1		1							26
				2		1									27
1								1							28
				2											29
1								1							
															30
															31
															32
						1									33
															34
															35
															36
															37
															38
															39
3														1	40
															41
2															42
1														1	43
															44
															45

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

	CAUSE OF DEATH.		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30
1	IX.—Diseases of the bones and joints		1	1					1					
2	Males		1	1					1					
3	Females													
4	1. Diseases of the spine	M	1	1					1					
		F												
5	2. Diseases of the bones	M												
		F												
6	3. Diseases of the hip joint	M												
		F												
7	4. Others of this class	M												
		F												
8	X.—Diseases of the skin		2											
9	Males		1											
10	Females		1											
11	1. Abscess	M	1											
		F	1											
12	2. Carbuncle	M												
		F												
13	3. Others of this class	M												
		F												
14	XI.—Diseases of the absorbent system													
15	Males													
16	Females													
17	1. Addison's disease	M												
		F												
18	2. Diseases of the spleen	M												
		F												
19	3. Others of this class	M												
		F												
20	XII.—Accidents and injuries		81	3		1			4	2	4	5	12	15
21	Males		72	2		1			3	2	3	2	12	12
22	Females		9	1					1		1	3		3
23	1. Burns and scalds	M												
		F	2								1			1
24	2. Drowned	M	9			1			1	1			3	2
		F	1											1
25	3. Exposure and neglect	M	1	1					1					
		F	1	1					1					
26	4. Gunshot wounds	M	8							1			1	2
		F												
27	5. Homicide	M	4											
		F	1											1
28	6. Infanticide	M												
		F												
29	7. Injuries by machinery	M												
		F												
30	8. Railroad accidents	M	14										2	3
		F												
31	9. Suffocation	M												
		F	1											
32	10. Suicide by shooting	M	2									1		
		F												
33	11. Suicide by drowning	M												
		F												
34	12. Suicide by poison	M	3										1	
		F	1									1		
35	13. Other suicides	M	2											
		F												
36	14. Sunstroke	M												
		F												
37	15. Surgical operations	M	1											
		F												
38	16. Wounds	M												
		F												
39	17. Other accidents and injuries	M	28	1					1		3	1	5	5
		F	2									2		

TABLE 5.—NUMBER OF DEATHS, BY STATES, AGE AND SEX, AND SPECIFIED DISEASE—Continued.

WYOMING—Continued.

30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Unknown.	
															1
															2
															3
															4
															5
															6
															7
		1	1												8
			1												9
		1													10
			1												11
		1													
															12
															13
															14
															15
															16
															17
															18
															19
11	5	8	5	2	3					1				4	20
11	5	7	5	2	3					1				4	21
		1													22
															23
1			1												24
															25
1	1													2	26
1		2			1										27
															28
															29
4	1	1	2	1											30
		1													31
	1														32
															33
1		1													34
			1		1										35
															36
1															37
															38
2	2	3	1	1	1					1				2	39