TABLE 15.

DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF COLOR AND BIRTHPLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

[The Metropolitan District comprises New York city, Brooklyn, Kings, Queens, Richmond, and Westchester counties in New York; Hudson and Essex counties, including the cities therein, and Passaic city and Paterson in New Jersey.]

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes		481,329	148,111	222,321	17,215	6,831	10,452	18,124	21,006	20,262	21,066	19,974	19,219	19,007	16,861	17,485	50,606
Males		256,484	81,554	120,214	8,689	3,398	5,203	9,284	11,621	11,144	11,843	11,576	11,171	10,425	9,311	9,114	23,491
Females		224,845	66,557	102,107	8,526	3,433	5,249	8,840	10,285	9,118	9,223	8,398	8,048	8,582	7,550	8,371	27,115
Unknown causes		924	199	254	31	14	18	31	39	37	33	36	47	54	40	56	234
Males		539	103	141	17	7	10	15	21	23	17	24	32	35	27	32	138
Females		385	96	113	14	7	8	16	18	14	16	12	15	19	13	24	96
I.—General diseases: General diseases—A		105,916	42,207	76,537	8,562	2,005	1,684	2,155	2,037	1,513	1,400	1,259	1,222	1,224	1,124	1,281	3,913
Males		54,215	22,351	39,719	4,085	953	825	1,159	1,117	811	744	701	638	634	553	603	1,673
Females		51,701	19,856	36,818	4,477	1,052	859	996	920	702	656	558	584	590	571	678	2,240
1. Smallpox	M	340	53	116	28	13	21	35	32	26	22	8	16	8	4	2	9
	F	215	39	110	26	10	13	15	11	6	6	3	8	3	1	.....	3
2. Measles	M	2,700	744	2,510	147	9	6	7	12	2	2	1	2	.....	.....	.....	2
	F	2,532	694	2,332	152	14	9	9	4	3	3	2	1	2	1	.....	.....
3. Scarlet fever	M	4,039	264	2,891	850	156	43	36	32	10	7	4	1	3	1	.....	5
	F	4,160	254	2,881	974	150	44	42	29	15	10	3	4	2	.....	1	5
4. Diphtheria	M	10,083	750	7,355	2,205	295	78	51	24	12	11	18	5	5	4	2	18
	F	10,207	637	6,974	2,547	389	92	51	34	27	19	13	13	7	7	8	26
5. Whooping cough	M	2,199	1,219	2,133	56	3	.....	2	.....	.....	.....	1	.....	.....	.....	2	2
	F	2,684	1,307	2,565	93	5	2	4	3	2	4	.....	1	.....	.....	2	3
6. Fever	M	22	1	5	3	.....	.....	4	3	.....	.....	1	3	1	1	.....	1
	F	18	1	3	.....	.....	.....	1	1	1	1	3	2	1	2	2	1
7. Cerebro-spinal fever	M	1,036	260	654	129	42	41	24	37	17	20	16	16	13	6	12	9
	F	867	227	555	105	48	41	26	13	13	13	10	9	6	7	9	12
8. Typhoid fever	M	3,017	23	135	123	148	375	601	495	304	224	167	114	98	70	68	95
	F	2,214	14	98	116	158	339	394	283	206	155	110	88	73	46	53	95
9. Diarrheal diseases	M	15,397	9,334	11,770	324	130	102	153	190	104	226	216	254	287	273	297	981
	F	14,515	7,984	10,270	250	122	103	165	214	183	204	215	272	314	330	417	1,456
10. Cholera infantum	M	10,532	8,662	10,525	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
	F	9,579	7,800	9,574	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
11. Malarial fever	M	2,393	169	602	177	121	110	175	181	146	117	132	98	107	99	100	228
	F	2,547	140	547	178	125	178	186	199	144	146	117	107	101	107	106	306
12. Erysipelas	M	911	351	387	13	8	20	19	33	33	45	60	59	48	36	41	109
	F	799	357	406	7	10	18	25	20	20	16	28	37	34	31	31	116
13. Septicæmia	M	395	42	82	19	15	17	22	22	19	33	23	27	33	22	28	33
	F	435	36	66	17	11	11	53	73	48	44	29	21	21	12	12	17
14. Venereal diseases	M	703	429	458	1	1	3	19	44	35	30	32	25	16	9	15	15
	F	482	322	353	3	2	6	14	22	10	24	13	5	7	4	2	8
15. Others of this group	M	448	50	96	10	12	9	11	12	13	7	22	18	15	28	36	159
	F	447	44	84	9	8	3	11	14	15	11	12	16	19	23	35	187
General diseases—B		6,122	3,246	3,439	36	10	31	103	322	376	415	393	282	263	160	128	164
Males		3,850	1,723	1,821	21	8	16	66	239	294	331	297	227	204	120	85	112
Females		2,272	1,523	1,618	15	2	15	37	83	82	84	96	55	59	31	43	52
1. Parasitic diseases	M	20	3	13	4	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
	F	16	1	12	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Alcoholism	M	1,689	1	2	2	4	4	52	202	261	290	265	194	173	107	67	57
	F	453	.....	.....	.....	.....	2	18	68	64	70	78	44	44	25	22	18
3. Lead poison	M	64	.....	.....	.....	1	2	4	10	10	8	8	5	5	5	1	5
	F	7	1	2	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....	.....
4. Other poisons	M	248	19	47	7	2	5	9	23	20	23	19	24	23	15	12	20
	F	155	15	46	6	.....	10	17	10	12	13	15	6	7	3	6	4
5. Inanition	M	1,829	1,700	1,759	8	.....	5	1	4	2	2	5	4	3	1	5	30
	F	1,641	1,506	1,558	5	2	2	1	4	6	.....	3	4	8	3	15	30
General diseases—C		65,250	54,632	56,317	111	47	46	52	64	76	76	84	80	132	185	423	7,557
Males		35,056	30,874	31,722	54	17	21	22	25	29	41	43	35	57	76	170	2,735
Females		30,194	23,758	24,595	57	30	25	30	39	47	35	41	45	75	109	244	4,822
1. Premature birth	M	4,698	4,691	4,698	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	3,553	3,550	3,553	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn	M	18,519	18,519	18,519	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	13,783	13,783	13,783	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation	M	680	656	670	3	.....	.....	2	1	.....	.....	1	1	.....	.....	.....	2
	F	523	497	513	5	2	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
4. Debility and atrophy	M	9,485	7,008	7,835	51	17	21	20	24	29	41	42	34	57	76	132	1,106
	F	9,305	5,928	6,746	52	28	25	30	39	46	34	41	44	75	109	153	1,283
5. Old age	M	1,674	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47	1,627
	F	3,030	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	91	2,939

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	81,597	5,247	9,864	1,104	1,067	4,025	8,233	9,748	8,376	7,801	6,815	5,824	5,039	4,024	3,587	6,090
Males	42,867	2,931	5,446	548	409	1,815	4,180	5,175	4,602	4,272	3,741	3,232	2,648	2,152	1,813	2,834
Females	38,730	2,316	4,418	556	658	2,210	4,053	4,573	3,774	3,529	3,074	2,592	2,391	1,872	1,774	3,256
1. Rheumatism M.	1,015	22	61	51	49	54	38	62	63	63	63	88	86	68	81	188
F.	961	13	38	55	51	43	42	41	57	57	50	70	82	69	82	224
2. Scrofula and tabes M.	713	446	606	21	9	9	10	5	8	8	5	2	3	3	8	11
F.	591	330	476	17	13	8	9	14	12	5	2	8	2	7	6	12
3. Leprosy M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M.	33,017	626	1,279	217	239	1,662	4,021	4,959	4,350	3,949	3,361	2,706	2,006	1,508	1,185	1,575
F.	26,689	539	1,129	259	512	2,078	3,872	4,314	3,335	2,898	2,213	1,597	1,296	915	806	1,415
5. Hydrocephalus M.	3,638	1,648	3,188	217	65	27	17	26	18	19	14	13	14	5	5	10
F.	2,862	1,318	2,554	172	40	18	15	12	8	9	8	6	2	4	4	10
6. Cancer M.	2,939	7	26	5	5	17	36	58	95	144	220	296	408	435	417	777
F.	6,088	5	19	11	8	16	51	126	246	468	715	812	869	761	747	1,239
7. Tumor M.	276	7	16	5	9	10	17	15	19	21	16	27	24	23	19	55
F.	285	5	13	3	3	4	8	17	15	24	23	32	40	26	22	55
8. Anæmia M.	208	57	74	6	.....	9	9	7	9	11	8	17	13	14	8	23
F.	285	31	47	13	6	19	27	16	18	19	18	14	18	11	10	49
9. Dropsy M.	255	16	31	7	11	9	7	10	5	22	11	13	20	25	25	59
F.	311	9	21	10	7	10	5	5	8	17	18	16	26	21	29	118
10. Diabetes M.	524	9	13	6	16	10	17	22	26	30	31	59	62	57	54	121
F.	447	9	14	7	11	10	13	20	20	24	23	28	47	52	61	117
11. Others of this group M.	271	91	150	13	5	8	7	10	8	5	12	8	11	9	10	15
F.	203	55	105	8	7	4	11	8	5	8	3	9	7	5	7	16
12. Others of this class M.	11	2	2	.....	1	.....	1	1	1	.....	.....	3	1	.....	1	.....
F.	7	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1
II.—Diseases of the nervous system	47,761	14,880	23,000	1,487	626	550	716	860	1,123	1,408	1,583	1,769	2,094	2,211	2,442	7,892
Males	25,764	8,326	12,568	779	310	295	390	504	671	859	932	1,008	1,137	1,170	1,281	3,860
Females	21,997	6,563	10,432	708	316	255	326	356	452	549	651	761	957	1,041	1,161	4,032
1. Inflammation of the brain M.	6,896	2,472	4,815	472	163	113	128	130	149	156	149	137	140	103	86	155
F.	5,731	2,008	4,178	427	170	108	86	81	101	92	78	96	63	52	49	141
2. Apoplexy M.	5,276	72	105	14	8	23	42	105	158	239	333	419	539	574	729	1,988
F.	5,015	62	100	9	10	21	49	72	104	162	277	345	517	602	686	2,061
3. Paralysis M.	2,161	27	78	19	13	13	23	43	81	136	146	155	158	192	208	896
F.	2,063	29	61	10	12	11	18	33	49	53	79	113	152	172	206	1,085
4. Tetanus and trismus nascentium M.	693	521	538	18	22	21	13	15	14	11	8	15	1	7	5	5
F.	383	331	341	6	6	3	2	3	2	6	2	5	1	3	1	2
5. Epilepsy M.	537	44	89	27	31	59	66	38	43	36	24	18	24	26	15	41
F.	488	53	93	30	26	39	44	26	39	47	26	24	20	22	15	37
6. Convulsions M.	5,626	4,255	5,434	90	14	4	5	16	12	8	7	7	6	6	5	12
F.	4,674	3,370	4,460	98	10	13	14	12	20	9	6	4	3	1	4	11
7. Mental diseases M.	478	.....	.....	.....	1	6	23	42	46	67	64	49	41	29	31	70
F.	500	.....	.....	.....	2	7	28	36	33	48	60	44	42	43	34	123
8. Diseases of the brain M.	3,246	878	1,388	109	43	41	68	79	116	147	137	144	153	159	134	528
F.	2,500	674	1,117	88	43	25	40	51	54	74	87	79	105	101	122	495
9. Diseases of the spinal cord M.	727	55	115	26	13	11	18	29	45	49	55	56	69	67	60	114
F.	467	34	78	23	8	9	24	28	34	45	27	34	44	36	32	45
10. Others of this class M.	124	2	6	4	2	4	4	7	7	10	9	8	6	7	8	42
F.	176	2	4	8	11	9	12	14	16	13	9	17	10	9	12	32
III.—Diseases of the circulatory system	25,563	2,053	2,432	643	816	828	878	1,100	1,253	1,579	1,683	1,961	2,101	2,060	2,282	5,947
Males	13,235	1,161	1,384	294	347	432	449	519	679	836	972	1,028	1,140	1,106	1,152	2,897
Females	12,328	892	1,048	349	469	396	429	581	574	743	711	933	961	954	1,130	3,050
1. Angina pectoris M.	366	.....	.....	2	2	.....	2	5	15	19	27	41	33	43	44	133
F.	261	.....	.....	1	2	1	5	17	15	19	18	23	26	14	40	80
2. Aneurism M.	407	.....	.....	.....	.....	5	6	18	40	62	63	58	53	44	27	31
F.	157	.....	.....	1	1	3	2	4	11	17	17	28	12	15	14	32
3. Diseases of the heart M.	11,499	264	460	287	344	426	441	494	621	752	877	925	1,043	1,015	1,069	2,685
F.	11,057	193	325	346	465	388	414	551	543	697	669	871	915	915	1,060	2,898
4. Others of this class M.	1,023	897	924	5	1	1	.....	2	3	3	5	4	11	4	12	48
F.	853	699	723	1	1	4	8	9	5	10	7	11	8	10	16	40

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system..	81,243	20,321	41,451	3,225	765	1,206	1,983	2,583	2,581	2,837	2,895	2,970	3,163	2,858	3,197	9,529
Males	43,736	11,137	22,348	1,683	381	640	1,216	1,598	1,570	1,775	1,804	1,815	1,736	1,571	1,581	4,018
Females	37,507	9,184	19,103	1,542	384	566	767	985	1,011	1,062	1,091	1,155	1,427	1,287	1,616	5,511
1. Croup M..	5,080	648	4,288	691	35	8	7	6	2	6	9	6	6	4	5	7
1. Croup F..	4,390	511	3,675	613	36	7	8	5	4	4	6	5	9	4	7	7
2. Laryngitis M..	707	109	490	68	12	9	6	13	12	24	16	15	12	10	6	14
2. Laryngitis F..	558	79	410	75	13	4	8	10	8	7	3	5	4	3	2	6
3. Bronchitis M..	10,071	4,635	6,840	171	33	52	104	117	107	116	166	186	250	259	344	1,326
3. Bronchitis F..	10,193	3,932	6,044	139	35	63	81	133	107	104	176	194	278	286	437	2,116
4. Pneumonia M..	23,980	4,313	8,993	669	263	505	993	1,327	1,285	1,455	1,443	1,405	1,272	1,151	1,016	2,203
4. Pneumonia F..	19,233	3,549	7,606	656	270	439	598	742	808	841	805	852	995	862	1,001	2,758
5. Pleurisy M..	938	75	169	25	12	34	67	70	83	78	66	63	65	40	62	104
5. Pleurisy F..	656	55	123	27	10	23	32	45	42	50	31	33	31	39	40	139
6. Asthma M..	290	19	24	1	1	.....	.....	4	8	14	15	24	27	27	37	108
6. Asthma F..	345	15	18	3	.....	2	2	6	4	7	17	23	31	34	39	159
7. Others of this class M..	2,670	1,338	1,544	58	25	32	39	61	73	82	89	116	104	80	111	256
7. Others of this class F..	2,132	1,049	1,227	29	20	28	38	44	38	49	53	43	79	59	90	335
V.—Diseases of the digestive system....	18,300	3,365	4,795	420	404	476	669	856	908	1,086	1,178	1,314	1,338	1,191	1,163	2,562
Males	9,355	1,862	2,669	234	226	275	283	391	401	477	614	702	676	630	603	1,174
Females	8,945	1,503	2,126	186	178	201	386	465	507	609	564	612	662	561	560	1,328
1. Dentition M..	722	421	722	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Dentition F..	642	384	642	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina M..	199	39	127	26	8	3	3	4	7	2	1	1	4	5	3	5
2. Angina F..	137	24	82	27	9	1	3	2	.....	1	2	1	2	.....	1	6
3. Diseases of the stomach M..	1,540	360	507	30	10	27	36	53	74	77	82	98	100	103	87	256
3. Diseases of the stomach F..	1,724	321	456	30	22	38	64	71	91	100	68	112	118	88	119	347
4. Obstruction of the bowels M..	521	123	155	11	15	24	20	32	22	26	30	29	30	26	35	66
4. Obstruction of the bowels F..	487	80	108	7	11	13	14	20	23	29	30	30	39	26	41	96
5. Hernia M..	461	61	66	2	2	9	14	19	21	21	22	38	67	42	53	115
5. Hernia F..	363	6	7	.....	.....	.....	1	10	10	23	24	51	38	50	55	94
6. Other diseases of the bowels. M..	102	24	39	3	.....	5	1	3	3	7	7	4	3	9	7	11
6. Other diseases of the bowels. F..	72	24	27	2	2	1	1	6	2	3	5	3	8	.....	1	11
7. Jaundice M..	247	175	181	4	.....	.....	.....	1	1	3	8	7	5	6	11	20
7. Jaundice F..	205	113	117	.....	1	.....	4	1	3	2	5	8	17	7	9	31
8. Inflammation and abscess of the liver. M..	660	19	28	12	10	4	19	28	47	55	65	82	72	73	60	114
8. Inflammation and abscess of the liver. F..	607	14	21	7	3	3	15	31	28	50	60	64	77	63	61	124
9. Other diseases of the liver. M..	2,293	24	41	14	10	18	30	89	118	173	289	316	329	276	236	354
9. Other diseases of the liver. F..	1,700	21	35	9	4	12	30	66	105	152	184	213	211	192	164	323
10. Peritonitis M..	1,510	118	209	105	134	143	123	132	87	84	74	88	64	64	67	136
10. Peritonitis F..	2,085	101	153	82	104	117	236	241	223	221	156	100	112	94	79	167
11. Ascites M..	41	3	3	3	1	.....	4	.....	2	.....	3	4	3	4	6	8
11. Ascites F..	63	1	3	.....	2	2	2	1	2	4	4	6	6	4	5	22
12. Others of this class M..	1,050	495	591	24	36	42	33	30	19	29	33	35	29	22	38	89
12. Others of this class F..	860	414	475	22	20	14	16	16	20	24	26	24	34	37	25	107
VI.—Diseases of the urinary system and male organs of generation.	23,833	351	1,124	504	294	437	845	1,351	1,559	1,968	2,046	2,201	2,329	2,009	2,138	5,023
Males	13,110	212	624	246	147	185	376	658	798	1,058	1,114	1,288	1,244	1,154	1,242	2,976
Females	10,723	139	500	258	147	252	469	693	761	910	932	913	1,085	855	896	2,052
1. Bright's disease M..	6,124	.....	.....	74	57	90	177	310	391	557	581	663	687	621	610	1,306
1. Bright's disease F..	5,505	.....	.....	82	67	136	280	344	403	476	505	521	604	500	507	1,130
2. Calculus, urinary M..	41	3	5	1	.....	3	1	1	4	2	1	.....	3	1	8	11
2. Calculus, urinary F..	20	2	3	.....	.....	.....	.....	2	2	1	2	2	3	2	1	2
3. Diseases of the kidney M..	5,710	176	570	165	82	86	179	318	307	464	489	576	503	452	490	969
3. Diseases of the kidney F..	4,833	122	468	167	78	104	222	311	334	409	405	307	457	331	363	817
4. Diseases of the bladder M..	746	6	11	2	1	5	8	10	12	10	17	22	32	55	86	475
4. Diseases of the bladder F..	149	3	5	1	1	2	6	12	2	11	7	7	6	12	14	63
5. Others of this class M..	489	27	38	4	7	1	11	19	24	25	26	27	19	25	48	215
5. Others of this class F..	216	12	24	8	1	10	11	24	20	13	13	16	15	10	11	40
VII.—Diseases of the female organs of generation.	908	1	2	1	4	28	76	112	123	136	102	93	81	36	46	68
1. Ovarian tumors	234	.....	.....	.....	1	1	8	19	18	32	26	30	29	14	20	36
2. Ovarian diseases	102	.....	.....	.....	1	1	7	12	14	13	16	11	9	4	6	8
3. Uterine tumors	158	.....	.....	.....	.....	.....	2	12	12	24	15	30	27	12	11	13
4. Uterine diseases	110	.....	.....	.....	.....	8	17	25	17	12	14	8	4	1	2	2
5. Others of this class	304	1	2	1	2	18	42	44	62	55	31	14	12	5	7	9
VIII.—Affections connected with pregnancy.	3,929	.....	.....	.....	2	202	954	1,123	770	591	243	26	6	6	1	5
1. Abortion	271	.....	.....	.....	.....	7	47	70	73	56	17	.....	.....	1	.....	.....
2. Childbirth	912	.....	.....	.....	1	27	160	263	183	178	91	7	1	1	.....	.....
3. Puerperal septicæmia	2,240	.....	.....	.....	1	122	628	649	418	290	105	16	2	4	1	4
4. Extra-uterine pregnancy	16	.....	.....	.....	.....	.....	1	4	6	5	.....	.....	.....	.....	.....	.....
5. Others of this class	490	.....	.....	.....	.....	46	118	137	90	62	30	3	3	.....	.....	1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints		1,072	40	150	210	159	69	70	49	44	49	56	45	38	43	27	63
Males		606	18	85	105	93	38	46	33	25	31	30	28	26	27	14	25
Females		466	22	65	105	66	31	24	16	19	18	26	17	12	16	13	38
1. Diseases of the spine	M.	257	6	48	53	35	17	20	18	7	11	9	9	12	6	2	10
	F.	216	13	29	56	30	12	12	9	10	9	13	8	3	8	6	11
2. Diseases of the bones	M.	167	4	14	17	24	8	11	7	13	7	14	11	9	11	10	11
	F.	109	3	12	15	12	6	7	3	7	5	7	4	5	6	5	15
3. Diseases of the hip joint	M.	125	3	15	32	33	11	13	7	3	4	2	1	1	2	.....	1
	F.	93	2	15	30	22	10	4	1	1	2	2	2	1	.....	.....	3
4. Others of this class	M.	57	5	8	3	1	2	2	1	2	9	5	7	4	8	2	3
	F.	48	4	9	4	2	3	1	3	1	2	4	3	3	2	2	9
X.—Diseases of the skin		1,075	324	415	24	14	23	44	47	35	34	57	47	64	53	60	158
Males		569	173	221	15	5	12	24	16	22	11	32	30	30	32	39	80
Females		506	151	194	9	9	11	20	31	13	23	25	17	34	21	21	78
1. Abscess	M.	329	94	133	11	5	8	15	14	13	9	24	13	19	18	10	28
	F.	311	86	114	7	9	10	18	28	10	18	19	10	13	10	7	38
2. Carbuncle	M.	88	3	3	1	.....	2	5	1	7	2	5	7	9	12	13	21
	F.	53	4	7	.....	.....	1	.....	2	1	1	1	4	11	9	6	10
3. Others of this class	M.	152	76	85	3	.....	2	4	1	2	.....	3	10	2	2	7	31
	F.	142	61	73	2	.....	.....	2	1	2	4	5	3	10	2	8	30
XI.—Diseases of the absorbent system		167	15	36	10	1	3	8	8	6	13	18	10	21	11	3	19
Males		82	9	20	2	.....	1	2	3	2	5	9	6	14	2	2	14
Females		85	6	16	8	1	2	6	5	4	8	9	4	7	9	1	5
1. Addison's disease	M.	28	.....	.....	.....	.....	1	1	.....	1	3	8	2	7	1	1	3
	F.	28	.....	.....	1	1	1	4	3	2	1	5	2	3	5	.....	.....
2. Diseases of the spleen	M.	20	1	6	.....	.....	.....	.....	1	.....	1	1	1	2	1	1	6
	F.	15	.....	3	1	.....	1	1	.....	.....	1	2	1	1	2	.....	2
3. Others of this class	M.	34	8	14	2	.....	.....	1	2	1	1	.....	3	5	.....	.....	5
	F.	42	6	13	6	.....	.....	1	2	2	6	2	1	3	2	1	3
XII.—Accidents and injuries		17,669	1,221	2,505	847	603	826	1,307	1,607	1,482	1,640	1,526	1,328	1,060	850	651	1,437
Males		13,500	674	1,446	606	495	638	1,056	1,322	1,217	1,336	1,263	1,102	844	682	488	955
Females		4,169	547	1,059	241	108	188	251	285	265	254	263	226	216	168	163	482
1. Burns and scalds	M.	596	28	314	37	4	21	27	36	21	26	23	18	17	12	13	27
	F.	669	33	225	77	25	40	43	39	32	28	27	25	31	11	13	53
2. Drowned	M.	2,253	20	82	191	167	147	170	212	178	231	211	201	130	84	53	196
	F.	239	7	44	18	18	26	23	10	13	8	20	6	8	12	8	25
3. Exposure and neglect	M.	45	5	7	.....	.....	2	3	4	1	5	6	4	5	3	3	2
	F.	21	10	12	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	1	3
4. Gunshot wounds	M.	168	.....	.....	3	10	24	29	22	15	11	9	10	6	9	3	8
	F.	22	.....	3	1	.....	5	2	2	1	3	1	2	.....	.....	1	1
5. Homicide	M.	341	5	6	7	12	22	63	51	37	49	28	26	18	7	7	8
	F.	89	4	7	2	2	8	10	11	8	11	11	10	3	1	3	2
6. Infanticide	M.	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	11	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Injuries by machinery	M.	42	.....	.....	2	2	4	4	6	7	6	2	4	2	1	.....	2
	F.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Railroad accidents	M.	1,342	1	18	39	63	76	168	181	144	152	134	87	67	59	47	107
	F.	106	.....	8	7	5	1	8	9	6	12	6	10	4	10	8	12
9. Suffocation	M.	673	307	337	16	8	10	26	43	38	41	39	24	25	17	14	35
	F.	409	249	278	8	6	17	20	11	16	7	3	6	8	10	7	12
10. Suicide by shooting	M.	686	.....	.....	.....	1	26	75	80	90	79	66	61	56	68	42	42
	F.	36	.....	.....	.....	.....	2	8	7	6	5	3	2	.....	2	1	.....
11. Suicide by drowning	M.	58	.....	.....	.....	.....	.....	7	9	7	8	8	6	5	5	2	1
	F.	20	.....	.....	.....	.....	2	2	1	2	.....	5	3	1	2	1	1
12. Suicide by poison	M.	351	.....	2	1	1	13	35	31	27	38	44	38	33	27	23	38
	F.	217	.....	.....	.....	1	25	35	34	32	20	15	15	17	5	5	13
13. Other suicides	M.	666	.....	.....	.....	.....	15	32	47	72	72	76	85	77	73	33	84
	F.	114	.....	.....	.....	.....	3	6	17	12	13	14	11	10	10	5	13
14. Sunstroke	M.	763	44	66	10	4	8	61	79	102	117	102	87	45	30	18	34
	F.	190	36	52	9	.....	3	7	10	11	9	17	7	14	14	9	28
15. Surgical operations	M.	231	34	45	8	11	9	7	16	21	12	20	19	18	19	15	11
	F.	392	7	15	6	5	10	35	56	52	54	48	41	27	15	11	17
16. Wounds	M.	223	1	7	17	16	23	22	21	11	20	26	14	16	7	10	13
	F.	45	5	11	1	3	.....	5	3	4	2	3	2	3	3	1	4
17. Other accidents and injuries.	M.	5,061	228	561	275	187	238	327	484	446	519	469	418	324	261	205	347
	F.	1,588	185	393	112	43	45	47	75	68	82	89	86	88	73	89	298

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	472,239	145,489	218,682	16,945	6,640	10,155	17,641	21,335	19,767	20,534	19,540	18,830	18,630	16,575	17,209	49,747
Males	251,643	80,111	118,257	8,548	3,314	5,064	9,023	11,296	10,852	11,529	11,312	10,942	10,223	9,160	8,987	23,136
Females	220,596	65,378	100,425	8,397	3,335	5,091	8,618	10,039	8,915	9,005	8,228	7,888	8,407	7,415	8,222	26,611
Unknown causes	898	193	248	30	14	15	30	39	35	33	35	45	53	40	53	228
Males	526	99	137	16	7	7	14	21	23	17	24	31	35	27	31	136
Females	372	94	111	14	7	8	16	18	12	16	11	14	18	13	22	92
I.—General diseases: General diseases—A	104,510	41,543	75,588	8,466	1,968	1,651	2,112	1,996	1,489	1,370	1,240	1,208	1,210	1,099	1,267	3,846
Males	53,497	21,996	39,223	4,040	937	810	1,136	1,094	798	729	689	629	627	543	596	1,646
Females	51,013	19,547	36,365	4,426	1,031	841	976	902	691	641	551	579	583	556	671	2,200
1. Smallpox	M. 322	52	115	27	12	10	30	28	25	22	8	14	7	4	2	9
	F. 213	30	110	26	10	12	14	11	6	6	3	8	3	1	.....	3
2. Measles	M. 2,677	734	2,492	143	9	5	7	12	2	2	1	2	.....	.....	.....	2
	F. 2,516	691	2,318	150	14	9	9	4	3	3	2	1	2	1	.....	.....
3. Scarlet fever	M. 4,025	264	2,883	847	155	43	35	31	10	7	4	1	3	1	.....	5
	F. 4,139	252	2,870	967	147	44	42	29	15	10	3	4	2	.....	1	5
4. Diphtheria	M. 10,023	745	7,322	2,186	280	78	51	24	12	10	18	5	4	4	2	18
	F. 10,138	634	6,942	2,527	382	90	49	31	27	19	13	13	7	7	7	24
5. Whooping cough	M. 2,148	1,195	2,085	53	3	.....	2	.....	.....	.....	1	.....	.....	.....	2	2
	F. 2,613	1,279	2,501	86	5	2	4	3	2	4	.....	1	.....	.....	2	3
6. Fever	M. 22	1	5	3	.....	.....	4	3	.....	.....	1	3	1	1	.....	1
	F. 18	1	3	.....	.....	.....	1	1	1	1	3	2	1	2	2	1
7. Cerebro-spinal fever	M. 1,022	256	647	128	41	39	24	33	17	19	16	15	13	6	12	9
	F. 849	224	541	104	46	41	26	13	12	13	10	9	6	7	9	12
8. Typhoid fever	M. 2,971	23	131	121	145	267	597	487	300	222	164	112	95	69	68	93
	F. 2,175	14	95	111	157	333	389	276	203	151	110	87	73	44	53	93
9. Diarrheal diseases	M. 15,196	9,209	11,616	319	129	102	148	188	191	222	211	253	285	270	293	969
	F. 14,331	7,873	10,139	247	119	101	160	210	183	201	212	270	313	323	416	1,437
10. Cholera infantum	M. 10,338	8,498	10,331	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7
	F. 9,419	7,656	9,415	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
11. Malarial fever	M. 2,346	166	592	171	119	108	169	176	143	115	130	97	107	95	98	226
	F. 2,490	137	536	172	120	173	183	198	138	144	115	106	96	103	104	302
12. Erysipelas	M. 993	347	383	12	8	20	19	33	32	45	60	59	48	35	41	108
	F. 792	355	404	7	10	18	24	19	20	16	27	37	33	31	30	116
13. Septicæmia	M. 392	42	82	19	14	17	22	22	19	32	23	27	33	22	28	32
	F. 425	34	64	17	11	11	52	71	47	42	29	20	21	12	12	16
14. Venereal diseases	M. 675	417	446	1	1	3	17	42	34	26	30	23	16	9	14	13
	F. 466	316	340	3	2	4	12	22	10	22	13	5	7	4	1	6
15. Others of this group	M. 437	47	93	10	12	9	11	12	13	7	22	18	15	27	36	152
	F. 429	42	81	9	8	3	11	14	15	9	11	16	19	21	34	178
General diseases—B	6,019	3,177	3,364	35	10	31	102	318	375	412	387	280	261	159	125	160
Males	3,795	1,687	1,784	21	8	16	66	236	293	328	292	227	202	128	85	109
Females	2,224	1,490	1,580	14	2	15	36	82	82	84	95	53	59	31	40	51
1. Parasitic diseases	M. 20	3	13	4	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....
	F. 16	1	12	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Alcoholism	M. 1,674	1	2	2	4	4	52	200	260	296	260	194	171	107	67	55
	F. 448	.....	.....	.....	.....	2	17	67	64	70	78	43	44	25	20	18
3. Lead poison	M. 64	.....	.....	.....	1	2	4	10	10	8	8	5	5	5	1	5
	F. 7	1	2	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....	.....
4. Other poisons	M. 245	18	46	7	2	5	9	22	20	22	19	24	23	14	12	20
	F. 154	15	46	6	.....	10	17	10	12	13	15	5	7	3	6	4
5. Inanition	M. 1,792	1,665	1,723	8	.....	5	1	4	2	2	5	4	3	1	5	29
	F. 1,599	1,473	1,520	4	2	2	1	4	6	.....	2	4	8	3	14	29
General diseases—C	64,124	53,746	55,394	104	45	46	52	63	74	74	81	80	128	179	413	7,391
Males	34,459	30,372	31,203	50	15	21	22	24	28	40	40	35	56	75	178	2,672
Females	29,665	23,374	24,191	54	30	25	30	39	46	34	41	45	72	104	235	4,719
1. Premature birth	M. 4,622	4,616	4,622	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F. 3,503	3,500	3,503	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn	M. 18,204	18,204	18,204	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F. 13,547	13,547	13,547	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation	M. 670	648	660	3	.....	.....	2	1	.....	.....	1	1	.....	.....	.....	2
	F. 514	488	504	5	2	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
4. Debility and atrophy	M. 9,339	6,904	7,717	47	15	21	20	23	28	40	39	34	56	75	132	1,092
	F. 9,132	5,839	6,637	49	28	25	30	39	45	33	41	44	72	104	149	1,836
5. Old age	M. 1,624	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46	1,578
	F. 2,969	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	86	2,883

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		79,341	5,121	9,602	1,043	987	3,866	7,975	9,437	8,123	7,553	6,644	5,709	4,940	3,955	3,524	5,983
Males		41,563	2,861	5,301	518	376	1,742	4,036	4,995	4,437	4,115	3,627	3,162	2,591	2,107	1,775	2,781
Females		37,778	2,260	4,301	525	611	2,124	3,939	4,442	3,686	3,438	3,017	2,547	2,349	1,848	1,749	3,202
1. Rheumatism	M.	996	22	61	51	49	52	36	59	62	61	63	87	86	66	79	184
	F.	938	13	37	54	51	39	41	40	56	55	47	70	82	66	82	218
2. Scrofula and tabes	M.	684	437	589	17	8	8	9	3	7	8	5	2	2	7	8	11
	F.	562	318	456	15	10	8	9	12	12	4	2	8	2	7	6	11
3. Leprosy	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption	M.	31,912	607	1,233	196	211	1,593	3,885	4,786	4,190	3,799	3,251	2,641	1,958	1,476	1,159	1,534
	F.	25,959	520	1,080	234	470	1,997	3,702	4,196	3,308	2,818	2,176	1,567	1,274	991	793	1,389
5. Hydrocephalus	M.	3,560	1,013	3,118	212	63	27	17	25	18	19	14	13	14	5	5	10
	F.	2,818	1,295	2,517	169	39	18	15	11	7	9	8	6	2	4	4	9
6. Cancer	M.	2,903	7	26	5	5	16	34	57	94	142	216	294	401	430	410	773
	F.	6,002	5	19	11	8	16	50	124	239	461	702	801	854	755	738	1,224
7. Tumor	M.	271	7	15	5	9	10	17	15	19	21	16	27	24	23	18	52
	F.	277	5	13	3	3	4	8	16	14	24	23	29	38	26	22	54
8. Anæmia	M.	201	54	71	6	.....	9	8	7	8	10	8	17	13	13	8	23
	F.	282	31	47	13	6	19	27	16	17	19	16	14	18	11	10	49
9. Dropsy	M.	243	15	29	7	11	9	6	10	5	20	11	13	19	22	23	58
	F.	294	8	20	10	6	9	4	5	8	16	17	15	23	21	26	114
10. Diabetes	M.	517	9	13	6	14	10	16	22	25	30	31	57	62	56	54	121
	F.	446	9	14	7	11	10	13	20	20	24	22	28	47	52	61	117
11. Others of this group	M.	265	88	144	13	5	8	7	10	8	5	12	8	11	9	10	15
	F.	192	54	96	8	7	4	10	8	5	8	3	9	7	4	7	16
12. Others of this class	M.	11	2	2	.....	1	.....	1	1	1	.....	.....	3	1	.....	1	.....
	F.	7	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1
II.—Diseases of the nervous system		46,912	14,021	22,614	1,457	617	532	605	834	1,008	1,300	1,551	1,734	2,037	2,177	2,407	7,769
Males		25,340	8,165	12,350	764	306	284	381	486	657	850	914	991	1,114	1,159	1,266	3,818
Females		21,572	6,456	10,264	693	311	248	314	348	441	540	637	743	923	1,018	1,141	3,951
1. Inflammation of the brain	M.	6,788	2,432	4,743	463	161	108	127	124	148	155	146	135	138	103	85	152
	F.	5,647	1,984	4,124	418	178	105	82	79	99	90	76	93	63	52	48	140
2. Apoplexy	M.	5,204	72	105	14	8	22	40	99	155	237	325	412	531	568	721	1,967
	F.	4,882	61	99	9	10	21	48	71	101	158	269	337	495	587	670	2,007
3. Paralysis	M.	2,128	26	77	19	13	13	22	43	80	134	143	154	151	190	205	884
	F.	2,015	29	59	19	12	11	16	32	48	52	77	111	146	164	205	1,063
4. Tetanus and trismus nascentium	M.	674	506	523	18	22	20	13	15	13	11	7	14	1	7	5	5
	F.	377	325	335	6	6	3	2	3	2	6	2	5	1	3	1	2
5. Epilepsy	M.	524	44	86	27	31	56	66	38	41	36	22	17	23	26	15	40
	F.	477	53	92	20	25	39	42	25	38	46	26	24	18	22	15	36
6. Convulsions	M.	5,512	4,162	5,327	87	13	4	5	14	12	8	7	7	6	6	4	12
	F.	4,584	3,303	4,373	96	19	13	14	12	19	9	6	4	3	1	4	11
7. Mental diseases	M.	471	.....	.....	.....	1	6	21	41	45	66	64	48	41	29	30	79
	F.	493	.....	.....	.....	2	7	27	35	33	48	58	43	41	43	34	122
8. Diseases of the brain	M.	3,205	867	1,370	107	43	40	66	79	114	145	137	140	151	157	133	523
	F.	2,465	665	1,101	86	42	32	48	50	53	73	87	76	103	101	120	493
9. Diseases of the spinal cord	M.	713	54	113	25	12	11	18	28	42	48	54	56	66	66	60	114
	F.	460	34	77	22	6	9	23	27	33	45	27	34	44	36	32	45
10. Others of this class	M.	121	2	6	4	2	4	3	5	7	10	9	8	6	7	8	42
	F.	172	2	4	8	11	8	12	14	15	13	9	16	9	9	12	32
III.—Diseases of the circulatory system		24,991	2,031	2,406	637	805	819	866	1,065	1,209	1,512	1,632	1,904	2,047	2,014	2,246	5,829
Males		12,953	1,146	1,365	292	343	425	442	498	654	801	942	999	1,114	1,087	1,138	2,253
Females		12,038	885	1,041	345	462	394	424	567	555	711	690	905	933	927	1,108	2,976
1. Angina pectoris	M.	362	.....	.....	2	2	.....	2	5	14	18	26	41	33	43	43	133
	F.	256	.....	.....	1	2	1	5	17	14	18	18	22	25	14	40	79
2. Aneurism	M.	389	.....	.....	.....	.....	5	6	17	38	56	62	56	49	43	27	30
	F.	145	.....	.....	1	1	3	2	4	10	15	15	25	11	14	14	30
3. Diseases of the heart	M.	11,189	258	450	285	340	419	434	474	599	724	849	898	1,021	997	1,056	2,643
	F.	10,791	190	322	342	458	386	409	537	526	668	650	848	889	890	1,038	2,828
4. Others of this class	M.	1,013	888	915	5	1	1	.....	2	3	3	5	4	11	4	12	47
	F.	846	695	919	1	1	4	8	9	5	10	7	10	8	9	16	39

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system		79,714	19,870	40,613	3,177	745	1,185	1,921	2,524	2,525	2,763	2,844	2,909	3,114	2,821	3,161	9,412
Males		42,922	10,908	21,924	1,652	371	628	1,179	1,564	1,538	1,727	1,769	1,772	1,701	1,552	1,568	3,977
Females		36,792	8,962	18,689	1,525	374	557	742	960	987	1,036	1,075	1,137	1,413	1,269	1,593	5,435
1. Croup	M.	5,051	641	4,267	685	34	8	7	5	2	6	9	6	6	4	5	7
	F.	4,369	504	3,658	612	36	7	7	4	4	3	6	5	9	4	7	7
2. Laryngitis	M.	702	108	486	67	12	9	6	13	12	24	10	15	12	10	6	14
	F.	553	76	406	74	13	4	8	10	8	7	3	5	4	3	2	6
3. Bronchitis	M.	9,841	4,516	6,652	161	31	51	103	116	107	115	161	182	246	258	343	1,315
	F.	9,049	3,828	5,853	136	33	60	80	131	103	103	176	191	277	284	431	2,091
4. Pneumonia	M.	23,509	4,235	8,813	656	258	496	959	1,299	1,259	1,413	1,419	1,372	1,245	1,135	1,006	2,170
	F.	18,843	3,463	7,431	644	264	433	577	724	790	818	792	838	984	848	985	2,715
5. Pleurisy	M.	917	74	167	25	11	34	65	68	80	77	62	62	64	40	61	101
	F.	619	55	123	27	9	23	31	44	41	50	30	32	31	39	39	130
6. Asthma	M.	286	19	24	1	1	.....	.....	4	8	14	15	23	27	27	37	105
	F.	337	15	18	3	.....	2	2	6	3	7	16	23	30	33	39	155
7. Others of this class	M.	2,616	1,315	1,515	57	24	30	39	59	70	78	87	112	101	78	110	256
	F.	2,092	1,021	1,200	29	19	28	37	41	38	48	52	43	78	58	90	331
V.—Diseases of the digestive system		18,013	3,294	4,705	413	399	464	654	845	892	1,072	1,151	1,299	1,319	1,173	1,155	2,472
Males		9,199	1,823	2,619	230	222	269	274	384	392	475	599	690	665	621	599	1,160
Females		8,814	1,471	2,086	183	177	195	380	461	500	597	552	609	654	552	556	1,312
1. Dentition	M.	703	409	703	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	632	378	632	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina	M.	197	30	127	26	7	3	3	4	7	2	1	1	4	5	3	4
	F.	136	23	81	27	9	1	3	2	.....	1	2	1	2	.....	1	6
3. Diseases of the stomach	M.	1,512	351	497	30	10	27	35	53	71	77	77	97	98	100	87	253
	F.	1,698	316	450	29	22	37	63	71	90	96	65	111	117	83	119	345
4. Obstruction of the bowels	M.	513	122	154	11	15	23	19	31	21	26	30	28	28	26	35	66
	F.	479	79	106	7	10	12	14	19	23	28	30	30	39	25	40	96
5. Hernia	M.	446	57	62	2	2	9	14	19	20	21	29	35	37	40	52	113
	F.	361	6	7	.....	.....	.....	1	10	10	23	24	50	38	50	54	94
6. Other diseases of the bowels.	M.	101	23	38	3	.....	5	1	3	3	7	7	4	3	9	7	11
	F.	71	23	26	2	2	1	1	6	2	3	5	3	8	.....	1	11
7. Jaundice	M.	245	174	180	3	.....	.....	.....	1	1	3	8	7	5	6	11	20
	F.	201	110	114	.....	1	.....	3	1	3	2	5	8	17	7	9	31
8. Inflammation and abscess of the liver.	M.	657	19	28	11	10	4	18	27	46	55	65	82	70	72	59	110
	F.	600	13	20	7	3	3	14	31	27	50	60	63	77	62	61	122
9. Other diseases of the liver.	M.	2,269	24	40	14	9	15	30	88	117	173	284	312	325	274	235	353
	F.	1,689	21	34	9	4	12	30	65	105	162	183	213	208	191	162	321
10. Peritonitis	M.	1,481	114	205	104	133	141	118	129	85	83	71	85	63	64	66	134
	F.	2,043	98	150	80	104	113	233	230	218	215	148	100	109	93	79	162
11. Ascites	M.	38	3	3	2	1	.....	3	.....	2	.....	3	4	3	4	6	7
	F.	60	1	3	.....	2	2	2	1	2	4	4	6	5	4	5	20
12. Others of this class	M.	1,037	488	582	24	35	42	33	20	19	28	33	35	29	21	38	89
	F.	844	403	463	22	20	14	16	16	20	23	26	24	34	37	25	104
VI.—Diseases of the urinary system and male organs of generation.		23,303	348	1,108	502	288	426	820	1,321	1,520	1,928	2,000	2,131	2,265	1,968	2,077	4,931
Males		12,823	210	614	246	144	181	369	647	783	1,032	1,094	1,248	1,208	1,124	1,211	2,922
Females		10,480	138	494	256	144	245	460	674	746	896	906	883	1,057	844	866	2,009
1. Bright's disease	M.	6,006	.....	.....	74	54	89	176	306	385	544	572	645	668	608	601	1,284
	F.	5,991	.....	.....	82	66	131	223	338	396	471	495	499	593	496	493	1,108
2. Calculus, urinary	M.	38	3	4	1	.....	3	1	1	3	2	1	.....	3	1	8	10
	F.	20	2	3	.....	.....	.....	.....	2	2	1	2	2	3	2	1	2
3. Diseases of the kidney	M.	5,558	175	563	165	82	83	173	312	361	451	478	555	487	435	468	945
	F.	4,710	121	463	165	76	102	220	299	326	400	391	359	441	324	347	797
4. Diseases of the bladder	M.	737	6	11	2	1	5	8	9	11	10	17	21	31	55	86	470
	F.	146	3	5	1	1	2	6	11	2	11	6	7	6	12	14	62
5. Others of this class	M.	484	26	36	4	7	1	11	19	23	25	26	27	19	25	48	213
	F.	213	12	23	8	1	10	11	24	20	13	12	16	14	10	11	40
VII.—Diseases of the female organs of generation.		869	1	2	1	4	27	73	109	118	131	97	87	73	36	44	67
1. Ovarian tumors		222	.....	.....	.....	1	1	7	19	16	32	25	29	24	14	18	36
2. Ovarian diseases		109	.....	.....	.....	1	1	7	12	14	12	15	11	9	4	6	8
3. Uterine tumors		146	.....	.....	.....	.....	.....	2	12	11	22	14	26	24	12	11	12
4. Uterine diseases		107	.....	.....	.....	.....	7	17	23	17	12	14	8	4	1	2	2
5. Others of this class		294	1	2	1	2	18	40	43	60	53	29	13	12	5	7	9
VIII.—Affections connected with pregnancy.		3,857	.....	.....	.....	2	189	933	1,110	756	584	239	26	6	6	1	5
1. Abortion		267	.....	.....	.....	.....	7	47	69	71	55	17	.....	.....	1	.....	.....
2. Childbirth		895	.....	.....	.....	1	26	158	257	179	175	90	7	1	1	.....	.....
3. Puerperal septicæmia		2,108	.....	.....	.....	1	112	613	645	411	287	102	16	2	4	1	4
4. Extra-uterine pregnancy		16	.....	.....	.....	.....	.....	1	4	6	5	.....	.....	.....	.....	.....	.....
5. Others of this class		481	.....	.....	.....	.....	44	114	135	89	62	30	3	3	.....	.....	1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	1,053	39	148	207	154	67	68	48	44	49	55	44	38	41	27	63
Males	595	18	84	102	91	38	44	32	25	31	30	27	26	26	14	25
Females	458	21	64	105	63	29	24	16	19	18	25	17	12	15	13	38
1. Diseases of the spine M.	255	6	48	52	35	17	10	18	7	11	9	9	12	6	2	10
F.	210	12	28	56	27	11	12	9	10	9	12	8	3	8	6	11
2. Diseases of the bones M.	163	4	14	17	23	8	11	6	13	7	14	10	9	10	10	11
F.	108	3	12	15	12	6	7	3	7	5	7	4	5	5	5	15
3. Diseases of the hip joint M.	121	3	14	30	32	11	13	7	3	4	2	1	1	2	.....	1
F.	92	2	15	30	22	9	4	1	1	2	2	2	1	.....	.....	3
4. Others of this class M.	56	5	8	3	1	2	1	1	2	9	5	7	4	8	2	3
F.	48	4	9	4	2	3	1	3	1	2	4	3	3	2	2	9
X.—Diseases of the skin	1,061	322	413	23	13	22	44	46	34	32	55	47	64	52	60	156
Males	564	172	220	15	4	11	24	16	21	10	32	30	30	32	39	80
Females	497	150	193	8	9	11	20	30	13	22	23	17	34	20	21	76
1. Abscess M.	325	93	132	11	4	7	15	14	13	8	24	13	19	18	19	28
F.	307	85	113	6	9	10	18	27	10	18	19	10	13	10	7	37
2. Carbuncle M.	88	3	3	1	.....	2	5	1	7	2	5	7	9	12	13	21
F.	53	4	7	.....	.....	1	.....	2	1	1	1	4	11	9	6	10
3. Others of this class M.	151	76	85	3	.....	2	4	1	1	.....	3	10	2	2	7	31
F.	137	61	73	2	.....	.....	2	1	2	3	3	3	10	1	8	29
XI.—Diseases of the absorbent system	166	15	36	10	1	3	8	8	6	12	18	10	21	11	3	19
Males	81	9	20	2	.....	1	2	3	2	4	9	6	14	2	2	14
Females	85	6	16	8	1	2	6	5	4	8	9	4	7	9	1	5
1. Addison's disease M.	27	.....	.....	.....	.....	1	1	.....	1	2	8	2	7	1	1	3
F.	28	.....	.....	1	1	1	4	3	2	1	5	2	3	5	.....	.....
2. Diseases of the spleen M.	20	1	6	.....	.....	.....	.....	1	.....	1	1	1	2	1	1	6
F.	15	.....	3	1	.....	1	1	.....	.....	1	2	1	1	2	.....	2
3. Others of this class M.	34	8	14	2	.....	.....	1	2	1	1	.....	3	5	.....	.....	5
F.	42	6	13	6	.....	.....	1	2	2	6	2	1	3	2	1	3
XII.—Accidents and injuries	17,408	1,168	2,441	840	597	812	1,279	1,572	1,460	1,619	1,511	1,317	1,054	844	646	1,416
Males	13,326	645	1,413	600	490	631	1,034	1,296	1,201	1,370	1,251	1,095	840	677	485	943
Females	4,082	523	1,028	240	107	181	245	276	259	249	260	222	214	167	161	473
1. Burns and scalds M.	586	27	311	37	4	21	26	36	19	25	22	17	17	12	13	26
F.	654	33	224	76	25	38	41	37	30	28	27	25	30	11	13	49
2. Drowned M.	2,238	20	82	191	167	145	169	211	177	229	211	200	128	83	53	192
F.	299	7	44	18	18	26	23	10	13	8	20	6	8	12	3	25
3. Exposure and neglect M.	44	5	7	.....	.....	2	3	4	1	5	6	4	5	3	3	1
F.	19	10	11	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	.....	3
4. Gunshot wounds M.	163	.....	.....	3	10	24	26	21	15	11	8	10	6	9	3	8
F.	22	.....	3	1	.....	5	2	2	1	3	1	2	.....	.....	1	1
5. Homicide M.	322	5	6	7	11	21	57	48	35	47	27	23	18	7	7	8
F.	84	3	6	2	2	7	10	10	6	11	11	10	3	1	3	2
6. Infanticide M.	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	11	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Injuries by machinery M.	42	.....	.....	2	2	4	4	6	7	6	2	4	2	1	.....	2
F.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Railroad accidents M.	1,321	1	18	37	62	75	164	179	143	150	130	87	67	57	46	106
F.	104	.....	8	7	5	1	8	9	6	11	6	10	4	9	8	12
9. Suffocation M.	659	297	327	16	8	10	26	42	38	40	38	24	25	16	14	35
F.	398	241	270	8	6	16	20	11	16	7	8	6	7	10	7	11
10. Suicide by shooting M.	681	.....	.....	.....	1	26	74	78	89	79	66	61	56	68	42	41
F.	36	.....	.....	.....	.....	2	8	7	6	5	3	2	.....	2	1	.....
11. Suicide by drowning M.	58	.....	.....	.....	.....	.....	7	9	7	8	8	6	5	5	2	1
F.	20	.....	.....	.....	.....	2	2	1	2	.....	5	3	1	2	1	1
12. Suicide by poison M.	350	.....	2	1	1	13	35	31	27	38	44	38	33	26	23	38
F.	215	.....	.....	.....	1	25	34	33	32	20	15	15	17	5	5	13
13. Other suicides M.	658	.....	.....	.....	.....	15	31	47	65	72	76	85	77	73	33	84
F.	113	.....	.....	.....	.....	3	6	17	12	13	14	11	10	10	5	12
14. Sunstroke M.	760	44	65	10	4	8	61	78	102	116	102	87	45	30	18	34
F.	186	35	50	9	.....	3	7	10	11	9	16	6	14	14	9	28
15. Surgical operations M.	226	34	45	7	11	9	6	16	21	12	19	18	18	19	15	10
F.	377	7	15	6	5	8	33	52	50	51	47	40	27	15	11	17
16. Wounds M.	218	1	7	16	16	23	20	20	11	20	25	14	16	7	10	13
F.	44	5	11	1	3	.....	4	3	4	2	3	2	3	3	1	4
17. Other accidents and injuries. M.	4,999	210	542	273	184	235	325	470	449	512	467	417	322	261	203	344
F.	1,559	171	375	112	42	44	47	74	68	81	88	84	88	73	88	295

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	9,090	2,622	3,639	270	182	297	483	571	495	532	434	389	377	286	276	859
Males	4,841	1,443	1,957	141	84	139	261	325	292	314	264	229	202	151	127	355
Females	4,249	1,179	1,682	129	98	158	222	246	203	218	170	160	175	135	149	504
Unknown causes	26	6	6	1		3	1		2		1	2	1		3	6
Males	13	4	4	1		3	1					1			1	2
Females	13	2	2						2		1	1	1		2	4
I.—General diseases: General diseases—A	1,406	664	949	96	37	33	43	41	24	30	19	14	14	25	14	67
Males	718	355	496	45	16	15	23	23	13	15	12	9	7	10	7	27
Females	688	309	453	51	21	18	20	18	11	15	7	5	7	15	7	40
1. Smallpox M	18	1	1	1	1	2	5	4	1			2	1			
1. Smallpox F	2					1	1									
2. Measles M	23	10	18	4		1										
2. Measles F	16	3	14	2												
3. Scarlet fever M	14		8	3	1		1	1								
3. Scarlet fever F	21	2	11	7	3											
4. Diphtheria M	60	5	33	10	6					1			1			
4. Diphtheria F	69	3	32	20	7	2	2	3							1	2
5. Whooping cough M	51	24	48	3												
5. Whooping cough F	71	28	64	7												
6. Fever M																
6. Fever F																
7. Cerebro-spinal fever M	14	4	7	1	1	2		1		1		1				
7. Cerebro-spinal fever F	18	3	14	1	2				1							
8. Typhoid fever M	46		4	2	3	8	4	8	4	2	3	2	3	1		2
8. Typhoid fever F	39		3	5	1	6	5	7	3	4		1		2		2
9. Diarrheal diseases M	201	125	154	5	1		5	2	3	4	5	1	2	3	4	12
9. Diarrheal diseases F	184	111	131	3	3	2	5	4		3	3	2	1	7	1	10
10. Cholera infantum M	194	164	194													
10. Cholera infantum F	160	144	159													1
11. Malarial fever M	47	3	10	6	2	2	6	5	3	2	2	1		4	2	2
11. Malarial fever F	57	3	11	6	5	5	3	1	6	2	2	1	5	4	2	4
12. Erysipelas M	8	4	4	1					1					1		1
12. Erysipelas F	7	2	2				1	1			1		1		1	
13. Septicæmia M	3				1					1						1
13. Septicæmia F	10	2	2				1	2	1	2		1				1
14. Venereal diseases M	28	12	12				2	2	1	4	2	2			1	2
14. Venereal diseases F	16	6	7			2	2			2					1	2
15. Others of this group M	11	3	3											1		7
15. Others of this group F	18	2	3							2	1			2	1	9
General diseases—B	103	69	75	1			1	4	1	3	6	2	2	1	3	4
Males	55	36	37					3	1	3	5		2	1		3
Females	48	33	38	1			1	1			1	2			3	1
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	15							2	1	3	5		2			2
2. Alcoholism F	5						1	1				1			2	
3. Lead poison M																
3. Lead poison F																
4. Other poisons M	3	1	1					1						1		
4. Other poisons F	1											1				
5. Inanition M	37	35	36													1
5. Inanition F	42	33	38	1							1				1	1
General diseases—C	1,126	886	923	7	2			1	2	2	3		4	6	10	166
Males	597	502	519	4	2			1	1	1	3		1	1	1	63
Females	529	384	404	3					1	1			3	5	9	103
1. Premature birth M	76	75	76													
1. Premature birth F	50	50	50													
2. Stillborn M	315	315	315													
2. Stillborn F	236	236	236													
3. Malformation M	10	8	10													
3. Malformation F	9	9	9													
4. Debility and atrophy M	146	104	118	4	2			1	1	1	3		1	1		14
4. Debility and atrophy F	173	89	109	3					1	1			3	5	4	47
5. Old age M	50														1	49
5. Old age F	61														5	56

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		2,256	126	262	61	80	159	258	311	253	248	171	115	99	69	63	107
Males		1,304	70	145	30	33	73	144	180	165	157	114	70	57	45	38	63
Females		952	56	117	31	47	86	114	131	88	91	57	45	42	24	25	54
1. Rheumatism	M	19					2	2	3	1	2		1		2	2	4
	F	23		1	1		4	1	1	1	2	3			3		6
2. Scrofula and tabes	M	29	9	17	4	1	1	1	2	1				1	1		
	F	29	12	20	2	3			2		1						1
3. Leprosy	M																
	F																
4. Consumption	M	1,105	19	46	21	28	69	136	173	160	150	110	65	48	32	26	41
	F	730	19	49	25	42	81	110	124	77	80	37	30	22	14	13	26
5. Hydrocephalus	M	78	35	70	5	2			1								
	F	44	23	37	3	1			1	1							1
6. Cancer	M	36					1	2	1	1	2	4	2	7	5	7	4
	F	86						1	2	7	7	13	11	15	6	9	15
7. Tumor	M	5		1												1	3
	F	8							1	1			3	2			1
8. Anæmia	M	7	3	3				1		1	1				1		
	F	3								1		2					
9. Dropsy	M	12	1	2				1			2			1	3	2	1
	F	17	1	1		1	1	1			1	1	1	3		3	4
10. Diabetes	M	7				2		1		1			2		1		
	F	1										1					
11. Others of this group	M	6	3	6													
	F	11	1	9				1							1		
12. Others of this class	M																
	F																
II.—Diseases of the nervous system		849	268	386	30	9	18	21	26	25	18	32	35	57	34	35	123
Males		424	161	218	15	4	11	9	18	14	9	18	17	23	11	15	42
Females		425	107	168	15	5	7	12	8	11	9	14	18	34	23	20	81
1. Inflammation of the brain	M	108	40	72	9	2	5	1	6	1	1	3	2	2		1	3
	F	84	24	54	9	1	3	4	2	2	2	2	3			1	1
2. Apoplexy	M	72					1	2	6	3	2	8	7	8	6	8	21
	F	133	1	1				1	1	3	4	8	8	22	15	16	54
3. Paralysis	M	33	1	1				1		1	2	3	1	7	2	3	12
	F	48		2				2	1	1	1	2	2	6	8	1	22
4. Tetanus and trismus nascentium.	M	19	15	15			1			1		1	1				
	F	6	6	6													
5. Epilepsy	M	13		3			3			2		2	1	1			1
	F	11		1	1	1		2	1	1	1			2			1
6. Convulsions	M	114	93	107	3	1			2							1	
	F	90	67	87	2					1							
7. Mental diseases	M	7						2	1	1	1		1			1	
	F	7						1	1			2	1	1			1
8. Diseases of the brain	M	41	11	18	2		1	2		2	2		4	2	2	1	5
	F	35	9	16	2	1	3	1	1	1	1		3	2		2	2
9. Diseases of the spinal cord	M	14	1	2	1	1			1	3	1	1		3	1		
	F	7		1	1	2		1	1	1							
10. Others of this class	M	3						1	2								
	F	4					1			1			1	1			
III.—Diseases of the circulatory system		572	22	26	6	11	9	12	35	44	67	51	57	54	46	36	118
Males		282	15	19	2	4	7	7	21	25	35	30	29	26	19	14	44
Females		290	7	7	4	7	2	5	14	19	32	21	28	28	27	22	74
1. Angina pectoris	M	4								1	1	1				1	
	F	5								1	1		1	1			1
2. Aneurism	M	18							1	2	6	1	2	4	1		1
	F	12								1	2	2	3	1	1		2
3. Diseases of the heart	M	250	6	10	2	4	7	7	20	22	28	28	27	22	18	13	42
	F	266	3	3	4	7	2	5	14	17	29	19	23	26	25	22	70
4. Others of this class	M	10	9	9													1
	F	7	4	4									1		1		1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	1,529	451	838	48	20	21	62	59	56	74	51	61	49	37	36	117
Males	814	229	424	31	10	12	37	34	32	48	35	43	35	19	13	41
Females	715	222	414	17	10	9	25	25	24	26	16	18	14	18	23	76
1. Croup M.	29	7	21	6	1			1								
1. Croup F.	21	7	17	1			1	1		1						
2. Laryngitis M.	5	1	4	1												
2. Laryngitis F.	5	3	4	1												
3. Bronchitis M.	230	110	188	10	2	1	1	1		1	5	4	4	1	1	11
3. Bronchitis F.	244	104	191	3	2	3	1	2	4	1		3	1	2	6	25
4. Pneumonia M.	471	78	180	13	5	9	34	28	26	42	24	33	27	16	10	24
4. Pneumonia F.	390	86	175	12	6	6	21	18	18	23	13	14	11	14	16	43
5. Pleurisy M.	21	1	2		1		2	2	3	1	4	1	1		1	3
5. Pleurisy F.	7				1		1	1	1		1	1			1	
6. Asthma M.	4											1				3
6. Asthma F.	8								1		1		1	1		4
7. Others of this class M.	54	23	29	1	1	2		2	3	4	2	4	3	2	1	
7. Others of this class F.	40	22	27		1		1	3		1	1		1	1		4
V.—Diseases of the digestive system	287	71	90	7	5	12	15	11	16	14	27	15	19	18	8	30
Males	156	39	50	4	4	6	9	7	9	2	15	12	11	9	4	14
Females	131	32	40	3	1	6	6	4	7	12	12	3	8	9	4	16
1. Dentition M.	19	12	19													
1. Dentition F.	10	6	10													
2. Angina M.	2				1											1
2. Angina F.	1	1	1													
3. Diseases of the stomach M.	28	9	10				1		3		5	1	2	3		3
3. Diseases of the stomach F.	26	5	6	1		1	1		1	4	3	1	1	5		2
4. Obstruction of the bowels M.	3	1	1			1	1	1	1			1	2			
4. Obstruction of the bowels F.	8	1	2		1	1		1		1				1	1	
5. Hernia M.	15	4	4						1		2	3		2	1	2
5. Hernia F.	2											1			1	
6. Other diseases of the bowels. M.	1	1	1													
6. Other diseases of the bowels. F.	1	1	1													
7. Jaundice M.	2	1	1	1												
7. Jaundice F.	4	3	3				1									
8. Inflammation and abscess of the liver. M.	12			1			1	1	1				2	1	1	4
8. Inflammation and abscess of the liver. F.	7	1	1				1		1			1		1		2
9. Other diseases of the liver. M.	24		1		1	3		1	1		5	4	4	2	1	1
9. Other diseases of the liver. F.	11		1					1			1		3	1	2	2
10. Peritonitis M.	29	4	4	1	1	2	5	3	2	1	3	3	1		1	2
10. Peritonitis F.	42	3	3	2		4	3	2	5	6	8		3	1		5
11. Ascites M.	3			1			1									1
11. Ascites F.	3												1			2
12. Others of this class M.	13	7	9		1			1		1				1		
12. Others of this class F.	16	11	12							1						3
VI.—Diseases of the urinary system and male organs of generation.	530	3	16	2	6	11	16	30	30	40	46	70	64	41	61	97
Males	287	2	10		3	4	7	11	15	26	20	40	36	30	31	54
Females	243	1	6	2	3	7	9	19	15	14	26	30	28	11	30	43
1. Bright's disease M.	118				3	1	1	4	6	13	9	18	19	13	9	22
1. Bright's disease F.	114				1	5	7	6	7	5	10	22	11	4	14	22
2. Calculus, urinary M.	3		1						1							1
2. Calculus, urinary F.																
3. Diseases of the kidney M.	152	1	7			3	6	6	6	13	11	21	16	17	22	24
3. Diseases of the kidney F.	123	1	5	2	2	2	2	12	8	9	14	8	16	7	16	20
4. Diseases of the bladder M.	9							1	1			1	1			5
4. Diseases of the bladder F.	3							1			1					1
5. Others of this class M.	5	1	2						1							2
5. Others of this class F.	3		1								1		1			
VII.—Diseases of the female organs of generation.	39					1	3	3	5	5	5	6	8		2	1
1. Ovarian tumors	12						1		2		1	1	5		2	
2. Ovarian diseases	2									1	1					
3. Uterine tumors	12								1	2	1	4	3			1
4. Uterine diseases	3					1		2								
5. Others of this class	10						2	1	2	2	2	1				
VIII.—Affections connected with pregnancy.	72					13	21	13	14	7	4					
1. Abortion	4							1	2	1						
2. Childbirth	17					1	2	6	4	3	1					
3. Puerperal septicæmia	42					10	15	4	7	3	3					
4. Extra-uterine pregnancy																
5. Others of this class	9					2	4	2	1							

Table 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints		19	1	2	3	5	2	2	1			1	1		2		
Males		11		1	3	2		2	1				1		1		
Females		8	1	1		3	2					1			1		
1. Diseases of the spine	M.	2			1			1									
	F.	6	1	1		3	1					1					
2. Diseases of the bones	M.	4				1			1				1		1		
	F.	1													1		
3. Diseases of the hip joint	M.	4		1	2	1											
	F.	1					1										
4. Others of this class	M.	1						1									
	F.																
X.—Diseases of the skin		14	2	2	1	1	1		1	1	2	2			1		2
Males		5	1	1		1	1			1	1						
Females		9	1	1	1				1		1	2			1		2
1. Abscess	M.	4	1	1		1	1				1						
	F.	4	1	1	1				1								1
2. Carbuncle	M.																
	F.																
3. Others of this class	M.	1								1							
	F.	5									1	2			1		1
XI.—Diseases of the absorbent system		1									1						
Males		1									1						
Females																	
1. Addison's disease	M.	1									1						
	F.																
2. Diseases of the spleen	M.																
	F.																
3. Others of this class	M.																
	F.																
XII.—Accidents and injuries		261	53	64	7	6	14	28	35	22	21	15	11	6	6	5	21
Males		174	29	33	6	5	7	22	26	16	16	12	7	4	5	3	12
Females		87	24	31	1	1	7	6	9	6	5	3	4	2	1	2	9
1. Burns and scalds	M.	10	1	3				1		2	1	1	1				1
	F.	15		1	1		2	2	2	2				1			4
2. Drowned	M.	15					2	1	1	1	2		1	2	1		4
	F.																
3. Exposure and neglect	M.	1															1
	F.	2		1												1	
4. Gunshot wounds	M.	5						3	1			1					
	F.																
5. Homicide	M.	19				1	1	6	3	2	2	1	3				
	F.	5	1	1			1		1	2							
6. Infanticide	M.																
	F.																
7. Injuries by machinery	M.																
	F.																
8. Railroad accidents	M.	21			2	1	1	4	2	1	2	4			2	1	1
	F.	2									1				1		
9. Suffocation	M.	14	10	10					1		1	1			1		
	F.	11	8	8			1							1			1
10. Suicide by shooting	M.	5						1	2	1							1
	F.																
11. Suicide by drowning	M.																
	F.																
12. Suicide by poison	M.	1													1		
	F.	2						1	1								
13. Other suicides	M.	8						1		7							
	F.	1															1
14. Sunstroke	M.	3		1					1		1						
	F.	4	1	2								1	1				
15. Surgical operations	M.	5			1			1				1	1				1
	F.	15					2	2	4	2	3	1	1				
16. Wounds	M.	5			1			2	1			1					
	F.	1						1									
17. Other accidents and injuries.	M.	62	18	19	2	3	3	2	14	2	7	2	1	2		2	3
	F.	20	14	18		1	1		1		1	1	2			1	3

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	152,868	62,987	94,121	7,336	2,483	2,902	3,811	4,190	3,748	3,787	3,407	3,303	3,302	3,224	3,346	13,908
Males	80,506	34,664	50,960	3,674	1,235	1,385	1,883	2,093	1,927	1,992	1,888	1,834	1,836	1,802	1,745	6,252
Females	72,362	28,323	43,161	3,662	1,248	1,517	1,928	2,097	1,821	1,795	1,519	1,469	1,466	1,422	1,601	7,656
Unknown causes	241	72	97	12	5	9	6	4	5	3	5	12	9	6	9	59
Males	131	38	53	6	2	7	1	1	3	2	2	7	6	4	5	32
Females	110	34	44	6	3	2	5	3	2	1	3	5	3	2	4	27
I.—General diseases: General diseases—A	39,278	16,417	30,419	3,745	808	532	517	467	519	288	235	224	198	218	238	1,070
Males	20,083	8,664	15,780	1,770	389	265	265	231	159	146	125	118	119	108	132	467
Females	19,195	7,753	14,639	1,975	419	267	252	236	160	142	110	106	79	110	106	603
1. Smallpox M	72	17	31	5	2	2	9	6	6	4	2	2	1	1		1
1. Smallpox F	39	9	24	3	1	1	3	3			2					2
2. Measles M	890	237	826	52	2	4	3			2		1				
2. Measles F	795	209	728	53	3	2	3		1	2	2		1			
3. Scarlet fever M	1,755	111	1,258	388	65	15	11	8	3	2	1	1				3
3. Scarlet fever F	1,730	105	1,200	432	62	10	9	6	4	1	3				1	2
4. Diphtheria M	4,372	288	3,146	991	157	28	11	12	3	3	7	3	3	1	1	6
4. Diphtheria F	4,471	270	3,002	1,177	170	35	20	18	12	8	6	3	1	4	5	10
5. Whooping cough M	1,001	569	971	27	1						1					1
5. Whooping cough F	1,191	633	1,138	43	2	2	2	1							1	2
6. Fever M	7		2	2			1					1				1
6. Fever F	2		1							1						
7. Cerebro-spinal fever M	414	119	304	50	14	13	3	12	4	2		3	1	1	3	4
7. Cerebro-spinal fever F	365	119	264	40	17	10	11	4	4	2	1	3	2	3	1	3
8. Typhoid fever M	836	15	66	51	57	128	163	107	68	55	38	26	26	21	22	38
8. Typhoid fever F	652	7	50	44	66	108	95	76	47	35	28	23	19	12	9	40
9. Diarrheal diseases M	4,990	3,392	4,286	115	32	27	36	26	27	33	25	38	44	38	52	211
9. Diarrheal diseases F	4,582	2,899	3,774	104	38	25	27	45	26	35	22	38	31	44	44	329
10. Cholera infantum M	4,275	3,540	4,271													4
10. Cholera infantum F	3,854	3,164	3,852													2
11. Malarial fever M	783	83	283	69	42	37	45	40	31	29	31	19	28	20	24	85
11. Malarial fever F	851	67	269	67	45	65	53	49	40	35	27	19	15	33	27	107
12. Erysipelas M	239	117	136	6	3	5	2	2	3	3	9	8	5	8	9	40
12. Erysipelas F	248	137	156	3	4	2	4	3	2	1	5	9	3	4	8	44
13. Septicæmia M	112	21	34	11	7	4	3	5	4	5	4	8	7	4	6	10
13. Septicæmia F	148	19	34	5	7	4	20	22	11	14	9	7	5	2	2	6
14. Venereal diseases M	198	139	147			1	6	11	6	3	6	6	1	2	3	1
14. Venereal diseases F	143	95	107	2	1	3	3	6	7	7	3	3				1
15. Others of this group M	139	16	28	3	7	1	2	2	4		1	2	3	12	12	62
15. Others of this group F	124	20	31	2	3		2	3	6	1	2	1	2	8	8	55
General diseases—B	2,029	1,516	1,602	17	2	6	14	48	59	60	59	35	42	23	21	41
Males	1,175	811	853	9	2	3	8	41	45	49	45	29	37	21	10	23
Females	854	705	749	8		3	6	7	14	11	14	6	5	2	11	18
1. Parasitic diseases M	4	1	3	1												
1. Parasitic diseases F	6		4	2												
2. Alcoholism M	231						3	28	41	38	34	23	32	18	8	6
2. Alcoholism F	37						3	4	8	4	7	3	2		5	1
3. Lead poison M	8				1		1	2		1	1	1				1
3. Lead poison F	1									1						
4. Other poisons M	77	10	22	3	1	1	4	9	3	8	8	5	3	3	1	6
4. Other poisons F	52	6	17	3		2	3	3	2	6	6	3	1	1	2	3
5. Inanition M	855	800	828	5		2		2	1	2	2		2		1	10
5. Inanition F	758	699	728	3		1			4		1		2	1	4	14
General diseases—C	26,869	23,875	24,634	51	22	16	11	18	18	15	13	18	24	37	60	1,932
Males	14,650	13,477	13,870	20	9	6	3	5	7	5	8	9	13	13	25	657
Females	12,219	10,398	10,764	31	13	10	8	13	11	10	5	9	11	24	35	1,275
1. Premature birth M	2,476	2,472	2,476													
1. Premature birth F	1,863	1,862	1,863													
2. Stillborn M	7,805	7,805	7,805													
2. Stillborn F	5,830	5,830	5,830													
3. Malformation M	341	334	336	1			1	1								2
3. Malformation F	269	261	265	3	1											
4. Debility and atrophy M	3,625	2,866	3,253	19	9	6	2	4	7	5	8	9	13	13	20	257
4. Debility and atrophy F	3,424	2,445	2,806	28	12	10	8	13	11	10	5	9	11	24	23	454
5. Old age M	403														5	393
5. Old age F	833														12	821

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	19,156	2,388	4,487	456	382	1,126	1,720	1,880	1,534	1,432	1,147	1,006	923	764	701	1,598
Males	9,598	1,312	2,463	215	152	479	853	980	798	753	591	514	439	375	314	672
Females	9,558	1,076	2,024	241	230	647	867	900	736	679	556	492	484	389	387	926
1. Rheumatism M.	267	17	35	21	19	17	10	14	10	13	10	11	20	13	23	51
1. Rheumatism F.	237	6	18	30	13	16	10	8	11	9	6	8	16	12	14	66
2. Scrofula and tabes M.	327	215	291	12	5	2	6	2	2	1	1	.....	1	2	1	1
2. Scrofula and tabes F.	263	159	216	9	5	5	4	5	3	2	1	3	.....	4	1	5
3. Leprosy M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M.	6,340	268	548	84	70	429	814	929	748	683	529	439	311	245	186	316
4. Consumption F.	5,701	230	481	104	183	602	826	837	643	540	352	278	210	157	135	353
5. Hydrocephalus M.	1,589	730	1,455	84	22	9	2	5	4	2	1	.....	1	.....	1	3
5. Hydrocephalus F.	1,303	622	1,196	75	14	5	1	3	5	1	.....	1	.....	.....	1	1
6. Cancer M.	555	3	13	1	1	4	3	11	15	27	30	40	69	81	68	192
6. Cancer F.	1,520	3	10	3	3	3	12	25	58	100	161	179	216	186	193	371
7. Tumor M.	76	1	7	2	5	3	4	.....	5	4	6	5	5	6	6	18
7. Tumor F.	90	3	8	.....	.....	.....	.....	5	4	10	9	6	15	7	8	18
8. Anæmia M.	85	25	34	3	.....	5	2	3	3	4	4	4	4	7	2	10
8. Anæmia F.	105	16	22	6	1	4	5	6	5	5	8	4	9	2	4	24
9. Dropsy M.	91	7	11	3	6	3	3	3	3	8	4	1	4	7	10	25
9. Dropsy F.	103	5	11	6	3	5	4	2	.....	3	6	3	8	6	5	41
10. Diabetes M.	172	6	9	4	10	3	7	8	6	9	6	14	21	13	14	48
10. Diabetes F.	157	5	9	5	6	6	2	8	7	8	12	9	8	13	25	39
11. Others of this group M.	93	39	59	1	4	4	1	5	2	2	.....	.....	3	1	3	8
11. Others of this group F.	70	26	52	3	2	1	3	1	.....	1	.....	1	2	2	1	7
12. Others of this class M.	3	1	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class F.	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1
II.—Diseases of the nervous system	17,710	7,039	10,938	673	223	143	154	189	255	273	337	361	425	534	568	2,627
Males	9,420	3,894	5,941	351	107	73	74	107	146	159	187	199	241	291	305	1,239
Females	8,290	3,145	4,997	322	116	70	80	82	109	114	150	162	184	243	263	1,388
1. Inflammation of the brain M.	2,878	1,186	2,205	214	52	31	21	35	39	26	37	31	27	16	19	35
1. Inflammation of the brain F.	2,506	969	2,006	200	68	31	26	18	23	17	19	17	12	14	14	41
2. Apoplexy M.	1,315	33	47	4	2	5	10	19	31	48	59	73	114	155	166	582
2. Apoplexy F.	1,275	28	45	4	4	2	6	18	18	35	60	62	90	126	151	645
3. Paralysis M.	664	10	42	11	4	3	7	7	9	22	33	39	38	51	57	341
3. Paralysis F.	740	15	34	5	6	6	7	8	16	15	21	29	35	47	51	460
4. Tetanus and trismus nascentium M.	274	236	247	7	2	5	1	.....	2	4	2	2	.....	.....	1	1
4. Tetanus and trismus nascentium F.	164	148	156	2	2	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
5. Epilepsy M.	134	14	32	7	12	14	13	9	10	9	5	1	6	2	3	11
5. Epilepsy F.	110	12	24	15	8	4	5	3	10	14	6	5	4	2	2	8
6. Convulsions M.	2,592	1,932	2,505	47	8	1	1	8	4	5	3	2	1	2	2	3
6. Convulsions F.	2,165	1,571	2,082	42	10	5	4	3	7	2	2	2	.....	1	2	3
7. Mental diseases M.	72	.....	.....	.....	.....	1	4	3	7	7	7	8	10	7	4	14
7. Mental diseases F.	86	.....	.....	.....	.....	2	7	5	6	5	9	7	7	8	3	27
8. Diseases of the brain M.	1,234	448	700	44	21	10	12	17	29	30	26	36	27	40	41	201
8. Diseases of the brain F.	1,044	378	605	41	12	13	14	17	18	17	23	23	16	28	29	188
9. Diseases of the spinal cord M.	220	33	68	14	5	3	4	8	13	7	12	6	17	15	10	38
9. Diseases of the spinal cord F.	131	22	43	9	3	3	6	7	3	5	4	7	8	13	7	13
10. Others of this class M.	37	2	5	3	1	.....	1	1	2	1	3	1	1	3	2	13
10. Others of this class F.	69	2	2	4	3	2	5	3	7	4	5	10	3	4	4	13
III.—Diseases of the circulatory system	6,832	1,090	1,268	274	297	208	165	219	238	324	308	374	393	438	458	1,868
Males	3,607	619	719	130	131	108	85	104	117	159	168	191	233	267	247	948
Females	3,225	471	549	144	166	100	80	115	121	165	140	183	160	171	211	920
1. Angina pectoris M.	122	.....	.....	2	.....	.....	.....	1	4	3	5	8	8	16	10	65
1. Angina pectoris F.	97	.....	.....	1	1	1	.....	6	5	4	4	6	9	6	13	41
2. Aneurism M.	90	.....	.....	.....	.....	2	1	2	9	10	14	14	10	14	4	10
2. Aneurism F.	33	.....	.....	.....	.....	.....	.....	1	3	3	6	8	.....	2	1	9
3. Diseases of the heart M.	2,873	142	228	124	130	106	84	101	103	146	148	168	213	237	230	855
3. Diseases of the heart F.	2,607	114	183	143	164	97	78	107	112	157	128	167	151	161	195	854
4. Others of this class M.	522	477	491	4	1	.....	.....	.....	1	.....	1	1	2	.....	3	18
4. Others of this class F.	398	357	366	.....	1	2	2	1	1	1	2	2	.....	2	2	16

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	25,059	8,143	16,687	1,335	242	307	397	417	468	466	445	456	504	432	548	2,355
Males	13,284	4,461	9,009	696	122	153	243	243	269	293	285	275	287	234	253	922
Females	11,775	3,682	7,678	639	120	154	154	174	199	173	160	181	217	198	295	1,433
1. Croup M.	1,970	226	1,656	284	19	1	3	1	.....	.....	.....	1	3	.....	.....	2
1. Croup F.	1,752	198	1,456	269	13	1	2	2	.....	2	2	.....	1	2	1	1
2. Laryngitis M.	278	38	212	26	7	1	2	2	2	4	0	5	3	1	1	3
2. Laryngitis F.	231	34	168	36	8	2	2	5	2	1	1	1	.....	1	2	2
3. Bronchitis M.	3,493	1,997	2,052	82	9	17	15	16	20	17	17	23	34	31	33	227
3. Bronchitis F.	3,301	1,702	2,594	48	10	20	17	16	22	14	20	24	24	24	40	428
4. Pneumonia M.	6,376	1,572	3,417	262	75	118	200	209	219	250	233	204	218	182	193	596
4. Pneumonia F.	5,527	1,206	2,869	265	78	117	121	132	156	140	124	142	173	151	220	839
5. Pleurisy M.	194	30	70	9	.....	5	15	5	15	8	5	16	9	5	10	22
5. Pleurisy F.	154	18	41	6	3	3	4	5	9	4	5	6	6	6	14	42
6. Asthma M.	49	11	14	1	.....	.....	.....	.....	3	1	2	3	3	3	4	15
6. Asthma F.	49	5	5	3	.....	.....	1	1	1	.....	1	2	2	5	3	25
7. Others of this class M.	924	587	688	32	12	11	8	10	10	13	10	23	17	12	12	57
7. Others of this class F.	761	459	545	12	8	11	7	13	9	12	7	6	11	9	15	96
V.—Diseases of the digestive system	5,044	1,535	2,188	190	156	139	157	178	186	193	194	193	196	202	209	663
Males	2,632	866	1,237	106	90	80	69	77	84	75	100	107	104	115	110	278
Females	2,412	669	951	84	66	59	88	101	102	118	94	86	92	87	99	385
1. Dentition M.	339	199	339	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Dentition F.	303	179	303	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina M.	91	19	61	16	4	.....	.....	1	3	.....	.....	.....	2	2	2	.....
2. Angina F.	63	12	38	14	5	.....	1	1	.....	.....	.....	.....	2	.....	1	1
3. Diseases of the stomach M.	424	166	227	7	2	9	6	6	18	12	16	17	13	20	9	62
3. Diseases of the stomach F.	451	114	169	13	7	11	13	9	19	19	19	15	16	19	18	113
4. Obstruction of the bowels M.	154	59	72	4	4	7	6	6	2	3	3	6	6	6	9	20
4. Obstruction of the bowels F.	160	43	54	4	2	6	1	6	5	6	8	6	9	2	15	36
5. Hernia M.	90	26	31	.....	.....	2	1	1	5	3	3	7	3	4	7	23
5. Hernia F.	34	2	2	.....	.....	.....	.....	1	1	2	1	4	2	5	3	13
6. Other diseases of the bowels M.	43	12	21	2	.....	3	.....	2	2	.....	2	.....	1	3	.....	7
6. Other diseases of the bowels F.	29	13	13	.....	1	1	.....	3	1	.....	1	1	2	.....	1	5
7. Jaundice M.	91	69	71	1	.....	.....	.....	1	.....	.....	1	2	2	2	2	9
7. Jaundice F.	70	50	52	.....	1	.....	1	1	.....	.....	.....	4	1	2	.....	8
8. Inflammation and abscess of the liver M.	134	9	11	5	7	.....	6	9	7	8	7	9	12	12	12	29
8. Inflammation and abscess of the liver F.	112	9	12	3	1	.....	3	6	2	7	6	8	7	10	12	35
9. Other diseases of the liver M.	400	15	22	7	4	5	4	14	13	21	47	46	43	52	43	79
9. Other diseases of the liver F.	262	16	22	2	2	2	4	9	8	15	20	23	25	26	27	77
10. Peritonitis M.	444	40	93	51	54	43	34	31	26	23	13	12	12	9	15	28
10. Peritonitis F.	604	44	68	36	41	33	61	64	62	64	42	23	24	14	19	53
11. Ascites M.	15	1	1	3	1	.....	1	.....	.....	.....	2	1	.....	2	2	2
11. Ascites F.	21	1	2	.....	1	1	.....	.....	1	1	2	.....	1	2	.....	10
12. Others of this class M.	407	242	288	10	14	11	11	6	8	5	6	7	10	3	9	19
12. Others of this class F.	303	186	216	12	5	5	4	1	3	4	4	2	3	7	3	34
VI.—Diseases of the urinary system and male organs of generation.	5,234	159	477	188	104	134	185	248	268	372	349	389	400	406	397	1,317
Males	3,011	98	264	94	55	51	85	108	131	188	204	242	245	262	256	826
Females	2,223	61	213	94	49	83	100	140	137	184	145	147	155	144	141	491
1. Bright's disease M.	1,337	.....	.....	31	26	27	34	50	69	109	119	121	145	142	126	338
1. Bright's disease F.	1,095	.....	.....	34	24	52	61	73	73	99	77	90	86	88	81	257
2. Calculus, urinary M.	15	1	2	.....	.....	1	1	.....	.....	.....	1	.....	1	1	2	6
2. Calculus, urinary F.	5	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	.....	.....
3. Diseases of the kidney M.	1,275	84	238	61	28	21	46	50	51	71	75	106	90	103	96	239
3. Diseases of the kidney F.	1,001	54	200	55	25	28	37	55	59	82	60	51	60	48	54	187
4. Diseases of the bladder M.	233	3	6	1	.....	1	3	3	2	2	3	6	3	9	20	174
4. Diseases of the bladder F.	43	1	1	1	.....	1	.....	4	.....	1	2	2	1	2	4	24
5. Others of this class M.	151	10	18	1	1	1	1	5	9	6	6	9	6	7	12	69
5. Others of this class F.	79	6	12	4	.....	2	2	7	5	1	6	4	6	5	2	23
VII.—Diseases of the female organs of generation.	289	.....	1	.....	4	9	21	28	25	46	41	32	31	11	17	23
1. Ovarian tumors	85	.....	.....	.....	1	1	2	7	3	14	12	10	9	4	11	11
2. Ovarian diseases	39	.....	.....	.....	1	.....	3	7	5	4	7	3	3	2	2	2
3. Uterine tumors	54	.....	.....	.....	.....	.....	.....	3	3	9	5	11	11	2	3	7
4. Uterine diseases	27	.....	.....	.....	.....	4	2	3	2	3	5	3	2	1	.....	2
5. Others of this class	84	.....	1	.....	2	4	14	8	12	16	12	5	6	2	1	1
VIII.—Affections connected with pregnancy.	745	.....	.....	.....	1	54	200	219	143	85	30	5	2	3	1	2
1. Abortion	50	.....	.....	.....	.....	3	6	11	15	11	3	.....	.....	1	.....	.....
2. Childbirth	169	.....	.....	.....	1	9	39	57	29	24	9	.....	1	.....	.....	.....
3. Puerperal septicæmia	399	.....	.....	.....	.....	27	126	113	75	37	13	3	.....	2	1	2
4. Extra-uterine pregnancy	5	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
5. Others of this class	122	.....	.....	.....	.....	15	29	37	23	10	5	2	1	.....	.....	.....

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	310	16	61	67	59	23	11	7	6	10	13	6	5	15	9	18
Males	178	8	38	36	34	13	8	6	2	7	9	5	2	7	3	8
Females	132	8	23	31	25	10	3	1	4	3	4	1	3	8	6	10
1. Diseases of the spine M.	77	4	24	20	10	7	2	3	1	1	4	1		1		3
1. Diseases of the spine F.	69	5	10	18	14	5	3		2	1	2	1	2	5	3	3
2. Diseases of the bones M.	39	1	6	2	11	1	2	2		3	3	1		2	3	3
2. Diseases of the bones F.	26	1	5	3	5			1	2	1	1		1	3	2	2
3. Diseases of the hip joint M.	48	2	7	14	13	4	4	1	1	1			1	1		1
3. Diseases of the hip joint F.	25	1	6	8	6	4										1
4. Others of this class M.	14	1	1			1				2	2	3	1	3		1
4. Others of this class F.	12	1	2	2		1				1	1				1	4
X.—Diseases of the skin	340	151	188	9	4	8	8	15	7	5	13	12	12	6	12	47
Males	190	90	108	6	3	4	4	2	5		8	7	6	6	8	23
Females	156	61	80	3	1	4	4	13	2	5	5	5	6		4	24
1. Abscess M.	115	50	65	4	3	2	2	2	4		6	5	6	2	4	10
1. Abscess F.	102	37	52	2	1	4	4	11	2	4	3	4	1		2	12
2. Carbuncle M.	21	2	2			1	2		1		1			4	4	6
2. Carbuncle F.	12	1	2					1				1	3		1	4
3. Others of this class M.	54	38	41	2		1					1	2				7
3. Others of this class F.	42	23	26	1				1		1	2		2		1	8
XI.—Diseases of the absorbent system	61	4	11	5		2	2	2	2	5	6	2	6	6	1	11
Males	29	3	8				2	1		2	2	1	4	1	1	7
Females	32	1	3	5		2		1	2	3	4	1	2	5		4
1. Addison's disease M.	9						1			2	2		3			1
1. Addison's disease F.	10					1		1	1		2	1	1	3		
2. Diseases of the spleen M.	7		1										1	1	1	3
2. Diseases of the spleen F.	7		1	1		1					1			1		2
3. Others of this class M.	13	3	7				1	1				1				3
3. Others of this class F.	15	1	2	4					1	3	1		1	1		2
XII.—Accidents and injuries	3,665	582	1,063	314	174	186	243	251	215	210	212	178	132	123	97	267
Males	2,518	323	608	235	139	143	183	187	161	154	154	130	100	98	76	150
Females	1,147	259	455	79	35	43	60	64	54	56	58	48	32	25	21	117
1. Burns and scalds M.	146	11	107	13	1	1	4	2	2		3	5	3		1	4
1. Burns and scalds F.	169	8	74	30	5	8	8	6	2	6	7	4	5	3	1	10
2. Drowned M.	323	2	22	78	44	31	26	31	18	16	15	9	13	6	6	8
2. Drowned F.	48	2	13	6	10	3	6	2	2	1	2			1	1	1
3. Exposure and neglect M.	10	3	4			1	1		1	1	1					1
3. Exposure and neglect F.	7	2	3						1				1		1	1
4. Gunshot wounds M.	47				5	5	10	7	3	3	6	2	1	3		2
4. Gunshot wounds F.	12		3	1		2	1	2	1	1						1
5. Homicide M.	54	3	4	2	4	4	9	8	4	7	4	4	1	2		1
5. Homicide F.	14	2	3			2	2	1	2	1	3					
6. Infanticide M.																
6. Infanticide F.	1	1	1													
7. Injuries by machinery M.	8			2	1	2	1					1				1
7. Injuries by machinery F.																
8. Railroad accidents M.	252	1	6	17	15	21	31	40	23	24	20	11	11	14	8	16
8. Railroad accidents F.	18		1	3	2		2	1	2			3	1	2		1
9. Suffocation M.	235	165	175	7	3	2	5	7	5	6	3	3	4	2	4	9
9. Suffocation F.	159	127	141	3	1	2	2	2	1	1	1		1	2	1	1
10. Suicide by shooting M.	124					10	23	15	13	12	9	9	8	9	9	7
10. Suicide by shooting F.	12						2	5	1	2	1	1				
11. Suicide by drowning M.	3						1			2						
11. Suicide by drowning F.	2						1						1			
12. Suicide by poison M.	55			1	1		8	3	6	5	4	8	6	5	5	3
12. Suicide by poison F.	36				1	5	7	7	3	5	3	3	1			1
13. Other suicides M.	82						2	8	12	7	11	11	9	6	5	11
13. Other suicides F.	16						1	3	2	1	2	2				5
14. Sunstroke M.	60	10	18	5	1		3	3	2	6	5	3	5	3	4	2
14. Sunstroke F.	30	13	19					1		1	2	1			1	5
15. Surgical operations M.	65	7	10	4	3	3	4	4	3	5	4	9	5	5	3	3
15. Surgical operations F.	154	3	7	3	2	5	12	19	21	17	21	15	14	8	4	6
16. Wounds M.	49		4	6	5	7	6	2	4	1	5	1	3		1	4
16. Wounds F.	10	2	5				2	1		1					1	
17. Other accidents and injuries. M.	1,005	121	258	100	56	56	49	57	65	59	64	54	31	43	35	78
17. Other accidents and injuries. F.	459	99	185	33	14	16	14	14	16	19	16	19	8	9	11	85

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	19,040	4,438	6,704	602	261	339	672	803	862	960	941	946	914	874	910	3,252
Males	10,190	2,417	3,638	261	130	180	353	396	449	523	546	533	524	497	529	1,631
Females	8,850	2,021	3,066	341	131	159	319	407	413	437	395	413	390	377	381	1,621
Unknown causes	52	4	5	1	1			2	2	7	5	3	2	1	7	15
Males	29		1	1	1			1	2	2	5	1		1	4	10
Females	23	4	4					1	1	5		2	2		3	5
I.—General diseases: General diseases—A	3,696	1,217	2,286	335	91	67	85	97	92	78	72	68	55	56	63	251
Males	1,853	621	1,181	140	45	34	41	53	45	40	41	35	32	26	30	110
Females	1,843	596	1,105	195	46	33	44	44	47	38	31	33	23	30	33	141
1. Smallpox M	14	1	4		2	1	1	1	1	1	1	1		1		
1. Smallpox F	5		2	1		1	1									
2. Measles M	77	14	72	5												
2. Measles F	77	18	70	3	1		2		1							
3. Scarlet fever M	159	12	105	36	10	3	2	1	1		1					
3. Scarlet fever F	168	15	102	44	7	5	3	4	2	1						
4. Diphtheria M	312	17	217	76	9	4	1	1	2			1				1
4. Diphtheria F	366	15	207	119	25	2		1	3	1	3	2			1	2
5. Whooping cough M	70	46	76	2			1									
5. Whooping cough F	87	50	84	2			1									
6. Fever M	3		1									1		1		
6. Fever F	3							1			1			1		
7. Cerebro-spinal fever M	42	3	26	5	4	1	1	2					3			
7. Cerebro-spinal fever F	30	6	17	3	1	3	2				1				1	2
8. Typhoid fever M	140		4	3	9	20	26	22	17	12	8	11	6	4		7
8. Typhoid fever F	104		3	4	5	12	14	15	18	10	4	4	4	2	2	7
9. Diarrheal diseases M	473	233	301	9	6	2	1	9	13	9	13	14	10	10	14	62
9. Diarrheal diseases F	477	204	270	8	3	5	10	8	7	10	11	15	8	20	19	83
10. Cholera infantum M	331	275	331													
10. Cholera infantum F	309	261	308													1
11. Malarial fever M	100	2	17	4	5	3	7	10	7	7	9	3	3	7	9	9
11. Malarial fever F	128	8	19	9	4	4	6	7	7	13	9	8	9	6	4	23
12. Erysipelas M	44	9	11					2	1	4	6	1	5	1	2	11
12. Erysipelas F	39	10	12				1	6	3	1	1	2	1		2	10
13. Septicæmia M	25	1	5				1	1	2	3	1	2	1	1	4	4
13. Septicæmia F	17	1	3	1			2	1	3	2	1			1	1	2
14. Venereal diseases M	21	7	8					3	1	2	1	1	2	1		2
14. Venereal diseases F	15	8	8			1	1	1	3			1				
15. Others of this group M	24	1	3					1		2	1		2		1	14
15. Others of this group F	18			1			1					1	1		3	11
General diseases—B	271	142	152	1		1	3	9	14	19	16	17	13	8	8	10
Males	168	67	75	1		1	1	6	12	15	15	12	10	7	7	6
Females	103	75	77				2	3	2	4	1	5	3	1	1	4
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	73						1	4	10	13	13	10	6	7	7	2
2. Alcoholism F	18						1	1	2	4	1	4	3	1		1
3. Lead poison M	7							2			2	1	1			1
3. Lead poison F																
4. Other poisons M	14		3			1			2	2		1	3			2
4. Other poisons F	7	1	3				1	1				1			1	
5. Inanition M	74	67	72	1												1
5. Inanition F	78	74	74					1								3
General diseases—C	2,213	1,664	1,735	1		1	5	3	5	4	5	6	2	6	11	429
Males	1,142	940	972			1	2		1	3	2	1		2	6	152
Females	1,071	724	763	1			3	3	4	1	3	5	2	4	5	277
1. Premature birth M	159	159	159													
1. Premature birth F	121	121	121													
2. Stillborn M	551	551	551													
2. Stillborn F	439	439	439													
3. Malformation M	27	27	27													
3. Malformation F	12	11	11									1				
4. Debility and atrophy M	307	203	235			1	2		1	3	2	1		2	5	55
4. Debility and atrophy F	318	153	192	1			3	3	4	1	3	4	2	4	4	97
5. Old age M	98														1	97
5. Old age F	181														1	180

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		3,196	142	269	25	26	113	293	325	311	308	296	267	225	203	162	373
Males		1,675	86	140	17	9	48	159	166	159	169	162	138	118	110	85	186
Females		1,521	56	120	8	17	65	134	159	152	139	134	129	107	93	77	187
1. Rheumatism	M	50				1	2	1	2	3	1	4	4	8	5	5	14
	F	48		1	2	2	2	1	3	5	3	1	2	4	5	2	15
2. Scrofula and tabes	M	19	12	18													1
	F	23	9	16		1				3			1	1			1
3. Leprosy	M																
	F																
4. Consumption	M	1,221	16	28	7	1	43	153	153	146	146	142	111	78	74	53	86
	F	939	15	36	2	11	61	127	144	126	109	84	52	61	45	30	51
5. Hydrocephalus	M	116	53	94	8	4	1	1	2	1	1	1		2	1		
	F	65	29	60	2	1					1						1
6. Cancer	M	168					2	1	5	4	13	8	14	10	19	25	58
	F	359			1	1		1	7	14	19	44	68	35	36	40	93
7. Tumor	M	19				2		2	1			2	2	3	2		5
	F	18	1	2	1			1	1		1		2		3	2	5
8. Anæmia	M	14	3	5					1	1	2	1		1			3
	F	14	1	3			1		2		1			1	1	1	4
9. Dropsy	M	12				1			1	1	1		1	1	2		4
	F	14	1	1				1		1	1	2	2			1	5
10. Diabetes	M	44		1	1			1	1	2	5	3	3	5	6	1	15
	F	34				1	1	2	2	2	3	3	1	5	3		11
11. Others of this group	M	12	2	3	1					1		1	3	1	1	1	
	F	7		1				1		1	1		1			1	1
12. Others of this class	M																
	F																
II.—Diseases of the nervous system		2,108	453	710	46	28	16	36	30	50	70	73	89	103	121	153	583
Males		1,153	265	404	20	15	10	23	17	27	39	34	50	57	61	87	309
Females		955	188	306	26	13	6	13	13	23	31	39	39	46	60	66	274
1. Inflammation of the brain	M	288	94	169	14	7	3	8	5	9	12	6	7	11	10	7	20
	F	191	68	129	15	3	1	3	3	5	5	5	3	5	2		12
2. Apoplexy	M	295	5	5				1	2	2	5	12	19	24	21	45	159
	F	284	4	5			1	4	2	4	9	12	20	19	33	44	131
3. Paralysis	M	124	1	3				1	1	5	3	3	4	11	8	16	69
	F	136	3	3						4	3	7	5	14	11	9	80
4. Tetanus and trismus nascentium	M	31	22	22		4	1				1				2	1	
	F	12	11	11											1		
5. Epilepsy	M	27		2	1	3	3	4	1	3	2		2	1	3	1	1
	F	28	2	2	1	2	2	2	1	3	7	1	2	1	2	1	1
6. Convulsions	M	156	115	151	2					1					1		1
	F	135	87	123	4	2		1	1	1		1					2
7. Mental diseases	M	22							2		1	5	5		2	2	5
	F	15					1	1	1		1	3	2				6
8. Diseases of the brain	M	156	27	48	3	1	2	7	4	3	9	4	7	6	9	10	43
	F	114	11	29	3	4	1	2	3	3	3	9	4	2	7	9	35
9. Diseases of the spinal cord	M	42	1	4			1	2	2	3	5	3	5	3	5	4	5
	F	33	2	4	3	1			2	1	3	1	2	5	3	3	5
10. Others of this class	M	12								1	1	1	1	1		1	6
	F	7				1				2			1		1		2
III.—Diseases of the circulatory system		1,383	77	91	22	31	31	35	50	52	87	98	104	107	123	133	419
Males		727	42	51	5	14	15	18	19	31	49	54	47	61	68	83	212
Females		656	35	40	17	17	16	17	31	21	38	44	57	46	55	50	207
1. Angina pectoris	M	31				1					2	1	2	3	4	3	15
	F	9							2		1			2	1		3
2. Aneurism	M	17							1	5	3	2	3	1		1	1
	F	11			1						1	2	3	1		1	2
3. Diseases of the heart	M	647	11	20	5	13	15	18	18	26	44	51	42	57	64	79	195
	F	600	6	10	16	17	16	17	29	21	34	41	54	43	53	48	201
4. Others of this class	M	32	31	31													1
	F	36	29	30							2	1			1	1	1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	3,054	578	1,181	100	25	42	83	80	122	144	130	143	140	136	149	573
Males	1,654	315	640	44	16	27	50	46	80	87	82	89	80	82	76	246
Females	1,400	263	541	56	9	15	33	34	42	57	48	54	57	54	73	327
1. Croup M.	145	10	116	25						1	1	1	1			
1. Croup F.	127	17	110	15			1						1			
2. Laryngitis M.	26	3	17	3						1			1	2		2
2. Laryngitis F.	20		12	4	1				1	1		1				
3. Bronchitis M.	335	134	194	3	1	2	4	3	3	3	3	15	8	18	16	62
3. Bronchitis F.	351	118	182	4			3	4	6	4	8	7	4	8	17	104
4. Pneumonia M.	979	121	256	12	13	24	42	41	67	67	73	64	72	53	49	146
4. Pneumonia F.	751	85	186	28	8	12	26	27	31	47	33	43	46	35	48	181
5. Pleurisy M.	37	3	3		1	1	4		4	6		3	1	3	4	7
5. Pleurisy F.	34	4	5	2		1	1	1	3	2	1	1	2	1	2	12
6. Asthma M.	19	1	1							2	2		2	2	1	9
6. Asthma F.	22	2	2								1		2	4	3	10
7. Others of this class M.	113	43	53	1	1			2	6	7	3	6	4	4	6	20
7. Others of this class F.	95	37	44	3		2	2	2	1	3	5	2	2	6	3	20
V.—Diseases of the digestive system	832	101	141	18	15	18	15	34	40	50	63	73	62	71	55	177
Males	415	47	74	7	6	12	8	14	14	18	29	38	31	39	30	95
Females	417	54	67	11	9	6	7	20	26	32	34	35	31	32	25	82
1. Dentition M.	21	11	21													
1. Dentition F.	19	14	19													
2. Angina M.	6	1	3										1		1	1
2. Angina F.	7	1	2	3												2
3. Diseases of the stomach M.	65	5	11	2		2	1	5	1		4	1	2	11	5	20
3. Diseases of the stomach F.	75	14	16	1	2	1	1	4	6	3	4	5	4	4	3	21
4. Obstruction of the bowels M.	25	4	5		1	1	3	1	2	1	2	1		3	1	4
4. Obstruction of the bowels F.	13	1	1	1	1	1		1		2	1			1	3	1
5. Hernia M.	25	1	1			1	1					5	1	3	4	9
5. Hernia F.	19								1	2	1	3	1	2	2	7
6. Other diseases of the bowels M.	4		1							1	1				1	
6. Other diseases of the bowels F.	4	2	2							1	1					
7. Jaundice M.	9	4	4	2										2		1
7. Jaundice F.	6	2	2								1					3
8. Inflammation and abscess of the liver M.	33							1	2	1	4	7	4	4	4	6
8. Inflammation and abscess of the liver F.	35			1	1	1		1	2	4	5	2	5	1	5	7
9. Other diseases of the liver M.	105					2			5	9	10	12	20	9	8	30
9. Other diseases of the liver F.	83							2	5	9	12	10	7	10	6	22
10. Peritonitis M.	74	4	9	3	3	3	3	5	4	3	7	10	2	5	4	13
10. Peritonitis F.	101	5	7	4	4	2	5	11	11	7	7	11	9	11	4	8
11. Ascites M.	2															2
11. Ascites F.	6				1	1						1	1			2
12. Others of this class M.	46	17	19		2	3		2		3	1	2	1	2	2	9
12. Others of this class F.	49	15	18	1			1	1	1	4	2	3	4	3	2	9
VI.—Diseases of the urinary system and male organs of generation.	1,218	13	37	13	16	6	29	65	59	86	88	113	137	105	129	335
Males	755	8	25	5	4	6	13	28	24	41	59	72	80	68	90	240
Females	463	5	12	8	12		16	37	35	45	29	41	57	37	39	95
1. Bright's disease M.	351				1	3	6	11	14	19	41	36	43	43	38	96
1. Bright's disease F.	236			1	6		7	22	15	22	16	22	30	20	22	53
2. Calculus, urinary M.	2														1	1
2. Calculus, urinary F.	1															1
3. Diseases of the kidney M.	297	8	25	5	3	3	7	15	8	19	15	32	33	19	39	74
3. Diseases of the kidney F.	206	5	11	7	6		9	13	19	20	12	18	26	16	15	34
4. Diseases of the bladder M.	64								2	1	1		2	4	8	46
4. Diseases of the bladder F.	11									1			1		2	7
5. Others of this class M.	41							2		2	2	4	2	2	4	23
5. Others of this class F.	9		1					2	1	2	1	1		1		
VII.—Diseases of the female organs of generation.	40						4	5	6	4	3	1	6	1	4	6
1. Ovarian tumors	11						1	2	1					1	2	4
2. Ovarian diseases	4									1		1	1		1	
3. Uterine tumors	9							1			3		3		1	1
4. Uterine diseases	2						1		1							
5. Others of this class	14						2	2	4	3			2			1
VIII.—Affections connected with pregnancy.	170					8	41	43	37	27	13	1				
1. Abortion	11						3	2	3	3						
2. Childbirth	35					2	6	10	10	4	3					
3. Puerperal septicæmia	101					5	29	25	17	16	8	1				
4. Extra-uterine pregnancy	2							1		1						
5. Others of this class	21					1	3	5	7	3	2					

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints		46		4	5	6	2	4	1	2	2	3	2	7	5		3
Males		31		2	3	5	1	3	1	1	1	3	1	5	2		3
Females		15		2	2	1	1	1		1	1		1	2	3		
1. Diseases of the spine	M	14		2	1		1	1	1	1	1	2			2		2
	F	7		1	1			1			1		1		2		
2. Diseases of the bones	M	10			2	3		1					1	3			
	F	4		1						1				1	1		
3. Diseases of the hip joint	M	3				2		1									
	F	2			1	1											
4. Others of this class	M	4										1		2			1
	F	2					1							1			
X.—Diseases of the skin		46	9	12					3	1	3	6	1	2	2	3	13
Males		29	7	8							2	2	1	1	2	3	10
Females		17	2	4					3	1	1	4		1			3
1. Abscess	M	15	4	5								1	1	1	2	2	3
	F	12	1	3					2		1	4		1			1
2. Carbuncle	M	7									2	1					4
	F	1							1								
3. Others of this class	M	7	3	3												1	3
	F	4	1	1						1							2
XI.—Diseases of the absorbent system		11	1	2	2			1				4		1			1
Males		4										3		1			
Females		7	1	2	2			1				1					1
1. Addison's disease	M	4										3		1			
	F	3			1			1				1					
2. Diseases of the spleen	M																
	F																
3. Others of this class	M																
	F	4	1	2	1												1
XII.—Accidents and injuries		704	37	79	33	22	34	38	56	68	71	66	58	40	30	33	64
Males		555	19	56	18	15	25	35	45	53	57	55	48	39	29	28	52
Females		149	18	23	15	7	9	3	11	15	14	11	10	7	7	5	12
1. Burns and scalds	M	30	2	17	4	1		1	1			2		1	1	1	1
	F	20	1	2	7		3	1	2					2	2		1
2. Drowned	M	70	1	10	5	4	9	9	8	7	5	5	2	3	1	2	
	F	5	1	1		1				1	1				1		
3. Exposure and neglect	M	1											1				
	F																
4. Gunshot wounds	M	7					2	1	1		1		1	1			
	F	2					1				1						
5. Homicide	M	5							1		1	1		2			
	F	9				1			1	2	1		3				1
6. Infanticide	M																
	F																
7. Injuries by machinery	M	3							2	1							
	F																
8. Railroad accidents	M	51				3	4	6	6	6	5	3	2	4	1	1	10
	F	5								3							2
9. Suffocation	M	20	6	8	1					2	1		2	2	2	1	1
	F	17	9	9	1		1			2	1				2		1
10. Suicide by shooting	M	26						3	3	2	3	3	2	3	4	2	1
	F	2							1		1						
11. Suicide by drowning	M	3								1			1	1			
	F																
12. Suicide by poison	M	26		1						2	7	6	2	3		2	3
	F	6					2			1	1	1				1	
13. Other suicides	M	29					1		1	4	4	5	2	1	2	2	7
	F	4										1	1		1		1
14. Sunstroke	M	27	1	2					2	6	5	5	2	2	1	1	1
	F	4			2							2					
15. Surgical operations	M	13	1	1		1	1		3	3			1		2	1	
	F	22						1	3	5	4	2	5	1		1	
16. Wounds	M	13			1	2			1			2	2			2	3
	F	2	1	1		1											
17. Other accidents and injuries.	M	231	8	17	7	4	8	15	16	19	25	23	28	16	15	13	25
	F	51	6	10	5	4	2		5		5	5	1	4	1	3	6

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	126,822	21,029	35,387	3,556	1,831	3,377	6,849	8,577	7,687	8,128	7,917	7,818	7,086	6,151	6,369	15,489
Males	62,774	12,065	18,947	1,780	875	1,592	3,427	4,394	3,965	4,140	4,119	4,045	3,581	2,922	2,795	6,192
Females	64,048	9,864	16,440	1,776	956	1,785	3,422	4,183	3,722	3,988	3,798	3,773	4,105	3,229	3,574	9,297
Unknown causes	183	22	25	5	1	4	8	17	11	8	13	13	12	18	11	37
Males	92	13	16	2	1	.....	2	10	9	5	7	8	5	9	4	14
Females	91	9	9	3	.....	4	6	7	2	3	6	5	7	9	7	23
I.—General diseases: General diseases—A	21,123	5,876	12,498	1,719	467	443	713	678	483	468	423	482	522	453	512	1,262
Males	10,242	3,081	6,390	819	209	193	356	348	242	222	196	212	221	186	182	466
Females	10,881	2,795	6,108	900	258	250	357	330	241	246	227	270	301	267	330	796
1. Smallpox M	57	4	10	1	.....	2	10	10	10	5	3	6	.....	.....	.....	.....
1. Smallpox F	23	3	5	2	1	1	3	3	2	.....	1	4	1	.....	.....	.....
2. Measles M	460	110	420	28	3	1	2	5	1	.....	.....	.....	.....	.....	.....	.....
2. Measles F	472	99	422	38	5	4	.....	1	.....	.....	.....	1	1	.....	.....	.....
3. Scarlet fever M	850	52	610	166	30	9	8	9	4	3	2	.....	.....	.....	.....	.....
3. Scarlet fever F	880	49	585	204	37	18	14	10	2	5	.....	3	1	.....	.....	1
4. Diphtheria M	1,833	120	1,332	407	51	12	13	6	3	2	4	.....	.....	.....	.....	3
4. Diphtheria F	1,852	88	1,253	470	79	15	8	8	1	4	2	4	1	.....	2	5
5. Whooping cough M	430	205	413	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
5. Whooping cough F	540	231	506	28	1	.....	1	2	.....	.....	.....	.....	.....	.....	1	1
6. Fever M	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
6. Fever F	6	1	1	.....	.....	.....	1	.....	.....	.....	.....	2	1	1	.....	.....
7. Cerebro-spinal fever M	214	51	122	28	10	10	6	8	3	5	7	5	5	1	2	2
7. Cerebro-spinal fever F	235	51	130	31	14	17	8	2	7	7	4	3	3	3	4	2
8. Typhoid fever M	709	.....	16	22	27	75	177	127	78	51	43	26	24	15	15	13
8. Typhoid fever F	627	.....	12	15	27	81	142	92	67	54	35	28	26	12	17	19
9. Diarrhœal diseases M	2,822	1,141	1,541	89	31	30	58	81	66	81	68	98	128	113	107	331
9. Diarrhœal diseases F	3,206	963	1,375	57	44	37	70	92	82	91	116	148	187	175	235	587
10. Cholera infantum M	1,675	1,287	1,675	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10. Cholera infantum F	1,598	1,202	1,598	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Malarial fever M	696	26	127	52	48	44	59	65	51	35	36	34	32	35	24	54
11. Malarial fever F	830	19	107	46	41	65	72	81	49	49	42	53	49	47	43	86
12. Erysipelas M	187	40	44	4	2	.....	4	10	13	13	16	24	14	9	11	23
12. Erysipelas F	183	45	54	1	4	6	13	1	7	9	9	11	14	15	12	27
13. Septicæmia M	87	2	11	3	4	6	8	8	3	10	2	8	9	5	6	4
13. Septicæmia F	113	4	8	6	1	4	13	22	14	12	7	5	5	5	5	6
14. Venereal diseases M	113	36	41	1	.....	2	7	13	8	14	6	6	5	2	6	2
14. Venereal diseases F	82	31	34	.....	1	.....	7	9	6	11	7	1	3	1	.....	2
15. Others of this group M	106	7	19	1	3	2	3	5	2	3	9	5	4	6	11	33
15. Others of this group F	144	9	18	2	3	2	5	7	4	4	4	7	9	8	11	60
General diseases—B	1,663	446	481	10	2	8	47	164	171	188	176	116	121	70	54	55
Males	1,084	235	252	7	2	6	32	114	125	142	116	83	82	50	35	38
Females	579	211	229	3	.....	2	15	50	46	46	60	33	39	20	19	17
1. Parasitic diseases M	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Parasitic diseases F	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Alcoholism M	754	1	2	1	2	2	31	104	119	132	114	78	73	45	20	22
2. Alcoholism F	299	.....	.....	.....	.....	.....	8	45	41	42	55	30	28	19	11	11
3. Lead poison M	24	.....	.....	.....	.....	2	.....	4	4	5	2	1	2	2	1	1
3. Lead poison F	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4. Other poisons M	41	5	9	3	.....	1	.....	5	1	5	.....	3	6	2	2	4
4. Other poisons F	43	4	12	1	.....	2	7	2	3	4	4	2	5	.....	1	.....
5. Inanition M	262	229	239	2	.....	1	1	1	1	.....	.....	1	1	1	3	11
5. Inanition F	242	207	215	1	.....	.....	.....	2	2	.....	1	1	6	1	7	6
General diseases—C	11,666	8,220	8,530	26	9	11	17	18	17	23	28	28	54	68	194	2,643
Males	5,834	4,672	4,823	12	3	4	8	6	4	11	11	10	18	20	61	843
Females	5,832	3,548	3,707	14	6	7	9	12	13	12	17	18	36	48	133	1,800
1. Premature birth M	754	754	754	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Premature birth F	621	621	621	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn M	2,909	2,909	2,909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn F	2,064	2,064	2,064	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation M	108	103	105	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation F	87	84	87	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Debility and atrophy M	1,529	906	1,055	10	3	4	7	6	4	11	11	10	18	20	43	327
4. Debility and atrophy F	1,873	779	935	14	6	7	9	12	13	12	17	18	36	48	71	675
5. Old age M	534	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	516
5. Old age F	1,187	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	62	1,125

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	28,740	753	1,536	232	342	1,458	3,317	3,893	3,289	3,127	2,744	2,351	1,920	1,407	1,246	1,878
Males	13,998	419	827	114	117	625	1,606	1,929	1,683	1,544	1,361	1,199	902	705	571	815
Females	14,742	334	709	118	225	833	1,711	1,964	1,606	1,583	1,383	1,152	1,018	702	675	1,063
1. Rheumatism M	297	.....	5	10	15	14	12	24	26	22	23	34	24	16	20	52
1. Rheumatism F	395	1	6	12	20	10	11	14	21	26	31	43	43	31	47	80
2. Scrofula and tabes M	106	58	77	3	3	4	1	.....	2	4	.....	2	1	.....	3	6
2. Scrofula and tabes F	106	48	76	4	3	1	1	4	3	3	1	2	.....	3	3	2
3. Leprosy M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M	11,980	96	200	46	76	596	1,571	1,867	1,605	1,453	1,269	1,037	732	557	433	538
4. Consumption F	11,544	82	183	55	184	796	1,652	1,875	1,489	1,357	1,091	798	647	415	392	610
5. Hydrocephalus M	610	245	506	42	17	4	6	9	6	3	6	4	4	.....	2	1
5. Hydrocephalus F	494	192	418	35	8	7	7	6	2	1	5	2	1	1	1	.....
6. Cancer M	737	1	3	2	2	1	5	16	26	30	51	92	115	105	100	180
6. Cancer F	1,835	.....	4	4	2	4	16	44	70	172	233	268	286	222	204	306
7. Tumor M	60	1	2	2	1	1	3	3	5	7	3	7	7	7	3	9
7. Tumor F	76	.....	.....	.....	1	1	3	5	6	7	8	15	12	7	3	8
8. Anæmia M	46	9	10	1	.....	1	4	1	3	4	1	8	2	5	2	4
8. Anæmia F	77	.....	5	2	1	8	12	4	6	6	5	1	6	6	3	12
9. Dropsy M	41	.....	4	1	2	1	1	3	.....	4	1	4	6	3	3	8
9. Dropsy F	90	2	4	2	2	3	.....	.....	4	6	6	10	8	6	10	20
10. Diabetes M	84	.....	.....	1	1	2	2	6	8	7	6	11	10	11	4	15
10. Diabetes F	86	1	2	1	3	2	5	7	5	3	2	10	13	9	10	14
11. Others of this group M	35	8	10	6	.....	1	1	.....	2	1	1	.....	1	1	.....	2
11. Others of this group F	38	8	11	3	1	1	4	5	.....	2	1	3	2	1	2	2
12. Others of this class M	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
12. Others of this class F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
II.—Diseases of the nervous system	10,945	2,165	3,640	320	171	179	237	273	331	449	543	650	745	684	785	1,038
Males	5,402	1,213	1,981	176	87	96	118	144	173	238	280	322	323	287	353	824
Females	5,543	952	1,659	144	84	83	119	129	158	211	263	328	422	397	432	1,114
1. Inflammation of the brain M	1,362	353	793	109	53	36	41	33	38	45	45	39	47	25	25	33
1. Inflammation of the brain F	1,134	285	676	76	49	33	31	24	33	44	24	47	23	20	14	40
2. Apoplexy M	1,405	15	25	5	.....	8	14	37	47	79	110	145	162	145	201	427
2. Apoplexy F	1,776	12	19	1	4	10	18	31	50	65	128	151	230	230	247	502
3. Paralysis M	502	3	8	3	4	4	5	7	17	22	35	39	40	53	54	211
3. Paralysis F	643	2	8	5	2	2	3	12	16	19	33	52	65	74	86	266
4. Tetanus and trismus nascentium M	155	87	87	5	8	9	6	13	6	3	3	9	.....	2	2	3
4. Tetanus and trismus nascentium F	58	48	49	1	.....	.....	1	3	.....	.....	1	2	1	.....	.....	.....
5. Epilepsy M	130	9	12	5	8	21	16	8	7	7	7	11	7	5	7	9
5. Epilepsy F	155	5	14	8	5	16	22	9	8	10	11	10	6	9	10	18
6. Convulsions M	798	566	760	20	3	1	3	3	1	.....	.....	2	.....	2	1	2
6. Convulsions F	716	470	663	23	3	3	5	4	4	2	2	1	2	.....	2	2
7. Mental diseases M	91	.....	.....	.....	.....	3	1	6	6	17	7	6	11	6	6	22
7. Mental diseases F	177	.....	.....	.....	1	1	9	13	10	14	21	13	14	16	20	45
8. Diseases of the brain M	787	173	281	24	9	9	25	25	40	51	55	52	42	38	38	98
8. Diseases of the brain F	686	127	217	26	15	13	10	16	17	31	30	35	59	39	40	120
9. Diseases of the spinal cord M	149	7	15	5	2	3	7	10	11	12	18	16	11	10	15	14
9. Diseases of the spinal cord F	153	3	12	3	2	3	8	14	18	18	12	15	17	7	9	15
10. Others of this class M	23	.....	.....	.....	.....	2	.....	2	.....	2	.....	3	3	1	4	6
10. Others of this class F	45	.....	1	1	3	3	3	3	2	8	1	2	5	2	4	7
III.—Diseases of the circulatory system	7,754	332	396	152	223	270	350	407	443	548	604	724	758	646	718	1,515
Males	3,464	189	225	65	84	131	171	181	214	233	314	329	329	280	285	623
Females	4,290	143	171	87	139	139	179	226	229	315	290	395	429	366	433	892
1. Angina pectoris M	67	.....	.....	.....	1	.....	2	3	2	3	7	14	4	6	11	14
1. Angina pectoris F	77	.....	.....	.....	.....	.....	4	5	4	9	9	12	6	3	9	16
2. Aneurism M	123	.....	.....	.....	.....	.....	2	8	11	21	17	18	16	11	11	8
2. Aneurism F	61	.....	.....	.....	.....	2	2	2	5	7	6	6	7	7	7	10
3. Diseases of the heart M	3,100	34	66	65	83	130	167	170	201	209	288	297	306	262	261	595
3. Diseases of the heart F	3,991	23	47	87	139	137	172	216	217	293	273	372	415	354	412	857
4. Others of this class M	174	155	159	.....	.....	1	.....	.....	.....	.....	2	.....	3	1	2	6
4. Others of this class F	161	120	124	.....	.....	.....	1	3	3	6	2	5	1	2	5	9

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.		22,905	3,344	6,834	660	223	430	822	1,200	1,102	1,249	1,353	1,402	1,536	1,295	1,395	3,404
Males		11,727	1,829	3,646	341	106	220	490	736	662	724	772	778	750	639	619	1,264
Females		11,178	1,515	3,188	319	117	210	332	464	440	525	581	624	786	676	776	2,140
1. Croup	M	835	89	672	142	9	4	1	1	1	2	2	.....	.....	.....	1	.....
	F	758	75	606	124	8	2	4	1	2	1	2	2	4	.....	2	.....
2. Laryngitis	M	132	20	85	15	3	3	1	5	3	6	2	3	3	2	.....	1
	F	125	12	85	16	1	.....	4	2	3	3	2	2	2	2	.....	3
3. Bronchitis	M	2,583	805	1,190	33	8	23	56	65	48	58	87	91	125	120	173	506
	F	3,313	703	1,076	36	12	33	47	84	65	67	119	125	186	190	261	1,012
4. Pneumonia	M	7,101	672	1,413	139	77	165	393	608	559	589	610	617	536	442	375	620
	F	6,040	538	1,186	131	85	156	248	332	333	409	414	445	522	427	444	908
5. Pleurisy	M	303	13	21	1	4	16	21	33	28	31	28	23	35	15	18	29
	F	232	6	19	6	4	9	13	23	15	24	16	16	13	23	14	37
6. Asthma	M	100	1	1	.....	.....	.....	.....	.....	2	8	5	13	10	10	15	36
	F	156	2	4	.....	.....	1	1	4	3	4	9	14	19	9	17	71
7. Others of this class	M	613	229	264	11	5	9	18	24	21	30	29	31	41	30	37	63
	F	554	179	212	6	7	9	15	18	19	17	19	20	40	25	38	109
V.—Diseases of the digestive system		5,453	496	759	61	89	123	230	317	350	415	466	559	553	436	402	603
Males		2,419	267	410	30	53	61	96	144	143	158	213	244	219	187	166	295
Females		3,034	229	349	31	36	62	134	173	207	257	253	315	334	249	236	308
1. Dentition	M	129	73	129	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F	108	51	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina	M	37	8	22	4	3	.....	1	2	.....	1	.....	1	1	1	.....	1
	F	22	2	10	5	2	.....	1	.....	.....	1	1	1	.....	.....	.....	1
3. Diseases of the stomach	M	456	43	74	7	6	4	15	27	35	28	37	49	43	38	28	65
	F	619	53	82	6	6	16	31	38	43	52	39	62	71	43	62	98
4. Obstruction of the bowels	M	127	13	20	3	5	3	2	11	6	6	12	12	15	9	6	17
	F	139	11	15	1	5	4	6	6	9	10	10	12	14	14	9	24
5. Hernia	M	122	11	11	.....	1	2	4	7	4	5	7	9	13	9	18	32
	F	136	.....	.....	.....	.....	.....	.....	4	4	7	11	17	15	22	23	33
6. Other diseases of the bowels.	M	17	4	7	.....	.....	1	1	.....	.....	1	.....	2	.....	1	3	1
	F	16	4	5	1	.....	.....	.....	2	.....	1	1	.....	4	.....	.....	2
7. Jaundice	M	36	16	17	.....	.....	.....	.....	.....	.....	2	4	2	2	1	3	5
	F	63	20	21	.....	.....	.....	1	.....	3	1	3	3	8	2	7	14
8. Inflammation and abscess of the liver.	M	172	6	8	2	2	.....	9	10	18	22	21	19	13	13	10	25
	F	266	1	4	2	1	.....	5	14	16	23	25	38	46	30	23	39
9. Other diseases of the liver.	M	753	3	6	1	3	6	18	42	51	66	97	111	104	87	64	97
	F	862	2	2	2	1	4	15	38	69	97	107	136	117	92	72	110
10. Peritonitis	M	373	22	30	10	27	38	38	38	25	22	21	30	17	21	25	31
	F	554	15	20	11	18	33	70	62	56	59	43	36	43	32	26	45
11. Ascites	M	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	1	.....
	F	12	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	.....	.....	2	4
12. Others of this class	M	191	68	86	3	6	7	8	7	3	5	14	8	9	6	8	21
	F	207	70	82	3	3	5	5	8	6	5	13	7	16	14	12	28
VI.—Diseases of the urinary system and male organs of generation.		9,051	37	157	122	83	162	338	597	732	862	999	970	1,029	752	776	1,562
Males		4,257	21	90	53	43	71	149	274	337	421	408	491	442	355	359	764
Females		4,794	16	67	69	40	91	189	323	395	441	591	479	587	397	417	798
1. Bright's disease	M	2,165	.....	.....	19	15	33	74	136	181	232	206	267	251	201	187	363
	F	2,593	.....	.....	23	21	50	99	154	210	239	275	275	331	231	230	455
2. Calculus, urinary	M	6	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	2	.....
	F	8	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	1	.....	1	1
3. Diseases of the kidney	M	1,807	16	84	34	24	34	69	130	144	173	186	215	173	136	133	272
	F	2,079	13	63	44	18	38	82	151	174	192	220	192	246	159	178	322
4. Diseases of the bladder	M	154	1	1	.....	1	2	1	4	3	5	6	6	14	11	25	75
	F	41	1	1	.....	.....	1	1	7	1	3	1	2	3	4	5	12
5. Others of this class	M	125	4	5	.....	3	.....	5	4	7	11	10	3	4	7	12	54
	F	73	2	3	2	1	2	7	10	8	7	4	9	6	3	3	8
VII.—Diseases of the female organs of generation.		245	1	1	.....	.....	7	13	28	37	39	25	35	22	9	12	17
1. Ovarian tumors		61	.....	.....	.....	.....	.....	1	1	7	7	7	15	9	4	2	8
2. Ovarian diseases		21	.....	.....	.....	.....	.....	.....	3	2	5	2	3	2	1	1	2
3. Uterine tumors		47	.....	.....	.....	.....	.....	1	4	2	8	3	10	7	2	6	4
4. Uterine diseases		29	.....	.....	.....	.....	.....	5	8	3	4	4	4	.....	.....	1	.....
5. Others of this class		87	1	1	.....	.....	7	6	12	23	15	9	3	4	2	2	3
VIII.—Affections connected with pregnancy.		1,212	.....	.....	.....	1	37	265	371	245	206	74	9	2	1	.....	1
1. Abortion		80	.....	.....	.....	.....	1	16	24	23	13	3	.....	.....	.....	.....	.....
2. Childbirth		321	.....	.....	.....	.....	8	56	85	65	65	39	3	.....	.....	.....	.....
3. Puerperal septicæmia		648	.....	.....	.....	1	18	153	217	119	105	28	6	.....	1	.....	.....
4. Extra-uterine pregnancy		2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
5. Others of this class		161	.....	.....	.....	.....	10	40	45	36	23	4	.....	2	.....	.....	1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints		319	6	29	61	46	18	25	27	16	16	18	19	11	8	7	18
Males		167	2	15	25	25	10	16	18	7	12	7	8	7	6	4	7
Females		152	4	14	36	21	8	9	9	9	4	11	11	4	2	3	11
1. Diseases of the spine	M.	84	2	12	14	12	5	10	11	1	4	1	5	5	1		3
	F.	75	4	11	22	8	2	5	5	4	1	6	5			1	5
2. Diseases of the bones	M.	45		1	4	5	2	4	4	6	3	5	2	1	1	3	4
	F.	33			5	3	2	3	1	3	2	3	2	1	1	2	5
3. Diseases of the hip joint	M.	24		2	7	7	3	1	3		1						
	F.	29		2	9	9	3	1	1	1	1		1	1			
4. Others of this class	M.	14				1		1			4	1	1	1	4	1	
	F.	15		1		1	1		2	1		2	3	2	1		1
X.—Diseases of the skin		241	35	54	1	6	7	14	7	11	11	14	14	19	17	15	51
Males		106	18	32	1	2	3	6	4	6	3	8	6	6	5	6	18
Females		135	17	22		4	4	8	3	5	8	6	8	13	12	9	33
1. Abscess	M.	61	12	24	1	2	3	3	3	3	3	5	2	4	1	2	5
	F.	74	10	13		4	4	7	3	3	5	4	4	4	6	1	16
2. Carbuncle	M.	13								2		3	1	2	2	2	1
	F.	23	1	1						1	1		1	4	6	4	5
3. Others of this class	M.	32	6	8				3	1	1			3		2	2	12
	F.	38	6	8				1		1	2	2	3	5		4	12
XI.—Diseases of the absorbent system		39	1	8	2	1	1	1	3	2	3	6	6	3			3
Males		19	1	4	1		1			1		3	5	1			3
Females		20		4	1	1		1	3	1	3	3	1	2			
1. Addison's disease	M.	5					1					2	2				
	F.	7				1			2	1	1	1		1			
2. Diseases of the spleen	M.	4		1								1	1				1
	F.	5		2							1	1		1			
3. Others of this class	M.	10	1	3	1					1			2	1			2
	F.	8		2	1			1	1		1	1	1				
XII.—Accidents and injuries		5,283	195	439	185	167	219	452	577	447	516	521	440	379	287	242	412
Males		3,963	105	236	134	143	171	377	486	359	427	423	350	276	213	150	218
Females		1,320	90	203	51	24	48	75	91	88	89	98	90	103	74	92	194
1. Burns and scalds	M.	137	2	50	5		6	10	13	6	9	8	6	4	5	9	6
	F.	108	4	35	9	8	14	14	16	16	9	7	14	17	5	10	24
2. Drowned	M.	537	1	8	45	41	29	57	65	45	53	47	54	26	27	14	26
	F.	59		11	7	3	7	4	2	1	5	6		3	2	3	5
3. Exposure and neglect	M.	12						2	1		2	1	1	1	2	2	
	F.	3								1		1		1			
4. Gunshot wounds	M.	35			2	7	6	5	1	4	2	2	3	1	1	1	
	F.	2					1					1					
5. Homicide	M.	130				3	8	34	22	12	12	13	12	6	3	3	2
	F.	27	1	1	1	1	1	3	4	2	7	3	2	1		1	
6. Infanticide	M.	1	1	1													
	F.																
7. Injuries by machinery	M.	14				1		1	1	2	2	1	3	2			1
	F.																
8. Railroad accidents	M.	422		3	10	21	22	68	62	32	38	49	30	25	17	21	24
	F.	36		2	1	1		3	1	1	5	4	2		3	6	7
9. Suffocation	M.	157	51	57	5		3	6	18	13	9	13	9	10	6	4	4
	F.	110	53	60	3	1	7	10	3	7	3	1	3	2	1	4	5
10. Suicide by shooting	M.	54				1	1	7	5	11	4	4	6	6	3	2	4
	F.	2						1		1							
11. Suicide by drowning	M.	6						3	2						1		
	F.	4						1				2	1				
12. Suicide by poison	M.	49		1			3	2	4	3	5	10	1	3	8	2	7
	F.	54					2	5	9	8	4	3	5	6	4	3	5
13. Other suicides	M.	78					2	3	11	7	7	9	15	10	8	2	4
	F.	21						1	2	3	5	1	1	3	2	1	2
14. Sunstroke	M.	360	12	14	3	1	6	42	54	50	51	53	33	22	12	6	13
	F.	87	7	12	1		1	4	5	5	6	9	4	11	9	3	17
15. Surgical operations	M.	56	5	8	2	3			5	5	4	8		5	9	4	3
	F.	33	2	3	1	1	1	12	14	8	12	7	7	3	4	6	4
16. Wounds	M.	76		1	6	6	7	7	8	4	8	8	5	5	4	3	4
	F.	22	1	1		1		2	2	1	1	3	2	3	3		3
17. Other accidents and injuries.	M.	1,839	33	93	56	59	78	130	214	165	221	197	172	150	107	77	120
	F.	612	22	78	28	8	14	15	33	34	32	50	49	53	41	55	122

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	97,701	28,621	42,372	3,444	1,322	2,243	3,705	4,530	4,426	4,389	4,220	4,116	4,265	4,282	4,373	10,014
Males	54,639	15,766	22,894	1,774	674	1,199	1,884	2,475	2,600	2,728	2,687	2,700	2,657	2,614	2,533	5,220
Females	43,062	12,855	19,478	1,670	648	1,044	1,821	2,055	1,826	1,661	1,533	1,416	1,608	1,668	1,840	4,794
Unknown causes	184	40	51	3	4	3	7	7	6	10	6	12	13	10	19	33
Males	113	19	28	1	1	1	6	3	2	4	4	9	10	9	13	22
Females	71	21	23	2	3	2	1	4	4	6	2	3	3	1	6	11
I.—General diseases: General diseases—A	22,226	9,643	16,169	1,741	376	388	434	410	353	308	263	261	261	253	293	716
Males	11,584	5,158	8,425	852	182	200	234	229	190	170	157	151	149	142	161	342
Females	10,642	4,485	7,744	889	194	188	200	181	163	138	106	110	112	111	132	374
1. Smallpox M	43	10	21	6	1	1	2	3	1	1	1	1	3	1	.....	1
1. Smallpox F	42	7	17	6	2	3	3	2	2	2	.....	3	1	1	.....	.....
2. Measles M	391	108	360	27	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	1
2. Measles F	384	90	348	30	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
3. Scarlet fever M	747	42	501	185	33	10	8	6	.....	2	.....	.....	1	.....	.....	1
3. Scarlet fever F	820	42	573	191	29	7	7	3	6	2	.....	1	1	.....	.....	.....
4. Diphtheria M	2,053	137	1,466	486	45	24	11	2	2	3	4	.....	2	2	1	5
4. Diphtheria F	2,004	122	1,404	529	70	26	13	4	7	3	.....	1	1	2	.....	4
5. Whooping cough M	348	202	344	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
5. Whooping cough F	436	187	423	8	1	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....
6. Fever M	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
6. Fever F	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1
7. Cerebro-spinal fever M	201	44	107	27	8	11	4	8	5	9	5	6	2	2	6	1
7. Cerebro-spinal fever F	128	25	81	17	8	8	4	2	2	2	.....	.....	.....	.....	1	3
8. Typhoid fever M	724	3	19	30	35	94	135	116	74	65	37	34	28	20	22	15
8. Typhoid fever F	522	2	10	30	33	87	89	64	41	35	25	27	21	19	16	16
9. Diarrheal diseases M	3,671	2,353	2,888	56	33	28	32	33	46	44	42	53	58	71	73	214
9. Diarrheal diseases F	3,197	1,984	2,437	38	25	20	30	40	47	46	37	40	50	57	76	254
10. Cholera infantum M	2,451	2,078	2,450	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
10. Cholera infantum F	2,208	1,871	2,208	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Malarial fever M	444	24	89	24	18	15	27	34	33	22	35	28	27	20	26	46
11. Malarial fever F	437	25	76	34	20	30	35	41	36	29	23	17	17	14	20	45
12. Erysipelas M	213	61	65	3	2	9	6	11	11	16	16	15	15	13	14	17
12. Erysipelas F	150	64	74	2	.....	3	4	4	4	4	4	11	7	8	6	19
13. Septicæmia M	84	7	16	2	4	5	4	4	6	4	6	3	8	7	6	9
13. Septicæmia F	99	11	17	3	1	1	10	14	12	9	10	6	9	3	2	2
14. Venereal diseases M	120	76	80	.....	.....	.....	3	7	8	3	6	2	2	2	3	4
14. Venereal diseases F	66	47	53	.....	.....	2	1	2	2	.....	.....	.....	2	2	.....	2
15. Others of this group M	92	13	19	4	2	3	2	2	4	1	4	9	3	4	8	27
15. Others of this group F	86	8	14	1	2	1	3	4	2	3	6	4	3	5	10	28
General diseases—B	895	429	455	3	2	7	18	46	62	66	62	71	33	31	17	22
Males	618	227	241	.....	2	2	14	36	54	60	56	67	32	25	12	17
Females	277	202	214	3	.....	5	4	10	8	6	6	4	1	6	5	5
1. Parasitic diseases M	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
1. Parasitic diseases F	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Alcoholism M	305	.....	.....	.....	1	.....	10	32	46	54	50	52	26	17	7	10
2. Alcoholism F	31	.....	.....	.....	.....	.....	.....	9	4	5	3	2	.....	4	2	2
3. Lead poison M	13	.....	.....	.....	.....	.....	1	1	2	2	3	2	1	1	.....	.....
3. Lead poison F	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
4. Other poisons M	54	1	7	.....	.....	1	3	3	6	4	1	11	5	6	4	3
4. Other poisons F	27	2	5	2	.....	4	3	1	4	1	2	.....	1	2	1	1
5. Inanition M	244	226	234	.....	.....	1	.....	.....	.....	.....	2	2	.....	.....	1	4
5. Inanition F	214	199	206	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	2	2
General diseases—C	11,687	9,846	10,081	18	7	10	8	10	10	13	17	14	27	37	85	1,350
Males	6,343	5,535	5,647	11	.....	3	3	5	4	9	9	6	11	21	45	569
Females	5,344	4,311	4,434	7	7	7	5	5	6	4	8	8	16	16	40	781
1. Premature birth M	656	656	656	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Premature birth F	453	452	453	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn M	3,574	3,574	3,574	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn F	2,752	2,752	2,752	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation M	82	78	81	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
3. Malformation F	77	70	74	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
4. Debility and atrophy M	1,709	1,227	1,336	11	.....	3	3	5	4	9	9	5	11	21	32	260
4. Debility and atrophy F	1,648	1,037	1,155	5	7	7	5	5	5	4	8	8	16	16	31	376
5. Old age M	322	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	309
5. Old age F	414	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	405

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FOR EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	17,737	1,074	1,845	190	151	782	1,659	2,082	1,920	1,665	1,528	1,287	1,232	1,079	936	1,381
Males	10,272	593	1,020	101	65	395	889	1,101	1,184	1,027	963	809	748	630	527	723
Females	7,465	481	825	89	86	387	770	891	736	638	565	478	484	449	409	658
1. Rheumatism M	256	2	10	15	9	14	10	15	15	15	17	20	25	19	23	40
1. Rheumatism F	155	5	8	7	9	9	13	8	10	10	6	10	10	12	7	36
2. Scrofula and tabes M	142	93	123	3	1	.....	.....	1	2	2	2	.....	.....	4	2	2
2. Scrofula and tabes F	118	79	107	.....	1	.....	1	3	2	.....	.....	1	.....	.....	1	2
3. Leprosy M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M	7,804	101	198	30	36	354	853	1,142	1,122	940	831	651	550	411	311	375
4. Consumption F	4,824	92	169	42	61	365	729	843	656	499	374	269	227	194	154	242
5. Hydrocephalus M	739	363	631	44	13	5	4	8	4	9	4	3	6	2	1	5
5. Hydrocephalus F	569	287	509	33	7	1	1	1	.....	2	2	2	1	2	2	6
6. Cancer M	951	1	5	1	1	8	10	11	23	41	85	96	132	161	148	229
6. Cancer F	1,474	1	2	1	1	3	12	27	53	108	170	176	209	209	210	293
7. Tumor M	61	.....	2	1	.....	3	3	5	6	6	3	6	7	5	3	11
7. Tumor F	57	.....	1	1	1	2	4	2	2	3	3	7	8	6	5	12
8. Anæmia M	32	4	9	2	.....	3	1	1	1	1	1	5	2	1	2	3
8. Anæmia F	41	5	5	3	2	4	4	2	4	4	1	4	1	2	1	4
9. Dropsy M	70	8	11	3	1	3	1	3	1	5	4	3	6	6	6	17
9. Dropsy F	66	1	5	2	1	2	.....	1	2	5	4	1	6	3	7	27
10. Diabetes M	151	1	1	.....	3	3	5	4	9	6	11	21	16	18	26	28
10. Diabetes F	122	2	2	.....	1	1	4	3	3	5	5	5	18	21	20	34
11. Others of this group M	65	20	30	2	1	2	2	1	1	2	5	3	4	3	5	4
11. Others of this group F	37	9	17	.....	2	.....	2	1	4	2	.....	3	2	.....	2	2
12. Others of this class M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12. Others of this class F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
II.—Diseases of the nervous system	9,250	2,933	4,295	251	120	127	133	166	234	277	317	368	466	544	573	1,439
Males	5,295	1,680	2,340	126	56	64	68	103	160	101	219	240	295	314	332	787
Females	3,955	1,253	1,895	125	64	63	65	63	74	86	98	128	171	230	241	652
1. Inflammation of the brain M	1,290	488	852	72	28	25	27	33	36	35	34	34	30	32	19	42
1. Inflammation of the brain F	1,010	358	723	78	37	25	11	23	20	8	16	14	14	8	15	27
2. Apoplexy M	1,365	7	15	3	2	5	8	28	50	65	97	106	150	140	212	475
2. Apoplexy F	1,002	6	16	4	1	7	15	9	20	21	36	66	97	156	154	400
3. Paralysis M	365	8	14	4	4	4	4	4	17	27	25	32	36	42	42	110
3. Paralysis F	269	6	10	7	4	3	5	6	7	9	8	13	21	26	34	116
4. Tetanus and trismus nascentium M	120	89	91	3	6	4	3	.....	3	1	2	3	.....	2	.....	2
4. Tetanus and trismus nascentium F	84	69	69	.....	2	1	1	.....	.....	4	.....	3	.....	2	1	1
5. Epilepsy M	99	7	12	8	4	9	13	6	10	9	4	2	5	6	1	10
5. Epilepsy F	77	6	11	4	7	13	8	3	5	7	2	3	4	4	2	4
6. Convulsions M	1,156	923	1,124	13	3	2	.....	2	5	1	1	1	1	.....	1	2
6. Convulsions F	941	714	904	17	3	2	2	3	4	2	1	.....	1	.....	.....	2
7. Mental diseases M	89	.....	.....	.....	1	1	3	6	6	10	13	11	10	7	8	13
7. Mental diseases F	94	.....	.....	.....	1	3	6	3	4	12	16	14	11	6	4	14
8. Diseases of the brain M	597	149	217	20	6	11	7	20	21	24	27	30	44	43	30	97
8. Diseases of the brain F	351	93	154	9	8	6	10	6	6	14	10	6	12	14	19	77
9. Diseases of the spinal cord M	187	9	14	3	1	2	2	4	9	16	14	20	19	32	19	32
9. Diseases of the spinal cord F	88	1	8	4	.....	2	4	5	5	9	7	6	10	12	8	8
10. Others of this class M	18	.....	1	.....	1	1	1	.....	3	3	2	1	.....	1	.....	4
10. Others of this class F	30	.....	.....	2	1	1	3	5	3	.....	2	3	1	2	4	3
III.—Diseases of the circulatory system	5,769	309	387	113	164	198	193	241	315	352	384	449	531	576	635	1,231
Males	3,165	164	215	53	67	107	97	123	185	212	234	270	313	331	334	624
Females	2,604	145	172	60	97	91	96	118	130	140	150	179	218	245	301	607
1. Angina pectoris M	78	.....	.....	.....	.....	.....	.....	.....	3	3	8	11	14	12	8	19
1. Angina pectoris F	47	.....	.....	.....	1	.....	1	3	2	3	5	4	4	3	12	9
2. Aneurism M	95	.....	.....	.....	.....	1	3	4	10	12	13	8	15	14	7	8
2. Aneurism F	33	.....	.....	.....	.....	.....	.....	1	2	3	2	7	3	4	3	8
3. Diseases of the heart M	2,831	35	81	52	67	106	94	118	171	195	212	250	280	302	317	586
3. Diseases of the heart F	2,367	30	49	60	96	90	91	112	125	133	142	166	208	234	279	582
4. Others of this class M	161	129	134	1	.....	.....	.....	1	1	2	1	1	4	3	2	11
4. Others of this class F	157	115	123	.....	.....	1	4	2	1	1	1	2	3	4	7	3

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	15,494	3,367	7,480	708	170	240	370	477	486	558	513	561	594	673	745	1,010
Males	8,777	1,855	4,060	380	85	138	222	295	290	394	345	397	363	429	418	961
Females	6,717	1,512	3,420	328	85	111	148	182	196	164	168	164	231	244	327	949
1. Croup M.	1,187	143	997	160	7	2	1	2	1	2	5	3	.....	2	1	4
1. Croup F.	972	97	800	140	12	3	1	.....	.....	1	2	3	3	.....	3	4
2. Laryngitis M.	176	27	110	17	2	3	1	3	6	11	5	5	2	5	2	4
2. Laryngitis F.	110	17	88	13	1	.....	1	2	1	1	.....	.....	2	.....	.....	1
3. Bronchitis M.	1,788	702	1,029	25	6	6	18	17	23	23	36	41	55	63	90	356
3. Bronchitis F.	1,532	585	895	31	4	5	7	15	9	11	18	22	37	48	90	340
4. Pneumonia M.	4,819	753	1,649	156	60	112	180	244	230	325	256	299	258	320	257	473
4. Pneumonia F.	3,511	622	1,407	137	62	91	124	148	172	134	126	120	158	166	194	472
5. Pleurisy M.	226	11	32	10	5	9	17	17	16	18	19	10	11	10	21	31
5. Pleurisy F.	127	12	26	5	2	8	7	11	8	6	5	6	5	7	4	27
6. Asthma M.	87	2	4	.....	.....	.....	.....	2	1	2	5	7	10	9	12	35
6. Asthma F.	83	5	6	.....	.....	1	.....	1	.....	3	2	5	4	10	11	40
7. Others of this class M.	494	217	230	12	5	6	5	10	13	13	19	32	27	20	35	58
7. Others of this class F.	382	174	198	2	4	3	8	5	6	8	15	8	22	13	25	65
V.—Diseases of the digestive system	4,185	655	904	94	102	123	164	188	194	244	277	321	347	319	348	560
Males	2,316	358	492	56	57	80	68	80	90	126	161	204	201	191	207	303
Females	1,869	297	412	38	45	43	96	108	104	118	116	117	146	128	141	257
1. Dentition M.	136	32	136	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Dentition F.	148	96	148	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina M.	37	6	24	5	1	1	1	.....	2	.....	1	.....	.....	2	.....	.....
2. Angina F.	25	4	15	4	2	1	.....	1	.....	.....	1	.....	.....	.....	.....	1
3. Diseases of the stomach M.	358	81	108	12	1	8	12	4	12	23	14	19	30	25	33	57
3. Diseases of the stomach F.	313	80	103	7	4	5	13	11	14	13	9	19	19	15	27	54
4. Obstruction of the bowels M.	114	27	32	3	5	7	5	5	4	5	8	3	3	5	13	16
4. Obstruction of the bowels F.	103	13	19	1	2	.....	3	2	8	8	8	8	10	8	7	19
5. Hernia M.	129	8	8	.....	1	1	4	6	6	9	3	14	12	16	19	30
5. Hernia F.	113	1	1	.....	.....	.....	.....	2	3	6	8	18	16	16	18	25
6. Other diseases of the bowels M.	16	4	4	1	.....	.....	.....	1	.....	1	2	1	1	2	.....	3
6. Other diseases of the bowels F.	10	.....	1	.....	1	.....	1	1	.....	.....	1	1	2	.....	.....	2
7. Jaundice M.	52	41	42	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	3
7. Jaundice F.	37	19	20	.....	.....	.....	1	.....	.....	.....	1	1	6	1	2	5
8. Inflammation and abscess of the liver M.	172	3	6	1	2	3	3	5	14	13	13	22	18	24	20	28
8. Inflammation and abscess of the liver F.	134	1	2	.....	.....	.....	5	7	7	11	19	12	16	16	14	25
9. Other diseases of the liver M.	708	2	5	3	1	.....	3	20	29	50	95	110	112	92	90	92
9. Other diseases of the liver F.	310	1	3	2	.....	5	5	10	12	17	28	33	44	42	40	69
10. Peritonitis M.	363	21	31	27	34	44	31	32	19	13	16	24	20	18	14	40
10. Peritonitis F.	407	16	28	20	27	28	62	70	52	50	38	16	24	20	24	32
11. Ascites M.	18	1	1	.....	.....	.....	1	.....	.....	.....	1	2	1	1	2	4
11. Ascites F.	15	.....	.....	.....	.....	.....	2	.....	.....	2	.....	2	2	1	2	4
12. Others of this class M.	218	82	95	3	12	16	8	7	4	12	7	8	4	5	7	30
12. Others of this class F.	164	66	72	4	9	4	4	4	8	5	3	7	7	9	7	21
VI.—Diseases of the urinary system and male organs of generation.	4,705	66	214	108	59	81	155	261	263	343	403	415	452	488	538	1,015
Males	2,920	40	113	53	28	39	70	149	162	221	260	262	289	308	343	632
Females	1,866	26	101	55	31	42	85	112	101	122	143	153	163	180	195	383
1. Bright's disease M.	1,363	.....	.....	11	9	20	36	72	72	107	125	140	156	150	171	294
1. Bright's disease F.	928	.....	.....	16	13	20	37	54	57	63	72	77	89	107	118	205
2. Calculus, urinary M.	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1
2. Calculus, urinary F.	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
3. Diseases of the kidney M.	1,329	33	102	39	16	18	31	71	87	111	127	114	124	137	138	214
3. Diseases of the kidney F.	880	25	95	38	17	17	43	55	42	54	67	71	71	70	71	169
4. Diseases of the bladder M.	159	2	4	1	.....	1	1	1	2	2	4	4	6	19	21	93
4. Diseases of the bladder F.	28	1	2	.....	1	.....	4	1	.....	3	3	2	1	2	3	6
5. Others of this class M.	73	5	6	2	3	.....	2	5	1	1	4	4	2	2	11	30
5. Others of this class F.	26	.....	3	1	.....	5	1	2	2	2	.....	2	2	.....	3	3
VII.—Diseases of the female organs of generation.	169	.....	.....	1	.....	4	20	26	29	22	18	11	9	11	8	10
1. Ovarian tumors	41	.....	.....	.....	.....	.....	3	4	4	5	6	4	1	4	3	7
2. Ovarian diseases	21	.....	.....	.....	.....	.....	3	1	4	3	2	2	3	.....	1	2
3. Uterine tumors	25	.....	.....	.....	.....	.....	1	2	2	2	1	4	4	7	1	1
4. Uterine diseases	26	.....	.....	.....	.....	1	4	8	5	3	3	.....	1	.....	1	.....
5. Others of this class	56	.....	.....	1	.....	3	9	11	14	9	6	1	.....	.....	2	.....
VIII.—Affections connected with pregnancy.	1,040	.....	.....	.....	.....	46	252	284	208	150	89	8	1	1	.....	1
1. Abortion	93	.....	.....	.....	.....	2	15	24	25	19	8	.....	.....	.....	.....	.....
2. Childbirth	242	.....	.....	.....	.....	4	36	65	49	53	31	4	.....	.....	.....	.....
3. Puerperal septicæmia	589	.....	.....	.....	.....	33	173	167	115	61	34	3	1	1	.....	1
4. Extra-uterine pregnancy	5	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....
5. Others of this class	111	.....	.....	.....	.....	7	27	27	17	16	16	1	.....	.....	.....	.....

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	209	10	26	36	25	17	15	6	8	12	9	12	8	7	8	20
Males	117	4	14	21	14	9	8	3	7	7	5	9	5	5	5	5
Females	92	6	12	15	11	8	7	3	1	5	4	3	3	2	3	15
1. Diseases of the spine M	42	.....	6	10	5	3	4	1	1	3	1	2	4	.....	1	1
1. Diseases of the spine F	32	3	5	5	4	4	1	1	1	3	2	1	1	1	1	2
2. Diseases of the bones M	37	2	3	4	3	3	2	.....	3	1	3	4	1	4	3	3
2. Diseases of the bones F	30	1	1	4	3	2	3	1	.....	1	1	2	2	1	1	8
3. Diseases of the hip joint M	23	.....	1	5	6	3	2	1	1	2	1	1	.....	.....	.....	.....
3. Diseases of the hip joint F	17	1	4	5	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	1
4. Others of this class M	15	2	4	2	.....	.....	.....	1	2	1	.....	2	.....	1	1	1
4. Others of this class F	13	1	2	1	1	.....	1	1	.....	1	1	.....	.....	.....	1	4
X.—Diseases of the skin	253	78	93	5	2	3	12	12	6	7	11	12	21	18	21	30
Males	131	36	39	4	.....	2	8	3	3	.....	6	10	12	12	14	18
Females	122	42	54	1	2	1	4	9	3	7	5	2	9	6	7	12
1. Abscess M	61	15	17	2	.....	1	5	2	2	.....	4	4	4	8	7	5
1. Abscess F	69	20	26	.....	2	1	3	9	3	6	4	1	4	2	3	5
2. Carbuncle M	32	1	1	1	.....	1	2	1	1	.....	.....	4	6	4	5	6
2. Carbuncle F	11	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	1
3. Others of this class M	38	20	21	1	.....	.....	1	.....	.....	.....	2	2	2	.....	2	7
3. Others of this class F	42	21	26	1	.....	.....	1	.....	.....	1	1	.....	2	1	3	6
XI.—Diseases of the absorbent system	35	6	9	.....	.....	.....	1	.....	2	4	1	2	8	4	2	2
Males	18	3	5	.....	.....	.....	.....	.....	1	2	1	.....	6	.....	1	2
Females	17	3	4	.....	.....	.....	1	.....	1	2	.....	2	2	4	1	.....
1. Addison's disease M	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	1	1
1. Addison's disease F	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	2	.....	.....
2. Diseases of the spleen M	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
2. Diseases of the spleen F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
3. Others of this class M	7	3	3	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....
3. Others of this class F	10	3	4	.....	.....	.....	.....	.....	1	2	.....	.....	1	1	1	.....
XII.—Accidents and injuries	3,773	165	423	173	140	205	264	314	330	358	322	312	262	231	145	294
Males	2,961	94	255	116	117	159	197	255	268	305	267	266	223	197	121	215
Females	812	71	168	57	23	46	67	59	62	53	55	46	39	34	24	79
1. Burns and scalds M	143	6	77	10	2	4	4	10	7	7	6	4	4	5	1	2
1. Burns and scalds F	155	11	61	19	6	8	11	6	6	9	10	5	3	1	1	9
2. Drowned M	345	1	13	29	44	42	26	39	16	27	19	25	16	17	8	24
2. Drowned F	48	.....	5	.....	3	9	6	2	3	1	6	3	2	5	.....	3
3. Exposure and neglect M	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
3. Exposure and neglect F	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Gunshot wounds M	43	.....	.....	.....	6	5	7	5	6	4	.....	3	2	3	1	1
4. Gunshot wounds F	5	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	1	.....
5. Homicide M	61	1	1	3	4	7	6	8	9	7	6	2	4	1	2	1
5. Homicide F	18	.....	2	.....	.....	2	3	3	1	.....	2	2	.....	1	1	1
6. Infanticide M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Infanticide F	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Injuries by machinery M	8	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	1	.....	.....
7. Injuries by machinery F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Railroad accidents M	165	.....	2	7	11	16	14	13	18	20	15	5	9	13	4	18
8. Railroad accidents F	18	.....	2	2	2	.....	.....	1	.....	2	.....	3	2	2	1	1
9. Suffocation M	106	35	41	2	3	5	9	2	6	5	7	4	4	4	3	11
9. Suffocation F	47	19	21	.....	2	1	4	4	5	1	.....	.....	3	3	1	2
10. Suicide by shooting M	305	.....	.....	.....	.....	6	25	38	31	35	35	32	28	39	15	21
10. Suicide by shooting F	12	.....	.....	.....	.....	2	4	.....	2	1	2	1	.....	.....	.....	.....
11. Suicide by drowning M	26	.....	.....	.....	.....	.....	3	5	4	3	3	2	3	1	1	1
11. Suicide by drowning F	9	.....	.....	.....	.....	2	.....	1	1	.....	2	1	.....	1	.....	1
12. Suicide by poison M	146	.....	.....	.....	.....	8	15	16	9	14	17	18	15	12	7	15
12. Suicide by poison F	77	.....	.....	.....	.....	9	15	7	13	9	7	4	6	.....	1	6
13. Other suicides M	310	.....	.....	.....	.....	6	15	12	34	31	32	37	38	38	20	47
13. Other suicides F	45	.....	.....	.....	.....	1	3	7	3	4	6	5	6	6	3	1
14. Sunstroke M	174	9	10	2	2	1	8	11	24	34	24	24	12	10	5	7
14. Sunstroke F	48	8	11	5	.....	1	3	4	5	2	2	2	3	3	4	3
15. Surgical operations M	48	9	12	.....	3	1	1	2	7	1	3	7	5	.....	5	1
15. Surgical operations F	68	1	2	1	1	2	7	11	12	11	7	6	4	1	.....	3
16. Wounds M	50	1	2	2	3	8	5	5	1	6	3	4	6	3	2	.....
16. Wounds F	3	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
17. Other accidents and injuries M	1,030	32	97	61	39	50	58	86	93	110	97	99	77	50	47	66
17. Other accidents and injuries F	257	30	62	30	3	9	10	13	9	12	11	12	10	11	11	49

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	13,888	6,284	10,160	428	146	215	403	437	384	373	322	212	199	130	159	320
Males	7,841	3,507	5,525	225	80	114	230	264	252	255	211	154	145	85	112	189
Females	6,047	2,777	4,635	203	66	101	173	173	132	118	111	58	54	45	47	131
Unknown causes	17	4	8					2	1	2		1	1		1	1
Males	10		4						1	2		1			1	1
Females	7	4	4					2					1			
I.—General diseases: General diseases—A	3,587	1,599	3,126	146	22	22	51	38	31	35	23	18	22	11	11	31
Males	1,939	877	1,659	75	10	10	29	27	20	28	18	14	13	7	11	18
Females	1,648	722	1,467	71	12	12	22	11	11	7	5	4	9	4		13
1. Smallpox M	14	4	7			1	1	2		2			1			
1. Smallpox F	5	2	3	1			1									
2. Measles M	367	111	350	10	1			4			1					1
2. Measles F	339	108	326	10		1	2									
3. Scarlet fever M	66	9	57	7			1						1			
3. Scarlet fever F	61	8	52	6		1	2									
4. Diphtheria M	234	34	198	27	4	1	4									
4. Diphtheria F	236	20	199	29	3	1			1				1	1		1
5. Whooping cough M	66	29	64	1	1											
5. Whooping cough F	88	38	87		1											
6. Fever M	2		1										1			
6. Fever F																
7. Cerebro-spinal fever M	31	13	20	3	1		2	1		2						2
7. Cerebro-spinal fever F	23	6	17	2			1	2			1					
8. Typhoid fever M	71		13	5		4	15	9	10	7	5	2	1			
8. Typhoid fever F	30		3	4	4	3	8	3	4					1		
9. Diarrheal diseases M	556	339	490	13	2	1	2	4	1	7	7	6	4	3	6	10
9. Diarrheal diseases F	458	282	414	14	1	2	5	2	2	2	2	1	2	2		9
10. Cholera infantum M	342	247	342													
10. Cholera infantum F	291	208	289													2
11. Malarial fever M	62	8	26	8	1		1	1	5	3	1	3	3	3	3	4
11. Malarial fever F	37	2	20	3	1	3	1		1	2	1	2	3			
12. Erysipelas M	57	42	43			1	2	3	1	3	2	1	1			
12. Erysipelas F	52	34	37		1	1	2	3	2	1	1	1	3			
13. Septicæmia M	12	2	4				1			4	2		1			
13. Septicæmia F	4		1	1	1			1								
14. Venereal diseases M	47	35	39					2	2			1			2	1
14. Venereal diseases F	16	12	14						1	1						
15. Others of this group M	12	4	5	1		2		1	1			1		1		
15. Others of this group F	8	2	5	1						1						1
General diseases—B	141	110	122	1	2				6	2	4	1	1	1	1	
Males	87	64	72	1					6	2	4		1		1	
Females	54	46	50		2							1		1		
1. Parasitic diseases M	8	2	6	1					1							
1. Parasitic diseases F	3	1	3													
2. Alcoholism M	8								3	1	2		1		1	
2. Alcoholism F	2											1		1		
3. Lead poison M																
3. Lead poison F																
4. Other poisons M	6	1	1						2	1	2					
4. Other poisons F																
5. Inanition M	65	61	65													
5. Inanition F	49	45	47		2											
General diseases—C	2,257	2,127	2,207	3	2	1	1	2	3	1	2	2	1		5	27
Males	1,260	1,193	1,234	2	1	1	1	1	2	1	2	2			3	10
Females	997	934	973	1	1			1	1				1		2	17
1. Premature birth M	161	160	161													
1. Premature birth F	121	121	121													
2. Stillborn M	848	848	848													
2. Stillborn F	659	659	659													
3. Malformation M	28	26	28													
3. Malformation F	30	29	30													
4. Debility and atrophy M	215	159	197	2	1	1	1	1	2	1	2	2			2	3
4. Debility and atrophy F	179	125	163	1	1			1	1				1		2	9
5. Old age M	8														1	7
5. Old age F	8															8

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.	1,265	155	334	45	42	80	140	134	110	88	89	58	49	35	32	29
Males	717	96	183	21	20	41	74	80	65	54	47	36	37	25	19	15
Females	548	59	151	24	22	39	66	54	45	34	42	22	12	10	13	14
1. Rheumatism M.	15	1	3		3		1		1		2	1	1	2		1
1. Rheumatism F.	13	1	4	1	1			3			1	1		1		1
2. Scrofula and tabes M.	28	17	25	1		1	1									
2. Scrofula and tabes F.	15	8	13		1	1										
3. Leprosy M.																
3. Leprosy F.																
4. Consumption M.	516	34	63	13	16	36	70	76	59	52	41	31	22	10	14	7
4. Consumption F.	368	14	48	20	17	37	64	50	40	27	28	13	6	2	7	9
5. Hydrocephalus M.	95	38	78	7	1	4	1		1	1	1			1		
5. Hydrocephalus F.	79	33	73	3	3											
6. Cancer M.	41		1					3	4	1	3	3	11	4	5	6
6. Cancer F.	49		1				1	1	4	5	11	8	4	6	5	3
7. Tumor M.	4	1	1					1				1				1
7. Tumor F.	5		1						1	1	1				1	
8. Anæmia M.	1	1	1													
8. Anæmia F.	4	1	2			1	1									
9. Dropsy M.	1													1		
9. Dropsy F.	2									1						1
10. Diabetes M.	4						1						2	1		
10. Diabetes F.	3										1		1	1		
11. Others of this group M.	11	4	11													
11. Others of this group F.	10	2	9										1			
12. Others of this class M.	1												1			
12. Others of this class F.																
II.—Diseases of the nervous system	1,091	544	859	35	8	13	17	8	16	19	18	15	10	12	10	51
Males	629	298	472	18	4	9	15	4	11	12	13	13	5	9	9	35
Females	462	246	387	17	4	4	2	4	5	7	5	2	5	3	1	16
1. Inflammation of the brain M.	227	89	179	13	4	3	8	3	2	5	1	3	1	1	2	2
1. Inflammation of the brain F.	164	67	142	14	1	1		1	2		1		1	1		
2. Apoplexy M.	50								3	2	5	4	4	3	6	23
2. Apoplexy F.	27		1			1			2	2	1	2	3	1	1	13
3. Paralysis M.	15	2	2			1			1			4		2	1	4
3. Paralysis F.	5		1					1		1						2
4. Tetanus and trismus nascentium. M.	22	16	17			1	1		2		1					
4. Tetanus and trismus nascentium. F.	10	5	6	1	1					2						
5. Epilepsy M.	25	10	19			1	2	1						1		1
5. Epilepsy F.	28	17	26					1								1
6. Convulsions M.	215	159	215													
6. Convulsions F.	192	146	189	1		2										
7. Mental diseases M.	7										4	1		1		1
7. Mental diseases F.	3									2				1		
8. Diseases of the brain M.	51	19	32	4		2	4		2	3	1	1				2
8. Diseases of the brain F.	30	11	21	1	1		1	1	1		3		1			
9. Diseases of the spinal cord M.	13	3	8						1	2						2
9. Diseases of the spinal cord F.	2		1		1											
10. Others of this class M.	4			1		1					1			1		
10. Others of this class F.	1						1									
III.—Diseases of the circulatory system.	292	42	52	16	12	14	13	22	22	24	25	17	11	14	23	27
Males	191	28	36	9	7	10	5	12	17	18	15	12	9	9	15	17
Females	101	14	16	7	5	4	8	10	5	6	10	5	2	5	8	10
1. Angina pectoris M.	5								1	1	1	2				
1. Angina pectoris F.	2									1					1	
2. Aneurism M.	9					1		1				3	3	1		
2. Aneurism F.	2					1										1
3. Diseases of the heart M.	157	10	16	9	7	9	5	11	16	17	14	7	6	8	15	17
3. Diseases of the heart F.	85	2	4	7	5	3	8	10	5	5	10	5	2	5	7	9
4. Others of this class M.	20	18	20													
4. Others of this class F.	12	12	12													

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	3,960	1,540	3,118	118	29	35	65	93	80	72	78	52	56	30	42	92
Males	2,251	855	1,670	58	17	21	49	72	56	55	61	40	49	18	28	57
Females	1,709	685	1,448	60	12	14	16	21	24	17	17	12	7	12	14	35
1. Croup M	267	61	249	16						1					1	
1. Croup F	219	33	205	14												
2. Laryngitis M	22	4	20	1				1								
2. Laryngitis F	19	5	16	2	1											
3. Bronchitis M	775	438	723	10	4	1		2	6	4	1	2	4	1	1	16
3. Bronchitis F	691	361	646	7	3	2	3	5		2	2	3	1	1	3	18
4. Pneumonia M	1,057	280	587	31	13	18	45	64	43	45	57	37	42	15	22	38
4. Pneumonia F	698	239	519	33	7	12	12	15	23	13	14	9	5	8	8	20
5. Pleurisy M	42	8	16			1	3	3	5	4	2	1	2	2	2	1
5. Pleurisy F	15	1	7	3			1		1	2					1	
6. Asthma M	3	1	1						1						1	
6. Asthma F	5	1	1								1			2	1	
7. Others of this class M	85	63	74			1	1	2	1	1	1		1		1	2
7. Others of this class F	62	45	54	1	1			1					1	1	1	2
V.—Diseases of the digestive system	345	115	178	10	6	5	6	10	22	17	15	12	17	13	12	18
Males	211	65	104	8	3	3	4	10	13	14	9	8	11	7	9	8
Females	134	50	74	2	3	2	2	0	9	3	6	4	6	6	3	5
1. Dentition M	17	9	17													
1. Dentition F	6	5	6													
2. Angina M	6	1	5						1							
2. Angina F	3	1	3													
3. Diseases of the stomach M	37	15	27	1	1				1		1	1	1		1	8
3. Diseases of the stomach F	33	16	26			1		3					1	1		1
4. Obstruction of the bowels M	12	3	4					1	1	2	1		1	1	1	
4. Obstruction of the bowels F	5	2	3								1		1			
5. Hernia M	12	3	3	1				1			1		1	2	2	1
5. Hernia F	4	2	2							1					1	
6. Other diseases of the bowels M	2		1							1						
6. Other diseases of the bowels F	4	2	3						1							
7. Jaundice M	21	17	18							1	1	1				
7. Jaundice F	4	4	4													
8. Inflammation and abscess of the liver M	14			3				2	3	1		1		1	1	2
8. Inflammation and abscess of the liver F	5											1	1	2	1	
9. Other diseases of the liver M	32			1		1		1	4	5	3	3	7	3	2	2
9. Other diseases of the liver F	10		1	1				2				1		1	1	3
10. Peritonitis M	37	4	13	2	2	2	3	5	2	4	2	1	1			
10. Peritonitis F	40	6	10	1	3	1	1	3	8	2	4	2	3	1		1
11. Ascites M																
11. Ascites F	1													1		
12. Others of this class M	21	13	16				1		1			1			2	
12. Others of this class F	19	12	16				1	1			1					
VI.—Diseases of the urinary system and male organs of generation.	269	7	53	22	4	5	12	17	15	27	22	18	18	8	12	36
Males	158	4	26	12	4	2	8	10	14	15	12	13	8	6	7	21
Females	111	3	27	10		3	4	7	1	12	10	5	10	2	5	15
1. Bright's disease M	53			3	1	1	4	4	4	5	5	5	4	1	2	14
1. Bright's disease F	47			3		1	3	2		5	5	4	8	2	3	11
2. Calculus, urinary M																
2. Calculus, urinary F																
3. Diseases of the kidney M	97	4	26	9	3	1	3	4	10	10	7	7	4	4	4	5
3. Diseases of the kidney F	60	3	25	7		2	1	5	1	6	5	1	2		2	3
4. Diseases of the bladder M	4							1						1		2
4. Diseases of the bladder F	3		1							1						1
5. Others of this class M	4						1	1				1			1	
5. Others of this class F	1		1													
VII.—Diseases of the female organs of generation.	15					1	3	4	3	3						1
1. Ovarian tumors	3							1	1	1						
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases	4					1	1	1	1							
5. Others of this class	8						2	2	1	2						1
VIII.—Affections connected with pregnancy.	168					17	43	45	26	24	10	2	1			
1. Abortion	3						1	1			1					
2. Childbirth	22					1	6	7	2	6						
3. Puerperal septicæmia	131					14	34	34	20	17	9	2	1			
4. Extra-uterine pregnancy																
5. Others of this class	12					2	2	3	4	1						

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	26	1	6	7	4		2	3	1	1	2					
Males	17		3	4	3		1	3	1		2					
Females	9	1	3	3	1		1			1						
1. Diseases of the spine M	5		1	1	2				1							
1. Diseases of the spine F	4	1	1	1			1			1						
2. Diseases of the bones M	5		1	2	1			1								
2. Diseases of the bones F	1		1													
3. Diseases of the hip joint M	6		1	1			1	2			1					
3. Diseases of the hip joint F	3		1	1	1											
4. Others of this class M	1										1					
4. Others of this class F	1			1												
X.—Diseases of the skin	32	11	17	2	1		1	3	3		3				2	
Males	20	8	12	2				2	2		1				1	
Females	12	3	5		1		1	1	1		2				1	
1. Abscess M	16	6	10	2				2	1		1					
1. Abscess F	10	2	3		1		1	1	1		2				1	
2. Carbuncle M	1								1							
2. Carbuncle F																
3. Others of this class M	3	2	2												1	
3. Others of this class F	2	1	2													
XI.—Diseases of the absorbent system	4	2	2					1		1						
Males	3	1	1					1		1						
Females	1	1	1													
1. Addison's disease M																
1. Addison's disease F																
2. Diseases of the spleen M	2	1	1							1						
2. Diseases of the spleen F																
3. Others of this class M	1							1								
3. Others of this class F	1	1	1													
XII.—Accidents and injuries	419	27	78	23	14	22	49	46	45	57	31	16	12	6	8	12
Males	348	18	49	15	11	17	44	42	44	53	27	15	12	4	8	7
Females	71	9	29	8	3	5	5	4	1	4	4	1		2		5
1. Burns and scalds M	20	1	18	2												
1. Burns and scalds F	21	3	15	5	1											
2. Drowned M	22			2	2	2	6	2	1	5				1		1
2. Drowned F	2		1			1										
3. Exposure and neglect M																
3. Exposure and neglect F																
4. Gunshot wounds M	3						2	1								
4. Gunshot wounds F																
5. Homicide M	38			1		1	7	5	4	12	1	2	2	1	1	1
5. Homicide F	5						2	1	1		1					
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M	1					1										
7. Injuries by machinery F																
8. Railroad accidents M	58		2		2	3	6	8	12	9	7	6	1	1		1
8. Railroad accidents F	2							1		1						
9. Suffocation M	22	9	9	1	1		1	2	1	3	1	1	1		1	
9. Suffocation F	6	5	5													1
10. Suicide by shooting M	13					1	1	4	2	3	1				1	
10. Suicide by shooting F																
11. Suicide by drowning M	3							1		1					1	
11. Suicide by drowning F																
12. Suicide by poison M	2														1	1
12. Suicide by poison F	4					2	2									
13. Other suicides M	4									3			1			
13. Other suicides F	2									1						1
14. Sunstroke M	15	2	4				3	1	2	2	1	2				
14. Sunstroke F	1		1													
15. Surgical operations M	1										1					
15. Surgical operations F	4		1							1	2					
16. Wounds M	6						3					1	1			1
16. Wounds F	1			1												
17. Other accidents and injuries. M	140	6	16	9	6	9	15	18	22	15	15	3	6	1	3	2
17. Other accidents and injuries. F	23	1	6	2	2	2	1	2		1	1	1		2		3

TABLE 16.

DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF COLOR AND BIRTHPLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	103,493	46,955	68,124	6,159	3,274	4,568	6,246	6,636	5,690	6,096	5,695	5,836	5,862	5,618	6,326	27,363
Males	87,001	26,414	37,389	3,148	1,645	2,152	3,230	3,422	3,009	3,224	3,158	3,295	3,163	3,030	3,398	13,738
Females	76,492	20,541	30,735	3,011	1,629	2,416	3,016	3,214	2,681	2,872	2,537	2,541	2,699	2,588	2,928	13,625
Unknown causes	618	168	209	13	11	11	14	20	21	31	18	22	29	20	40	159
Males	344	89	111	6	6	5	3	10	15	13	10	15	17	12	26	95
Females	274	79	98	7	5	6	11	10	6	18	8	7	12	8	14	64
I.—General diseases: General diseases—A	32,027	10,772	18,950	2,940	1,172	1,057	996	846	618	620	555	544	506	483	546	2,194
Males	16,418	5,802	9,021	1,401	534	502	530	457	360	298	298	260	272	247	258	1,080
Females	15,609	4,970	9,029	1,539	638	555	466	389	258	322	257	284	234	236	288	1,114
1. Smallpox M.	12	1	6				2		1			1		1		1
1. Smallpox F.	6	2	3	1			1							1		
2. Measles M.	282	66	246	20	4	3	2	3	2	2						
2. Measles F.	321	74	260	28	7	6	3	2	3	5	2	1		2		2
3. Scarlet fever M.	1,107	74	686	274	93	21	11	5	3	3	4		1	1		5
3. Scarlet fever F.	1,155	67	702	304	81	26	16	8	5	5	2	2			1	3
4. Diphtheria M.	2,807	180	1,746	754	181	62	21	13	5	6	3		2	4	2	8
4. Diphtheria F.	2,901	141	1,611	884	264	63	20	9	7	9	1	5	5	5	4	14
5. Whooping cough M.	488	304	470	16	1				1							
5. Whooping cough F.	625	320	591	24	6					1		1				2
6. Fever M.	6	1	2	1		1	1					1				
6. Fever F.	5	1	2				1		1						1	
7. Cerebro-spinal fever M.	380	87	188	41	20	24	12	10	12	10	7	15	11	6	11	13
7. Cerebro-spinal fever F.	266	70	143	27	21	13	12	6	7	5	5	7	4	6	5	5
8. Typhoid fever M.	2,186	21	116	99	120	280	363	306	195	134	120	87	92	61	55	158
8. Typhoid fever F.	1,762	16	94	85	140	318	251	186	100	114	95	85	53	45	58	129
9. Diarrheal diseases M.	3,707	1,739	2,319	110	58	41	48	53	56	69	83	73	85	95	110	507
9. Diarrheal diseases F.	3,042	1,461	2,030	111	63	53	49	66	51	76	84	111	102	101	137	608
10. Cholera infantum M.	3,763	3,091	3,754													9
10. Cholera infantum F.	3,220	2,600	3,216													4
11. Malarial fever M.	890	75	174	58	37	44	47	40	47	39	41	31	40	31	33	138
11. Malarial fever F.	884	66	170	51	33	57	49	62	43	48	33	35	32	45	42	184
12. Erysipelas M.	293	82	100	5	1	9	6	8	11	11	8	21	12	16	7	78
12. Erysipelas F.	238	76	93	3	6	6	11	1	4	8	10	13	11	9	8	55
13. Septicæmia M.	304	29	52	15	14	13	13	14	18	18	22	18	22	19	27	39
13. Septicæmia F.	302	26	50	16	6	9	47	44	28	44	19	17	22	16	13	31
14. Venereal diseases M.	75	42	46	1		1	1	4	4	5	2	4		2	2	3
14. Venereal diseases F.	67	40	45			1	4	2	4	3	2	1	1		2	2
15. Others of this group M.	208	10	16	7	5	3	3	1	5	1	8	9	7	11	11	121
15. Others of this group F.	155	10	19	5	2	3	2	3	5	4	4	6	4	6	17	75
General diseases—B	2,473	1,628	1,744	20	7	14	35	45	56	86	81	76	68	51	48	133
Males	1,460	903	964	18	4	8	19	29	43	69	61	58	45	33	28	81
Females	1,013	725	780	11	3	6	16	16	13	17	20	18	23	18	20	52
1. Parasitic diseases M.	3		1	1	1											
1. Parasitic diseases F.	4		1	2		1										
2. Alcoholism M.	333	4	7			1	10	21	36	58	53	47	32	27	15	26
2. Alcoholism F.	85	1	1			1	2	7	9	11	17	10	13	3	5	6
3. Lead poison M.	7				1			3		1					1	1
3. Lead poison F.	3						1			1		1				
4. Other poisons M.	139	23	43	9	2	5	4	5	5	8	6	10	9	6	7	20
4. Other poisons F.	92	14	30	1	2	4	11	6	3	4	3	3	6	7	4	8
5. Inanition M.	978	876	913	8		2	5		2	2	2	1	4		5	34
5. Inanition F.	829	710	748	8	1		2	3	1	1		4	4	8	11	38
General diseases—C	24,661	18,471	19,201	78	38	38	30	40	40	54	50	63	89	90	194	4,566
Males	13,451	10,701	11,112	36	14	17	13	12	13	24	22	28	43	37	101	1,979
Females	11,210	7,770	8,179	42	24	21	17	28	27	30	28	35	46	53	93	2,587
1. Premature birth M.	1,694	1,693	1,694													
1. Premature birth F.	1,297	1,295	1,297													
2. Stillborn M.	6,147	6,147	6,147													
2. Stillborn F.	4,118	4,118	4,118													
3. Malformation M.	150	140	144			2	1				1		1			1
3. Malformation F.	122	110	113	5	1					1						2
4. Debility and atrophy M.	4,371	2,721	3,127	36	14	15	12	12	13	24	21	28	42	37	84	906
4. Debility and atrophy F.	4,122	2,247	2,651	37	23	21	17	28	27	20	28	35	46	53	73	1,054
5. Old age M.	1,089														17	1,072
5. Old age F.	1,551														20	1,531

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	27,281	1,389	2,508	375	440	1,606	2,795	2,991	2,402	2,259	1,941	1,893	1,640	1,428	1,413	3,590
Males	13,554	762	1,362	179	178	629	1,358	1,509	1,212	1,160	970	998	815	725	735	1,724
Females	13,727	627	1,146	196	262	977	1,437	1,482	1,190	1,099	971	895	825	703	678	1,866
1. Rheumatism M.	314	5	15	12	24	15	10	16	15	23	15	22	18	26	25	78
1. Rheumatism F.	313	4	7	17	14	14	9	12	10	12	15	16	27	24	27	109
2. Scrofula and tabes M.	219	96	135	6	10	4	7	9	3	4	7	5	1	9	4	15
2. Scrofula and tabes F.	196	89	122	3	9	8	5	7	5	3	12	2	3	6	3	8
3. Leprosy M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
3. Leprosy F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M.	10,000	198	381	77	103	556	1,304	1,427	1,135	1,042	835	812	586	476	430	827
4. Consumption F.	9,275	105	336	100	198	910	1,376	1,383	1,063	906	676	561	427	336	292	711
5. Hydrocephalus M.	858	395	713	54	18	11	4	11	4	9	2	5	9	3	2	13
5. Hydrocephalus F.	656	304	559	42	11	1	4	3	3	2	4	2	5	3	5	12
6. Cancer M.	1,158	4	10	1	1	10	11	12	26	37	77	92	128	138	176	439
6. Cancer F.	2,033	2	8	2	1	7	15	27	55	119	193	250	267	245	255	589
7. Tumor M.	104	4	7	3	2	2	3	2	5	9	3	16	8	10	11	23
7. Tumor F.	188	4	5	1	1	3	6	9	5	11	14	16	22	17	21	57
8. Anæmia M.	117	21	36	4	1	3	2	4	3	5	3	12	8	7	5	24
8. Anæmia F.	160	23	30	5	3	12	8	14	9	7	11	8	7	6	6	34
9. Dropsy M.	506	19	33	18	12	12	9	17	7	17	18	14	35	29	47	238
9. Dropsy F.	657	17	41	16	18	14	7	11	17	29	35	33	46	45	55	290
10. Diabetes M.	232	6	11	2	7	15	6	11	13	14	8	18	19	25	22	61
10. Diabetes F.	205	6	11	7	7	5	7	16	21	9	11	6	18	20	14	53
11. Others of this group M.	45	14	21	2	.....	1	2	.....	1	.....	2	1	3	2	4	6
11. Others of this group F.	42	13	26	3	.....	3	.....	.....	2	1	.....	1	3	1	.....	2
12. Others of this class M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
II.—Diseases of the nervous system	23,661	6,999	10,728	694	355	306	312	364	456	540	583	693	834	929	1,191	5,736
Males	12,649	3,942	5,864	312	193	157	169	192	269	311	315	374	435	492	639	2,927
Females	11,012	3,057	4,864	322	162	149	143	172	187	229	268	319	399	437	552	2,809
1. Inflammation of the brain M.	2,608	925	1,734	164	81	45	55	50	70	54	62	60	46	49	43	95
1. Inflammation of the brain F.	2,059	698	1,403	152	68	45	42	44	32	39	31	39	31	22	23	88
2. Apoplexy M.	2,228	17	29	4	6	12	15	34	44	88	92	120	154	208	280	1,142
2. Apoplexy F.	2,093	20	36	4	8	10	8	19	38	47	97	120	183	210	244	1,069
3. Paralysis M.	1,812	23	57	14	13	11	16	22	28	41	54	67	81	121	170	1,117
3. Paralysis F.	1,847	23	60	16	15	13	12	25	30	34	51	75	100	105	174	1,137
4. Tetanus and trismus nascentium M.	328	173	190	12	25	21	11	7	11	6	5	15	8	3	6	8
4. Tetanus and trismus nascentium F.	184	120	139	7	2	5	2	2	7	2	5	6	1	2	.....	4
5. Epilepsy M.	221	9	20	2	11	23	28	17	19	24	13	11	11	7	7	28
5. Epilepsy F.	162	3	9	6	9	17	12	14	16	20	10	9	8	7	3	22
6. Convulsions M.	3,229	2,303	3,034	67	17	10	11	12	13	7	8	8	8	9	6	19
6. Convulsions F.	2,764	1,790	2,524	82	23	16	22	14	21	13	9	6	5	2	10	17
7. Mental diseases M.	200	.....	.....	.....	1	6	8	9	20	15	18	17	25	12	14	55
7. Mental diseases F.	226	.....	.....	.....	2	3	9	14	13	21	21	14	17	23	20	69
8. Diseases of the brain M.	1,803	474	770	48	37	24	20	32	54	63	52	62	78	72	87	404
8. Diseases of the brain F.	1,492	391	667	44	34	30	26	29	22	45	36	38	40	52	65	364
9. Diseases of the spinal cord M.	175	16	25	1	2	4	4	6	9	11	10	12	10	7	23	42
9. Diseases of the spinal cord F.	121	10	24	7	1	5	5	7	5	5	6	8	10	12	8	18
10. Others of this class M.	45	2	5	.....	.....	1	1	3	1	2	1	2	5	4	3	17
10. Others of this class F.	64	2	2	4	.....	5	5	4	3	3	2	4	4	2	5	21
III.—Diseases of the circulatory system	9,321	988	1,156	182	259	262	222	282	303	414	447	538	644	650	773	3,189
Males	4,845	555	648	95	113	124	116	122	140	198	249	277	345	322	406	1,690
Females	4,476	433	508	87	146	138	106	160	163	216	198	261	299	328	367	1,499
1. Angina pectoris M.	287	.....	.....	2	3	1	1	5	3	8	21	27	18	28	37	133
1. Angina pectoris F.	212	.....	.....	3	3	1	2	6	7	12	13	18	19	15	19	94
2. Aneurism M.	71	.....	.....	.....	.....	1	1	.....	3	9	5	10	11	7	1	23
2. Aneurism F.	44	.....	.....	2	.....	1	.....	1	5	4	4	8	1	1	4	13
3. Diseases of the heart M.	4,055	191	269	92	110	121	110	115	129	179	221	239	314	284	364	1,508
3. Diseases of the heart F.	3,874	164	228	81	142	132	100	146	146	196	178	230	275	307	339	1,374
4. Others of this class M.	432	364	379	1	.....	1	4	2	5	2	2	1	2	3	4	26
4. Others of this class F.	346	269	280	1	1	4	4	7	5	4	3	5	4	5	5	18

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	22,652	4,829	10,705	1,221	324	423	494	583	559	653	702	727	797	795	892	3,777
Males	12,003	2,672	5,783	657	138	204	300	334	309	380	421	458	438	430	469	1,691
Females	10,649	2,157	4,922	564	186	219	194	249	250	273	281	269	359	365	432	2,086
1. Croup M.	1,682	190	1,316	304	28	6	5	1	1	1	2	2	6	1	.....	9
1. Croup F.	1,421	146	1,094	262	28	4	3	2	1	.....	2	2	4	4	5	10
2. Laryngitis M.	342	42	210	50	9	3	6	5	6	11	7	4	9	3	3	16
2. Laryngitis F.	290	32	190	40	13	6	5	7	4	6	5	3	2	2	2	5
3. Bronchitis M.	2,697	1,132	1,731	81	12	16	29	21	22	30	41	48	62	64	97	443
3. Bronchitis F.	2,639	959	1,496	54	15	33	24	35	33	29	34	41	58	71	93	623
4. Pneumonia M.	6,001	951	2,025	189	72	150	225	263	247	288	321	334	310	303	293	981
4. Pneumonia F.	5,165	732	1,707	176	112	144	137	170	182	207	207	197	247	238	279	1,162
5. Pleurisy M.	180	5	23	2	3	6	13	15	13	12	8	11	9	5	18	42
5. Pleurisy F.	161	7	20	6	5	6	7	10	9	9	5	4	7	8	12	53
6. Asthma M.	111	9	11	1	.....	.....	.....	4	1	7	5	12	10	7	9	44
6. Asthma F.	97	3	3	3	1	1	.....	.....	.....	.....	2	4	8	10	8	57
7. Others of this class M.	990	343	467	30	14	23	22	25	19	31	37	47	32	47	40	156
7. Others of this class F.	876	278	412	23	12	25	18	25	21	22	26	18	33	32	33	176
V.—Diseases of the digestive system	6,510	1,028	1,462	167	188	217	240	315	271	341	368	350	407	415	441	1,319
Males	3,272	595	834	93	100	113	100	128	107	141	169	185	195	225	236	646
Females	3,238	433	628	74	88	104	140	187	164	200	199	174	212	190	205	673
1. Dentition M.	119	72	119	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Dentition F.	107	55	107	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina M.	82	18	58	12	3	1	.....	.....	2	.....	.....	.....	1	2	1	2
2. Angina F.	66	14	36	12	7	2	2	1	.....	.....	1	.....	1	.....	1	3
3. Diseases of the stomach M.	599	120	179	9	7	10	16	17	12	27	23	26	35	44	35	159
3. Diseases of the stomach F.	690	123	177	21	12	17	14	27	21	41	24	28	50	29	41	188
4. Obstruction of the bowels M.	204	48	58	5	4	9	7	11	8	7	10	10	12	11	13	39
4. Obstruction of the bowels F.	207	31	42	.....	8	5	7	10	10	8	11	10	15	15	19	47
5. Hernia M.	142	18	21	1	.....	5	4	5	6	5	2	11	10	16	15	41
5. Hernia F.	114	.....	1	.....	.....	1	1	3	1	8	9	14	12	10	11	43
6. Other diseases of the bowels M.	34	9	10	.....	.....	2	.....	2	2	4	2	.....	1	2	1	8
6. Other diseases of the bowels F.	32	6	6	1	1	1	2	2	.....	.....	2	3	5	2	.....	7
7. Jaundice M.	113	70	72	2	1	.....	.....	3	.....	2	.....	2	1	4	6	20
7. Jaundice F.	84	36	40	.....	.....	.....	1	.....	.....	2	4	1	8	1	8	19
8. Inflammation and abscess of the liver M.	231	10	15	8	4	3	6	8	13	11	16	10	19	17	25	67
8. Inflammation and abscess of the liver F.	192	4	10	3	4	.....	1	6	7	7	22	13	26	18	18	57
9. Other diseases of the liver M.	749	18	32	6	6	4	10	16	21	41	71	80	81	96	92	193
9. Other diseases of the liver F.	515	15	17	2	3	4	5	16	27	35	49	51	47	61	56	142
10. Peritonitis M.	737	68	115	46	70	75	46	61	41	37	39	34	32	26	35	80
10. Peritonitis F.	1,001	47	76	32	49	66	106	120	93	90	67	50	44	48	40	120
11. Ascites M.	14	.....	1	.....	.....	.....	2	.....	.....	.....	1	.....	1	2	2	5
11. Ascites F.	26	1	1	.....	1	2	.....	.....	1	2	4	1	.....	1	2	11
12. Others of this class M.	248	135	154	4	5	4	9	5	2	7	5	3	2	5	11	32
12. Others of this class F.	204	101	115	3	3	6	1	2	4	7	6	3	4	5	9	36
VI.—Diseases of the urinary system and male organs of generation.	5,332	92	295	159	90	123	183	225	272	326	350	306	397	423	465	1,628
Males	3,113	56	167	76	50	52	82	105	135	156	205	229	219	243	285	1,109
Females	2,219	36	128	83	40	71	101	120	137	170	145	167	178	180	180	519
1. Bright's disease M.	1,548	.....	.....	29	22	30	46	55	87	85	122	146	135	160	141	490
1. Bright's disease F.	1,168	.....	.....	32	23	39	50	60	79	95	81	94	95	112	112	296
2. Calculus, urinary M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5
2. Calculus, urinary F.	5	1	1	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	.....
3. Diseases of the kidney M.	1,005	45	153	44	23	17	33	37	42	59	72	61	62	55	81	266
3. Diseases of the kidney F.	829	20	115	42	14	26	36	43	44	55	53	55	66	59	54	167
4. Diseases of the bladder M.	381	6	7	1	1	3	1	5	1	4	1	11	13	17	44	272
4. Diseases of the bladder F.	64	1	1	.....	.....	2	2	4	2	6	.....	5	6	2	6	28
5. Others of this class M.	173	5	7	2	4	2	2	8	5	8	10	11	8	11	10	76
5. Others of this class F.	153	5	11	9	3	4	12	12	12	14	11	12	10	7	8	28
VII.—Diseases of the female organs of generation.	225	1	2	.....	.....	9	22	21	21	26	26	22	20	7	15	34
1. Ovarian tumors	57	.....	.....	.....	.....	.....	4	2	1	4	8	7	5	4	9	13
2. Ovarian diseases	11	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	1	.....	.....	4
3. Uterine tumors	19	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	3	1	2	5
4. Uterine diseases	84	.....	.....	.....	.....	1	14	11	11	9	9	9	5	2	4	9
5. Others of this class	54	1	2	.....	.....	8	4	7	6	11	3	4	6	.....	.....	3
VIII.—Affections connected with pregnancy.	1,048	.....	.....	.....	3	63	269	280	184	172	56	8	1	4	.....	8
1. Abortion	31	.....	.....	.....	.....	1	3	9	8	6	4	.....	.....	.....	.....	.....
2. Childbirth	209	.....	.....	.....	1	10	32	53	53	41	15	.....	.....	.....	.....	4
3. Puerperal septicæmia	747	.....	.....	.....	2	44	213	204	117	118	35	7	.....	4	.....	3
4. Extra-uterine pregnancy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Others of this class	61	.....	.....	.....	.....	8	21	14	6	7	2	1	1	.....	.....	1

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	201	10	25	19	28	20	16	11	12	14	8	13	5	8	5	17
Males	109	6	15	12	19	8	11	6	5	7	3	6	4	4	2	7
Females	92	4	10	7	9	12	5	5	7	7	5	7	1	4	3	10
1. Diseases of the spine M.	57	3	8	9	9	6	6	3	4	4	2	1	1	2	.....	2
1. Diseases of the spine F.	51	4	8	4	6	5	3	3	5	3	3	4	1	2	2	2
2. Diseases of the bones M.	20	2	2	.....	6	.....	4	1	1	1	1	3	2	2	1	5
2. Diseases of the bones F.	16	.....	1	1	1	3	.....	.....	1	3	1	.....	.....	1	1	3
3. Diseases of the hip joint M.	18	.....	3	3	4	2	1	2	.....	1	.....	1	1	.....	.....	.....
3. Diseases of the hip joint F.	22	.....	1	2	2	4	2	2	1	.....	1	3	.....	1	.....	3
4. Others of this class M.	5	1	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....
4. Others of this class F.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
X.—Diseases of the skin	301	60	88	8	7	16	10	17	9	12	12	18	20	19	15	50
Males	169	33	47	7	4	6	4	9	5	3	5	12	9	15	12	31
Females	132	27	41	1	3	10	6	8	4	9	7	6	11	4	3	19
1. Abscess M.	124	24	37	6	4	3	3	8	2	1	5	10	7	11	7	20
1. Abscess F.	91	14	27	1	3	9	6	7	2	7	7	5	5	2	2	8
2. Carbuncle M.	26	1	1	.....	.....	1	1	.....	3	1	.....	2	2	4	5	6
2. Carbuncle F.	17	1	2	.....	.....	1	.....	1	.....	.....	.....	1	6	2	.....	4
3. Others of this class M.	10	8	9	1	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	5
3. Others of this class F.	24	12	12	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	7
XI.—Diseases of the absorbent system	41	.....	3	2	1	1	1	4	4	.....	7	2	3	.....	4	9
Males	21	.....	2	.....	1	.....	1	1	1	.....	5	2	2	.....	1	5
Females	20	.....	1	2	.....	1	.....	3	3	.....	2	.....	1	.....	3	4
1. Addison's disease M.	12	.....	.....	.....	.....	.....	1	.....	1	.....	5	2	2	.....	.....	1
1. Addison's disease F.	8	.....	1	.....	.....	1	.....	2	2	.....	.....	.....	1	.....	1	.....
2. Diseases of the spleen M.	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3
2. Diseases of the spleen F.	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2
3. Others of this class M.	5	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
3. Others of this class F.	8	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	2	2
XII.—Accidents and injuries	7,141	520	958	332	351	402	607	592	462	548	491	462	402	296	284	954
Males	5,593	298	559	256	291	327	524	508	395	464	425	393	324	245	209	673
Females	1,548	222	399	76	60	75	83	84	67	84	66	69	78	51	75	281
1. Burns and scalds M.	260	13	134	10	3	14	13	19	9	6	10	9	3	3	6	12
1. Burns and scalds F.	236	6	97	27	7	9	10	10	9	7	10	7	8	6	6	23
2. Drowned M.	1,095	7	60	132	132	98	108	98	60	68	66	61	49	26	20	117
2. Drowned F.	171	6	29	14	22	26	20	5	5	6	10	2	8	4	5	15
3. Exposure and neglect M.	47	4	6	.....	.....	1	2	1	1	7	5	5	1	3	2	13
3. Exposure and neglect F.	13	5	5	.....	.....	.....	.....	1	1	.....	.....	1	1	1	.....	3
4. Gunshot wounds M.	142	.....	1	6	15	18	16	18	11	14	15	7	6	4	2	9
4. Gunshot wounds F.	14	.....	2	.....	1	2	1	1	2	2	1	.....	.....	.....	.....	2
5. Homicide M.	52	1	3	.....	4	3	4	5	7	7	4	5	.....	5	1	4
5. Homicide F.	30	1	2	.....	.....	2	2	2	1	3	.....	4	2	2	6	4
6. Infanticide M.	3	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Infanticide F.	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Injuries by machinery M.	15	.....	.....	1	2	1	3	1	3	1	1	1	.....	.....	.....	1
7. Injuries by machinery F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Railroad accidents M.	1,399	4	14	26	65	97	198	189	125	148	104	91	76	50	53	163
8. Railroad accidents F.	112	.....	8	7	6	2	11	15	6	10	4	10	5	3	8	17
9. Suffocation M.	272	170	183	4	4	2	10	7	4	8	9	3	8	4	10	16
9. Suffocation F.	161	115	125	3	2	3	7	1	3	2	2	.....	1	4	1	7
10. Suicide by shooting M.	148	.....	.....	.....	.....	4	11	10	24	23	13	10	18	11	10	14
10. Suicide by shooting F.	8	.....	.....	.....	.....	1	2	2	1	.....	.....	1	.....	.....	.....	1
11. Suicide by drowning M.	22	.....	.....	.....	.....	.....	1	1	4	6	1	.....	1	2	1	5
11. Suicide by drowning F.	10	.....	.....	.....	.....	1	2	1	1	1	1	.....	.....	.....	2	1
12. Suicide by poison M.	89	.....	3	2	.....	4	9	8	7	4	7	11	13	4	5	12
12. Suicide by poison F.	42	.....	.....	.....	.....	3	5	6	6	2	5	4	5	1	1	4
13. Other suicides M.	253	.....	.....	.....	.....	9	16	11	15	21	31	33	31	23	17	46
13. Other suicides F.	46	.....	.....	.....	.....	2	4	3	5	4	6	5	8	1	3	5
14. Sunstroke M.	140	3	4	5	1	1	14	15	13	17	18	24	6	9	3	10
14. Sunstroke F.	29	5	6	3	1	1	1	2	.....	3	.....	.....	2	5	2	3
15. Surgical operations M.	10	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	1	2	.....	3
15. Surgical operations F.	11	.....	.....	.....	.....	.....	.....	2	1	1	3	1	.....	.....	.....	3
16. Wounds M.	151	1	5	7	6	9	15	18	6	7	16	17	8	8	9	20
16. Wounds F.	28	1	9	1	2	1	1	.....	1	1	.....	2	2	1	1	6
17. Other accidents and injuries M.	1,495	92	143	54	58	65	103	107	106	126	125	116	103	91	70	228
17. Other accidents and injuries F.	636	82	115	21	19	22	17	33	25	42	24	32	36	23	40	187

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	158,101	45,396	65,841	5,072	3,130	4,344	5,982	6,436	5,490	5,881	5,500	5,620	5,685	5,459	6,171	26,590
Males	84,255	25,553	36,184	3,047	1,573	2,059	3,113	3,325	2,923	3,107	3,054	3,191	3,078	2,944	3,327	13,330
Females	73,846	19,843	29,657	2,925	1,557	2,285	2,869	3,111	2,567	2,774	2,446	2,429	2,607	2,515	2,844	13,260
Unknown causes	588	158	197	12	11	10	14	20	20	30	17	20	27	19	36	155
Males	326	82	104	6	6	4	3	10	14	13	10	13	17	11	22	93
Females	262	76	93	6	5	6	11	10	6	17	7	7	10	8	14	62
I.—General diseases: General diseases—A	31,187	10,447	18,441	2,885	1,141	1,028	967	829	596	599	539	525	496	463	536	2,147
Males	15,999	5,629	9,663	1,373	519	485	520	449	351	289	286	251	267	237	254	1,055
Females	15,188	4,818	8,778	1,512	622	538	447	380	245	310	253	274	229	226	282	1,092
1. Smallpox M.	12	1	6				2		1			1		1		1
1. Smallpox F.	6	2	3	1			1							1		
2. Measles M.	275	64	239	20	4	3	2	3	2	2						
2. Measles F.	310	73	251	27	7	6	3	2	2	5	2	1		2		2
3. Scarlet fever M.	1,095	73	680	270	91	21	11	5	3	3	4		1	1		5
3. Scarlet fever F.	1,146	67	697	301	80	26	16	8	5	5	2	2			1	3
4. Diphtheria M.	2,773	177	1,729	744	180	58	20	13	5	6	3		2	4	2	7
4. Diphtheria F.	2,871	140	1,594	877	261	62	20	9	7	9	1	4	5	5	4	13
5. Whooping cough M.	452	285	435	15	1				1							
5. Whooping cough F.	581	304	549	22	6					1		1				2
6. Fever M.	6	1	2	1		1	1					1				
6. Fever F.	5	1	2				1		1						1	
7. Cerebro-spinal fever M.	373	86	186	41	18	23	12	10	11	10	7	15	11	5	11	13
7. Cerebro-spinal fever F.	256	68	137	26	20	12	12	6	7	5	5	7	4	6	5	4
8. Typhoid fever M.	2,115	19	111	93	115	269	357	301	191	130	114	84	87	59	54	150
8. Typhoid fever F.	1,688	15	88	76	141	308	238	179	95	109	91	83	53	42	57	128
9. Diarrheal diseases M.	3,623	1,098	2,264	106	55	40	46	52	54	67	80	72	85	94	107	501
9. Diarrheal diseases F.	3,560	1,418	1,977	109	61	50	48	65	50	74	84	108	98	99	134	603
10. Cholera infantum M.	3,652	3,000	3,644													8
10. Cholera infantum F.	3,132	2,528	3,128													4
11. Malarial fever M.	769	69	160	56	35	44	46	39	46	37	39	29	40	29	33	136
11. Malarial fever F.	848	62	159	49	32	55	48	61	39	47	33	32	31	42	42	178
12. Erysipelas M.	288	82	100	5	1	9	6	7	11	11	8	21	12	15	7	75
12. Erysipelas F.	236	74	91	3	6	6	11	1	4	8	10	13	11	9	8	55
13. Septicæmia M.	303	28	51	15	14	13	13	14	18	18	22	18	22	19	27	39
13. Septicæmia F.	351	23	47	16	6	9	46	44	26	42	19	17	22	16	12	29
14. Venereal diseases M.	64	37	41			1	1	4	3	4	1	3		1	2	3
14. Venereal diseases F.	51	33	36			1	1	2	4	2	2		1		2	
15. Others of this group M.	199	9	15	7	5	3	3	1	5	1	8	7	7	9	11	117
15. Others of this group F.	147	10	19	5	2	3	2	3	5	3	4	6	4	4	16	71
General diseases—B	2,382	1,563	1,676	27	7	14	34	45	56	84	78	74	64	48	46	129
Males	1,409	866	925	18	4	8	18	29	43	68	58	58	43	31	28	78
Females	973	697	751	9	3	6	16	16	13	16	20	16	21	17	18	51
1. Parasitic diseases M.	3		1	1	1											
1. Parasitic diseases F.	4		1	2		1										
2. Alcoholism M.	325	4	7			1	10	21	36	57	50	47	30	25	15	26
2. Alcoholism F.	81	1	1			1	2	7	9	10	17	9	12	3	4	6
3. Lead poison M.	7				1			3		1					1	1
3. Lead poison F.	3						1			1		1				
4. Other poisons M.	135	22	41	9	2	5	4	5	5	8	6	10	9	6	7	18
4. Other poisons F.	90	14	30	1	2	4	11	6	3	4	3	2	5	7	4	8
5. Inanition M.	939	840	876	8		2	4		2	2	2	1	4		5	33
5. Inanition F.	795	682	719	6	1		2	3	1	1		4	4	7	10	37
General diseases—C	23,846	17,916	18,673	73	36	37	29	40	37	52	49	59	86	87	187	4,401
Males	13,022	10,391	10,772	35	12	16	13	12	13	23	21	27	40	36	99	1,903
Females	10,824	7,525	7,901	38	24	21	16	28	24	29	28	32	46	51	88	2,498
1. Premature birth M.	1,652	1,651	1,652													
1. Premature birth F.	1,260	1,258	1,260													
2. Stillborn M.	5,972	5,972	5,972													
2. Stillborn F.	4,005	4,005	4,005													
3. Malformation M.	146	137	140			2	1				1		1			1
3. Malformation F.	118	106	109	5	1					1						2
4. Debility and atrophy M.	4,214	2,631	3,008	35	12	14	12	12	13	23	20	27	39	36	82	881
4. Debility and atrophy F.	3,951	2,156	2,527	33	23	21	16	28	24	28	28	32	46	51	68	1,026
5. Old age M.	1,038														17	1,021
5. Old age F.	1,490														20	1,470

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	26,108	1,333	2,386	332	392	1,496	2,644	2,380	2,202	2,175	1,866	1,825	1,585	1,384	1,387	3,464
Males	13,000	738	1,306	158	161	590	1,287	1,453	1,168	1,111	935	967	792	698	719	1,655
Females	13,108	595	1,080	174	231	906	1,357	1,427	1,124	1,064	931	858	793	686	668	1,809
1. Rheumatism M.	305	5	15	11	24	15	9	16	15	22	15	20	18	25	25	75
1. Rheumatism F.	301	4	7	17	13	13	9	12	10	12	15	15	25	21	27	105
2. Scrofula and tabes M.	200	92	128	4	6	3	7	7	3	3	7	5	1	9	3	14
2. Scrofula and tabes F.	181	83	111	2	9	8	4	7	5	3	11	2	2	6	3	8
3. Leprosy M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
3. Leprosy F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M.	9,563	188	354	61	92	518	1,236	1,374	1,095	997	805	788	508	460	429	786
4. Consumption F.	8,801	151	300	80	172	842	1,298	1,331	1,001	881	642	538	411	330	288	687
5. Hydrocephalus M.	840	387	698	53	18	11	4	11	3	9	2	4	9	3	2	13
5. Hydrocephalus F.	640	207	545	42	11	1	4	3	2	2	4	2	5	3	5	11
6. Cancer M.	1,139	4	9	1	1	10	11	12	25	37	74	91	126	135	173	434
6. Cancer F.	1,995	2	8	2	1	7	14	25	54	116	191	241	260	242	253	581
7. Tumor M.	102	4	7	3	2	2	3	2	4	9	3	16	8	10	11	22
7. Tumor F.	176	4	5	1	1	2	6	9	5	10	14	14	18	17	21	53
8. Anæmia M.	113	20	33	4	1	3	2	4	3	4	3	12	8	7	5	24
8. Anæmia F.	152	21	28	5	3	11	8	13	9	7	11	7	7	6	5	32
9. Dropsy M.	469	19	33	17	12	12	7	16	7	16	16	12	33	22	45	221
9. Dropsy F.	618	15	39	15	14	14	7	11	16	24	32	32	44	42	52	276
10. Diabetes M.	226	6	11	2	5	15	6	11	12	14	8	17	18	25	22	60
10. Diabetes F.	201	6	11	7	7	5	7	16	20	8	11	6	18	18	14	53
11. Others of this group M.	42	13	18	2	.....	1	2	.....	1	.....	2	1	3	2	4	6
11. Others of this group F.	41	12	25	3	.....	3	.....	.....	2	1	.....	1	3	1	.....	2
12. Others of this class M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
II.—Diseases of the nervous system	22,938	6,752	10,362	613	339	293	295	355	449	527	569	663	807	911	1,162	5,593
Males	12,282	3,806	5,669	300	182	149	164	189	203	304	309	362	421	481	628	2,861
Females	10,656	2,946	4,693	313	157	144	131	166	186	223	260	301	386	430	534	2,732
1. Inflammation of the brain M.	2,540	901	1,694	156	77	42	54	50	69	53	61	57	45	48	43	91
1. Inflammation of the brain F.	2,016	686	1,377	148	65	44	39	42	32	38	30	38	30	22	23	83
2. Apoplexy M.	2,176	16	27	4	6	12	14	31	42	86	91	117	146	203	275	1,122
2. Apoplexy F.	2,019	20	36	4	8	10	7	18	38	44	92	110	170	207	236	1,030
3. Paralysis M.	1,765	23	56	14	12	11	16	22	26	39	52	64	80	118	170	1,085
3. Paralysis F.	1,792	23	59	16	15	11	10	24	29	33	49	70	93	101	167	1,115
4. Tetanus and trismus nascentium M.	313	166	183	12	22	20	10	7	10	6	5	13	8	3	6	8
4. Tetanus and trismus nascentium F.	177	115	134	7	2	5	2	1	7	2	5	6	1	2	.....	3
5. Epilepsy M.	215	8	18	2	11	23	27	17	19	23	13	11	10	7	7	27
5. Epilepsy F.	157	3	8	4	9	17	12	14	16	20	10	9	8	7	2	21
6. Convulsions M.	3,103	2,214	2,919	64	15	9	11	12	13	7	8	8	7	8	4	18
6. Convulsions F.	2,647	1,711	2,414	79	23	15	21	14	21	13	9	5	5	2	10	16
7. Mental diseases M.	196	.....	.....	.....	1	5	8	9	20	15	18	17	24	12	12	55
7. Mental diseases F.	221	.....	.....	.....	2	3	8	14	13	20	21	13	17	23	20	67
8. Diseases of the brain M.	1,757	460	742	47	36	22	19	32	54	62	50	61	78	72	85	397
8. Diseases of the brain F.	1,446	376	639	44	32	29	23	28	22	45	36	38	39	52	63	356
9. Diseases of the spinal cord M.	173	16	25	1	2	4	4	6	9	11	10	12	18	7	23	41
9. Diseases of the spinal cord F.	118	10	24	7	1	5	4	7	5	5	6	8	10	12	8	16
10. Others of this class M.	44	2	5	.....	.....	1	1	3	1	2	1	2	5	3	3	17
10. Others of this class F.	63	2	2	4	.....	5	5	4	3	3	2	4	4	2	5	20
III.—Diseases of the circulatory system	8,976	962	1,125	178	240	256	213	270	286	379	423	509	617	625	744	3,102
Males	4,684	541	629	92	100	122	112	118	133	179	235	265	333	312	396	1,649
Females	4,292	421	496	86	140	134	101	152	153	200	188	244	284	313	348	1,453
1. Angina pectoris M.	285	.....	.....	2	3	1	1	5	3	8	21	27	18	28	36	132
1. Angina pectoris F.	208	.....	.....	3	3	1	2	6	7	11	13	18	18	15	18	93
2. Aneurism M.	65	.....	.....	.....	.....	.....	1	.....	3	8	4	9	9	7	1	23
2. Aneurism F.	42	.....	.....	2	.....	1	.....	1	5	4	4	6	1	1	4	13
3. Diseases of the heart M.	3,911	183	256	89	106	120	106	111	122	162	208	228	304	274	355	1,470
3. Diseases of the heart F.	3,701	157	221	80	136	128	95	138	136	181	168	215	261	292	321	1,329
4. Others of this class M.	423	358	373	1	.....	1	4	2	5	1	2	1	2	3	4	24
4. Others of this class F.	341	264	275	1	1	4	4	7	5	4	3	5	4	5	5	18

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	21,849	4,616	10,229	1,183	306	405	474	569	546	632	679	700	772	775	878	3,701
Males	11,583	2,551	5,541	635	131	196	290	325	304	368	409	440	423	419	454	1,648
Females	10,266	2,065	4,688	548	175	209	184	244	242	264	270	260	349	356	424	2,053
1. Croup M.	1,663	186	1,304	299	27	6	5	1	1	1	2	2	5	1	.....	9
1. Croup F.	1,403	142	1,080	259	28	4	2	2	1	.....	2	2	4	4	5	10
2. Laryngitis M.	339	41	208	50	8	3	6	5	6	11	7	4	9	3	3	16
2. Laryngitis F.	287	32	190	39	13	6	4	7	4	6	5	2	2	2	2	5
3. Bronchitis M.	2,594	1,081	1,645	75	10	16	29	21	22	30	39	48	62	64	97	436
3. Bronchitis F.	2,523	925	1,406	51	15	31	23	33	31	29	33	41	58	70	91	611
4. Pneumonia M.	5,762	902	1,910	181	70	144	217	255	243	278	312	320	298	294	290	950
4. Pneumonia F.	4,968	694	1,607	168	102	137	181	167	176	200	197	190	240	233	274	1,145
5. Pleurisy M.	174	5	23	2	3	6	12	14	13	12	8	11	8	5	17	40
5. Pleurisy F.	156	6	18	6	5	6	7	10	9	9	5	4	6	7	12	52
6. Asthma M.	106	8	9	1	.....	.....	.....	4	1	7	5	10	10	7	9	43
6. Asthma F.	90	3	3	3	1	1	.....	.....	.....	.....	2	3	6	9	7	55
7. Others of this class M.	945	328	442	27	13	21	21	25	18	29	36	45	31	45	38	154
7. Others of this class F.	830	263	384	22	11	24	17	25	21	20	26	18	33	31	33	174
V.—Diseases of the digestive system	6,342	1,006	1,428	163	184	205	230	307	263	332	354	350	402	406	430	1,288
Males	3,185	582	813	90	97	111	97	123	104	137	161	181	193	219	232	627
Females	3,157	424	615	73	87	94	133	184	159	195	193	169	209	187	198	661
1. Dentition M.	115	69	115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Dentition F.	104	53	104	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina M.	82	18	58	12	3	1	.....	.....	2	.....	.....	.....	1	2	1	2
2. Angina F.	66	14	36	12	7	2	2	1	.....	.....	1	.....	1	.....	1	3
3. Diseases of the stomach M.	585	126	175	9	7	10	15	17	11	27	22	26	35	43	34	154
3. Diseases of the stomach F.	676	122	174	20	12	17	14	27	21	40	24	27	50	29	38	183
4. Obstruction of the bowels M.	196	48	56	5	3	8	7	11	7	7	10	9	11	11	13	33
4. Obstruction of the bowels F.	199	29	40	.....	7	4	7	8	10	8	11	9	15	15	18	47
5. Hernia M.	136	17	20	.....	.....	5	4	4	6	5	1	10	10	16	15	40
5. Hernia F.	114	.....	1	.....	.....	1	1	3	1	8	9	14	12	10	11	43
6. Other diseases of the bowels. M.	34	9	10	.....	.....	2	.....	2	2	4	2	.....	1	2	1	8
6. Other diseases of the bowels. F.	31	5	5	1	1	1	2	2	.....	.....	2	3	5	2	.....	7
7. Jaundice M.	113	70	72	2	1	.....	.....	3	.....	2	.....	2	1	4	6	20
7. Jaundice F.	83	35	39	.....	.....	.....	1	.....	.....	2	4	1	8	1	8	19
8. Inflammation and abscess of the liver. M.	224	10	15	8	4	3	6	6	12	11	15	19	19	17	25	64
8. Inflammation and abscess of the liver. F.	189	4	10	3	4	.....	1	6	7	7	22	13	25	17	18	56
9. Other diseases of the liver. M.	729	18	31	6	6	3	9	15	21	39	68	79	80	93	91	183
9. Other diseases of the liver. F.	509	15	16	2	3	4	5	16	27	35	47	51	47	60	54	142
10. Peritonitis M.	719	66	112	44	69	75	45	60	41	36	37	33	32	25	33	77
10. Peritonitis F.	961	47	76	32	49	58	99	119	88	86	63	47	42	47	40	115
11. Ascites M.	12	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	1	2	2	4
11. Ascites F.	24	1	1	.....	1	1	.....	.....	1	2	4	1	.....	1	2	10
12. Others of this class M.	240	131	149	4	4	4	9	5	2	6	5	3	2	4	11	32
12. Others of this class F.	201	99	113	3	3	6	1	2	4	7	6	3	4	5	8	36
VI.—Diseases of the urinary system and male organs of generation.	5,161	87	289	154	87	118	178	218	265	319	339	377	381	412	451	1,573
Males	3,009	53	163	72	48	49	80	102	130	151	202	219	213	238	277	1,066
Females	2,152	34	126	82	39	69	98	116	135	168	137	158	169	174	174	507
1. Bright's disease M.	1,494	.....	.....	27	21	30	44	54	84	81	121	138	131	157	136	470
1. Bright's disease F.	1,131	.....	.....	31	22	37	50	60	78	95	77	89	89	108	107	288
2. Calculus, urinary M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5
2. Calculus, urinary F.	5	1	1	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	.....
3. Diseases of the kidney M.	973	43	150	43	22	14	33	36	41	58	70	59	60	53	80	254
3. Diseases of the kidney F.	806	27	113	42	14	26	35	40	43	54	51	51	64	57	53	163
4. Diseases of the bladder M.	369	6	7	1	1	3	1	5	1	4	1	11	12	17	42	263
4. Diseases of the bladder F.	63	1	1	.....	.....	2	2	3	2	6	.....	5	6	2	6	28
5. Others of this class M.	167	4	6	1	4	2	2	7	4	8	10	11	8	11	19	74
5. Others of this class F.	147	5	11	9	3	4	10	12	12	13	9	12	9	7	8	28
VII.—Diseases of the female organs of generation.	215	1	2	.....	.....	8	22	20	20	23	26	22	20	7	14	31
1. Ovarian tumors	54	.....	.....	.....	.....	.....	4	2	1	4	8	7	5	4	8	11
2. Ovarian diseases	10	.....	.....	.....	.....	.....	.....	1	1	.....	3	.....	1	.....	.....	4
3. Uterine tumors	19	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	3	1	2	5
4. Uterine diseases	80	.....	.....	.....	.....	1	14	10	11	6	9	9	5	2	4	9
5. Others of this class	52	1	2	.....	.....	7	4	7	6	11	3	4	6	.....	.....	2
VIII.—Affections connected with pregnancy.	1,016	.....	.....	.....	3	56	201	270	181	169	55	8	1	4	.....	8
1. Abortion	30	.....	.....	.....	.....	1	3	9	7	6	4	.....	.....	.....	.....	.....
2. Childbirth	199	.....	.....	.....	1	9	30	50	51	39	15	.....	.....	.....	.....	4
3. Puerperal septicæmia	728	.....	.....	.....	2	39	207	198	117	117	34	7	.....	4	.....	3
4. Extra-uterine pregnancy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Others of this class	59	.....	.....	.....	.....	7	21	13	6	7	2	1	1	.....	.....	1

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	197	10	25	18	28	20	14	11	12	14	8	12	5	8	5	17
Males	106	6	15	11	19	8	10	6	5	7	3	5	4	4	2	7
Females	91	4	10	7	9	12	4	5	7	7	5	7	1	4	3	10
1. Diseases of the spine M.	56	3	8	8	9	6	6	3	4	4	2	1	1	2	.....	2
1. Diseases of the spine F.	50	4	8	4	6	5	2	3	5	3	3	4	1	2	2	2
2. Diseases of the bones M.	27	2	2	.....	6	.....	3	1	1	1	1	2	2	2	1	5
2. Diseases of the bones F.	16	.....	1	1	1	3	.....	.....	1	3	1	.....	.....	1	1	3
3. Diseases of the hip joint M.	18	.....	3	3	4	2	1	2	.....	1	.....	1	1	.....	.....	.....
3. Diseases of the hip joint F.	22	.....	1	2	2	4	2	2	1	.....	1	3	.....	1	.....	3
4. Others of this class M.	5	1	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....
4. Others of this class F.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
X.—Diseases of the skin	297	60	87	8	6	16	10	16	9	11	12	18	20	19	15	50
Males	166	33	47	7	3	6	4	8	5	2	5	12	9	15	12	31
Females	131	27	40	1	3	10	6	8	4	9	7	6	11	4	3	19
1. Abscess M.	121	24	37	6	3	3	3	7	2	.....	5	10	7	11	7	20
1. Abscess F.	90	14	26	1	3	9	6	7	2	7	7	5	5	2	2	8
2. Carbuncle M.	26	1	1	.....	.....	1	1	.....	3	1	.....	2	2	4	5	6
2. Carbuncle F.	17	1	2	.....	.....	1	.....	1	.....	.....	.....	1	6	2	.....	4
3. Others of this class M.	19	8	9	1	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	5
3. Others of this class F.	24	12	12	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	7
XI.—Diseases of the absorbent system	40	.....	2	2	1	1	1	4	4	.....	7	2	3	.....	4	9
Males	21	.....	2	.....	1	.....	1	1	1	.....	5	2	2	.....	1	5
Females	19	.....	.....	2	.....	1	.....	3	3	.....	2	.....	1	.....	3	4
1. Addison's disease M.	12	.....	.....	.....	.....	.....	1	.....	1	.....	5	2	2	.....	.....	1
1. Addison's disease F.	7	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	1	.....	1	.....
2. Diseases of the spleen M.	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3
2. Diseases of the spleen F.	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2
3. Others of this class M.	5	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
3. Others of this class F.	8	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	2	2
XII.—Accidents and injuries	6,959	485	919	324	340	386	596	582	454	595	479	456	399	291	276	922
Males	5,463	275	535	250	281	315	514	500	389	455	415	389	322	243	203	652
Females	1,496	210	384	74	59	71	82	82	65	80	64	67	77	48	73	270
1. Burns and scalds M.	258	13	133	19	3	14	13	10	9	6	10	9	3	3	5	12
1. Burns and scalds F.	228	6	97	26	7	8	10	10	8	5	10	7	8	6	6	20
2. Drowned M.	1,002	7	60	127	127	91	105	96	58	66	66	60	40	25	20	112
2. Drowned F.	170	6	28	14	22	26	20	5	5	6	10	2	8	4	5	15
3. Exposure and neglect M.	45	4	6	.....	.....	1	2	1	1	6	5	5	1	3	2	12
3. Exposure and neglect F.	13	5	5	.....	.....	.....	.....	1	1	.....	.....	1	1	1	.....	3
4. Gunshot wounds M.	137	.....	1	6	14	18	15	17	11	14	13	7	6	4	2	9
4. Gunshot wounds F.	14	.....	2	.....	1	2	1	1	2	2	1	.....	.....	.....	.....	2
5. Homicide M.	48	1	3	.....	3	2	4	5	6	7	4	5	.....	5	1	3
5. Homicide F.	27	1	2	.....	.....	2	2	2	1	3	.....	4	2	2	6	1
6. Infanticide M.	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Infanticide F.	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Injuries by machinery M.	15	.....	.....	1	2	1	3	1	3	1	1	1	.....	.....	.....	1
7. Injuries by machinery F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8. Railroad accidents M.	1,371	4	14	26	62	96	194	187	124	146	100	90	75	49	52	156
8. Railroad accidents F.	107	.....	7	7	6	2	10	15	6	9	4	10	4	2	8	17
9. Suffocation M.	250	161	174	4	4	2	10	7	4	8	9	2	8	4	8	15
9. Suffocation F.	153	108	118	3	2	2	7	1	3	2	2	.....	1	4	1	7
10. Suicide by shooting M.	146	.....	.....	.....	.....	3	11	10	24	23	13	10	18	11	10	13
10. Suicide by shooting F.	8	.....	.....	.....	.....	1	2	2	1	.....	.....	1	.....	.....	.....	1
11. Suicide by drowning M.	21	.....	.....	.....	.....	.....	1	1	4	5	1	.....	1	2	1	5
11. Suicide by drowning F.	10	.....	.....	.....	.....	1	3	1	1	1	1	.....	.....	.....	2	1
12. Suicide by poison M.	89	.....	3	2	.....	4	9	8	7	4	7	11	13	4	5	12
12. Suicide by poison F.	40	.....	.....	.....	.....	2	5	5	6	2	5	4	5	1	1	4
13. Other suicides M.	251	.....	.....	.....	.....	9	16	11	15	21	30	33	30	23	17	46
13. Other suicides F.	46	.....	.....	.....	.....	2	4	3	5	4	6	5	8	1	3	5
14. Sunstroke M.	139	3	4	5	1	1	14	15	13	17	17	24	6	9	3	10
14. Sunstroke F.	29	5	6	3	1	1	1	2	.....	3	.....	.....	2	5	2	3
15. Surgical operations M.	10	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	1	2	.....	3
15. Surgical operations F.	11	.....	.....	.....	.....	.....	.....	2	1	1	3	1	.....	.....	.....	3
16. Wounds M.	149	1	5	6	6	8	15	18	6	7	16	17	8	8	9	20
16. Wounds F.	28	1	9	1	2	1	1	.....	1	1	.....	2	2	1	1	6
17. Other accidents and injuries M.	1,461	79	130	54	58	64	101	104	104	123	123	115	103	91	68	223
17. Other accidents and injuries F.	611	77	109	20	18	21	17	32	24	41	22	30	36	21	38	182

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	5,392	1,559	2,283	187	144	224	264	200	200	215	195	216	177	159	155	773
Males	2,746	861	1,205	101	72	93	117	97	86	117	104	104	85	86	71	408
Females	2,646	698	1,078	86	72	131	147	103	114	98	91	112	92	73	84	365
Unknown causes	30	10	12	1		1			1	1	1	2	2	1	4	4
Males	18	7	7			1			1			2		1	4	2
Females	12	3	5	1						1	1		2			2
I.—General diseases: General diseases—A	840	325	509	55	31	34	29	17	22	21	16	19	10	20	10	47
Males	419	173	258	28	15	17	10	8	9	9	12	9	5	10	4	25
Females	421	152	251	27	16	17	19	9	13	12	4	10	5	10	6	22
1. Smallpox M																
1. Smallpox F																
2. Measles M	7	2	7													
2. Measles F	11	1	9	1					1							
3. Scarlet fever M	12	1	6	4	2											
3. Scarlet fever F	9		5	3	1											
4. Diphtheria M	34	3	17	10	1	4	1									1
4. Diphtheria F	30	1	17	7	3	1						1				1
5. Whooping cough M	36	19	35	1												
5. Whooping cough F	44	16	42	2												
6. Fever M																
6. Fever F																
7. Cerebro-spinal fever M	7	1	2		2	1			1					1		
7. Cerebro-spinal fever F	10	2	6	1	1	1										1
8. Typhoid fever M	71	2	5	6	5	11	6	5	4	4	6	3	5	2	1	8
8. Typhoid fever F	74	1	6	9	8	10	13	7	5	5	4	2		3	1	1
9. Diarrheal diseases M	84	41	55	4	3	1	2	1	2	2	3	1		1	3	6
9. Diarrheal diseases F	82	43	53	2	2	3	1	1	1	2		3	4	2	3	5
10. Cholera infantum M	111	91	110													1
10. Cholera infantum F	88	72	88													
11. Malarial fever M	31	6	14	2	2		1	1	1	2	2	2		2		2
11. Malarial fever F	36	4	11	2	1	2	1	1	4	1		3	1	3		6
12. Erysipelas M	5							1						1		3
12. Erysipelas F	2	2	2													
13. Septicæmia M	1	1	1													
13. Septicæmia F	11	3	3				1		2	2					1	2
14. Venereal diseases M	11	5	5	1					1	1	1	1		1		
14. Venereal diseases F	16	7	9				3			1		1				2
15. Others of this group M	9	1	1									2		2		4
15. Others of this group F	8									1				2	1	4
General diseases—B	91	65	68	2			1			2	3	2	4	3	2	4
Males	51	37	39				1			1	3		2	2		3
Females	40	28	29	2						1		2	2	1	2	1
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	8									1	3		2	2		
2. Alcoholism F	4									1		1	1		1	
3. Lead poison M																
3. Lead poison F																
4. Other poisons M	4	1	2													2
4. Other poisons F	2											1	1			
5. Inanition M	39	36	37				1									1
5. Inanition F	34	28	29	2										1	1	1
General diseases—C	815	555	618	5	2	1	1		3	2	1	4	3	3	7	165
Males	429	310	340	1	2	1				1	1	1	3	1	2	76
Females	386	245	278	4			1		3	1		3		2	5	89
1. Premature birth M	42	42	42													
1. Premature birth F	37	37	37													
2. Stillborn M	175	175	175													
2. Stillborn F	113	113	113													
3. Malformation M	4	3	4													
3. Malformation F	4	4	4													
4. Debility and atrophy M	157	90	119	1	2	1				1	1	1	3	1	2	25
4. Debility and atrophy F	171	91	124	4			1		3	1		3		2	5	28
5. Old age M	51															51
5. Old age F	61															61

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		1,173	56	122	43	48	110	151	111	110	84	75	68	55	44	26	126
Males		554	24	56	21	17	39	71	56	44	49	35	31	23	27	16	69
Females		619	32	66	22	31	71	80	55	66	35	40	37	32	17	10	57
1. Rheumatism	M.	9			1			1			1		2		1		3
	F.	12				1	1						1	2	3		4
2. Scrofula and tabes	M.	19	4	7	2	4	1		2		1					1	1
	F.	15	6	11	1			1				1		1			
3. Leprosy	M.																
	F.																
4. Consumption	M.	437	10	27	16	11	38	68	53	40	45	30	24	18	16	10	41
	F.	474	14	36	20	26	68	78	52	62	25	34	23	16	6	4	24
5. Hydrocephalus	M.	18	8	15	1					1			1				
	F.	16	7	14						1							1
6. Cancer	M.	19		1						1		3	1	2	3	3	5
	F.	38						1	2	1	3	2	9	7	3	2	8
7. Tumor	M.	2								1							1
	F.	12					1				1		2	4			4
8. Anæmia	M.	4	1	3							1						
	F.	8	2	2			1		1				1			1	2
9. Dropsy	M.	37			1			2	1		1	2	2	2	7	2	17
	F.	39	2	2	1	4				1	5	3	1	2	3	3	14
10. Diabetes	M.	6				2				1			1	1			1
	F.	4								1	1				2		
11. Others of this group	M.	3	1	3													
	F.	1	1	1													
12. Others of this class	M.																
	F.																
II.—Diseases of the nervous system		723	247	366	21	16	13	17	9	7	13	14	30	27	18	29	143
Males		367	136	195	12	11	8	5	3	6	7	6	12	14	11	11	66
Females		356	111	171	9	5	5	12	6	1	6	8	18	13	7	18	77
1. Inflammation of the brain	M.	68	24	40	8	4	3	1		1	1	1	3	1	1		4
	F.	43	12	26	4	3	1	3	2		1	1	1	1			
2. Apoplexy	M.	52	1	2				1	3	2	2	1	3	8	5	5	20
	F.	74						1	1		3	5	10	4	3	8	39
3. Paralysis	M.	47		1		1				3	2	2	3	1	3		32
	F.	55		1			2	2	1	1	1	2	5	7	4	7	22
4. Tetanus and trismus nascentium.	M.	15	7	7		3	1	1		1			2				
	F.	7	5	5					1								1
5. Epilepsy	M.	6	1	2				1			1			1			1
	F.	5		1	2											1	1
6. Convulsions	M.	120	80	115	3	2	1							1	1	2	1
	F.	117	79	110	3		1	1					1				1
7. Mental diseases	M.	4					1							1		2	
	F.	5						1			1		1				2
8. Diseases of the brain	M.	46	14	28	1	1	2	1			1	2	1			2	7
	F.	46	15	28		2	1	3	1					1		2	8
9. Diseases of the spinal cord	M.	2												1			1
	F.	3						1									2
10. Others of this class	M.	1													1		
	F.	1															1
III.—Diseases of the circulatory system.		345	26	31	4	10	6	9	12	17	35	24	29	27	25	29	87
Males		161	14	19	3	4	2	4	4	7	19	14	12	12	10	10	41
Females		184	12	12	1	6	4	5	8	10	16	10	17	15	15	19	46
1. Angina pectoris	M.	2														1	1
	F.	4									1			1		1	1
2. Aneurism	M.	6					1				1	1	1	2			
	F.	2											2				
3. Diseases of the heart	M.	144	8	13	3	4	1	4	4	7	17	13	11	10	10	9	38
	F.	173	7	7	1	6	4	5	8	10	15	10	15	14	15	18	45
4. Others of this class	M.	9	6	6							1						2
	F.	5	5	5													

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	803	213	476	38	18	18	20	14	13	21	23	27	25	20	14	76
Males	420	121	242	22	7	8	10	9	5	12	12	18	15	11	6	43
Females	383	92	234	16	11	10	10	5	8	9	11	9	10	9	8	33
1. Croup M	19	4	12	5	1								1			
1. Croup F	18	4	14	3			1									
2. Laryngitis M	3	1	2		1											
2. Laryngitis F	3			1			1					1				
3. Bronchitis M	103	51	86	6	2						2					7
3. Bronchitis F	116	34	90	3		2	1	2	2		1			1	2	12
4. Pneumonia M	230	40	115	8	2	6	8	8	4	10	9	14	12	9	3	31
4. Pneumonia F	197	38	100	8	10	7	6	3	6	7	10	7	7	5	5	16
5. Pleurisy M	6						1	1					1		1	2
5. Pleurisy F	5	1	2										1	1		1
6. Asthma M	5	1	2									2				1
6. Asthma F	7											1	2	1	1	2
7. Others of this class M	45	15	25	3	1	2	1		1	2	1	2	1	2	2	2
7. Others of this class F	37	15	28	1	1	1	1			2				1		2
V.—Diseases of the digestive system	168	22	34	4	4	12	10	8	8	9	14	9	5	9	11	31
Males	87	13	21	3	3	2	3	5	3	4	8	4	2	6	4	19
Females	81	9	13	1	1	10	7	3	5	5	6	5	3	3	7	12
1. Dentition M	4	3	4													
1. Dentition F	3	2	3													
2. Angina M																
2. Angina F																
3. Diseases of the stomach M	14	3	4				1		1		1			1	1	5
3. Diseases of the stomach F	14	1	3	1						1		1			3	5
4. Obstruction of the bowels M	8		2		1	1			1			1	1			1
4. Obstruction of the bowels F	8	2	2		1	1		2				1			1	
5. Hernia M	6	1	1	1				1			1	1				1
5. Hernia F																
6. Other diseases of the bowels. M																
6. Other diseases of the bowels. F	1	1	1													
7. Jaundice M																
7. Jaundice F	1	1	1													
8. Inflammation and abscess of the liver. M	7							2	1		1					3
8. Inflammation and abscess of the liver. F	3												1	1		1
9. Other diseases of the liver. M	20		1			1	1	1		2	3	1	1	3	1	5
9. Other diseases of the liver. F	6		1								2			1	2	
10. Peritonitis M	18	2	3	2	1		1	1		1	2	1		1	2	3
10. Peritonitis F	40					8	7	1	5	4	4	3	2	1		5
11. Ascites M	2		1													1
11. Ascites F	2					1										1
12. Others of this class M	8	4	5		1					1				1		
12. Others of this class F	3	2	2												1	
VI.—Diseases of the urinary system and male organs of generation.	171	5	6	5	3	5	5	7	7	7	11	19	16	11	14	55
Males	104	3	4	4	2	3	2	3	5	5	3	10	7	5	8	43
Females	67	2	2	1	1	2	3	4	2	2	8	9	9	6	6	12
1. Bright's disease M	54			2	1		2	1	3	4	1	8	4	3	5	20
1. Bright's disease F	37			1	1	2			1		4	5	6	4	5	8
2. Calculus, urinary M																
2. Calculus, urinary F																
3. Diseases of the kidney M	32	2	3	1	1	3		1	1	1	2	2	2	2	1	12
3. Diseases of the kidney F	23	2	2				1	3	1	1	2	4	2	2	1	4
4. Diseases of the bladder M	12												1		2	9
4. Diseases of the bladder F	1							1								
5. Others of this class M	6	1	1	1				1	1							2
5. Others of this class F	6						2			1	2		1			
VII.—Diseases of the female organs of generation.	10					1		1	1	3					1	3
1. Ovarian tumors	3														1	2
2. Ovarian diseases	1								1							
3. Uterine tumors																
4. Uterine diseases	4							1		3						
5. Others of this class	2					1										1
VIII.—Affections connected with pregnancy.	32					7	8	10	3	3	1					
1. Abortion	1								1							
2. Childbirth	10					1	2	3	2	2						
3. Puerperal septicæmia	19					5	6	6		1	1					
4. Extra-uterine pregnancy																
5. Others of this class	2					1		1								

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	4			1			2					1				
Males	3			1			1					1				
Females	1						1									
1. Diseases of the spine M	1			1												
1. Diseases of the spine F	1						1									
2. Diseases of the bones M	2						1					1				
2. Diseases of the bones F																
3. Diseases of the hip joint M																
3. Diseases of the hip joint F																
4. Others of this class M																
4. Others of this class F																
X.—Diseases of the skin	4		1		1			1		1						
Males	3				1			1		1						
Females	1		1													
1. Abscess M	3				1			1		1						
1. Abscess F	1		1													
2. Carbuncle M																
2. Carbuncle F																
3. Others of this class M																
3. Others of this class F																
XI.—Diseases of the absorbent system	1		1													
Males																
Females	1		1													
1. Addison's disease M																
1. Addison's disease F	1		1													
2. Diseases of the spleen M																
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F																
XII.—Accidents and injuries	182	35	39	8	11	16	11	10	8	13	12	6	3	5	8	32
Males	130	23	24	6	10	12	10	8	6	9	10	4	2	2	6	21
Females	52	12	15	2	1	4	1	2	2	4	2	2	1	3	2	11
1. Burns and scalds M	2		1												1	
1. Burns and scalds F	8			1		1			1	2						3
2. Drowned M	33			5	5	7	3	2	2	2		1		1		5
2. Drowned F	1		1													
3. Exposure and neglect M	2									1						1
3. Exposure and neglect F																
4. Gunshot wounds M	5				1		1	1			2					
4. Gunshot wounds F																
5. Homicide M	4				1	1			1							1
5. Homicide F	3															3
6. Infanticide M	1	1	1													
6. Infanticide F																
7. Injuries by machinery M																
7. Injuries by machinery F																
8. Railroad accidents M	28				3	1	4	2	1	2	4	1	1	1	1	7
8. Railroad accidents F	5		1				1			1			1	1		
9. Suffocation M	18	9	9									1			2	1
9. Suffocation F	8	7	7			1										
10 Suicide by shooting M	2					1										1
10 Suicide by shooting F																
11. Suicide by drowning M	1									1						
11. Suicide by drowning F																
12 Suicide by poison M																
12 Suicide by poison F	2					1		1								
13. Other suicides M	2										1		1			
13. Other suicides F																
14 Sunstroke M	1										1					
14 Sunstroke F																
15 Surgical operations M																
15 Surgical operations F																
16 Wounds M	2			1		1										
16 Wounds F																
17. Other accidents and injuries M	34	13	13			1	2	3	2	3	2	1			2	5
17. Other accidents and injuries F	25	5	6	1	1	1		1	1	1	2	2		2	2	5

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	98,632	32,503	46,636	4,136	2,144	2,789	3,259	3,322	2,796	2,812	2,571	2,628	2,670	2,741	3,223	16,905
Males	51,832	18,399	25,702	2,131	1,068	1,266	1,604	1,622	1,387	1,373	1,318	1,399	1,401	1,445	1,684	8,432
Females	46,800	14,104	20,934	2,005	1,076	1,523	1,655	1,700	1,409	1,439	1,253	1,229	1,269	1,296	1,539	8,473
Unknown causes	330	112	139	7	9	9	7	6	9	12	6	8	13	6	19	80
Males	182	57	69	4	5	5	1	3	6	4	3	6	10	4	15	47
Females	148	55	70	3	4	4	6	3	3	8	3	2	3	2	4	33
I.—General diseases: General diseases—A	20,268	7,168	12,485	1,949	786	694	561	479	314	306	277	271	243	253	276	1,374
Males	10,375	3,881	6,544	944	357	329	295	253	178	141	139	116	142	115	124	698
Females	9,893	3,287	5,941	1,005	429	365	266	226	136	165	138	155	101	138	152	676
1. Smallpox M.	6	1	2				2					1				1
1. Smallpox F.	5	2	3	1			1									
2. Measles M.	176	42	149	13	4	3	2	1	2	2						
2. Measles F.	191	41	150	18	5	5		2	1	4	2			2		2
3. Scarlet fever M.	679	50	411	178	59	11	7	3	1	2	1		1	1		4
3. Scarlet fever F.	692	45	410	182	51	17	11	7	5	2	2	2			1	2
4. Diphtheria M.	1,853	121	1,133	499	132	45	14	10	4	4	2		2	1	2	5
4. Diphtheria F.	1,930	91	1,065	580	184	46	15	5	5	7		4	4	3	3	9
5. Whooping cough M.	347	221	335	11					1							
5. Whooping cough F.	442	238	419	17	4							1				1
6. Fever M.	6	1	2	1		1	1					1				
6. Fever F.	1		1													
7. Cerebro-spinal fever M.	248	62	127	32	13	19	6	4	5	5	2	6	7	4	7	11
7. Cerebro-spinal fever F.	170	50	97	17	11	6	7	4	3	3	1	7	4	5	3	2
8. Typhoid fever M.	1,267	17	84	76	81	180	195	166	102	64	55	37	53	32	33	109
8. Typhoid fever F.	1,089	12	75	55	110	203	144	108	50	64	54	46	29	30	36	85
9. Diarrheal diseases M.	2,280	1,132	1,530	82	34	22	33	26	19	27	42	35	39	43	52	305
9. Diarrheal diseases F.	2,228	939	1,348	80	36	38	29	38	24	29	40	52	38	52	66	358
10. Cholera infantum M.	2,504	2,064	2,499													5
10. Cholera infantum F.	2,121	1,718	2,118													3
11. Malarial fever M.	485	60	127	33	23	31	25	28	25	25	21	15	17	12	13	90
11. Malarial fever F.	547	48	120	36	19	39	26	39	29	29	18	21	10	28	22	111
12. Erysipelas M.	177	56	71	3	1	5	5	3	4	4	4	7	7	8		55
12. Erysipelas F.	145	52	63	3	3	3	4		2	3	7	8	4	5	3	37
13. Septicæmia M.	165	22	35	10	8	8	3	10	10	3	10	8	13	6	11	30
13. Septicæmia F.	199	17	30	13	5	6	23	20	11	23	11	11	10	7	7	22
14. Venereal diseases M.	44	26	29	1		1	1	1	2	4	1	2		1		1
14. Venereal diseases F.	45	28	38			1	4	2	3		1	1				
15. Others of this group M.	129	6	10	5	2	3	1	1	3	1	1	4	3	7	6	82
15. Others of this group F.	88	6	9	3	1	1	2	1	3	1	2	2	2	6	11	44
General diseases—B	1,622	1,178	1,262	25	5	8	22	16	26	34	27	32	28	27	27	83
Males	957	674	717	16	3	5	10	11	20	27	22	24	22	15	17	48
Females	665	504	545	9	2	3	12	5	6	7	5	8	6	12	10	35
1. Parasitic diseases M.	3		1	1	1											
1. Parasitic diseases F.	3		1	1		1										
2. Alcoholism M.	136	3	5			1	4	8	17	21	18	17	15	13	9	8
2. Alcoholism F.	27	1	1				2	1	3	4	3	3	3	2	3	2
3. Lead poison M.	2							1								1
3. Lead poison F.																
4. Other poisons M.	94	20	35	8	2	3	2	2	2	4	3	7	4	2	5	15
4. Other poisons F.	64	11	23	1	2	2	8	4	2	2	2	3	3	4	2	6
5. Inanition M.	722	651	676	7		1	4		1	2	1		3		3	24
5. Inanition F.	571	492	520	7			2		1	1		2		6	5	27
General diseases—C	16,732	13,015	13,572	62	28	24	21	24	22	36	23	40	46	44	94	2,696
Males	9,326	7,627	7,915	26	13	10	8	9	7	14	10	18	24	18	51	1,203
Females	7,406	5,388	5,657	36	15	14	13	15	15	22	13	22	22	26	43	1,493
1. Premature birth M.	1,265	1,264	1,265													
1. Premature birth F.	966	964	966													
2. Stillborn M.	4,374	4,374	4,374													
2. Stillborn F.	2,834	2,834	2,834													
3. Malformation M.	96	91	94										1			1
3. Malformation F.	92	84	85	4	1											2
4. Debility and atrophy M.	2,957	1,898	2,182	26	13	10	8	9	7	14	10	18	23	18	46	573
4. Debility and atrophy F.	2,637	1,506	1,772	32	14	14	13	15	15	22	13	22	22	26	38	619
5. Old age M.	634														5	629
5. Old age F.	877														5	872

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	15,345	1,024	1,848	271	312	978	1,511	1,570	1,248	1,124	939	919	868	737	765	2,255
Males	7,231	545	972	128	130	362	698	758	600	539	418	439	401	354	375	1,057
Females	8,114	479	876	143	182	616	813	812	648	585	521	480	467	383	390	1,198
1. Rheumatism M	180	4	11	9	10	7	5	7	5	16	6	7	9	15	16	48
1. Rheumatism F	177	4	6	11	9	8	4	8	5	7	6	6	14	12	10	71
2. Scrofula and tabes M	163	65	101	5	9	2	7	7	1	2	5	4	1	6	3	10
2. Scrofula and tabes F	156	73	97	3	8	7	5	4	3	2	9	1	3	5	1	8
3. Leprosy M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M	5,050	146	282	54	72	316	663	713	554	472	358	352	284	225	219	486
4. Consumption F	5,321	130	203	78	136	565	777	756	581	477	345	303	238	172	170	460
5. Hydrocephalus M	585	281	492	36	13	6	3	6	4	5	1	2	4	2	.....	11
5. Hydrocephalus F	408	219	410	28	9	1	.....	2	2	1	1	.....	3	1	4	6
6. Cancer M	603	4	10	1	.....	6	6	6	16	18	30	47	65	64	80	254
6. Cancer F	1,132	2	8	1	.....	4	10	9	24	61	110	129	147	139	144	346
7. Tumor M	52	1	4	3	2	1	1	.....	2	4	1	8	3	5	6	12
7. Tumor F	126	4	5	.....	.....	2	4	6	2	9	11	9	17	8	16	37
8. Anæmia M	74	16	25	3	.....	3	1	2	2	4	1	4	4	4	2	19
8. Anæmia F	114	20	25	3	2	10	5	9	5	5	9	5	5	3	4	24
9. Dropsy M	343	15	24	13	10	8	6	10	6	9	12	6	18	15	33	173
9. Dropsy F	453	15	34	11	14	13	5	8	10	16	20	22	27	31	33	209
10. Diabetes M	155	5	8	2	5	12	4	7	9	9	4	9	12	18	15	41
10. Diabetes F	132	3	7	6	4	3	3	10	14	6	10	4	11	11	8	35
11. Others of this group M	26	8	15	2	.....	1	2	.....	1	.....	.....	.....	1	.....	1	3
11. Others of this group F	33	9	20	2	.....	3	.....	.....	2	1	.....	1	2	1	.....	1
12. Others of this class M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class F	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
II.—Diseases of the nervous system	15,061	4,799	7,416	406	235	197	169	179	238	261	273	322	392	469	640	3,864
Males	7,973	2,682	4,037	203	126	94	87	90	129	137	146	174	207	254	341	1,948
Females	7,088	2,117	3,379	203	109	103	82	89	109	124	127	148	185	215	299	1,916
1. Inflammation of the brain M	1,032	629	1,187	111	49	27	25	27	36	19	26	28	18	16	13	50
1. Inflammation of the brain F	1,367	490	982	103	42	29	21	24	17	18	14	13	14	11	16	63
2. Apoplexy M	1,197	14	22	3	4	6	8	13	15	37	41	51	68	111	134	684
2. Apoplexy F	1,147	14	25	3	5	5	5	8	22	28	44	53	79	94	109	667
3. Paralysis M	1,230	16	48	11	8	7	11	12	17	16	28	34	46	76	109	813
3. Paralysis F	1,298	21	51	10	13	11	10	16	19	23	28	43	57	64	113	840
4. Tetanus and trismus nascentium M	203	110	127	8	15	13	6	1	5	3	2	7	6	1	3	6
4. Tetanus and trismus nascentium F	132	88	102	4	1	5	2	1	6	1	2	3	.....	1	.....	4
5. Epilepsy M	126	9	17	1	6	13	13	8	11	16	6	8	4	3	4	16
5. Epilepsy F	89	3	8	4	6	9	6	7	8	11	4	4	3	4	1	14
6. Convulsions M	2,150	1,530	2,024	41	10	7	8	8	8	6	3	6	6	4	5	14
6. Convulsions F	1,821	1,184	1,677	41	19	13	14	9	13	5	5	4	4	2	6	9
7. Mental diseases M	63	.....	.....	.....	1	1	3	1	6	4	6	5	7	3	5	21
7. Mental diseases F	77	.....	.....	.....	1	2	4	3	7	7	9	3	7	6	5	23
8. Diseases of the brain M	1,237	363	501	28	31	18	11	17	27	28	28	31	39	34	57	297
8. Diseases of the brain F	1,047	307	515	30	22	23	15	17	15	20	18	18	15	28	38	207
9. Diseases of the spinal cord M	97	9	16	.....	2	2	1	2	4	6	6	3	10	4	9	32
9. Diseases of the spinal cord F	69	8	17	5	.....	4	2	3	1	2	2	4	5	3	6	15
10. Others of this class M	32	2	5	.....	.....	.....	1	1	.....	2	.....	1	3	2	2	15
10. Others of this class F	41	2	2	3	.....	2	3	1	1	3	1	3	1	2	5	14
III.—Diseases of the circulatory system	5,381	752	875	127	157	137	100	136	145	199	215	244	280	326	400	2,031
Males	2,807	424	490	66	67	68	52	55	64	91	115	134	144	175	212	1,074
Females	2,574	328	385	61	90	69	57	81	81	108	100	110	136	151	188	957
1. Angina pectoris M	170	.....	.....	2	2	.....	.....	2	.....	4	12	11	4	17	20	96
1. Angina pectoris F	124	.....	.....	3	2	1	1	4	5	5	3	10	7	9	8	66
2. Aneurism M	34	.....	.....	.....	.....	1	1	.....	1	5	2	5	6	1	1	11
2. Aneurism F	21	.....	.....	1	.....	.....	.....	1	1	.....	3	4	1	.....	2	8
3. Diseases of the heart M	2,283	157	210	63	65	67	49	52	59	80	99	117	133	155	188	946
3. Diseases of the heart F	2,184	129	179	56	87	65	54	74	72	102	92	93	126	140	175	869
4. Others of this class M	320	267	280	1	.....	.....	2	1	4	2	2	1	1	2	3	21
4. Others of this class F	245	199	206	1	1	3	2	2	3	1	2	3	2	2	3	14

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	13,092	3,285	7,128	822	214	235	210	229	250	259	261	267	304	326	408	2,179
Males	6,809	1,816	3,862	434	92	105	127	123	125	144	146	156	157	169	197	972
Females	6,283	1,469	3,266	388	122	130	83	106	125	115	115	111	147	157	211	1,207
1. Croup M.	1,061	124	827	200	21	2	2						3			6
1. Croup F.	910	95	688	186	20	1	2				2	1	1	2	3	4
2. Laryngitis M.	199	23	122	34	7	1	2	2	3	4	5	4	3	1	1	10
2. Laryngitis F.	195	22	118	20	12	6	3	5	4	3	4	2	1	2	2	4
3. Bronchitis M.	1,049	783	1,208	60	10	13	15	7	9	11	10	14	21	18	30	223
3. Bronchitis F.	1,561	660	1,018	36	9	25	9	18	18	10	13	17	14	21	42	311
4. Pneumonia M.	3,139	628	1,339	113	46	73	91	94	97	111	106	108	115	122	134	590
4. Pneumonia F.	2,906	483	1,126	116	68	74	58	70	89	89	82	78	109	104	134	709
5. Pleurisy M.	89	4	16	1	1	3	5	3	7	2	2	3	3	1	14	28
5. Pleurisy F.	97	7	16	3	3	6	1	3	4			1	6	6	8	40
6. Asthma M.	51	7	8	1				1	1	2	3	6	2	3	4	20
6. Asthma F.	49	2	2	2	1	1						3	3	6	4	27
7. Others of this class M.	621	247	342	25	7	13	12	16	8	14	20	21	10	24	14	95
7. Others of this class F.	565	200	298	16	9	17	10	10	10	13	14	9	13	16	18	112
V.—Diseases of the digestive system.	3,592	673	965	119	118	142	125	150	123	151	165	150	156	197	210	821
Males	1,807	399	555	67	63	71	47	61	49	60	76	82	71	101	107	397
Females	1,785	274	410	52	55	71	78	89	74	91	89	68	85	96	103	424
1. Dentition M.	77	43	77													
1. Dentition F.	61	30	61													
2. Angina M.	49	12	33	8	2				2				1	1	1	1
2. Angina F.	44	10	24	8	4	2	1	1			1		1			2
3. Diseases of the stomach M.	311	81	104	3	4	5	7	7	3	11	10	12	12	23	12	98
3. Diseases of the stomach F.	387	73	115	12	4	8	5	13	10	20	13	12	10	15	18	123
4. Obstruction of the bowels M.	125	36	44	3	4	6	5	5	5	4	7	5	5	5	3	24
4. Obstruction of the bowels F.	126	28	35		5	4	5	8	7	2	6	4	6	4	12	28
5. Hernia M.	72	14	17	1		3	1	3	3	3	1	6	3	6	5	20
5. Hernia F.	56		1			1		1	1	3	5	6	1	3	6	28
6. Other diseases of the bowels. M.	21	4	5			2		1	1	2	1		1	1		7
6. Other diseases of the bowels. F.	16	3	3		1	1		1			1	2	2	1		4
7. Jaundice M.	69	43	44	1	1			3		2		1		3	2	12
7. Jaundice F.	49	23	26							1	1		3		4	14
8. Inflammation and abscess of the liver. M.	122	8	10	6	3	2	3	7	7	3	3	7	7	9	9	46
8. Inflammation and abscess of the liver. F.	104	4	7	3	4			4	3	2	11	3	12	9	9	37
9. Other diseases of the liver. M.	371	16	29	6	3	4	5	7	9	16	28	36	25	39	45	119
9. Other diseases of the liver. F.	232	13	15	2	3	2	3	5	4	9	14	14	14	33	29	85
10. Peritonitis M.	426	51	87	36	43	47	20	26	17	18	22	15	16	7	22	50
10. Peritonitis F.	565	27	50	25	32	48	63	54	46	48	30	26	23	27	20	73
11. Ascites M.	8		1				1				1			2		3
11. Ascites F.	14	1	1			2					4			1		6
12. Others of this class M.	156	91	104	3	3	2	5	2	2	1	3		1	5	8	17
12. Others of this class F.	131	62	72	2	2	3	1	2	3	6	3	1	4	3	5	24
VI.—Diseases of the urinary system and male organs of generation.	2,867	60	190	103	47	79	88	123	138	139	142	177	160	214	238	1,020
Males	1,724	40	107	52	29	33	43	56	65	58	84	107	99	131	152	708
Females	1,143	20	83	51	18	46	45	67	73	81	58	70	70	83	86	312
1. Bright's disease M.	877			20	10	19	26	26	48	36	54	71	66	86	87	328
1. Bright's disease F.	611			23	8	27	25	39	39	50	30	38	36	51	58	187
2. Calculus, urinary M.	5												1			4
2. Calculus, urinary F.																
3. Diseases of the kidney M.	506	33	97	29	16	12	15	18	15	17	25	26	22	26	35	153
3. Diseases of the kidney F.	391	16	74	21	7	15	10	19	25	23	21	22	22	27	19	86
4. Diseases of the bladder M.	230	3	4	1	1	2	1	5		2	1	6	4	12	18	173
4. Diseases of the bladder F.	41	1	1			1	1	2	2	2		3	5		4	20
5. Others of this class M.	106	4	6	2	2		1	7	2	3	4	4	6	7	12	50
5. Others of this class F.	100	3	8	7	3	3	9	7	7	6	7	7	7	5	5	19
VII.—Diseases of the female organs of generation.	144	1	2			5	16	16	11	13	16	15	11	3	8	28
1. Ovarian tumors	37						3	2		2	7	3	3	2	5	10
2. Ovarian diseases	8								2		1		1			4
3. Uterine tumors	13								1	1	2	2	1		2	4
4. Uterine diseases	57					1	10	7	7	6	4	7	5	1	1	8
5. Others of this class	29	1	2			4	3	7	1	4	2	3	1			2
VIII.—Affections connected with pregnancy.	506				2	42	127	138	87	68	26	4		4		8
1. Abortion	15					1	2	3	5	1	3					
2. Childbirth	91				1	8	7	23	26	17	5					4
3. Puerperal septicæmia	369				1	27	108	106	52	48	17	3		4		3
4. Extra-uterine pregnancy																
5. Others of this class	31					6	10	6	4	2	1	1				1

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	117	8	20	8	20	13	8	6	5	4	5	5	3	7	3	10
Males	62	4	12	7	13	5	6	4	1	1	2	2	2	3	1	3
Females	55	4	8	1	7	8	2	2	4	3	3	3	1	4	2	7
1. Diseases of the spine M.	30	3	7	4	6	3	2	1	1	1	2		1	1		1
1. Diseases of the spine F.	28	4	6		5	3	2		2	1	1	2	1	2	1	2
2. Diseases of the bones M.	10	1	1		5		3	1				1		2	1	2
2. Diseases of the bones F.	11		1		1	1			1	2	1			1	1	2
3. Diseases of the hip joint M.	14		3	3	2	2	1	2					1			
3. Diseases of the hip joint F.	14		1	1	1	4		2	1		1	1		1		1
4. Others of this class M.	2		1									1				
4. Others of this class F.	2															2
X.—Diseases of the skin	188	40	63	6	4	11	3	10	6	7	4	11	10	8	11	34
Males	110	24	36	5	3	4	1	5	3	2	2	6	7	7	10	19
Females	78	16	27	1	1	7	2	5	3	5	2	5	3	1	1	15
1. Abscess M.	84	18	29	4	3	2	1	4	2	1	2	5	5	6	5	15
1. Abscess F.	53	8	18	1	1	7	2	4	2	3	2	5	1		1	6
2. Carbuncle M.	12								1			1	2	1	5	2
2. Carbuncle F.	9		1					1					2	1		4
3. Others of this class M.	14	6	7	1		2		1		1						2
3. Others of this class F.	16	8	8						1	2						5
XI.—Diseases of the absorbent system	20		3	2	1	1	1	2	2		4	2	3		3	5
Males	10		2		1		1	1	1		3	2	2		1	2
Females	13		1	2		1		1	1		1		1		2	3
1. Addison's disease M.	9						1		1		3	2	2			
1. Addison's disease F.	5		1			1		1	1				1			
2. Diseases of the spleen M.	2							1								1
2. Diseases of the spleen F.	4			1							1					2
3. Others of this class M.	5		2		1										1	1
3. Others of this class F.	4			1											2	1
XII.—Accidents and injuries	3,358	388	668	229	206	214	281	238	172	199	188	161	144	120	121	417
Males	2,453	226	384	179	166	175	228	193	139	155	152	133	113	99	81	256
Females	905	162	284	50	40	39	53	45	33	44	36	28	31	21	40	161
1. Burns and scalds M.	136	11	85	12	1	4	5	8	4	1	2	4	1	1	2	6
1. Burns and scalds F.	137	3	63	18	6	5	6	6	2	4	4	2	1	3	4	13
2. Drowned M.	497	5	38	97	82	62	50	36	18	20	23	21	11	10	5	15
2. Drowned F.	88	2	19	10	15	9	15	2	4	4	3		2	1	1	3
3. Exposure and neglect M.	18	2	3			1	1	1	1	1	3	2		1		4
3. Exposure and neglect F.	6	2	2					1	1				1			1
4. Gunshot wounds M.	69		1	3	9	11	10	10	4	5	11	1	1			3
4. Gunshot wounds F.	8		1		1	1	1		1		1					2
5. Homicide M.	23	1	2		3	3	1	3	1	2	2	1		3		2
5. Homicide F.	11		1			1	2	1					1		2	3
6. Infanticide M.	2	2	2													
6. Infanticide F.	1	1	1													
7. Injuries by machinery M.	2			1	1											
7. Injuries by machinery F.																
8. Railroad accidents M.	482	3	7	16	27	46	65	70	40	45	31	27	24	17	17	50
8. Railroad accidents F.	49		5	3	5	1	6	7	3	4	2	4	3	1	1	4
9. Suffocation M.	182	129	139	3	4	1	6	2	1	3	1	2	4	1	4	11
9. Suffocation F.	106	83	93	2	1		2		1	1				2	1	3
10. Suicide by shooting M.	58					2	6	6	10	9	4	3	6	4	4	4
10. Suicide by shooting F.	4					1		1				1				1
11. Suicide by drowning M.	7									4	1					2
11. Suicide by drowning F.	5						2	1		1					1	
12. Suicide by poison M.	32		1	1		1	4	2	4	1	2	2	8	2	2	2
12. Suicide by poison F.	22					2	4	3	1	1	5	1	3	1	1	
13. Other suicides M.	97					3	5	7	3	5	13	13	12	13	6	17
13. Other suicides F.	30					1	3	1	4	2	4	2	6		3	4
14. Sunstroke M.	27	3	4	1	1		3	1	1	4	3	2	3	3	1	
14. Sunstroke F.	14	4	4	2	1					1				2	1	3
15. Surgical operations M.	4				1									1		2
15. Surgical operations F.	8							2		1	3					2
16. Wounds M.	60	1	4	5	3	7	4	4	3		3	7	3	4	3	10
16. Wounds F.	12	1	6	1									1		1	3
17. Other accidents and injuries M.	757	69	98	40	34	34	59	43	49	55	53	48	40	30	37	128
17. Other accidents and injuries F.	404	66	89	14	11	18	12	20	16	25	14	18	13	11	24	119

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	5,851	1,418	2,031	187	113	138	218	202	219	258	260	267	251	254	300	1,153
Males	3,162	784	1,128	81	58	68	116	106	106	131	139	151	145	153	186	594
Females	2,689	634	903	106	55	70	102	96	113	127	121	116	100	101	114	559
Unknown causes	22	4	4					2	1	3	1			1	2	8
Males	13	2	2					1	1	1	1				1	6
Females	9	2	2					1		2				1	1	2
I.—General diseases: General diseases—A	1,057	322	562	108	45	36	26	34	28	22	22	20	21	20	23	90
Males	535	172	295	44	24	18	13	21	11	9	12	12	11	9	12	44
Females	522	150	267	64	21	18	13	13	17	13	10	8	10	11	11	46
1. Smallpox M																
1. Smallpox F																
2. Measles M	8	1	7	1												
2. Measles F	10	2	10													
3. Scarlet fever M	48	3	34	7	5				1		1					
3. Scarlet fever F	48	3	26	16	3	2	1									
4. Diphtheria M	76	5	46	23	5	1		1								
4. Diphtheria F	101	5	49	35	12	2			1					1	1	
5. Whooping cough M	17	9	16	1												
5. Whooping cough F	21	11	20	1												
6. Fever M																
6. Fever F																
7. Cerebro-spinal fever M	11	1	4	1	2			1		1			1			1
7. Cerebro-spinal fever F	6	2	3			2										1
8. Typhoid fever M	97	1	5	4	10	14	12	14	7	2	6	9	2	2	1	9
8. Typhoid fever F	58		2	6	4	6	8	7	6	5	3	3	2	1	1	4
9. Diarrheal diseases M	103	48	58	3	1	2		3	3	2	1	2	3	2	3	20
9. Diarrheal diseases F	114	41	48	3	1	2	2	3	4	5	3	5	5	5	6	22
10. Cholera infantum M	114	98	114													
10. Cholera infantum F	97	80	97													
11. Malarial fever M	25	1	4	2	1	1	1	1		1	2		2	2	4	4
11. Malarial fever F	31	3	7	2	1	3			3		1		1	2	1	10
12. Erysipelas M	11	4	4							1	1		1	1		3
12. Erysipelas F	9		1			1		1			1		2	1	1	1
13. Septicæmia M	18		1	2				1		2	1	1	1	2	4	3
13. Septicæmia F	17	1	2				2	2	3	3	2			1		2
14. Venereal diseases M	1	1	1													
14. Venereal diseases F	1	1	1													
15. Others of this group M	6		1										1			4
15. Others of this group F	9	1	1	1											1	6
General diseases—B	88	56	60				1	3	1	2	2	5	3	5	2	4
Males	37	15	16				1	1	1	1	2	5	2	5	1	2
Females	51	41	44					2		1			1		1	2
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	13						1		1	1	2	4		3	1	
2. Alcoholism F	2									1			1			
3. Lead poison M	1							1								
3. Lead poison F																
4. Other poisons M	6	1	1										2	2		1
4. Other poisons F	3							1							1	1
5. Inanition M	17	14	15									1				1
5. Inanition F	46	41	44					1								1
General diseases—C	788	571	599					1	1		4	2	1	4	4	172
Males	395	309	322								1	1	1	1	3	66
Females	393	262	277					1	1		3	1		3	1	106
1. Premature birth M	41	41	41													
1. Premature birth F	37	37	37													
2. Stillborn M	182	182	182													
2. Stillborn F	135	135	135													
3. Malformation M	8	8	8													
3. Malformation F	2	2	2													
4. Debility and atrophy M	126	78	91								1	1	1	1	2	29
4. Debility and atrophy F	159	88	103					1	1		3	1		3	1	46
5. Old age M	38														1	37
5. Old age F	60															60

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	931	27	55	0	0	41	103	74	78	86	77	89	65	56	59	136
Males	470	17	37	2	2	15	52	40	40	43	31	39	41	32	34	62
Females	461	10	18	4	4	26	51	34	38	43	46	50	24	24	25	74
1. Rheumatism M.	11							1		1	1	2			2	4
1. Rheumatism F.	13		1	1	1	1			1			3	1	1	1	2
2. Scrofula and tabes M.	7	3	4		1					1						1
2. Scrofula and tabes F.	5	2	2								1				1	1
3. Leprosy M.																
3. Leprosy F.																
4. Consumption M.	332	4	6	1		14	49	34	38	35	28	30	30	24	18	25
4. Consumption F.	271	1	4	1	2	23	49	32	30	31	29	20	9	13	7	21
5. Hydrocephalus M.	27	8	23	1		1				1			1			
5. Hydrocephalus F.	9	3	6	1			1					1				
6. Cancer M.	46						1	1		3	2	2	5	4	10	18
6. Cancer F.	109								5	7	13	24	11	8	11	30
7. Tumor M.	6							1	1				3	1		
7. Tumor F.	10			1			1			1				2		5
8. Anæmia M.	5		1					1				2				1
8. Anæmia F.	9	2	3			1		1	1				1		1	1
9. Dropsy M.	21				1		1	1		1			2	2	3	10
9. Dropsy F.	24	1	1						1	3	3	2	1		2	11
10. Diabetes M.	12		1				1	1	1	1		2		1	1	3
10. Diabetes F.	10				1	1		1		1			1		2	3
11. Others of this group M.	3	2	2									1				
11. Others of this group F.	1	1	1													
12. Others of this class M.																
12. Others of this class F.																
II.—Diseases of the nervous system	889	216	314	19	11	9	14	9	20	20	29	31	35	50	58	201
Males	515	137	191	8	6	4	10	5	11	18	17	18	12	33	35	147
Females	374	79	123	11	5	5	4	4	9	11	12	13	23	17	23	114
1. Inflammation of the brain M.	106	33	50	5	4		5	2	4	8	3	2		4	5	8
1. Inflammation of the brain F.	57	24	38	4	2	1		1	3	1	1		1	1		4
2. Apoplexy M.	111	2	3						3	3	4	4	3	9	17	65
2. Apoplexy F.	95	1	3				1		2	1	1	7	13	6	13	48
3. Paralysis M.	78	1	1			1			2	1	2	4	2	7	8	50
3. Paralysis F.	78	1	2			1			3		2	3	8	6	6	47
4. Tetanus and trismus nascentium M.	11	7	7		1			1		1				1		
4. Tetanus and trismus nascentium F.	2	2	2													
5. Epilepsy M.	9		1		1	1	1	1			1			2		1
5. Epilepsy F.	7			1		2				1	1	1		1		
6. Convulsions M.	106	77	98	3					1					2		2
6. Convulsions F.	76	44	63	5	1		1	1	1		1				1	2
7. Mental diseases M.	10					1					3	1	2	1		2
7. Mental diseases F.	8						1	1		1	1				1	3
8. Diseases of the brain M.	73	16	24			1	2	1	1	3	4	4	3	7	5	18
8. Diseases of the brain F.	44	7	15	1	1	1	1	1		5	4	2	1	2	2	8
9. Diseases of the spinal cord M.	10	1	1				2			2		3	1			1
9. Diseases of the spinal cord F.	6				1					2				1		2
10. Others of this class M.	1												1			
10. Others of this class F.	1										1					
III.—Diseases of the circulatory system	400	39	42	2	11	10	10	9	15	18	23	35	31	24	43	127
Males	221	24	26	1	4	4	7	4	7	7	13	16	19	13	33	67
Females	179	15	16	1	7	6	3	5	8	11	10	19	12	11	10	60
1. Angina pectoris M.	11											1	2	1	3	4
1. Angina pectoris F.	3												2			1
2. Aneurism M.	1											1				
2. Aneurism F.	6			1					2	1						2
3. Diseases of the heart M.	188	4	6	1	4	4	6	4	7	7	13	14	17	12	30	63
3. Diseases of the heart F.	157	4	5		7	6	3	4	5	10	10	19	10	11	10	57
4. Others of this class M.	21	20	20				1									
4. Others of this class F.	13	11	11					1	1							

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	802	136	315	31	8	13	20	17	21	35	29	25	40	40	39	169
Males	455	79	184	14	4	7	14	11	12	21	16	19	26	26	19	82
Females	347	57	131	17	4	6	6	6	9	14	13	6	14	14	20	87
1. Croup M	54	6	45	7		1							1			
F	39	8	35	2	1								1			
2. Laryngitis M	12	2	7	2			1									2
F	5		3	2												
3. Bronchitis M	116	37	59	2			1	1	1	1	2	3	6	8	7	25
F	99	23	46	3			1	1			2	1	2	2	6	35
4. Pneumonia M	220	21	53	8	3	6	10	9	10	14	13	14	16	17	10	42
F	165	17	35	10	3	5	5	3	9	11	11	3	10	8	12	40
5. Pleurisy M	3		1				1			1			1			4
F	2															2
6. Asthma M	6							1		1		1	1			2
F	4											1				3
7. Others of this class M	39	13	19		1		1		1	4	1	1	1	1	2	7
F	33	9	12			1		2		3		1	1	4	2	7
V.—Diseases of the digestive system	254	30	40	7	7	6	9	9	10	17	16	16	18	21	25	53
Males	140	19	26	3	3	5	4	5	3	9	7	6	10	16	17	26
Females	114	11	14	4	4	1	5	4	7	8	9	10	8	5	8	27
1. Dentition M	5	5	5													
F	1	1	1													
2. Angina M	1		1													
F	2			1			1									
3. Diseases of the stomach M	22	4	7				1	1		2			1	1	3	6
F	27	6	8		1	1	1	1		1		1	2	2	1	8
4. Obstruction of the bowels M	12	1	2	1		2		1						2	3	1
F	5		1								1		1	1	1	
5. Hernia M	9										1	1		3	1	3
F	3									1			1			1
6. Other diseases of the bowels M	1									1						
F																
7. Jaundice M	6	3	3	1										1	1	
F																
8. Inflammation and abscess of the liver. M	11					1					3	2	2		2	1
F	12									2	2	1		1	2	4
9. Other diseases of the liver. M	38								1	4	1	3	6	5	6	12
F	20							1	1		3	2	1		3	9
10. Peritonitis M	27	1	3	1	1	2	3	3	2	1	2		1	4	1	3
F	35			2	2		3	2	6	4	3	6	3	1	1	2
11. Ascites M																
F	3				1											2
12 Others of this class M	8	5	5		2					1						
F	6	4	4	1												1
VI.—Diseases of the urinary system and male organs of generation.	259	2	5	4	4	2	6	7	6	15	25	20	24	21	32	88
Males	165	2	4	1		1	2	3	3	8	16	16	14	11	23	63
Females	94		1	3	4	1	4	4	3	7	9	4	10	10	9	25
1. Bright's disease M	80					1	1	2	2	6	12	10	7	7	9	29
F	54			1	3	1	2	1	3	3	5	4	3	6	4	18
2. Calculus, urinary M																
F	1												1			
3. Diseases of the kidney M	49	2	4	1			1	1		2	4	5	7	3	6	15
F	33			2	1		2	2		3	3		6	4	4	6
4. Diseases of the bladder M	22								1						7	14
F	3									1					1	1
5. Others of this class M	8											1		1	1	5
F	3		1					1			1					
VII.—Diseases of the female organs of generation.	7					1			2	1	1			1		1
1. Ovarian tumors	1								1							
2. Ovarian diseases	1										1					
3. Uterine tumors																
4. Uterine diseases	2													1		1
5. Others of this class	3					1			1	1						
VIII.—Affections connected with pregnancy.	61					3	15	15	11	12	4		1			
1. Abortion	4							1	1	2						
2. Childbirth	17					1	6	3	3	4						
3. Puerperal septicæmia	37					2	8	10	7	6	4					
4. Extra-uterine pregnancy																
5. Others of this class	3						1	1					1			

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	6			1		1				1		1	1	1		
Males	6			1		1				1		1	1	1		
Females																
1. Diseases of the spine M.	4			1		1				1				1		
1. Diseases of the spine F.																
2. Diseases of the bones M.	2											1	1			
2. Diseases of the bones F.																
3. Diseases of the hip joint M.																
3. Diseases of the hip joint F.																
4. Others of this class M.																
4. Others of this class F.																
X.—Diseases of the skin	9							1	1	1	2	2		2		
Males	2									1		1				
Females	7							1	1		2	1		2		
1. Abscess M.	1											1				
1. Abscess F.	5							1			2			2		
2. Carbuncle M.	1									1						
2. Carbuncle F.	1											1				
3. Others of this class M.																
3. Others of this class F.	1								1							
XI.—Diseases of the absorbent system	3								1		1					1
Males	1										1					
Females	2								1							1
1. Addison's disease M.	1										1					
1. Addison's disease F.	1								1							
2. Diseases of the spleen M.																
2. Diseases of the spleen F.																
3. Others of this class M.																
3. Others of this class F.	1															1
XII.—Accidents and injuries	275	15	35	9	21	16	14	21	23	16	24	21	11	8	13	43
Males	207	8	25	7	15	13	13	15	17	12	22	17	8	6	8	29
Females	68	7	10	2	6	3	1	6	6	4	2	4	3	2	5	14
1. Burns and scalds M.	14		9	1	1									1	1	1
1. Burns and scalds F.	6		1	1		1		1				1	1			
2. Drowned M.	48	1	6	5	7	5	5	3	4	1	1	2	2		2	5
2. Drowned F.	9	1	2		3		1	1	1							1
3. Exposure and neglect M.	1										1					
3. Exposure and neglect F.																
4. Gunshot wounds M.	5				1	1	1	1		1						
4. Gunshot wounds F.	1					1										
5. Homicide M.																
5. Homicide F.	2											2				
6. Infanticide M.																
6. Infanticide F.																
7. Injuries by machinery M.	2						1		1							
7. Injuries by machinery F.																
8. Railroad accidents M.	47				3	6	5	3	4	5	6	3	3	1		8
8. Railroad accidents F.	5								2							3
9. Suffocation M.	6	4	4												1	1
9. Suffocation F.	7	4	4						2					1		
10. Suicide by shooting M.	2										1	1				
10. Suicide by shooting F.																
11. Suicide by drowning M.	2								2							
11. Suicide by drowning F.	1														1	
12. Suicide by poison M.	5		1								1	3				
12. Suicide by poison F.																
13. Other suicides M.	11								3		4		1		1	2
13. Other suicides F.	1															1
14. Sunstroke M.																
14. Sunstroke F.	2			1											1	
15. Surgical operations M.	1															1
15. Surgical operations F.																
16. Wounds M.	9				2			2			2	2			1	
16. Wounds F.	2				1											1
17. Other accidents and injuries. M.	54	3	5	1	1	1	1	6	3	5	6	6	2	4	2	11
17. Other accidents and injuries. F.	32	2	3		2	1		4	1	4	2	1	2	1	3	8

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	23,244	4,157	6,741	754	462	810	1,433	1,412	1,162	1,342	1,235	1,347	1,290	1,123	1,088	3,045
Males	11,715	2,254	3,575	374	234	378	770	724	614	680	652	703	606	545	511	1,349
Females	11,529	1,903	3,166	380	228	432	663	688	548	662	583	644	684	578	577	1,696
Unknown causes	104	19	24	2	1	.....	3	9	5	3	5	5	9	8	8	22
Males	49	10	14	.....	1	.....	.....	6	4	1	2	3	3	4	4	7
Females	55	9	10	2	.....	.....	3	3	1	2	3	2	6	4	4	15
I.—General diseases: General diseases—A	3,017	898	1,908	344	142	132	214	147	120	114	102	125	114	108	104	243
Males	1,905	460	966	155	59	61	118	61	71	57	48	61	55	56	43	94
Females	2,012	438	942	189	83	71	96	86	49	57	54	64	59	52	61	149
1. Smallpox M.	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Measles M.	37	6	34	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	51	11	45	3	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
3. Scarlet fever M.	176	7	114	39	14	3	3	.....	.....	1	2	.....	.....	.....	.....	.....
F.	200	9	128	50	12	5	2	1	.....	2	.....	.....	.....	.....	.....	.....
4. Diphtheria M.	284	12	190	73	13	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....
F.	312	16	171	101	26	6	.....	3	.....	1	.....	.....	1	.....	.....	3
5. Whooping cough M.	51	29	50	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	82	36	75	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
6. Fever M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....
7. Cerebro-spinal fever M.	54	8	26	2	4	3	2	2	3	.....	2	5	2	1	2	.....
F.	36	9	16	5	6	2	3	.....	.....	1	.....	.....	.....	1	.....	2
8. Typhoid fever M.	320	2	15	11	7	31	82	40	32	22	21	16	15	9	6	13
F.	268	2	5	9	16	40	50	37	22	18	16	16	9	8	8	14
9. Diarrheal diseases M.	403	120	176	10	8	7	6	10	16	19	11	17	20	26	23	54
F.	480	104	156	14	12	6	10	18	13	17	23	31	31	26	31	92
10. Cholera infantum M.	321	255	321	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	311	235	311	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11. Malarial fever M.	137	4	15	11	10	9	17	5	15	6	5	8	11	7	6	12
F.	148	2	15	1	5	7	15	15	5	9	11	9	12	12	13	19
12. Erysipelas M.	41	10	11	2	.....	1	.....	1	1	3	2	8	1	5	1	5
F.	34	10	10	.....	2	1	6	.....	1	.....	.....	2	1	1	2	8
13. Septicæmia M.	53	3	7	3	2	2	5	1	3	5	3	7	5	4	3	3
F.	55	1	4	1	1	2	8	10	5	9	2	3	2	4	3	1
14. Venereal diseases M.	9	4	4	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	1
F.	6	2	2	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	1	.....
15. Others of this group M.	17	.....	1	.....	1	.....	1	.....	.....	.....	2	.....	1	3	2	6
F.	27	1	4	1	1	1	.....	2	2	.....	1	2	2	.....	2	9
General diseases—B	290	129	142	4	.....	1	8	14	14	19	27	11	18	11	6	15
Males	173	68	75	2	.....	1	7	9	9	15	15	8	9	7	4	12
Females	117	61	67	2	.....	.....	1	5	5	4	12	3	9	4	2	3
1. Parasitic diseases M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Alcoholism M.	80	.....	1	.....	.....	.....	4	9	8	13	15	8	7	6	2	7
F.	32	.....	.....	.....	.....	.....	.....	4	5	3	11	2	5	1	.....	1
3. Lead poison M.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4. Other poisons M.	12	1	4	1	.....	.....	2	.....	.....	1	.....	.....	1	1	1	1
F.	9	2	5	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	.....
5. Inanition M.	80	67	70	1	.....	1	1	.....	1	.....	.....	.....	1	.....	1	4
F.	74	59	62	1	.....	.....	.....	1	.....	.....	.....	1	4	1	2	2
General diseases—C	2,540	1,050	1,746	8	3	5	4	8	4	9	9	14	19	16	41	654
Males	1,251	911	956	4	1	2	3	2	.....	4	2	4	5	4	14	250
Females	1,289	739	790	4	2	3	1	6	4	5	7	10	14	12	27	404
1. Premature birth M.	147	147	147	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	118	118	118	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn M.	524	524	524	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	404	404	404	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation M.	14	13	13	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
F.	8	7	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Debility and atrophy M.	403	227	272	4	1	2	2	2	.....	4	2	4	5	4	8	93
F.	480	210	260	4	2	3	1	6	4	5	7	10	14	12	15	137
5. Old age M.	163	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	157
F.	279	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	267

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	4,867	97	202	40	62	322	646	631	490	483	414	415	296	254	200	412
Males	2,413	58	117	18	21	126	323	326	247	249	210	222	129	122	108	195
Females	2,454	39	85	22	41	196	323	305	243	234	204	193	167	132	92	217
1. Rheumatism M.	54			1	3	6	2	6	3	4	3	5	4	4	3	10
1. Rheumatism F.	59			4	1	2	2	3	2	3	4	4	6	5	8	15
2. Scrofula and tabes M.	16	10	11	1		1			1					1		1
2. Scrofula and tabes F.	13	3	5		1	1		2		1	1	1		1		
3. Leprosy M.																
3. Leprosy F.																
4. Consumption M.	2,018	15	33	8	14	115	319	311	239	230	189	186	92	88	76	118
4. Consumption F.	1,906	10	23	10	33	189	310	290	221	205	160	131	102	80	47	105
5. Hydrocephalus M.	75	28	63	5	3	1		2		1						
5. Hydrocephalus F.	55	23	50	2	1		1				1					
6. Cancer M.	157						1	3	2	9	12	17	19	22	23	49
6. Cancer F.	282			1		1	3	7	11	21	27	44	49	31	25	62
7. Tumor M.	17	1	1				1			3	1	5	1	1	2	2
7. Tumor F.	21						1	1	1	1	2	3	2	3	2	5
8. Anæmia M.	14	2	4	1							1	3	3	1		1
8. Anæmia F.	14		1	1		1	1		2		1	1	1	2	1	2
9. Dropsy M.	41		3	2	1	1		3		2	1	4	7	3	4	10
9. Dropsy F.	75	1	3	2	3	1	2		3	3	7	8	5	7	7	24
10. Diabetes M.	17					2		1	2		2	2	3	2		3
10. Diabetes F.	26	1	2	1	2	1	3	2	3		1	1	1	3	2	4
11. Others of this group M.	4	2	2								1					1
11. Others of this group F.	3	1	1	1									1			
12. Others of this class M.																
12. Others of this class F.																
II.—Diseases of the nervous system	2,755	616	1,050	101	46	44	51	58	69	109	105	147	161	160	188	466
Males	1,382	346	563	51	24	30	25	31	44	66	56	64	70	61	85	212
Females	1,373	270	487	50	22	14	26	27	25	43	49	83	91	99	103	254
1. Inflammation of the brain M.	315	75	170	25	11	10	9	4	11	11	14	11	11	8	8	13
1. Inflammation of the brain F.	262	64	157	17	11	5	9	5	4	12	6	16	3	5	3	9
2. Apoplexy M.	280		1			2	3	7	10	19	19	20	28	26	46	99
2. Apoplexy F.	350	1	2	1	2	2	2	5	4	11	21	36	43	52	56	113
3. Paralysis M.	131	2	3		2	1	2	3	1	7	4	7	11	12	14	64
3. Paralysis F.	203		3	3	1		2	5	4	6	7	17	23	21	27	84
4. Tetanus and trismus nascentium. M.	52	18	18	2	5	7	2	5	2	2	2	5	1			1
4. Tetanus and trismus nascentium. F.	15	7	9	1				1	1		2		1			
5. Epilepsy M.	22				3	4		1	1	3	2	2	2	1	2	1
5. Epilepsy F.	21		1		1	2	1	1	3	2	3	1	2	1	1	2
6. Convulsions M.	325	205	300	11	2	1	2	1		1	2	2		1	1	1
6. Convulsions F.	292	161	252	17	1	2	3	2	2	4	2	1	1		3	2
7. Mental diseases M.	25					2	1	3		2	3		6	3	1	4
7. Mental diseases F.	20				1		1	1	2	3	1	1	1	4	1	13
8. Diseases of the brain M.	207	44	68	12	1	2	5	4	16	20	10	14	11	10	7	27
8. Diseases of the brain F.	178	36	60	11	5	3	5	4	3	5	6	10	14	11	10	31
9. Diseases of the spinal cord M.	23	2	3	1		1	1	3	2	1		2			6	3
9. Diseases of the spinal cord F.	18	1	3				2	2	1		1	1	1	5	2	
10. Others of this class M.	2								1			1				
10. Others of this class F.	5						1	1	1				2			
III.—Diseases of the circulatory system.	1,414	67	87	28	43	64	50	66	61	90	84	118	144	122	134	323
Males	643	36	50	15	19	24	28	29	28	27	41	46	71	50	57	158
Females	771	31	37	13	24	40	22	37	33	63	43	72	73	72	77	165
1. Angina pectoris M.	37				1	1	1	3	1	2	2	6	3	5	5	7
1. Angina pectoris F.	48						1	2	1	6	7	8	5	2	5	11
2. Aneurism M.	14								1	1	2	2		3		5
2. Aneurism F.	10					1			1	2	1	1			2	2
3. Diseases of the heart M.	562	12	25	15	18	22	27	25	26	24	37	38	67	42	51	145
3. Diseases of the heart F.	680	10	15	13	24	38	21	33	31	52	35	62	67	69	69	151
4. Others of this class M.	30	24	25			1		1					1		1	1
4. Others of this class F.	33	21	22			1		2		3		1	1	1	1	1

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.		3,882	521	1,291	152	50	104	151	180	157	191	216	217	235	219	209	510
Males		1,991	283	674	85	19	54	94	101	91	104	126	129	114	108	99	193
Females		1,891	238	617	67	31	50	57	79	66	87	90	88	121	111	110	317
1. Croup	M.	221	17	175	36	4	3	1				2					
	F.	183	10	147	26	2	2	1	1					1		1	2
2. Laryngitis	M.	43	4	28	5	1	1	1	2	1	2	1		1			
	F.	49	3	37	5			1			2	1	1	1			1
3. Bronchitis	M.	361	115	171	8	1	2	7	3	7	12	14	20	14	21	21	60
	F.	451	100	166	9	5	5	10	14	13	13	11	14	25	33	29	104
4. Pneumonia	M.	1,192	110	254	31	10	40	76	88	78	77	101	97	82	78	71	109
	F.	1,017	84	219	20	20	39	38	52	44	63	70	67	77	71	67	170
5. Pleurisy	M.	30		2		1	2	4	2	2	2	3	2	5	1		4
	F.	26		2		1		3	4	3	6			1		2	4
6. Asthma	M.	20									3	1	2	4	1	1	8
	F.	22	1	1	1							1		4	1	3	11
7. Others of this class	M.	124	37	44	5	2	6	5	6	3	8	4	8	8	7	6	12
	F.	143	31	45	6	3	4	4	8	6	3	7	6	12	6	8	25
V.—Diseases of the digestive system		1,072	105	149	12	32	37	50	71	56	81	81	96	112	83	77	135
Males		462	53	78	8	20	15	26	27	19	26	26	41	41	46	25	64
Females		610	52	71	4	12	22	24	44	37	55	55	55	71	37	52	71
1. Dentition	M.	13	7	13													
	F.	17	9	17													
2. Angina	M.	10	3	8		1											1
	F.	5	3	3		2											
3. Diseases of the stomach	M.	109	15	23	2	3	2	4	8	5	5	5	8	9	10	4	21
	F.	151	16	19	2	4	7	5	10	8	13	8	12	22	5	17	19
4. Obstruction of the bowels	M.	25	4	4	1		1	1	3			1	3	4	1	1	5
	F.	38		1		3	1	2		2	3	1	4	4	7	4	6
5. Hernia	M.	14	1	1				2						2	2	3	4
	F.	16							2		1	3	1	4	1	1	3
6. Other diseases of the bowels.	M.	4	1	1							1				1		1
	F.	6	2	2					1					2			1
7. Jaundice	M.	11	5	5									1	1		1	3
	F.	14	5	5							1	3		1		3	1
8. Inflammation and abscess of the liver.	M.	27		1	1	1		3		2	3	2	3	1	3	2	5
	F.	36		2				1		1	2	4	7	11	3	2	3
9. Other diseases of the liver.	M.	117	1	2				3	5	4	8	14	18	17	25	9	12
	F.	137	1	1			1		5	10	18	22	21	18	11	11	19
10. Peritonitis	M.	107	6	8	3	15	12	11	9	8	7	4	7	6	4	5	3
	F.	160	3	5	2	3	11	16	26	15	16	13	9	9	9	11	15
11. Ascites	M.	1												1			
	F.	2								1	1						
12. Others of this class	M.	24	10	12	1			2	2		2		1				4
	F.	28	13	16			2					1	1		1	3	4
VI.—Diseases of the urinary system and male organs of generation.		893	3	36	21	16	24	47	39	64	91	82	87	89	82	63	152
Males		454	1	19	9	11	11	23	17	32	40	44	40	43	38	31	96
Females		439	2	17	12	5	13	24	22	32	51	38	47	46	44	32	56
1. Bright's disease	M.	234			4	6	6	12	12	17	21	25	26	26	28	10	41
	F.	232			4	4	7	12	10	19	25	22	27	27	31	17	27
2. Calculus, urinary	M.																
	F.	3						1	1				1				
3. Diseases of the kidney	M.	153		18	5	3	2	10	5	14	17	16	10	12	8	11	22
	F.	175	2	17	7	1	5	9	11	9	21	15	16	17	11	14	22
4. Diseases of the bladder	M.	44	1	1			1				2		3	4		7	26
	F.	7					1				1				1	1	3
5. Others of this class	M.	23				2	2	1		1		3	1	1	2	3	7
	F.	22			1			2		4	4	1	3	2	1		4
VII.—Diseases of the female organs of generation.		32					2	4		3	7	5	5	1		3	2
1. Ovarian tumors		8									1	1	3			2	1
2. Ovarian diseases																	
3. Uterine tumors		2									1						1
4. Uterine diseases		15						4		2	2	4	2			1	
5. Others of this class		7					2			1	3			1			
VIII.—Affections connected with pregnancy.		218				1	5	63	58	40	39	11	1				
1. Abortion		3							1		2						
2. Childbirth		50					1	10	11	14	8	6					
3. Puerperal septicæmia		153				1	3	47	44	25	27	5	1				
4. Extra-uterine pregnancy																	
5. Others of this class		12					1	6	2	1	2						

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints		38		3	6	4	2	6	4	2	4		4				3
Males		20		1	2	3	1	5	2	1	2		1				2
Females		18		2	4	1	1	1	2	1	2		3				1
1. Diseases of the spine	M	14		1	2	2	1	4	2	1							1
	F	14		2	3	1	1	1	2	1	1		2				
2. Diseases of the bones	M	5				1		1			1		1				1
	F	1			1												
3. Diseases of the hip joint	M	1									1						
	F	2											1				1
4. Others of this class	M																
	F	1									1						
X.—Diseases of the skin		35	6	9		2	3	3	2		1	2	2	3	4		4
Males		16	2	4		1	1		1			1	2		3		3
Females		19	4	5		1	2	3	1		1	1		3	1		1
1. Abscess	M	11	2	4		1	1		1			1	2		1		
	F	12	1	2		1	2	3	1		1	1		1			
2. Carbuncle	M	3													2		1
	F	4	1	1										2	1		
3. Others of this class	M	2															2
	F	3	2	2													1
XI.—Diseases of the absorbent system		3							1	1		1					
Males		1										1					
Females		2							1	1							
1. Addison's disease	M	1										1					
	F	1							1								
2. Diseases of the spleen	M																
	F																
3. Others of this class	M																
	F	1								1							
XII.—Accidents and injuries		1,184	46	94	36	60	65	133	124	76	101	91	100	89	56	55	104
Males		955	26	58	25	55	52	118	112	68	89	80	82	66	46	41	63
Females		229	20	36	11	5	13	15	12	8	12	11	18	23	10	14	41
1. Burns and scalds	M	32		14	3		3	1	5	2		1	1			1	1
	F	34	1	9	4		2	1	1	2	1	1	2	5	2		4
2. Drowned	M	146		6	10	18	8	17	17	13	14	6	13	10	8	1	5
	F	27	1	3		2	6	3			1	5	1	5		1	
3. Exposure and neglect	M	6						1			3				1		1
	F	1	1	1													
4. Gunshot wounds	M	25			2	5	4	2		2	1	3	3	2		1	
	F																
5. Homicide	M	10		1				2		3	1	1	1				1
	F	4									2					2	
6. Infanticide	M																
	F																
7. Injuries by machinery	M	6				1		1		1	1		1				1
	F																
8. Railroad accidents	M	311		3	3	18	10	62	46	18	31	27	21	18	14	13	18
	F	24		1	3		1	2	3		3	1	1		1	4	4
9. Suffocation	M	38	19	20			1	3	3		1	3		2	1	3	1
	F	22	13	13	1		1	3				2					2
10. Suicide by shooting	M	6					1	1		1			1	1	1		
	F	2						1		1							
11. Suicide by drowning	M	2						1							1		
	F																
12. Suicide by poison	M	9		1			1		1	1		2	1	1		1	
	F	5							2				1				2
13. Other suicides	M	14						1		2	3	1	2	2	1	1	1
	F	3							1				1	1			
14. Sunstroke	M	52			2		1	5	5	3	5	8	13	2	1	1	6
	F	7					1		1		1			2	2		
15. Surgical operations	M	1													1		
	F	1											1				
16. Wounds	M	36			2	1	1	3	8	2	2	2	4	3	2	2	4
	F	9		1		1	1	1			1		1	1	1		1
17. Other accidents and injuries	M	261	7	13	3	12	13	18	27	20	27	26	21	25	15	17	24
	F	90	4	8	3	2	1	4	4	5	3	2	10	9	4	7	28

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE SIX YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	1,636	410	590	52	27	43	50	64	62	68	76	72	72	74	71	315
Males	860	235	336	33	15	22	29	29	31	34	46	31	30	41	29	154
Females	776	175	254	19	12	21	21	35	31	34	30	41	42	33	42	161
Unknown causes	4	1	1	1			1									1
Males	3	1	1	1												1
Females	1						1									
I.—General diseases: General diseases—A	293	98	170	22	12	6	9	8	3	7	4	5	3	5	8	31
Males	155	56	94	14	5	3	5	6		3	2	2		4	4	13
Females	138	42	76	8	7	3	4	2	3	4	2	3	3	1	4	18
1. Smallpox M.																
1. Smallpox F.																
2. Measles M.	2	1	2													
2. Measles F.	1		1													
3. Scarlet fever M.	13		10	3												
3. Scarlet fever F.	13		10	3												
4. Diphtheria M.	23	2	13	8	2											
4. Diphtheria F.	16		8	5	3											
5. Whooping cough M.	2	1	1	1												
5. Whooping cough F.	2	1	2													
6. Fever M.																
6. Fever F.																
7. Cerebro-spinal fever M.	5	2	4									1				
7. Cerebro-spinal fever F.	3	1	1		1				1							
8. Typhoid fever M.	21		1		1	2	5	6		1	1			2	1	1
8. Typhoid fever F.	18		1		1	3	2	1	1	2	2	2			2	1
9. Diarrheal diseases M.	35	15	19	1	1	1						1			2	10
9. Diarrheal diseases F.	36	12	19		1					1			3		1	11
10. Cholera infantum M.	36	30	36													
10. Cholera infantum F.	31	26	31													
11. Malarial fever M.	10	2	5	1	1					1				1		1
11. Malarial fever F.	7		1		1			1		1						3
12. Erysipelas M.	4	3	3												1	
12. Erysipelas F.	2	1	1											1		
13. Septicæmia M.	2									1				1		
13. Septicæmia F.	4						2		1			1				
14. Venereal diseases M.	1															1
14. Venereal diseases F.	2	1	1												1	
15. Others of this group M.	1										1					
15. Others of this group F.	3															3
General diseases—B	31	17	17				1			3	3	3			2	2
Males	18	8	8							2	2	2			2	2
Females	13	9	9				1			1	1	1				
1. Parasitic diseases M.																
1. Parasitic diseases F.																
2. Alcoholism M.	7									2	1	2			2	
2. Alcoholism F.	3									1	1	1				
3. Lead poison M.																
3. Lead poison F.	1						1									
4. Other poisons M.	1										1					
4. Other poisons F.																
5. Inanition M.	10	8	8													2
5. Inanition F.	9	9	9													
General diseases—C	206	150	155						1	1	2					47
Males	107	86	90						1	1						15
Females	99	64	65								2					32
1. Premature birth M.	13	13	13													
1. Premature birth F.	5	5	5													
2. Stillborn M.	51	51	51													
2. Stillborn F.	33	33	33													
3. Malformation M.	3	3	3													
3. Malformation F.	1	1	1													
4. Debility and atrophy M.	34	19	23						1	1						9
4. Debility and atrophy F.	36	25	26								2					8
5. Old age M.	6															6
5. Old age F.	24															24

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		262	8	18	3	2	18	20	24	21	19	24	24	16	25	14	34
Males		137	3	8	1	2	7	11	10	15	9	18	11	7	12	8	18
Females		125	5	10	2		11	9	14	6	10	6	13	9	13	6	16
1. Rheumatism	M.	1		1													
	F.	1													1		
2. Scrofula and tabes	M.	2	1	1			1										
	F.	1		1													
3. Leprosy	M.																
	F.																
4. Consumption	M.	96		1		2	5	10	10	14	8	15	10	4	6	3	8
	F.	78	2	5			10	9	13	6	9	5	7	5	3	1	5
5. Hydrocephalus	M.	6	1	4	1		1										
	F.	5	3	4	1												
6. Cancer	M.	10										2		3	4	2	8
	F.	33					1		1		1	1	6	4	7	3	9
7. Tumor	M.	2														1	1
	F.																
8. Anæmia	M.	2						1							1		
	F.	1			1												
9. Dropsy	M.	2								1			1				
	F.	4													2	1	1
10. Diabetes	M.	5									1				1	2	1
	F.	2														1	1
11. Others of this group	M.	2	1	1								1					
	F.																
12. Others of this class	M.																
	F.																
II.—Diseases of the nervous system		231	56	91	6	4	3	5	5	3	6	9	5	10	7	13	64
Males		129	31	52	3	4	2	3	2	2	2	3	2	5	4	5	40
Females		102	25	39	3		1	2	3	1	4	6	3	5	3	8	24
1. Inflammation of the brain	M.	26	7	16	1	1	2	2	1		1		1				1
	F.	22	11	15	2			1				1		1			2
2. Apoplexy	M.	30						1		1			1	2	3	2	20
	F.	21									1	4	1	2		4	9
3. Paralysis	M.	20							1		1			1		2	15
	F.	15									1		2		2	2	8
4. Tetanus and trismus nascentium.	M.	4	3	3		1											
	F.																
5. Epilepsy	M.																
	F.	2						1	1								
6. Convulsions	M.	30	19	28	2												
	F.	19	11	18							1						
7. Mental diseases	M.	1								1							
	F.	1														1	
8. Diseases of the brain	M.	15	2	5		2						3		1	1		3
	F.	17	3	6					2	1	1			2		1	4
9. Diseases of the spinal cord	M.	2												1		1	
	F.	3			1							1			1		
10. Others of this class	M.	1															1
	F.	2					1										1
III.—Diseases of the circulatory system.		120	8	9	2	2	6	1	7	5	5	1	10	9	12	10	41
Males		58	5	6	2	2	4	1	2	2	3	1	3	5	4	2	21
Females		62	3	3			2		5	3	2		7	4	8	8	20
1. Angina pectoris	M.	2															2
	F.	6								1					1	2	2
2. Aneurism	M.	2												1	1		
	F.																
3. Diseases of the heart	M.	40		1	2	2	4	1	2	2	3	1	3	4	3	2	10
	F.	52	1	1			2		4	2	2		6	4	7	6	18
4. Others of this class	M.	5	5	5													
	F.	4	2	2					1				1				

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	246	56	104	8		5	3	7	9	5	16	12	15	6	11	45
Males	134	36	61	6		4	3	5	4	3	11	4	9	3	3	18
Females	112	20	43	2		1		2	5	2	5	8	6	3	8	27
1. Croup M	12		10	1									1			
1. Croup F	11	2	10	1												
2. Laryngitis M	1		1													
2. Laryngitis F	1			1												
3. Bronchitis M	32	19	26	1					1		1		1		1	1
3. Bronchitis F	31	9	15								3		2		1	10
4. Pneumonia M	78	10	17	4		4	3	5	2	3	9	4	6	3	2	16
4. Pneumonia F	60	7	13			1		2	5	2	2	7	4	2	7	15
5. Pleurisy M																
5. Pleurisy F	2											1				1
6. Asthma M	1	1	1													
6. Asthma F	1													1		
7. Others of this class M	10	6	6						1		1		1			1
7. Others of this class F	6	2	5													1
V.—Diseases of the digestive system	83	10	12	3	3	1	4	2	4	4	8	6	5	3	6	22
Males	36	7	8	1		1	3	1	2	1	3	3		2	2	9
Females	47	3	4	2	3		1	1	2	3	5	3	5	1	4	13
1. Dentition M	2	2	2													
1. Dentition F	1	1	1													
2. Angina M																
2. Angina F	1															1
3. Diseases of the stomach M	5			1											1	3
3. Diseases of the stomach F	9			2							1	1	2			3
4. Obstruction of the bowels M	5	1	1				1	1				1				1
4. Obstruction of the bowels F	2														1	1
5. Hernia M	2	1	1													1
5. Hernia F	3									1						2
6. Other diseases of the bowels. M																
6. Other diseases of the bowels. F	1	1	1													
7. Jaundice M	1	1	1													
7. Jaundice F	1												1			
8. Inflammation and abscess of the liver. M	2										2					
8. Inflammation and abscess of the liver. F	4														2	2
9. Other diseases of the liver. M	11						1		1	1		2		2	1	3
9. Other diseases of the liver. F	10								1		4		2	1	1	1
10. Peritonitis M	4	1	1			1			1		1					
10. Peritonitis F	13	1	2		3		1	1		2		1				3
11. Ascites M																
11. Ascites F																
12. Others of this class M	4	1	2				1									1
12. Others of this class F	2								1			1				
VI.—Diseases of the urinary system and male organs of generation.	66	2	5	1	2	1	3	2	6	3	5	6	5	7	4	16
Males	34		3	1	1		2		1	3	3	3		6	1	10
Females	32	2	2		1	1	1	2	5		2	3	5	1	3	6
1. Bright's disease M	15				1					2	2	1		4		5
1. Bright's disease F	18				1	1		1	2		2	1	3	1	2	4
2. Calculus, urinary M																
2. Calculus, urinary F	1	1	1													
3. Diseases of the kidney M	14		3	1			2		1	1	1	2			1	2
3. Diseases of the kidney F	10	1	1					1	2			2	2			2
4. Diseases of the bladder M	4													2		2
4. Diseases of the bladder F	1						1									
5. Others of this class M	1															1
5. Others of this class F	2								1						1	
VII.—Diseases of the female organs of generation.																
1. Ovarian tumors																
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases																
5. Others of this class																
VIII.—Affections connected with pregnancy.	17						1	4	5	6	1					
1. Abortion	1							1								
2. Childbirth	6							1	1	3	1					
3. Puerperal septicæmia	10						1	2	4	3						
4. Extra-uterine pregnancy																
5. Others of this class																

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	3			1		1							1			
Males	1												1			
Females	2			1		1										
1. Diseases of the spine M																
1. Diseases of the spine F	1			1												
2. Diseases of the bones M	1												1			
2. Diseases of the bones F	1					1										
3. Diseases of the hip joint M																
3. Diseases of the hip joint F																
4. Others of this class M																
4. Others of this class F																
X.—Diseases of the skin																
Males																
Females																
1. Abscess M																
1. Abscess F																
2. Carbuncle M																
2. Carbuncle F																
3. Others of this class M																
3. Others of this class F																
XI.—Diseases of the absorbent system																
Males																
Females																
1. Addison's disease M																
1. Addison's disease F																
2. Diseases of the spleen M																
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F																
XII.—Accidents and injuries	74	4	8	5	2	2	2	5	5	9	3	1	8	9	3	12
Males	48	2	5	4	1	1	1	3	4	7	3	1	3	6	2	7
Females	26	2	3	1	1	1	1	2	1	2			5	3	1	5
1. Burns and scalds M	3					1					1	1				
1. Burns and scalds F	4		1		1			1	1							
2. Drowned M	8			3				1		2	2					
2. Drowned F	2					1										1
3. Exposure and neglect M																
3. Exposure and neglect F	1															1
4. Gunshot wounds M																
4. Gunshot wounds F																
5. Homicide M																
5. Homicide F																
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M																
7. Injuries by machinery F																
8. Railroad accidents M	9		1		1			2		2				2	1	
8. Railroad accidents F	3			1			1								1	
9. Suffocation M	1	1	1													
9. Suffocation F	2	2	2													
10. Suicide by shooting M	3													1		2
10. Suicide by shooting F																
11. Suicide by drowning M																
11. Suicide by drowning F																
12. Suicide by poison M	3			1										1		1
12. Suicide by poison F																
13. Other suicides M	2									1			1			
13. Other suicides F																
14. Sunstroke M	1													1		
14. Sunstroke F																
15. Surgical operations M																
15. Surgical operations F																
16. Wounds M	1									1						
16. Wounds F																
17. Other accidents and injuries M	17	1	3				1		4	1			2	1	1	4
17. Other accidents and injuries F	14							1		2			5	3		3

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	10,581	5,956	8,569	790	386	503	702	876	726	793	751	735	792	761	848	2,349
Males	10,977	3,336	4,701	414	195	262	343	481	412	479	490	496	479	450	515	1,260
Females	8,604	2,620	3,868	376	191	241	359	395	314	314	261	239	313	311	333	1,089
Unknown causes	69	15	20	2	1	1	1	3	3	5	1	5	3	2	8	14
Males	34	9	12				1		2	2		3	2	1	3	8
Females	35	6	8	2	1	1		3	1	3	1	2	1	1	5	6
I.—General diseases: General diseases—A	4,353	1,671	2,776	413	144	130	112	92	85	90	67	72	67	49	74	182
Males	2,308	912	1,487	198	68	63	54	61	51	42	38	46	35	31	39	95
Females	2,045	759	1,289	215	76	67	58	31	34	48	29	26	32	18	35	87
1. Smallpox M	2		2													
F	1													1		
2. Measles M	40	13	38	1				1								
F	39	9	29	5	1		2		2							
3. Scarlet fever M	144	10	87	38	13	4		1								1
F	143	7	92	38	12		1									
4. Diphtheria M	439	27	274	126	22	7	4	1		1				2		2
F	424	22	240	139	29	7	4	1	1	1				1		1
5. Whooping cough M	48	32	48													
F	46	21	44	1						1						
6. Fever M																
F	1	1	1													
7. Cerebro-spinal fever M	43	11	22	6	1	1	2	2	1	2	1	3			2	
F	29	4	14	5	3	1	2	1	1		1				1	
8. Typhoid fever M	262		6	7	14	36	35	38	28	24	16	19	13	5	10	11
F	225	2	10	11	15	49	34	20	12	16	11	15	10	4	7	11
9. Diarrheal diseases M	567	319	395	11	11	8	7	10	11	7	7	12	13	13	10	52
F	490	281	341	7	11	5	2	4	6	15	12	6	9	7	17	48
10. Cholera infantum M	570	478	577													2
F	469	384	469													
11. Malarial fever M	86	7	16	7	2	2	3	3	5	2	8	4	5	6	6	17
F	81	10	10	8	5	3	5	1	5	7		2	5	1	4	16
12. Erysipelas M	27	4	5			2		2	2	2	1	3	2	2	3	3
F	24	7	11						1	2	1		2	1	2	4
13. Septicæmia M	40	3	8		3	3	3	2	3	4	4	1	2	2	5	
F	53	5	11	1		1	8	4	6	4	3	2	6	3	3	1
14. Venereal diseases M	9	5	6					1	1						1	
F	5	5	5													
15. Others of this group M	22	3	3	2	2						1	4		1	2	7
F	15	1	3			1				2	1	1			1	6
General diseases—B	232	160	171		1	3	2	3	7	10	8	12	3	2	4	6
Males	137	88	94		1	1	1	3	5	8	6	10	2	2	1	3
Females	95	72	77			2	1		2	2	2	2	1		3	3
1. Parasitic diseases M																
F																
2. Alcoholism M	32	1	1				1	1	5	7	4	8	2	1		2
F	4								1		2					1
3. Lead poison M	2				1										1	
F	1											1				
4. Other poisons M	11	1	3			1		2		1	1	2		1		
F	11	1	2			2	1		1	2			1		1	1
5. Inanition M	92	86	90								1					1
F	79	71	75									1			2	1
General diseases—C	2,664	2,113	2,199	6	6	7	4	2	3	5	6	3	10	9	31	373
Males	1,462	1,209	1,250	4		3	1			3	4	2	4	4	22	165
Females	1,202	904	949	2	6	4	3	2	3	2	2	1	6	5	9	208
1. Premature birth M	160	160	160													
F	114	114	114													
2. Stillborn M	668	668	668													
F	480	480	480													
3. Malformation M	19	16	17			2										
F	13	11	12	1												
4. Debility and atrophy M	524	365	405	4		1	1			3	4	2	4	4	20	76
F	483	299	343	1	6	4	3	2	3	2	2	1	6	5	8	97
5. Old age M	91														2	89
F	112														1	111

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	3,165	160	262	37	33	154	310	395	296	280	266	212	200	190	195	335
Males	1,790	93	151	20	14	74	157	207	161	170	169	137	122	112	114	182
Females	1,375	67	111	17	19	80	153	188	135	110	97	75	78	78	81	153
1. Rheumatism M.	41		2	2	1	2	2	2	6	1	2	3	4	2	3	9
1. Rheumatism F.	25			1	2	1	1	1	2	1	3	2	1	1	1	8
2. Scrofula and tabes M.	15	10	11							1				2		1
2. Scrofula and tabes F.	14	9	13					1								
3. Leprosy M.																
3. Leprosy F.																
4. Consumption M.	1,325	19	33	7	8	65	151	198	150	157	141	106	89	73	64	83
4. Consumption F.	926	17	30	8	13	79	148	175	122	89	69	46	35	26	35	51
5. Hydrocephalus M.	115	55	92	8	2	1	1	3		1		2	2	1		2
5. Hydrocephalus F.	73	37	59	5	1						1		1	1	1	4
6. Cancer M.	187					3	1	1	2	3	10	17	20	26	39	56
6. Cancer F.	238				1		1	5	6	17	19	20	28	40	37	64
7. Tumor M.	15	2	2						1	2	1	2		3		4
7. Tumor F.	10							1			1	4	2	3	2	6
8. Anæmia M.	14	1	4		1			1	1	1	1	3		1	1	
8. Anæmia F.	10				1		2	2				2		1		2
9. Dropsy M.	49	4	5	3		2	1	2		3	3		5	2	4	19
9. Dropsy F.	45		3	3	1				2	3	4	1	7	3	4	14
10. Diabetes M.	23	1	1		2	1	1		1	1	2	4		1	1	8
10. Diabetes F.	20	2	2				1	3	3				4	3	1	3
11. Others of this group M.	6	1	1										2	1	2	
11. Others of this group F.	5	2	4													1
12. Others of this class M.																
12. Others of this class F.																
II.—Diseases of the nervous system	2,622	972	1,371	75	39	30	32	50	63	49	76	74	104	113	138	408
Males	1,458	544	739	36	21	15	17	32	41	29	42	50	56	67	84	229
Females	1,164	428	632	39	18	15	15	18	22	20	34	24	48	46	54	179
1. Inflammation of the brain M.	351	133	224	17	6	3	9	11	12	3	9	6	11	11	12	17
1. Inflammation of the brain F.	230	75	156	19	8	6	5	7	7	4	2	4	5	1	2	4
2. Apoplexy M.	287	1	2	1	2	2	2	8	11	13	18	19	25	28	38	118
2. Apoplexy F.	235	2	4		1	3		2	8	2	14	13	27	20	33	99
3. Paralysis M.	137	3	4	3	3	2	1	3	5	6	9	10	4	11	10	57
3. Paralysis F.	106	1	4	2	1	1		2	2	2	6	3	7	6	12	58
4. Tetanus and trismus nascentium M.	37	22	22	1	3	1	2		1			2		1	3	1
4. Tetanus and trismus nascentium F.	26	18	20	1						1	1	2		1		
5. Epilepsy M.	16			1		2	2	2		1			2	1		5
5. Epilepsy F.	14			1	1	2	4			2		1	1	1		1
6. Convulsions M.	447	346	428	9	4	1		1	3		1					
6. Convulsions F.	423	304	394	13	2	1	4	2	3	1	1					2
7. Mental diseases M.	13								4			3	2		1	3
7. Mental diseases F.	13						1	1		1	4		1	1	1	3
8. Diseases of the brain M.	147	36	56	4	3	2	1	7	4	5	3	8	10	12	9	23
8. Diseases of the brain F.	97	27	50	1	5	1	1	1	2	6	4		4	5	6	11
9. Diseases of the spinal cord M.	20	3	3			1			1	1	2	2	2	2	2	4
9. Diseases of the spinal cord F.	16	1	4	1				2		1	2	1	3	2		
10. Others of this class M.	3					1								1		1
10. Others of this class F.	4			1		1		1								1
III.—Diseases of the circulatory system	1,066	86	102	16	38	34	33	38	45	52	51	79	101	107	100	270
Males	603	46	54	8	17	17	18	20	23	34	37	48	63	56	54	154
Females	463	40	48	8	21	17	15	18	22	18	14	31	38	51	46	116
1. Angina pectoris M.	34								1		4	6	7	3	3	10
1. Angina pectoris F.	15				1					1	2		1	2	3	5
2. Aneurism M.	12									2		1	4	2		3
2. Aneurism F.	5								1	1		2		1		
3. Diseases of the heart M.	519	14	21	8	17	17	17	20	21	32	33	41	52	50	51	139
3. Diseases of the heart F.	406	11	18	8	20	17	13	17	20	16	11	29	37	46	43	111
4. Others of this class M.	38	32	33				1		1					1		2
4. Others of this class F.	37	29	30				2	1	1		1			2		

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	2,766	562	1,308	159	39	44	60	90	60	96	83	100	107	116	116	388
Males	1,581	312	710	96	18	23	28	53	39	69	61	72	70	72	75	195
Females	1,185	250	598	63	21	21	32	37	21	27	22	28	37	44	41	193
1. Croup M.	200	33	109	51	3			1		1		2				3
1. Croup F.	203	12	163	29	4	1		1				1	1	1	1	1
2. Laryngitis M.	55	10	35	4	1	1	1	1	2	3	1		2	2	1	1
2. Laryngitis F.	29	6	23	2	1		1	1		1						
3. Bronchitis M.	332	120	182	7		1	4	4	1	2	8	7	12	11	26	67
3. Bronchitis F.	265	99	153	6	1	1	2	1	2	5	2	3	7	7	7	68
4. Pneumonia M.	778	120	252	33	10	17	22	39	32	56	41	51	47	45	36	97
4. Pneumonia F.	574	106	218	23	14	16	25	28	14	18	16	22	25	27	27	101
5. Pleurisy M.	31	1	4	1	1	1		6	1	4	2	2		3	3	3
5. Pleurisy F.	17		1	2	1		1	2	2	1	1	1		2	1	2
6. Asthma M.	16		1					2		1	1	1	2	1	2	5
6. Asthma F.	12										1			2	1	8
7. Others of this class M.	109	28	37		3	3	1		3	2	8	9	7	10	7	19
7. Others of this class F.	85	27	40	1		3	3	4	3	2	2	1	4	5	4	13
V.—Diseases of the digestive system	922	153	214	22	25	20	29	55	46	42	57	57	79	65	77	134
Males	494	86	119	13	12	13	9	20	22	22	34	33	46	34	53	64
Females	428	67	95	9	13	7	20	35	24	20	23	24	33	31	24	70
1. Dentition M.	16	14	16													
1. Dentition F.	22	11	22													
2. Angina M.	19	3	14	4										1		
2. Angina F.	10		6	3	1											
3. Diseases of the stomach M.	87	23	35	3		1	1		3	6	5	5	9	4	8	7
3. Diseases of the stomach F.	66	22	27	5	3	1	3	3	1	2	1	1	3	3	2	11
4. Obstruction of the bowels M.	18	5	5					1	1		2		1	1	4	3
4. Obstruction of the bowels F.	26	2	4						1	1	2	1	4	3	1	9
5. Hernia M.	26	2	2			1		2	1	1		3	2	3	3	8
5. Hernia F.	19										1	4	5	1	3	5
6. Other diseases of the bowels M.	2	1	1					1								
6. Other diseases of the bowels F.	4						1				1		1			1
7. Jaundice M.	14	11	11												1	2
7. Jaundice F.	14	4	5									1	3	1	1	3
8. Inflammation and abscess of the liver M.	42	2	3	1					3	3	3	4	6	4	7	8
8. Inflammation and abscess of the liver F.	25		1					2	2	1	3		3	4	2	7
9. Other diseases of the liver M.	127	1	1		2		1	3	6	4	16	12	22	16	23	21
9. Other diseases of the liver F.	71	1	1			1	2	3	8	4	3	11	7	11	7	13
10. Peritonitis M.	100	5	9	5	10	9	5	13	8	6	6	7	5	5	4	8
10. Peritonitis F.	144	10	12	1	8	4	14	27	12	12	12	5	7	7	7	16
11. Ascites M.	4						1								1	2
11. Ascites F.	4											1			1	2
12. Others of this class M.	39	19	22			2	1			2	2	2	1		2	5
12. Others of this class F.	23	17	17		1	1								1		3
VI.—Diseases of the urinary system and male organs of generation.	620	16	40	25	18	6	23	29	28	42	44	50	56	58	61	140
Males	363	9	23	11	9	4	6	19	16	26	27	31	30	31	37	93
Females	257	7	17	14	9	2	17	10	12	16	17	19	26	27	24	47
1. Bright's disease M.	167			4	5	2	2	9	11	11	14	19	17	19	17	37
1. Bright's disease F.	125			2	7		8	3	7	9	12	10	15	15	16	21
2. Calculus, urinary M.	1															1
2. Calculus, urinary F.																
3. Diseases of the kidney M.	152	7	21	7	4	2	4	9	5	13	13	10	10	11	15	28
3. Diseases of the kidney F.	117	7	17	11	2	2	8	5	5	3	5	8	9	11	8	23
4. Diseases of the bladder M.	32	1	1									1	2	1	5	22
4. Diseases of the bladder F.	7							1		2		1	1	1		1
5. Others of this class M.	11	1	1					1		2		1	1			5
5. Others of this class F.	8			1			1	1		2			1			2
VII.—Diseases of the female organs of generation.	21					1	1	2	5	3		1	4	1	2	1
1. Ovarian tumors	2											1				1
2. Ovarian diseases																
3. Uterine tumors	1													1		
4. Uterine diseases	7							2	2	1					2	
5. Others of this class	11					1	1		3	2			4			
VIII.—Affections connected with pregnancy.	147					9	38	41	21	20	8	1				
1. Abortion	4							2		1	1					
2. Childbirth	20						6	8	5	8	2					
3. Puerperal septicæmia	108					8	32	28	15	20	4	1				
4. Extra-uterine pregnancy																
5. Others of this class	6					1		3	1		1					

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	19	2	2	1	1	3	2	1		4	1	1			2	1
Males	9	2	2	1		1				3		1			1	
Females	10				1	2	2	1		1	1				1	1
1. Diseases of the spine M	4			1		1				2						
1. Diseases of the spine F	4					1		1			1				1	
2. Diseases of the bones M	1	1	1													
2. Diseases of the bones F	3					1				1						1
3. Diseases of the hip joint M	1											1				
3. Diseases of the hip joint F	3				1		2									
4. Others of this class M	3	1	1							1					1	
4. Others of this class F																
X.—Diseases of the skin	35	9	10			1	3	1		2	2	2	3	3	2	6
Males	22	5	5			1	3	1			1	2	1	3	1	4
Females	13	4	5							2	1		2		1	2
1. Abscess M	15	3	3				2	1			1	1	1	3	1	2
1. Abscess F	10	3	4							2	1		1		1	1
2. Carbuncle M	6	1	1			1	1					1				2
2. Carbuncle F	1												1			
3. Others of this class M	1	1	1													
3. Others of this class F	2	1	1													1
XI.—Diseases of the absorbent system	1															1
Males	1															1
Females																
1. Addison's disease M																
1. Addison's disease F																
2. Diseases of the spleen M	1															1
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F																
XII.—Accidents and injuries	870	37	94	34	41	60	52	74	64	84	81	66	55	46	38	90
Males	715	21	55	27	35	47	48	65	52	71	71	61	48	37	31	67
Females	164	16	39	7	6	13	4	9	12	13	10	5	7	9	7	23
1. Burns and scalds M	34	1	15	3	1	1	3	1	3	1	3	1			1	1
1. Burns and scalds F	33	2	15	4		1	1		1	1	4	1		1	1	3
2. Drowned M	138	1	9	12	17	15	8	16	6	8	12	7	5	4	4	15
2. Drowned F	20		1	1	2	7		1			2		1	3	1	1
3. Exposure and neglect M	2	1	1									1				
3. Exposure and neglect F	1	1	1													
4. Gunshot wounds M	24			1		2	1	1	3	4	1	3	2	3	1	2
4. Gunshot wounds F	4		1					1		2						
5. Homicide M	8				1			1	1	1	1	1		1	1	
5. Homicide F	4								1			1		1	1	
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M	3						1	1	1							
7. Injuries by machinery F																
8. Railroad accidents M	131	1	2	4	9	14	12	18	11	12	11	8	6	7	5	12
8. Railroad accidents F	10		2		1				1	1		1	1		1	2
9. Suffocation M	24	10	11	1			1	1		2	4		1	1	1	1
9. Suffocation F	11	7	7					1					1			2
10. Suicide by shooting M	49					1	1	3	7	9	6	3	9	2	4	4
10. Suicide by shooting F	1						1									
11. Suicide by drowning M	4							1	1	1					1	
11. Suicide by drowning F	4					1			1		1					1
12. Suicide by poison M	19					2	2	4		1	2	3	2	1		2
12. Suicide by poison F	11					1	1	1	3	1		1	2			1
13. Other suicides M	66					3	5	3	2	9	5	10	5	4	8	12
13. Other suicides F	8					1		1	1	2		1	1	1		
14. Sunstroke M	27			1			3	4	4	6	5	1	1	2		
14. Sunstroke F	6	1	2				1	1		1				1		
15. Surgical operations M	2					1				1						
15. Surgical operations F	2								1							1
16. Wounds M	16		1			1	2	2		2	1	1	2	2	1	1
16. Wounds F																
17. Other accidents and injuries. M	168	7	16	5	7	7	9	9	13	14	20	22	15	10	4	17
17. Other accidents and injuries. F	49	5	10	2	3	2		3	3	5	3		1	2	3	12

TABLE 17.

DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF COLOR AND BIRTHPLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	105,260	32,684	48,120	4,277	1,993	2,858	4,110	4,582	3,911	4,197	3,883	3,944	3,784	3,510	3,003	12,488
Males	56,065	18,257	26,259	2,161	1,035	1,358	2,146	2,413	2,125	2,309	2,220	2,293	2,061	1,910	1,888	5,878
Females	49,195	14,427	21,861	2,116	958	1,500	1,964	2,169	1,786	1,888	1,663	1,651	1,723	1,591	1,715	6,610
Unknown causes	339	83	104	10	6	8	11	15	14	18	10	18	19	16	17	73
Males	183	48	60	4	3	3	2	7	11	9	5	12	9	10	8	40
Females	156	35	44	6	3	5	9	8	3	9	5	6	10	6	9	33
I.—General diseases: General diseases—A	21,416	7,354	13,301	2,026	691	646	676	592	442	429	368	356	306	290	336	957
Males	10,894	3,913	6,889	936	325	299	361	319	255	209	207	191	161	149	163	433
Females	10,522	3,441	6,412	1,090	366	347	315	273	187	220	161	165	145	141	170	524
1. Smallpox M	3		2													1
1. Smallpox F	3		1	1			1									
2. Measles M	202	42	184	12	2	1	1	2								
2. Measles F	235	62	209	18	1	1	1		1	3		1				
3. Scarlet fever M	769	48	498	179	60	11	8	3	3		3					4
3. Scarlet fever F	840	48	532	225	49	12	8	5	2	2	1				1	3
4. Diphtheria M	2,040	125	1,349	531	99	26	10	7	2	2	2		2	3	2	5
4. Diphtheria F	2,116	97	1,268	635	139	25	12	6	6	6		1	1	4	3	10
5. Whooping cough M	301	187	293	7	1											
5. Whooping cough F	395	201	380	12	1					1						1
6. Fever M	5	1	2	1			1					1				
6. Fever F	4	1	1				1		1						1	
7. Cerebro-spinal fever M	257	62	139	28	13	17	6	9	8	5	5	10	4	3	8	2
7. Cerebro-spinal fever F	172	52	101	16	12	10	9	4	2	1	4	2	1	3	3	4
8. Typhoid fever M	1,432	9	66	59	87	180	252	220	133	90	92	61	54	34	34	61
8. Typhoid fever F	1,178	7	63	69	98	217	177	132	75	77	64	53	35	25	32	61
9. Diarrheal diseases M	2,395	1,257	1,613	62	31	29	33	32	47	52	49	55	51	57	67	217
9. Diarrheal diseases F	2,341	1,062	1,416	67	37	28	28	47	37	59	54	70	63	66	87	282
10. Cholera infantum M	2,482	2,028	2,478													4
10. Cholera infantum F	2,170	1,752	2,177													2
11. Malarial fever M	473	39	110	41	21	24	32	26	33	26	27	21	26	19	19	48
11. Malarial fever F	537	45	111	31	21	40	33	40	31	31	18	17	22	23	28	91
12. Erysipelas M	179	54	67	3		4	4	5	9	7	7	17	6	11	5	34
12. Erysipelas F	149	59	72	2	4	4	8	1	1	4	5	9	7	4	4	24
13. Septicæmia M	195	19	39	9	8	5	11	11	12	13	14	17	13	14	17	12
13. Septicæmia F	247	19	34	12	3	6	37	34	23	32	11	10	14	10	8	13
14. Venereal diseases M	60	35	38	1		1	1	3	4	4	1	4		1	2	
14. Venereal diseases F	42	29	33			1		1	4		1				1	1
15. Others of this group M	101	7	11	3	3	1	2	1	4	1	7	5	5	7	6	45
15. Others of this group F	84	7	14	2	1	3		3	4	4	3	2	2	6	8	32
General diseases—B	1,716	1,174	1,251	16	4	12	19	35	46	62	62	45	45	28	32	59
Males	982	622	662	10	3	7	13	23	34	51	42	34	31	19	15	38
Females	734	552	589	6	1	5	6	12	12	11	20	11	14	9	17	21
1. Parasitic diseases M																
1. Parasitic diseases F	4		1	2		1										
2. Alcoholism M	224	1	2			1	8	16	28	43	35	28	20	16	10	17
2. Alcoholism F	66					1	1	7	9	8	17	6	7	3	4	3
3. Lead poison M	7				1			3		1					1	1
3. Lead poison F	1											1				
4. Other poisons M	76	7	19	5	2	4	2	4	4	5	6	5	8	3	2	7
4. Other poisons F	51	11	19			3	4	3	3	3	3	2	3	3	3	2
5. Inanition M	675	614	641	5		2	3		2	2	1	1	3		2	13
5. Inanition F	612	541	569	4	1		1	2				2	4	3	10	16
General diseases—C	16,210	12,882	13,495	56	19	21	14	27	25	36	37	39	56	58	104	2,223
Males	8,754	7,370	7,666	30	8	9	9	6	6	18	16	19	25	26	54	862
Females	7,456	5,512	5,829	26	11	12	5	21	19	18	21	20	31	32	50	1,361
1. Premature birth M	1,199	1,198	1,199													
1. Premature birth F	941	939	941													
2. Stillborn M	4,064	4,064	4,064													
2. Stillborn F	2,800	2,800	2,800													
3. Malformation M	107	101	104				1				1					1
3. Malformation F	76	74	74	1						1						
4. Debility and atrophy M	2,945	2,007	2,299	30	8	9	8	6	6	18	15	19	25	26	42	434
4. Debility and atrophy F	2,874	1,699	2,014	25	11	12	5	21	19	17	21	20	31	32	34	612
5. Old age M	439														12	427
5. Old age F	765														16	749

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	16,889	913	1,667	231	253	1,002	1,794	1,902	1,614	1,515	1,282	1,256	1,024	871	792	1,596
Males	8,689	516	933	112	107	411	890	1,055	856	821	667	694	534	458	407	744
Females	8,200	397	734	119	146	591	904	937	758	694	615	562	490	413	385	852
1. Rheumatism M	175	3	8	7	13	8	6	11	10	16	8	17	12	15	10	34
1. Rheumatism F	180	2	4	12	6	6	5	8	4	6	10	10	20	17	17	55
2. Scrofula and tabes M	136	65	93	3	5	1	3	6	2	2	4	4	1	4	3	5
2. Scrofula and tabes F	119	55	75	1	5	6	4	4	2	2	7	1	2	4	2	4
3. Leprosy M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M	6,006	123	245	50	59	376	862	997	808	745	574	569	382	307	247	385
4. Consumption F	5,675	104	211	60	116	554	862	886	679	578	434	347	256	209	165	318
5. Hydrocephalus M	600	276	511	36	13	6	1	10	3	5	2	2	4	1	2	4
5. Hydrocephalus F	434	197	372	27	5	1	4	1	2	2	3	2	2	1	4	8
6. Cancer M	652	3	6	.....	1	7	6	9	13	26	50	62	88	90	102	102
6. Cancer F	1,193	1	3	1	.....	6	11	15	46	83	121	164	154	142	159	288
7. Tumor M	70	2	4	2	2	2	3	2	3	5	3	11	4	8	6	15
7. Tumor F	95	1	2	1	1	2	2	3	2	7	9	11	12	10	8	25
8. Anæmia M	71	17	25	3	1	1	2	3	3	3	3	9	6	3	1	8
8. Anæmia F	80	14	17	2	2	4	6	10	5	2	6	5	4	4	4	18
9. Dropsy M	221	11	19	9	6	8	4	10	4	12	15	7	22	17	22	66
9. Dropsy F	284	10	26	11	8	9	4	2	9	11	19	17	28	18	19	103
10. Diabetes M	131	5	7	1	7	2	3	7	9	7	6	12	13	13	12	32
10. Diabetes F	110	6	8	3	3	2	6	8	9	3	6	4	11	8	7	32
11. Others of this group M	27	11	15	1	.....	.....	.....	.....	1	.....	2	1	2	.....	2	3
11. Others of this group F	19	7	15	1	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....
12. Others of this class M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class F	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
II.—Diseases of the nervous system	14,754	5,149	7,886	482	218	178	192	239	283	355	390	438	515	573	623	2,362
Males	7,896	2,932	4,358	235	118	88	102	131	167	214	209	235	261	298	322	1,158
Females	6,858	2,217	3,528	247	100	90	90	108	116	141	181	203	254	275	301	1,224
1. Inflammation of the brain M	1,960	704	1,324	128	51	34	40	38	49	47	44	46	35	37	32	55
1. Inflammation of the brain F	1,509	514	1,055	118	46	30	31	27	25	24	21	28	19	18	13	51
2. Apoplexy M	1,203	13	21	2	3	9	11	26	27	59	70	81	99	136	153	506
2. Apoplexy F	1,209	17	27	3	4	7	5	14	24	35	75	81	123	144	146	521
3. Paralysis M	738	15	38	10	9	4	12	12	14	25	26	40	43	58	73	374
3. Paralysis F	824	10	34	11	7	8	5	12	18	17	31	46	56	64	89	426
4. Tetanus and trismus nascentium M	208	120	132	8	15	11	7	5	8	5	3	7	4	1	1	1
4. Tetanus and trismus nascentium F	109	73	86	5	2	3	1	1	2	2	2	4	1	.....	.....	.....
5. Epilepsy M	90	3	9	2	7	10	10	8	7	9	6	1	4	5	2	10
5. Epilepsy F	70	1	4	5	2	8	7	7	7	9	3	3	2	3	3	7
6. Convulsions M	2,406	1,739	2,285	50	12	3	6	9	7	4	5	3	5	7	2	8
6. Convulsions F	2,000	1,330	1,850	61	16	8	12	10	12	8	4	5	1	.....	3	10
7. Mental diseases M	96	.....	.....	.....	1	1	3	5	11	8	12	9	12	6	7	21
7. Mental diseases F	123	.....	.....	.....	1	2	7	9	7	14	9	6	12	13	8	35
8. Diseases of the brain M	1,090	326	528	34	18	14	11	21	38	51	37	43	49	41	38	107
8. Diseases of the brain F	917	268	459	35	21	17	15	18	16	29	29	24	29	27	34	104
9. Diseases of the spinal cord M	92	12	19	1	2	2	2	5	5	6	5	4	8	4	14	15
9. Diseases of the spinal cord F	68	4	13	6	1	3	5	7	4	3	2	5	8	6	3	2
10. Others of this class M	13	.....	2	.....	.....	.....	.....	2	1	.....	1	1	2	3	.....	1
10. Others of this class F	29	.....	.....	3	.....	4	2	3	1	.....	2	1	3	.....	2	8
III.—Diseases of the circulatory system	5,385	597	704	116	184	181	165	208	229	299	303	371	421	391	434	1,379
Males	2,725	329	391	61	83	82	91	89	111	149	170	191	229	195	216	667
Females	2,660	268	313	55	101	99	74	119	118	150	133	180	192	196	218	712
1. Angina pectoris M	149	.....	.....	1	1	1	1	4	3	5	15	20	15	13	20	50
1. Angina pectoris F	127	.....	.....	1	2	1	1	4	3	7	10	13	14	10	15	46
2. Aneurism M	42	.....	.....	.....	.....	1	1	.....	2	8	4	7	6	7	.....	6
2. Aneurism F	25	.....	.....	1	.....	1	.....	.....	3	1	4	7	.....	.....	3	5
3. Diseases of the heart M	2,270	106	160	59	82	79	80	84	101	134	150	164	207	172	195	600
3. Diseases of the heart F	2,295	105	143	53	99	95	71	109	108	139	116	157	175	182	196	652
4. Others of this class M	258	223	231	1	.....	1	.....	1	5	2	1	.....	1	3	1	11
4. Others of this class F	213	163	170	.....	.....	2	2	6	4	3	3	3	8	4	4	9

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	15,581	3,401	7,822	883	188	286	359	457	416	496	533	561	576	560	555	1,889
Males	8,380	1,890	4,227	483	88	139	223	281	242	305	331	357	322	312	277	793
Females	7,201	1,511	3,595	400	100	147	136	176	174	191	202	204	254	248	278	1,096
1. Croup M.	1,264	132	999	220	16	3	3	1	1	1	1	2	3	1	.....	4
1. Croup F.	1,083	103	854	192	11	3	3	2	1	.....	2	2	3	2	4	4
2. Laryngitis M.	262	35	173	34	6	1	3	3	4	8	7	2	6	3	2	10
2. Laryngitis F.	212	18	148	29	10	5	2	3	4	3	2	2	1	1	1	1
3. Bronchitis M.	1,891	797	1,250	60	7	11	24	16	19	23	36	42	51	57	68	227
3. Bronchitis F.	1,806	677	1,069	34	9	22	20	23	24	23	26	37	44	51	65	350
4. Pneumonia M.	4,136	677	1,469	137	48	104	170	222	196	232	249	261	221	214	172	441
4. Pneumonia F.	3,422	524	1,240	126	60	99	97	123	130	140	149	150	177	164	176	591
5. Pleurisy M.	114	4	17	1	2	4	12	14	10	11	8	7	6	3	7	12
5. Pleurisy F.	99	6	15	6	3	2	5	7	6	8	5	3	4	6	6	23
6. Asthma M.	61	4	5	1	.....	.....	.....	3	.....	6	3	8	8	4	7	16
6. Asthma F.	50	3	3	2	.....	.....	.....	.....	.....	.....	2	2	6	5	3	27
7. Others of this class M.	652	241	314	21	9	16	11	22	12	24	27	35	27	30	21	83
7. Others of this class F.	529	180	266	11	7	16	9	18	9	17	16	8	19	19	23	91
V.—Diseases of the digestive system.	4,043	695	976	99	117	125	168	230	195	237	243	251	279	234	270	619
Males	2,034	397	555	58	60	73	71	100	72	94	116	130	135	133	148	289
Females	2,009	298	421	41	57	52	97	130	123	143	127	121	144	101	122	330
1. Dentition M.	57	36	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Dentition F.	60	30	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina M.	61	14	46	7	1	.....	.....	.....	2	.....	.....	.....	1	1	1	2
2. Angina F.	37	9	25	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
3. Diseases of the stomach M.	374	102	140	6	5	8	12	12	10	17	11	19	23	25	22	64
3. Diseases of the stomach F.	442	97	132	12	10	12	11	17	18	27	14	24	42	15	26	82
4. Obstruction of the bowels M.	121	32	37	5	2	1	5	7	6	2	8	6	7	7	9	19
4. Obstruction of the bowels F.	112	19	26	.....	4	3	3	6	5	5	7	4	8	7	8	26
5. Hernia M.	88	9	12	1	.....	4	2	3	3	5	1	8	6	9	12	22
5. Hernia F.	68	.....	.....	.....	.....	.....	1	3	.....	5	6	9	9	7	5	23
6. Other diseases of the bowels. M.	18	5	5	.....	.....	2	.....	2	1	4	1	.....	1	.....	1	1
6. Other diseases of the bowels. F.	21	4	4	1	.....	1	2	2	.....	.....	.....	1	5	1	.....	4
7. Jaundice M.	65	43	44	1	.....	.....	.....	1	.....	2	.....	2	1	1	4	9
7. Jaundice F.	51	20	23	.....	.....	.....	1	.....	.....	1	3	1	7	.....	6	9
8. Inflammation and abscess of the liver. M.	160	9	12	5	3	2	5	6	9	7	13	16	13	12	21	36
8. Inflammation and abscess of the liver. F.	109	1	4	2	2	.....	1	3	5	7	10	11	17	8	10	29
9. Other diseases of the liver. M.	455	11	18	1	4	3	7	13	13	27	51	54	59	59	54	92
9. Other diseases of the liver. F.	327	7	7	1	3	3	3	13	23	28	35	36	28	30	32	76
10. Peritonitis M.	480	42	76	29	44	51	34	53	28	24	28	22	22	18	19	32
10. Peritonitis F.	655	41	62	18	32	30	75	84	70	65	46	32	28	22	31	60
11. Ascites M.	8	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	1	2	2
11. Ascites F.	14	1	1	.....	1	.....	.....	.....	1	1	3	1	.....	.....	1	5
12. Others of this class M.	147	94	108	3	1	2	4	3	.....	6	3	3	1	.....	3	10
12. Others of this class F.	113	69	77	1	1	3	.....	2	1	4	3	2	.....	2	3	14
VI.—Diseases of the urinary system and male organs of generation.	3,385	56	213	112	59	81	124	180	198	256	257	269	277	282	281	790
Males	1,891	32	123	49	30	33	55	81	105	127	151	159	148	150	169	511
Females	1,494	24	90	63	29	48	69	99	93	129	106	110	129	132	112	285
1. Bright's disease M.	930	.....	.....	19	11	19	27	43	64	69	86	99	84	99	80	230
1. Bright's disease F.	754	.....	.....	25	14	20	34	49	50	70	61	56	64	83	69	159
2. Calculus, urinary M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
2. Calculus, urinary F.	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
3. Diseases of the kidney M.	698	24	112	30	17	12	27	30	36	49	60	46	48	37	57	137
3. Diseases of the kidney F.	604	19	81	33	13	18	28	36	33	44	36	43	56	43	37	103
4. Diseases of the bladder M.	175	4	5	.....	.....	2	.....	2	1	2	.....	7	10	7	21	118
4. Diseases of the bladder F.	39	1	1	.....	.....	.....	1	3	2	4	.....	3	4	1	3	17
5. Others of this class M.	86	4	6	.....	2	.....	1	6	4	7	5	7	5	7	11	25
5. Others of this class F.	94	4	8	5	2	1	5	10	8	11	9	7	5	5	3	15
VII.—Diseases of the female organs of generation.	117	.....	.....	.....	.....	6	10	15	14	15	12	13	8	2	9	13
1. Ovarian tumors	27	.....	.....	.....	.....	.....	1	2	1	2	2	4	2	.....	7	6
2. Ovarian diseases	6	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	1
3. Uterine tumors	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	1
4. Uterine diseases	47	.....	.....	.....	.....	1	5	9	6	7	5	5	2	1	2	4
5. Others of this class	30	.....	.....	.....	.....	5	4	3	6	5	1	3	2	.....	.....	1
VIII.—Affections connected with pregnancy.	694	.....	.....	.....	2	34	187	203	119	106	35	5	.....	2	.....	1
1. Abortion	20	.....	.....	.....	.....	.....	2	8	4	3	3	.....	.....	.....	.....	.....
2. Childbirth	137	.....	.....	.....	1	3	28	38	32	24	10	.....	.....	.....	.....	1
3. Puerperal septicæmia	500	.....	.....	.....	1	26	146	146	79	74	21	5	.....	2	.....	.....
4. Extra uterine pregnancy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Others of this class	37	.....	.....	.....	.....	5	11	11	4	5	1	.....	.....	.....	.....	.....

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	128	6	15	16	17	12	12	7	8	10	6	10	2	3	3	7
Males	73	5	11	9	12	4	8	4	4	5	3	5	2	2	2	2
Females	55	1	4	7	5	8	4	3	4	5	3	5		1	1	5
1. Diseases of the spine M.	38	2	6	7	6	2	5	2	3	2	2	1		1		1
1. Diseases of the spine F.	26	1	3	4	3	2	2	2	3	1	2	3			1	
2. Diseases of the bones M.	17	2	2		3		2	1	1	1	1	2	1	1	1	1
2. Diseases of the bones F.	13			1	1	3			1	3	1			1		2
3. Diseases of the hip joint M.	14		2	2	3	2	1	1		1		1	1			
3. Diseases of the hip joint F.	14		1	2	1	3	2	1				2				2
4. Others of this class M.	4	1	1							1		1			1	
4. Others of this class F.	2									1						1
X.—Diseases of the skin	184	45	69	7	5	11	9	8	4	4	11	10	9	11	8	18
Males	103	24	35	6	3	3	4	3	3	1	5	8	5	9	7	11
Females	81	21	34	1	2	8	5	5	1	3	6	2	4	2	1	7
1. Abscess M.	30	20	30	5	3		3	3	1	1	5	8	4	6	4	7
1. Abscess F.	59	10	22	1	2	7	5	5		2	6	2	3	1		3
2. Carbuncle M.	15	1	1			1	1		2				1	3	3	3
2. Carbuncle F.	7	1	2			1							1	1		2
3. Others of this class M.	8	3	4	1		2										1
3. Others of this class F.	15	10	10						1	1					1	2
XI.—Diseases of the absorbent system	19		1	1		1		2	3		5		1			5
Males	9		1								4		1			3
Females	10			1		1		2	3		1					2
1. Addison's disease M.	6										4		1			1
1. Addison's disease F.	4					1		1	2							
2. Diseases of the spleen M.	2															2
2. Diseases of the spleen F.	1										1					
3. Others of this class M.	1		1													
3. Others of this class F.	5			1				1	1							2
XII.—Accidents and injuries	4,400	329	616	222	230	254	370	372	301	359	320	302	246	189	139	471
Males	3,452	179	348	168	195	207	317	314	259	306	294	258	198	158	103	327
Females	948	150	268	54	35	47	53	58	42	53	35	44	48	31	36	144
1. Burns and scalds M.	165	7	88	14	2	11	7	11	5	4	7	6	2	1	2	5
1. Burns and scalds F.	162	5	73	18	3	6	6	9	6	3	7	6	6	6	2	11
2. Drowned M.	663	4	32	34	80	56	61	55	39	42	45	39	33	15	11	71
2. Drowned F.	83	5	13	11	11	12	10	1		3	6		5	1	2	8
3. Exposure and neglect M.	21	2	3				2	1	1	2	4	2	1	1	1	3
3. Exposure and neglect F.	8	4	4						1				1	1		1
4. Gunshot wounds M.	83			2	8	12	9	10	9	8	7	6	4	2	1	5
4. Gunshot wounds F.	6				1	2	1			1						1
5. Homicide M.	26	1	2		1		3	2	4	4	4	3		2	1	
5. Homicide F.	16	1	1			1		1	1	2		3	1	2	2	2
6. Infanticide M.	2	2	2													
6. Infanticide F.																
7. Injuries by machinery M.	12			1	2	1	2		3	1	1	1				
7. Injuries by machinery F.																
8. Railroad accidents M.	903	1	7	19	50	64	126	119	84	98	77	57	44	37	30	91
8. Railroad accidents F.	70		3	5	3		8	10	3	7	2	7	4	2	6	10
9. Suffocation M.	164	107	114	3	3		6	4	3	7	9	1	5	3	1	5
9. Suffocation F.	104	72	79	2	1	3	6	1	3	2	1		1	3		2
10. Suicide by shooting M.	89					1	5	5	16	16	9	8	12	7	3	7
10. Suicide by shooting F.	3						1	1	1							
11. Suicide by drowning M.	14						1	1	4	4			1	1	1	1
11. Suicide by drowning F.	4					1	1				1					1
12. Suicide by poison M.	51		2	1		3	9	4	3	2	5	5	7	2	1	7
12. Suicide by poison F.	31					2	3	6	5	2	2	4	3			4
13. Other suicides M.	136					6	10	6	10	17	20	18	18	10	7	14
13. Other suicides F.	19					1	2	2	2	3	1	4	1			3
14. Sunstroke M.	111			4	1	1	11	11	10	15	17	18	6	7	3	7
14. Sunstroke F.	21	4	5	1		1	1	2		3			2	4	1	1
15. Surgical operations M.	6				1	1	1							2		1
15. Surgical operations F.	7							2	1		1	1				2
16. Wounds M.	84		2	6	4	4	9	12	2	4	9	9	4	6	5	8
16. Wounds F.	19		6	1	2		1		1	1		1	1	1	1	3
17. Other accidents and injuries M.	922	55	96	34	43	47	55	73	66	82	80	85	61	62	36	102
17. Other accidents and injuries F.	395	59	84	16	14	18	13	23	18	26	14	18	23	11	22	95

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	102,451	31,826	46,892	4,169	1,927	2,759	3,987	4,466	3,787	4,061	3,772	3,812	3,686	3,420	3,518	12,195
Males	54,624	17,769	25,599	2,109	999	1,317	2,092	2,359	2,066	2,231	2,158	2,230	2,011	1,867	1,855	5,731
Females	47,827	14,057	21,293	2,060	928	1,442	1,895	2,107	1,721	1,830	1,614	1,582	1,675	1,553	1,663	6,464
Unknown causes	329	80	101	10	6	7	11	15	13	18	10	17	17	15	17	72
Males	177	47	59	4	3	2	2	7	10	9	5	11	9	9	8	39
Females	152	33	42	6	3	5	9	8	3	9	5	6	8	6	9	33
I.—General diseases: General diseases—A	20,975	7,175	13,027	2,000	677	629	661	580	430	416	361	346	302	277	330	939
Males	10,682	3,815	6,753	928	319	289	355	314	251	203	201	186	159	144	157	423
Females	10,293	3,360	6,274	1,072	358	340	306	266	179	213	160	160	143	133	173	516
1. Smallpox M	3		2													1
1. Smallpox F	3		1	1			1									
2. Measles M	200	41	182	12	2	1	1	2								
2. Measles F	228	61	203	17	1	1	1		1	3		1				
3. Scarlet fever M	764	47	494	179	59	11	8	3	3		3					4
3. Scarlet fever F	835	48	529	224	48	12	8	5	2	2	1				1	3
4. Diphtheria M	2,024	123	1,340	527	98	25	9	7	2	2	2		2	3	2	5
4. Diphtheria F	2,094	96	1,253	632	137	24	12	6	6	6		1	1	4	3	9
5. Whooping cough M	287	178	279	7	1											
5. Whooping cough F	376	196	363	10	1					1						1
6. Fever M	5	1	2	1			1					1				
6. Fever F	4	1	1				1		1						1	
7. Cerebro-spinal fever M	254	61	138	28	13	16	6	9	8	5	5	10	4	2	8	2
7. Cerebro-spinal fever F	165	51	96	15	12	10	9	4	2	1	4	2	1	3	3	3
8. Typhoid fever M	1,396	8	64	57	83	173	249	216	131	97	88	60	52	33	34	59
8. Typhoid fever F	1,133	7	60	61	94	212	169	127	73	74	63	51	35	22	32	60
9. Diarrheal diseases M	2,342	1,229	1,576	62	31	28	32	32	46	50	47	54	51	56	64	213
9. Diarrheal diseases F	2,298	1,038	1,387	67	36	27	27	46	36	57	54	68	62	65	84	282
10. Cholera infantum M	2,423	1,078	2,419													4
10. Cholera infantum F	2,131	1,709	2,129													2
11. Malarial fever M	463	38	106	40	21	24	31	25	33	25	27	20	26	18	19	48
11. Malarial fever F	519	44	106	29	21	40	33	39	28	30	18	16	21	21	28	89
12. Erysipelas M	177	54	67	3		4	4	5	9	7	7	17	6	11	5	32
12. Erysipelas F	149	59	72	2	4	4	8	1	1	4	5	9	7	4	4	24
13. Septicæmia M	195	19	39	9	8	5	11	11	12	13	14	17	13	14	17	12
13. Septicæmia F	243	18	33	12	3	6	37	34	21	32	11	10	14	10	8	12
14. Venereal diseases M	53	32	35			1	1	3	3	3	1	3		1	2	
14. Venereal diseases F	35	25	27			1		1	4		1				1	
15. Others of this group M	96	6	10	3	3	1	2	1	4	1	7	4	5	6	6	43
15. Others of this group F	80	7	14	2	1	3		3	4	3	3	2	2	4	8	31
General diseases—B	1,666	1,133	1,210	14	4	12	19	35	46	61	61	44	44	28	30	58
Males	953	596	636	10	3	7	13	23	34	50	41	34	30	19	15	38
Females	713	537	574	4	1	5	6	12	12	11	20	10	14	9	15	20
1. Parasitic diseases M																
1. Parasitic diseases F	4		1	2		1										
2. Alcoholism M	221	1	2			1	8	16	28	42	34	28	19	16	10	17
2. Alcoholism F	65					1	1	7	9	8	17	6	7	3	3	3
3. Lead poison M	7				1			3		1					1	1
3. Lead poison F	1											1				
4. Other poisons M	76	7	19	5	2	4	2	4	4	5	6	5	8	3	2	7
4. Other poisons F	50	11	19			3	4	3	3	3	3	1	3	3	3	2
5. Inanition M	649	588	615	5		2	3		2	2	1	1	3		2	13
5. Inanition F	593	526	554	2	1		1	2				2	4	3	9	15
General diseases—C	15,784	12,566	13,147	53	18	21	14	27	23	34	37	38	54	57	99	2,162
Males	8,532	7,194	7,475	29	7	9	9	6	6	17	16	19	23	26	53	837
Females	7,252	5,372	5,672	24	11	12	5	21	17	17	21	19	31	31	46	1,325
1. Premature birth M	1,176	1,175	1,176													
1. Premature birth F	924	922	924													
2. Stillborn M	3,970	3,970	3,970													
2. Stillborn F	2,737	2,737	2,737													
3. Malformation M	105	100	102				1				1					1
3. Malformation F	72	70	70	1						1						
4. Debility and atrophy M	2,859	1,949	2,227	29	7	9	8	6	6	17	15	19	23	26	41	426
4. Debility and atrophy F	2,774	1,643	1,941	23	11	12	5	21	17	16	21	19	31	31	30	596
5. Old age M	422														12	410
5. Old age F	745														16	729

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		16,312	885	1,612	204	233	957	1,728	1,932	1,550	1,466	1,245	1,214	999	845	779	1,548
Males		8,406	505	907	101	100	396	857	1,028	826	790	647	676	522	439	400	717
Females		7,906	380	705	103	133	561	871	904	724	676	598	538	477	406	379	831
1. Rheumatism	M.	171	3	8	7	13	8	6	11	10	16	8	16	12	14	10	32
	F.	178	2	4	12	6	6	5	8	4	6	10	9	10	17	17	55
2. Scrofula and tabes	M.	129	63	90	3	4	.....	3	5	2	2	4	4	1	4	3	4
	F.	109	51	68	.....	5	6	3	4	2	2	7	1	1	4	2	4
3. Leprosy	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption	M.	6,371	119	231	40	55	362	829	972	781	715	557	555	373	294	242	365
	F.	5,452	99	199	45	106	525	830	855	646	564	420	333	251	206	162	310
5. Hydrocephalus	M.	591	272	505	35	13	6	1	10	2	5	2	1	4	1	2	4
	F.	425	192	365	27	5	1	4	1	1	2	3	2	2	1	4	7
6. Cancer	M.	643	3	6	.....	1	7	6	9	12	26	49	62	87	88	100	190
	F.	1,168	1	3	1	.....	6	11	14	46	80	110	158	150	140	157	283
7. Tumor	M.	70	2	4	2	2	2	3	2	3	5	3	11	4	8	6	15
	F.	90	1	2	1	1	1	2	3	2	7	9	9	11	10	8	24
8. Anæmia	M.	68	16	23	3	1	1	2	3	3	2	3	9	6	3	1	8
	F.	85	13	16	2	2	4	6	9	5	2	6	4	4	4	4	17
9. Dropsy	M.	210	11	19	9	6	3	4	9	4	12	13	6	20	14	22	64
	F.	269	8	24	11	5	9	4	2	9	10	18	17	27	17	18	98
10. Diabetes	M.	127	5	7	1	5	2	3	7	8	7	6	11	13	13	12	32
	F.	109	6	8	3	3	2	6	8	9	3	6	4	11	7	7	32
11. Others of this group	M.	26	11	14	1	.....	.....	.....	.....	1	.....	2	1	2	.....	2	3
	F.	19	7	15	1	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....
12. Others of this class	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
II.—Diseases of the nervous system		14,356	5,003	7,674	461	208	172	184	234	278	346	362	423	500	560	605	2,329
Males		7,691	2,849	4,239	223	110	85	102	130	163	210	206	231	253	290	316	1,133
Females		6,665	2,154	3,435	238	98	87	82	104	115	136	176	192	247	270	289	1,196
1. Inflammation of the brain	M.	1,917	689	1,301	120	48	33	40	38	48	46	43	44	34	37	32	53
	F.	1,483	508	1,040	114	46	29	29	26	25	23	26	28	18	18	13	51
2. Apoplexy	M.	1,174	13	20	2	3	9	11	25	25	58	69	80	95	132	151	494
	F.	1,171	17	27	3	4	7	5	13	24	33	72	74	121	141	140	507
3. Paralysis	M.	725	15	38	10	8	4	12	12	14	24	26	40	42	56	73	366
	F.	799	10	34	11	7	7	4	11	17	16	30	44	53	62	85	418
4. Tetanus and trismus nascentium.	M.	201	116	128	8	14	10	7	5	7	5	3	7	4	1	1	1
	F.	106	70	83	5	2	3	1	1	2	2	2	4	1	.....	.....	.....
5. Epilepsy	M.	88	3	8	2	7	10	10	8	7	9	6	1	3	5	2	10
	F.	66	1	4	3	2	8	7	7	7	9	3	3	2	3	2	6
6. Convulsions	M.	2,330	1,684	2,216	47	10	3	6	9	7	4	5	3	5	6	1	8
	F.	1,937	1,285	1,792	58	16	8	12	10	12	8	4	4	1	.....	3	9
7. Mental diseases	M.	95	.....	.....	.....	1	1	3	5	11	8	12	9	12	6	6	21
	F.	120	.....	.....	.....	1	2	6	9	7	13	9	5	12	13	8	35
8. Diseases of the brain	M.	1,058	317	507	33	17	13	11	21	38	50	36	42	49	41	36	164
	F.	888	259	442	35	19	16	12	17	16	29	29	24	28	27	33	161
9. Diseases of the spinal cord	M.	91	12	19	1	2	2	2	5	5	6	5	4	7	4	14	15
	F.	67	4	13	6	1	3	4	7	4	3	2	5	8	6	3	2
10. Others of this class	M.	12	.....	2	.....	.....	.....	.....	2	1	.....	1	1	2	2	.....	1
	F.	28	.....	.....	3	.....	4	2	3	1	.....	2	1	3	.....	2	7
III.—Diseases of the circulatory system.		5,207	588	694	114	178	180	160	204	218	271	287	353	406	380	415	1,347
Males		2,649	324	385	59	81	81	88	88	106	136	161	183	223	191	209	658
Females		2,558	264	309	55	97	99	72	116	112	135	126	170	183	189	206	689
1. Angina pectoris	M.	149	.....	.....	1	1	1	1	4	3	5	15	20	15	13	20	50
	F.	125	.....	.....	1	2	1	1	4	3	6	10	13	14	10	14	46
2. Aneurism	M.	39	.....	.....	.....	.....	.....	1	.....	2	7	4	7	5	7	.....	6
	F.	23	.....	.....	1	.....	1	.....	.....	3	1	4	5	.....	.....	3	5
3. Diseases of the heart	M.	2,204	101	154	57	80	79	86	83	96	123	141	156	202	168	188	591
	F.	2,198	102	140	53	95	95	69	106	102	125	109	149	166	175	185	629
4. Others of this class	M.	257	223	231	1	.....	1	.....	1	5	1	1	.....	1	3	1	11
	F.	212	162	169	.....	.....	2	2	6	4	3	3	3	3	4	4	9

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system		15,152	3,297	7,576	860	181	276	348	449	408	483	516	541	560	551	545	1,858
Males		8,138	1,820	4,094	467	83	135	217	274	238	297	322	344	311	305	273	778
Females		7,014	1,477	3,482	393	98	141	131	175	170	186	194	197	249	246	272	1,080
1. Croup	M.	1,251	130	991	225	15	3	3	1	1	1	1	2	3	1	.....	4
	F.	1,071	101	846	189	11	3	2	2	1	.....	2	2	3	2	4	4
2. Laryngitis	M.	261	34	172	34	6	1	3	3	4	8	7	2	6	3	2	10
	F.	211	18	148	28	10	5	2	3	4	3	2	2	1	1	1	1
3. Bronchitis	M.	1,835	770	1,204	56	6	11	24	16	19	23	34	42	51	57	68	224
	F.	1,749	665	1,024	34	9	21	20	23	23	23	25	37	44	51	63	352
4. Pneumonia	M.	3,992	644	1,401	131	46	101	165	216	193	226	243	251	211	208	170	430
	F.	3,325	509	1,192	123	59	95	93	122	127	136	142	143	173	163	172	585
5. Pleurisy	M.	111	4	17	1	2	4	11	13	10	11	8	7	6	3	7	11
	F.	95	5	14	6	3	2	5	7	6	8	5	3	3	5	6	22
6. Asthma	M.	60	4	5	1	.....	.....	.....	3	.....	6	3	7	8	4	7	16
	F.	49	3	3	2	.....	.....	.....	.....	.....	.....	2	2	6	5	3	26
7. Others of this class	M.	628	234	304	19	8	15	11	22	11	22	26	33	26	29	19	83
	F.	514	176	255	11	6	15	9	18	9	16	16	8	19	19	23	90
V.—Diseases of the digestive system		3,958	684	961	98	115	110	163	222	188	232	234	244	275	231	266	610
Males		1,990	392	547	57	59	72	69	95	70	92	111	126	133	131	147	281
Females		1,968	292	414	41	56	47	94	127	118	140	123	118	142	100	110	329
1. Dentition	M.	56	35	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	58	28	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Angina	M.	61	14	46	7	1	.....	.....	.....	2	.....	.....	.....	1	1	1	2
	F.	37	9	25	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
3. Diseases of the stomach	M.	368	101	138	6	5	8	11	12	9	17	10	19	23	25	22	63
	F.	437	96	130	12	10	12	11	17	18	26	14	23	42	15	25	82
4. Obstruction of the bowels	M.	116	32	37	5	1	1	5	7	5	2	8	5	6	7	9	18
	F.	106	18	25	.....	3	2	3	4	5	5	7	4	8	7	7	26
5. Hernia	M.	83	9	12	.....	.....	4	2	2	3	5	.....	7	6	9	12	21
	F.	68	.....	.....	.....	.....	.....	1	3	.....	5	6	9	9	7	5	23
6. Other diseases of the bowels.	M.	18	5	5	.....	.....	2	.....	2	1	4	1	.....	1	.....	1	1
	F.	20	3	3	1	.....	1	2	2	.....	.....	.....	1	5	1	.....	4
7. Jaundice	M.	65	43	44	1	.....	.....	.....	1	.....	2	.....	2	1	1	4	9
	F.	51	20	23	.....	.....	.....	1	.....	.....	1	3	1	7	.....	6	9
8. Inflammation and abscess of the liver.	M.	155	9	12	5	3	2	5	4	9	7	12	16	13	12	21	34
	F.	108	1	4	2	2	.....	1	3	5	7	10	11	16	8	10	29
9. Other diseases of the liver	M.	444	11	18	1	4	2	7	12	13	26	49	53	58	58	53	90
	F.	325	7	7	1	3	3	3	13	23	28	34	36	28	39	51	76
10. Peritonitis	M.	473	41	74	29	44	51	33	52	28	24	28	21	22	17	19	31
	F.	632	41	62	18	32	26	72	83	65	63	43	30	27	21	31	59
11. Ascites	M.	8	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	1	2	2
	F.	14	1	1	.....	1	.....	.....	.....	1	1	3	1	.....	.....	1	5
12. Others of this class	M.	143	92	105	3	1	2	4	3	.....	5	3	3	1	.....	3	10
	F.	112	68	76	1	1	3	.....	2	1	4	3	2	.....	2	3	14
VI.—Diseases of the urinary system and male organs of generation.		3,285	53	209	111	58	79	122	175	192	250	249	255	265	272	275	773
Males		1,836	31	121	49	29	32	55	78	100	123	149	151	143	146	167	493
Females		1,449	22	88	62	29	47	67	97	92	127	100	104	122	126	108	280
1. Bright's disease	M.	896	.....	.....	19	10	19	27	42	61	65	85	93	82	96	79	218
	F.	731	.....	.....	24	14	28	34	49	50	70	58	53	60	79	66	146
2. Calculus, urinary	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
	F.	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
3. Diseases of the kidney	M.	684	24	111	30	17	11	27	29	35	49	59	44	46	36	50	134
	F.	587	17	79	33	13	18	27	34	32	43	35	40	54	41	36	102
4. Diseases of the bladder	M.	171	4	5	.....	.....	2	.....	2	1	2	.....	7	9	7	21	115
	F.	39	1	1	.....	.....	.....	1	3	2	4	.....	3	4	1	3	17
5. Others of this class	M.	83	3	5	.....	2	.....	1	5	3	7	5	7	5	7	11	25
	F.	89	4	8	5	2	1	4	10	8	10	7	7	4	5	3	15
VII.—Diseases of the female organs of generation.		115	.....	.....	.....	.....	6	10	14	14	14	12	13	8	2	9	13
1. Ovarian tumors		27	.....	.....	.....	.....	.....	1	2	1	2	2	4	2	.....	7	6
2. Ovarian diseases		6	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	1
3. Uterine tumors		7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	1
4. Uterine diseases		45	.....	.....	.....	.....	1	5	8	6	6	5	5	2	1	2	4
5. Others of this class		30	.....	.....	.....	.....	5	4	3	6	5	1	3	2	.....	.....	1
VIII.—Affections connected with pregnancy.		673	.....	.....	.....	2	30	181	196	117	105	34	5	.....	2	.....	1
1. Abortion		19	.....	.....	.....	.....	.....	2	8	3	3	3	.....	.....	.....	.....	.....
2. Childbirth		130	.....	.....	.....	1	2	26	35	31	24	10	.....	.....	.....	.....	1
3. Puerperal septicæmia		487	.....	.....	.....	1	23	142	142	79	73	20	5	.....	2	.....	.....
4. Extra-uterine pregnancy		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Others of this class		37	.....	.....	.....	.....	5	11	11	4	5	1	.....	.....	.....	.....	.....

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	127	6	15	16	17	12	11	7	8	10	6	10	2	3	3	7
Males	73	5	11	9	12	4	8	4	4	5	3	5	2	2	2	2
Females	54	1	4	7	5	8	3	3	4	5	3	5		1	1	5
1. Diseases of the spine M.	38	2	6	7	6	2	5	2	3	2	2	1		1		1
1. Diseases of the spine F.	25	1	3	4	3	2	1	2	3	1	2	3			1	
2. Diseases of the bones M.	17	2	2		3		2	1	1	1	1	2	1	1	1	1
2. Diseases of the bones F.	13			1	1	3			1	3	1			1		2
3. Diseases of the hip joint M.	14		2	2	3	2	1	1		1		1	1			
3. Diseases of the hip joint F.	14		1	2	1	3	2	1				2				2
4. Others of this class M.	4	1	1							1		1			1	
4. Others of this class F.	2									1						1
X.—Diseases of the skin	181	45	68	7	4	11	9	8	4	3	11	10	9	11	8	18
Males	101	24	35	6	2	3	4	3	3		5	8	5	9	7	11
Females	80	21	33	1	2	8	5	5	1	3	6	2	4	2	1	7
1. Abscess M.	78	20	30	5	2		3	3	1		5	8	4	6	4	7
1. Abscess F.	58	10	21	1	2	7	5	5		2	6	2	3	1		3
2. Carbuncle M.	15	1	1			1	1		2				1	3	3	3
2. Carbuncle F.	7	1	2			1							1	1		2
3. Others of this class M.	8	3	4	1		2										1
3. Others of this class F.	15	10	10						1	1					1	2
XI.—Diseases of the absorbent system	19		1	1		1		2	3		5		1			5
Males	9		1								4		1			3
Females	10			1		1		2	3		1					2
1. Addison's disease M.	6										4		1			1
1. Addison's disease F.	4					1		1	2							
2. Diseases of the spleen M.	2															2
2. Diseases of the spleen F.	1										1					
3. Others of this class M.	1		1													
3. Others of this class F.	5			1				1	1							2
XII.—Accidents and injuries	4,312	311	597	220	226	247	366	366	295	352	322	299	244	186	137	455
Males	3,387	167	336	167	191	202	313	309	255	299	287	256	197	156	101	318
Females	925	144	261	53	35	45	53	57	40	53	35	43	47	30	36	137
1. Burns and scalds M.	165	7	88	14	2	11	7	11	5	4	7	6	2	1	2	5
1. Burns and scalds F.	159	5	73	18	3	6	6	9	5	3	7	6	6	6	2	9
2. Drowned M.	646	4	32	83	77	53	61	54	37	40	45	38	33	14	11	68
2. Drowned F.	83	5	13	11	11	12	10	1		3	6		5	1	2	8
3. Exposure and neglect M.	20	2	3				2	1	1	1	4	2	1	1	1	3
3. Exposure and neglect F.	8	4	4						1				1	1		1
4. Gunshot wounds M.	79			2	8	12	8	9	9	8	5	6	4	2	1	5
4. Gunshot wounds F.	6				1	2	1			1						1
5. Homicide M.	26	1	2		1		3	2	4	4	4	3		2	1	
5. Homicide F.	14	1	1			1		1	1	2		3	1	2	2	
6. Infanticide M.	2	2	2													
6. Infanticide F.																
7. Injuries by machinery M.	12			1	2	1	2		3	1	1	1				
7. Injuries by machinery F.																
8. Railroad accidents M.	887	1	7	19	49	63	123	119	83	96	75	57	44	36	29	87
8. Railroad accidents F.	68		3	5	3		8	10	3	7	2	7	3	1	6	10
9. Suffocation M.	157	101	108	3	3		6	4	3	7	9		5	3	1	5
9. Suffocation F.	100	69	76	2	1	2	6	1	3	2	1		1	3		2
10. Suicide by shooting M.	88					1	5	5	16	16	9	8	12	7	3	6
10. Suicide by shooting F.	3						1	1	1							
11. Suicide by drowning M.	13						1	1	4	3			1	1	1	1
11. Suicide by drowning F.	4					1	1				1					1
12. Suicide by poison M.	51		2	1		3	9	4	3	2	5	5	7	2	1	7
12. Suicide by poison F.	30					2	3	5	5	2	2	4	3			4
13. Other suicides M.	134					6	10	6	10	17	19	18	17	10	7	14
13. Other suicides F.	19					1	2	2	2	3	1	4	1			3
14. Sunstroke M.	110			4	1	1	11	11	10	15	16	18	6	7	3	7
14. Sunstroke F.	21	4	5	1		1	1	2		3			2	4	1	1
15. Surgical operations M.	6				1	1	1							2		1
15. Surgical operations F.	7							2	1		1	1				2
16. Wounds M.	84		2	6	4	4	9	12	2	4	9	9	4	6	5	8
16. Wounds F.	19		6	1	2		1		1	1		1	1	1	1	3
17. Other accidents and injuries M.	907	49	90	34	43	46	55	70	65	81	79	85	61	62	35	101
17. Other accidents and injuries F.	384	56	80	15	14	17	13	23	17	26	14	17	23	11	22	92

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	2,809	858	1,228	108	66	99	123	116	124	136	111	132	98	90	85	293
Males	1,441	488	660	52	36	41	54	54	59	78	62	63	50	52	33	147
Females	1,368	370	568	56	30	58	69	62	65	58	49	69	48	38	52	146
Unknown causes	10	3	3			1			1			1	2	1		1
Males	6	1	1			1			1			1		1		1
Females	4	2	2										2			
I.—General diseases: General diseases—A	441	179	274	26	14	17	15	12	12	13	7	10	4	13	6	13
Males	212	98	136	8	6	10	6	5	4	6	6	5	2	5	3	10
Females	229	81	138	18	8	7	9	7	8	7	1	5	2	8	3	3
1. Smallpox M																
1. Smallpox F																
2. Measles M	2	1	2													
2. Measles F	7	1	6	1												
3. Scarlet fever M	5	1	4		1											
3. Scarlet fever F	5		3	1	1											
4. Diphtheria M	16	2	9	4	1	1	1									
4. Diphtheria F	22	1	15	3	2	1										1
5. Whooping cough M	14	9	14													
5. Whooping cough F	19	5	17	2												
6. Fever M																
6. Fever F																
7. Cerebro-spinal fever M	3	1	1			1								1		
7. Cerebro-spinal fever F	7	1	5	1												1
8. Typhoid fever M	36	1	2	2	4	7	3	4	2	2	4	1	2	1		2
8. Typhoid fever F	45		3	8	4	5	8	5	2	3	1	2		3		1
9. Diarrheal diseases M	53	28	37			1	1		1	2	2	1		1	3	4
9. Diarrheal diseases F	43	24	29		1	1	1	1	1	2		2	1	1	3	
10. Cholera infantum M	59	50	59													
10. Cholera infantum F	48	43	48													
11. Malarial fever M	10	1	4	1			1	1		1		1		1		
11. Malarial fever F	18	1	5	2				1	3	1		1	1	2		2
12. Erysipelas M	2															2
12. Erysipelas F																
13. Septicæmia M																
13. Septicæmia F	4	1	1						2							1
14. Venereal diseases M	7	3	3	1					1	1		1				
14. Venereal diseases F	7	4	6													1
15. Others of this group M	5	1	1									1		1		2
15. Others of this group F	4									1				2		1
General diseases—B	50	41	41	2						1	1	1	1		2	1
Males	29	26	26							1	1		1			
Females	21	15	15	2								1			2	1
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	3									1	1		1			
2. Alcoholism F	1														1	
3. Lead poison M																
3. Lead poison F																
4. Other poisons M																
4. Other poisons F	1											1				
5. Inanition M	26	26	26													
5. Inanition F	19	15	15	2											1	1
General diseases—C	426	316	348	3	1				2	2		1	2	1	5	61
Males	222	176	191	1	1					1			2		1	25
Females	204	140	157	2					2	1		1		1	4	36
1. Premature birth M	23	23	23													
1. Premature birth F	17	17	17													
2. Stillborn M	94	94	94													
2. Stillborn F	63	63	63													
3. Malformation M	2	1	2													
3. Malformation F	4	4	4													
4. Debility and atrophy M	86	58	72	1	1					1			2		1	8
4. Debility and atrophy F	100	56	73	2					2	1		1		1	4	16
5. Old age M	17															17
5. Old age F	20															20

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	577	23	55	27	20	45	66	60	64	49	37	42	25	26	13	48
Males	283	11	26	11	7	15	33	27	30	31	20	18	12	19	7	27
Females	294	17	29	16	13	30	33	33	34	18	17	24	13	7	6	21
1. Rheumatism M	4											1		1		2
1. Rheumatism F	2											1	1			
2. Scrofula and tabes M	7	2	3		1	1		1								1
2. Scrofula and tabes F	10	4	7	1			1						1			
3. Leprosy M																
3. Leprosy F																
4. Consumption M	235	4	14	10	4	14	33	25	27	30	17	14	9	13	5	20
4. Consumption F	223	5	12	15	10	29	32	31	33	14	14	14	5	3	3	8
5. Hydrocephalus M	9	4	6	1					1			1				
5. Hydrocephalus F	9	5	7						1							1
6. Cancer M	9								1		1		1	2	2	2
6. Cancer F	25							1		3	2	6	4	2	2	5
7. Tumor M																
7. Tumor F	5					1						2	1			1
8. Anæmia M	3	1	2							1						
8. Anæmia F	4	1	1					1				1				1
9. Dropsy M	11							1			2	1	2	3		2
9. Dropsy F	15	2	2		3					1	1		1	1	1	5
10. Diabetes M	4				2				1			1				
10. Diabetes F	1													1		
11. Others of this group M	1		1													
11. Others of this group F																
12. Others of this class M																
12. Others of this class F																
II.—Diseases of the nervous system	338	146	212	21	10	6	8	5	5	9	8	15	15	13	18	53
Males	205	83	119	12	8	3		1	4	4	3	4	8	8	6	25
Females	193	63	93	9	2	3	8	4	1	5	5	11	7	5	12	28
1. Inflammation of the brain M	43	15	23	8	3	1			1	1	1	2	1			2
1. Inflammation of the brain F	20	6	15	4		1	2	1		1	1		1			
2. Apoplexy M	29		1					1	2	1	1	1	4	4	2	12
2. Apoplexy F	38							1		2	3	7	2	3	6	14
3. Paralysis M	13				1					1			1	2		8
3. Paralysis F	25					1	1	1	1	1	1	2	3	2	4	8
4. Tetanus and trismus nascentium M	7	4	4		1	1			1							
4. Tetanus and trismus nascentium F	3	3	3													
5. Epilepsy M	2		1										1			
5. Epilepsy F	4			2											1	1
6. Convulsions M	76	55	69	3	2									1	1	
6. Convulsions F	63	45	58	3								1				1
7. Mental diseases M	1														1	
7. Mental diseases F	3						1			1		1				
8. Diseases of the brain M	32	9	21	1	1	1				1	1	1			2	3
8. Diseases of the brain F	29	9	17		2	1	3	1					1		1	3
9. Diseases of the spinal cord M	1												1			
9. Diseases of the spinal cord F	1						1									
10. Others of this class M	1													1		
10. Others of this class F	1															1
III.—Diseases of the circulatory system	178	9	10	2	6	1	5	4	11	28	16	18	15	11	19	32
Males	76	5	6	2	2	1	3	1	5	13	9	8	6	4	7	9
Females	102	4	4		4		2	3	6	15	7	10	9	7	12	23
1. Angina pectoris M																
1. Angina pectoris F	2									1					1	
2. Aneurism M	3					1				1			1			
2. Aneurism F	2											2				
3. Diseases of the heart M	72	5	6	2	2		3	1	5	11	9	8	5	4	7	9
3. Diseases of the heart F	97	3	3		4		2	3	6	14	7	8	9	7	11	23
4. Others of this class M	1									1						
4. Others of this class F	1	1	1													

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	429	104	246	23	7	10	11	8	8	13	17	20	16	9	10	31
Males	242	70	133	16	5	4	6	7	4	8	9	13	11	7	4	15
Females	187	34	113	7	2	6	5	1	4	5	8	7	5	2	6	16
1. Croup M	13	2	8	4	1											
1. Croup F	12	2	8	3			1									
2. Laryngitis M	1	1	1													
2. Laryngitis F	1			1												
3. Bronchitis M	56	27	46	4	1						2					3
3. Bronchitis F	57	12	45			1			1		1				2	7
4. Pneumonia M	144	33	68	6	2	3	5	6	3	6	6	10	10	6	2	11
4. Pneumonia F	97	15	48	3	1	4	4	1	3	4	7	7	4	1	4	6
5. Pleurisy M	3						1	1								1
5. Pleurisy F	4	1	1										1	1		1
6. Asthma M	1											1				
6. Asthma F	1															1
7. Others of this class M	24	7	10	2	1	1			1	2	1	2	1	1	2	
7. Others of this class F	15	4	11		1	1				1						1
V.—Diseases of the digestive system	85	11	15	1	2	6	5	8	7	5	9	7	4	3	4	9
Males	44	5	8	1	1	1	2	5	2	2	5	4	2	2	1	8
Females	41	6	7		1	5	3	3	5	3	4	3	2	1	3	1
1. Dentition M	1	1	1													
1. Dentition F	2	2	2													
2. Angina M																
2. Angina F																
3. Diseases of the stomach M	6	1	2				1		1		1					1
3. Diseases of the stomach F	5	1	2							1		1			1	
4. Obstruction of the bowels M	5				1				1			1	1			1
4. Obstruction of the bowels F	6	1	1		1	1		2							1	
5. Hernia M	5			1				1			1	1				1
5. Hernia F																
6. Other diseases of the bowels. M																
6. Other diseases of the bowels. F	1	1	1													
7. Jaundice M																
7. Jaundice F																
8. Inflammation and abscess of the liver. M	5							2			1					2
8. Inflammation and abscess of the liver. F	1												1			
9. Other diseases of the liver. M	11					1		1		1	2	1	1	1	1	2
9. Other diseases of the liver. F	2										1				1	
10. Peritonitis M	7	1	2				1	1				1		1		1
10. Peritonitis F	23					4	3	1	5	2	3	2	1	1		1
11. Ascites M																
11. Ascites F																
12. Others of this class M	4	2	3							1						
12. Others of this class F	1	1	1													
VI.—Diseases of the urinary system and male organs of generation.	100	3	4	1	1	2	2	5	6	6	8	14	12	10	6	23
Males	55	1	2		1	1		3	5	4	2	8	5	4	2	18
Females	45	2	2	1		1	2	2	1	2	6	6	7	6	4	5
1. Bright's disease M	34				1			1	3	4	1	6	2	3	1	12
1. Bright's disease F	23			1		1					3	3	4	4	3	4
2. Calculus, urinary M																
2. Calculus, urinary F																
3. Diseases of the kidney M	14		1			1		1	1		1	2	2	1	1	3
3. Diseases of the kidney F	17	2	2				1	2	1	1	1	3	2	2	1	1
4. Diseases of the bladder M	4												1			3
4. Diseases of the bladder F																
5. Others of this class M	3	1	1					1	1							
5. Others of this class F	5						1			1	2		1			
VII.—Diseases of the female organs of generation.	2							1		1						
1. Ovarian tumors																
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases	2							1		1						
5. Others of this class																
VIII.—Affections connected with pregnancy.	21					4	6	7	2	1	1					
1. Abortion	1								1							
2. Childbirth	7					1	2	3	1							
3. Puerperal septicæmia	13					3	4	4		1	1					
4. Extra-uterine pregnancy																
5. Others of this class																

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	1						1									
Males																
Females	1						1									
1. Diseases of the spine M																
1. Diseases of the spine F	1						1									
2. Diseases of the bones M																
2. Diseases of the bones F																
3. Diseases of the hip joint M																
3. Diseases of the hip joint F																
4. Others of this class M																
4. Others of this class F																
X.—Diseases of the skin	3		1		1					1						
Males	2				1					1						
Females	1		1													
1. Abscess M	2				1					1						
1. Abscess F	1		1													
2. Carbuncle M																
2. Carbuncle F																
3. Others of this class M																
3. Others of this class F																
XI.—Diseases of the absorbent system																
Males																
Females																
1. Addison's disease M																
1. Addison's disease F																
2. Diseases of the spleen M																
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F																
XII.—Accidents and injuries	88	18	19	2	4	7	4	6	6	7	7	3	2	3	2	10
Males	65	12	12	1	4	5	4	5	4	7	7	2	1	2	2	9
Females	23	6	7	1		2		1	2			1	1	1		7
1. Burns and scalds M																
1. Burns and scalds F	3								1							2
2. Drowned M	17			1	3	3		1	2	2		1		1		3
2. Drowned F																
3. Exposure and neglect M	1									1						
3. Exposure and neglect F																
4. Gunshot wounds M	4						1	1			2					
4. Gunshot wounds F																
5. Homicide M																
5. Homicide F	2															2
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M																
7. Injuries by machinery F																
8. Railroad accidents M	16				1	1	3		1	2	2			1	1	4
8. Railroad accidents F	2												1	1		
9. Suffocation M	7	6	6									1				
9. Suffocation F	4	3	3			1										
10. Suicide by shooting M	1															1
10. Suicide by shooting F																
11. Suicide by drowning M	1									1						
11. Suicide by drowning F																
12. Suicide by poison M																
12. Suicide by poison F	1							1								
13. Other suicides M	2										1		1			
13. Other suicides F																
14. Sunstroke M	1										1					
14. Sunstroke F																
15. Surgical operations M																
15. Surgical operations F																
16. Wounds M																
16. Wounds F																
17. Other accidents and injuries. M	15	6	6			1		3	1	1	1				1	1
17. Other accidents and injuries. F	11	3	4	1		1			1			1				3

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	54,299	20,605	30,067	2,647	1,100	1,465	1,721	1,901	1,551	1,546	1,314	1,349	1,300	1,297	1,345	5,681
Males	28,572	11,534	16,429	1,347	576	658	874	978	795	788	699	748	702	701	680	2,597
Females	25,727	9,071	13,638	1,300	533	807	847	923	756	758	615	601	604	596	665	3,084
Unknown causes	135	41	54	5	5	7	5	2	6	4	2	4	4	5	4	28
Males	82	25	31	3	3	3	1	.....	5	3	2	3	3	4	4	17
Females	53	16	23	2	2	4	4	2	1	1	.....	1	1	1	.....	11
I.—General diseases: General diseases—A	11,934	4,403	7,898	1,239	398	362	317	296	183	172	133	132	113	119	129	413
Males	6,005	2,331	4,056	570	187	170	173	158	96	76	68	69	68	52	60	202
Females	5,929	2,072	3,842	669	211	192	144	138	87	96	65	63	45	67	69	241
1. Smallpox M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
1. Smallpox F	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Measles M	115	25	105	6	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Measles F	125	36	114	9	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
3. Scarlet fever M	415	28	261	107	31	5	5	2	1	.....	.....	.....	.....	.....	.....	3
3. Scarlet fever F	452	31	279	127	23	7	5	4	2	1	1	.....	.....	.....	1	2
4. Diphtheria M	1,239	75	816	322	66	15	5	5	1	1	1	.....	2	1	2	2
4. Diphtheria F	1,325	57	796	400	84	15	7	3	4	4	.....	.....	1	3	3	5
5. Whooping cough M	188	122	184	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5. Whooping cough F	240	130	234	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6. Fever M	5	1	2	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
6. Fever F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7. Cerebro-spinal fever M	147	39	87	20	7	12	1	4	2	1	.....	3	2	1	5	2
7. Cerebro-spinal fever F	97	35	63	7	5	4	5	3	1	1	1	2	1	2	1	1
8. Typhoid fever M	682	9	44	40	53	102	116	108	52	41	29	18	26	14	15	24
8. Typhoid fever F	617	6	50	42	67	117	80	67	32	36	30	23	16	15	14	28
9. Diarrheal diseases M	1,275	748	951	39	13	14	21	12	13	14	17	23	18	18	27	95
9. Diarrheal diseases F	1,259	632	857	44	18	16	14	24	17	21	20	24	15	27	32	130
10. Cholera infantum M	1,445	1,191	1,443	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
10. Cholera infantum F	1,281	1,043	1,280	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
11. Malarial fever M	244	25	68	21	10	15	16	17	14	13	14	9	9	7	6	25
11. Malarial fever F	286	33	77	21	10	26	16	24	18	15	6	6	5	10	13	39
12. Erysipelas M	87	31	42	1	.....	1	3	1	3	1	3	5	3	4	.....	20
12. Erysipelas F	75	37	40	2	1	2	1	.....	.....	2	2	4	2	1	.....	12
13. Septicæmia M	85	13	24	6	4	3	2	7	6	1	4	7	6	4	4	7
13. Septicæmia F	107	11	18	9	3	3	15	11	8	13	4	4	5	3	2	9
14. Venereal diseases M	35	21	24	1	.....	1	1	1	2	3	.....	2	.....	.....	.....	.....
14. Venereal diseases F	27	18	22	.....	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....
15. Others of this group M	42	3	5	2	1	1	1	1	2	1	.....	1	2	3	1	21
15. Others of this group F	35	3	5	1	.....	1	.....	1	2	1	1	.....	.....	6	3	14
General diseases—B	1,038	809	862	13	2	6	9	10	17	18	15	11	15	12	17	31
Males	584	440	466	8	2	4	5	7	12	16	10	8	13	6	8	19
Females	454	369	396	5	.....	2	4	3	5	2	5	3	2	6	9	12
1. Parasitic diseases M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Parasitic diseases F	3	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Alcoholism M	68	1	2	.....	.....	1	2	4	10	13	6	6	8	5	5	6
2. Alcoholism F	16	.....	.....	.....	.....	.....	1	1	3	1	3	1	1	2	2	1
3. Lead poison M	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
3. Lead poison F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Other poisons M	43	5	14	4	2	2	1	2	1	1	3	2	3	1	2	5
4. Other poisons F	33	8	14	.....	.....	1	2	2	2	1	2	2	1	3	2	1
5. Inanition M	471	434	450	4	.....	1	2	.....	1	2	1	.....	2	.....	1	7
5. Inanition F	402	361	381	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	5	10
General diseases—C	9,851	8,275	8,068	40	11	10	7	15	13	20	13	20	22	23	31	958
Males	5,463	4,783	4,980	20	7	5	4	5	3	8	5	10	12	10	17	377
Females	4,388	3,492	3,688	20	4	5	3	10	10	12	8	10	10	13	14	581
1. Premature birth M	827	826	827	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1. Premature birth F	649	647	649	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn M	2,583	2,583	2,583	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
2. Stillborn F	1,731	1,731	1,731	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Malformation M	66	63	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
3. Malformation F	55	55	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Debility and atrophy M	1,812	1,311	1,505	20	7	5	4	5	3	8	5	10	12	10	15	203
4. Debility and atrophy F	1,640	1,059	1,253	20	4	5	3	10	10	12	8	10	10	13	10	272
5. Old age M	175	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	173
5. Old age F	313	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	309

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	7,632	619	1,136	150	154	521	775	863	665	596	461	467	429	345	325	745
Males	3,745	332	605	72	68	199	374	457	350	305	207	237	210	177	150	334
Females	3,887	287	531	78	86	322	401	406	315	291	254	230	219	168	175	411
1. Rheumatism M.	70	2	5	4	8	1	2	4	2	9	2	3	3	7	3	17
1. Rheumatism F.	82	2	4	7	3	1	1	4	1	2	5	3	10	6	8	27
2. Scrofula and tabes M.	93	38	64	2	4	1	3	5	1	1	2	3	1	1	3	2
2. Scrofula and tabes F.	88	43	57	1	4	5	4	1	1	1	4	.....	2	3	1	4
3. Leprosy M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3. Leprosy F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4. Consumption M.	2,705	78	164	31	37	182	361	430	328	270	177	192	148	120	90	175
4. Consumption F.	2,601	75	153	44	68	299	381	387	286	239	166	139	115	85	77	162
5. Hydrocephalus M.	376	182	323	23	8	3	1	6	3	3	1	1	1	.....	.....	3
5. Hydrocephalus F.	295	139	264	17	4	1	.....	.....	1	1	1	.....	.....	.....	3	3
6. Cancer M.	236	3	6	.....	.....	4	1	3	4	9	12	25	37	30	34	71
6. Cancer F.	506	1	3	.....	.....	3	6	2	15	38	53	68	64	61	69	124
7. Tumor M.	27	.....	2	2	2	1	1	.....	1	1	1	4	1	4	1	6
7. Tumor F.	47	1	2	.....	.....	1	1	1	.....	5	7	5	7	3	5	10
8. Anæmia M.	38	12	15	2	.....	1	1	1	2	3	1	3	3	1	.....	5
8. Anæmia F.	54	12	14	1	1	2	3	7	2	2	4	3	3	1	2	9
9. Dropsy M.	117	7	11	6	4	4	3	5	3	6	9	2	8	5	13	38
9. Dropsy F.	145	8	19	6	5	8	3	.....	4	3	9	8	14	8	6	52
10. Diabetes M.	70	4	5	1	5	2	1	3	5	3	2	4	8	9	6	16
10. Diabetes F.	55	3	4	2	1	1	2	4	5	.....	5	3	4	1	4	19
11. Others of this group M.	13	6	10	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
11. Others of this group F.	12	3	10	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12. Others of this class M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12. Others of this class F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
II.—Diseases of the nervous system	8,210	3,272	5,077	288	124	97	87	92	127	135	145	158	184	224	255	1,217
Males	4,355	1,835	2,787	147	64	40	41	48	68	75	74	80	98	119	135	570
Females	3,855	1,437	2,290	141	60	57	46	44	59	60	71	69	86	105	120	647
1. Inflammation of the brain M.	1,114	439	843	81	23	18	15	17	22	15	14	21	11	8	9	17
1. Inflammation of the brain F.	924	341	694	74	25	17	15	12	12	7	10	6	5	8	7	32
2. Apoplexy M.	468	10	15	1	2	3	6	8	8	10	25	26	31	55	58	211
2. Apoplexy F.	505	12	18	2	2	2	2	4	13	18	20	27	40	53	48	247
3. Paralysis M.	393	8	20	7	5	1	8	5	7	6	11	17	19	27	36	215
3. Paralysis F.	452	8	27	5	6	7	4	5	10	11	11	20	24	32	44	216
4. Tetanus and trismus nascentium M.	110	69	81	4	8	5	2	.....	3	2	1	1	2	.....	.....	1
4. Tetanus and trismus nascentium F.	76	52	62	3	1	3	1	.....	2	1	2	1	.....	.....	.....	.....
5. Epilepsy M.	39	3	7	1	4	3	3	3	3	4	2	.....	1	2	1	5
5. Epilepsy F.	32	1	4	3	1	4	3	2	3	4	1	.....	1	1	1	4
6. Convulsions M.	1,490	1,060	1,417	32	7	1	3	5	4	4	1	3	3	4	2	4
6. Convulsions F.	1,215	821	1,146	25	12	6	7	5	4	2	1	3	.....	.....	1	3
7. Mental diseases M.	31	.....	.....	.....	1	.....	1	.....	4	2	3	3	6	3	1	7
7. Mental diseases F.	35	.....	.....	.....	.....	2	3	2	4	3	3	1	4	3	2	8
8. Diseases of the brain M.	601	231	382	21	12	9	3	9	15	19	16	17	20	16	23	99
8. Diseases of the brain F.	574	199	331	22	13	13	8	10	10	13	13	10	8	8	14	101
9. Diseases of the spinal cord M.	43	6	11	.....	2	.....	.....	1	2	4	1	1	4	2	5	10
9. Diseases of the spinal cord F.	29	3	8	5	.....	2	2	3	1	1	.....	1	3	.....	1	2
10. Others of this class M.	6	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1
10. Others of this class F.	13	.....	.....	2	.....	1	1	1	.....	.....	1	.....	1	.....	2	4
III.—Diseases of the circulatory system	2,457	426	498	73	97	78	65	82	94	130	110	132	136	145	164	653
Males	1,227	234	274	39	45	36	34	33	42	61	64	71	64	82	82	300
Females	1,230	192	224	34	52	42	31	49	52	69	46	61	72	63	82	353
1. Angina pectoris M.	59	.....	.....	1	.....	.....	.....	1	.....	1	7	8	3	5	6	27
1. Angina pectoris F.	58	.....	.....	1	2	1	.....	2	1	3	1	5	5	6	6	25
2. Aneurism M.	15	.....	.....	.....	.....	1	1	.....	.....	4	1	2	2	1	.....	3
2. Aneurism F.	11	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	.....	.....	1	3
3. Diseases of the heart M.	973	81	114	37	45	35	33	31	38	54	55	61	58	74	76	262
3. Diseases of the heart F.	1,022	75	102	33	50	40	31	46	48	66	40	52	66	56	73	319
4. Others of this class M.	180	153	160	1	.....	.....	.....	1	4	2	1	.....	1	2	.....	8
4. Others of this class F.	139	117	122	.....	.....	1	.....	1	2	.....	2	1	1	1	2	6

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	7,687	2,080	4,750	550	98	131	115	145	150	156	151	162	160	170	177	772
Males	4,083	1,159	2,592	296	47	55	74	89	79	91	90	95	80	96	83	310
Females	3,604	921	2,158	254	51	76	41	56	71	65	61	67	74	74	94	462
1. Croup M	745	74	585	143	12	1	1						1			2
1. Croup F	643	58	500	126	7	1	2				2	1		1	2	1
2. Laryngitis M	140	17	96	21	4		1	1	1	2	5	2	1	1		5
2. Laryngitis F	129	9	84	18	9	5	1	3	4	1	1	1		1	1	
3. Bronchitis M	1,035	510	815	43	5	8	11	3	8	6	8	10	14	13	12	79
3. Bronchitis F	899	429	664	17	3	14	6	7	11	7	8	14	5	7	18	118
4. Pneumonia M	1,750	394	876	72	23	38	51	68	62	72	61	67	62	68	57	173
4. Pneumonia F	1,576	303	729	80	26	45	30	40	51	47	44	46	59	53	59	207
5. Pleurisy M	38	3	10			1	4	3	4	1	2	1	1		5	6
5. Pleurisy F	47	6	11	3	1	2		1	2			1	3	5	3	15
6. Asthma M	20	3	3	1						1	2	3	1	1	3	5
6. Asthma F	21	2	2	2								2	1	1	1	12
7. Others of this class M	355	158	207	16	3	7	6	14	4	9	12	12	6	13	6	40
7. Others of this class F	289	114	168	8	5	9	2	5	3	10	6	2	6	6	10	49
V.—Diseases of the digestive system	1,759	394	556	64	63	67	70	91	71	80	84	80	78	84	83	288
Males	896	232	319	39	34	39	27	42	24	32	44	43	37	42	40	134
Females	863	162	237	25	29	28	43	49	47	48	40	37	41	42	43	154
1. Dentition M	32	18	32													
1. Dentition F	29	14	29													
2. Angina M	34	9	24	4					2				1	1	1	1
2. Angina F	19	6	15	2	1											1
3. Diseases of the stomach M	151	58	72	1	2	3	4	3	2	5	2	7	6	9	3	32
3. Diseases of the stomach F	185	51	75	5	3	4	3	3	7	9	4	8	13	7	6	38
4. Obstruction of the bowels M	64	21	24	3	2		3	3	3		5	3	3	3		12
4. Obstruction of the bowels F	57	16	19		2	2	2	4	3	1	3	1	2	1	5	12
5. Hernia M	34	5	8	1		2		2	1	3	1	4		2	4	6
5. Hernia F	24							1			2	4	1	2	2	12
6. Other diseases of the bowels M	9	1	1			2		1	1	2			1			1
6. Other diseases of the bowels F	7	1	1			1		1					2	1		1
7. Jaundice M	31	21	21					1		2		1			2	4
7. Jaundice F	21	9	11										2		2	6
8. Inflammation and abscess of the liver M	77	7	8	4	3	1	3	5	3	2	2	5	4	6	6	25
8. Inflammation and abscess of the liver F	42	1	2	2	2			1	2	2	4	3	6	3	2	13
9. Other diseases of the liver M	161	9	15	1	2	3	3	5	4	8	20	17	12	17	16	38
9. Other diseases of the liver F	111	5	5	1	3	2	2	4	4	6	7	7	2	17	13	38
10. Peritonitis M	221	25	48	22	25	27	12	22	8	9	12	6	10	3	7	10
10. Peritonitis F	304	21	37	14	18	18	36	33	30	27	16	14	13	10	13	25
11. Ascites M	3						1							1		1
11. Ascites F	6	1	1								3					2
12. Others of this class M	79	58	66	3		1	1			1	2				1	4
12. Others of this class F	58	37	42	1		1		2	1	3	1			1		6
VI.—Diseases of the urinary system and male organs of generation.	1,449	31	127	65	29	47	52	87	91	92	77	93	95	108	109	377
Males	822	20	73	30	17	20	24	38	47	36	46	58	57	62	67	247
Females	627	11	54	35	12	27	28	49	44	56	31	35	38	46	42	130
1. Bright's disease M	420			12	5	10	13	17	33	23	28	36	36	40	39	128
1. Bright's disease F	323			16	4	19	17	29	23	34	14	14	19	28	31	75
2. Calculus, urinary M	2												1			1
2. Calculus, urinary F																
3. Diseases of the kidney M	283	15	65	18	11	9	11	14	12	11	17	16	13	14	19	53
3. Diseases of the kidney F	235	8	48	15	6	8	8	14	16	17	12	16	14	15	9	37
4. Diseases of the bladder M	76	2	3			1		2				4	3	4	4	55
4. Diseases of the bladder F	22	1	1					1	2	1		2	3		2	10
5. Others of this class M	41	3	5		1			5	2	2	1	2	4	4	5	10
5. Others of this class F	47	2	5	4	2		3	5	3	4	5	3	2	8		8
VII.—Diseases of the female organs of generation.	56					2	6	10	4	5	6	6	4		4	9
1. Ovarian tumors	12							2			2				4	4
2. Ovarian diseases	4								1		1		1			1
3. Uterine tumors	2										1	1				
4. Uterine diseases	25					1	3	5	2	4	1	3	2			4
5. Others of this class	13					1	3	3	1	1	1	2	1			
VIII.—Affections connected with pregnancy.	241				1	17	64	77	41	27	10	1		2		1
1. Abortion	7						1	2	2		2					
2. Childbirth	42				1	3	5	12	13	5	2					1
3. Puerperal septicæmia	179					10	56	59	24	21	6	1		2		
4. Extra-uterine pregnancy																
5. Others of this class	13					4	2	4	2	1						

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	63	4	10	5	13	9	4	3	2	2	3	3	1	2	1	5
Males	37	3	8	4	9	3	3	2			2	1	1	1	1	2
Females	26	1	2	1	4	6	1	1	2	2	1	2		1		3
1. Diseases of the spine M.	16	2	5	2	4	1	1				2					1
F.	8	1	1		2	2	1		1			1				
2. Diseases of the bones M.	9	1	1		3		1	1						1	1	1
F.	8				1	1			1	2	1			1		1
3. Diseases of the hip joint M.	11		2	2	2	2	1	1					1			
F.	9		1	1	1	3		1				1				1
4. Others of this class M.	1											1				
F.	1															1
X.—Diseases of the skin	100	28	47	5	2	7	2	3	2	2	3	6	4	2	5	10
Males	57	15	24	4	2	2	1	1	2	1	2	4	3	2	5	4
Females	43	13	23	1		5	1	2		1	1	2	1			6
1. Abscess M.	45	14	22	3	2		1	1	1	1	2	4	2	1	2	3
F.	30	6	15	1		5	1	2			1	2				3
2. Carbuncle M.	7								1				1	1	3	1
F.	4		1										1			2
3. Others of this class M.	5	1	2	1		2										
F.	9	7	7							1						1
XI.—Diseases of the absorbent system	10		1	1		1			1		3		1			2
Males	5		1								2		1			1
Females	5			1		1			1		1					1
1. Addison's disease M.	3										2		1			
F.	2					1			1							
2. Diseases of the spleen M.	1															1
F.	1										1					
3. Others of this class M.	1		1													
F.	2			1												1
XII.—Accidents and injuries	1,677	223	383	140	112	103	143	125	84	107	98	74	60	56	41	142
Males	1,211	125	213	115	91	82	113	98	67	84	83	60	40	48	28	80
Females	466	98	170	34	21	21	30	27	17	23	15	14	11	8	13	62
1. Burns and scalds M.	71	5	48	9		1	1	3	1		2	3	1			2
F.	84	3	44	11	3	2	3	5	1	2	3	1		3	2	4
2. Drowned M.	242	2	15	61	41	29	29	16	10	11	13	7	2	4		4
F.	36	2	6	8	3	3	8			1	1					1
3. Exposure and neglect M.	7	1	2				1	1	1		2					
F.	3	1	1						1				1			
4. Gunshot wounds M.	28			1	4	6	4	3	2	1	5	1				1
F.	4				1	1	1									1
5. Homicide M.	8	1	2				1	1		1	2			1		
F.	2															2
6. Infanticide M.	1	1	1													
F.																
7. Injuries by machinery M.	2			1	1											
F.																
8. Railroad accidents M.	254	1	2	14	17	23	32	39	20	25	21	12	10	10	8	21
F.	24		1	2	2		4	4		3	1	2	2		1	2
9. Suffocation M.	99	75	79	2	3		4		1	2	1	1	2	1		3
F.	56	43	50	2			1		1	1				1		
10. Suicide by shooting M.	26						1	3	5	6		2	4	1	1	3
F.	1							1								
11. Suicide by drowning M.	3									3						
F.	1						1									
12. Suicide by poison M.	15			1			4	2	1	1		1	3	2		
F.	13					1	2	3	1	1	2	1	2			
13. Other suicides M.	38					2	3	3	2	5	7	4	6	2	1	3
F.	9						1	1	2	2		1				2
14. Sunstroke M.	20			1	1		3	1		3	3	1	3	3	1	
F.	6	3	3							1				1		1
15. Surgical operations M.	2				1									1		
F.	4							2			1					1
16. Wounds M.	25		2	4	1	2	3	2			1	2	1	2	1	4
F.	6		3	1											1	1
17. Other accidents and injuries. M.	370	39	62	21	22	19	27	24	34	26	26	26	17	21	10	39
F.	217	46	62	10	7	14	9	11	11	12	7	9	6	3	9	47

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	4,306	1,116	1,612	140	85	92	168	158	170	194	204	194	175	196	203	715
Males	2,312	609	890	60	49	51	88	80	80	103	112	114	100	119	117	349
Females	1,994	507	722	80	36	41	80	78	90	91	92	80	75	77	86	366
Unknown causes	14	2	2					2		3	1				1	5
Males	7							1		1	1					4
Females	7	2	2					1		2					1	1
I.—General diseases: General diseases—A	789	240	437	81	32	24	22	23	23	16	14	16	16	12	18	55
Males	401	130	229	34	20	15	11	14	10	5	8	10	8	5	8	24
Females	388	119	208	47	12	9	11	9	13	11	6	6	8	7	10	31
1. Smallpox M.																
1. Smallpox F.																
2. Measles M.	7	1	6	1												
2. Measles F.	7	1	7													
3. Scarlet fever M.	41	3	30	6	3				1		1					
3. Scarlet fever F.	35	3	19	11	3	1	1									
4. Diphtheria M.	58	4	35	18	4	1										
4. Diphtheria F.	71	3	36	27	6	1			1							
5. Whooping cough M.	13	6	12	1												
5. Whooping cough F.	18	9	17	1												
6. Fever M.																
6. Fever F.																
7. Cerebro-spinal fever M.	9	1	4	1	2			1					1			
7. Cerebro-spinal fever F.	5	2	3			1										1
8. Typhoid fever M.	72		1	2	9	11	10	10	6	2	4	7	2	1	1	6
8. Typhoid fever F.	39			5	3	2	7	4	6	4	1	2	2		1	2
9. Diarrheal diseases M.	72	32	40	3	1	2		1	3		1	2	1	1	3	14
9. Diarrheal diseases F.	91	38	43	2		2	1	2	2	5	2	4	4	4	6	14
10. Cholera infantum M.	90	77	90													
10. Cholera infantum F.	74	58	74													
11. Malarial fever M.	15	1	4	2	1	1	1	1		1			2	1	1	
11. Malarial fever F.	23	3	5	1		2			2		1		1	2	1	3
12. Erysipelas M.	9	4	4								1		1	1		2
12. Erysipelas F.	5		1					1			1		1		1	
13. Septicæmia M.	11		1					1		2	1	1		1	3	1
13. Septicæmia F.	13		1				2	2	2	2	1			1		2
14. Venereal diseases M.	1	1	1													
14. Venereal diseases F.	1	1	1													
15. Others of this group M.	3		1										1			1
15. Others of this group F.	6	1	1												1	4
General diseases—B	65	43	47				1	1	1	2	2	3	3	3	1	1
Males	26	11	12				1	1	1	1	2	3	2	3		
Females	39	32	35							1			1		1	1
1. Parasitic diseases M.																
1. Parasitic diseases F.																
2. Alcoholism M.	10						1		1	1	2	2		3		
2. Alcoholism F.	2									1			1			
3. Lead poison M.	1							1								
3. Lead poison F.																
4. Other poisons M.	2												2			
4. Other poisons F.	2														1	1
5. Inanition M.	13	11	12									1				
5. Inanition F.	35	32	35													
General diseases—C	592	448	472						1		3	2		1	2	111
Males	293	237	248								1	1		1	1	41
Females	299	211	224						1		2	1			1	70
1. Premature birth M.	34	34	34													
1. Premature birth F.	31	31	31													
2. Stillborn M.	135	135	135													
2. Stillborn F.	108	108	108													
3. Malformation M.	5	5	5													
3. Malformation F.																
4. Debility and atrophy M.	98	63	74								1	1		1	1	20
4. Debility and atrophy F.	123	72	85						1		2	1			1	33
5. Old age M.	21															21
5. Old age F.	37															37

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	669	23	47	4	3	26	79	58	56	58	64	62	44	48	45	75
Males	349	14	32	1	2	11	39	31	26	33	28	30	28	29	26	33
Females	320	9	15	3	1	15	40	27	30	25	36	32	16	19	19	42
1. Rheumatism M	5									1	1	1			1	1
1. Rheumatism F	5											1	1	1	1	1
2. Scrofula and tabes M	5	2	3		1					1						
2. Scrofula and tabes F	4	2	2								1					1
3. Leprosy M																
3. Leprosy F																
4. Consumption M	252	3	5	1		11	37	26	24	26	26	24	23	22	12	15
4. Consumption F	196	1	4	1	1	14	38	27	25	17	23	11	6	10	6	13
5. Hydrocephalus M	20	7	20													
5. Hydrocephalus F	7	2	4	1			1					1				
6. Cancer M	35						1	1		3	1	2	3	4	10	10
6. Cancer F	79								5	6	11	17	8	6	9	17
7. Tumor M	5							1	1				2	1		
7. Tumor F	6			1			1			1				2		1
8. Anæmia M	3		1					1								1
8. Anæmia F	6	2	3			1									1	1
9. Dropsy M	12				1			1		1				2	2	5
9. Dropsy F	12	1	1								1	2			1	7
10. Diabetes M	9		1				1	1	1	1		2			1	1
10. Diabetes F	4									1			1		1	1
11. Others of this group M	3	2	2									1				
11. Others of this group F	1	1	1													
12. Others of this class M																
12. Others of this class F																
II.—Diseases of the nervous system	645	177	259	14	10	6	10	7	14	23	25	19	21	38	36	163
Males	365	114	157	6	6	3	7	4	6	14	14	10	5	23	20	90
Females	280	63	102	8	4	3	3	3	8	9	11	9	16	15	16	73
1. Inflammation of the brain M	91	31	49	4	4		2	1	3	8	3	2		4	3	8
1. Inflammation of the brain F	48	10	32	3	2	1		1	2		1		1	1		4
2. Apoplexy M	65	2	2						1	3	4	1	1	5	11	37
2. Apoplexy F	75	1	3				1		2	1	1	6	9	5	11	36
3. Paralysis M	44	1	1			1			1	1		3	1	5	2	29
3. Paralysis F	45	1	1						3		2	2	5	5	3	24
4. Tetanus and trismus nascentium M	8	5	5		1			1		1						
4. Tetanus and trismus nascentium F	2	2	2													
5. Epilepsy M	8		1		1	1	1	1						2		1
5. Epilepsy F	5			1		1				1		1		1		
6. Convulsions M	85	62	79	2					1					2		1
6. Convulsions F	61	36	52	3	1			1	1		1					2
7. Mental diseases M	7										3	1		1		2
7. Mental diseases F	5						1			1	1					2
8. Diseases of the brain M	55	13	20			1	2	1		1	4	3	3	4	4	12
8. Diseases of the brain F	35	4	12	1		1	1	1		5	4		1	2	2	5
9. Diseases of the spinal cord M	2						2									
9. Diseases of the spinal cord F	3				1					1				1		
10. Others of this class M																
10. Others of this class F	1										1					
III.—Diseases of the circulatory system	300	32	35	1	10	9	9	7	11	16	20	28	23	16	29	86
Males	163	21	23		4	4	6	2	6	6	11	13	16	8	20	44
Females	137	11	12	1	6	5	3	5	5	10	9	15	7	8	9	42
1. Angina pectoris M	9											1	2	1	2	3
1. Angina pectoris F	2												1			1
2. Aneurism M	1											1				
2. Aneurism F	3			1					2							
3. Diseases of the heart M	136	4	6		4	4	6	2	6	6	11	11	14	7	18	41
3. Diseases of the heart F	123	4	5		6	5	3	4	2	10	9	15	6	8	9	41
4. Others of this class M	17	17	17													
4. Others of this class F	9	7	7					1	1							

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	608	108	250	23	6	6	16	17	18	28	26	18	33	33	28	106
Males	340	63	145	9	3	4	12	11	10	17	15	13	20	21	12	48
Females	268	45	105	14	3	2	4	6	8	11	11	5	13	12	16	58
1. Croup M	40	6	34	5									1			
1. Croup F	31	6	28	2									1			
2. Laryngitis M	10	2	7	1												2
2. Laryngitis F	4		2	2												
3. Bronchitis M	89	28	40	1			1	1	1	1	2	2	5	8	6	15
3. Bronchitis F	74	16	34	2			1	1			2	1	2	1	4	26
4. Pneumonia M	166	16	40	2	3	4	10	9	8	11	13	9	12	12	6	27
4. Pneumonia F	129	15	30	8	3	2	3	3	8	10	9	3	9	7	11	23
5. Pleurisy M	3		1				1			1						
5. Pleurisy F	1															1
6. Asthma M	5							1		1		1	1			1
6. Asthma F	2															2
7. Others of this class M	27	11	17						1	3		1	1	1		3
7. Others of this class F	27	8	11					2		1		1	1	4	1	6
V.—Diseases of the digestive system.	177	22	31	5	5	3	7	6	7	12	9	11	10	16	18	37
Males	100	13	20	3	2	2	3	4	2	6	4	5	6	13	13	17
Females	77	9	11	2	3	1	4	2	5	6	5	6	4	3	5	20
1. Dentition M	3	3	3													
1. Dentition F																
2. Angina M	1		1													
2. Angina F	1			1												
3. Diseases of the stomach M	16	3	6				1	1		1			1	1	2	3
3. Diseases of the stomach F	22	6	7		1	1	1	1		1		1	1	1	1	6
4. Obstruction of the bowels M	10	1	2	1				1						2	3	1
4. Obstruction of the bowels F	2		1											1		
5. Hernia M	7											1		3	1	2
5. Hernia F	2									1						1
6. Other diseases of the bowels. M	1									1						
6. Other diseases of the bowels. F																
7. Jaundice M	4	2	2	1										1		
7. Jaundice F																
8. Inflammation and abscess of the liver. M	8					1					2	2	1		2	
8. Inflammation and abscess of the liver. F	10									2	1	1			2	4
9. Other diseases of the liver. M	24								1	3		2	4	2	4	8
9. Other diseases of the liver. F	8										2	1			1	4
10. Peritonitis M	21	1	3	1	1	1	2	2	1		2			4	1	3
10. Peritonitis F	25			1	1		3	1	5	2	2	3	3	1	1	2
11. Ascites M																
11. Ascites F	3				1											2
12. Others of this class M	5	3	3		1					1						
12. Others of this class F	4	3	3													1
VI.—Diseases of the urinary system and male organs of generation.	184	1	4	3	4	1	5	7	5	13	17	19	18	18	19	51
Males	109	1	3			1	1	3	3	8	10	15	9	9	14	33
Females	75		1	3	4		4	4	2	5	7	4	9	9	5	18
1. Bright's disease M	59					1		2	2	6	8	9	5	7	4	15
1. Bright's disease F	42			1	3		2	1	2	2	4	4	3	5	3	12
2. Calculus, urinary M																
2. Calculus, urinary F																
3. Diseases of the kidney M	33	1	3				1	1		2	2	5	4	2	5	8
3. Diseases of the kidney F	28			2	1		2	2		2	2		6	4	2	5
4. Diseases of the bladder M	13								1						4	8
4. Diseases of the bladder F	2									1						1
5. Others of this class M	4											1			1	2
5. Others of this class F	3		1					1			1					
VII.—Diseases of the female organs of generation.	4					1			2					1		
1. Ovarian tumors	1								1							
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases	1													1		
5. Others of this class	2					1			1							
VIII.—Affections connected with pregnancy.	48					2	11	15	9	9	2					
1. Abortion	3							1	1	1						
2. Childbirth	13						5	3	3	2						
3. Puerperal septicæmia	31					2	6	10	5	6	2					
4. Extra-uterine pregnancy																
5. Others of this class	1							1								

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	5			1						1		1	1	1		
Males	5			1						1		1	1	1		
Females																
1. Diseases of the spine M	3			1						1				1		
1. Diseases of the spine F																
2. Diseases of the bones M	2											1	1			
2. Diseases of the bones F																
3. Diseases of the hip joint M																
3. Diseases of the hip joint F																
4. Others of this class M																
4. Others of this class F																
X.—Diseases of the skin	6							1	1		2	1		1		
Males	1											1				
Females	5							1	1		2			1		
1. Abscess M	1											1				
1. Abscess F	4							1			2			1		
2. Carbuncle M																
2. Carbuncle F																
3. Others of this class M																
3. Others of this class F	1								1							
XI.—Diseases of the absorbent system	3								1		1					1
Males	1										1					
Females	2								1							1
1. Addison's disease M	1										1					
1. Addison's disease F	1								1							
2. Diseases of the spleen M																
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F	1															1
XII.—Accidents and injuries	197	11	28	8	15	14	8	14	21	13	18	14	6	8	6	24
Males	152	5	21	6	12	11	8	9	16	11	17	12	5	6	3	15
Females	45	6	7	2	3	3		5	5	2	1	2	1	2	3	9
1. Burns and scalds M	13		9		1									1	1	1
1. Burns and scalds F	4			1		1		1				1				
2. Drowned M	33	1	6	5	5	4	3	2	3	1	1	2	1			
2. Drowned F	2	1	1		1											
3. Exposure and neglect M	1										1					
3. Exposure and neglect F																
4. Gunshot wounds M	4					1	1	1		1						
4. Gunshot wounds F	1					1										
5. Homicide M																
5. Homicide F	1											1				
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M	1								1							
7. Injuries by machinery F																
8. Railroad accidents M	37				3	5	4	2	4	4	4	3	3	1		4
8. Railroad accidents F	4								2							2
9. Suffocation M	3	3	3													
9. Suffocation F	6	3	3						2					1		
10. Suicide by shooting M	2										1	1				
10. Suicide by shooting F																
11. Suicide by drowning M	2								2							
11. Suicide by drowning F																
12. Suicide by poison M	4		1								1	2				
12. Suicide by poison F																
13. Other suicides M	6								3		1					2
13. Other suicides F	1															1
14. Sunstroke M																
14. Sunstroke F	2			1											1	
15. Surgical operations M	1															1
15. Surgical operations F																
16. Wounds M	6				2						2	1			1	
16. Wounds F	2				1											1
17. Other accidents and injuries. M	39	1	2	1	1	1		4	3	5	6	3	1	4	1	7
17. Other accidents and injuries. F	22	2	3		1	1		4	1	2	1		1	1	2	5

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	19,004	3,566	5,809	608	368	631	1,186	1,185	992	1,122	1,048	1,133	1,073	892	816	2,141
Males	9,580	1,927	3,071	300	187	299	631	619	529	573	549	597	500	442	373	910
Females	9,424	1,639	2,738	308	181	332	555	566	463	549	499	536	573	450	443	1,231
Unknown causes	89	17	19	2			3	9	5	3	5	5	9	8	5	16
Males	40	9	11					6	4	1	2	3	3	4	2	4
Females	49	8	8	2			3	3	1	2	3	2	6	4	3	12
I.—General diseases: General diseases—A	3,275	763	1,669	270	116	104	177	128	106	99	88	104	95	83	77	159
Males	1,597	384	842	123	48	46	95	55	63	50	44	50	47	44	30	60
Females	1,678	379	827	147	68	58	82	73	43	49	44	54	48	39	47	99
1. Smallpox M	1		1													
1. Smallpox F																
2. Measles M	33	6	31	2												
2. Measles F	49	11	44	3		1						1				
3. Scarlet fever M	156	5	106	31	13	2	2				2					
3. Scarlet fever F	173	9	115	42	10	3	1	1		1						
4. Diphtheria M	242	11	171	56	10	3	1	1								
4. Diphtheria F	250	10	152	71	18	3		2		1						3
5. Whooping cough M	43	24	43													
5. Whooping cough F	74	32	68	4	1											1
6. Fever M																
6. Fever F	2						1								1	
7. Cerebro-spinal fever M	43	7	20	2	3	3	2	1	3		2	4	1	1	1	
7. Cerebro-spinal fever F	31	8	13	5	5	2	3							1		2
8. Typhoid fever M	268		12	10	6	24	66	35	29	20	21	13	11	6	5	10
8. Typhoid fever F	231		3	8	16	35	45	33	18	17	14	13	8	5	6	10
9. Diarrhœal diseases M	326	106	157	7	5	6	6	10	15	17	9	14	18	18	14	30
9. Diarrhœal diseases F	379	93	136	11	11	4	6	16	11	13	18	25	25	20	24	59
10. Cholera infantum M	269	208	269													
10. Cholera infantum F	269	203	269													
11. Malarial fever M	112	4	13	10	8	6	13	5	12	6	4	5	10	6	5	9
11. Malarial fever F	115		9	1	4	6	12	10	5	8	8	9	10	10	10	13
12. Erysipelas M	37	8	9	2		1		1	1	3	2	7	1	5	1	4
12. Erysipelas F	30	9	9		2	1	6		1			2	1	1	1	6
13. Septicæmia M	44	2	6	3	2	1	4	1	2	3	2	7	5	4	2	2
13. Septicæmia F	50	1	3	1		2	8	9	5	9	2	3	2	2	3	1
14. Venereal diseases M	7	3	3					1	1	1				1		
14. Venereal diseases F	4	2	2						1		1					
15. Others of this group M	16		1		1		1				2		1	3	2	5
15. Others of this group F	21	1	4	1	1	1		2	2		1	1	2		2	4
General diseases—B	229	103	111	3		1	7	13	13	14	22	9	14	6	5	11
Males	131	51	56	2		1	6	8	8	11	10	7	7	4	3	8
Females	98	52	55	1			1	5	5	3	12	2	7	2	2	3
1. Parasitic diseases M																
1. Parasitic diseases F	1			1												
2. Alcoholism M	59						4	8	7	9	10	7	5	3	2	4
2. Alcoholism F	29							4	5	3	11	1	3	1		1
3. Lead poison M	1									1						
3. Lead poison F																
4. Other poisons M	9	1	3	1			1			1			1	1		1
4. Other poisons F	5	2	3				1				1					
5. Inanition M	62	50	53	1		1	1		1				1		1	3
5. Inanition F	63	50	52					1				1	4	1	2	2
General diseases—C	2,096	1,413	1,488	8	2	5	3	6	3	9	8	13	15	13	34	439
Males	1,030	774	807	4	1	2	3	1		4	2	4	3	4	14	181
Females	1,066	639	681	4	1	3		5	3	5	6	9	12	9	20	308
1. Premature birth M	135	135	135													
1. Premature birth F	108	108	108													
2. Stillborn M	433	433	433													
2. Stillborn F	333	333	333													
3. Malformation M	10	9	9				1									
3. Malformation F	5	5	5													
4. Debility and atrophy M	340	197	230	4	1	2	2	1		4	2	4	3	4	8	75
4. Debility and atrophy F	408	193	235	4	1	3		5	3	5	6	9	12	9	10	106
5. Old age M	112														6	106
5. Old age F	212														10	202

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		3,867	78	161	31	49	241	528	511	412	396	336	344	241	197	141	279
Males		1,913	49	98	14	18	98	263	273	204	205	165	182	101	92	74	126
Females		1,954	29	63	17	31	143	265	238	208	191	171	162	140	105	67	153
1. Rheumatism	M.	48			1	3	5	2	6	3	4	2	5	4	3	3	7
	F.	49			4	1	2	2	3	2	2	3	4	6	5	4	11
2. Scrofula and tabes	M.	14	10	10	1					1					1		1
	F.	11	2	3		1	1		2		1	1	1		1		
3. Leprosy	M.																
	F.																
4. Consumption	M.	1,595	13	28	7	11	92	259	260	197	189	149	153	69	62	51	68
	F.	1,517	7	18	7	25	136	254	227	187	168	134	110	84	62	34	71
5. Hydrocephalus	M.	61	23	54	3	3			1								
	F.	38	17	36	1			1									
6. Cancer	M.	126						1	3	1	8	8	14	17	20	15	39
	F.	225			1		1	3	4	11	16	24	37	40	25	20	43
7. Tumor	M.	13						1			2	1	4		1	2	2
	F.	15									1	1	3	2	2	1	5
8. Anæmia	M.	12	2	3	1							1	3	2	1		1
	F.	11					1	1		2		1		1	2	1	2
9. Dropsy	M.	28		2	1	1	1		2		2	1	2	6	2	3	5
	F.	60	1	3	2	2	1	1		3	3	6	7	5	5	5	17
10. Diabetes	M.	13							1	2		2	1	3	2		2
	F.	25	1	2	1	2	1	3	2	3		1		1	3	2	4
11. Others of this group	M.	3	1	1								1					1
	F.	3	1	1	1									1			
12. Others of this class	M.																
	F.																
II.—Diseases of the nervous system		2,229	546	915	89	33	34	41	51	54	94	87	124	131	126	133	317
Males		1,139	316	505	43	18	25	22	26	38	58	45	55	54	52	59	139
Females		1,090	230	410	46	15	9	19	25	16	36	42	69	77	74	74	178
1. Inflammation of the brain	M.	201	72	153	24	10	10	9	4	9	10	13	10	10	7	7	10
	F.	219	54	132	15	8	3	7	4	3	11	6	14	2	5	3	6
2. Apoplexy	M.	219		1			2	3	6	7	14	16	19	22	26	34	69
	F.	266	1	1	1	1	2	2	5	4	11	19	29	36	38	39	78
3. Paralysis	M.	96	2	3		2		1	2	1	7	2	7	9	10	11	41
	F.	153		3	3			1	4	2	4	7	15	19	17	19	59
4. Tetanus and trismus nascentium.	M.	41	10	16	2	2	5	2	4	2	2	1	4	1			
	F.	9	5	6	1				1					1			
5. Epilepsy	M.	15				1	3		1	1	3	2	1	2		1	
	F.	12					1	1	1	1	1	2	1	1	1	1	1
6. Convulsions	M.	279	182	263	8	2	1	2	1			1					1
	F.	245	137	213	16	1	2	1	2	2	2	1	1	1		2	1
7. Mental diseases	M.	11					1		2		2	2		1	2		1
	F.	21				1		1	1	1	3	1	1	1	2	1	8
8. Diseases of the brain	M.	170	42	61	8	1	2	5	3	16	20	8	11	9	7	2	17
	F.	144	32	52	10	4	1	3	4	2	4	5	7	13	7	7	25
9. Diseases of the spinal cord	M.	15	2	3	1		1		3	1			2			4	
	F.	17	1	3				2	2	1		1	1	1	4	2	
10. Others of this class	M.	2								1			1				
	F.	4						1	1					2			
III.—Diseases of the circulatory system		1,100	42	56	24	38	52	45	57	55	73	77	99	121	89	95	219
Males		511	22	32	13	18	19	25	27	27	24	37	42	64	37	42	104
Females		589	20	24	11	20	33	20	30	28	49	40	57	57	52	53	115
1. Angina pectoris	M.	32				1	1	1	3	1	2	2	5	3	3	4	6
	F.	42						1	2	1	4	7	8	5	2	3	9
2. Aneurism	M.	11								1	1	2	2		3		2
	F.	6					1					1	1			2	1
3. Diseases of the heart	M.	451	8	18	13	17	17	24	24	25	21	33	35	61	31	37	95
	F.	517	8	11	11	20	31	19	26	27	42	32	47	51	49	47	104
4. Others of this class	M.	17	14	14			1									1	1
	F.	24	12	13			1		2		3		1	1	1	1	1

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	3,320	450	1,134	125	43	89	137	164	141	168	193	191	213	188	172	371
Males	1,724	250	583	71	17	45	83	93	85	96	115	116	107	97	78	138
Females	1,605	209	551	54	26	44	54	71	56	72	78	75	106	91	94	233
1. Croup M.	182	13	146	30	2	2	1				1					
1. Croup F.	160	17	129	24	2	1	1	1					1		1	
2. Laryngitis M.	38	4	26	3	1	1		2	1	2	1		1			
2. Laryngitis F.	46	2	35	5			1			1	1	1	1			1
3. Bronchitis M.	312	100	146	6	1	2	7	3	7	11	14	19	14	20	17	45
3. Bronchitis F.	395	86	146	9	5	5	10	13	13	12	10	13	23	30	27	79
4. Pneumonia M.	1,047	102	225	27	10	33	68	81	73	71	92	87	75	70	56	70
4. Pneumonia F.	858	76	199	13	16	34	36	46	38	50	61	57	68	55	55	130
5. Pleurisy M.	26		2		1	2	4	2	2	2	3	1	5			2
5. Pleurisy F.	23		2		1		3	3	2	6			1		2	3
6. Asthma M.	14									3		2	4	1	1	3
6. Asthma F.	14	1	1								1		4	1	1	6
7. Others of this class M.	105	31	38	5	2	5	3	5	2	7	4	7	8	6	4	9
7. Others of this class F.	109	27	39	3	2	4	3	8	3	3	5	4	8	5	8	14
V.—Diseases of the digestive system	860	94	130	7	22	29	46	57	51	69	67	81	88	59	65	89
Males	357	45	65	4	13	13	25	23	17	20	20	35	31	35	20	36
Females	503	49	65	3	9	16	21	34	34	49	47	46	57	24	45	53
1. Dentition M.	8	5	8													
1. Dentition F.	14	8	14													
2. Angina M.	8	2	6		1											1
2. Angina F.	4	2	2		2											
3. Diseases of the stomach M.	90	15	23	1	3	2	4	7	4	4	4	8	7	8	4	11
3. Diseases of the stomach F.	133	16	19	1	3	6	4	10	8	11	7	12	21	4	14	13
4. Obstruction of the bowels M.	16	3	3	1		1	1	2			1	2	2			3
4. Obstruction of the bowels F.	23		1		2	1	1		1	2	1	1	2	4	3	4
5. Hernia M.	11	1	1				2						2	2	2	2
5. Hernia F.	12							2		1	3		2	1	1	2
6. Other diseases of the bowels. M.	2	1	1							1						
6. Other diseases of the bowels. F.	6	2	2					1					2			1
7. Jaundice M.	9	3	3									1	1		1	3
7. Jaundice F.	13	5	5							1	3		1		3	
8. Inflammation and abscess of the liver. M.	18						2		2	1	2	2	1	2	2	4
8. Inflammation and abscess of the liver. F.	30		2				1		1	2	3	6	9	1	2	3
9. Other diseases of the liver. M.	89	1	2				3	4	4	8	9	14	13	20	6	6
9. Other diseases of the liver. F.	113	1	1			1		4	10	16	19	17	13	8	9	15
10. Peritonitis M.	89	6	8	2	9	10	11	8	7	5	4	7	4	3	5	6
10. Peritonitis F.	131	3	5	2	2	7	15	17	13	15	10	9	7	6	11	12
11. Ascites M.	1												1			
11. Ascites F.	2								1	1						
12. Others of this class M.	16	8	10				2	2		1		1				
12. Others of this class F.	22	12	14			1					1	1			2	3
VI.—Diseases of the urinary system and male organs of generation.	738	3	31	19	8	18	38	34	57	80	77	69	75	72	49	111
Males	368	1	17	8	5	7	19	15	29	37	42	32	35	32	23	67
Females	370	2	14	11	3	11	19	19	28	43	35	37	40	40	26	44
1. Bright's disease M.	195			4	2	5	10	12	15	21	24	23	19	23	8	29
1. Bright's disease F.	189			4	2	6	8	9	16	20	22	20	22	27	14	19
2. Calculus, urinary M.																
2. Calculus, urinary F.	3						1	1				1				
3. Diseases of the kidney M.	131		16	4	2	1	8	3	13	14	16	8	12	7	9	18
3. Diseases of the kidney F.	152	2	14	6	1	5	8	9	8	19	12	13	16	11	11	19
4. Diseases of the bladder M.	30	1	1			1				2		1	4		4	17
4. Diseases of the bladder F.	6									1				1	1	3
5. Others of this class M.	12				1		1		1		2			2	2	3
5. Others of this class F.	20			1			2		4	3	1	3	2	1		3
VII.—Diseases of the female organs of generation.	25					2	2		3	6	3	5	1		2	1
1. Ovarian tumors	5									1		3			1	
2. Ovarian diseases																
3. Uterine tumors	2									1						1
4. Uterine diseases	12						2		2	2	3	2			1	
5. Others of this class	6					2			1	2			1			
VIII.—Affections connected with pregnancy.	183				1	3	54	50	31	34	9	1				
1. Abortion	2							1		1						
2. Childbirth	39						9	9	9	7	5					
3. Puerperal septicæmia	132				1	3	40	38	21	24	4	1				
4. Extra-uterine pregnancy																
5. Others of this class	10						5	2	1	2						

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	30		3	6	3		6	3	2	3		4				
Males	16		1	2	2		5	2	1	2		1				
Females	14		2	4	1		1	1	1	1		3				
1. Diseases of the spine M.	12		1	2	2		4	2	1							
1. Diseases of the spine F.	11		2	3	1		1	1	1			2				
2. Diseases of the bones M.	3						1			1		1				
2. Diseases of the bones F.	1			1												
3. Diseases of the hip joint M.	1									1						
3. Diseases of the hip joint F.	1											1				
4. Others of this class M.																
4. Others of this class F.	1									1						
X.—Diseases of the skin	25	5	8		2	2	3	1			2	1	1	3		2
Males	10	2	4		1						1	1		2		1
Females	15	3	4		1	2	3	1			1		1	1		1
1. Abscess M.	8	2	4		1						1	1		1		
1. Abscess F.	11	1	2		1	2	3	1			1		1			
2. Carbuncle M.	1													1		
2. Carbuncle F.	2	1	1											1		
3. Others of this class M.	1															1
3. Others of this class F.	2	1	1													1
XI.—Diseases of the absorbent system	3							1	1		1					
Males	1										1					
Females	2							1	1							
1. Addison's disease M.	1										1					
1. Addison's disease F.	1							1								
2. Diseases of the spleen M.																
2. Diseases of the spleen F.																
3. Others of this class M.																
3. Others of this class F.	1								1							
XII.—Accidents and injuries	926	43	84	24	51	51	96	100	58	74	73	83	69	48	38	77
Males	743	24	50	16	46	43	85	90	53	65	65	69	48	39	28	46
Females	183	19	34	8	5	8	11	10	5	9	8	14	21	9	10	31
1. Burns and scalds M.	26		11	2		3	1	4	2		1				1	1
1. Burns and scalds F.	20	1	9	4		2		1	1			2	5	2		3
2. Drowned M.	103		5	5	13	5	13	13	7	7	5	11	8	6	1	4
2. Drowned F.	19	1	3		2	3	1			1	4		5			
3. Exposure and neglect M.	2						1			1						
3. Exposure and neglect F.	1	1	1													
4. Gunshot wounds M.	19			1	4	3	2		2	1	2	3	1			
4. Gunshot wounds F.																
5. Homicide M.	7						2		2	1	1	1				
5. Homicide F.	1									1						
6. Infanticide M.																
6. Infanticide F.																
7. Injuries by machinery M.	5				1		1		1	1		1				
7. Injuries by machinery F.																
8. Railroad accidents M.	248		3	2	16	15	45	36	15	23	25	18	14	13	8	15
8. Railroad accidents F.	19		1	2			2	2		2	1	1		1	3	4
9. Suffocation M.	20	17	18				1	2		1	3		1	1	1	1
9. Suffocation F.	18	12	12			1	3				1					1
10. Suicide by shooting M.	5					1	1		1			1	1			
10. Suicide by shooting F.	2						1		1							
11. Suicide by drowning M.	2						1							1		
11. Suicide by drowning F.																
12. Suicide by poison M.	6		1			1			1		2		1			
12. Suicide by poison F.	5							2				1				2
13. Other suicides M.	9								2	2	1	2	1	1		
13. Other suicides F.	3							1				1	1			
14. Sunstroke M.	44			2		1	3	3	3	5	8	10	2	1	1	5
14. Sunstroke F.	7					1		1		1			2	2		
15. Surgical operations M.	1													1		
15. Surgical operations F.	1											1				
16. Wounds M.	26			2	1	1	2	7	1	1	1	3	1	2	2	2
16. Wounds F.	7		1		1		1			1			1	1		1
17. Other accidents and injuries. M.	211	7	12	2	11	13	12	25	16	22	16	19	18	13	14	18
17. Other accidents and injuries. F.	71	4	7	2	2	1	3	3	3	3	2	8	7	3	7	20

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	1,272	335	490	43	22	36	44	50	41	55	61	57	56	60	55	202
Males	680	198	287	27	14	18	25	20	21	25	40	27	24	30	24	98
Females	592	137	203	16	8	18	19	30	20	30	21	30	32	30	31	104
Unknown causes	3	1	1				1									1
Males	2	1	1													1
Females	1						1									
I.—General diseases: General diseases—A	230	76	139	17	10	6	8	5	2	6	2	5	1	3	7	19
Males	124	43	76	12	5	3	4	3		2	2	2		2	3	10
Females	106	33	63	5	5	3	4	2	2	4		3	1	1	4	9
1. Smallpox M																
1. Smallpox F																
2. Measles M	2	1	2													
2. Measles F	1		1													
3. Scarlet fever M	11		9	2												
3. Scarlet fever F	12		10	2												
4. Diphtheria M	21	2	12	7	2											
4. Diphtheria F	12		7	3	2											
5. Whooping cough M	1			1												
5. Whooping cough F	1	1	1													
6. Fever M																
6. Fever F																
7. Cerebro-spinal fever M	5	2	4									1				
7. Cerebro-spinal fever F	1	1	1													
8. Typhoid fever M	17		1		1	2	4	3		1	1			2	1	1
8. Typhoid fever F	16		1		1	3	2	1	1	2		2			2	1
9. Diarrheal diseases M	27	11	14	1	1	1						1			1	8
9. Diarrheal diseases F	23	9	14		1					1			1		1	5
10. Cholera infantum M	28	23	28													
10. Cholera infantum F	25	20	25													
11 Malarial fever M	8	2	4	1	1					1						1
11 Malarial fever F	6		1		1			1		1						2
12. Erysipelas M	3	2	2												1	
12. Erysipelas F	2	1	1											1		
13. Septicæmia M																
13. Septicæmia F	4						2		1			1				
14. Venereal diseases M																
14. Venereal diseases F	2	1	1												1	
15. Others of this group M	1										1					
15. Others of this group F	1															1
General diseases—B	24	14	14							2	3	2			2	1
Males	12	5	5							1	2	1			2	1
Females	12	9	9							1	1	1				
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	5									1	1	1			2	
2. Alcoholism F	3									1	1	1				
3. Lead poison M																
3. Lead poison F																
4. Other poisons M	1										1					
4. Other poisons F																
5. Inanition M	6	5	5													1
5. Inanition F	9	9	9													
General diseases—C	165	120	133							1	2					29
Males	90	77	80							1						9
Females	75	52	53								2					20
1. Premature birth M	12	12	12													
1. Premature birth F	5	5	5													
2. Stillborn M	45	45	45													
2. Stillborn F	24	24	24													
3. Malformation M	2	2	2													
3. Malformation F	1	1	1													
4. Debility and atrophy M	28	18	21							1						6
4. Debility and atrophy F	20	22	23								2					4
5. Old age M	3															3
5. Old age F	16															16

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	209	5	13	3	2	14	17	20	13	17	21	19	13	23	13	21
Males	111	3	6	1	2	5	9	9	10	8	16	10	6	10	8	11
Females	98	2	7	2		9	8	11	3	9	5	9	7	13	5	10
1. Rheumatism M																
1. Rheumatism F	1													1		
2. Scrofula and tabes M	1	1	1													
2. Scrofula and tabes F	1		1													
3. Leprosy M																
3. Leprosy F																
4. Consumption M	78				2	4	8	9	9	7	13	9	4	4	3	6
4. Consumption F	62	2	5			8	8	11	3	8	4	4	4	3	1	3
5. Hydrocephalus M	6	1	4	1		1										
5. Hydrocephalus F	2		1	1												
6. Cancer M	14										2		2	4	2	4
6. Cancer F	26					1				1	1	5	3	7	3	5
7. Tumor M	2														1	1
7. Tumor F																
8. Anæmia M	2						1							1		
8. Anæmia F	1			1												
9. Dropsy M	2								1			1				
9. Dropsy F	4													2	1	1
10. Diabetes M	4									1				1	2	
10. Diabetes F	1															1
11. Others of this group M	2	1	1								1					
11. Others of this group F																
12. Others of this class M																
12. Others of this class F																
II.—Diseases of the nervous system	173	45	76	6	4	2	5	2	3	6	7	2	8	5	7	40
Males	97	27	44	3	4	1	3	1	2	2	3	1	4	3	3	23
Females	76	18	32	3		1	2	1	1	4	4	1	4	2	4	17
1. Inflammation of the brain M	20	4	12	1	1	1	2	1		1		1				
1. Inflammation of the brain F	17	8	12	2			1						1			1
2. Apoplexy M	21						1		1				2	2	1	14
2. Apoplexy F	15									1	4		1		2	7
3. Paralysis M	9									1			1		1	6
3. Paralysis F	10									1		1		2	1	5
4. Tetanus and trismus nascentium. M	4	3	3		1											
4. Tetanus and trismus nascentium. F																
5. Epilepsy M																
5. Epilepsy F	2						1	1								
6. Convulsions M	28	18	20	2												
6. Convulsions F	16	8	15							1						
7. Mental diseases M	1								1							
7. Mental diseases F																
8. Diseases of the brain M	13	2	3		2						3		1	1		3
8. Diseases of the brain F	14	2	5						1	1			2		1	4
9. Diseases of the spinal cord M	1														1	
9. Diseases of the spinal cord F	1			1												
10. Others of this class M																
10. Others of this class F	1					1										
III.—Diseases of the circulatory system	85	7	8	1	1	5	1	7	4	3		7	6	9	9	24
Males	41	5	6	1	1	3	1	2	2	2		2	5	3	2	11
Females	44	2	2			2		5	2	1		5	1	6	7	13
1. Angina pectoris M																
1. Angina pectoris F	6								1					1	2	2
2. Aneurism M	2												1	1		
2. Aneurism F																
3. Diseases of the heart M	34		1	1	1	3	1	2	2	2		2	4	2	2	11
3. Diseases of the heart F	35	1	1			2		4	1	1		4	1	5	5	11
4. Others of this class M	5	5	5													
4. Others of this class F	3	1	1					1				1				

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	199	46	86	8		5	3	5	5	4	14	11	12	5	7	34
Males	113	29	54	6		4	3	3	3	3	11	4	6	2	1	13
Females	86	17	32	2		1		2	2	1	3	7	6	3	6	21
1. Croup M	12		10	1									1			
1. Croup F	8	2	7	1												
2. Laryngitis M	1		1													
2. Laryngitis F	1			1												
3. Bronchitis M	27	16	23	1					1		1				1	
3. Bronchitis F	28	9	14								2		2		1	9
4. Pneumonia M	63	7	14	4		4	3	3	1	3	9	4	4	2		12
4. Pneumonia F	42	4	7			1		2	2	1	1	6	4	2	5	11
5. Pleurisy M																
5. Pleurisy F	2											1				1
6. Asthma M																
6. Asthma F	1													1		
7. Others of this class M	10	6	6						1		1		1			1
7. Others of this class F	4	2	4													
V.—Diseases of the digestive system	60	8	9	3	3	1	3	1	2	3	5	5	5	3	3	14
Males	29	6	7	1		1	2		1	1	2	3		2	2	7
Females	31	2	2	2	3		1	1	1	2	3	2	5	1	1	7
1. Dentition M	1	1	1													
1. Dentition F																
2. Angina M																
2. Angina F	1															1
3. Diseases of the stomach M	5			1											1	3
3. Diseases of the stomach F	7			2							1	1	2			1
4. Obstruction of the bowels M	3	1	1				1					1				
4. Obstruction of the bowels F	1															1
5. Hernia M	2	1	1													1
5. Hernia F	3									1						2
6. Other diseases of the bowels M																
6. Other diseases of the bowels F	1	1	1													
7. Jaundice M	1	1	1													
7. Jaundice F	1												1			
8. Inflammation and abscess of the liver. M	1										1					
8. Inflammation and abscess of the liver. F	2														1	1
9. Other diseases of the liver. M	10						1			1		2		2	1	3
9. Other diseases of the liver. F	6								1		2		2	1		
10. Peritonitis M	4	1	1			1			1		1					
10. Peritonitis F	8	1	1		3		1	1		1						1
11. Ascites M																
11. Ascites F																
12. Others of this class M	2	1	2													
12. Others of this class F	1											1				
VI.—Diseases of the urinary system and male organs of generation.	51		3	1	1	1	3	2	5	1	4	5	4	5	4	12
Males	26		3	1	1		2		1	1	2	3		4	1	7
Females	25					1	1	2	4		2	2	4	1	3	5
1. Bright's disease M	12				1					1	2	1		3		4
1. Bright's disease F	14					1		1	1		2	1	2	1	2	3
2. Calculus, urinary M																
2. Calculus, urinary F																
3. Diseases of the kidney M	11		3	1			2		1			2			1	1
3. Diseases of the kidney F	8							1	2			1	2			2
4. Diseases of the bladder M	2													1		1
4. Diseases of the bladder F	1						1									
5. Others of this class M	1															1
5. Others of this class F	2								1						1	
VII.—Diseases of the female organs of generation.																
1. Ovarian tumors																
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases																
5. Others of this class																
VIII.—Affections connected with pregnancy.	17						1	4	5	6	1					
1. Abortion	1							1								
2. Childbirth	6							1	1	3	1					
3. Puerperal septicæmia	10						1	2	4	3						
4. Extra-uterine pregnancy																
5. Others of this class																

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	2			1		1										
Males																
Females	2			1		1										
1. Diseases of the spine M																
1. Diseases of the spine F	1			1												
2. Diseases of the bones M																
2. Diseases of the bones F	1					1										
3. Diseases of the hip joint M																
3. Diseases of the hip joint F																
4. Others of this class M																
4. Others of this class F																
X.—Diseases of the skin																
Males																
Females																
1. Abscess M																
1. Abscess F																
2. Carbuncle M																
2. Carbuncle F																
3. Others of this class M																
3. Others of this class F																
XI.—Diseases of the absorbent system																
Males																
Females																
1. Addison's disease M																
1. Addison's disease F																
2. Diseases of the spleen M																
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F																
XII.—Accidents and injuries	54	4	8	3	1	1	2	4	2	6	2	1	7	7	3	7
Males	35	2	5	2	1	1	1	2	2	4	2	1	3	4	2	5
Females	19	2	3	1			1	2		2			4	3	1	2
1. Burns and scalds M	2					1						1				
1. Burns and scalds F	2		1					1								
2. Drowned M	6			2				1		1	2					
2. Drowned F																
3. Exposure and neglect M																
3. Exposure and neglect F																
4. Gunshot wounds M																
4. Gunshot wounds F																
5. Homicide M																
5. Homicide F																
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M																
7. Injuries by machinery F																
8. Railroad accidents M	8		1		1			1		2				2	1	
8. Railroad accidents F	3			1			1								1	
9. Suffocation M	1	1	1													
9. Suffocation F	2	2	2													
10. Suicide by shooting M	2													1		1
10. Suicide by shooting F																
11. Suicide by drowning M																
11. Suicide by drowning F																
12. Suicide by poison M	1															1
12. Suicide by poison F																
13. Other suicides M	1												1			
13. Other suicides F																
14. Sunstroke M	1													1		
14. Sunstroke F																
15. Surgical operations M																
15. Surgical operations F																
16. Wounds M																
16. Wounds F																
17. Other accidents and injuries. M	13	1	3				1		2	1			2		1	3
17. Other accidents and injuries. F	12							1		2			4	3		2

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes	16,039	5,064	7,316	659	303	421	558	696	606	658	625	617	627	596	657	1,700
Males	9,004	2,852	4,020	345	154	217	271	371	354	412	413	410	392	358	395	892
Females	7,035	2,212	3,296	314	149	204	287	325	252	246	212	207	235	238	262	808
Unknown causes	52	11	14	2	1	1		2	1	4	1	5	3	1	7	10
Males	23	6	8						1	2		3	2		2	5
Females	29	5	6	2	1	1		2		2	1	2	1	1	5	5
I.—General diseases: General diseases—A	3,619	1,407	2,364	344	103	104	88	71	73	75	62	62	41	41	63	128
Males	1,919	776	1,270	166	49	46	39	45	46	38	36	41	20	25	34	64
Females	1,700	631	1,094	178	54	58	49	26	27	37	26	21	21	16	29	64
1. Smallpox M	1		1													
1. Smallpox F																
2. Measles M	30	7	28	1				1								
2. Measles F	32	6	24	5	1		1		1							
3. Scarlet fever M	115	9	72	29	11	2										1
3. Scarlet fever F	124	5	82	31	10		1									
4. Diphtheria M	379	23	243	110	13	5	3	1		1				1		2
4. Diphtheria F	365	21	215	116	21	4	4	1	1	1				1		1
5. Whooping cough M	39	25	39													
5. Whooping cough F	37	18	36							1						
6. Fever M																
6. Fever F	1	1	1													
7. Cerebro-spinal fever M	38	11	20	5	1	1	1	2	1	2	1	2			2	
7. Cerebro-spinal fever F	21	4	11	4	2	1	1	1							1	
8. Typhoid fever M	213		5	6	11	28	26	28	24	20	16	18	8	4	9	10
8. Typhoid fever F	187	1	8	10	10	43	30	17	10	12	11	11	6	4	5	10
9. Diarrheal diseases M	473	275	337	10	9	6	5	7	11	7	7	11	8	13	8	34
9. Diarrheal diseases F	397	232	283	6	6	5	2	2	5	11	10	6	6	6	15	34
10. Cholera infantum M	491	405	490													1
10. Cholera infantum F	393	318	393													
11. Malarial fever M	61	6	15	4	1	2	1	2	5	2	6	4	2	3	5	9
11. Malarial fever F	62	7	15	5	4	3	4	1	5	5		1	3	1	3	12
12. Erysipelas M	20	4	5			1		1	2	2	1	2	1	1	2	2
12. Erysipelas F	18	7	9							1	1		1	1	2	3
13. Septicæmia M	34	3	7		2	1	3	2	2	4	4	1	1	2	5	
13. Septicæmia F	46	5	9	1		1	6	4	5	4	3	2	5	3	3	
14. Venereal diseases M	8	5	5					1	1						1	
14. Venereal diseases F	5	5	5													
15. Others of this group M	17	3	3	1	1						1	3		1	2	5
15. Others of this group F	12	1	3			1				2	1	1				4
General diseases—B	192	133	142		1	3	1	2	7	8	7	11	2	2	3	3
Males	115	74	79		1	1	1	2	5	6	5	9	1	2	1	2
Females	77	59	63			2			2	2	2	2	1		2	1
1. Parasitic diseases M																
1. Parasitic diseases F																
2. Alcoholism M	26						1	1	5	5	4	7	1	1		1
2. Alcoholism F	3								1		2					
3. Lead poison M	2				1										1	
3. Lead poison F	1											1				
4. Other poisons M	9	1	2			1		1		1	1	2		1		
4. Other poisons F	8	1	2			2			1	2			1			
5. Inanition M	78	73	77													1
5. Inanition F	65	58	61									1			2	1
General diseases—C	2,250	1,828	1,902	6	5	5	3	2	2	3	6	1	9	8	23	275
Males	1,234	1,042	1,077	4		1	1			3	4	1	4	4	16	119
Females	1,016	786	825	2	5	4	2	2	2		2		5	4	7	156
1. Premature birth M	137	137	137													
1. Premature birth F	102	102	102													
2. Stillborn M	577	577	577													
2. Stillborn F	410	410	410													
3. Malformation M	15	14	15													
3. Malformation F	9	8	8	1												
4. Debility and atrophy M	445	314	348	4		1	1			3	4	1	4	4	14	61
4. Debility and atrophy F	419	266	305	1	5	4	2	2	2		2		5	4	6	81
5. Old age M	60														2	58
5. Old age F	76														1	75

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.		All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																	
General diseases—D		2,551	134	223	32	24	130	244	313	252	242	223	171	161	140	147	249
Males		1,469	80	133	18	10	64	129	161	141	149	149	111	101	84	83	136
Females		1,082	54	90	14	14	66	115	152	111	93	74	60	60	56	64	113
1. Rheumatism	M	31		2	2	1	2	2	1	4	1		3	4	1	2	6
	F	18			1	1	1	1	1	1	1	1	2		1		7
2. Scrofula and tabes	M	12	8	9											2		1
	F	11	7	10					1								
3. Leprosy	M																
	F																
4. Consumption	M	1,100	18	31	7	4	56	124	153	132	138	124	84	73	57	53	64
	F	731	15	23	5	10	65	110	142	102	75	55	36	25	19	28	36
5. Hydrocephalus	M	97	45	78	7	2	1		3		1		1	2	1		1
	F	62	28	49	5	1						1		1		1	4
6. Cancer	M	139					3	1	1	2	3	18	14	15	19	23	40
	F	184						1	4	6	14	14	17	22	29	31	46
7. Tumor	M	13	2	2						1	2	1	2		2		3
	F	17							1			1	3	2	2	2	6
8. Anæmia	M	11	1	4		1			1	1		1	3				
	F	9				1		2	1				2		1		2
9. Dropsy	M	40	4	5	2		2	1	2		3	3		5	2	2	13
	F	33		3	3	1				1	3	2		6	2	2	10
10. Diabetes	M	21	1	1		2		1		1	1	2	4			1	8
	F	14	2	2				1	2	1				4	2		2
11. Others of this group	M	5	1	1										2		2	
	F	3	2	3													
12. Others of this class	M																
	F																
II.—Diseases of the nervous system		2,158	821	1,166	64	35	26	26	41	50	37	61	62	80	88	110	303
Males		1,199	467	633	29	18	13	14	27	33	23	36	39	50	51	63	170
Females		959	354	533	35	17	13	12	14	17	14	25	23	30	37	47	133
1. Inflammation of the brain	M	304	117	197	14	6	2	9	10	9	2	6	3	11	10	11	14
	F	206	66	142	18	8	5	4	4	7	2	2	4	4	1	2	3
2. Apoplexy	M	233	1	2	1	1	2	1	7	10	10	15	16	23	21	28	96
	F	194	1	3		1	3		2	4	2	12	12	24	25	29	77
3. Paralysis	M	99	3	4	3	2	2	1	2	4	4	9	7	3	6	15	37
	F	77	1	3	2	1	1		1	1	1	4	3	5	5	10	40
4. Tetanus and trismus nascentium	M	28	16	16	1	3	1	2		1			2		1	1	
	F	13	9	10							1		2				
5. Epilepsy	M	12			1		2	1	2		1			1	1		3
	F	7			1	1	2	2					1				
6. Convulsions	M	381	300	367	6	3	1		1	2		1					
	F	357	255	330	12	2		4	2	3	1	1					2
7. Mental diseases	M	7								2			2	2		1	
	F	8						1	1		1	2				1	2
8. Diseases of the brain	M	116	27	44	3	3	2		5	4	5	3	8	8	9	5	17
	F	82	22	43	1	4	1	1	1	2	5	3		3	5	5	8
9. Diseases of the spinal cord	M	18	3	3			1			1	1	2	1	2	2	2	3
	F	11		2					2		1	1	1	3	1		
10. Others of this class	M	1													1		
	F	4			1		1		1								1
III.—Diseases of the circulatory system		823	72	86	13	32	18	29	31	38	41	39	69	81	89	73	174
Males		461	40	47	7	13	14	15	15	20	30	26	40	53	48	38	95
Females		362	32	39	6	19	14	14	16	18	11	13	29	28	41	35	79
1. Angina pectoris	M	24								1		4	3	5	2	3	6
	F	9										2			1	3	3
2. Aneurism	M	9									2		1	3	2		1
	F	3									1		2				
3. Diseases of the heart	M	397	13	19	7	13	14	15	15	18	28	22	36	45	43	35	87
	F	321	10	17	6	19	14	12	15	17	10	10	27	28	38	32	76
4. Others of this class	M	31	27	28						1					1		1
	F	29	22	22				2	1	1		1			2		

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system	2,298	476	1,121	134	32	37	47	74	53	83	66	90	85	95	92	289
Males	1,317	264	605	80	16	20	22	47	36	63	48	64	56	59	58	143
Females	981	212	516	54	16	17	25	27	17	20	18	26	29	36	34	146
1. Croup M	222	31	172	42	2			1		1		2				2
1. Croup F	178	11	146	24	2	1		1				1	1		1	1
2. Laryngitis M	48	10	31	4	1		1		2	3	1		1	2	1	1
2. Laryngitis F	25	6	21	2	1					1						
3. Bronchitis M	268	96	150	6		1	3	4		2	7	7	10	10	21	47
3. Bronchitis F	215	77	124	6	1	1	1	1		3	2	3	4	6	7	56
4. Pneumonia M	640	101	216	27	9	15	17	35	30	50	30	44	38	35	28	72
4. Pneumonia F	471	96	190	20	11	12	20	20	13	13	12	20	21	24	21	74
5. Pleurisy M	28	1	4	1	1	1		5	1	4	2	2		3	1	3
5. Pleurisy F	15		1	2	1		1	2	2	1	1	1		1		2
6. Asthma M	13		1					2		1	1	1	1	1	2	3
6. Asthma F	7										1			2	1	3
7. Others of this class M	92	25	31		3	3	1		3	2	7	8	6	8	5	15
7. Others of this class F	70	22	34			3	3	3	2	2	2	1	3	3	4	10
V.—Diseases of the digestive system	752	131	184	18	22	17	24	48	38	36	44	50	67	44	63	97
Males	405	75	105	10	10	12	6	17	19	17	25	29	40	25	47	43
Females	347	56	79	8	12	5	18	31	19	19	19	21	27	19	16	54
1. Dentition M	10	8	10													
1. Dentition F	14	6	14													
2. Angina M	16	3	13	3												
2. Angina F	9		5	3	1											
3. Diseases of the stomach M	70	21	31	3		1	1		3	5	2	3	6	4	8	3
3. Diseases of the stomach F	57	20	25	4	3	1	3	3	1	1	1	1	3	1	2	8
4. Obstruction of the bowels M	15	5	5					1	1		2		1	1	4	
4. Obstruction of the bowels F	21	2	4						1	1	2	1	4	1		7
5. Hernia M	21	2	2			1		1	1	1		3	1	2	3	6
5. Hernia F	16										1	4	5	1	1	4
6. Other diseases of the bowels M	2	1	1					1								
6. Other diseases of the bowels F	3						1						1			1
7. Jaundice M	11	10	10													1
7. Jaundice F	12	4	5									1	3		1	2
8. Inflammation and abscess of the liver. M	37	2	3	1					3	2	3	4	5	4	7	5
8. Inflammation and abscess of the liver. F	20							2	2	1	2		2	3	2	6
9. Other diseases of the liver. M	101	1	1		2			3	4	2	11	11	21	10	20	16
9. Other diseases of the liver. F	53	1	1				1	3	5	4	2	9	6	8	4	10
10. Peritonitis M	86	5	9	3	8	9	3	11	7	5	6	6	5	4	3	7
10. Peritonitis F	120	10	12	1	7	3	13	23	10	12	11	4	3	4	5	12
11. Ascites M	3						1								1	1
11. Ascites F	3											1			1	1
12. Others of this class M	33	17	20			1	1			2	1	2	1		1	4
12. Others of this class F	10	13	13		1	1								1		3
VI.—Diseases of the urinary system and male organs of generation.	498	13	31	21	14	6	16	26	20	37	40	42	45	49	48	103
Males	296	7	18	10	7	4	5	16	12	24	25	26	26	26	31	66
Females	202	6	13	11	7	2	11	10	8	13	15	16	19	23	17	37
1. Bright's disease M	130			3	3	2	1	7	8	9	13	16	14	15	14	25
1. Bright's disease F	92			2	5		5	3	3	8	10	8	9	14	11	14
2. Calculus, urinary M																
2. Calculus, urinary F																
3. Diseases of the kidney M	133	5	16	7	4	2	4	8	4	13	12	8	10	10	14	21
3. Diseases of the kidney F	101	6	13	9	2	2	6	5	5	2	5	8	8	9	6	21
4. Diseases of the bladder M	24	1	1									1	1	1	3	17
4. Diseases of the bladder F	4							1		1			1			1
5. Others of this class M	9	1	1					1		2		1	1			3
5. Others of this class F	5							1		2			1			1
VII.—Diseases of the female organs of generation.	15					1	1	2	5	2		1		1	1	1
1. Ovarian tumors	2											1				1
2. Ovarian diseases																
3. Uterine tumors	1													1		
4. Uterine diseases	6							2	2	1					1	
5. Others of this class	6					1	1		3	1						
VIII.—Affections connected with pregnancy.	123					8	35	36	16	19	8	1				
1. Abortion	4							2		1	1					
2. Childbirth	24						6	7	3	6	2					
3. Puerperal septicæmia	90					7	29	25	12	12	4	1				
4. Extra-uterine pregnancy																
5. Others of this class	5					1		2	1		1					

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	16	2	2	1		2	2	1		3	1	1			2	1
Males	8	2	2	1		1				2		1			1	
Females	8					1	2	1		1	1				1	1
1. Diseases of the spine M	3			1		1				1						
1. Diseases of the spine F	3							1			1				1	
2. Diseases of the bones M	1	1	1													
2. Diseases of the bones F	3					1				1						1
3. Diseases of the hip joint M	1											1				
3. Diseases of the hip joint F	2						2									
4. Others of this class M	3	1	1							1					1	
4. Others of this class F																
X.—Diseases of the skin	29	9	10			1	3			2	2	1	2	3	1	4
Males	20	5	5			1	3				1	1	1	3	1	4
Females	9	4	5							2	1		1			
1. Abscess M	14	3	3				2				1	1	1	3	1	2
1. Abscess F	8	3	4							2	1		1			
2. Carbuncle M	5	1	1			1	1									2
2. Carbuncle F																
3. Others of this class M	1	1	1													
3. Others of this class F	1	1	1													
XI.—Diseases of the absorbent system	1															1
Males	1															1
Females																
1. Addison's disease M																
1. Addison's disease F																
2. Diseases of the spleen M	1															1
2. Diseases of the spleen F																
3. Others of this class M																
3. Others of this class F																
XII.—Accidents and injuries	662	27	71	24	34	52	39	47	51	66	65	50	42	35	24	62
Males	537	14	38	20	30	40	36	41	41	55	58	45	38	31	20	44
Females	125	13	33	4	4	12	3	6	10	11	7	5	4	4	4	18
1. Burns and scalds M	24	1	12	3	1	1	2		2		2	1				
1. Burns and scalds F	25	1	13	2		1	1		1	1	3	1		1		1
2. Drowned M	106	1	6	8	15	12	7	11	3	6	10	4	5	2	3	14
2. Drowned F	11		1			6					1			1	1	1
3. Exposure and neglect M	1											1				
3. Exposure and neglect F	1	1	1													
4. Gunshot wounds M	18					2	1	1	3	3		2	2	2	1	1
4. Gunshot wounds F	1									1						
5. Homicide M	8				1			1	1	1	1	1		1	1	
5. Homicide F	4								1			1		1	1	
6. Infanticide M																
6. Infanticide F																
7. Injuries by machinery M	2						1		1							
7. Injuries by machinery F																
8. Railroad accidents M	90			2	8	11	9	11	9	9	9	2	3	6	5	6
8. Railroad accidents F	7		1		1				1	1		1	1		1	
9. Suffocation M	10	6	7	1			1	1		2	4		1	1		1
9. Suffocation F	9	6	6					1					1			1
10. Suicide by shooting M	36						1	2	5	7	6	3	6	2	2	2
10. Suicide by shooting F																
11. Suicide by drowning M	4							1	1	1					1	
11. Suicide by drowning F	3					1					1					1
12. Suicide by poison M	11					2	2	1			2	1	1			2
12. Suicide by poison F	10					1	1	1	3	1		1	1			1
13. Other suicides M	48					3	2	2	1	7	4	8	5	4	6	6
13. Other suicides F	3					1				1		1				
14. Sunstroke M	23			1			2	2	4	6	4	1	1	2		
14. Sunstroke F	6	1	2				1	1		1				1		
15. Surgical operations M	1					1										
15. Surgical operations F	2								1							1
16. Wounds M	10					1	1	1		2		1	2	2		
16. Wounds F																
17. Other accidents and injuries M	136	6	13	5	5	7	7	7	11	11	16	20	12	9	1	12
17. Other accidents and injuries F	43	4	9	2	3	2		3	3	5	2		1		1	13