

## INDEX.

- Abdominal tuberculosis. *See* Tuberculosis.
- Abscess, death rates, by years, 86; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Accident Bulletin, number of killed and injured in railroad accidents, compiled from, 69.
- Accidental traumatism. *See* Traumatism.
- Actinomycosis, trichinosis, etc., death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 84; in cities and rural districts, 342.
- Addison's disease, death rates, by years, 84; by cities and rural districts, 202; number of deaths, by years, 84; in cities and rural districts, 342.
- Age, population of registration states, classified according to, 10, 11; death rates, according to, 11; number of deaths classified according to, 11, 20; by registration areas, 258; by color and nativity, 320; by sex, 320, 354; by certain causes, 354; in specified cities, 396.
- Alcoholism, death rates, by cities and rural districts, 30, 202; by years, 84; by registration areas, 188; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Allgheny, Pa., number of deaths, from certain causes, by age, 442. *See also* Registration cities.
- American Bar Association, cooperation in framing registration laws, 12; interest in extension of registration area, 471.
- American Medical Association, activity in extending registration area, 12; committee appointed on nomenclature and classification of diseases, 12; resolutions adopted, 12.
- American Public Health Association, organization of section on vital statistics, and its purpose, 13. *See also* Vital statistics.
- Amputation, death rates, by years, 86; by cities and rural districts, 218; number of deaths, by years, 86; in cities and rural districts, 346.
- Anemia, chlorosis, death rates, by years, 84; by cities and rural districts, 202; number of deaths, by years, 84; in cities and rural districts, 342.
- Anemia, leukemia, death rates, by registration areas, 188; number of deaths, in registration areas, 188; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Angina pectoris, death rates, by years, 85; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Apoplexy, death rates, fluctuating, 29; by years, 84; by registration areas, 188; by cities and rural districts, 204; number of deaths, by years, 59, 84; in registration areas, 88; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396; difficulty in classifying, 59.
- Apoplexy and paralysis, death rates, by cities and rural districts, 30; number of deaths, by years, 59.
- Appendicitis, death rates, 65; fluctuating, 29; by cities and rural districts, 30, 212; by years, 85; by registration areas, 192; number of deaths, 65; by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Arteries, diseases of, death rates, by years, 85; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Asiatic cholera, death rates, by years, 49, 84; by cities and rural districts, 196; number of deaths, by years, 49, 84; in cities and rural districts, 342.
- Asphyxia, suicide by. *See* Suicide.
- Asthma, death rates, by years, 85; by cities and rural districts, 210; number of deaths, by years, 85; in cities and rural districts, 344.
- Asthma and emphysema, death rates, by registration areas, 190; number of deaths, in registration areas, 190; according to age, by sex, 356; in each registration state, 362.
- Atrophy of liver. *See* Liver, diseases of.
- Australasia, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Australian Commonwealth, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; tuberculosis of lungs, 50; cancer, 53.
- Austria, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Automobile accidents, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Baltimore, Md., death rates, by color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; diseases of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; number of deaths, from certain causes, according to age, 411; by color, 412, 413. *See also* Registration cities.
- Batt, Dr. Wilmer R., secretary of section on vital statistics in American Public Health Association, 13.
- Belgium, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Biliary calculi, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 212; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Birth, injuries at, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Birth registration, 6; importance, 11, 464; need of a registration area, 16; reasons for incompleteness, 16, 18; tests for completeness, 17; interest of legal profession in promoting, 465; essential requirements, 465; expediency of combining with death registration, 467.
- Bladder, diseases of, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Bones, diseases of, death rates, by years, 86; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 346; according to age, by sex, 358; in each registration state, 363.
- Boston, Mass., number of deaths, from certain causes, by age, 414. *See also* Registration cities.
- Brain, diseases of, death rates, by years, 84; by registration areas, 188; by cities and rural districts, 204; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362.
- Bright's disease, per cent of Bright's disease and nephritis returned as, 65; number of deaths, by years, 65, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396; death rates, by years, 85; by registration areas, 192; by cities and rural districts, 212.
- Bright's disease and nephritis, death rates, fluctuating, 29; by cities and rural districts, 30; by registration areas, 66, 89; by years, 85; number of deaths, by years, 65, 85; in registration areas, 289.
- Bronchitis, death rates, decreasing, 29; by cities and rural districts, 30, 208; by years, 85; by registration areas, 190; number of deaths, by form of disease, and sex, 60; by years, 85; in registration areas, 190; in

- cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Bronchopneumonia, death rates, fluctuating, 29; by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Bronx borough, N. Y., number of deaths, from certain causes, by age, 431. *See also* Registration cities.
- Brooklyn borough, N. Y., number of deaths, from certain causes, by age, 432. *See also* Registration cities.
- Buffalo, N. Y., number of deaths, from certain causes, by age, 429. *See also* Registration cities.
- Bulgaria, death rates, 23.
- Burning by corrosive substances, death rates, by years, 86; by cities and rural districts, 222; number of deaths, by years, 86; in cities and rural districts, 346.
- Burns and scalds, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 220; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Calculi of urinary tract, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- California, added to registration area, 5; population, 73; estimates not made for certain cities, 3; death rates from specified causes, 88; by cities and rural districts, 196; number of deaths, according to age, by sex, color, and nativity, 326; by certain causes, 362; in cities and rural districts, 342. *See also* Registration states.
- California rural, population, 76; death rates, by certain causes, 136; number of deaths, by color, nativity, and month, 240; by age, 270; by certain causes, 302. *See also* Rural part of registration states.
- Cancer (all forms), proportion of deaths caused by specified forms, 53; death rates, fluctuating, 29; by cities and rural districts, 30, 200, 202; by countries, 53; by registration areas, 54, 88, 187; by years, 54, 84; by color, in selected areas, 54; number of deaths, by years, 53, 84; in registration areas, 187, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Carbuncle, death rates, by years, 86; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Causes of death, recommendations for uniform mode of statement, 14; death rates, by years, 84; by registration areas, 88, 186; by cities and rural districts, 196; number of deaths, by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Census, quinquennial, proposed cooperation of national and state governments in taking, 4.
- Cerebro-spinal meningitis, death rates, by years, 84; by cities and rural districts, 204; number of deaths, by years, 84; in cities and rural districts, 342. *See also* Meningitis.
- Ceylon, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Charbon. *See* Malignant pustule and charbon.
- Chicago, Ill., number of deaths, from certain causes, by age, 403. *See also* Registration cities.
- Childbirth, diseases incident to, death rates, fluctuating, 28; by years, 85; by registration areas, 193; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 193, 289; in cities and rural districts, 344; according to age, 358; in each registration state, 363; in specified cities, 396.
- Chile, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Chinese, proportion of population formed by, 10; number of deaths in registration areas, by age and sex, 320.
- Chlorosis. *See* Anemia, chlorosis.
- Cholera nostras, death rates, by years, 49, 84; by registration areas, 186; by cities and rural districts, 198; number of deaths, by years, 49, 84; in registration areas, 186; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Chorea, death rates, by years, 84; by cities and rural districts, 206; number of deaths, by years, 84; in cities and rural districts, 342.
- Chronic poisonings. *See* Poisonings.
- Cincinnati, Ohio, number of deaths, from certain causes, by age, 438. *See also* Registration cities.
- Circulatory system, diseases of, death rates, fluctuating, 28; by cities and rural districts, 30, 206, 208; by color, in selected areas, 59; by years, 85; by registration areas, 89, 189; number of deaths, 59; by years, 85; in registration areas, 189, 289; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Cirrhosis of liver, death rates, 64; fluctuating, 29; by cities and rural districts, 30, 212; by years, 85; by registration areas, 191; number of deaths, ratio to total number of deaths, according to sex and age, 65; number, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Cities. *See* Registration cities.
- Cleveland, Ohio, number of deaths, from certain causes, by age, 439. *See also* Registration cities.
- Cold and freezing, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 220; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Color, population in registration states, classified according to, 10; deaths classified by, 21; ratio to total number of deaths, 21; number, in registration areas, 228; according to age, by sex, 320; death rates, in specified cities, 26; in Maryland rural, 27; in Maryland cities and rural districts, 196; in selected districts, from typhoid fever, 32; malarial fever, 35; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63.
- Colorado, added to registration area, 5; population, 73; death rates from specified causes, 88; by cities and rural districts, 196; number of deaths, according to age, by sex, color, and nativity, 326; by certain causes, 364; in cities and rural districts, 343. *See also* Registration states.
- Colorado rural, population, 76; death rates, by certain causes, 138; number of deaths, by color, nativity, and month, 242; by age, 272; by certain causes, 302. *See also* Rural part of registration states.
- Columbus, Ohio, number of deaths, from certain causes, by age, 440. *See also* Registration cities.
- Conflagration, death rates, by cities and rural districts, 222; number of deaths, in cities and rural districts, 346.
- Congenital debility, death rates, fluctuating, 29; by years, 86; by registration areas, 194; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396.
- Congenital malformation of heart (cyanosis). *See* Congenital malformations.
- Congenital malformations, death rates, by years, 86; by registration areas, 193, 194; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 193, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Congestion of lungs, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Conjugal condition, population in registration states classified by, 10.
- Connecticut, population, 73; death rates, from specified causes, 88; by cities and rural districts, 196; number of deaths, according to age, by sex, color, and nativity, 328; by certain causes, 366; in cities and rural districts, 343. *See also* Registration states.
- Connecticut rural, population, 76; death rates, from certain causes, 140; number of deaths, by color, nativity, and month, 242; by age, 274; by certain causes, 304. *See also* Rural part of registration states.
- "Convulsions," death rates, decreasing, 29; by years, 84; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 84; in registration areas, 189; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Croup, death rates, by years, 84; by registration areas, 186; by cities and rural districts, 196; number of deaths, by years, 84; in registration areas, 186; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362. *See also* Diphtheria and croup.
- Crushing, suicide by. *See* Suicide.
- Cutting instruments, suicide by. *See* Suicide.
- Cyanosis. *See* Congenital malformations.
- Death rates, causes of changes in, 8; relation to estimates of population, 22; limitations in report, 22; international comparisons, 23; average annual, 24; by principal diseases, 29; by color, 26; by registration states, 24; by cities and rural districts, 24; by registration cities, 25, 80; according to specified causes, by cities and rural districts, 30, 186, 196; by years, 84; by regis-

- tration areas, 88. See also each specified disease.
- Deaths, legal importance of registration, 11; number of, by age, 20, 258, 320; by sex, 20, 320; by color and nativity, 21, 228, 320; according to specified causes, by years, 84; in cities and rural districts, 186; in registration areas, 228, 258, 320. See also each specified disease.
- Debility. See Ill-defined causes.
- Denmark, death rates, 23.
- Dentition, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Denver, Colo., number of deaths, from certain causes, by age, 398. See also Registration cities.
- Detroit, Mich., number of deaths, from certain causes, by age, 417. See also Registration cities.
- Diabetes, death rates, increasing, 29, 55; by cities and rural districts, 30, 202; by registration areas, 55, 89, 188; by years, 84; number of deaths, by years, 84; in registration areas, 188, 289; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Diarrhea and enteritis, death rates, fluctuating, 29; by cities and rural districts, 30, 210; by age, 62; by color, in selected areas, 63; by registration cities, 63; by years, 85; by registration areas, 89, 191; number of deaths, according to age, 62; by sex, 358; in each registration state, 363; in specified cities, 396; by years, 85; in registration areas, 191, 289; in cities and rural districts, 344.
- Digestive system, diseases of, death rates, 62; fluctuating, 28; by cities and rural districts, 30, 210; by years, 85; by registration areas, 89, 191; number of deaths, increasing, 62; by years, 85; in registration areas, 191, 289; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Diphtheria, death rates, international comparisons, 46; by years, 84; by registration areas, 88, 186; by cities and rural districts, 196; number of deaths, by years, 84; in registration areas, 186; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362. See also Diphtheria and croup.
- Diphtheria and croup, why classed as one disease, 45; death rates, fluctuating, 29; by cities and rural districts, 30; international comparisons, 46; by registration areas, 46, 88; by color, in selected areas, 47; by registration cities, 47; number of deaths, 45; in registration areas, 288; according to age, in specified cities, 396. See also Diphtheria.
- Dislocations, death rates, by years, 86; by cities and rural districts, 220; number of deaths, by years, 86; in cities and rural districts, 346. See also Fractures and dislocations.
- District of Columbia, prevalence of typhoid fever, 32; number of deaths, by age, sex, color, and nativity, 328; from certain causes, by color, 343. See also Registration cities and Washington, D. C.
- "Dropsy." See Ill-defined causes.
- Drowning, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 220; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363. See also Suicide.
- Dysentery, difficulty in classifying, 49; death rates, by cities and rural districts, 30, 198; by years, 49, 84; by registration areas, 186; number of deaths, by years, 49, 84; in registration areas, 186; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Ear, diseases of, death rates, by years, 84; by cities and rural districts, 206; number of deaths, by years, 84; in cities and rural districts, 342.
- Early infancy, diseases of, death rates, fluctuating, 28; by years, 86; by registration areas, 89, 194; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 194, 289; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Earthquake, number of deaths resulting from, 69; by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396; death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222.
- Embolism and thrombosis, death rates, by years, 85; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Emphysema, death rates, by years, 85; by cities and rural districts, 210; number of deaths, by years, 85; in cities and rural districts, 344. See also Asthma and emphysema.
- Encephalitis, death rates, by years, 84; by registration areas, 188; by cities and rural districts, 204; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Endocarditis, death rates, fluctuating, 29; by years, 85; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- England and Wales, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Enteritis. See Diarrhea and enteritis.
- Epidemic diseases, death rates, fluctuating, 28; by specified diseases, 49; by years, 84; by registration areas, 88, 186; by cities and rural districts, 198; number of deaths, by specified diseases, 49; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Epilepsy, death rates, by years, 84; by registration areas, 189; by cities and rural districts, 204; number of deaths, by years, 84; in registration areas, 189; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Erysipelas, death rates, by years, 49, 84; by registration areas, 186; by cities and rural districts, 198; number of deaths, by years, 49, 84; in registration areas, 186; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Esophagus, diseases of, death rates, by years, 85; by cities and rural districts, 210; number of deaths, by years, 85; in cities and rural districts, 344.
- Exanthematic typhus, death rates, by years, 49, 84; by cities and rural districts, 196; number of deaths, by years, 49, 84; in cities and rural districts, 342.
- Exophthalmic goiter, death rates, by years, 84; by cities and rural districts, 202; number of deaths, by years, 84; in cities and rural districts, 342.
- Eye and adnexa, death rates, by years, 84; by cities and rural districts, 206; number of deaths, by years, 84; in cities and rural districts, 342.
- Fall River, Mass., number of deaths, from certain causes, by age, 415. See also Registration cities.
- Farcy. See Glanders and farcy.
- Fever. See Ill-defined causes.
- Finland, death rates, all causes, 23; typhoid fever, 31; smallpox, 36.
- Firearms, suicide by. See Suicide.
- Fractures, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 220; number of deaths, by years, 86; in cities and rural districts, 346. See also Fractures and dislocations.
- Fractures and dislocations, number of deaths, in registration areas, 194; according to age, by sex, 360; in each registration state, 363.
- France, death rates, all causes, 23.
- Freezing. See Cold and freezing.
- Gangrene, death rates, by years, 86; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Gangrene of lungs, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Gastritis, death rates, fluctuating, 29; by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- General diseases, death rates, fluctuations of, 28; by years, 84; by registration areas, 186; by cities and rural districts, 196; number of deaths, by years, 84; in registration areas, 186; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Genito-urinary system, diseases of, death rates, 65; fluctuating, 28; by cities and rural districts, 30, 212; by years, 85; by registration areas, 192; number of deaths, 65; by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- German Empire, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Glanders and farcy, death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 84; in cities and rural districts, 342.
- Gonorrhoea, death rates, by years, 84; by cities and rural districts, 200; number of deaths, by years, 84; in cities and rural districts, 342.
- Gout. See Rheumatism.

- Gunshot wounds (accidental), death rates, by years, 86; by registration areas, 194; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Hanging, suicide by. *See* Suicide.
- Heart disease, death rates, 59; fluctuating, 29; by cities and rural districts, 30, 206; by years, 85; by registration areas, 189; number of deaths, 59; by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- "Heart failure," death rates, by years, 86; by registration areas, 195; by cities and rural districts, 224; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Heat and sunstroke, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 220; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Hemorrhage of lungs, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Hemorrhages, death rates, by years, 85; by cities and rural districts, 208; number of deaths, by years, 85; in cities and rural districts, 344.
- Hernia, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 212; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Homicide, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 224; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Hungary, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; cancer, 53.
- Hurty, Dr. J. N., chairman of section on vital statistics of American Public Health Association, 13.
- Hydatid tumors of liver, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 212; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Hydrocephalus, death rates, by years, 86; by registration areas, 193; in cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Ill-defined causes, death rates, fluctuating, 28; by years, 86; by registration areas, 89, 195; by cities and rural districts, 224; number of deaths, by years, 86; in registration areas, 195, 289; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396.
- Inanition. *See* Ill-defined causes.
- Indiana, population, 73; death rates from specified causes, 88; by cities and rural districts, 196; number of deaths, according to age, by sex, color, and nativity, 330; by certain causes, 368; in cities and rural districts, 343. *See also* Registration states.
- Indiana rural, population, 76; death rates from certain causes, 140; number of deaths, by color, nativity, and month, 244; by age, 274; by certain causes, 304. *See also* Rural part of registration states.
- Indianapolis, Ind., number of deaths, from certain causes, by age, 404. *See also* Registration cities.
- Indians, proportion of population formed by, 10; number of deaths in registration areas, by age and sex, 320.
- Infancy, early, diseases of, death rates, fluctuating, 28; by years, 86; by registration areas, 89, 194; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 194, 289; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Influenza, death rates, fluctuating, 29; by cities and rural districts, 30, 196; by registration areas, 48, 88, 186; by years, 84; number of deaths, 48; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Inhalation of poisonous gases, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Intestinal parasites, death rates, by years, 85; by cities and rural districts, 210; number of deaths, by years, 85; in cities and rural districts, 344.
- Intestines, diseases of, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 212; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Ireland, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Italy, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Jamaica, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Japan, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Japanese, proportion of population formed by, 10; number of deaths in registration areas, by age and sex, 320.
- Jersey City, N. J., number of deaths, from certain causes, by age, 426. *See also* Registration cities.
- Joints, diseases of, death rates, by years, 86; by registration areas, 193; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 346; according to age, by sex, 358; in each registration state, 363.
- Jumping from high places, suicide by. *See* Suicide.
- Kansas City, Mo., death rates, by color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; number of deaths from certain causes, according to age, 420; by color, 421, 422. *See also* Registration cities.
- Kidneys, diseases of, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Lack of care. *See* Infancy, early, diseases of.
- Laryngitis, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Larynx, diseases of, death rates, by years, 85; by cities and rural districts, 208; number of deaths, by years, 85; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Lead poisoning, death rates, by years, 84; by cities and rural districts, 202; number of deaths, by years, 84; in cities and rural districts, 342.
- Legislation for securing vital statistics, progress of, 11.
- Leprosy, death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 49, 84; in cities and rural districts, 342.
- Leukemia, death rates, by years, 84; by cities and rural districts, 202; number of deaths, by years, 84; in cities and rural districts, 342. *See also* Anemia, leukemia.
- Lightning, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 220; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Liver, diseases of, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 212; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Locomotor ataxia, death rates, by years, 84; by registration areas, 188; by cities and rural districts, 204; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362.
- Locomotor system, diseases of, death rates, fluctuating, 28; by years, 86; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 346; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Los Angeles, Cal., number of deaths, from certain causes, by age, 396. *See also* Registration cities.
- Louisville, Ky., death rates, by color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; dis-

- eases of nervous system, 56; of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; number of deaths, from certain causes, according to age, 405; by color, 406, 407. *See also* Registration cities.
- Lymphatics, diseases of, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Machinery, injuries by, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Maine, population, 73; death rates, from specified causes, 88; by cities and rural districts, 196; number of deaths, according to age, by sex, color, and nativity, 330; by certain causes, 370; in cities and rural districts, 343. *See also* Registration states.
- Maine rural, population, 77; death rates, from certain causes, 152; number of deaths, by color, nativity, and month, 246; by age, 276; by certain causes, 306. *See also* Rural part of registration states.
- Malarial fever, death rates, by cities and rural districts, 30, 196; by registration areas, 34, 88, 186; by registration cities, 35 by years, 84; number of deaths, 34; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Malformations, death rates, fluctuating, 28; by years, 86; by registration areas, 193; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396.
- Malignant pustule and charbon, death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 84; in cities and rural districts, 342.
- Manhattan borough, N. Y., number of deaths, from certain causes, by age, 433. *See also* Registration cities.
- Marasmus. *See* Ill-defined causes.
- Maryland, added to registration area, 5; ratio of white and colored in population, and in death rates, by counties, 27; population, 73; death rates, according to color, by cities and rural districts, 88, 196; number of deaths, according to age, by sex, color, and nativity, 332; by certain causes, 372; according to color, in cities and rural districts, 348; by certain causes, 372. *See also* Registration states.
- Maryland rural, population, 77; death rates, by color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; diseases of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; by certain causes, 154; number of deaths, by color, nativity, and month, 246; according to color, by age, 276; by certain causes, 308. *See also* Rural part of registration states.
- Massachusetts, population, 73; death rates, from specified causes, 88; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 332; by certain causes, 378; in cities and rural districts, 348. *See also* Registration states.
- Massachusetts rural, population, 77; death rates, from certain causes, 156; number of deaths, by color, nativity, and month, 246; by age, 278; by certain causes, 310. *See also* Rural part of registration states.
- Measles, death rates, by cities and rural districts, 30, 196; international comparisons, 37; by color, in selected areas, 38; by registration areas, 38, 88, 186; by registration cities, 39; by years, 84; number of deaths, 37; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Memphis, Tenn., death rates, according to color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; diseases of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; number of deaths, from certain causes, according to age, 447; by color, 448, 449. *See also* Registration cities.
- Meningitis, death rates, fluctuating, 29; by cities and rural districts, 30, 204; by years, 56, 84; by registration areas, 57, 89, 188; by registration cities, 57; number of deaths, by years, 50, 56, 84; in registration areas, 188, 289; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Metritis, death rates, by years, 85; by cities and rural districts, 214; number of deaths, by years, 85; in cities and rural districts, 344.
- Michigan, population, 73; death rates, from specified causes, 88; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 334; by certain causes, 380; in cities and rural districts, 348. *See also* Registration states.
- Michigan rural, population, 77; death rates, from certain causes, 158; number of deaths, by color, nativity, and month, 248; by age, 278; by certain causes, 310. *See also* Rural part of registration states.
- Miliary fever, death rates, by years, 49, 84; by cities and rural districts, 196; number of deaths, by years, 49, 84; in cities and rural districts, 342.
- Milwaukee, Wis., number of deaths, from certain causes, by age, 450. *See also* Registration cities.
- Mines and quarries, injuries in, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Minneapolis, Minn., number of deaths, from certain causes, by age, 418. *See also* Registration cities.
- Month, number of deaths classified by, in registration areas, 229.
- Mouth, diseases of, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Nasal fossa, diseases of, death rates, by years, 85; by cities and rural districts, 208; number of deaths, by years, 85; in cities and rural districts, 344.
- Nativity, population of registration states, classified according to, 10; death rates, according to, 21; number of deaths classified according to, 21; by registration areas, 228, 320; by age and sex, 320.
- Negroes, proportion of population formed by, 10; number of deaths in registration areas, by age and sex, 320. *See also* Color.
- Nephritis, per cent of Bright's disease and nephritis returned as, 65; number of deaths, by years, 65, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396; death rates, by years, 65, 85; by registration areas, 66, 89, 192; by cities and rural districts, 212. *See also* Bright's disease and nephritis.
- Nervous system, diseases of, death rates, 56; fluctuating, 28; by cities and rural districts, 30, 204; by color, in selected areas, 56; by years, 84; by registration areas, 89, 188; number of deaths, 56; by years, 84; in registration areas, 188, 289; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Netherlands, death rates, all causes, 23; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Newark, N. J., number of deaths, from certain causes, by age, 427. *See also* Registration cities.
- New Hampshire, population, 73; death rates, from specified causes, 88; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 334; by certain causes, 382; in cities and rural districts, 349. *See also* Registration states.
- New Hampshire rural, population, 78; death rates, from certain causes, 168; number of deaths, by color, nativity, and month, 250; by age, 280; by certain causes, 312. *See also* Rural part of registration states.
- New Haven, Conn., number of deaths, from certain causes, by age, 399. *See also* Registration cities.
- New Jersey, population, 73; death rates, from specified causes, 88; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 336; by certain causes, 384; in cities and rural districts, 349. *See also* Registration states.
- New Jersey rural, population, 78; death rates, from certain causes, 170; number of deaths, by color, nativity, and month, 250; by age, 280; by certain causes, 312. *See also* Rural part of registration states.
- New Orleans, La., death rates, by color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; number of deaths, from certain causes, according to age, 408; by color, 409, 410. *See also* Registration cities.
- New South Wales, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- New York, population, 73; death rates, from specified causes, 90; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 336; by certain causes, 386; in cities and rural districts, 349. *See also* Registration states.
- New York rural, population, 78; death rates, from certain causes, 172; number of deaths, by color, nativity, and month, 250; by age, 282; by certain causes, 312. *See also* Rural part of registration states.
- New York, N. Y., number of deaths, from certain causes, by age, 430. *See also* Registration cities.

- New Zealand, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Nomenclature, importance, in national and international classifications of disease, 12.
- Nonpuerperal diseases of breast (cancer excepted), death rates, by years, 85; by cities and rural districts, 214; number of deaths, by years, 85; in cities and rural districts, 344.
- Nonvenereal diseases of male genital organs, death rates, by years, 85; by cities and rural districts, 214; number of deaths, by years, 85; in cities and rural districts, 344.
- North, Hon. S. N. D., correspondence concerning the population of the state of Washington, 4.
- Norway, death rates, all causes, 23; typhoid fever, 31; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Old age, death rates, 28; decreasing, 29; by years, 86; by registration areas, 194; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396.
- Omaha, Nebr., number of deaths, from certain causes, by age, 425. *See also* Registration cities.
- Ovarian tumor, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, 358; in each registration state, 363; in specified cities, 396.
- Paralysis, death rates, decreasing, 29; by years, 59, 84; by registration areas, 189; by cities and rural districts, 204; number of deaths, by years, 59, 84; in registration areas, 189; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Paterson, N. J., number of deaths, from certain causes, by age, 428. *See also* Registration cities.
- Pellagra, death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 84; in cities and rural districts, 342.
- Penal statistics. *See* Vital and penal statistics.
- Pennsylvania, added to registration area, 5; population, 73; death rates, from specified causes, 90; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 338; by certain causes, 388; in cities and rural districts, 349. *See also* Registration states.
- Pennsylvania rural, population, 78; death rates, from certain causes, 180; number of deaths, by color, nativity, and month, 252; by age, 282; by certain causes, 314. *See also* Rural part of registration states.
- Pericarditis, death rates, by years, 85; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Peritonitis, death rates, decreasing, 29; by cities and rural districts, 30, 212; by years, 85; by registration areas, 192; number of deaths, 65; by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Pharynx, diseases of, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Philadelphia, Pa., number of deaths, from certain causes, by age, 443. *See also* Registration cities.
- Physicians of London, Royal College of, nomenclature of diseases, drawn up by, 12.
- Piles, Hon. S. H., correspondence concerning the population of Washington, 3.
- Pittsburg, Pa., number of deaths, from certain causes, by age, 444. *See also* Registration cities.
- Plague, death rates, by years, 49, 84; by cities and rural districts, 198; number of deaths, by years, 49, 84; in cities and rural districts, 342.
- Pleurisy, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Pneumonia, death rates, fluctuating, 29; by cities and rural districts, 30, 208; by registration areas, 61, 89, 190; by color, in selected areas, 61; by registration cities, 61; by years, 85; number of deaths, 60; by years, 85; in registration areas, 190, 289; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Poison, suicide by. *See* Suicide.
- Poisonings, accidental, death rates, by years, 86; by registration areas, 194; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Poisonings, chronic, death rates, by years, 84; by registration areas, 188; by cities and rural districts, 202; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Population, annual estimates, 3, 4; of registration area, by years, 5; difficulty in estimating, 21; of each registration area, 73; of states and registration cities, 453.
- Pott's disease, death rates, by years, 50, 84; by registration areas, 187; by cities and rural districts, 200; number of deaths, by years, 50, 84; in registration areas, 187; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Pregnancy, accidents of, death rates, by years, 85; by cities and rural districts, 216; number of deaths, by years, 85; in cities and rural districts, 344.
- Premature birth, death rates, fluctuating, 29; by years, 86; by registration areas, 194; by cities and rural districts, 218; number of deaths, by years, 86; in registration areas, 194; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396.
- Privation. *See* Starvation, privation, etc.
- Prostate, diseases of, death rates, by years, 85; by cities and rural districts, 214; number of deaths, by years, 85; in cities and rural districts, 344.
- Providence, R. I., number of deaths, from certain causes, by age, 446. *See also* Registration cities.
- Prussia, death rates, all causes, 23; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; cancer, 53.
- Puerperal diseases, death rates, by years, 85; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 85; in registration areas, 193; in cities and rural districts, 344; according to age, 358; in each registration state, 363; in specified cities, 396.
- Queens borough, N. Y., number of deaths, from certain causes, by age, 434. *See also* Registration cities.
- Queensland, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Rabies, death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 84; in cities and rural districts, 342.
- Railroad accidents and injuries, number killed and injured, 69; death rates, increasing, 68; by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Registration, of births and deaths, legal importance, 11; cooperation of Commissioners on Uniform State Laws and American Bar Association, 12; of American Medical Association, 12; cooperation of state and municipal authorities, 13; recommendations submitted for uniform action, 14; present status, 463; importance of movement, 464; necessity for effective laws, 465; essential requirements, 465; new law in Michigan, 466; difficulties in combining registration of births with registration of deaths, 467; increasing interest, 467; interest of legal profession, 468, 471; resolutions indorsing, adopted by Committee on Vital and Penal Statistics, 469; by the American Public Health Association, 469; by the Senate and House of Representatives, 469.
- Registration area, extent and composition, 5; ratio of population of, to population of United States, 5; changes and additions, 5, 6; states added, 5, 8; population, 5, 73; effect on death rate, of extensions, 8; further extensions urged, 11; interest of legal profession in extending, 11, 471; of medical profession, 12; death rates, all causes, by sex and age, 20; by color and nativity, 21; compared with certain countries, 23; from typhoid fever, 31; malarial fever, 34; smallpox, 36; measles, 38; scarlet fever, 40; whooping cough, 43; diphtheria and croup, 46; influenza, 48; tuberculosis of lungs, 51; cancer, 54; diabetes, 55; alcoholism, 55; diseases of nervous system, 56; meningitis, 57; pneumonia, 61; diarrhea and enteritis, 63; Bright's disease and nephritis, 66; number of deaths, all causes, 84, 186; by color, nativity, and month, 228; according to age, 258; by sex, color, and nativity, 320; by certain causes, 288.
- Registration cities, population, 6, 73, 453; death rates in cities having 100,000 inhabitants, 25; over 10 per cent colored population, 26; all causes, 23; typhoid fever, 31, 33; malarial fever, 34, 35; smallpox, 36; measles, 38, 39; scarlet fever, 40, 41; whooping cough, 43, 44; diphtheria and croup, 46, 47; influenza, 48; tuberculosis of lungs, 51, 52; cancer, 54; diabetes, 55; meningitis, 57; pneumonia, 61; diarrhea and enteritis, 63; Bright's disease and nephritis, 66; from all causes per 1,000 of

- population, 80; from certain causes and classes of causes, 88, 258, 396; number of deaths, by color, nativity, and month, 228; according to age, 258, 396; by sex, color, and nativity, 320; name and official title of registrar in each, 453.
- Registration officials, list of, giving name and official title, 453.
- Registration states, specified, 73; list of states added, 5, 8; population, 6, 8, 73, 453; disproportion of sexes, in new, 8; addition of colored population, 8; population, classified, by age, sex, color, and conjugal condition, 10; population, number of deaths, and death rates, by age, 11; census of 1900 and later estimates compared, 22; death rates, all causes, 23, 24, 88, 168; typhoid fever, 31; malarial fever, 34; smallpox, 36; measles, 38; scarlet fever, 40; whooping cough, 43; diphtheria and croup, 46; influenza, 48; tuberculosis of lungs, 51; cancer, 54; diabetes, 55; meningitis, 57; pneumonia, 61; diarrhea and enteritis, 63; Bright's disease and nephritis, 66; number of deaths, all causes, 11; by color, nativity, and month, 228; according to age, 258; by sex, color, and nativity, 322; by certain causes, 288; in cities and rural districts, 342; name and official title of registrar in each, 453; status of effective registration in each, 472.
- Relapsing fever, death rates, by years, 49, 84; by cities and rural districts, 196; number of deaths, by years, 49, 84; in cities and rural districts, 342.
- Reports, of registration officials, list of, containing vital statistics, 453.
- Respiratory system, diseases of, death rates, fluctuating, 28; in cities and rural districts, 30, 208; by years, 85; by registration areas, 89, 190; number of deaths, 59; by years, 85; in registration areas, 190, 289; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Rheumatism, death rates, by cities and rural districts, 30, 202; by years, 84; by registration areas, 188; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Rhode Island, population, 73; death rates, from specified causes, 90; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 338; by certain causes, 390; in cities and rural districts, 349. *See also* Registration states.
- Rhode Island rural, population, 79; death rates, from certain causes, 180; number of deaths by color, nativity, and month, 254; by age, 284; by certain causes, 316. *See also* Rural part of registration states.
- Richmond borough, N. Y., number of deaths, from certain causes, by age, 435. *See also* Registration cities.
- Rochester, N. Y., number of deaths, from certain causes, by age, 436. *See also* Registration cities.
- Roumania, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46.
- Rural mortality, compared with urban, 24.
- Rural part of registration states, population, 73; death rates, all causes, 23; from certain causes, 30, 88; typhoid fever, 31; malarial fever, 34; smallpox, 36; measles, 38; scarlet fever, 40; whooping cough, 43; diphtheria and croup, 46; influenza, 48; tuberculosis of lungs, 51; cancer, 54; diabetes, 55; meningitis, 57; pneumonia, 61; diarrhea and enteritis, 63; Bright's disease and nephritis, 66; number of deaths by color, nativity, and month, 228; by age, 258; by certain causes, 288; by age, sex, color, and nativity, 324.
- St. Joseph, Mo., number of deaths, from certain causes, by age, 423. *See also* Registration cities.
- St. Louis, Mo., number of deaths, from certain causes, by age, 424. *See also* Registration cities.
- St. Paul, Minn., number of deaths, from certain causes, by age, 419. *See also* Registration cities.
- San Francisco, Cal., number of deaths, from certain causes, by age, 397. *See also* Registration cities.
- Scalds. *See* Burns and scalds.
- Scarlet fever, death rates, fluctuating, 29; by cities and rural districts, 30, 196; international comparisons, 40; by registration areas, 40, 88, 186; in selected areas, by color, 41; in registration cities, 41; by years, 84; number of deaths, 40; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Scotland, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Scranton, Pa., number of deaths, from certain causes, by age, 445. *See also* Registration cities.
- Scrofula, death rates, by years, 84; by registration areas, 187; by cities and rural districts, 200; number of deaths, by years, 84; in registration areas, 187; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Scurvy, death rates, by years, 84; by cities and rural districts, 204; number of deaths, by years, 84; in cities and rural districts, 342.
- Septicemia, death rates, by years, 84; by registration areas, 186; by cities and rural districts, 198; number of deaths, by years, 84; in registration areas, 186; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Servia, death rates, all causes, 23; typhoid fever, 31; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Sex, population of registration states classified according to, 10; death rates, according to, 20; number of deaths classified according to, 20; in registration areas, by age, color, and nativity, 320; from each specified cause, by age, 354.
- Skin, diseases of, death rates, fluctuating, 28; by years, 86; by registration areas, 193; by cities and rural districts, 216; number of deaths, by years, 86; in registration areas, 193; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Smallpox, death rates, by cities and rural districts, 30, 196; international comparisons, 36; by registration areas, 36, 88, 186; by registration cities, 37; by years, 84; number of deaths, 36; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Softening of brain, death rates, by years, 84; by registration areas, 188; by cities and rural districts, 204; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- South Australia, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- South Dakota, added to registration area, 5; population, 73; death rates, from specified causes, 90; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 340; by certain causes, 392; in cities and rural districts, 349. *See also* Registration states.
- South Dakota rural, population, 79; death rates, from certain causes, 182; number of deaths, by color, nativity, and month, 254; by age, 284; by certain causes, 316. *See also* Rural part of registration states.
- Spain, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.
- Spinal cord, diseases of, death rates, by years, 84; by registration areas, 188; by cities and rural districts, 204; number of deaths, by years, 84; in registration areas, 188; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362.
- Spleen, diseases of, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 212; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Starvation, privation, etc., death rates, by years, 86; by cities and rural districts, 222; number of deaths, by years, 86; in cities and rural districts, 346. *See also* Violence.
- States, estimated population, 453; name and official title of registrars, 453. *See also* Registration states.
- Stomach, diseases, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Strangulation, suicide by. *See* Suicide.
- Street car accidents, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Sudden death. *See* Ill-defined causes.
- Suffocation, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Suicide, number of deaths, 68; by years, 86; in registration areas, 194, 289; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396; death rates, by years, 86; by registration areas, 89, 194; by cities and rural districts, 218.
- Sunstroke. *See* Heat and sunstroke.
- Sweden, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46.
- Switzerland, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria and croup, 46; tuberculosis of lungs, 50; cancer, 53.

- Syphilis, death rates, by years, 84; by cities and rural districts, 200; number of deaths, by years, 84; in cities and rural districts, 342.
- Syracuse, N. Y., number of deaths, from certain causes, by age, 437. *See also* Registration cities.
- Tables, text, scope of, 19; summary and rate, outline of, 19; general, 19.
- Tasmania, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Tetanus, death rates, by years, 84; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 84; in registration areas, 189; in cities and rural districts, 342; according to age, by sex, 356; in each registration state, 362; in specified cities, 396.
- Thrombosis. *See* Embolism and thrombosis.
- Thyroid body, diseases of, death rates, by years, 85; by registration areas, 190; by cities and rural districts, 208; number of deaths, by years, 85; in registration areas, 190; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Toledo, Ohio, number of deaths, from certain causes, by age, 441. *See also* Registration cities.
- Tonsillitis, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363; in specified cities, 396.
- Traumatism, death rates, by years, 86; by cities and rural districts, 222; number of deaths, by years, 86; in cities and rural districts, 346.
- Trichinosis. *See* Actinomycosis, trichinosis, etc.
- Tuberculosis (all forms), death rates, by years, 84; by registration areas, 88, 187; by cities and rural districts, 198; number of deaths, by years, 50, 84; in registration areas, 187, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Tuberculosis of lungs, death rates, fluctuating, 29; by cities and rural districts, 30, 198; international comparisons, 50; by registration areas, 51, 88, 187; by color, in selected areas, 52; by registration cities, 52; by years, 84; number of deaths, 50; by years, 84; in registration areas, 187, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Tubes, diseases of, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, 358; in each registration state, 363.
- Tumor, death rates, by years, 84; by registration areas, 89, 188; by cities and rural districts, 202; number of deaths, by years, 84; in registration areas, 188, 289; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Typhoid fever, death rates, fluctuating, 29; by cities and rural districts, 30, 196; international comparisons, 31; by registration areas, 31, 33, 88, 186; by color, in selected areas, 32; by years, 84; prevalence of disease, in District of Columbia, 32; number of deaths, 30; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Ulcer of stomach, death rates, by years, 85; by registration areas, 191; by cities and rural districts, 210; number of deaths, by years, 85; in registration areas, 191; in cities and rural districts, 344; according to age, by sex, 358; in each registration state, 363.
- Uniform State Laws, Commissioners on, relation to movement for extension of registration area, 12, 471.
- United Kingdom, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- United States, rank of, in vital statistics, 4; estimated number of deaths, 21; present status of registration, 463.
- Urban mortality, compared with rural, 24.
- Uremia, number of deaths, 65.
- Urethra, diseases of, urinary abscess, etc., death rates, by years, 85; by cities and rural districts, 214; number of deaths, by years, 85; in cities and rural districts, 344.
- Uterine tumor, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, 358; in each registration state, 363; in specified cities, 396.
- Uterus, diseases of, death rates, by years, 85; by registration areas, 192; by cities and rural districts, 214; number of deaths, by years, 85; in registration areas, 192; in cities and rural districts, 344; according to age, 358; in each registration state, 363.
- Vehicles and horses, injuries by, death rates, by years, 86; by registration areas, 195; by cities and rural districts, 222; number of deaths, by years, 86; in registration areas, 195; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363.
- Veins, diseases of, death rates, by years, 85; by registration areas, 189; by cities and rural districts, 206; number of deaths, by years, 85; in registration areas, 189; in cities and rural districts, 344; according to age, by sex, 356; in each registration state, 362.
- Veneral diseases, death rates, by cities and rural districts, 30; by years, 84; by registration areas, 187; number of deaths, by years, 84; in registration areas, 187; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Vermont, population, 73; death rates, from specified causes, 90; by cities and rural districts, 197; number of deaths, according to age, by sex, color, and nativity, 340; by certain causes, 394; in cities and rural districts, 349. *See also* Registration states.
- Vermont rural, population, 79; death rates, from certain causes, 182; number of deaths, by color, nativity, and month, 256; by age, 286; by certain causes, 318. *See also* Rural part of registration states.
- Victoria, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- Violence, deaths from, need of improvement in reporting, 67; proposed standard certificate for returns, 67; death rates, fluctuating, 28; by cities and rural districts, 30, 218; by years, 86; by registration areas, 89, 194; number of deaths, 66; by years, 86; in registration areas, 194, 289; in cities and rural districts, 346; according to age, by sex, 360; in each registration state, 363; in specified cities, 396.
- Vital and penal statistics, report of special committee, 469.
- Vital statistics, suggestions for the Thirteenth Census, 11; progress of legislation, 11; organization of section on, in American Public Health Association, 13; its recommendations, 14, 16; list of bulletins containing, 453; items included under head of, 463; registration of births and deaths, 463; interest in enactment of registration laws, 467; interest and assistance of legal profession, 471.
- Walker, Hon. Francis A., plan for quinquennial censuses, 4.
- Warner, Hon. Vespasian, letter, urging registration of births, 464.
- Washington, estimates of population of cities in, 3, 4.
- Washington, D. C., mortality from typhoid fever, 32; death rates, according to color, from typhoid fever, 32; malarial fever, 35; smallpox, 36; measles, 38; scarlet fever, 41; whooping cough, 43; diphtheria and croup, 47; tuberculosis of lungs, 52; cancer, 54; diseases of nervous system, 56; diseases of circulatory system, 59; pneumonia, 61; diarrhea and enteritis, 63; number of deaths, from certain causes, according to age, 400; by color, 401, 402. *See also* Registration cities and District of Columbia.
- Welch, Prof. William H., extract from a letter, 27.
- Western Australia, death rates, all causes, 23; typhoid fever, 31; smallpox, 36; measles, 37; scarlet fever, 40; whooping cough, 42; diphtheria, 46; tuberculosis of lungs, 50; cancer, 53.
- White swelling, death rates, by years, 50, 84; by registration areas, 187; by cities and rural districts, 200; number of deaths, by years, 50, 84; in registration areas, 187; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Whites, proportion of population formed by, 10; number of deaths in registration areas, by sex and age, 320. *See also* Color.
- Whooping cough, death rates, fluctuating, 29; by cities and rural districts, 30, 196; international comparisons, 42; by registration areas, 43, 88, 186; by color, in selected areas, 43; by registration cities, 43; by years, 84; number of deaths, 42; by years, 84; in registration areas, 186, 288; in cities and rural districts, 342; according to age, by sex, 354; in each registration state, 362; in specified cities, 396.
- Worcester, Mass., number of deaths, from certain causes, by age, 416. *See also* Registration cities.
- Yellow fever, death rates, by years, 84; by cities and rural districts, 198; number of deaths, by years, 49, 84; in cities and rural districts, 342.